ScienceDesk™ Breadboards: Performance™ Series


- Flat Top Surface of a Performance™ Breadboard is Made of High-Quality Magnetic Stainless Steel
- Athermalized Design Maximizes Thermal Stability
- Steel Core and Internal Damping Provide Both Static and Dynamic Rigidity
- Magnetic Top and Bottom Plates Offer Component Mounting Versatility

Specifications

- **Mounting Holes**
  - Imperial: 1/4"-20 on 1" Centers
  - Metric: M6 x 1.0 on 25 mm Centers
- **Flatness:** ±0.006" (0.15 mm) Over any 1.0 ft² (0.3 m²) Area
- **Thickness:** 2.4" (60 mm)
- **Construction:** Double-Skin, Single-Honeycomb Core, Athermalized Design
- **Core:** High-Density, Plated-Steel Honeycomb
- **Damping:** Proprietary Broadband Damping
- **Top and Bottom Plates**
  - Top Plate: Magnetic Stainless Steel, 3/16" (5 mm) Thick, Brushed Finish
  - Bottom Plate: Magnetic Stainless Steel, 3/16" (5 mm) Thick
- **Sides:** Black Laminated Steel
- **Edge of Top Plate to First Hole**
  - Imperial: 2"
  - Metric: 50 mm

Thorlabs offers a line of breadboards for our modular, ergonomic ScienceDesks that provide a rigid, flat, thermally stable tabletop. These breadboards, when combined with our ScienceDesk Frames, make ideal workstations for multiple applications and disciplines. To complete your workstation, Thorlabs offers a line of accessories, including overhead shelves, side shelves, computer shelves, a keyboard holder, wrist rest, and a monitor mount (see pages 35 - 45 for details).

The Performance series, including the no holes version featured below, incorporates a double-skin (top and bottom), single-honeycomb design, providing excellent stiffness and dynamic rigidity. The Performance series consists of a stainless steel top plate. The second layer adds the main steel honeycomb structure, and the stainless steel bottom plate finishes the board. The main honeycomb core is fabricated from strips of precision-formed plated steel, which are bonded together with a high-tensile-strength epoxy adhesive.



Performance Series ScienceDesk™ Breadboards, 1/4"-20 Taps

ITEM #*	$	£	€	RMB	DIMENSIONS	COMPATIBLE FRAMES	
PBH11106	$ 923.80	£ 665.14	€ 803,71	¥ 7,362.69	3' x 2' x 2.4"	Item #'s Ending in 6090	NEW
PBH11111	$ 1,090.80	£ 785.38	€ 949,00	¥ 8,693.68	3' x 2.5' x 2.4"	Item #'s Ending in 7590	
PBH11112	$ 1,366.30	£ 983.74	€ 1.188,68	¥ 10,889.41	4' x 2.5' x 2.4"	Item #'s Ending in 75120	
PBH11115	$ 1,589.10	£ 1,144.15	€ 1.382,52	¥ 12,665.13	4' x 3' x 2.4"	Item #'s Ending in 90120	

*Please contact your local sales office for a quotation including shipping.

Performance Series ScienceDesk™ Breadboards, M6 x 1.0 Taps

ITEM #*	$	£	€	RMB	DIMENSIONS	COMPATIBLE FRAMES	
PBH51506	$ 904.50	£ 651.24	€ 786,92	¥ 7,208.87	900 mm x 600 mm x 60 mm	Item #'s Ending in 6090	NEW
PBH51511	$ 1,043.30	£ 751.18	€ 907,67	¥ 8,315.10	900 mm x 750 mm x 60 mm	Item #'s Ending in 7590	
PBH51512	$ 1,335.00	£ 961.20	€ 1.161,45	¥ 10,639.95	1200 mm x 750 mm x 60 mm	Item #'s Ending in 75120	
PBH51515	$ 1,550.60	£ 1,116.43	€ 1.349,02	¥ 12,358.28	1200 mm x 900 mm x 60 mm	Item #'s Ending in 90120	

*Please contact your local sales office for a quotation including shipping.

ScienceDesk™ Breadboards: Performance Series with No Holes

These 2.4" (60 mm) thick optical breadboards utilize the same construction techniques as our standard Performance Series range described above but without drilled or tapped holes in the top plate. They provide high stiffness and standard damping, making them an ideal solution for microscopy applications.



Performance Series Breadboards, No Holes

ITEM #*	METRIC ITEM #	$	£	€	RMB	SIZE	
PBH11106/NH	N/A	$ 689.00	£ 496.08	€ 599,43	¥ 5,491.33	3' x 2' x 2.4"	NEW
PBH11111/NH	PBH51511/NH	$ 869.00	£ 625.68	€ 756,03	¥ 6,925.93	3' x 2.5' x 2.4" (900 mm x 750 mm x 60 mm)	
PBH11112/NH	PBH51512/NH	$ 985.00	£ 709.20	€ 856,95	¥ 7,850.45	4' x 2.5' x 2.4" (1200 mm x 750 mm x 60 mm)	
PBH11115/NH	PBH51515/NH	$ 1,054.00	£ 758.88	€ 916,98	¥ 8,400.38	4' x 3' x 2.4" (1200 mm x 900 mm x 60 mm)	


*Please contact your local sales office for a quotation including shipping.

ScienceDesk™ Breadboards: PerformancePlus™ Series

Thorlabs offers a line of breadboards for our modular, ergonomic ScienceDesks that provide a rigid, flat, thermally stable tabletop. These breadboards, when combined with our ScienceDesk Frames, make an ideal workstation for multiple applications and disciplines. To complete your workstation, Thorlabs offers a line of accessories, including overhead shelves, side shelves, computer shelves, a keyboard holder, wrist rest, and a monitor mount (see pages 35 - 45).

The PerformancePlus breadboards incorporate a triple-skin (top, bottom, and middle), double-honeycomb design, providing superior stiffness and excellent dynamic rigidity. The top layer consists of a stainless steel top plate and a secondary steel plate, separated by a unique plated-steel honeycomb-like structure. The second layer adds the main steel honeycomb structure and the stainless steel bottom plate finishes the board.

PerformancePlus Series



The main honeycomb core is fabricated from strips of precision-formed plated steel, which are bonded together with a high-tensile-strength epoxy adhesive. The thinner, honeycomb-like top structure is made from figure 8-shaped steel cups, which enhance the overall stiffness of the breadboard and provide improved support of the top plate. This, combined with the athermalized design and excellent surface flatness, makes the PerformancePlus series the best choice for your ScienceDesk.



Specifications

- **Mounting Holes**
  - Imperial: 1/4"-20 on 1" Centers
  - Metric: M6 on 25 mm Centers
- **Flatness:** ±0.006" (0.15 mm) Over any 1.0 ft² (0.3 m²) Area
- **Thickness:** 2.4" (60 mm) or 4.3" (110 mm)
- **Construction:** Triple-Skin, Double-Honeycomb Core, Athermalized Design with Matching Plate Materials for Maximum Thermal Stability
- **Damping:** Enhanced Proprietary Damping
- **Main Core:** High-Density, Plated-Steel Honeycomb
- **Intermediate Core:** Plated-Steel Sealing Cup Honeycomb Structure, 0.51" (13 mm) Thick
- **Edge of Top Plate to First Hole**
  - Imperial: 2"
  - Metric: 50 mm
- **Maximum Screw Depth:** 5/8" (16 mm) from Breadboard Surface
- **Top and Bottom Plate**
  - Top Plate: Magnetic Stainless Steel, 3/16" (5 mm) Thick, Brushed Finish
  - Bottom Plate: Magnetic Stainless Steel, 3/16" (5 mm) Thick
- **Sides:** Black Laminated Steel

- Triple-Skin, Double-Core StableTop™ Construction Significantly Increases Rigidity
- Enhanced Damping Improves Dynamic Performance for the Most Critical Laboratory Applications
- Sealed Mounting Holes Make it Simple to Contain and Clean up Spills or Retrieve Lost Optics or Screws
- Athermalized Design for Excellent Thermal Stability

PerformancePlus Series of ScienceDesk™ Breadboards, 1/4"-20 Taps

	ITEM #*	$	£	€	RMB	DIMENSIONS	COMPATIBLE FRAMES
NEW	PBI11106	$ 1,138.00	£ 819.36	€ 990,06	¥ 9,069.86	3' x 2' x 2.4"	Item #'s Ending in 6090
	PBI11111	$ 1,276.40	£ 919.01	€ 1.110,47	¥ 10,172.91	3' x 2.5' x 2.4"	Item #'s Ending in 7590
	PBI11112	$ 1,598.20	£ 1,150.70	€ 1.390,43	¥ 12,737.65	4' x 2.5' x 2.4"	Item #'s Ending in 75120
	PBI11115	$ 1,820.90	£ 1,311.05	€ 1.584,18	¥ 14,512.57	4' x 3' x 2.4"	Item #'s Ending in 90120
NEW	PBI12129	$ 4,148.00	£ 2,986.56	€ 3.608,76	¥ 33,059.56	6' x 5' x 4.3"	Item # SDA150180


*Please contact your local sales office for a quotation including shipping.

PerformancePlus Series of ScienceDesk™ Breadboards, M6 Taps

	ITEM #*	$	£	€	RMB	DIMENSIONS	COMPATIBLE FRAMES
NEW	PBI51506	$ 1,136.30	£ 818.14	€ 988,58	¥ 9,056.31	900 mm x 600 mm x 60 mm	Item #'s Ending in 6090
	PBI51511	$ 1,298.50	£ 934.92	€ 1.129,70	¥ 10,349.05	900 mm x 750 mm x 60 mm	Item #'s Ending in 7590
	PBI51512	$ 1,566.80	£ 1,128.10	€ 1.363,12	¥ 12,487.40	1200 mm x 750 mm x 60 mm	Item #'s Ending in 75120
	PBI51515	$ 1,782.40	£ 1,283.33	€ 1.550,69	¥ 14,205.73	1200 mm x 900 mm x 60 mm	Item #'s Ending in 90120
NEW	PBI52529	$ 4,099.00	£ 2,951.28	€ 3.566,13	¥ 32,669.03	1800 mm x 1500 mm x 110 mm	Item # SDA150180

*Please contact your local sales office for a quotation including shipping.

ScienceDesk™ Accessories



Accessories

- Shelves
- Keyboard Holder
- Wrist Rest
- Flat Screen Support Brackets
- Post Assemblies
- Casters

U.S. Patent: D455,300S
GB Patent: GB2.365.991B

Thorlabs' ScienceDesk accessories provide an array of custom configurations to meet almost all work space requirements. Six different shelving options are available, including overhead shelves, side shelves, and lower shelves to support test instrumentation, computers, and tools. A monitor mount allows standard flat panel monitors to be supported off the work surface. A keyboard mount and a wrist rest are also available.

Our ScienceDesk accessories are available for all models of the ScienceDesk frames. Accessories can be mounted in a multitude of locations to maximize your comfort and productivity, thus allowing the work space to be reconfigured as requirements change.

Under Shelves



- Strong, Melamine-Faced MDF Construction
- 250 mm Shelf Depth
- Max Load Capacity of 110 lbs (50 kg)


The under shelf spans the rear of the ScienceDesk, providing a 9.9" (250 mm) shelf depth. This shelf can mount to any of the lower rails of the frame. The width of the shelf corresponds to the width of the table it is to be used for.

Under Shelves

ITEM #	$	£	€	RMB	FRAME LENGTH	SHELF DIMENSION
PSY300	$ 80.00	£ 57.60	€ 69,60	¥ 637.60	2.5' (750 mm)	750 mm x 250 mm
PSY301	$ 85.00	£ 61.20	€ 73,95	¥ 677.45	3' (900 mm)	900 mm x 250 mm
PSY302	$ 90.00	£ 64.80	€ 78,30	¥ 717.30	4' (1200 mm)	1200 mm x 250 mm

ScienceDesk™ Overhead Shelves

- 110 lbs (50 kg) Max Load Capacity
- Widths of 36" (900 mm) and 48" (1200 mm)
- 11.8" (300 mm) Shelf Depth
- Posts Support up to Two Shelf Units



PSY211 and PSY212 include two Ø1.5" Support Posts as shown.
For additional shelves, order Part # PSY201/S or PSY202/S.

The PSY211 and PSY212 Overhead Shelves span the width of the ScienceDesk™ and are supported by two 29.5" (750 mm) high posts. The shelf slides along the posts to set the height above the work surface. Two shelves can be mounted on a single set of supporting posts. To purchase an additional shelf (posts not included), select a PSY201/S or PSY202/S shelf unit to go with the PSY211 or PSY212 units, respectively.


Standard Overhead Shelves

ITEM #	$	£	€	RMB	FRAME LENGTH	SHELF DIMENSIONS	PSY161 POSTS NEEDED
PSY211	$ 330.00	£ 237.60	€ 287,10	¥ 2,630.10	3' (900 mm)	36" x 12" (900 mm x 300 mm)	2 (Included)
PSY201/S	$ 160.00	£ 115.20	€ 139,20	¥ 1,275.20	3' (900 mm)	36" x 12" (900 mm x 300 mm)	2 (Not Included)
PSY212	$ 335.00	£ 241.20	€ 291,45	¥ 2,669.95	4' (1200 mm)	48" x 12" (1200 mm x 300 mm)	2 (Included)
PSY202/S	$ 170.00	£ 122.40	€ 147,90	¥ 1,354.90	4' (1200 mm)	48" x 12" (1200 mm x 300 mm)	2 (Not Included)

Single Shelf

- 10.9" x 11.8" (278 mm x 300 mm) Shelf Size
- Includes 29.5" (750 mm) Post
- 44 lbs (20 kg) Max Load Capacity

The single shelf can be mounted on the upper side or upper rear rails of the ScienceDesk™ base. Attaching the mounting post to the frame provides a degree of isolation between the shelf and the critical table work surface.



Single Shelf with Post

ITEM #	$	£	€	RMB	SHELF DIMENSIONS
PSY191	$177.00	£127.44	€ 153,99	¥ 1,410.69	10.9" x 11.8" (278 mm x 300 mm)

Side Shelves

- Versions for 600 mm, 750 mm, and 900 mm Depth ScienceDesks
- 23.6" (600 mm) Width
- 110 lbs (50 kg) Max Load Capacity

The side shelf accessory can be mounted to either side of the upper side rails of the ScienceDesk. This design ensures that vibrations or inadvertant movement of the shelf do not directly impact the critical work space.



Side Shelves

ITEM #	$	£	€	RMB	FRAME LENGTH	SHELF DIMENSIONS
PSY350	$ 175.20	£ 126.14	€ 152,42	¥ 1,396.34	2.5' (750 mm)	29.7" x 23.6" (755 mm x 600 mm)
PSY351	$ 185.00	£ 133.20	€ 160,95	¥ 1,474.45	3' (900 mm)	35.6" x 23.6" (905 mm x 600 mm)
NEW PSY352	$ 170.00	£ 122.40	€ 147,90	¥ 1,354.90	2' (600 mm)	23.6" x 23.6" (605 mm x 600 mm)

PC Shelf



- Designed to Hold a PC
- 10.2" x 17.7" (260 mm x 450 mm)
- Max Load Capacity of 44 lbs (20 kg)

The PC shelf, which has a 44 lbs (20 kg) load capacity, can be mounted to the upper or lower rails of the ScienceDesk. The shelf is ergonomically positioned on the frame of the ScienceDesk™ and is ideally suited for supporting a PC.



PC/Movable Shelf

ITEM #	$	£	€	RMB	SHELF DIMENSIONS
PSY180	$ 50.00	£ 36.00	€ 43,50	¥ 398.50	10.2" x 17.7" (260 mm x 450 mm)

Sample Preparation/Staging Shelves

- Raised Above Breadboard Surface
- Max Load Capacity of 33 lbs (15 kg)

The Preparation shelf rests on the outer frame of the ScienceDesk. By resting on the frame and not the breadboard, a user can create usable work space while not disturbing the isolated breadboard, and the shelf can be easily repositioned on the frame. The shelf length corresponds to the width of the table it is designed for.



Sample Preparation/Staging Shelves

ITEM #	$	£	€	RMB	FRAME LENGTH	SHELF DIMENSIONS
PSY250	$ 80.00	£ 57.60	€ 69,60	¥ 637.60	2.5' (750 mm)	9.8" x 29.5" (250 mm x 750 mm)
PSY251	$ 85.00	£ 61.20	€ 73,95	¥ 677.45	3' (900 mm)	9.8" x 35.4" (250 mm x 900 mm)
PSY252	$ 77.50	£ 55.80	€ 67,43	¥ 617.68	2' (600 mm)	9.8" x 23.6" (250 mm x 600 mm) NEW

ScienceDesk Casters



- Locking Mechanism Prevents Unintentional Movement
- Max Load Capacity of 704 lbs (320 kg), Including the Frame

These casters come in a set of four, attach to the bottom of a ScienceDesk frame, and convert it into a mobile workstation. Once the ScienceDesk is in the desired location, each foot can be lowered to provide a stationary work environment. The casters feature a locking mechanism to prevent inadvertent movement when the frame's feet are not lowered.


ScienceDesk Casters: Set of Four

ITEM #	$	£	€	RMB	DESCRIPTION
PSY140	$125.00	£ 90.00	€ 108,75	¥ 996.25	Set of Four Casters

Adjustable Wrist Rest

- Keeps Arms Elevated Above Breadboard
- Padded for Comfort
- Adjustable Height and Angle

The adjustable ergonomic wrist rest, which mounts to the upper front bar of the ScienceDesk™ frame and is designed to provide the optimum height and angle for adjusting nanopositioning stages, allows operators to perform delicate instrument adjustments with higher accuracy and lower fatigue. The padded portion of the wrist rest is made from molded foam, which provides extra comfort for the user. It comes with integrated mounting studs and locking bolts.



Adjustable Wrist Rest

ITEM #	$	£	€	RMB	COMPATIBLE BREADBOARDS	DIMENSIONS
PSY100	$ 150.00	£ 108.00	€ 130,50	¥ 1,195.50	2.4" (60 mm) Thick or 2.2" (55 mm) Thick	31.5" x 2.4" (800 mm x 60 mm)