


FISA 7 / 11

Gaura copacului si masa

~1-2 ore

Atentie



stalpi grinda joista dusumea polita coltar metal diagonala/proptea

PIESE PENTRU ACEASTA ETAPA



BL

2

Blocaj (offcut)
traverse = rama



H3

~6

Heco 6x80
prindere

SCULE

Fierastrau


Bormasina

Ruleta

PAS CU PAS


●	cap surub (pe fata vazuta)	⊙	surub/piulita pe partea ascunsa
→	directia de insurubare	oblic	= la unghi (toe-screw)
		folosim	suruburi + buloane , nu cuie

- 1 Intre joistele de la 280 si 720, monteaza 2 traverse scurte = rama gaurii copacului.



2


Reteaza corcodusul la ~+2780 (deasupra podelei). Lasa joc de 3-5 cm jur-imprejurul trunchiului.



! Pas critic — verifica inainte sa mergi mai departe.

3

Blatul mesei se fixeaza de podea, prin cadrul lui — NICIODATA de copac.



! Pas critic — verifica inainte sa mergi mai departe.

GATA CAND

- ☐ Rama intre joistele 280-720
 - ☐ Joc 3-5 cm in jurul trunchiului
 - ☐ Blatul NU pe copac
-