


FISA 7 / 11

Gaura copacului si masa

~1-2 ore

Atentie



stalp grinda joista dusumea polita coltar metal diagonala/proptea

PIESE PENTRU ACEASTA ETAPA



BL

2

Blocaj (offcut)
traverse = rama



H3

~6

Heco 6x80
prindere

SCULE

Fierastrau

Bormasina

Ruleta

PAS CU PAS

● cap surub (fata vazuta)


⦿ surub/piulita ascuns (pe spate)

➔ directia de insurubare

oblic = la unghi (toe-screw)


Folosim **suruburi + buloane**, nu cuie. (Singurul cui e distantierul de 5 mm la dusumea.)

- 1 Intre joistele de la 280 si 720, monteaza 2 traverse scurte = rama gaurii copacului.



2

Reteaza corcodusul la $\sim +2780$ (deasupra podelei). Lasa joc de 3-5 cm jur-imprejurul trunchiului.




! CRITIC — opreste-te si verifica.



Blatul mesei se fixeaza de podea, prin cadrul lui — NICIODATA de copac.

ZOOM • CUM SE PRINDE



! CRITIC — opreste-te si verifica.

GATA CAND

- ☐ Rama intre joistele 280-720
- ☐ Joc 3-5 cm in jurul trunchiului
- ☐ Blatul NU pe copac