

```
PROJECT_CODE.VK
├── text1.txt
└── text2.txt

PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1
    new file:   text2

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    text1
    deleted:    text2

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    text1.txt
    text2.txt

PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git add .
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1.txt
    new file:   text2.txt

PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git commit -m "first commit"
Author identity unknown
```

```
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1.txt
    new file:   text2.txt

PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git commit -m "first commit"
Author identity unknown

*** Please tell me who you are.

Run

git config --global user.email "you@example.com"
git config --global user.name "Your Name"

to set your account's default identity.
omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'vladt@user.(none)')
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git config --global user.name "Vlad Tokmakov"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git config --global user.email "vlad.tokmakov.07@mail.ru"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git commit -m "first commit"
[master (root-commit) 965b2b4] first commit
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 text1.txt
 create mode 100644 text2.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk> git status
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_vk>
```

```
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "first commit"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'vladt@user.(none)')
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git config --global user.name "Vlad Tokmakov"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git config --global user.email "vlad.tokmakov.07@mail.ru"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "first commit"
[master (root-commit) 965b2b4] first commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 text1.txt
create mode 100644 text2.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add .gitignore
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Add .gitignore"
[master 93c8886] Add .gitignore
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 .gitignore
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK>
```

```
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text1.txt
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text1"
[master 93c8886] Изменил text1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 text1.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK>
```

The screenshot shows the Visual Studio Code interface with a terminal window open. The file explorer on the left shows a project named 'PROJECT_CODE.VK' with files '.gitignore', 'text1.txt', and 'text2.txt'. The terminal window displays the following commands and output:

```
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text1.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text1"
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout -b testing
Switched to a new branch "testing"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Проверка"
On branch testing
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout master
Switched to branch "master"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git merge testing
Already up to date.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout -b testing
fatal: a branch named "testing" already exists
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout testing
Switched to branch "testing"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text2.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text2"
On branch testing
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout master
Switched to branch "master"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git merge testing
Already up to date.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git diff
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout testing
Switched to branch "testing"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch testing
nothing to commit, working tree clean
```

The terminal window continues with the following commands and output:

```
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git merge testing
Already up to date.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git diff
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout testing
Switched to branch "testing"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch testing
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch testing
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch testing
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   text2.txt

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text2.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text2"
[testing 5f8501e] изменил text2
1 file changed, 3 insertions(+)
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout master
Switched to branch "master"
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git merge testing
Updating 93c8886..5f8501e
Fast-forward
 text2.txt | 3 +++
1 file changed, 3 insertions(+)
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK>
```

```
text1.txt
1  Принять текущее изменение | Принять входящее изменение | Принять оба изменения | Сравнить изменения
2  <<<<<< HEAD (текущее изменение)
3  Влад Токмаков
4  Добавил +++
5  =====
6  Токмаков Влад
7  +++-+ВК
8  >>>>>> testing (входящее изменение)
9

ПРОБЛЕМЫ  ВЫХОДНЫЕ ДАННЫЕ  КОНСОЛЬ ОТЛАДКИ  ТЕРМИНАЛ  ПОРТЫ
+ v powershell

Fast-forward
text2.txt | 3 +++
1 file changed, 3 insertions(+)
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text1.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text1"
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch master
changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   text1.txt

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text1.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text1"
[master 476fe53] Изменил text1
1 file changed, 3 insertions(+)
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout testing
Switched to branch 'testing'
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch testing
nothing to commit, working tree clean
```

```
text1.txt
1  Принять текущее изменение | Принять входящее изменение | Принять оба изменения | Сравнить изменения
2  <<<<<< HEAD (текущее изменение)
3  Влад Токмаков
4  Добавил +++
5  =====
6  Токмаков Влад
7  +++-+ВК
8  >>>>>> testing (входящее изменение)
9

ПРОБЛЕМЫ  ВЫХОДНЫЕ ДАННЫЕ  КОНСОЛЬ ОТЛАДКИ  ТЕРМИНАЛ  ПОРТЫ
+ v powershell

nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git status
On branch testing
changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   text1.txt

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text1.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text1 в тесте для конфликта"
[testing 4ac3ad3] Изменил text1 в тесте для конфликта
1 file changed, 2 insertions(+)
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git checkout master
Switched to branch 'master'
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git merge testing
Auto-merging text1.txt
CONFLICT (content): Merge conflict in text1.txt
Automatic merge failed; fix conflicts and then commit the result.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK>
```

```
Automatic merge failed; fix conflicts and then commit the result.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git -am "Разрешил конфликт"
unknown option: -am
usage: git [-v] [--version] [-h] [--help] [-C <path>] [-c <name>=<value>]
  [--exec-path<path>] [--html-path] [--man-path] [--info-path]
  [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
  [--no-optional-locks] [--no-advice] [--bare] [--git-dir<path>]
  [--work-tree<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
  <command> [<args>]

PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git commit -am "Разрешил конфликт"
[master 96f803b] Разрешил конфликт
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git commit -am "Разрешил конфликт"
On branch master
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git log --oneline --graph --all
* 96f803b (HEAD -> master) Разрешил конфликт
|
| * 4aca3ad (testing) Изменил text1 в тесте для конфликта
| * 476fe53 Изменил text1
|/
| * 5f8501e Изменил text2
| * 93c8886 Add .gitignore
| * 965b2b4 First commit
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK>
```

```
nothing to commit, working tree clean
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git log --oneline --graph --all
* 96f803b (HEAD -> master) Разрешил конфликт
|
| * 4aca3ad (testing) Изменил text1 в тесте для конфликта
| * 476fe53 Изменил text1
|/
| * 5f8501e Изменил text2
| * 93c8886 Add .gitignore
| * 965b2b4 First commit
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git remote add origin https://github.com/VladTokmakov/vlad
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK> git push -u origin master
info: please complete authentication in your browser...
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 8 threads
Compressing objects: 100% (15/15), done.
Writing objects: 100% (17/17), 1.70 KiB | 434.00 KiB/s, done.
Total 17 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), done.
To https://github.com/VladTokmakov/vlad
 * [new branch] master -> master
branch "master" set up to track 'origin/master'.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code_VK>
```

Visual Studio Code interface showing a terminal window. The file explorer on the left shows a project named 'PROJECT_CODE.VK' with files '.gitignore', 'text1.txt', and 'text2.txt'. The terminal window displays the following commands and output:

```
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> add text1.txt
add : item "add" не распознано как имя командлета, функции, файла сценария или выполняемой программы. Проверьте правильность написания имени, а также наличие и правильность пути, после чего повторите попытку.
строка:1 знак:1
+ add text1.txt
+ ~~~
+ CategoryInfo          : ObjectNotFound: (add:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git add text1.txt
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git commit -m "Изменил text1"
[master fb318d8] Изменил text1
1 file changed, 1 insertion(+), 3 deletions(-)
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git push origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 378 bytes | 378.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/VladTokmakov/vlad
96f803b..fb318d8 master -> master
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK>
```

Visual Studio Code interface showing a terminal window. The file explorer on the left shows a project named 'PROJECT_CODE.VK' with files '.gitignore', 'README.md', 'text1.txt', and 'text2.txt'. The terminal window displays the following commands and output:

```
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 378 bytes | 378.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/VladTokmakov/vlad
96f803b..fb318d8 master -> master
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git пулл origin master
git: 'пулл' is not a git command. See 'git --help'.
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK> git pull origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.17 KiB | 48.00 KiB/s, done.
From https://github.com/VladTokmakov/vlad
* branch            master       -> FETCH_HEAD
  fb318d8..e0754da master       -> origin/master
Updating fb318d8..e0754da
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)
create mode 100644 README.md
PS C:\Users\vladt\OneDrive\Рабочий стол\project_code.VK>
```