## CrInGeCrInGeProduction. Supercringeint roduction here:

Let's calculate smth with expression given: f(x, y) =  $x \cdot y^{2.000}$ Firstly, let's insert all constants and simplify it:  $f(x, y) = x \cdot y^{2.000}$ 

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!!

In the point (x = 3.000, y = 2.000) it's value = 12.000

1 step. finding a derivation:

y

While preparing for exams, I learned a lot of new things, for example::

1.000

2 step. finding a derivation:

 $y^{2.000}$ 

It's really easy to find:

 $2.000 \cdot y$ 

3 step. finding a derivation:

 $\boldsymbol{x}$ 

My roommate mumbled it in his sleep all night:

1.000

4 step. finding a derivation:

 $x \cdot y^{2.000}$ 

Sounds logical that it is the same as:

 $y^{2.000} + 2.000 \cdot y \cdot x$ 

Congratulations! The first derivation of the expression is:

 $y^{2.000} + 2.000\cdot y\cdot x$ 

In the point (x = 3.000, y = 2.000) it's value = 16.000

Let's calculate the 3 derivation of the expression:

Calculating the 1 derivation of the expression:

1 step. finding a derivation:

y

For centuries, people have hunted for the secret knowledge that:

1.000

2 step. finding a derivation:

 $y^{2.000}$ 

Sounds logical that it is the same as:

 $2.000 \cdot y$ 

3 step. finding a derivation:

 $\boldsymbol{x}$ 

It's really easy to find:

1.000

4 step. finding a derivation:

 $x \cdot y^{2.000}$ 

My roommate mumbled it in his sleep all night:

 $y^{2.000} + 2.000 \cdot y \cdot x$ 

Calculating the 2 derivation of the expression:

1 step. finding a derivation:

 $\boldsymbol{x}$ 

What if it equals:

1.000

2 step. finding a derivation:

y

It's really easy to find:

1.000

3 step. finding a derivation:

2.000

Even my two-aged sister knows that it equals:

0.000

4 step. finding a derivation:

 $2.000 \cdot y$ 

When I was child, my father always told me: "Remember, son:

2.000

5 step. finding a derivation:

 $2.000 \cdot y \cdot x$ 

I spend the hole of my life to find the answer and finally it's:

 $2.000 \cdot x + 2.000 \cdot y$ 

6 step. finding a derivation:

y

Man... Just look: 1.000 7 step. finding a derivation:  $y^{2.000}$ For centuries, people have hunted for the secret knowledge that:  $2.000 \cdot y$ 8 step. finding a derivation:  $y^{2.000} + 2.000 \cdot y \cdot x$ It's really easy to find:  $2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y$ Calculating the 3 derivation of the expression: 1 step. finding a derivation: yIt's simple as fuck: 1.000 2 step. finding a derivation: 2.000thanks to the results of my colleagues' scientific work, I know that it equals: 0.0003 step. finding a derivation:  $2.000 \cdot y$ When I was child, my father always told me: "Remember, son: 2.0004 step. finding a derivation: It's really easy to find: 1.0005 step. finding a derivation: 2.000I was asked not to tell anyone that: 0.0006 step. finding a derivation:  $2.000 \cdot x$ For centuries, people have hunted for the secret knowledge that: 2.0007 step. finding a derivation:  $2.000 \cdot x + 2.000 \cdot y$ My roommate mumbled it in his sleep all night: 4.0008 step. finding a derivation: yWhat if it equals: 1.0009 step. finding a derivation: 2.000Even my two-aged sister knows that it equals: 0.00010 step. finding a derivation:  $2.000 \cdot y$ I spend the hole of my life to find the answer and finally it's: 2.00011 step. finding a derivation:  $2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y$ Even my two-aged sister knows that it equals: 6.000Finally... The 3 derivation of the expression: 6.000BRITISH SCIENTISTS WERE SHOCKED AGAIN, WHEN THEY COUNT THE 3 DERIVATION OF THIS EXPRESSION!!! In the point (x = 3.000, y = 2.000) it's value = 6.000 Partial derivation of the expression on the variable 'x':  $\frac{\partial f}{\partial x} = 4.000$ In the point (x = 3.000, y = 2.000) it's value = 4.0000000!!! Partial derivation of the expression on the variable 'y':  $\frac{\partial f}{\partial y} = 3.000 \cdot 2.000 \cdot y$ In the point (x = 3.000, y = 2.000) it's value = 12.000000 !!! Full derivation:  $\sqrt{16.000 + (3.000 \cdot 2.000 \cdot y)^{2.000}}$ 

```
In the point (x = 3.000, y = 2.000) it's value = 12.649 !!!

Let's consider the expression as a function of x variable: f(x) = 4.000 \cdot x

Maklorens formula for x \to 3.000: f(x) = 12.000 + 4.000 \cdot (x - 3.000) + o((x - 3.000)^{4.000})

Graph f(x):
```

```
Tangent equation in point -2.000:  f(\mathbf{x}) = 4.000 \cdot (x - (-2.000)) + (-8.000) \\ \text{Normal equation in point -2.000: } f(\mathbf{x}) = (-0.250) \cdot (x - (-2.000)) + (-8.000)
```