CrInGeCrInGeProduction. Supercringeint roduction here:

Let's calculate smth with a given function: f(x, y) = $x \cdot y^{2.000}$

Firstly, let's insert all constants and simplify this expression: $f(x, y) = x \cdot y^{2.000}$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!!

In the point (x = 3.000, y = 2.000) it's value = 12.000

Personally, I've always thought about first derivation of something like that function... Haven't you? But now, by using informatics and math skills I feel that I'm prepared enough to calculate it! 1 step. finding a derivation:

While preparing for exams, I learned a lot of new things, for example: (y)' = 1.0002 step. finding a derivation:

 $y^{2.000}$

It's really easy to find: $(y^{2.000})' = 2.000 \cdot y$

3 step. finding a derivation:

My roommate mumbled it in his sleep all night: (x)' = 1.000

4 step. finding a derivation:

Sounds logical that it is the same as: $(x \cdot y^{2.000})' = y^{2.000} + 2.000 \cdot y \cdot x$

Congratulations! The first derivation of the expression is:

$$y^{2.000} + 2.000 \cdot y \cdot x$$

In the point (x = 3.000, y = 2.000) it's value = 16.000

Let's calculate the 3 derivation of the expression:

Calculating the 1 derivation of the expression:

1 step. finding a derivation:

For centuries, people have hunted for the secret knowledge that: (y)' = 1.000

2 step. finding a derivation:

 $y^{2.000}$

Sounds logical that it is the same as: $(y^{2.000})' = 2.000 \cdot y$

3 step. finding a derivation:

x

It's really easy to find: (x)' = 1.000

4 step. finding a derivation:

My roommate mumbled it in his sleep all night: $(x \cdot y^{2.000})' = y^{2.000} + 2.000 \cdot y \cdot x$

Calculating the 2 derivation of the expression:

1 step. finding a derivation:

x

What if it equals: (x)' = 1.0002 step. finding a derivation:

y

It's really easy to find: (y)' = 1.000

3 step. finding a derivation:

2.000

Even my two-aged sister knows that it equals: (2.000)' = 0.000

4 step. finding a derivation:

 $2.000 \cdot y$

When I was child, my father always told me: "Remember, son: $(2.000 \cdot y)' = 2.000$

5 step. finding a derivation:

 $2.000 \cdot y \cdot x$

I spend the hole of my life to find the answer and finally it's: $(2.000 \cdot y \cdot x)' = 2.000 \cdot x + 2.000 \cdot y$

6 step. finding a derivation:

y

Man... Just look: (y)' = 1.000

7 step. finding a derivation:

 $y^{2.000}$

For centuries, people have hunted for the secret knowledge that: $(y^{2.000})' = 2.000 \cdot y$

8 step. finding a derivation:

 $y^{2.000} + 2.000 \cdot y \cdot x$

It's really easy to find: $(y^{2.000} + 2.000 \cdot y \cdot x)' = 2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y$

Calculating the 3 derivation of the expression:

1 step. finding a derivation:

y

It's simple as fuck: (y)' = 1.0002 step. finding a derivation:

2.000

thanks to the results of my colleagues' scientific work, I know that it equals: (2.000)' = 0.000

3 step. finding a derivation:

 $2.000 \cdot y$

When I was child, my father always told me: "Remember, son: $(2.000 \cdot y)' = 2.000$

4 step. finding a derivation:

It's really easy to find: (x)' = 1.000

5 step. finding a derivation:

2.000

I was asked not to tell anyone that: (2.000)' = 0.000

6 step. finding a derivation:

 $2.000 \cdot x$

For centuries, people have hunted for the secret knowledge that: $(2.000 \cdot x)' = 2.000$

7 step. finding a derivation:

 $2.000 \cdot x + 2.000 \cdot y$

My roommate mumbled it in his sleep all night: $(2.000 \cdot x + 2.000 \cdot y)' = 4.000$

8 step. finding a derivation:

y

What if it equals: (y)' = 1.000 9 step. finding a derivation:

2.000

Even my two-aged sister knows that it equals: (2.000)' = 0.000

10 step. finding a derivation:

 $2.000 \cdot y$

I spend the hole of my life to find the answer and finally it's: $(2.000 \cdot y)' = 2.000$

11 step. finding a derivation:

 $2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y$

Even my two-aged sister knows that it equals: $(2.000 \cdot y + 2.000 \cdot x + 2.000 \cdot y)' = 6.000$

Finally... The 3 derivation of the expression:

6.000

BRITISH SCIENTISTS WERE SHOCKED AGAIN, WHEN THEY COUNT THE 3 DERIVATION OF THIS EXPRESSION!!!

In the point (x = 3.000, y = 2.000) it's value = 6.000

Partial derivation of the expression on the variable x:

 $\frac{\partial f}{\partial x} = 4.000$

In the point (x = 3.000, y = 2.000) it's value = 4.000000!!!

Partial derivation of the expression on the variable y:

 $\frac{\partial f}{\partial y} = 3.000 \cdot 2.000 \cdot y$

In the point (x = 3.000, y = 2.000) it's value = 12.0000000 !!!

Full derivation:

$$\sqrt{16.000 + (3.000 \cdot 2.000 \cdot y)^{2.000}}$$

In the point (x = 3.000, y = 2.000) it's value = 12.649 !!!

Let's consider the expression as a function of x variable: $f(x) = 4.000 \cdot x$

Maklorens formula for $x \to 3.000$: $f(x) = 12.000 + 4.000 \cdot (x - 3.000) + o((x - 3.000)^{4.000})$

Graph f(x):

Tangent equation in the point x = -2.000: $f(x) = 4.000 \cdot (x - (-2.000)) + (-8.000)$ Normal equation in the point x = -2.000: $f(x) = (-0.250) \cdot (x - (-2.000)) + (-8.000)$