## CrInGeCrInGeProduction. Supercringeint roduction here:

Let's calculate smth with a given function: f(ded, y) =  $ded \cdot y^{2.000}$ 

Firstly, let's insert all constants and simplify this expression:  $f(ded, y) = ded \cdot y^{2.000}$ 

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!!

In the point (ded = 3.000, y = 2.000) it's value = 12.000

Personally, I've always thought about first derivation of something like that function... Haven't you? But now, by using informatics and math skills I feel that I'm prepared enough to calculate it! 1 step. finding a derivation:

While preparing for exams, I learned a lot of new things, for example: (y)' = 1.000

2 step. finding a derivation:

 $y^{2.000}$ 

It's really easy to find:  $(y^{2.000})' = 2.000 \cdot y$ 

3 step. finding a derivation:

ded

My roommate mumbled it in his sleep all night: (ded)' = 1.000

4 step. finding a derivation:

 $ded \cdot y^{2.000}$ 

Sounds logical that it is the same as:  $(ded \cdot y^{2.000})' = y^{2.000} + 2.000 \cdot y \cdot ded$ 

Congratulations! The first derivation of the expression is:

 $y^{2.000} + 2.000 \cdot y \cdot ded$ 

In the point (ded = 3.000, y = 2.000) it's value = 16.000

Let's calculate the 3 derivation of the expression:

Calculating the 1 derivation of the expression:

1 step. finding a derivation:

For centuries, people have hunted for the secret knowledge that: (y)' = 1.000

2 step. finding a derivation:

 $y^{2.000}$ 

Sounds logical that it is the same as:  $(y^{2.000})' = 2.000 \cdot y$ 

3 step. finding a derivation:

ded

It's really easy to find: (ded)' = 1.000

4 step. finding a derivation:

 $ded \cdot y^{2.000}$ 

My roommate mumbled it in his sleep all night:  $(ded \cdot y^{2.000})' = y^{2.000} + 2.000 \cdot y \cdot ded$ 

Calculating the 2 derivation of the expression:

1 step. finding a derivation:

ded

What if it equals: (ded)' = 1.000

2 step. finding a derivation:

y

It's really easy to find: (y)' = 1.000

3 step. finding a derivation:

2.000

Even my two-aged sister knows that it equals: (2.000)' = 0.000

4 step. finding a derivation:

 $2.000 \cdot y$ 

When I was child, my father always told me: "Remember, son:  $(2.000 \cdot y)' = 2.000$ 

5 step. finding a derivation:

 $2.000 \cdot y \cdot ded$ 

I spend the hole of my life to find the answer and finally it's:  $(2.000 \cdot y \cdot ded)' = 2.000 \cdot ded + 2.000 \cdot y$ 

6 step. finding a derivation:

y

Man... Just look: (y)' = 1.000

7 step. finding a derivation:

 $y^{2.000}$ 

For centuries, people have hunted for the secret knowledge that:  $(y^{2.000})' = 2.000 \cdot y$ 

8 step. finding a derivation:

 $u^{2.000} + 2.000 \cdot y \cdot ded$ 

It's really easy to find:  $(y^{2.000} + 2.000 \cdot y \cdot ded)' = 2.000 \cdot y + 2.000 \cdot ded + 2.000 \cdot y$ 

Calculating the 3 derivation of the expression:

y

It's simple as fuck: (y)' = 1.000

2 step. finding a derivation:

1 step. finding a derivation:

2.000

thanks to the results of my colleagues' scientific work, I know that it equals: (2.000)' = 0.000

3 step. finding a derivation:

 $2.000 \cdot y$ 

When I was child, my father always told me: "Remember, son:  $(2.000 \cdot y)' = 2.000$ 

4 step. finding a derivation:

ded

It's really easy to find: (ded)' = 1.000

5 step. finding a derivation:

2.000

I was asked not to tell anyone that: (2.000)' = 0.000

6 step. finding a derivation:

 $2.000 \cdot ded$ 

For centuries, people have hunted for the secret knowledge that:  $(2.000 \cdot ded)' = 2.000$ 

7 step. finding a derivation:

 $2.000 \cdot ded + 2.000 \cdot y$ 

My roommate mumbled it in his sleep all night:  $(2.000 \cdot ded + 2.000 \cdot y)' = 4.000$ 

8 step. finding a derivation:

y

What if it equals: (y)' = 1.000 9 step. finding a derivation:

2.000

Even my two-aged sister knows that it equals: (2.000)' = 0.000

10 step. finding a derivation:

 $2.000 \cdot y$ 

I spend the hole of my life to find the answer and finally it's:  $(2.000 \cdot y)' = 2.000$ 

11 step. finding a derivation:

 $2.000\cdot y + 2.000\cdot ded + 2.000\cdot y$ 

Even my two-aged sister knows that it equals:  $(2.000 \cdot y + 2.000 \cdot ded + 2.000 \cdot y)' = 6.000$ 

Finally... The 3 derivation of the expression:

6.000

## BRITISH SCIENTISTS WERE SHOCKED AGAIN, WHEN THEY COUNT THE 3 DERIVATION OF THIS EXPRESSION!!!

In the point (ded = 3.000, y = 2.000) it's value = 6.000

Partial derivation of the expression on the variable ded:

 $\frac{\partial f}{\partial x_i} = 4.000$ 

In the point (ded = 3.000, y = 2.000) it's value = 4.000000!!!

Partial derivation of the expression on the variable y:

 $\frac{\partial f}{\partial y} = 3.000 \cdot 2.000 \cdot y$ 

In the point (ded = 3.000, y = 2.000) it's value = 12.000000!!!

Full derivation:

$$\sqrt{16.000 + (3.000 \cdot 2.000 \cdot y)^{2.000}}$$

In the point (ded = 3.000, y = 2.000) it's value = 12.649!!!

Let's consider the expression as a function of ded variable: f(ded) =  $4.000 \cdot ded$ 

Maklorens formula for  $ded \rightarrow 3.000$ :  $f(ded) = 12.000 + 4.000 \cdot (ded - 3.000) + o((ded - 3.000)^{4.000})$ 

Graph f(ded):

Tangent equation in the point ded = -2.000:  $f(ded) = 4.000 \cdot (ded - (-2.000)) + (-8.000)$ Normal equation in the point ded = -2.000:  $f(ded) = (-0.250) \cdot (ded - (-2.000)) + (-8.000)$