CrInGeCrInGe Production. Super cringe introduction here:
Let's calculate smth with expression given:

$$\tan x$$

Firstly, let's insert all constants and simplify it:

$$\tan x$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THIS EXPRESSION IN THE POINT (x = 0.000000)...
IT'S VALUE = 0.000000 !!!
Calculating the 1 derivation of the expression:
1 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

2 step: finding a derivation of function:

$$\tan x$$

here it is:

$$\frac{1.000}{(\cos x)^{2.000}}$$

Calculating the 2 derivation of the expression:
1 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

2 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

3 step: finding a derivation of function:

$$(\cos x)^{2.000}$$

here it is:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

4 step: finding a derivation of function:

$$1.000$$

here it is:

$$0.000$$

5 step: finding a derivation of function:

$$\frac{1.000}{(\cos x)^{2.000}}$$

here it is:

$$\frac{(-1.000) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)}{((\cos x)^{2.000})^{2.000}}$$

Calculating the 3 derivation of the expression:

1 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

2 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

3 step: finding a derivation of function:

$$((\cos x)^{2.000})$$

here it is:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

4 step: finding a derivation of function:

$$((\cos x)^{2.000})^{2.000}$$

here it is:

$$2.000 \cdot (\cos x)^{2.000} \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

5 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

6 step: finding a derivation of function:

$$(\sin x)$$

here it is:

$$\cos x$$

7 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

8 step: finding a derivation of function:

$$(-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (\cos x)$$

9 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

10 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

11 step: finding a derivation of function:

$$2.000$$

here it is:

$$0.000$$

12 step: finding a derivation of function:

$$2.000 \cdot (\cos x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x)$$

13 step: finding a derivation of function:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)$$

14 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

15 step: finding a derivation of function:

$$(-1.000) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x))$$

16 step: finding a derivation of function:

$$\frac{(-1.000) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)}{((\cos x)^{2.000})^{2.000}}$$

here it is:

$$\frac{(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)) \cdot ((\cos x)^{2.000})^{2.0}}{(((\cos x)^{2.000})^{2}}$$

Calculating the 4 derivation of the expression:

1 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

2 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

3 step: finding a derivation of function:

$$((\cos x)^{2.000})$$

here it is:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

4 step: finding a derivation of function:

$$(((\cos x)^{2.000})^{2.000})$$

here it is:

$$2.000 \cdot (\cos x)^{2.000} \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

5 step: finding a derivation of function:

$$(((\cos x)^{2.000})^{2.000})^{2.000}$$

here it is:

$$2.000 \cdot ((\cos x)^{2.000})^{2.000} \cdot 2.000 \cdot (\cos x)^{2.000} \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

6 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

7 step: finding a derivation of function:

$$(\sin x)$$

here it is:

$$\cos x$$

8 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

9 step: finding a derivation of function:

$$(-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (\cos x)$$

10 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

11 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

12 step: finding a derivation of function:

$$2.000$$

here it is:

$$0.000$$

13 step: finding a derivation of function:

$$2.000 \cdot (\cos x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x)$$

14 step: finding a derivation of function:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)$$

15 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

16 step: finding a derivation of function:

$$(-1.000) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x))$$

17 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

18 step: finding a derivation of function:

$$(\sin x)$$

here it is:

$$\cos x$$

19 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

20 step: finding a derivation of function:

$$(-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (\cos x)$$

21 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

22 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

23 step: finding a derivation of function:

$$2.000$$

here it is:

$$0.000$$

24 step: finding a derivation of function:

$$2.000 \cdot (\cos x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x)$$

25 step: finding a derivation of function:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)$$

26 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

27 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

28 step: finding a derivation of function:

$$(\cos x)^{2.000}$$

here it is:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

29 step: finding a derivation of function:

$$2.000$$

here it is:

$$0.000$$

30 step: finding a derivation of function:

$$2.000 \cdot (\cos x)^{2.000}$$

here it is:

$$2.000 \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

31 step: finding a derivation of function:

$$2.000 \cdot (\cos x)^{2.000} \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$2.000 \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.0$$

32 step: finding a derivation of function:

$$2.000 \cdot (\cos x)^{2.000} \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$(2.000 \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.$$

33 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

34 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

35 step: finding a derivation of function:

$$((\cos x)^{2.000})$$

here it is:

$$2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

36 step: finding a derivation of function:

$$((\cos x)^{2.000})^{2.000}$$

here it is:

$$2.000 \cdot (\cos x)^{2.000} \cdot 2.000 \cdot (\cos x) \cdot (-1.000) \cdot (\sin x)$$

37 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

38 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

39 step: finding a derivation of function:

$$2.000$$

here it is:

$$0.000$$

40 step: finding a derivation of function:

$$2.000 \cdot (\cos x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\sin x)$$

41 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

42 step: finding a derivation of function:

$$(\cos x)$$

here it is:

$$(-1.000) \cdot (\sin x)$$

43 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

44 step: finding a derivation of function:

$$(-1.000) \cdot (\cos x)$$

here it is:

$$(-1.000) \cdot (-1.000) \cdot (\sin x)$$

45 step: finding a derivation of function:

$$(-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)$$

here it is:

$$(-1.000) \cdot (-1.000) \cdot (\sin x) \cdot 2.000 \cdot (\cos x) + 2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\cos x)$$

46 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

47 step: finding a derivation of function:

$$(\sin x)$$

here it is:

$$\cos x$$

48 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

49 step: finding a derivation of function:

$$(-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (\cos x)$$

50 step: finding a derivation of function:

$$x$$

here it is:

$$1.000$$

51 step: finding a derivation of function:

$$(\sin x)$$

here it is:

$$\cos x$$

52 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

53 step: finding a derivation of function:

$$(-1.000) \cdot (\sin x)$$

here it is:

$$(-1.000) \cdot (\cos x)$$

54 step: finding a derivation of function:

$$2.000$$

here it is:

$$0.000$$

55 step: finding a derivation of function:

$$2.000 \cdot (-1.000) \cdot (\sin x)$$

here it is:

$$2.000 \cdot (-1.000) \cdot (\cos x)$$

56 step: finding a derivation of function:

$$2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x)$$

here it is:

$2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x)$

57 step: finding a derivation of function:

$(2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x))$

here it is:

$2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (-1.0$

58 step: finding a derivation of function:

$$(-1.000)$$

here it is:

$$0.000$$

59 step: finding a derivation of function:

$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x))$

here it is:

$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x) + (-1.0$

60 step: finding a derivation of function:

$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)) \cdot ((\cos x)^{2.000})^{2.00}$

here it is:

$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x) + (-1.0$

61 step: finding a derivation of function:

$(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)) \cdot ((\cos x)^{2.000})^{2.00}$

here it is:

$((-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x) + (-1$

62 step: finding a derivation of function:

$$\frac{(-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\sin x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (\cos x)) \cdot ((\cos x)^{2.000})^{2.0}}{(((\cos x)^{2.000})^{2}}$$

here it is:

$$\frac{(((-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x) + (-}{}$$

Finally... The 4 derivation of the expression:

$$(((-1.000) \cdot (2.000 \cdot (-1.000) \cdot (\cos x) \cdot (-1.000) \cdot (\sin x) + (-1.000) \cdot (\cos x) \cdot 2.000 \cdot (-1.000) \cdot (\sin x) + (-$$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 4 DERIVATION OF THIS EXPRESSION IN THE POINT (x = 0.000000)...

IT'S VALUE = 0.000000 !!!

Partial derivation of the expression on the variable 'x':

$$\frac{1.000}{(\cos x)^{2.000}}$$

IN THE POINT (x = 0.000000) IT'S VALUE = 1.000000 !!!

Maklorens formula:

$$x + 0.333 \cdot x^{3.000} + 0.133 \cdot x^{5.000}$$

And remainig member is o maloe from:

$$x^{6.000}$$