Let's calculate smth with expression given: $f(x, y) =$	$x^{3.000} \cdot \ln{(x+y)}$
Firstly, let's insert all constants and simplify it:	$x^{3.000} \cdot \ln{(x+y)}$
BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT IT!!! IN THE POINT ($x = 3.000$, $y = 2.000$)IT'S VAI 1 step: finding a derivation of function:	
	y
here it is:	1.000
2 step: finding a derivation of function:	x
here it is:	1.000
3 step: finding a derivation of function:	(x+y)
here it is:	2.000
4 step: finding a derivation of function:	$\ln{(x+y)}$
here it is:	
5 step: finding a derivation of function:	$2.000 \cdot \frac{1.000}{x+y}$
here it is:	x
6 step: finding a derivation of function:	1.000
	$x^{3.000}$
here it is:	$3.000 \cdot x^{2.000}$
7 step: finding a derivation of function:	$x^{3.000} \cdot \ln\left(x + y\right)$
here it is:	$3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$
Congratulations! The first derivation of the expression is:	
IN THE POINT (x = 3.000 , y = 2.000)IT'S VALUE = 54.255 !!!	$3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$
Let's calculate the 3 derivation of the expression: Calculating the 1 derivation of the expression:	
1 step: finding a derivation of function:	y
here it is:	1.000
2 step: finding a derivation of function:	x
here it is:	1.000
3 step: finding a derivation of function:	
here it is:	(x+y)
4 step: finding a derivation of function:	2.000
here it is:	$\ln\left(x+y\right)$
	$2.000 \cdot \frac{1.000}{x+y}$
5 step: finding a derivation of function:	x
here it is:	1.000
6 step: finding a derivation of function:	$x^{3.000}$
here it is:	$3.000 \cdot x^{2.000}$
7 step: finding a derivation of function:	$x^{3.000} \cdot \ln{(x+y)}$
here it is:	
Calculating the 2 derivation of the expression:	$3.000 \cdot x^{2.000} \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$
1 step: finding a derivation of function:	x
here it is:	1.000
2 step: finding a derivation of function:	$x^{3.000}$
here it is:	$3.000 \cdot x^{2.000}$
3 step: finding a derivation of function:	$3.000 \cdot x$
here it is:	y
4 step: finding a derivation of function:	1.000
here it is:	x
5 step: finding a derivation of function:	1.000
	x + y
here it is:	2.000
6 step: finding a derivation of function:	1.000
here it is:	0.000
7 step: finding a derivation of function:	1.000
here it is:	$\sqrt{x+y}$
	$\frac{(-1.000) \cdot 2.000}{\left(x+y\right)^{2.000}}$
8 step: finding a derivation of function:	2.000
here it is:	0.000
9 step: finding a derivation of function:	2 000 . 1.000
here it is:	$2.000 \cdot \frac{1.000}{x+y}$
	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$
10 step: finding a derivation of function:	$2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$
here it is:	
	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$
11 step: finding a derivation of function:	y
here it is:	1.000

CrInGe
CrInGe Production. Super cringe introduction here: Let's calculate smth with expression given:
 $f(x,\,y)=$

12 btop. maing a derivation of function.	x	
here it is:	1.000	
13 step: finding a derivation of function:	(x+y)	
here it is:	2.000	
14 step: finding a derivation of function:		
here it is:	$\ln{(x+y)}$	
	$2.000 \cdot \frac{1.000}{x+y}$	
15 step: finding a derivation of function:	x	
here it is:	1.000	
16 step: finding a derivation of function:	$x^{2.000}$	
here it is:	$2.000 \cdot x$	
17 step: finding a derivation of function:	3.000	
here it is:	0.000	
18 step: finding a derivation of function:	$3.000\cdot x^{2.000}$	
here it is:	$3.000 \cdot 2.000 \cdot x$	
19 step: finding a derivation of function:	$3.000 \cdot x^{2.000} \cdot \ln{(x+y)}$	
here it is:		
20 step: finding a derivation of function:	$3.000 \cdot 2.000 \cdot x \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000}$	
20 step. finding a derivation of function.	$3.000 \cdot x^{2.000} \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot x^{3.000}$	
here it is:	$3.000 \cdot 2.000 \cdot x \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$	
Calculating the 3 derivation of the expression:	x+y (x+y) ^{2.000} $x+y$	
1 step: finding a derivation of function:	y	
here it is:	1.000	
2 step: finding a derivation of function:	x	
here it is:	1.000	
3 step: finding a derivation of function:	x + y	
here it is:	2.000	
4 step: finding a derivation of function:		
here it is:	1.000	
5 step: finding a derivation of function:	0.000	
	$\frac{1.000}{x+y}$	
here it is:	$\frac{(-1.000) \cdot 2.000}{\left(x+y\right)^{2.000}}$	
6 step: finding a derivation of function:	(x+y) 2.000	
here it is:		
7 step: finding a derivation of function:	0.000	
	$2.000 \cdot \frac{1.000}{x+y}$	
here it is:	$2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$	
8 step: finding a derivation of function:	x	
here it is:	1.000	
9 step: finding a derivation of function:	$x^{2.000}$	
here it is:		
10 step: finding a derivation of function:	$2.000 \cdot x$	
here it is:	3.000	
11 step: finding a derivation of function:	0.000	
here it is:	$3.000 \cdot x^{2.000}$	
12 step: finding a derivation of function:	$3.000 \cdot 2.000 \cdot x$	
	$3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$	
here it is:	$3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000}$	
13 step: finding a derivation of function:		
here it is:	x	
14 step: finding a derivation of function:	1.000	
here it is:	$x^{3.000}$	
15 step: finding a derivation of function:	$3.000\cdot x^{2.000}$	
	y	
here it is:	1.000	
16 step: finding a derivation of function:	x	
here it is:	1.000	
17 step: finding a derivation of function:	(x+y)	
here it is:	2.000	
18 step: finding a derivation of function:	$(x+y)^{2.000}$	
here it is:	$2.000 \cdot 2.000 \cdot (x+y)$	
19 step: finding a derivation of function:		
	(-2.000)	

12 step: finding a derivation of function:

here it is:

20 step: finding a derivation of function:

here it is:

21 step: finding a derivation of function:

here it is:

22 step: finding a derivation of function:

here it is:

23 step: finding a derivation of function:

here it is:

24 step: finding a derivation of function:

here it is:

25 step: finding a derivation of function:

here it is:

26 step: finding a derivation of function:

here it is:

27 step: finding a derivation of function:

here it is:

28 step: finding a derivation of function:

here it is:

29 step: finding a derivation of function:

here it is:

30 step: finding a derivation of function:

here it is:

31 step: finding a derivation of function:

here it is:

32 step: finding a derivation of function:

here it is:

33 step: finding a derivation of function:

here it is:

34 step: finding a derivation of function:

here it is:

35 step: finding a derivation of function:

here it is:

36 step: finding a derivation of function:

here it is:

37 step: finding a derivation of function:

here it is:

38 step: finding a derivation of function:

39 step: finding a derivation of function:

here it is:

here it is: 40 step: finding a derivation of function:

here it is:

41 step: finding a derivation of function:

here it is:

here it is:

42 step: finding a derivation of function:

here it is:

43 step: finding a derivation of function:

 $44~\rm step:$ finding a derivation of function: here it is:

here it is:

45 step: finding a derivation of function:

0.000

$$\frac{(-2.000)}{(-2.000)}$$

 $\frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{((x+y)^{2.000})^{2.000}}$

2.000

0.000

 $2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$

 $2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{((x+y)^{2.000})^{2.000}}$

 $2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000}$

 $2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot (x+y)}{\left((x+y)^{2.000}\right)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$

 $2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$

 $2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot 2.000 \cdot 2.000 \cdot (x+y)}{\left((x+y)^{2.000}\right)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000}$

1.000

 $x^{2.000}$

 $2.000 \cdot x$

0.000

3.000

 $3.000 \cdot x^{2.000}$

 $3.000 \cdot 2.000 \cdot x$

1.000

 \boldsymbol{x} 1.000

x + y

2.000

1.000

0.000

 $\overline{x+y}$ $\frac{(-1.000) \cdot 2.000}{(x+y)^{2.000}}$

1.000

2.000

0.000

 $2.000 \cdot \frac{1.000}{x+y}$

 $2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}}$

 $2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000}$

 $2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y}$

1.000

 \boldsymbol{x}

1.000

(x+y)

2.000

 $\ln(x+y)$

 $2.000 \cdot \frac{1.000}{x+y}$

1.000

2.000

0.000

 $2.000 \cdot x$

2.000

3.000

0.000

6.000

 $3.000 \cdot 2.000 \cdot x$

46 step: finding a derivation of function:

 $3.000 \cdot 2.000 \cdot x \cdot \ln(x+y)$

here it is:

 $6.000 \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x$

47 step: finding a derivation of function:

 $3.000 \cdot 2.000 \cdot x \cdot \ln(x+y) + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000}$

here it is:

 $6.000 \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x^{2.000} + 3.000 \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y}$

48 step: finding a derivation of function:

 $3.000 \cdot 2.000 \cdot x \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot x^{2.000} + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot x^{3.000} + 3.000 \cdot x^{2.000} \cdot 2.000 \cdot \frac{1.000}{x+y}$

here it is:

 $6.000 \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot (x+y)}{((x+y)^{2.000})^{2.000}} \cdot x \cdot 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot \frac{(-2.000) \cdot (x+y)}{(x+y)^{2.000}} \cdot \frac{(-2.000) \cdot (x+y)}{(x+y)^{2.$

Finally... The 3 derivation of the expression:

 $6.000 \cdot \ln{(x+y)} + 2.000 \cdot \frac{1.000}{x+y} \cdot 3.000 \cdot 2.000 \cdot x + 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000 \cdot x \cdot 2.000 \cdot \frac{1.000}{x+y} + 2.000 \cdot \frac{(-1.000) \cdot (-2.000) \cdot 2.000 \cdot (x+y)}{((x+y)^{2.000})^{2.000}} \cdot x \cdot 2.000 \cdot \frac{(-2.000)}{(x+y)^{2.000}} \cdot 3.000 \cdot x \cdot 2.000$

BRITISH SCIENTISTS WERE SHOCKED, WHEN THEY COUNT THE 3 DERIVATION OF THIS EXPRESSION!!! IN THE POINT (x = 3.000, y = 2.000)IT'S VALUE = 21.753!!! Partial derivation of the expression on the variable 'x':

 $3.000 \cdot x^{2.000} \cdot \ln(x + 2.000) + \frac{1.000}{x + 2.000} \cdot x^{3.000}$

IN THE POINT (x = 3.000, y = 2.000) IT'S VALUE = 48.854824 !!!Partial derivation of the expression on the variable 'y':

 $27.000 \cdot \frac{1.000}{3.000 + y}$

IN THE POINT (x = 3.000, y = 2.000) IT'S VALUE = 5.400000!!!

 $\sqrt{\left(3.000 \cdot x^{2.000} \cdot \ln\left(x + 2.000\right) + \frac{1.000}{x + 2.000} \cdot x^{3.000}\right)^{2.000} + \left(27.000 \cdot \frac{1.000}{3.000 + y}\right)^{2.000}}$

IN THE POINT (x = 3.000, y = 2.000)IT'S VALUE = 49.152 !!! Let's consider the expression as a function of x variable: f(x) =

 $x^{3.000} \cdot \ln{(x+2.000)}$

Maklorens formula for x near to 3.000000:

 $43.455 + 48.855 \cdot (x - 3.000) + 19.345 \cdot (x - 3.000)^{2.000} + 2.941 \cdot (x - 3.000)^{3.000} + 0.081 \cdot (x - 3.000)^{4.000}$

 $(x-3.000)^{4.000}$

And remainig member is o maloe from:

 $0.000 \cdot (x - (-2.000)) + inf$

 $(-inf) \cdot (x - (-2.000)) + inf$

Graph f(x): Tangent equation in point -2.000: f(x) =

Full derivation:

Normal equation in point -2.000: f(x) =