No. Time Destination Protocol Length Info Source 192.168.31.246 128.119.245.12 22 5.591964 HTTP 491 HTTP/1.1 200 OK (text/html) Frame 22: 491 bytes on wire (3928 bits), 491 bytes captured (3928 bits) on interface \Device\NPF\_{6AF64238-45BA-49BD-BE2D-96630DDFB1BC}, id 0 Ethernet II, Src: BeijingX\_08:95:dc (50:d2:f5:08:95:dc), Dst: IntelCor\_41:f5:be (74:e5:f9:41:f5:be) Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.31.246 Transmission Control Protocol, Src Port: 80, Dst Port: 50996, Seq: 1, Ack: 522, Len: 437 Hypertext Transfer Protocol HTTP/1.1 200 OK\r\n Date: Sat, 13 Jun 2020 17:10:13 GMT\r\n Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.6  $mod_perl/2.0.11 Perl/v5.16.3\r\n$ Last-Modified: Sat, 13 Jun 2020 05:59:03 GMT\r\n ETag: "51-5a7f0e405ee29"\r\n Accept-Ranges: bytes\r\n Content-Length: 81\r\n Keep-Alive: timeout=5,  $max=100\r\n$ Connection: Keep-Alive $\r\$ Content-Type: text/html; charset=UTF-8\r\n  $\r\n$ [HTTP response 1/1] [Time since request: 0.256874000 seconds]

[Request in frame: 20]

[Request URI: http://gaia.cs.umass.edu/wireshark-labs/INTRO-wireshark-file1.html]

File Data: 81 bytes

Line-based text data: text/html (3 lines)