VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE



Student:

Vladan Matorkić 147/15

Beograd 2018.

SADRZAJ


1.Opis funkcionalnosti	3
2.Skica struktura stranica	
3.Dijagram baze podataka	
4.PHP kod	

1.Opis funkcionalnosti

Jezici koji su korisceni na sajtu su: HTML, CSS, PHP, JavaScript. Koriscene su Font-awesome, jquery, mousewheel, fancybox biblioteke.

Na sajtu postoji slajder koji se nalazi na svim stranama, postoji galerija koja se nalazi na strani galerija I na strani igrice, takodje sadrzaj na strani galerija I na strani igrice se ucitavaju dinamicki iz baze podataka.

2.Skica struktura stranica



3.Dijagram baze podataka







4.PHP kod

Index.php

```
<?php
@ob_start();
session_start();
include "php/connection.php";
$page = "";
if(isset($_GET['page'])){
$page = $_GET['page'];
}
include "views/front/head.php";
include "views/front/header.php";</pre>
```

```
switch($page){
case "home":
include "views/front/home.php";
break;
case "about":
include "views/front/about.php";
break;
case "games":
include "php/games.php";
include "views/front/games.php";
break;
case "gallery":
include "views/front/gallery.php";
break;
case "login":
include "views/front/login.php";
break;
case "register":
include "views/front/register.php";
include "php/registracion.php";
break;
case "game":
include "php/game.php";
include "views/front/game.php";
break;
case "logout":
include "php/logout.php";
break;
include "views/front/autor.php";
break;
default:
include "views/front/home.php";
break;
```

}

```
include "views/front/footer.php";
```

?>

Admin.php

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Car Repair</title>
<meta charset="utf-8">
<link rel="stylesheet" href="css/reset.css" type="text/css" media="screen">
<link rel="stylesheet" href="css/style.css" type="text/css" media="screen">
<link rel="stylesheet" href="css/grid.css" type="text/css" media="screen">
<!--[if lt IE 9]>
<script type="text/javascript" src="js/html5.js"></script>
<link rel="stylesheet" href="css/ie.css" type="text/css" media="screen">
<![endif]-->
</head>
<body id="page1">
<div class="main-bg">
<div class="bg">
<header>
<div class="main">
<div class="wrapper">
<h1><a href="index.php?page=home"><img src="images/logo.png" class="logo"></a></h1>
</div>
<nav>
<a class="active" href="index.php">Pocetna</a>
<a href="admin.php?page=users">Korisnici</a>
<a href="admin.php?page=games">Igrice</a>
<a href="admin.php?page=gallery">Galerija</a>
<a href="price.html">Meni</a>
<a href="locations.html">Anketa</a>
</nav>
</div>
</header>
<section id="content">
<div class="main">
<div class="container_12">
<div class="wrapper p5">
</div>
<div class="container-bot">
<div class="container-top">
```

```
<div class="container">
<div class="wrapper">
<?php
@ob_start();
include "php/connection.php";
$page = "";
if(isset($_GET['page'])){
$page = $_GET['page'];
switch($page){
case "home":
include "views/admin/home.php";
break;
case "gallery":
include "views/admin/gallery.php";
break;
case "users":
include "views/admin/users.php";
case "games":
include "views/admin/games.php";
break;
case "destinacion":
include "views/admin/destinacion.php";
break;
case "menu":
include "views/admin/menu.php";
break;
case "messages":
include "views/admin/messages.php";
break;
case "anketa":
include "views/admin/anketa.php";
break;
case "deletegame":
include "php/delete_game.php";
break;
case "deletepicture":
include "php/delete_picture.php";
break;
case "deleteusers":
include "php/delete_users.php";
break;
default:
include "views/admin/home.php";
break;
</div>
```

```
</div>
</div>
</div>
</div>
</div>
</section>
<footer>
<div class="main"> <span>Copyright &copy; <a href="#">Game Zone</a> All Rights
Reserved</span> Design by <a target="_blank"
href="http://www.templatemonster.com/">Vladan Matorkic</a><span><a</pre>
href="">DOCUMENTACIJA</a></span> </div>
</footer>
</div>
</div>
</body>
</html>
```

Autor.php

```
<section id="content">
<div class="main">
<div class="container 12">
<div class="wrapper p5">
<h1 class="title">Autor</h1>
</div>
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<img src="images/autor.jpg" alt="autor" class="autor-img"/>
<div class="about">
Ja se zovem Vladan Matorkic. Dolazim iz Kusatka blizu Smederevske Palanke. Student
sam Visoke ICT skole na smeru Internet tehnologije. Zelim da se bavim programiranjem, a
od programskih jezika poznajem: HTML, CSS, JavaScript, Angular 4, PHP, Laravel i C#,
takodje znam i MySQL.
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

Footer.php

```
<!--===========-->
<footer>
```

```
<div class="main"> <span>Copyright &copy; <a href="#">Game Zone</a> All Rights
Reserved</span> Design by <a href="index.php?page=autor">Vladan Matorkic</a><<span> <a href="">DOCUMENTACIJA</a></span> </div>
</footer>
</div>
</div>
</div>
</body>
</html>
```

Gallery.php

```
<section id="content">
<div class="main">
<div class="container_12">
<div class="wrapper p5">
<h1 class="title">Galerija</h1>
</div>
<div class="container-bot">
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<div class="wrapper">
<ipphp
</pre>
include "php/gallery.php";
```

```
foreach ($result as $picture):
?>
<div class="pack">
<a class="fancybox" rel="group" href="<?= $picture->href ?>"><img src="<?= $picture->href ?>" alt="<?= $picture->alt ?>" class="img-pack"></a>
</div>
</php</pre>
```

endforeach;

?>

```
<!-- <div class="pack">
<img src="images/gallery/pic2.jpg" alt="" class="img-pack">
</div>
<div class="pack">
<img src="images/gallery/pic3.jpg" alt="" class="img-pack">
</div>
<div class="pack">
</div>
<div class="pack">
<img src="images/gallery/pic4.jpg" alt="" class="img-pack">
</div>
```

```
</div>
</section>
```

Game.php

```
<section id="content">
<div class="main">
<div class="container 12">
<div class="wrapper p5">
<h1 class="title">Igrica</h1>
</div>
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<img src="<?= $game->cover ?>" alt="<?= $game->title ?>" class="game-cover">
<div class="article-dsc">
<h3 class="game-title"><?= $game->title ?></h3>
<?= $game->description ?>
<?= $game->price ?> Dinara
<?php if(!isset($_SESSION['user']) && !isset($_SESSION['admin'])):?>
<a href="index.php?page=login" class="btn btn-warning">Uloguj se da bi narucio.</a>
<?php endif; ?>
<?php if(isset($_SESSION['user']) || isset($_SESSION['admin'])):?>
<a href="" class="btn btn-primary">Kupi</a>
<?php endif; ?>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

Games.php

```
<section id="content">
<div class="main">
<div class="container_12">
<div class="wrapper p5">
<h1 class="title">Lista Igrica</h1>
</div>
<div class="container-bot">
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<div class="wrapper">
<fiphp
foreach($result as $game):</pre>
```

```
<div class="article">
<a class="fancybox" rel="group" href="<?= $game->picture ?>"><img src="<?= $game-</pre>
>picture ?>" alt="<?= $game->title ?>" class="game-img"/></a>
<div class="article-dsc">
<h4 class="article-title"><?= $game->title ?></h4>
<b><?= $game->price ?> Dinara</b>
<a href="index.php?page=game&value=<?= $game->id ?>" class="btn btn-
primary">Download</a>
</div>
</div>
<?php
endforeach;
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

Head.php

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Game Zone</title>
<meta charset="utf-8">
<link rel="stylesheet" href="css/reset.css" type="text/css" media="screen">
<link rel="stylesheet" href="css/grid.css" type="text/css" media="screen">
<link rel="stylesheet" href="css/bootstrap/bootstrap.min.css" type="text/css"</pre>
media="screen">
<link rel="stylesheet" href="css/style.css" type="text/css" media="screen">
<script
src="http://code.jquery.com/jquery-3.3.1.min.js"
integrity="sha256-FgpCb/KJQlLNfOu91ta32o/NMZxltwRo8QtmkMRdAu8="
crossorigin="anonymous">
</script>
<script src="js/slider.js" type="text/javascript"></script>
<!-- Font-awesome, fansybox and mousewheel -->
    <link rel="stylesheet" href="font-awesome/css/font-awesome.min.css">
    <script type="text/javascript" src="lib/jquery.mousewheel-3.0.6.pack.js"></script>
    <link rel="stylesheet" href="source/jquery.fancybox.css?v=2.1.5" type="text/css"</pre>
media="screen" />
    <script type="text/javascript"</pre>
src="source/jquery.fancybox.pack.js?v=2.1.5"></script>
<script type="text/javascript" src="js/html5.js"></script>
<link rel="stylesheet" href="css/ie.css" type="text/css" media="screen">
```

```
<![endif]-->
</head>
```

Header.php

```
<body id="page1">
<div class="main-bg">
<div class="bg">
<header>
<div class="main">
<div class="wrapper">
<h1><a href="index.php?page=home"><img src="images/logo.png" class="logo"></a></h1>
</div>
<?php
include "nav.php";
<div class="slider-wrapper">
<div id="slika">
<img alt="" class="show" src = "images/games/cover/carbon.png"/>
<img alt="" src = "images/games/cover/forza4.jpg"/>
<img alt="" src = "images/games/cover/assc4.jpg"/>
</div>
</div>
</header>
```

Home.php

```
<section id="content">
<div class="main">
<div class="container_12">
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<article class="grid_8">
<div class="indent-left">
<h2>Welcome!</h2>
<strong>Car Repair</strong> is one of free website templates
created by TemplateMonster.com team. This website template is optimized for 1280X1024
screen resolution. It is also XHTML & amp; CSS valid. 
This Car Repair Template goes with two packages - with PSD source
files and without them. PSD source files are available for free for the registered
members of TemplatesMonster.com. The basic package (without PSD source) is available for
anyone without registration.
</div>
<div class="wrapper">
<div class="grid 4 alpha">
<div class="indent-left">
```

```
<div class="maxheight indent-bot">
<h3>About Us</h3>
<a class="link-1" href="#">Lorem ipsum dolor amet</a> conse
ctetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna
aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut
aliquip.
<a class="link-1" href="#">Dolor amet conse ctetur</a> adipisicing elit, sed do eiusmod
tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis
nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat ut enim ad.
</div>
<a class="button" href="#">Read More</a> </div>
</div>
<div class="grid 4 omega">
<div class="indent-left2">
<div class="maxheight indent-bot">
<h3 class="p0">Our Services</h3>
<a href="#">Complete Computer Diagnostics</a>
<a href="#">Complete Safety Analysis</a>
<a href="#">Drivability Problems</a>
<a href="#">Oil Changes</a>
<a href="#">Emission Repair Facility</a>
<a href="#">Air Conditioning Service</a>
<a href="#">Electrical Systems</a>
<a href="#">Fleet Maintenance</a>
</div>
<a class="button" href="#">Read More</a> </div>
</div>
</div>
</article>
<article class="grid 4">
<div class="indent-left2 indent-top">
<div class="box p4">
<div class="padding">
<div class="wrapper">
<figure class="img-indent"><img src="images/page1-img4.png" alt=""></figure>
<div class="extra-wrap">
<h3 class="p0">Our Hours:</h3>
</div>
</div>
<strong>24 Hour Emergency Towing</strong>
Monday - Friday: 7:30 am - 6:00
Saturday: 7:30 am - Noon
Night Drop Available </div>
</div>
<figure class="indent-bot">
<iframe width="260" height="202"</pre>
src="http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=Brookly
n,+New+York,+NY,+United+States&ag=0&sll=37.0625,-
```

```
95.677068&sspn=61.282355,146.513672&ie=UTF8&hq=&hnear=Brooklyn,+Kings,+N
ew+York&11=40.649974,-
73.950005&spn=0.01628,0.025663&z=14&iwloc=A&output=embed"></iframe>
</figure>
<div class="indent-left">
<dl class="main-address">
<dt>Demolink.org 8901 Marmora Road, <br>
Glasgow, D04 89GR.</dt>
<dd><span>Telephone:</span> +1 959 552 5963;</dd>
<dd><span>FAX:</span> +1 959 552 5963</dd>
<dd><span>E-mail:</span><a href="#">mail@demolink.org</a></dd></dd>
</dl>
</div>
</div>
</article>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

Login.php

```
<section id="content">
<div class="main">
<div class="container 12">
<div class="wrapper p5">
</div>
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<form method="POST" class="login_form">
<div id="form-head">
<h5 id="form-title">Logovanje</h5>
</div>
<div class="form-group element-form">
<!-- <label for="autocomplete" class="lb">Naslov oglasa</label> -->
<input type="text" id="email" name="email" class="tbForm tbAutocomplete form-control"</pre>
placeholder="Korisnicko ime"/>
<div class="form-group element-form">
<!-- <label class="lb">Naslov</label> -->
<input type="password" name="password" class="tbForm form-control" placeholder="Sifra"/>
</div>
<a href="index.php?page=register" class="register">Registrujte se</a>
```

Nav.php

```
<nav>

<a class="active" href="index.php?page=home">Pocetna</a>
<a href="index.php?page=games">Igrice</a>
<a href="index.php?page=gallery">Galerija</a>

<?php if(!isset($_SESSION['user']) && !isset($_SESSION['admin'])):?>
<a href="index.php?page=login">Prijava</a>

<?php if(isset($_SESSION['user']) || isset($_SESSION['admin'])):?>
<a href="index.php?page=logout">Odjava</a>

<?php endif; ?>

<?php if(isset($_SESSION['admin'])):?>
```

```
<section id="content">

<div class="main">

<div class="container_12">

<div class="wrapper p5">

</div>
<div class="container-bot">

<div class="container-top">

<div class="container">

<div class="container">

<div class="register_form" method="POST">

<form class="register_form" method="POST">

<div id="form-head">

<h5 id="form-title">Registracija</h5>

</div>
<div class="form-group element-form">
```

```
<input type="text" id="firstname" name="firstname" class="tbForm form-control"</pre>
placeholder="Ime"/>
</div>
<div class="form-group element-form">
<input type="text" name="lastname" class="tbForm form-control" placeholder="Prezime"/>
<div class="form-group element-form">
<input type="text" id="username" name="username" class="tbForm form-control"</pre>
placeholder="Korisnicko ime"/>
</div>
<div class="form-group element-form">
<input type="text" id="email" name="email" class="tbForm form-control" placeholder="E-</pre>
mail"/>
</div>
<div class="form-group element-form">
<input type="password" id="password" name="password" class="tbForm form-control"</pre>
placeholder="Sifra"/>
</div>
<div class="form-group element-form">
<input type="submit" value="Registruj se" name="btnRegister" class="btn btn-primary">
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

Registracion.php

```
<section id="content">
<div class="main">
<div class="container_12">
<div class="wrapper p5">
</div>
<div class="container-bot">
<div class="container-top">
<div class="container">
<div class="wrapper">
<form class="register_form" method="POST">
<div id="form-head">
<h5 id="form-title">Registracija</h5>
</div>
<div class="form-group element-form">
<input type="text" id="firstname" name="firstname" class="tbForm form-control"</pre>
placeholder="Ime"/>
</div>
<div class="form-group element-form">
```

```
<input type="text" name="lastname" class="tbForm form-control" placeholder="Prezime"/>
</div>
<div class="form-group element-form">
<input type="text" id="username" name="username" class="tbForm form-control"</pre>
placeholder="Korisnicko ime"/>
</div>
<div class="form-group element-form">
<input type="text" id="email" name="email" class="tbForm form-control" placeholder="E-</pre>
</div>
<div class="form-group element-form">
<input type="password" id="password" name="password" class="tbForm form-control"</pre>
placeholder="Sifra"/>
</div>
<div class="form-group element-form">
<input type="submit" value="Registruj se" name="btnRegister" class="btn btn-primary">
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
```

Gallery.php

```
<h1 class="title">Galerija</h1>
<form action="php/insert_picture.php" method="post" enctype="multipart/form-data"</pre>
class="form-admin-gallery">
<input name="tbTitle" type="text" placeholder="Title">
<label for="picture" class="picture">Slika:</label>
<input name="picture" type="file" id="picture">
<input type="submit" value="Add" class="gallery-add" name="btnInsert">
</form>
<div class="gal-content">
Title
Picture
Edit
Delete
</thead>
<?php
$query = "SELECT * FROM gallery";
```

```
$result = $konekcija->prepare($query);
if($result->execute()){
$result = $result->fetchAll();
foreach($result as $picture):
<?= $picture->alt ?>
<div class="photo">
<a class="fancybox" rel="group" href="<?= $picture->href ?>"><img class="gal-photo"</pre>
alt="<?= $picture->alt ?>" src="<?= $picture->href ?>"/></a>
</div>
<a href="">Edit</a>
<a href="admin.php?page=deletepicture&value=<?= $picture->id?>">Delete</a>
<?php
endforeach;
</div>
```

Games.php

```
<h1 class="title">Igrice</h1>
<form action="php/insert_game.php" method="post" enctype="multipart/form-data"</pre>
class="form-admin-gallery">
<input name="title" type="text" placeholder="Naziv"/>
<input name="description" type="text" placeholder="Opis"/>
<input name="price" type="text" placeholder="Cena"/>
<label for="picture" class="picture">Slika profilna:</label>
<input name="picture" type="file" id="picture">
<label for="cover" class="picture">Slika naslovna:</label>
<input name="cover" type="file" id="cover">
<input type="submit" name="btnInsert" value="Dodaj"/>
</form>
<div class="gal-content">
<thead>
Naziv
Opis
Cena
Slika profilna
Slika naslovna
Edit
Delete
```

```
</thead>
<?php
$query = "SELECT * FROM games";
$result = $konekcija->prepare($query);
if($result->execute()){
$result = $result->fetchAll();
foreach($result as $game):
<?= $game->title ?>
<?= $game->description ?>
<?= $game->price ?> Dinara
<img src="<?= $game->picture ?>" class="admin_game_pic">
<img src="<?= $game->cover ?>" class="admin_game_pic">
<a href="">Edit</a>
<a href="admin.php?page=deletegame&value=<?= $game->id?>">Delete</a>
<?php
endforeach;
</div>
```

Users.php

```
<h1 class="title">Korisnici</h1>
<form action="php/insert_user.php" method="post" enctype="multipart/form-data"</pre>
class="form-admin-gallery">
<input name="firstname" type="text" placeholder="Ime"/>
<input name="lastname" type="text" placeholder="Prezime"/>
<input name="username" type="text" placeholder="Korisnicko ime"/>
<input name="email" type="text" placeholder="E-mail"/>
<input name="password" type="password" placeholder="Lozinka"/>
<input name="role" type="text" placeholder="Uloga"/>
<input type="submit" value="Dodaj" name="btnInsert"/>
</form>
<div class="gal-content">
<thead>
Ime
Prezime
Korisnicko ime
Lozinka
Uloga
Edit
```

```
Delete
</thead>
<?php
$query = "SELECT * FROM users u INNER JOIN roles r ON u.id_role = r.id";
$result = $konekcija->prepare($query);
if($result->execute()){
$result = $result->fetchAll();
foreach($result as $korisnik):
<?= $korisnik->ime ?>
<?= $korisnik->prezime ?>
<?= $korisnik->username ?>
<?= $korisnik->pass ?>
<?= $korisnik->role ?>
<a href="">Edit</a>
<a href="admin.php?page=deleteusers&value=<?= $korisnik->id_user?>">Delete</a>
<?php
endforeach;
?>
</div>
```

Config.php

```
<!php
# 1 - Definisanje parametara za konekciju sa bazom
</pre>
```

```
define("MYSQL_HOST", "127.0.0.1");
define("MYSQL_DBNAME", "gamezone");
define("MYSQL_USERNAME", "root");
define("MYSQL_PASSWORD", "");
```

Connection.php

```
// Ukljucivanje fajla u kome se nalaze parametri za konekciju sa bazom
require_once "config.php";
```

```
try {
// Kreiranje konekcije sa bazom
```

```
$konekcija = new PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME.";charset=utf8",
MYSQL USERNAME, MYSQL PASSWORD);
// Ukljucivanje Error reporting
$konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
// Promena DEFAULT moda vracanja podataka iz baze - objekti
$konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
// echo "Uspesna konekcija";
catch(PDOException $e){
echo $e->getMessage();
# 3 - Funkcija za izvrsanje bilo kog SELECT upita
Delete_game.php
<?php
include "connection.php";
$id = $ GET['value'];
$query = "DELETE FROM games WHERE id = :id";
$result = $konekcija->prepare($query);
$result->bindParam(":id", $id);
$result->execute();
header("Location: admin.php?page=games");
Delete_picture.php
<?php
include "connection.php";
$id = $_GET['value'];
$query = "DELETE FROM gallery WHERE id = :id";
$result = $konekcija->prepare($query);
$result->bindParam(":id", $id);
$result->execute();
header("Location: admin.php?page=gallery");
```

Delete_users.php

```
<?php
include "connection.php";
$id = $_GET['value'];
$query = "DELETE FROM users WHERE id_user = :id";
$result = $konekcija->prepare($query);
$result->bindParam(":id", $id);
$result->execute();
header("Location: admin.php?page=users");
Gallery.php
<?php
$query = "SELECT * FROM gallery";
$result = $konekcija->prepare($query);
if($result->execute()){
$result = $result->fetchAll();
game.php
<?php
include "connection.php";
$id = $_GET['value'];
$query = "SELECT * FROM games WHERE id = :id";
$result = $konekcija->prepare($query);
$result->bindParam(":id", $id);
$result->execute();
$game = $result->fetch();
Games.php
<?php
include "connection.php";
```

```
$query = "SELECT * FROM games";
$result = $konekcija->prepare($query);
if($result->execute()){
$result = $result->fetchAll();
Insert_game.php
<?php
if(isset($_POST['btnInsert'])){
$title = $_POST['title'];
$price = $_POST['price'];
$about = $_POST['description'];
$picture = $_FILES['picture'];
$cover = $_FILES['cover'];
//var dump($picture);
$file_name = $picture['name'];
$file_type = $picture['type'];
$file_size = $picture['size'];
$file tmp = $picture['tmp name'];
$file_name_cover = $cover['name'];
$file_type_cover = $cover['type'];
$file_size_cover = $cover['size'];
$file_tmp_cover = $cover['tmp_name'];
$errors = [];
$reTitle = "/^[\w\d\s]{2,}$/";
$rePrice = "/^[\d]{1,10000}$/";
$reAbout = "/^[\s\S]{120,}$/";
if(!preg_match($reTitle, $title)){
$errors[] = "Naslov mora sadrzati samo slova i brojeve. I ne sme imati manje od 2
karaktera. Vratite se i pokusajte ponovo.";
if(!preg_match($rePrice, $price)){
$errors[] = "Cena nije ispravna. Vratite se i pokusajte ponovo.";
if(!preg_match($reAbout, $about)){
$errors[] = "Opis nije dobar. Opis treba imati vise od 120 karaktera. Vratite se i
pokusajte ponovo.";
$formats = array("image/jpg", "image/jpeg", "image/png", "image/gif");
```

```
if(!in_array($file_type, $formats)){
$errors[] = "Tip profilne slike nije dobar.";
if($file_size > 10000000){
$errors[] = "Profilna slika mora biti manja od 10MB.";
if(!in_array($file_type_cover, $formats)){
$errors[] = "Tip naslovne slike nije dobar.";
if($file_size_cover > 10000000){
$errors[] = "Naslovna slika mora biti manja od 10MB.";
if(count($errors) > 0){
echo "";
foreach($errors as $error){
echo "> $error ";
echo "";
else {
$file_name = time()."_".$file name;
$new_src = "../images/games/".$file_name;
$new_src_picture = "images/games/".$file_name;
$file_name_cover = time()."_".$file_name_cover;
$new_src_cover = "../images/games/cover/".$file_name_cover;
$new_src_picture_cover = "images/games/cover/".$file_name_cover;
if(move_uploaded_file($file_tmp, $new_src) && move_uploaded_file($file_tmp_cover,
$new_src_cover)){
require_once "connection.php";
$upit = "INSERT INTO games VALUES('', :title, :about, :price, :profil, :cover)";
$dataPrepare = $konekcija->prepare($upit);
$dataPrepare->bindParam(":title", $title);
$dataPrepare->bindParam(":profil", $new_src_picture);
$dataPrepare->bindParam(":price", $price);
$dataPrepare->bindParam(":about", $about);
$dataPrepare->bindParam(":cover", $new_src_picture_cover);
$dataPrepare->execute();
header("Location: ../admin.php?page=games");
```

```
Insert_picture.php
<?php
if(isset($ POST['btnInsert'])){
$title = $_POST['tbTitle'];
$picture = $ FILES['picture'];
//var_dump($picture);
$file_name = $picture['name'];
$file_type = $picture['type'];
$file_size = $picture['size'];
$file_tmp = $picture['tmp_name'];
$errors = [];
$reTitle = "/^[\w\d\s]{2,}$/";
if(!preg_match($reTitle, $title)){
$errors[] = "Naslov mora sadrzati samo slova i brojeve. Vratite se i pokusajte ponovo.";
$formats = array("image/jpg", "image/jpeg", "image/png", "image/gif");
if(!in_array($file_type, $formats)){
$errors[] = "Tip fajla nije dobar.";
if($file_size > 10000000){
$errors[] = "Fajl mora biti manji od 10MB.";
if(count($errors) > 0){
// $_SESSION['greske'] = $errors;
//header("Location: ../admin.php?page=gallery");
echo "";
foreach($errors as $error){
echo " $error ;
echo "";
else {
$file_name = time()."_".$file_name;
$new_src = "../images/gallery/".$file_name;
$new_src_picture = "images/gallery/".$file_name;
if(move_uploaded_file($file_tmp, $new_src)){
```

```
require once "connection.php";
$upit = "INSERT INTO gallery VALUES('', :src, :title)";
$dataPrepare = $konekcija->prepare($upit);
$dataPrepare->bindParam(":title", $title);
$dataPrepare->bindParam(":src", $new src picture);
$dataPrepare->execute();
header("Location: ../admin.php?page=gallery");
Insert_user.php
<?php
if(isset($_POST['btnInsert']))
$firstName = $_POST['firstname'];
$lastName = $_POST['lastname'];
$email = $_POST['email'];
$password = $_POST['password'];
$username = $ POST['username'];
$role = $_POST['role'];
$errors = [];
$reNames = "/^[A-Z][a-z]{2,}$/";
$rePassword = "/^[\S]{5,}$/";
reUsername = "/^[\w\d]{6,}$/";
$reRole = "/^1 || 2$/";
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
$errors[] = "Email nije ok";
if(!preg_match($rePassword, $password)){
$errors[] = "Lozinka nije dobra!";
if(!preg_match($reNames, $firstName)){
$errors[] = "Ime nije dobro!";
if(!preg_match($reNames, $lastName)){
$errors[] = "Prezime nije dobro!";
if(!preg_match($reUsername, $username)){
$errors[] = "Korisnicko ime nije dobro!";
```

```
if(!preg match($reRole, $role)){
$errors[] = "Uloga nije dobra, mora biti ili 1 ili 2!";
if(count($errors) > 0){
echo "";
foreach($errors as $error){
echo "> $error ";
echo "";
else {
require_once "connection.php";
$pass = md5($password);
$upit = "INSERT INTO users
VALUES('', :firstName, :lastName, :email, :pass, :kor_ime, :role_id)";
$dataPrepare = $konekcija->prepare($upit);
$dataPrepare->bindParam(":firstName", $firstName);
$dataPrepare->bindParam(":lastName", $lastName);
$dataPrepare->bindParam(":email", $email);
$dataPrepare->bindParam(":pass", $pass);
$dataPrepare->bindParam(":kor_ime", $username);
$dataPrepare->bindParam(":role_id", $role);
$dataPrepare->execute();
header("Location: ../admin.php?page=users");
Login.php
<?php
if(isset($_POST['btnLogin'])){
$password = $_POST['password'];
$username = $_POST['email'];
$errors = [];
$rePassword = "/^[\S]{5,}$/";
$reUsername = "/^[\w\d]{6,}$/";
if(!preg_match($rePassword, $password)){
$errors[] = "Lozinka nije dobra!";
if(!preg_match($reUsername, $username)){
$errors[] = "Korisnicko ime nije dobro!";
```

```
if(count($errors) > 0){
echo "";
foreach ($errors as $error) {
echo "".$error."";
echo "";
else {
require_once "connection.php";
$pass = md5($password);
$upit = "SELECT * FROM users u INNER JOIN roles r ON u.id role = r.id WHERE username
= :username AND pass = :pass";
$login = $konekcija->prepare($upit);
$login->bindParam(":username", $username);
$login->bindParam(":pass", $pass);
$login->execute();
$user = $login->fetch();
$uloga = $user->id_role;
if($user){
if($uloga == 2){
$_SESSION['user'] = $user;
header("Location: index.php?page=games");
if($uloga == 1){
$_SESSION['admin'] = $user;
header("Location: admin.php?page=home");
else{
echo "Ne postoji takav korisnik!";
// header("Location: index.php?page=login");
```

Logout.php

```
<?php
session_start();
unset($_SESSION['user']);
unset($_SESSION['admin']);
header("Location: index.php?page=home");
?>
```

Register.php

```
<?php
if(isset($_POST['btnRegister']))
echo "korak 1";
$firstName = $_POST['firstname'];
$lastName = $_POST['lastname'];
$email = $_POST['email'];
$password = $_POST['password'];
$username = $_POST['username'];
$errors = [];
$reNames = "/^[A-Z][a-z]{2,}$/";
$rePassword = "/^[\S]{5,}$/";
$reUsername = "/^[\w\d]{6,}$/";
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
$errors[] = "Email nije ok";
if(!preg_match($rePassword, $password)){
$errors[] = "Lozinka nije dobra!";
if(!preg_match($reNames, $firstName)){
$errors[] = "Ime nije dobro!";
if(!preg_match($reNames, $lastName)){
$errors[] = "Prezime nije dobro!";
if(!preg_match($reUsername, $username)){
$errors[] = "Korisnicko ime nije dobro!";
if(count($errors) > 0){
$_SESSION['greske'] = $errors;
echo "korak 2";
header("Location: index.php?page=games");
else {
require_once "connection.php";
echo "korak 3";
$pass = md5($password);
$role = 2;
$upit = "INSERT INTO users
VALUES('', :firstName, :lastName, :email, :pass, :kor_ime, :role_id)";
echo "korak 4";
```

```
$dataPrepare = $konekcija->prepare($upit);
$dataPrepare->bindParam(":firstName", $firstName);
$dataPrepare->bindParam(":lastName", $lastName);
$dataPrepare->bindParam(":email", $email);
$dataPrepare->bindParam(":pass", $pass);
$dataPrepare->bindParam(":kor_ime", $username);
$dataPrepare->bindParam(":role_id", $role);
$dataPrepare->execute();
echo "korak 5";
header("Location: index.php?page=game");
}
}
}
```

Slider.js

```
$(document).ready(function(){
   /*Function for slider*/
   slideShow();
});

function slideShow() {
   var current = $('#slika .show');
   var next = current.next().length ? current.next() : current.parent().children(':first');
   current.hide().removeClass('show');
   next.show().addClass('show');
   setTimeout(slideShow, 3000);
}
```