

FortiSandbox and FortiGuard Sandbox Service



Available in



Fortinet
Hosted



Cloud



Virtual



Appliance

Modern threats are increasingly evasive, AI-driven, and designed to bypass traditional defenses. Organizations need the ability to detect, analyze, and stop unknown threats—before they impact users or systems.

FortiSandbox, powered by the **FortiGuard Advanced AI engine**, provides advanced threat detection, inline prevention, and threat intelligence across IT and OT environments. It integrates seamlessly with the Fortinet Security Fabric to deliver:

- Real-time detection of zero-day and unknown malware
- AI-driven phishing and evasive threat protection
- Automated SOC enrichment and threat intelligence
- Flexible deployment across cloud and on-prem environments

Start Here:

Follow this 3-step process to define, position, and size the solution.

1. Where it runs (deployment model)
2. What it does (detection, prevention, AI)
3. How big it needs to be (sizing)

Then jump to deployment and ordering sections to position and quote.

At-a-Glance Decision Guide

IF THE CUSTOMER SAYS...	RECOMMEND
"I don't know how to start "	Start with SaaS (AMP), expand later
"I want something quick and simple "	SaaS (AMP or IL MPS)
"I need to block threats inline"	IL MPS
"I'm concerned about advanced or targeted attacks"	Use Advanced AI bundle
"I need more control or have compliance requirements"	On-Prem Appliance
"We process a high volume of files"	Appliance + VM Cluster

Purpose-built advanced AI engine defends against new, emerging, evasive, and previously unseen threats in real time.

Step 1 – Select Deployment Model

“Where will it run?”

Start by identifying where the sandbox should run based on customer infrastructure, compliance, and operational preferences.

OPTION	WHEN TO CHOOSE	KEY BENEFIT
SaaS (FortiGate-native)	Customer already uses FortiGate or wants simplicity	Fastest deployment, no infrastructure
PaaS (Fortinet-hosted)	Customer wants a dedicated environment without managing hardware	More control than SaaS
On-Prem Appliance	Customer has data residency, compliance, or high-throughput needs	Full control and scalability

Step 2 – Select Protection Level

“What problem are we solving?”

Next, determine how aggressively the customer wants to detect and block threats.

TIER	NAME	WHAT IT DOES	WHEN TO USE
Tier 1	Detection	Sandbox analysis and threat visibility	SOC visibility, compliance use cases (Applicable only to SaaS Offering)
Tier 2	Prevention	Inline malware blocking before execution	Active threat prevention
Tier 3	Advanced AI	AI-driven detection, phishing protection, IOC enrichment	Targeted or zero-day threats

Step 3 – Size the Deployment

“How big does it need to be?”

Finally, align the solution to the customer's scale, performance needs, and SOC maturity.

ENVIRONMENT	RECOMMENDATION
SMB / Mid-market	SaaS (AMP or IL MPS)
Enterprise	PaaS or Appliance (500G / 1500G)
High-throughput SOC	Appliance (1500G / 3000G + VM Cluster)

Deployment Options Overview

FortiSandbox is available in multiple deployment models to match customer requirements:

- **SaaS** – Integrated with FortiGate and Security Fabric devices
- **PaaS** – Fortinet-hosted dedicated sandbox environment
- **Virtual Appliance (FSA-VM)** – Deployable in public or private cloud
- **Hardware Appliance (500G–3000G)** – On-premise high-performance sandboxing

Each option supports:

- Detection and prevention workflows
- Integration with SOC tools
- Advanced AI capabilities (via subscription)

See page 5 for detailed positioning of PaaS, VM and Appliance.



SaaS Offering (FortiGate-Based Deployment)

Use SaaS when the customer wants the fastest way to add sandboxing and advanced threat protection to an existing FortiGate deployment. FortiSandbox SaaS is delivered through FortiGuard services and integrates directly with FortiGate and other Security Fabric products. It requires **no additional hardware or Microsoft licenses** on your part and enables:

- Cloud-based sandbox analysis
- Threat visibility and log enrichment
- Optional inline threat prevention
- AI-driven detection (with Advanced AI) Add VM Capacity for Sandbox detonation

Available across North America, Europe, and Asia regions

Choose the Right SaaS Option

Use this section to match the customer's desired outcome to the right FortiGate service.

TIER	OPTION	PROTECTION LEVEL	WHAT IT INCLUDES	BEST FIT
1	Advanced Malware Protection (AMP)	Detection	Sandbox detection, visibility, and log enrichment	Customers who want threat visibility first
2	Inline Malware Prevention Service (IL MPS)	Prevention	Inline blocking, AI/NDR detections, and log enrichment	Customers who want to actively stop threats

Capability Snapshot

Use this simplified view to explain the difference between visibility and prevention.

CAPABILITY	AMP	IL MPS
Sandbox detection	✓	✓
Threat visibility and log enrichment	✓	✓
Inline blocking		✓
AI/NDR-accelerated detection ¹		✓
Cloud VM analysis	✓	✓ (prioritized) ²
24×7 support	✓	✓

¹ Integrated with FortiNDR's Artificial Neural Network capability for fast pre-filtering.

² Submissions to the shared service are handled with priority and allowed double the submission limits.

SaaS Order Information

The following table shows an example of the a la carte SKUs for the FortiGate-60F. Comparable SKUs are available across all FortiGate models.

SKU	
HARDWARE AND SUPPORT	
FG-60F	FG-60F
24×7 FortiCare Support	FC-10-0060F-247-02-DD
FORTIGUARD SECURITY SERVICES	
FortiGuard Enterprise Protection (includes IL MPS)	FC-10-0060F-809-02-DD
FortiGuard Advanced Malware Protection (AMP) Service	FC-10-0060F-100-02-DD



SOC and Advanced Deployment Offerings

PaaS, Virtual Appliance, and Hardware Appliance

When SaaS is not enough, FortiSandbox can be deployed in more dedicated form factors.

How to Position These Options

Use these deployment models when the customer needs more control, scale, or infrastructure flexibility than SaaS provides.

OPTION	WHAT IT IS	WHEN TO SELL	KEY BENEFIT
FortiSandbox PaaS	Fortinet-hosted dedicated sandbox VM	Customer wants dedicated capacity without hardware	More control than shared SaaS
FortiSandbox VM	Virtual appliance for public/private cloud	Customer wants cloud deployment flexibility	Flexible architecture
FortiSandbox Hardware Appliance	Dedicated on-prem appliance	Customer has compliance, residency, or throughput requirements	Maximum control and performance

Decision Guidance

Choose **PaaS** when the customer wants a dedicated hosted environment but does not want to operate hardware.

Choose **VM** when the customer wants to deploy in their own cloud or private infrastructure.

Choose **hardware appliances** when the customer needs on-prem control, stronger performance predictability, or larger SOC-scale environments.

Capability Overview

All advanced deployment models support the core sandboxing motion; the main decision factor is control and scale.

CAPABILITY	PAAS	PUBLIC CLOUD VM	ON-PREM VM	500G	1500G	3000G
Detection	✓	✓	✓	✓	✓	✓
Unknown malware detection	✓	✓	✓	✓	✓	✓
Anti-evasion detection	✓	✓	✓	✓	✓	✓
C&C detection	✓	✓	✓	✓	✓	✓
AV / IPS / Web Filtering	✓	✓	✓	✓	✓	✓
Inline blocking ²	✓	✓	✓	✓	✓	✓
AI-based analysis	Advanced AI subscription ¹					

¹ Available as part of "Advanced AI Subscription" subscription running on firmware version 5.0.

² Supported on firmware version 5.0



Sizing and Packaging Guidance

Start with Outcome, Then Scale

The original guide moves quickly into SKU detail. Before showing SKUs, give sales a short packaging framework so they know what they are trying to configure. The goal is to help them determine whether the customer needs a base deployment only, a scaled deployment, or a fully expanded dynamic analysis environment. The original guide provides VM counts, Cloud VM ranges, and license dependency detail that is important later in the quoting process.

How to Size the Deployment

Start with file volume, operational model, and data handling requirements.

CUSTOMER PROFILE	RECOMMENDED STARTING POINT	NOTES
Existing FortiGate customer, simple deployment	SaaS	Base deployment
Customer wants dedicated hosted service	PaaS	Scaled deployment
Customer wants cloud control	FSA-VM	Scaled deployment
Mid-size on-prem deployment	500G	Scaled / Mid-size SOC deployment
Enterprise deployment	1500G	Scaled / Enterprise SOC deployment
High-throughput SOC / large enterprise	3000G	High throughput / Enterprise SOC deployment

The environment scale is driven by: Base platform selection, Subscription tier, Universal VM capacity, Microsoft Windows / Office licensing for nested VMs and Optional Cloud VM expansion in supported models

Quoting List

Use this checklist to avoid the most common ordering mistakes:

1 – Every deployment starts with a base platform

That may be: SaaS service, PaaS bundle, FSA-VM, Hardware appliance (500G / 1500G / 3000G)

2 – Add the right subscription

Choose:

- **Standard Sandbox Threat Intelligence** for baseline detection. Includes FortiGuard Essentials and Sandbox Essentials.
- **Advanced AI Subscription** for enhanced protection and phishing / IOC capabilities Includes FortiGuard Essentials, Sandbox Essentials, and Advanced Sandbox capabilities.

3 – Add VM Capacity for Sandbox detonation (Dynamic Scan)

Use Universal VMs to scale sandbox analysis capacity.

- Universal VMs can be used as:
 - **Nested VMs** (run on appliance/VM → requires Microsoft licenses)
 - **Cloud VMs** (Fortinet-hosted → no Microsoft licenses required)
- **When to add more VMs:** High file submission volume, Need faster analysis turnaround, Large SOC or enterprise environments
- **Scaling guidance:**
 - Start with included VM capacity per model
 - Add Universal VM licenses as needed
 - Expand to Cloud VMs for additional throughput without licensing overhead

Refer to the Ordering Summary table for per-model VM limits

4 – Add Microsoft licenses for nested VMs

Only for Nested VMs on VM/HW Appliance. Nested VMs require activated Windows and Office licenses. Whereas, SaaS and Cloud VMs are pre-licensed.

5 – Treat each FortiSandbox unit separately

The seat-based licenses such as VM expansion should be listed separately per unit to avoid unintended stacking and registration issues.



Cluster Sizing Guidelines

FortiSandbox supports horizontal scaling through worker node clustering, enabling organizations to increase malware analysis capacity as workload demands grow. The following guidelines provide conservative planning factors for estimating cluster throughput and selecting the appropriate number of worker nodes.

Selecting the Appropriate Appliance

Use the throughput values published in the FortiSandbox Datasheet as the baseline performance for a single appliance. Select an appliance model that meets your expected workload while allowing capacity for future growth.

For environments requiring higher throughput, additional worker nodes can be added to a FortiSandbox cluster to increase analysis capacity without changing the existing deployment architecture.

Best Practice: Dedicated HA and Worker Nodes

For maximum scalability, consider deploying dedicated FSA-VMS primary and secondary units for HA and cluster management, with hardware or VM appliances serving as worker nodes for malware analysis. Configure the FSA-VMS primary and secondary units without worker clones. This dedicates their resources to HA and cluster management, allowing worker nodes to focus on analysis and providing more consistent and predictable scalability.

This architecture also enables customers to mix different FortiSandbox hardware and VM models as worker nodes, allowing available processing capacity from different deployments to be combined within the same cluster.

Example – 1500G Cluster Sizing

Using a recommended Effective Scan Throughput of 32,000 files/hour:

- 2 workers: $32,000 \times 2 \times 0.90 = 57,600$ files/hour
- 3 workers: $32,000 \times 3 \times 0.90 = 86,400$ files/hour

With dedicated FSA-VMS or 500G primary/secondary units for job allocation and cluster management, throughput can increase by an additional 10

Cluster Throughput Estimation

Worker node clustering provides highly scalable malware analysis capacity, although aggregate throughput may not scale linearly with the number of worker nodes. For capacity planning, use the following conservative planning factors when estimating the throughput of a clustered deployment.

ANALYSIS TYPE	FSA-500G	FSA-1500G	FSA-3000G
Static Analysis	100%	100%	100%
Dynamic Analysis	90%	92%	92%
Effective Scan	98%	98%	98%

Estimated Cluster Throughput = Single-Worker Throughput × Number of Worker Nodes × Planning Factor

Note: Planning factors are based on internal validation testing and are intended for deployment sizing. Actual throughput depends on workload characteristics, including file types, analysis policies, virtual machine utilization, concurrent submissions, and system configuration.

Recommendation: For production deployments, size the cluster based on Effective Scan throughput, as it reflects the combined performance of static and dynamic analysis and more closely represents typical malware analysis workloads.



PaaS Ordering Summary

Use this option when the customer wants Fortinet-hosted dedicated sandboxing with scalable Cloud VM capacity.

PAAS	+1 CLOUD VM	+5 CLOUD VM
SKUS		
Advanced AI Sandbox subscription ¹ with VM Expansion Bundle	FC1-10-SACLP-1298-01-DD	FC2-10-SACLP-1298-01-DD
(Standard) Sandbox Threat Intelligence subscription with VM Expansion Bundle	FC1-10-SACLP-433-01-DD	FC2-10-SACLP-433-01-DD

¹ Includes FortiGuard Essentials, Sandbox Essentials and Advanced Sandbox packages. Advanced Sandbox package includes the RTAP already.

Appliance and VM Ordering Summary

Use this section when the customer wants a virtual or physical sandbox under their control.

VM/HW APPLIANCE	VMS	500G	1500G	3000G
SINGLE SKUS				
Base Unit	FSA-VMS	FSA-500G	FSA-1500G	FSA-3000G
Universal VM Count Included	0	2	2	8
License included		1xWin11, 1xWin10, 1xOffice21	1xWin11, 1xWin10, 1xOffice21	4xWin10, 4xWin11, 1xOffice21
Activated License		1xWin10, 1xOffice21	1xWin10, 1xOffice21	1xWin10, 1xOffice21
FortiGuard Subscriptions				
Advanced AI Subscription ¹	FC1-10-SAVMS-1248-02-DD ⁵	FC-10-FS5HG-1092-02-DD	FC-10-FS15G-1092-02-DD	FC-10-SA3KG-1092-02-DD
(Standard) Subscription	FC1-10-SAVMS-1146-02-DD ⁵	FC-10-FS5HG-499-02-DD	FC-10-FS15G-499-02-DD	FC-10-SA3KG-499-02-DD
VM Capacity				
Universal VM Subscriptions/ Renewals ²	FC1-10-SAVMS-1035-02-DD ⁵	FC1-10-FS5HG-1035-02-DD	FC1-10-FS15G-1035-02-DD	FC1-10-SA3KG-1035-02-DD
Nested VMs	0 to 64	2 to 14	2 to 28	8 to 150
Cloud VMs	0 to 200	2 to 80	2 to 120	8 to 200
Microsoft Licenses ²				
Windows 10		FSA-LIC-WIN10-1		
Windows 11		FSA-LIC-WIN11-1		
Office 2021		FSA-UPG-OFFICE2021-1		
Office 2024		FSA-UPG-OFFICE2024-1		
Addon Subscriptions				
Mailbox MTA License ⁴		FC1-10-FSA01-321-02-DD		
FortiCare Premium Support Only ³	FC1-10-SAVMS-258-02-DD	FC-10-FS5HG-247-02-DD	FC-10-FS15G-247-02-DD	FC-10-SA3KG-247-02-DD
Hard Disk			SP-FSA1500G-SSD	SP-FSA3000G-HDD
Power Supply			SP-FPX2000G-PS	SP-FSA3000G-PS
Transceivers			FN-TRAN-SX FN-TRAN-SFP+SR	FN-TRAN-SFP+SR FN-TRAN-SFP+LR FN-TRAN-GC FN-TRAN-SFP+GC

¹ Supported only by firmware 5.0. Includes subscription to AI Engine/Model, Real-time Anti-Phishing, IOC and Standard FortiGuard Subscriptions.

² Supported only by firmware 5.0.

³ For HA Cluster deployment setup, configured as primary or secondary node used as a dispatcher only.

⁴ The listed SKU covers 100 to 1,000 mailboxes. SKUs for higher tiers are also available for purchase.

⁵ The listed SKU covers 0 to 8 Nested Universal VMs. SKUs for higher tiers are also available for purchase.

If an order includes multiple FortiSandbox units, seat-based licenses must be listed separately per unit to prevent unintended license stacking. Ensure that each license line item applies to one specific FortiSandbox unit only.



Deployment Examples

Use this section only after completing Steps 1–3.

1) Single unit with Advanced AI and full Universal Nested Win10 with Office 2021 VMs subscriptions.

	VMS	500G	1500G	3000G
SKUs	(1) FC1-10-SAVMS-1248-02-DD (8) FC1-10-SAVMS-1035-02-DD (8) FSA-LIC-WIN10-1 (2) FSA-UPG-OFFICE2021-1	(1) FSA-500G (1) FC-10-FS5HG-1092-02-DD (12) FC1-10-FS5HG-1035-02-DD (13) FSA-LIC-WIN10-1 (2) FSA-UPG-OFFICE2021-1	(1) FSA-1500G (1) FC-10-FS15G-1092-02-DD (26) FC1-10-FS15G-1035-02-DD (27) FSA-LIC-WIN10-1 (5) FSA-UPG-OFFICE2021-1	(1) FSA-3000G (1) FC-10-SA3KG-1092-02-DD (142) FC1-10-SA3KG-1035-02-DD (146) FSA-LIC-WIN10-1 (29) FSA-UPG-OFFICE2021-1
Notes	This bundle allows to setup (8) Nested VMs on VMS-1 model. The unit does not come with Default VMs and licenses.	This bundle allows to setup (14) Nested VMs on 500G model. The unit already comes with (2) Default Universal VM, (1) Win10, (1) Win11 and (1) Office 2021.	This bundle allows to setup (28) Nested VMs on 1500G model. The unit already comes with (2) Default Universal VM, (1) Win10, (1) Win11 and (1) Office 2021.	This bundle allows to setup (150) Nested VMs on 3000G model. The unit already comes with (8) Default Universal VM, (4) Win10, (4) Win11 and (1) Office 2021.

2) Two units with Advanced AI and full Universal Nested Win10 with Office 2021 VMs subscriptions.

	VMS	500G	1500G	3000G
SKUs	(2) FC1-10-SAVMS-1248-02-DD (8) FC1-10-SAVMS-1035-02-DD (8) FC1-10-SAVMS-1035-02-DD (16) FSA-LIC-WIN10-1 (4) FSA-UPG-OFFICE2021-1	(2) FSA-500G (2) FC-10-FS5HG-1092-02-DD (12) FC1-10-FS5HG-1035-02-DD (12) FC1-10-FS5HG-1035-02-DD (26) FSA-LIC-WIN10-1 (4) FSA-UPG-OFFICE2021-1	(2) FSA-1500G (2) FC-10-FS15G-1092-02-DD (26) FC1-10-FS15G-1035-02-DD (26) FC1-10-FS15G-1035-02-DD (54) FSA-LIC-WIN10-1 (10) FSA-UPG-OFFICE2021-1	(2) FSA-3000G (2) FC-10-SA3KG-1092-02-DD (142) FC1-10-SA3KG-1035-02-DD (142) FC1-10-SA3KG-1035-02-DD (292) FSA-LIC-WIN10-1 (58) FSA-UPG-OFFICE2021-1
Notes	The above SKUs correspond to the single-unit configuration, with quantities doubled. Please note that the Universal VM (SKU 1035) must be ordered as a separate line item to avoid registration constraints.			





Frequently Asked Questions

1. Getting Started & Deployment

What is the minimum deployment to run FortiSandbox?

You can start small. Start with SaaS or a base appliance, then scale as needed.

- SaaS → No infrastructure required (fastest path)
- Appliance → Comes with default VMs and licenses
- Basic subscription → Enough for initial protection and updates

What's the best way to size a deployment?

Start with estimates, validate with real data. If sizing is unclear → position a POC to de-risk the decision.

Two approaches:

- **Estimate-based** → Use Fortinet data from similar customers
- **POC-based (ideal)** → Measure actual file submission rates

How do I scale if the customer has high file volume?

Performance concerns are solvable—don't let them block the deal.

- Add **more VMs (nested or cloud)**
- Scale up to **larger appliances (1500G / 3000G)**
- Use **clustering (up to 99 units)** for very large environments

What is a hybrid VM deployment?

A combination of:

- **Local (nested) VMs** → run on the appliance
- **Cloud VMs** → run in Fortinet-hosted infrastructure

Used to increase **dynamic analysis throughput**. Position hybrid when customers want **performance + flexibility**.

2. Features & Capabilities

Do I need IL MPS to use inline blocking?

Inline prevention behavior differs by deployment model. On SaaS, the IL MPS is required. On SOC and Advanced deployment, Inline blocking is a feature **built into FortiSandbox (v5.0+)**.

What is the Antivirus Extended Database?

Extended DB = **higher detection coverage**, especially for older threats.

Default AV uses a **smaller active database**

Extended DB includes **full coverage (active + legacy malware)**

Can FortiSandbox integrate with non-Fortinet tools?

Yes. This is not a closed ecosystem—works in mixed environments.

Supports:

- ICAP
- JSON RPC APIs



3. Licensing & VM Strategy

Are Microsoft licenses required?

Depends on deployment type:

Scenario	License Required
Nested VMs (on appliance/VM)	Yes
Cloud VMs (Fortinet-hosted)	No

How many Microsoft licenses are needed?

- **1 Windows license per VM (or clone)**
- 1 Office license per ~5 Windows VMs

What type of Microsoft licenses are provided?

- Retail-type Windows licenses (validated by Fortinet)
- Compatible with FortiSandbox environments

No special licensing complexity—standard Microsoft model.

Can customers bring their own licenses (BYOL)?

Yes (via Custom VM option). But:

- Customer must manage compliance and activation

Use BYOL only when customers have strong licensing and application requirements.

What is a Universal VM?

A flexible VM pool that can be used as:

- Nested VM (on appliance)
- Cloud VM (Fortinet-hosted)
- Hybrid (mix of both)

Universal VM = **flexibility + scalability**

How many Universal VMs should I recommend?

Depends on:

- Appliance limits
- Cloud VM capacity

Sell based on **throughput needs**, not arbitrary VM counts. Example:

- FSA-1500G → up to 120 total VMs (mix of local + cloud)

What happens to VM count licenses after upgrading to v5.0?

- Existing licenses are **automatically retained**
- Converted into a **pooled VM capacity model**

Upgrades are **non-disruptive** from a licensing perspective.

Can customers upgrade their FortiSandbox later?

Yes.

- Supports upgrades (e.g., VMS tiers)
- Supports **co-term licensing** for simplified renewals



4. Common Sales Objections

“This seems complex to deploy.”

- Start with **SaaS (AMP or IL MPS)**
- Expand later if needed

“I don’t know how to size this.”

- Use **estimate-based sizing**
- Recommend a **POC for validation**

“What if we outgrow the solution?”

- Scale via:
 - VM expansion
 - Larger appliances
 - Clustering

“Licensing seems complicated.”

- Simplify:
 - SaaS = simple
 - Appliance = only care about VMs + Windows licenses

“We have compliance requirements.”

- Recommend:
 - **On-prem appliance**
 - Or **PaaS (regional hosting)**

5. Key Takeaways for Sales

- Start with **deployment model (SaaS vs Appliance)**
- Choose **Detection vs Prevention vs Advanced AI**
- Scale using **VMs and appliance size**
- Only worry about Microsoft licenses for **nested VMs**
- When unsure → **position a POC**





FORTINET TRAINING

FCP- FortiSandbox Administrator Training

Learn how to protect your organization and improve its security against advanced threats that bypass traditional security controls. You will learn about how FortiSandbox detects advanced threats. You will also learn about how FortiSandbox dynamically generates local threat intelligence, and how the advanced threat protection (ATP) components leverage this threat intelligence information to protect organizations from advanced threats.

Course Details

For prerequisites, agenda topics, and learning objectives, visit:

https://training.fortinet.com/local/staticpage/view.php?page=library_fortisandbox-administrator

Training Offering

For training SKUs, purchasing, and delivery options, visit: https://training.fortinet.com/local/staticpage/view.php?page=purchasing_process



www.fortinet.com

Copyright © 2026 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's SVP Legal and above, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.