



* Product configuration and appearance may vary

HPE ARUBA NETWORKING EC-XL-H SD-WAN GATEWAY



Product overview

The HPE Aruba Networking EC-XL-H SD-WAN gateway is a 1 U rack-mountable hub gateway platform that serves to build an SD-WAN fabric using zero touch provisioning. It supports Multiprotocol Label Switching (MPLS), 4G/5G/LTE, internet-based hybrid WAN transport services, and a control plane that is automated and secured by the HPE Aruba Networking SD-WAN Orchestrator centralized management software—providing policy-based virtual network segmentation and acceleration of on-premises and SaaS cloud applications.

Key features of HPE Aruba Networking EC-XL-H SD-WAN gateway include high availability through power supply and storage redundancy, high performance PCIe-based flash network memory for application acceleration, and up to six ports supporting 10 Gbps SFP+ and/or 25 Gbps SFP28 pluggable transceivers. These features make it an ideal platform for data center and large hub environments with typical WAN bandwidth from 2 to 10 Gbps (bidirectional).

Table 1. Technical specifications

Capacity	
WAN bandwidth capacity (all features + encryption)	2 to 10 Gbps (bidirectional)
Simultaneous connections	2,000,000
Recommended WAN optimization up to	5 Gbps
Resiliency	
Power supplies	Dual redundant
Network	Six ports supporting any combination of WAN and LAN including support for up to 64 802.1q VLANs; WAN link redundancy supported through business intent overlays with multiple link bonding options; LAN-side protection includes VRRP and BGP; Multiple IPSLA options included
Storage	HPE Aruba Networking EdgeConnect SD-WAN Operating System: 960 GB SSD, network memory
Network Memory	3.2 TB NVMe
Routing	BGP and OSPF supported
MTBF	Greater than 10 years

Note: For best performance, HPE Aruba Networking EdgeConnect SD-WAN Operating System 9.1 or higher is recommended.

Table 1. Technical specifications (continued)

Security	
Disk encryption	128-bit AES
Network encryption (data plane)	IPSec (256-bit AES)
Network encryption (management plane)	TLS 1.2
Connectivity	
LAN/WAN Ethernet	SKU JZ881A–6x 1/10 Gbps SFP+ or 10/25 Gbps SFP28 transceiver cages as per IEEE 802.3z, 802.3ae, 802.1Q, 802.3by, 802.3cc SKU SOB67A–6x 1/10 Gbps SFP+ transceiver cages as per IEEE 802.3z, 802.3ae, 802.1Q
Management	2x 10/100/1000; console port
Power	
AC requirement	SKU JZ881A–435W/1484 BTU SKU SOB67A–413W/1409 BTU
Power adapter	1+1 redundant, AC
Dimensions	
Height	1.69 in (42.9 mm)/1U
Width	17.11 in (434.6 mm)
Depth	27.83 in (706.9 mm)
Weight	33.5 lb (15.2 kg)
Regulatory	
EMC	FCC Part 15 Class A, CISPR 22/23, EN 55032 Class A, EN 55024, VCCI Class A, IEC 61000-3-2/3-3, EN 61000-3-2/3-3
Safety	UL 60950-1, IEC 60950-1, IEC 62368
Environmental	
Temperature (operating)	0°C to 40°C (32°F to 104°F)
Temperature (storage)	–40°C to 65°C (–40°F to 149°F)
Humidity (operating)	10%–80% relative humidity, non-condensing
Humidity (storage)	8%–95% relative humidity, non-condensing
Altitude (operating)	Up to 10,000 ft (3048m)
Altitude (storage)	Up to 40,000 ft (12,192m)
Management	
CLI	Full-featured CLI available over console port or SSH
GUI	HPE Aruba Networking EdgeConnect SD-WAN Operating System includes a web user interface (WebUI), which manages an individual appliance. HPE Aruba Networking SD-WAN Orchestrator provides centralized configuration, monitoring, and management of multiple HPE Aruba Networking EdgeConnect SD-WAN appliances.

Table 1. Technical specifications (continued)

Management	
API	REST API at appliance level; HPE Aruba Networking SD-WAN Orchestrator provides REST API for systems integration.
SNMP	SNMPv2c, SNMPv3
Secure access	SSH and HTTPS (WebUI), supports PKI as per RFC 5280, RFC 6960, and RFC 7030
Logging	Secure syslog with configurable levels
Authentication	Local database, RADIUS, TACACS+
Statistics	Graphing and monitoring, real time and historical; NetFlow and IPFIX supported

Ordering information

Product type	Regulatory model name	HPE Aruba Networking SKU	Description
SD-WAN gateways			
	HSTNS-2154	JZ881A	HPE Aruba Networking EC-XL-H SD-WAN gateway
	HSTNS-2154	JZ883A	HPE Aruba Networking EC-XL-H-NFR SD-WAN gateway
	HSTNS-2154	SOB67A	HPE Aruba Networking EC-XL-H 10G SD-WAN gateway
	HSTNS-2154	SOM74A	HPE Aruba Networking EC-XL-H-10G-NFR SD-WAN gateway
	HSTNS-2154	S3N77A	HPE Aruba Networking EC XL-H 2PS NAL SD-WAN GW
	HSTNS-2154	S3N68A	HPE Aruba Networking EC XL-H-10G NAL SD-WAN GW
Accessories			
		JZ886A	HPE Aruba Networking EC-L-H/EC-XL-H Rails
		JZ887A	HPE Aruba Networking EC-L-H/EC-XL-H PSU
		JZ888A	HPE Aruba Networking EC-L-H/EC-XL-H Center Mount Kit
		JZ889A	HPE Aruba Networking EC-L-H/EC-XL-H 480GB SSD drive
		JZ890A	HPE Aruba Networking EC-XL-H NVM 1.6 TB NVMe (Network memory)



Learn more at

[HPE.com/us/en/Aruba-EdgeConnect-SD-WAN.html](https://hpe.com/us/en/Aruba-EdgeConnect-SD-WAN.html)

Visit [HPE.com](https://hpe.com)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

a00110174ENW, Rev. 2

HEWLETT PACKARD ENTERPRISE

hpe.com

