Data sheet



HPE Networking SRX1500 Firewall

Next-generation firewall for the distributed enterprise

Product overview

The HPE Networking SRX1500 Firewall is a next-generation firewall and security services gateway offering outstanding protection, performance, scalability, availability, and security service integration. Designed for port density, a high performance security services architecture, and seamless integration of networking and security in a single platform, the SRX1500 is best suited for client protection in enterprise campuses, regional headquarters, or cloud-based security solutions with a focus on application visibility and control, intrusion prevention, and advanced threat prevention. The SRX1500, powered by HPE Networking Junos Operating System, is the industry-leading operating system that keeps the world's largest and most mission-critical enterprise networks secure.

Product description

The SRX1500 firewall is a high performance next-generation firewall and security services gateway that protects mission-critical networks at campuses, regional headquarters, and large branch offices. The SRX1500 provides best-in-class security, threat detection, and mitigation capabilities, integrating carrier-class routing and feature-rich switching in a single platform.

The SRX1500 delivers a next-generation security solution that supports the changing needs of cloud-enabled enterprise networks. Whether rolling out new services in an enterprise campus, connecting to the cloud, complying with industry standards, or achieving operational efficiency, the SRX1500 helps organizations realize their business objectives while providing scalable, easy-to-manage, secure connectivity and advanced threat detection and mitigation capabilities. The SRX1500 protects critical corporate assets as a next-generation firewall, acts as an enforcement point for cloud-based security solutions, and provides application visibility and control to improve the user and application experience.

Hardware and software architectures on the SRX1500 provide significant performance improvements to a small 1 U form factor. The key to the SRX1500 hardware is the security flow accelerator and a robust x86-based security compute engine for advanced security services like application visibility, intrusion prevention, and threat mitigation capabilities. The SRX1500 software architecture leverages these hardware components and virtualization to deliver high-speed firewall performance, application visibility, and intrusion prevention while lowering the total cost of ownership (TCO).

The SRX1500 is purpose-built to protect 10GbE network environments, consolidating multiple security services and networking functions in a highly available appliance.

SRX1500 highlights

The SRX1500 fully complements next-generation firewall capabilities that help secure your network with an integrated solution that combines best-in-class application, content, and threat classification with SD-WAN, local switching, and easy policy management. Advanced application identification and classification enable greater visibility, enforcement, control, and protection over the network as they are tied to users regardless of location or device. It provides a detailed analysis of application volume and usage and fine-grained application control policies to allow or deny traffic based on dynamic application names or group names, and prioritization of traffic based on application information and context to reduce complexity across traditional, cloud, and hybrid cloud networks.

By combining perimeter defenses with segmentation, the SRX1500 firewall provides a comprehensive suite of application security, threat defenses, and intelligence services to protect networks from content-borne threats. Integrated threat intelligence via HPE Networking Advanced Threat Prevention offers adaptive threat protection against command and control (C&C) solutions that leverage automated protection. This integration helps detect and enforce against known exploits, spyware, malware, and zero-day threats with an extremely high degree of accuracy using advanced AI techniques developed in conjunction with HPE Threat Labs.

The SRX1500 enables agile SecOps through automation capabilities that support zero touch deployment, Python scripts for orchestration, and event scripting for operational management.

HPE Networking SRX1500 Firewall delivers fully automated SD-WAN to both enterprises and service providers. A zero touch provisioning (ZTP) capability simplifies branch network connectivity for initial deployment and ongoing management. Due to its high performance and scale, the SRX1500 acts as a VPN hub and terminates VPN/secure overlay connections in the various SD-WAN topologies.

The SRX1500 firewall runs HPE Networking Junos Operating System, a proven, carrier-hardened network OS that powers the top 100 service provider networks worldwide. These rigorously tested carrier-class routing features of IPv, including IPv4/IPv6, OSPF, BGP, and multicast, have been proven in over 15 years of worldwide deployments.

HPE Networking Security Director

HPE Networking Security Director is the simple and seamless management experience from HPE, delivered in a single UI to connect customers' current deployments with their future architectural rollouts. Management is at the center of the HPE security strategy and helps organizations secure every point of connection on their network to safeguard users, data, and infrastructure.

Organizations can secure their architecture with consistent security policies across any environment — on-premises, cloud-based, cloud-delivered, and hybrid — and expand zero trust to all parts of the network, from the edge all the way into the data center and to the applications and microservices. With HPE Networking Security Director, organizations have unbroken visibility, policy configuration, administration, and collective threat intelligence all in one place.

HPE meets our customers where they are on their journey, helps them leverage their existing investments, and empowers them to transition to their preferred architecture at a pace that is best for business by automating their transition with HPE Networking Security Director.

Table 1. Features and benefits

Business requirement	Feature/solution	HPE Networking SRX1500 Firewall advantages
High performance	High-performance firewall	— Best suited for enterprise large branch and campus deployments — Addresses future needs for scale and feature capacity
High-quality end user experience	Application visibility and control	— Continuous application updates provided by HPE Threat Labs — Controls and prioritizes traffic based on application and user role — Inspects and detects applications inside the SSL-encrypted traffic
Threat protection	IPS, antivirus, antispam, enhanced web filtering, HPE Networking Advanced Threat Prevention, encrypted traffic insights, and threat intelligence feeds	— Provides real-time updates to IPS signatures and protects against exploits — Implements industry-leading antivirus and URL filtering — Delivers an open threat intelligence platform that provides a single point for all operational intelligence feeds — Protects against zero-day attacks — Restores visibility lost due to encryption without the heavy burden of full TLS/SSL decryption
Zero-day prevention	AI predictive threat prevention	— Predicts and prevents malware at line rate by using AI to identify threats from packet snippets effectively — Eliminates patient-zero infections — Provides network protection throughout the entire attack lifecycle, preventing reinfection from subsequent attacks rather than just for the first 24 hours of an attack.
Professional-grade networking services	Routing, switching, and secure wire	— Supports carrier-class advanced routing, quality of service (QoS), and services — Offers flexible deployment modes (L1/L2/L3)
Highly secure	IPSec VPN, remote access/SSL VPN, secure boot	— Provides high performance IPSec VPN with a dedicated crypto engine — Simplifies large VPN deployments with auto VPN and group VPN — Offers secure and flexible remote access SSL VPN with HPE Networking SRX Secure Connect — Verifies binaries that execute on the hardware with a secure boot
Embed security in data center fabric	EVPN-VXLAN Type 5 routes	— Enhances tunnel inspection for VXLAN encapsulated traffic with Layer 4 to Layer 7 security services — Eases operations with Type 5 support through BGP — Does not require decapsulation of EVPN-VXLAN traffic
High reliability	Chassis cluster, redundant power supply	— Provides stateful configuration and state synchronization — Supports active/active and active/backup deployment scenarios — Offers highly available hardware with dual PSU, redundant fans
Easy to manage and scale	On-box GUI, HPE Networking Security Director	— Enables centralized management for auto-provisioning, firewall policy management, network address translation (NAT), and IPSec VPN deployments — Includes simple easy-to-use on-box GUI for local management
Lower TCO	HPE Networking Junos Operating System	— Integrates routing, switching, and security in a single device — Reduces OpEx with Junos OS automation capabilities



Figure 1. SRX1500 firewall

HPE Networking SRX1500 Firewall specifications

Software specifications

Firewall services

— Stateful firewall inspection
— Zone-based firewall
— Screens and distributed denial of service (DDoS) protection
— Protection from protocol and traffic anomalies
— Integration with pulse unified access control (UAC)
— Integration with HPE Networking ClearPass Policy Manager
— User role-based firewall
— SSL Inspection

Network Address Translation (NAT)

— Source NAT with Port Address Translation (PAT)
— Bidirectional 1:1 static NAT
— Destination NAT with PAT
— Persistent NAT
— IPv6 address translation

VPN features

— Tunnels: site-to-site, hub and spoke, dynamic endpoint, AutoVPN, ADVPN, Group VPN (IPv4/IPv6/Dual Stack)
— HPE Networking SRX Secure Connect: remote access/SSL VPN
— Configuration payload: Yes
— IKE encryption algorithms: Prime, DES-CBC, 3DES-CBC, AEC- CBC, AES-GCM, SuiteB
— IKE authentication algorithms: MD5, SHA-1, SHA-128, SHA-256, SHA-384
— Authentication: pre-shared key and public key infrastructure (PKI) (X.509)
— IPSec (Internet Protocol Security): Authentication Header (AH)/ Encapsulating Security Payload (ESP) protocol
— IPSec Authentication Algorithms: HMAC-MD5, HMAC-SHA1-96
— IPSec Encryption Algorithms: Prime, DES-CBC, 3DES-CBC, AES-CBC, AES-GCM, SuiteB
— Perfect forward secrecy, anti-replay
— Internet Key Exchange: IKEv1, IKEv2
— Monitoring: standard-based dead peer detection (DPD) support, VPN monitoring
— VPNs GRE, IP-in-IP, and MPLS

High availability features

— Virtual Router Redundancy Protocol (VRRP)
— Stateful high availability
  • Dual box clustering
  • Active/passive
  • Active/active
  • Configuration synchronization
  • Firewall session synchronization
  • Device/link detection
  • In-Service Software Upgrade (ISSU)
— IP monitoring with route and interface failover

Application security services[1]

— Application visibility and control
— Application QoS
— Advanced/application policy-based routing (APBR)
— Application Quality of Experience (AppQoE)
— Application-based multipath routing

Threat defense and intelligence services[1]

— Intrusion prevention
— Antivirus
— Antispam
— Category/reputation-based URL filtering
— Protection from botnets (command and control)
— Adaptive enforcement based on GeoIP
— HPE Networking Advanced Threat Prevention, a cloud-based SaaS offering to detect and block zero-day attacks
— HPE Networking Advanced Threat Prevention, a distributed, on-premises advanced threat prevention solution to detect and block zero-day attacks
— Adaptive threat profiling
— Encrypted traffic insights
— Security intelligence to provide threat intelligence
— AI predictive threat prevention

[1] Offered as an advanced security subscription license

Routing protocols

— IPv4, IPv6
— Static routes
— RIP v1/v2
— OSPF/OSPF v3
— BGP with Route Reflector
— EVPN-VXLAN
— IS-IS
— Multicast: Internet Group Management Protocol (IGMP) v1/v2; Protocol Independent Multicast (PIM) sparse mode (SM)/dense mode (DM)/source-specific multicast (SSM); Session Description Protocol (SDP); Distance Vector Multicast Routing Protocol (DVMRP); Multicast Source Discovery Protocol (MSDP); Reverse Path Forwarding (RPF)
— Encapsulation: VLAN, Point-to-Point Protocol over Ethernet (PPPoE)
— Virtual routers
— Policy-based routing, source-based routing
— Equal-cost multipath (ECMP)

QoS features

— Support for 802.1p, DiffServ code point (DSCP), EXP
— Classification based on VLAN, data-link connection identifier (DLCI), interface, bundles, or multifield filters
— Marking, policing, and shaping
— Classification and scheduling
— Weighted random early detection (WRED)
— Guaranteed and maximum bandwidth
— Ingress traffic policing
— Virtual channels
— Hierarchical shaping and policing

Switching features

— ASIC-based Layer 2 forwarding
— MAC address learning
— VLAN addressing and integrated routing and bridging (IRB) support
— Link aggregation and LACP
— LLDP and LLDP-MED
— STP, RSTP, MSTP
— MVRP
— 802.1X authentication

Network services

— Dynamic Host Configuration Protocol (DHCP) client/server/relay
— Domain Name System (DNS) proxy, dynamic DNS (DDNS)
— Real-time performance monitoring (RPM) and IP monitoring
— Flow monitoring
— Bidirectional Forwarding Detection (BFD)
— Two-Way Active Measurement Protocol (TWAMP)
— IEEE 802.3ah Link Fault Management (LFM)
— IEEE 802.1ag Connectivity Fault Management (CFM)

Advanced routing services

— Packet mode
— MPLS (RSVP, LDP)
— Circuit cross-connect (CCC), translational cross-connect (TCC)
— L2/L2 MPLS VPN, pseudo-wires
— Virtual private LAN service (VPLS), next-generation multicast VPN (NG-MVPN)
— MPLS traffic engineering and MPLS fast reroute

Management, automation, logging, and reporting

— SSH, Telnet, SNMP
— Smart image download
— HPE CLI and Web UI
— HPE Networking Security Director
— Python
— HPE Networking Junos Operating System event, commit and OP scripts
— Application and bandwidth usage reporting
— Auto installation
— Debug and troubleshooting tools

Table 2. Hardware specifications

Specification	HPE Networking SRX1500 Firewall
Connectivity	
Total onboard ports	16x1GbE and 4x10GbE
Onboard RJ-45 ports	12x1GbE
Onboard small form-factor pluggable (SFP) transceiver ports	4x1GbE
Onboard SFP+ ports	4x10GbE
Out-of-band (OOB) management ports	1x1GbE
Dedicated high availability (HA) ports	1x1GbE (SFP)
PIM slots	2
Console (RJ-45 + miniUSB)	1
USB 2.0 ports (type A)	1
Memory and storage	
System memory (RAM)	16 GB
Primary boot storage (mSATA)	16 GB
Secondary storage (SSD)	100 GB
Dimensions and power	
Form factor	1U
Size (W x H x D)	17.28 x 1.75 x 18.2 in (43.9 x 4.44 x 46.22 cm)
Weight (device and PSU)	16.1 lb (7.30 kg)
Redundant PSU	1+1
Power supply	AC/DC (external)
Average power consumption	150 W
Average heat dissipation	512 BTU hour
Maximum current consumption	2.5A (for AC PSU); 6.2A (for DC PSU)
Maximum inrush current	50A by 1 AC cycle
Acoustic noise level	66.5dBA
Airflow/cooling	Front to back

Table 2. Hardware specifications (continued)

Specification	HPE Networking SRX1500 Firewall
Operating temperature	32°F to 104°F (0°C to 40°C)
Nonoperating temperature	4°F to 158°F (–20°C to 70°C)
Operating humidity	10% to 90% non-condensing
Nonoperating humidity	5% to 95% non-condensing
Meantime between failures (MTBF)	9.78 years (85,787 hours)
FCC classification	Class A
RoHS compliance	RoHS 2
FIPS 140-2	Level 2 (Junos 19.2)
Performance and scale	
Firewall throughput (IMIX) Gbps[2]	4.5
Firewall throughput (1,518 B)[2]	9.0
IPSec VPN throughput (IMIX) Gbps[2]	1.0
IPSec VPN throughput (1400 B) in Gbps[2]	4.0
Application security performance (TPS#/CPS**) in Gbps	7.5 / 4.0
Next-generation firewall (TPS#/CPS**) in Gbps[3]	7.0 / 2.0
Secure Web Access firewall (CPS**) in Gbps[4]	2.0
Advanced threat (CPS**) in Gbps[5]	1.0
Route table size (RIB/FIB) (IPv4)	2 million / 1 million
Maximum concurrent sessions (IPv4 or IPv6)	2,000,000
Connections per second (64B)	90,000
SSL connections per second	1,600
IPSec VPN tunnels	2,000

[2] Performance numbers based on UDP packets and RFC2544 test methodology

[3] Next-Generation firewall performance is measured with firewall, application security and IPS enabled

[4] Secure web access firewall performance is measured with firewall, application security, IPS, security intelligence, and URL filtering enabled

[5] Advanced threat performance is measured with firewall, application security, IPS, security intelligence, URL filtering and malware protection enabled

TPS Method: Throughput performance of average HTTP sessions

** CPS Method: Short-lived sessions

Ordering information

To order HPE Networking SRX Firewalls and access software licensing information, please contact your HPE Networking representative.

About HPE

HPE is a leader in essential enterprise technology, bringing together the power of AI, cloud, and networking to help organizations achieve more. As pioneers of possibility, our innovation and expertise advance the way people live and work. We empower our customers across industries to optimize operational performance, transform data into foresight, and maximize their impact. Unlock your boldest ambitions, with HPE. Discover more at HPE.com.

Visit HPE.com

Chat now

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

a00150819ENW, Rev. 2

HEWLETT PACKARD ENTERPRISE

hpe.com