Data sheet



* Product configuration and appearance may vary

HPE NETWORKING SRX400 FIREWALL SERIES FOR BRANCH

Product description

HPE Networking SRX400 Firewall Series delivers a next-generation firewall (NGFW) that supports the changing needs of enterprise networks. Whether rolling out new services and applications across locations, connecting to the cloud, or trying to achieve operational efficiency, the SRX400 series helps organizations realize their business objectives while providing scalable, easy-to-manage, secure connectivity, and advanced threat mitigation capabilities. NGFW and content security capabilities make detecting and proactively mitigating threats easier while improving the user and application experience.

The SRX400 series consists of the following models:

- **SRX400:** Securing small branch or retail offices, the SRX400 firewall consolidates security, routing, switching, and WAN connectivity in a small desktop device. The SRX400 supports high throughput along with high-speed IPSec VPN in a single, cost-effective networking and security platform.
- **SRX440:** The SRX440 is designed for secure connectivity across small and medium distributed enterprise branches. It consolidates security, routing, switching, and WAN connectivity into a compact desktop platform, offering a unified and cost-effective networking and security solution.
- **SRX440-2AC:** Adds redundant AC power to the SRX440 for greater reliability. SRX440-2AC offers the same capabilities as the SRX440.

Product overview

The SRX400 firewalls combines effective security, routing, switching, WAN interfaces, and SD-WAN with next-generation firewalls and advanced threat mitigation capabilities for cost-effective, secure connectivity across distributed enterprise locations. By consolidating fast, highly available switching, routing, security, and NGFW capabilities in a single device, enterprises can remove network complexity, protect and prioritize their resources, and improve user and application experience while lowering the total cost of ownership (TCO). The SRX series support Ethernet and VDSL connectivity options.

Comprehensive security suite

The SRX400 series offers a comprehensive suite of application security services, threat defenses, and intelligence services. The services include intrusion prevention system (IPS), application security user role-based firewall controls, cloud-based antivirus, antispam, and enhanced web filtering, protecting networks from the latest content-borne threats. Integrated threat intelligence offers adaptive threat protection against command and control (C&C)-related botnets and policy enforcement based on GeoIP. Customers can also leverage their custom and third-party feeds to protect their networks from advanced malware and other threats. Integrating the HPE Networking Advanced Threat Protection solution, the SRX400 series detects and enforces automated protection against known malware and zero-day threats with a very high degree of accuracy.

HPE Networking Security Director cloud

The simple and seamless management experience of HPE Networking Security Director cloud is delivered in a single UI to connect customers' current deployments with their future architectural rollouts. Management is at the center of the HPE Networking security strategy and helps organizations secure every point of connection on their network to safeguard users, applications, and infrastructure.

HPE Networking Security Director cloud enables organizations to secure their architecture with consistent security policies across any environment—on-premises, cloud-based, cloud-delivered, and hybrid—and expands zero trust across the network, including the edge, data center, applications, and microservices. With HPE Networking Security Director cloud-based, organizations have unbroken visibility, policy configuration, administration, and collective threat intelligence all in one place.

HPE meets customers where they are on their journey, helps them leverage their existing investments, and empowers them to transition to their preferred architecture at the best pace for business by automating their transition with HPE Networking Security Director cloud-based.

HPE Networking J-Web

J-Web is HPE Networking web-based device management interface (HPE Networking web device manager) for SRX series, providing a secure, HTTPS based graphical UI built on HPE Networking Junos Operating System. It is commonly used for initial setup, basic configuration, monitoring, and troubleshooting, enabling administrators to manage policies, interfaces, VPNs, logs, and threats without relying solely on the CLI.

HPE Networking J-Web simplifies day-to-day firewall operations through an action-oriented interface that helps quickly identify threats, take immediate remedial action, and improve security hygiene by highlighting rule effectiveness and unused policies.

For more advanced, large-scale, and centralized operations, HPE Networking Security Director offers a more powerful and intuitive management experience—extending these capabilities with unified policy management, deeper analytics, automation, and consistent security enforcement across distributed SRX deployments.

HPE Mist

HPE Mist Networking WAN Assurance

HPE Mist Networking WAN Assurance is a cloud service that brings AI-powered automation and service levels to HPE Networking SRX Firewall Series. HPE Mist Networking WAN Assurance transforms IT operations from reactive troubleshooting to proactive remediation, turning insights into actions and delivering operational simplicity with seamless integration into existing deployments.

- SRX series, deployed as secure SD-WAN edge devices, deliver the rich Junos OS streaming telemetry that provides the insights needed for WAN health metrics and anomaly detection. This data is leveraged within the HPE Mist platform cloud and AI engine, driving simpler operations, reducing mean time to repair (MTTR), and providing greater visibility into end-user experiences.
- Insights derived from SRX series SD-WAN gateway telemetry data allow HPE Mist Networking WAN Assurance to compute unique user minutes that indicate whether users are having a good experience.
- The HPE Marvis AI Assistant for WAN allows you to ask direct questions such as Why is my Zoom call bad? and provides complete insights, correlation, and actions.
- HPE Marvis actions identifies and summarizes issues such as application latency conditions, congested WAN circuits, or negotiation mismatches.

Simplifying branch deployments

The SRX400 series delivers secure connectivity to both enterprises and service providers.

- An out-of-the-box secure zero-touch provisioning (sZTP) feature with QR code, for seamless remote deployment
- HPE Networking SRX400 Firewall Series offers tamper-proof security with TPM 2.0, secure boot, hardware root of trust
- Compact, fanless design for quiet operation and improved reliability
- SRX400 firewalls offer MACsec on all ports
- SRX400 firewalls efficiently use multiple links and load balance traffic across the enterprise WAN, blending traditional MPLS with other connectivity options such as broadband internet, and more.
- Policy- and application-based forwarding capabilities enforce business rules created by the enterprise to steer application traffic toward a preferred path.

Industry-certified Junos OS Evolved

SRX400 firewalls are powered by Junos OS Evolved—an advanced scalable version of our HPE Networking Junos Operating System which is a proven, carrier-hardened OS that underpins and helps secure the world's largest mission-critical enterprise and top service provider networks.

The rigorously tested, carrier-class, rich routing features, such as IPv4/IPv6, OSPF, BGP, and multicast, have been proven by more than 15 years of worldwide deployments.

The SRX400 series also enables agile SecOps through automation capabilities that support zero touch deployment, Python scripts for orchestration, and event scripting for operational management.

Table 1. Features and benefits

Business requirement	Feature/solution	SRX400 advantages
Performance metric	> 1 Gbps of routing and firewall processing	– Best suited for small, medium, and large branch office deployments – Addresses future needs for scale and feature capacity – Power-efficient CPUs for lower power consumption, for optimized energy footprint – Fanless design for quiet operations and improved reliability
Business continuity	MNHA, IP monitoring	– Supports multinode high availability (MNHA) – Route/link failover based on real-time link performance supporting MNHA
Secure SD-WAN	Better end-user application and cloud experience and lower operational costs	– sZTP simplifies remote device provisioning – Advanced policy-based routing (APBR) orchestrates business intent policies across the enterprise WAN – Application quality of experience (AppQoE) measures application SLAs and improves the end-user experience – Controls and prioritizes traffic based on application and user role
End-user experience	WAN assurance	– Provides visibility and insights into users, applications, WAN links, control, data plane, and CPU for proactive remediation
Highly secure	IPSec VPN, remote access / SSL VPN, media access control security (MACsec)	– Creates secure, reliable, and fast overlay links over public internet – Employs anti-counterfeit features to protect from unauthorized hardware spares – Includes high-performance CPU with built-in hardware to assist IPSec acceleration – Provides TPM 2.0, secure boot, hardware root of trust – Offers secure and flexible remote access SSL VPN with HPE Networking Secure Connect

Table 1. Features and benefits (continued)

Business requirement	Feature/solution	SRX400 advantages
Threat protection	IPS, antivirus, antispam, enhanced web filtering, HPE Networking Security Director cloud, encrypted traffic insights, and threat intelligence feeds	– Provides real-time updates to IPS signatures and protects against exploits – Protects from zero-day attacks – Implements a robust antivirus and URL filtering and URL filtering – Integrates open threat intelligence platform with third-party feeds – Restores visibility lost to encryption without the heavy burden of full TLS/SSL decryption
Application visibility	On-box GUI, HPE Networking Security Director	– Application updates are provided continually by HPE Threat Labs – Inspects and detects applications inside the SSL-encrypted traffic
Easy to manage and scale	On-box GUI, HPE Networking Security Director	– Includes centralized management for auto-provisioning, firewall policy management, network address translation (NAT), and IPSec VPN deployments, or simple, easy-to-use on-box GUI for local management
Minimize TCO	Junos OS Evolved	– Integrates routing, switching, and security in a single device – Reduces operating expenses with Junos OS Evolved automation capabilities



SRX400



SRX440



SRX440-2AC

Figure 1. HPE Networking SRX 400 Firewall Series boxes

SRX400 series technical specifications

Software specifications

Routing protocols

– IPv4, IPv6, ISO, connectionless network service (CLNS)

– Static routes

– RIP v1/v2

– OSPF/OSPF v3

– BGP with route reflector

– IS-IS

– Multicast: internet group management protocol (IGMP) v1/v2, protocol independent multicast (PIM) sparse mode (SM)/dense mode (DM)/source-specific multicast (SSM).

– Encapsulation: VLAN, point-to-point protocol (PPP), frame relay, high-level data link control (HDLC), serial, multilink point-to-point protocol (MLPPP), multilink frame relay (MLFR), and point-to-point protocol over Ethernet (PPPoE)

– Virtual routers

– Policy-based routing, source-based routing

– Equal-cost multipath (ECMP)

QoS features
– Support for 802.1p, DiffServ code point (DSCP), EXP
– Classification based on VLAN, data-link connection identifier (DLCI), interface, bundles, or multifield filters
– Marking, policing, and shaping
– Classification and scheduling
– Weighted random early detection (WRED)
– Warranted and highest bandwidth
– Ingress traffic policing
– Virtual channels
– Hierarchical shaping and policing

Switching features
– ASIC-based Layer 2 forwarding
– MAC address learning
– VLAN addressing and integrated routing and bridging (IRB) support
– Link aggregation and LACP
– LLDP and LLDP-MED
– STP, RSTP, MSTP
– MVRP
– 802.1X authentication

Firewall services
– Stateful and stateless firewall
– Zone-based firewall
– Screens and distributed denial of service (DDoS) protection
– Protection from protocol and traffic anomalies
– Integration with HPE Networking ClearPass Policy Manager
– User role-based firewall
– SSL Inspection (forward proxy)

Network address translation (NAT)
– Source NAT with port address translation (PAT)
– Bidirectional 1:1 static NAT
– Destination NAT with PAT
– Persistent NAT
– IPv6 address translation

VPN features
– Tunnels: site-to-site, hub and spoke, dynamic endpoint, AutoVPN, ADVPN, (IPv4/IPv6/dual stack)
– HPE Networking SRX Secure Connect: remote access/SSL VPN
– Configuration payload: Yes
– IKE encryption algorithms: Prime, DES-CBC, 3DES-CBC, AEC-CBC, AES-GCM, Suite B
– IKE authentication algorithms: MD5, SHA-1, SHA-128, SHA-256, SHA-384
– Authentication: pre-shared key and public key infrastructure (PKI) (X.509)
– IPSec (Internet Protocol Security): authentication header (AH) / Encapsulating Security Payload (ESP) protocol
– IPSec authentication algorithms: hmac-md5, hmac-sha-196, hmac-sha-256

– IPSec encryption algorithms: Prime, 3DES-CBC, AEC-CBC, AES-GCM, SuiteB, CHACHA20/POLY1305
– Perfect forward secrecy, anti-reply
– Internet key exchange: IKEv1, IKEv2
– Monitoring: standard-based dead peer detection (DPD) support, VPN monitoring
– VPNs GRE, IP-in-IP, MPLS, EVPN-VXLAN

Network services
– Dynamic host configuration protocol (DHCP) client/server/relay
– Domain name system (DNS) proxy, dynamic DNS (DDNS)
– Real-time performance monitoring (RPM) and IP monitoring
– Flow monitoring (J-Flow)
– Bidirectional forwarding detection (BFD)
– Two-way active measurement protocol (TWAMP)
– IEEE 802.3ah link fault management (LFM)
– IEEE 802.1ag connectivity fault management (CFM)

MNHA features
– Virtual router redundancy protocol (VRRP)
– Stateful high availability
– Dual box clustering
– Active/passive
– Active/active
– Firewall session synchronization
– Device/link detection
– IP monitoring with route and interface failover

Management, automation, logging, and reporting
– SSH, SNMP v2 and v3
– Smart image download
– HPE Networking CLI and Web UI
– HPE Mist
– Simplified management
– HPE Mist Networking WAN Assurance
– HPE Networking Security Director
– HPE Networking Security Director cloud
– Python
– HPE Networking Junos Operating System event, commit, and OP script
– Application and bandwidth usage reporting
– Auto installation
– Debug and troubleshooting tools
– Secure ZTP with HPE Networking Security Director and HPE Mist

Advanced routing services
– Packet mode—both global and selective packet mode supported
– MPLS (RSVP, LDP)
– Circuit cross-connect (CCC), translational cross-connect (TCC)

– L2/L3 MPLS VPN, pseudowires
– Virtual private LAN service (VPLS), next-generation multicast VPN (NG-MVPN)
– MPLS traffic engineering and MPLS fast reroute

Application security services
– Application visibility and control
– Application-based advanced policy-based routing (APBR)
– Application-based link monitoring and switchover with application quality of experience (AppQoE)

Threat defense and intelligence services
– Intrusion prevention
– Antivirus
– Antispam
– Category/reputation-based URL filtering
– Protection from botnets (command and control)
– Adaptive enforcement based on GeoIP
– HPE Networking Advanced Threat Prevention to detect and block zero-day attacks
– Adaptive threat profiling
– Encrypted Traffic Insights
– Security intelligence to provide threat intelligence

Table 2. Hardware specifications

Specification	HPE Networking SRX400 Firewall	HPE Networking SRX440 Firewall	HPE Networking SRX440-2AC Firewall
Connectivity			
Total onboard ports	10	10	10
Onboard RJ-45 ports	8x1GbE	8x1GbE	8x1GbE
Onboard small form-factor pluggable (SFP) transceiver ports	2x1GbE	2x1GbE	2x1GbE
MACsec-capable ports	All ports	All ports	All ports
Out-of-band (OOB) management ports	1x1GbE	1x1GbE	1x1GbE
Console (USB-C)	1	1	1
USB-C 3.0 ports (type A)	1	1	1
PoE+ ports	2	2	2

Table 2. Hardware specifications (continued)

Specification	HPE Networking SRX400 Firewall	HPE Networking SRX440 Firewall	HPE Networking SRX440-2AC Firewall
Dimensions and power			
Form factor	Desktop	Desktop	Desktop
Size (W x D x H)	30.0 cm x 19.1 cm x 3.3 cm (11.81 in x 7.52 in x 1.3 in)	30.0 cm x 19.1 cm x 3.3 cm (11.81 in x 7.52 in x 1.3 in)	30.0 cm x 19.1 cm x 3.3 cm (11.81 in x 7.52 in x 1.3 in)
Weight - Device Weight - Device and package (in pounds)	3.75 8.53 lbs	3.75 8.53 lbs	3.75 10.53 lbs
Redundant PSU	No	No	Yes
Power supply	AC (external)	AC (external)	AC (external)
Rated DC voltage range	N/A	N/A	N/A
Rated DC operating voltage range	N/A	N/A	N/A
Maximum PoE power	60 W	60 W	60 W
Average power consumption	87.3W	89.6W	89.6W
Average heat dissipation	93.2 BTU/h	101.0 BTU/h	101.0 BTU/h
Maximum current consumption	1.61A @ 54V	1.65A @ 54V	1.65A @ 54V
Acoustic noise level	0 dB (fanless)	0 dB (fanless)	0 dB (fanless)
Airflow/cooling	Fanless	Fanless	Fanless
Environmental, compliance, and safety certification			
Operational temperature	32 °F to 122 °F (0 °C to 50 °C)	32 °F to 122 °F (0 °C to 50 °C)	32 °F to 122 °F (0 °C to 50 °C)
Nonoperational temperature	–4 °F to 158 °F (–20 °C to 70 °C)	–4 °F to 158 °F (–20 °C to 70 °C)	–4 °F to 158 °F (–20 °C to 70 °C)
Operating humidity	10% to 90% noncondensing	10% to 90% noncondensing	10% to 90% noncondensing
Nonoperating humidity	5% to 95% noncondensing	5% to 95% noncondensing	5% to 95% noncondensing
Mean time between failures (MTBF) in (khrs)	1,663	801	2,006
FCC classification	Class A	Class A	Class A
RoHS compliance	RoHS 2	RoHS 2	RoHS 2
FIPS 140-3	Level 2	Level 2	Level 2
Common criteria certification	NDPP, VPNEP, FWEP, IPSEP	NDPP, VPNEP, FWEP, IPSEP	NDPP, VPNEP, FWEP, IPSEP

Table 3. Performance metrics for SRX firewalls

Performance metric	HPE Networking SRX400 Firewall	HPE Networking SRX440 Firewall	HPE Networking SRX440-2AC Firewall
Firewall-packet mode throughput (IMIX) (Mbps)	1100	1600	1600
Firewall throughput (IMIX)[1] (Mbps)	1550	2000	2000
Firewall throughput (1518B)[1] (Mbps)	5500	7300	7300
IPSec VPN throughput (IMIX)[1] (Mbps)	775	950	950
IPSec VPN throughput (1400B)1 (Mbps)	2000	2650	2650
Application control performance (CPS**) (Mbps)	850	1150	1150
Next-generation firewall (CPS**)[2] (Mbps)	450	575	575
Secure web access firewall (CPS**)[3] (Mbps)	415	500	500
Advanced threat (CPS**)[4] (Mbps)	210	275	275
Connections per second (64B)	20,000	26000	26000
Maximum concurrent sessions (IPv4 or IPv6)	80000	96000	96000
Route table size (RIB/FIB) (IPv4)	300K/150K	400K/200K	400K/200K
IPSec VPN tunnels	128	256	256

[1] Throughput numbers based on UDP packets and RFC2544 test methodology

** CPS Method: Short-lived sessions

[2] Next-generation firewall performance is measured with firewall, application control, and IPS enabled

[3] Secure Web Access firewall performance is measured with firewall, application control, IPS, SecIntel, and Web Filtering enabled

[4] Advanced Threat performance is measured with Firewall, application control, IPS, SecIntel, Web Filtering and Malware Protection enabled

HPE Mist Networking WAN Assurance and AI operations

Alternatively, the HPE Networking SRX400 Firewall Series can be operated and orchestrated through the HPE Mist Networking platform. HPE Mist delivers unprecedented automation using a combination of artificial intelligence, machine learning algorithms, and data science techniques to save time, maximize IT productivity, and deliver the best experience to digital users.

HPE Mist Networking WAN Assurance is built on the HPE Mist platform cloud and delivers full lifecycle management and operations, including AI-native insights, automated speed tests, dynamic packet capture (dPCAP), anomaly detection, and root cause identification that focuses on end users' experience. For day 0 and day 1 operations, HPE Mist Networking WAN Assurance also provides orchestration, administration, and ZTP for SRX400 firewalls. See the HPE Mist Networking WAN Assurance data sheet for more information.

Ordering information

Table 4. Ordering information

Feature	SRXnnn-SYS-JB
Hardware	
Management (CLI, JWEB, SNMP, Telnet, SSH)	Included
Ethernet switching (L2 Forwarding, IRB, LACP, etc.)	Included
L2 Transparent, secure wire	Included
Routing (RIP, OSPF, BGP, Virtual router)	Included
Multicast (IGMP, PIM)	Included
Packet mode	Included
Overlay (GRE, IP-IP)	Included
Network services (J-Flow, DHCP, QOS, BFD)	Included
Stateful firewall, screens, ALGs	Included
NAT (static, SNAT, DNAT)	Included
IPSec VPN (site-to-site VPN, Auto VPN, Group VPN)	Included
Firewall policy enforcement (UAC, HPE Networking ClearPass Policy Manager)	Included
Remote access/SSL VPN (concurrent users)*	Optional
MNHA, VRRP, ISSU/ICU	Included
Automation (HPE Networking Junos Operating System scripting, auto-installation)	Included
MPLS, LDP, RSVP, L3 VPN, pseudowires, VPLS	Included

*Based on concurrent users; two free licenses included

Table 5. Base system model numbers

SKU	Short description	Long description
SRX400	SRX400 HW Junos OS Evolved.	SRX400 hardware with Junos Evo Enhanced (firewall, IPSec, routing, MPLS, switching, NAT, AppID), with 8xGE, 2xGE SFP/2xGE PoE+ ports, Includes external power supply and cable
SRX440	SRX440 HW with Junos Evo Enhanced	SRX440 hardware with Junos Evo Enhanced (firewall, IPSec, routing, MPLS, switching, NAT, AppID), with 8xGE, 2xGE SFP/2xGE PoE+ ports, Includes external power supply and cable
SRX440-2AC	SRX440-2AC HW with Junos Evo Enhanced	SRX440-2AC hardware with Junos Evo Enhanced (firewall, IPSec, routing, MPLS, switching, NAT, AppID) with 8xGE, 2xGE SFP/2xGE PoE+ ports, includes external dual AC power supply and cable

Table 6. Spares and accessories—optional

SKU	Product SKU description
SRX400-RMK	SRX400 rack mount kit (with adaptor tray.) for SRX400, SRX440 and SRX440-2AC

Table 7. HPE Networking SRX400 Firewall Series security subscription SKUs

SKU	Description	FRS Dates
S-SRX400DP-A1-1	SW, SRX400 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 1 year	Q2'26
S-SRX400DP-A1-3	SW, SRX400 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 3 years	Q2'26
S-SRX400DP-A1-5	SW, SRX400 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 5 years	Q2'26
S-SRX400DP-A1-7	SW, SRX400 Data Center Protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 7 years	Q2'26
S-SRX400EP-A2-1	SW, SRX400 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-cloud, with SW support, 1 year	Q2'26
S-SRX400EP-A2-3	SW, SRX400 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-Cloud, with SW support, 3 years	Q2'26
S-SRX400EP-A2-5	SW, SRX400 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-Cloud, with SW support, 5 years	Q2'26
S-SRX400EP-A2-7	SW, SRX400 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, Cloud AV and SD-cloud, with SW support, 7 years	Q2'26
S-SRX400DP-P1-1	SW, SRX400 data center protection, premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 1 year	Q2'26
S-SRX400DP-P1-3	SW, SRX400 data center protection, premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking advanced threat prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 3 years	Q2'26
S-SRX400DP-P1-5	SW, SRX400 data center protection, premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 5 year	Q2'26
S-SRX400DP-P1-7	SW, SRX400 data center protection, Premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 7 years	Q2'26
S-SRX400EP-P2-1	SW, SRX400 Enterprise Edge Protection, premium 2 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, Cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS Security, Encrypted Traffic Insights, Threat Profiling, and SD-cloud, with SW Support, 1 year	Q2'26
S-SRX400EP-P2-3	SW, SRX400 Enterprise Edge Protection, Premium 2 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 3 years	Q2'26
S-SRX400EP-P2-5	SW, SRX400 Enterprise Edge Protection, premium 2 includes AppSec, IPS, ear AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 5 years	Q2'26
S-SRX400EP-P2-7	SW, SRX400 Enterprise Edge Protection, premium 2 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 7 years	Q2'26

Table 8. HPE Networking SRX400 Firewall Series premium security subscription SKUs

SKU	Description	FRS Dates
S-SRX440DP-A1-1	SW, SRX440 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 1 year	Q2'26
S-SRX440DP-A1-3	SW, SRX440 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 3 years	Q2'26
S-SRX440DP-A1-5	SW, SRX440 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 5 years	Q2'26
S-SRX440DP-A1-7	SW, SRX440 data center protection, advanced 1 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel and SD-cloud, with SW support, 7 years	Q2'26
S-SRX440EP-A2-1	SW, SRX440 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-cloud, with SW support, 1 year	Q2'26
S-SRX440EP-A2-3	SW, SRX440 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-cloud, with SW support, 3 year	Q2'26
S-SRX440EP-A2-5	SW, SRX440 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-cloud, with SW support, 5 years	Q2'26
S-SRX440EP-A2-7	SW, SRX440 Enterprise Edge Protection, advanced 2 includes AppSecure, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV and SD-cloud, with SW support, 7 year	Q2'26
S-SRX440DP-P1-1	SW, SRX440 data center protection, Premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS Security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW Support, 1 year	Q2'26
S-SRX440DP-P1-3	SW, SRX440 data center protection, premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 3 years	Q2'26
S-SRX440DP-P1-5	SW, SRX440 data center protection, premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 5 year	Q2'26
S-SRX440DP-P1-7	SW, SRX440 data center protection, premium 1 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 7 year	Q2'26
S-SRX440EP-P2-1	SW, SRX440 Enterprise Edge Protection, premium 2 includes AppSec, IPS, AI-Predictive Threat Prevention, SecIntel, URL Filtering, Content Filtering, Cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS Security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW Support, 1 year	Q2'26
S-SRX440EP-P2-3	SW, SRX440 Enterprise Edge Protection, Premium 2 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, Cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS Security, Encrypted Traffic Insights, Threat Profiling, and SD-cloud, with SW Support, 3 years	Q2'26
S-SRX440EP-P2-5	SW, SRX440 Enterprise Edge Protection, Premium 2 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, URL content filtering, content filtering, cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 5 year	Q2'26
S-SRX440EP-P2-7	SW, SRX440 Enterprise Edge Protection, premium 2 includes AppSec, IPS, AI-predictive threat prevention, SecIntel, URL filtering, content filtering, cloud AV, HPE Networking Advanced Threat Prevention cloud, DNS security, Encrypted Traffic Insights, threat profiling, and SD-cloud, with SW support, 7 year	Q2'26

Table 9. HPE Networking SRX400 Firewall Series support SKUs

Service SKU	Description
SVC-COR-SRX400	Juniper Care core support for SRX400
SVC-CP-SRX400	Juniper Care core plus support for SRX400
SVC-NDS-SRX400	Juniper Care next day ship support for SRX400
SVC-ND-SRX400	Juniper Care next day support for SRX400
SVC-NDCE-SRX400	Juniper Care next day onsite support for SRX400
SVC-SD-SRX400	Juniper Care same day support for SRX400
SVC-SD2-SRX400	Juniper Care same day 2-hour support for SRX400
SVC-SDCE-SRX400	Juniper Care same day oniste support for SRX400
PAR-SUP-SRX400	PSS basic support for SRX400
PAR-RTF-SRX400	PSS RTF support for SRX400
PAR-AR5-SRX400	PSS AR5 support for SRX400
PAR-NDS-SRX400	PSS next day ship support for SRX400
PAR-ND-SRX400	PSS next day ship support for SRX400
PAR-NDCE-SRX400	PSS next day onsite support for SRX400
PAR-SD-SRX400	PSS same day ship support for SRX400
PAR-SDCE-SRX400	PSS same day onsite support for SRX400
SVC-COR-SRX440	Juniper Care core support for SRX440
SVC-CP-SRX440	Juniper Care core plus support for SRX440
SVC-NDS-SRX440	Juniper Care Next Day Ship Support for SRX440
SVC-ND-SRX440	Juniper Care next day support for SRX440
SVC-NDCE-SRX440	Juniper Care next day onsite support for SRX440
SVC-SD-SRX440	Juniper Care same day support for SRX440
SVC-SD2-SRX440	Juniper Care same day 2-hour support for SRX440
SVC-SDCE-SRX440	Juniper Care same day onsite support for SRX440
PAR-SUP-SRX440	PSS basic support for SRX440
PAR-RTF-SRX440	PSS RTF support for SRX440
PAR-AR5-SRX440	PSS AR5 support for SRX440
PAR-NDS-SRX440	PSS next day ship support for SRX440
PAR-ND-SRX440	PSS next day support for SRX440
PAR-NDCE-SRX440	PSS next day onsite support for SRX440
PAR-SD-SRX440	PSS same day support for SRX440
PAR-SDCE-SRX440	PSS same day onsite support for SRX440
SVC-COR-SRX4402AC	Juniper Care core support for SRX440-2AC
SVC-CP-SRX4402AC	Juniper Care core plus support for SRX440-2AC
SVC-NDS-SRX4402AC	Juniper Care next day ship support for SRX440-2AC

Table 9. HPE Networking SRX400 Firewall Series support SKUs (continued)

Service SKU	Description
SVC-ND-SRX4402AC	Juniper Care next day support for SRX440-2AC
SVC-NDCE-SRX4402AC	Juniper Care next day support for SRX440-2AC
SVC-SD-SRX4402AC	Juniper Care same day support for SRX440-2AC
SVC-SD2-SRX4402AC	Juniper Care same day 2-hour support for SRX440-2AC
SVC-SDCE-SRX4402AC	Juniper Care same day onsite support for SRX440-2AC
PAR-SUP-SRX4402AC	PSS basic support for SRX440-2AC
PAR-RTF-SRX4402AC	PSS RTF support for SRX440-2AC
PAR-AR5-SRX4402AC	PSS AR5 support for SRX440-2AC
PAR-NDS-SRX4402AC	PSS next day support for SRX440-2AC
PAR-ND-SRX4402AC	PSS next day support for SRX440-2AC
PAR-NDCE-SRX4402AC	PSS next day onsite support for SRX440-2AC
PAR-SD-SRX4402AC	PSS same day support for SRX440-2AC
PAR-SDCE-SRX4402AC	PSS same day onsite support for SRX440-2AC

Table 10. HPE Mist Networking WAN Assurance subscription (per device class)

Device class	Product
S-WAN-C1-1|3|5	SRX300/SRX320/SRX400
S-WAN-C2-1|3|5	SRX340/SRX345/SRX440 vSRX 2 CPU cores
S-WAN-C3-1|3|5	SRX380 vSRX 5 CPU cores
S-WAN-C4-1|3|5	SRX1500/SRX1600 vSRX 9–15 CPU cores
S-WAN-C5-1|3|5	SRX2300/SRX4100/SRX4120/SRX4200/SRX4300 vSRX 16-31 CPU cores
S-WAN-C6-1|3|5	SRX4600/SRX4700 vSRX 31 CPU Cores

About HPE

HPE is a leader in essential enterprise technology, bringing together the power of AI, cloud, and networking to help organizations achieve more. As pioneers of possibility, our innovation and expertise advance the way people live and work. We empower our customers across industries to optimize operational performance, transform data into foresight, and maximize their impact. Unlock your boldest ambitions, with HPE. Discover more at HPE.com.

Learn more at

hpe.com/juniper-srx-firewall

Visit HPE.com

Chat now

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

a50015856ENW, Rev. 1

HEWLETT PACKARD ENTERPRISE

hpe.com

