

kobe: R tools for Tuna Management Advice

Laurence Kell

ICCAT

Abstract

Scientific advice within the tuna Regional Fisheries Management Organisations (tRFMOs) is based the common Kobe framework. Advice summarises the probabilities of biomass being greater than and fishing mortality less than the levels that can support maximum sustainable yield (MSY) for a range of management options. This requires estimates of current status relative to reference points and projections for the different management options. The **kobe** package can read in results from a variety of stock assessment packages and summarise them in the Kobe format.

Keywords: R, tuna, RFMO, advice, fisheries, stock assessment, management.

Contents

1. Introduction

Scientific Advice within the tuna Regional Fisheries Management Organisations (tRFMOs) is based on the **Kobe advice framework**. Advice is based on ensuring that there is a low risk of fishing mortality exceeding F_{MSY} and biomass falling below B_{MSY} . This requires the calculation of the probabilities of $F < F_{MSY}$ and $B > B_{MSY}$ for current stock status and a range of management options, generally total allowable catches (TAC).

This requires, a stock assessment, estimates of reference points and stock projections, which can be performed in a variety of software packages. The **kobe** package reads in results from the different input and output file formats and summarises them in the Kobe advice format.

The package provides methods for creating data.frames holding time series of F/F_{MSY} and SSB/B_{MSY} and for summarising, plotting and tabulation using using the **plyr**, **ggplot2** and **tabular** packages.

2. Data

Estimates of stock status and exploitation level relative to MSY reference points can be obtained from a variety of stock assessment methods based on a variety of assumptions. For example biomass dynamic models which provide estimates of total biomass and harvest rate or age based models which provide estimates of spawning stock biomass and fishing mortality.

The different stock assessment methods have mainly been implemented as executable programs with a variety of input and output files in text format. This can make it difficult to summarise

results across methods, evaluate the consequences of the different assumption and to formulate advice in a common framework. Therefore in the **kobe** there are methods to read text files into a data.frames summarising stock (biomass or SSB) and harvest (fishing mortality or harvest rate) by scenarios (e.g. assessment run), management option (e.g. TACs) used in projections and replicates from bootstraps or Monte Carlo Markov Chain simulations.

Currently there are methods for reading in stock assessment text files for ASPIC, Adapt, SS and MFCL (i.e. `kobeAspic`, `kobe2box`, `kobeSS` and `kobeMFCL`).

Here we demonstrate how to read in outputs from ASPIC.

2.1. `kobeAspic`

Results from ASPIC are written to files with extensions that identify their contents, i.e. bootstrapped assessment results are found in `.bio` and projections based on these in `.prb` files. These is a `.prb` file for each TAC, so to use `kobeAspic` requires specifying a single `.bio` file, multiple `.prb` files and a directory where they are found.

Reading in the bootstrapped assessment

```
> ### Results from ASPIC bootstrapped assessment
> bio    = "http://www.iccat.int/stocka/Models/ASPIC/albs/2011/run2/aspic.bio"
> assmt = kobeAspic(bio)
```

```
> head(assmt)
```

	iter	year	stock	harvest	bmsy	fmsy
1	1	1956	1.800000	0.0004169473	110448.7	0.2479588
2	1	1957	1.873086	0.0139635494	110448.7	0.2479588
3	1	1958	1.915449	0.0198786446	110448.7	0.2479588
4	1	1959	1.940032	0.0891123383	110448.7	0.2479588
5	1	1960	1.928930	0.2009482466	110448.7	0.2479588
6	1	1961	1.880085	0.2110163113	110448.7	0.2479588

and a projection for a single TAC

```
> ## Results from an ASPIC Projection
> prb   = "http://www.iccat.int/stocka/Models/ASPIC/albs/2011/run2/aspic_15000.prb"
> prj1 = kobeAspic(bio,prb)
```

```
> tail(prj1)
```

	iter	year	stock	harvest	bmsy	fmsy
71151	500	2020	0.7997950	0.7527672	206883.8	0.1173888
71161	500	2021	0.8408805	0.7162019	206883.8	0.1173888
71171	500	2022	0.8835242	0.6819915	206883.8	0.1173888
71181	500	2023	0.9273448	0.6502398	206883.8	0.1173888
71191	500	2024	0.9719148	0.6209882	206883.8	0.1173888
71201	500	2025	1.0167761	0.0000000	206883.8	0.1173888

By default `kobeAspic` returns all the simulations, however in addition four types of summary output can also be returned; these are specified by the `what` argument. As well as `sim` (the default of everything), options are `trks` interquartiles and medians of stock and harvest; `pts` bootstrapped values in last year of assessment; `smry` probability of being in kobe phase plot quadrants and `wrms` randomly selected bootstrap runs.

If a single value is passed via `what` then a `data.frame` is returned, if more than one then list of `data.frames` is returned; useful when producing different plots and summaries.

To read in the results from projections for a range of TACs first create a vector of files

```
> ## Projections
> TACs=seq(15000,35000,5000)
> prb ="http://www.iccat.int/stocka/Models/ASPIC/albs/2011/run2/aspic_"
> prb =paste(prb,TACs,".prb",sep="")
```

In this case it is better to return subsets of the data for plotting

```
> ## Results
> prj=kobeAspic(bio,prb,what=c("pts","trks","smry"))
```

```
> class(prj)
```

```
[1] "list"
```

```
> names(prj)
```

```
[1] "pts" "trks" "smry"
```

```
> ## add TAC column to data.frame
```

```
> prj=llply(prj, transform, TAC=TACs[X1])
```

`pts` are the simulation results from the last year in the assessment; `trks` summarise the time series by providing the medians and interquartiles.

```
> head(prj$trks)
```

	X1	year	Percentile	stock	harvest	TAC
1	1	1956	75%	1.800002	0.0004401433	15000
2	1	1957	75%	1.899722	0.0148261963	15000
3	1	1958	75%	1.944386	0.0211279973	15000
4	1	1959	75%	1.963508	0.0944787954	15000
5	1	1960	75%	1.937559	0.2118392354	15000
6	1	1961	75%	1.879321	0.2214004342	15000

and `smry` provides the probabilities of being overfished or subject to overfishing.

```
> head(prj$smry)
```

	X1	year	stock	harvest	red	yellow	green	overFished	overFishing	TAC
1	1	1956	1.800000	0.000415844	0	0	1	0	0	15000
2	1	1957	1.873657	0.013922865	0	0	1	0	0	15000
3	1	1958	1.916143	0.019820714	0	0	1	0	0	15000
4	1	1959	1.940661	0.088869350	0	0	1	0	0	15000
5	1	1960	1.929268	0.200428382	0	0	1	0	0	15000
6	1	1961	1.875850	0.210521265	0	0	1	0	0	15000

There is also an example data set in *kobe* e.g.

```
> data(sims)
```

for use in the following examples

3. Plotting

kobe **ggplot2** for plotting. This is a plotting system for R, based on the grammar of graphics, which tries to take the good parts of base and lattice graphics and none of the bad parts. It takes care of many of the fiddly details that make plotting a hassle (like drawing legends) as well as providing a powerful model of graphics that makes it easy to produce complex multi-layered graphics allowing the basic plots to be easily modified.

3.1. ggplot2

There are two interfaces **qplot** e.g.

```
qplot(x=year,y=stock,data=prj$wrms)
```

or **ggplot2** e.g.

```
> ggplot(assmt) +  
+   geom_hline(aes(yintercept=1), col="red", size=2) +  
+   geom_line( aes(year,stock,group=iter,col=iter)) +  
+   theme(legend.position="none")
```




Figure 1: Plots of time series of biomass by bootstrap

The syntax of `qplot` is similar to `plot` in base graphics and so it is initially easier to use. While `ggplot` provides more flexibility, where as in the above example, extra elements can be added to the basic plots.

For example here we plot the historic and projected times series of biomass and harvest by TAC for the interquartiles and medians in `trks`

```

> ### tracks
> ggplot(subset(prj$trks, year<=2020))
+   geom_line(aes(year,stock,  linetype=Percentile),col="blue") +
+   geom_line(aes(year,harvest,linetype=Percentile),col="red") +
+   scale_linetype_manual(values=c(2,1,2))
+   coord_cartesian(ylim=c(0,3))
+   facet_wrap(~TAC,ncol=2)

```




Figure 2: Historic and projected times series of biomass (blue) and harvest (red) by TAC for the interquartiles and medians

3.2. Kobe Framework

The Kobe framework is based on a phase plot where $F : F_{MSY}$ is plotted against *Biomass* : B_{MSY} ; quadrants are colour coded i.e. green (not overfished, no overfishing), red quadrant (i.e. overfished and overfishing) or yellow (otherwise). Since the main management objective is to keep a stock in the green quadrant projections are performed to evaluate the consequences of different TACs. The Kobe II strategy matrix (K2SM) summarise the probabilities for different levels of TAC across multiple years of being in the green quadrant.

Phase Plot

An example phase plot is shown in figure ??

`ggplot2` produces an object, this can be saved for later use or modified by adding additional layers later. This means it is easy to conduct analyses on the fly and format them for publication when required.

Often the phase plot will have summarises multiple assessments; for example where several scenarios are conducted in order to reflect uncertainty about model structure. The example data set contains results from multiple assessments.

```
> data(sims)
> head(sims)
```

	Run	iter	year	stock	harvest	TAC
1	run02	1	1956	1.800000	0.0004169473	15000
2	run02	1	1957	1.873086	0.0139635494	15000
3	run02	1	1958	1.915449	0.0198786446	15000
4	run02	1	1959	1.940032	0.0891123383	15000
5	run02	1	1960	1.928930	0.2009482466	15000
6	run02	1	1961	1.880085	0.2110163113	15000

`sims` contains data by `run` and `TAC`. For each subset of the data.frame it will be necessary to apply a function, e.g. to calculate the median of a time series across iterations, and then combine the results back into a summary data frame. **kobe** therefore contains methods to make it easier to use the **plyr** package which implements the split-apply-combine strategy for **R**. Allowing you to split up a big data structure into homogeneous pieces, apply a function to each piece and then combine all the results back together.

`kobeTrks` calculates percentiles of a time series with replicates (e.g. from a bootstrapped assessment). First we subset the data to extract only the historic assessment data, then calculate the medians of `stock` and `harvest` e.g.

```
> dat =subset(sims,year<=2010 & TAC==15000)
> trks=ddply(dat,.(Run,year,TAC), function(x) kobeTrks(x$stock,x$harvest,prob=c(0.5)))
> head(trks)
```



```

> kp=kobePhase(subset(sims, year==2010 & TAC==15000)) +
+   geom_point(aes(stock,harvest,group=Run,col=Run))
> kp

```




Figure 3: Phase plot of fishing mortality and stock status relative to F_{MSY} and B_{MSY}


```

> kp + geom_path( aes(stock,harvest,group=Run,col=Run), data=trks) +
+   geom_point(aes(stock,harvest,group=Run), data=subset(trks,year==2010),col="cyan",size=3)
+   facet_wrap(~Run) +
+   theme(legend.position = "none")

```




Figure 4: Phase plot of fishing mortality and stock status relative to F_{MSY} and B_{MSY} , large point and lines are the medians from the assessment and the panels correspond to each run.

```

> print(kp2)

```


Figure 5: Phase plot of fishing mortality and stock status relative to F_{MSY} and B_{MSY} , large point and lines are the medians from the assessment and the panels correspond to each run.

Alternatively the marginal densities can be plotted e.g.


These show the values overlayed and so do not show the combined density. The same data can be also plotted by stacking them on top of one another e.g.

The phase and marginal density plots can be combined using **kobePhasemar** e.g.

```
> pts =subset(sims, year==2010 & TAC==15000)
> # stock density plot
> ggplot(pts) +
+   geom_density(aes(x=stock, y= ..count..., group=Run, fill=Run, alpha=0.4))
```



```
> ggplot(pts) +
+   geom_density(aes(x=stock, y=..count..., group=Run, fill=Run),
+               fill="grey", col=grey(.9), position = "stack")
```




```
> ### Bespoke Stuff ###  
> print(kobePhaseMar(transform(pts,group=Run)))
```

```
$harvest  
NULL
```

```
$stock  
NULL
```

```
$phase
```




Pie Charts

Although pie charts have their critics ...

```

> ### Pies ###
> pie.dat=ddply(subset(sims,year==2010 & TAC==15000),.(Run),kobeSmry,o=T)
> pie.dat=ddply(melt(pie.dat,id.vars="Run"),.(Run,variable),
+               function(x) data.frame(value=mean(x$value)))
> ## pie charts
> ggplot(subset(pie.dat,value>0), aes(x =factor(1), y=value, fill = variable)) +
+   geom_bar(width=1,stat="identity") +
+   coord_polar(theta="y") +
+   labs(fill='Kobe Quadrant') + xlab('') + ylab('') +
+   scale_fill_manual(values=c("red","green","yellow")) +
+   facet_wrap(~Run) +
+   scale_x_discrete(breaks=NULL) +
+   scale_y_continuous(breaks=NULL)

```




Kobe II Strategy Matrix

```

> library(akima)
> Interp=function(x,levels=seq(0.0,1.0,0.05),
+               col=c(colorRampPalette(c("red4","red"))(12),colorRampPalette(c("yellowgreen","darkgreen"))(8)),
+               nInterp=101){
+
+   x=x[!is.na(x[,1]) & !is.na(x[,2]) & !is.na(x[,3]),]
+
+   ##### smooth
+   t.<-interp(x[,1],x[,2],x[,3],
+             xo=seq(min(x[,1]), max(x[,1]), length=nInterp),
+             yo=seq(min(x[,2]), max(x[,2]), length=nInterp),
+             duplicate="mean")
+
+   res=cbind(expand.grid(x=t.$x,y=t.$y),z=cut(t.$z,levels,include.lowest=T),w=c(t.$z))
+   res$col=col[as.numeric(res$z)]
+
+   res}
> kobe2012=subset(sims,year %in% 2013:2022)
> pdat=subset(ddply(kobe2012,.(year,TAC),kobeSmry),
+             select=c(year,TAC,green,underFished,underFishing))
> pdat=melt(pdat,id.vars=c("year","TAC"))
> pdat=ddply(pdat,.(variable),function(x) Interp(data.frame(x$year,x$TAC,x$value)))
> col.=c(colorRampPalette(c("red4","red"))(12),
+         colorRampPalette(c("yellowgreen","darkgreen"))(8))
> k2p = ggplot(aes(x=x,y=y,z=w),data=pdat)
+       geom_tile(aes(x,y,fill=z))
+       scale_fill_manual(values=col.,guide="none")
+       stat_contour(aes(colour=..level..),size=1.2,
+                   breaks=c(0.6,0.7,0.8,0.9))
+       scale_colour_gradient(low="grey", high="black",
+                             breaks=c(0.6,0.7,0.8,0.9),
+                             labels=c(0.6,0.7,0.8,0.9),limits=c(0.6,1))
+       facet_wrap(~variable,ncol=1)
+       xlab("Year")+ylab("TAC")
> k2p

```



4. Tabulation

4.1. Kobe II Strategy Matrix

Three Kobe matrices Tables ??, ?? and ?? summarise the probabilities (by the ranges of 50-59 %, 60- 69 %, 70-79 %, 80-89 % and greater or equal to 90 %) for different levels of catch across multiple years of

- Biomass or SSB being greater than B_{MSY} ;
- Fishing Mortality or Harvest Rate being less than F_{MSY} ; and
- the combined probability of Biomass or SSB being greater than B_{MSY} and Fishing Mortality or Harvest Rate being less than F_{MSY}

```
> t.=ddply(subset(sims,year %in% 2013:2022),.(year,TAC), kobeSmry)
> k2smTab=list()
> k2smTab[[1]]=cast(subset(t., year %in% 2013:2022),TAC~year,value="underFishing")
> k2smTab[[2]]=cast(subset(t., year %in% 2013:2022),TAC~year,value="underFished")
> k2smTab[[3]]=cast(subset(t., year %in% 2013:2022),TAC~year,value="green")
```

Affiliation:

Laurence Kell
 ICCAT Secretariat
 C/Corazón de María, 8.
 28002 Madrid
 Spain

E-mail: Laurie.Kell@iccat.int