Visoka škola strukovnih studija za informacione i komunikacione tehnologije sa sedištem u Beogradu

Web programiranje PHP1 – Documentacija za sajt

http://www.coffeesite.ueuo.com

Autor: Vladimir Uskoković

Broj indeksa: 324/13

Beograd, Jun 2015 godine.

Sadržaj:

1. Uvod

- 1.1 Korišćeni programski jezici
- 1.2 Opis funkcionalnosti
- 1.3 Template
- 1.4 Korišćeni CSS

2. Organizacija

- 2.1 Organizaciona šema
- 2.2 Mapa sajta
- 2.3 Stranice

3. Kodovi

- **3.1 HTML**
- 3.2 CSS
- 3.3 Java Scripts i Jquery
- 3.4 Ajax

4. Dizajn Baze

1.1 Korišćeni programski jezici

Html, CSS, JavaScriptm jQeury, AJAX, korišćeni su i jQeury pluginovi: plugins.js,background.js, modernizr-2.0.6.min.js, supersized.3.1.3.min.js, jquery.mousewheel.js, mwheelIntent.js, jquery.jscrollpane3.min.js, fancybox/jquery.easing-1.3.pack.js, jquery.fancybox-1.3.4.pack.js.

Baza podataka: mysql

1.2 Opis funkcionalnosti

Na sajtu su implementirane sledeće funkcionalnosti:

- Slideshow, nalazi se na svakoj stranici, smenjuje se pet slika, urađen preko plugina.
- Registracija korišćeni regularni izrazi za proveru registracione forme. Za podatke neispravnog formata ispisuje se obaveštenje o grešci. Do registraije se dolazi preko linka "register" koji se nalazi u sklopu forme za logovanje.
- Login forma nalazi se u dinamičkom meniju i može mu se pristupiti sa svake strane, realizovano pomoću sesija. Može joj se pristupiti ukoliko niste logovani, u suprotnom link vas vraća na indeks stranu.
- Dinamički meni iz baze početna strana, meni, galerija, kontakt i login.

- Tekstovi i slike koji se nalaze na sajtu su iz baze, osim za background slider.
- Ajax pretaga vidljiva samo na početnoj, ispisuje naziv proizvoda pri unosu reči.
- Galerija prikaz slika koje se povlače iz baze, urađena preko jQeury plug-ina. Klikom na neku od slika Fancyboxom se otvara ista.
- Straničenje nalazi se na stranici gallery.php
- Kontakt forma, nalazi se na stranici Contact.php i šalje se email na <u>vladimir.uskokovic.324.13@ict.edu.rs</u>. Proveru vrsi preko regularnih izraza za podatke neispravnog formata ispisuje se obaveštenje o grešci.
- Admin panel mogu da pristupe samo admin korisnici i tamo im je omogućeno da menjanju podatke iz baze.
- Anketa nalazi se na strani author.php, nakon glasanja glas se upisuje u bazu podataka, klikom na dugme count ispisuje rezultat glasanja.

1.3 Template



LOGO
MENI
FOOTER
CONTAINER

supersized.css


jquery.jscrollpane.css

jquery.fancybox-1.3.4.css

Preuzeto sa interneta.

2. Organizacija

2.1 Organizaciona šema



Svakoj stranici je moguće pristupiti sa svake, samo sa index stranice je moguće pristupiti u panel.php, a sa njim ka svim ostalim stranicama za admin panel.

2.2 Mapa sajta

```
http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd
<!-- created with Free Online Sitemap Generator www.xml-sitemaps.com -->
<loc>http://coffeesite.ueuo.com/index.php</loc>
<loc>http://coffeesite.ueuo.com/meni.php</loc>
<loc>http://coffeesite.ueuo.com/gallery.php</loc>
<loc>http://coffeesite.ueuo.com/contact.php</loc>
<loc>http://coffeesite.ueuo.com/login.php</loc>
<loc>http://coffeesite.ueuo.com/author.php</loc>
loc>http://coffeesite.ueuo.com/dokumentacija.pdf</loc>
<loc>http://coffeesite.ueuo.com/gallery.php?skriveno=4</loc>
<loc>http://coffeesite.ueuo.com/register.php</loc>
<loc>http://coffeesite.ueuo.com/gallery.php?skriveno=0</loc></loc>
<loc>http://coffeesite.ueuo.com/gallery.php?skriveno=8</loc>
```

2.3 Stranice

index.php



Na stranici se nalazi pretraga koja preko AJAX ispisuje naziv proizvoda pri unetoj reci

meni.php



Na stranici su prikazani proizvodi koji su potiču iz baze

gallery.php



Na stranici se nalazi straničenje i slike koje se iz baze

contact.php



Kontakt forma preko mail salje poruku na studentski mejl i proverava preko regularnih izraza da li ste dobro uneli podatke

author.php




Podaci o autoru sajta i anketa ciji su podaci smeštaju u bazu

login.php



Logovanje korisnika, uradjeno preko sesija register.php




Provera preko javascripta, php pomoću regularnih izraza da li su dobro uneti podaci, a zatimse korisnik upisuje u bazu

panel.php



Admin panel, mogu mu pristupiti samo admin korisnici, mogu menjati, brisati i dodavati nove korisnike, ankete, slike u galeriji i proizvode


changeusers.php




Izmena za korisnike edit_users.php




changemenu.php



Izmena proizvoda menu_edit.php




changegallery.php



Dodavanje i brisanje slika u bazi, upload slika je radio u lokalnoj mreži dok se nije hostovalo, i sada radi u lokalno mreži ali neće u hostu, ceo kod ima na changegallery.php

changepoll.php



Dodavanje, aktiviranje i brisanje ankete

3.Kodovi

```
3.1 HTML
3.1.1 index.php
<?php
  @session_start();
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
```

```
<meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
```

```
<div id="main" role="main">
                <div id="bazingaContent">
                     <div id="bazingaContentInner">
                         <div
class="bazingaThinColumnWidest">
                                  <h1>CAFE</h1>
                                  <br/>
                                            <script>
function showHint(str) {
  if (str.length == 0) {
    document.getElementById("txtHint").innerHTML =
"":
    return;
  } else {
    var xmlhttp = new XMLHttpRequest();
    xmlhttp.onreadystatechange = function() {
      if (xmlhttp.readyState == 4 && xmlhttp.status ==
200) {
        document.getElementById("txtHint").innerHTML
= xmlhttp.responseText;
      }
    }
    xmlhttp.open("GET", "gethint.php?q=" + str, true);
    xmlhttp.send();
  }
```

Bazinga

specializes in sourcing and roasting seasonal, stand-out coffees. What we've learned from our coffee travels we've brought back to Chicago to offer our customers some enriching coffee wisdom that will not only leave you with the one-up on coffee knowledge to impress your friends with, but also a consistently tasty cup every morning.

```
</div>
                 </div>
            </div>
       </div>
       <nav id="bazingaMenuContainer">
            <?php
                 include("menu.php");
            ?>
            <div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
       </nav>
       <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
```

```
<script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
       <script src="js/background.js"></script>
       <script defer src="js/plugins.js"></script>
       <script defer src="js/script.js"></script>
  </body>
</html>
3.1.2 meni.php
<?php
            @session_start();
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
```

```
k rel="stylesheet"
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
       <meta name="author" content="Vladimir
Uskokovic">
       <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
       <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
       <div id="container">
       <?php
           switch(@$ SESSION['nu'])
           {
                case 'admin':
                     echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
```

```
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                   break;
               case 'korisnik':
                   echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                   break;
          }
      ?>
           <div id="main" role="main">
               <div id="bazingaContent">
                   <div id="bazingaContentInner">
                        <div
class="bazingaThinColumnWider">
                            <h1>Menu</h1>
                            <br/>
                        </div>
                        <br />
                            <section
class="menuSection">
                            <h2>_COFFEE</h2>
                            <?php
```

```
$upitmeni = "SELECT *
FROM katalog WHERE cokolada = 'no'";
                                  $obrada =
mysql_query($upitmeni,$konekcija);
                                  if(!$obrada){
                                       echo "Trenutno
nema podataka u bazi";
                                  }
                                  else{
  while($ro=mysql_fetch_array($obrada))
                                       {
                                       echo "<article
class='menuItem'>";
                                       echo
"<h3>".$ro['naziv']."</h3>";
                                       echo "<div
class='menuItemDesc'>".$ro['sastav']."</div>";
                                       echo "<div
class='menuItemPrice'>$".$ro['cena']."</div>";
                                       echo "<div
class='bazingaClear'></div>";
                                       echo "</article>";
                                       }
```

include("function/konekcija.inc");

```
}
                             ?>
                             </section>
                             <section
class="menuSection">
                             <h2>_CHOCOLATE</h2>
                             <?php
                                  $upitmenii = "SELECT
* FROM katalog WHERE cokolada = 'yes'";
                                  $obradaa =
mysql_query($upitmenii,$konekcija);
                                  if(!$obradaa){
                                      echo "Trenutno
nema podataka u bazi";
                                  }
                                  else{
  while($rol=mysql_fetch_array($obradaa))
                                      {
                                      echo "<article
class='menuItem'>";
                                      echo
"<h3>".$rol['naziv']."</h3>";
```

```
echo "<div
class='menuItemDesc'>".$rol['sastav']."</div>";
                                       echo "<div
class='menuItemPrice'>$".$rol['cena']."</div>";
                                       echo "<div
class='bazingaClear'></div>";
                                       echo "</article>";
                                       }
                                   }
  include("function/zatvori.inc");
                              ?>
                              </section>
                     </div>
                </div>
            </div>
       </div>
       <nav id="bazingaMenuContainer">
           <?php
                include("menu.php");
           ?>
           <div class="bazingaClear"></div>
```

```
<?php
                 include("footer.php");
            ?>
        </nav>
       <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
3.1.3 gallery.php
```

```
<?php
            @session start();
?>
<!doctype html>
<!--[if It IE 7]> <html class="no-js ie6 oldie" lang="en">
<![endif]-->
<!--[if IE 7]> <html class="no-js ie7 oldie" lang="en">
<![endif]-->
<!--[if IE 8]> <html class="no-js ie8 oldie" lang="en">
<![endif]-->
<!--[if gt IE 8]><!--> <html class="no-is" lang="en"> <!--
<![endif]-->
<head>
 <meta charset="utf-8">
 <meta http-equiv="X-UA-Compatible"
content="IE=edge,chrome=1">
 <title></title>
 <meta name="description" content="">
 <meta name="author" content="">
 <meta name="viewport" content="width=device-
width,initial-scale=1">
 <!-- CSS concatenated and minified via ant build script-->
 <link rel="stylesheet" href="css/stil.css">
 <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
```

```
<link rel="stylesheet" href="css/jquery.jscrollpane.css"</pre>
media="screen" />
 <link rel="stylesheet"</pre>
href="js/mylibs/fancybox/jquery.fancybox-1.3.4.css"
type="text/css" media="screen" />
 <!-- end CSS-->
 <script src="js/libs/modernizr-2.0.6.min.js"></script>
</head>
<body>
 <div id="container">
 <?php
           switch(@$_SESSION['nu'])
           {
                case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
                case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
```

```
?>
  <div id="main" role="main">
       <div id="bazingaContent">
           <div id="bazingaContentInner">
                <div
class="bazingaThinColumnWidestPlus">
                <h1>GALLERY</h1>
           </div>
           <br />
                <section id="bazingaGallery">
                     ul>
                              <?php
  include("function/konekcija.inc");
                              $koliko po strani = 4;
                              if(@$_GET['skriveno'])
{$skriveno = $_GET['skriveno'];}
                              else {$skriveno = 0;}
                              $upitstrana =
mysql_query("SELECT count(id_galerija) from galerija");
                              $niz =
mysql_fetch_array($upitstrana);
                              $ukupno_zapisa = $niz[0];
```

```
$levo = $skriveno -
$koliko_po_strani;
                             $desno = $skriveno +
$koliko_po_strani;
                             $rezultat =
mysql_query("SELECT * FROM galerija LIMIT
$koliko_po_strani OFFSET
                                  Sskriveno
",$konekcija);
                             while($niz1 =
mysql_fetch_array($rezultat))
                                  {
                                       echo "<a
class='fancybox' rel='galeria'
href=".$niz1['putanja_velika']."><img
src=".$niz1['putanja_mala']."></a>";
                             echo "";
                             if($levo<0)
                                       echo ("<a
href=\"gallery.php?skriveno=$desno\"><img
src='gallery/arrow-right.png' width='50px'
height='50px'/></a>");
                             elseif($desno >
$ukupno_zapisa)
                                  {
```

```
href=\"gallery.php?skriveno=$levo\"><img
src='gallery/arrow-left.png' width='50px'
height='50px'/></a>");
                              else
                                   {
                                       echo "<a
href=\"gallery.php?skriveno=$levo\"><img
src='gallery/arrow-left.png' width='50px'
height='50px'/></a>";
                                       echo "<a
href=\"gallery.php?skriveno=$desno\"> <img
src='gallery/arrow-right.png' width='50px'
height='50px'/> </a>";
                                   }
  include("function/zatvori.inc");
                              ?>
                </section>
       </div><!--bazingaContentInner-->
       </div>
```

echo (" <a

```
</div>
 </div> <!--! end of #container -->
  <nav id="bazingaMenuContainer">
                      <?php
                 include("menu.php");
            ?>
            <div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
  </nav>
 <script
src="//ajax.googleapis.com/ajax/libs/jquery/1.6.2/jquery
.min.js"></script>
 <script>window.jQuery || document.write('<script</pre>
src="js/libs/jquery-1.6.2.min.js"><\/script>')</script>
 <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
 <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
 <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
 <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
```

```
<script type="text/javascript"</pre>
src="js/mylibs/fancybox/jquery.easing-
1.3.pack.js"></script>
 <script type="text/javascript"</pre>
src="js/mylibs/fancybox/jquery.fancybox-
1.3.4.pack.js"></script>
 <!-- scripts concatenated and minified via ant build
script-->
 <script defer src="js/plugins.js"></script>
 <script defer src="js/script.js"></script>
 <script src="js/background.js"></script>
 <script type="text/javascript">
  $(window).load(function() {
       $("a.fancybox").fancybox({
       'transitionIn' : 'elastic',
       'transitionOut'
                               'elastic',
       'speedIn'
                  : 600,
       'speedOut'
                               200,
       'overlayShow':
                          false
  });
  });
 </script>
 <!-- end scripts-->
```

```
</body>
</html>
3.1.4 contact.php
<?php
            @session_start();
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
```

```
<meta name="keywords" content="Bazinga Cafe">
       <meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
      <script type="text/javascript">
           function poruka(){
                     var
ime=document.getElementById("tbName").value;
                    var mail =
document.getElementById("tbEmail2").value;
sadrzaj=document.getElementById("taMessage").value;
                    var reg_ime=/^[A-Z][a-z]{1,14}$/;
                    var reg_mail=/^[_a-z0-9]+(.[_a-z0-
9]+)*@[a-z0-9]+(.[a-z0-9]+)*(.[a-z]{2,3})$/;
                    var poruka=true;
                    if(!reg_ime.test(ime)){
  document.getElementById('greska_ime').innerHTML="
```


Niste lepo napisali ime !!";

```
poruka=false;
                    if(!reg_mail.test(mail)){
  document.getElementById('greska_mail').innerHTML="
<br/>>Email adresa nije napisana u ispravnom formatu !!";
                    poruka=false;
                    if(sadrzaj=="")
  document.getElementById('greska poruka').innerHTML
="<br/>Niste napisali poruku!!";
                    poruka=false;
                    return poruka;
                    </script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
```

```
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
      ?>
           <div id="main" role="main">
               <div id="bazingaContent">
                    <div id="bazingaContentInner">
                        <div
class="bazingaThinColumnWidest">
                             <h1>Contact</h1>
                             <br/>
                        </div>
                             <form id="contactForm"</pre>
class="" role="form" method="post" onSubmit="return
poruka();" >
                                      <div class="form-
backdrop"></div>
                                      <div class="form-
content">
```

```
<input
id="tbName" class="form-control" type="text"
placeholder="Name" name="tbName"
autofocus=""></input>
                                     <span
id="greska_ime"></span>
                                     <br/>
                                     <input
id="tbEmail2" class="form-control" type="text"
placeholder="Email" name="tbEmail2"></input>
                                     <span
id="greska_mail"></span>
                                     <br/>
                                     <textarea
id="taMessage" class="form-control" name="taMessage"
cols="18" rows="10"
placeholder="Message"></textarea>
                                     <span
id="greska_poruka"></span>
                                     <br/>
                                     <input id="send"
type="submit" value="Send" name="btnSend"
onClick="poruka();"></input>
```

```
</form>
                             <?php
  $dugme=@$_REQUEST['btnSend'];
                                      if(isset($dugme)){
  $ime=$_POST['tbName'];
  $mail=$_POST['tbEmail2'];
  $sadrzaj=$_POST['taMessage'];
  $posiljalac="From: ".$mail;
                                      $reg_ime="/^[A-
Z][a-z]{1,14}$/";
  $reg_mail="/^[_a-z0-9-]+(.[_a-z0-9-]+)*@[a-z0-9-]+(.[a-
z0-9-]+)*(.[a-z]{2,3})$/";
```



```
$greske=array();
  if(!preg_match($reg_ime,$ime)){
                                       $greske[]="Niste
lepo napisali ime !!";
                                       }
  if(!preg_match($reg_mail,$mail)){
                                       $greske[]="E-mail
adresa nije napisana u ispravnom formatu !!";
                                       }
                                       if($sadrzaj==""){
                                       $greske[]="Niste
uneli poruku!!";
                                       }
  if(count($greske)>0){
                                       print "<ul
style='color:red;'>";
                                       foreach($greske
as $greska){
                                       print
"".$greska."";
                                       print "";
                                       else{
```

```
$kome="vladimir.uskokovic.324.13@ict.edu.rs.";
  $naslov="Pitanje";
                                        $headers = 'From:
'.$mail.'.com' . "\r\n" .
  'Reply-To: '.$mail." . "\r\n" .
  'X-Mailer: PHP/' . phpversion();
  mail($kome,$naslov,$sadrzaj,$headers);
                                        echo "Your
message was sent successfully, thanks!";
                                        }
                                   ?>
                                        </div>
                     </div>
                </div>
            </div>
       </div>
```

```
<nav id="bazingaMenuContainer">
            <?php
                 include("menu.php");
            ?>
            <div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
       </nav>
       <script>window.jQuery ||
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
       <script src="js/background.js"></script>
       <script defer src="js/plugins.js"></script>
```

```
<script defer src="js/script.js"></script>
  </body>
</html>
3.1.5 author.php
<?php
            @session_start();
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
```

```
<meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
      <script src="js/funkcije.js"></script>
      <script src="js/ajaxobj.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
                case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
                case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
```

```
?>
           <div id="main" role="main">
                <div id="bazingaContent">
                    <div id="bazingaContentInner">
                         <div
class="bazingaThinColumnWidest">
                             <h1>AUTHOR</h1>
                             <br/>
                         </div>
                         <div id="author">
                         <img src="img/author.jpg"</pre>
width="200px" height="200px;"/>
                         My name is Vladimir
Uskoković. I was born on 12/18/1994. I live in Mionica
near Valjevo. I graduated High technical school in Valjevo,
navigate Electro computer. Now I am a second year
student, "High School of Professional Studies in
Information and Communication Technologies" in
Belgrade, Department of Internet Technology, Web
programming module. The site was built as a pre-exam
obligations of objects Web programming PHP 1.
```

</div>

```
<form style="padding-left:12px" name="forma"</pre>
method="post" id="poll-view">
        <div align='center' class="user-backdrop"></div>
          <div align='center' class="user-content">
<?php
include('function/konekcija.inc');
$pitanje=" SELECT id ankete,pitanje FROM ankete
WHERE aktivna=1";
$rez1=mysql_query($pitanje,$konekcija) or die("Upit 1
nije izvrsen!".mysql error());
$niz1=mysql_fetch_array($rez1);echo"";
echo''.$niz1['pitanje'].'';
$upit=" SELECT odgovori,id_odgovori FROM odgovori
o,ankete a WHERE a.aktivna=1 AND
a.id_ankete=o.id_ankete";
$rez=mysql_query($upit,$konekcija) or die ("Upit 2 nije
izvrsen!".mysql_error());
while($niz=mysql_fetch_array($rez))
echo"<input type='radio'
id='odgovori' name='odgovori'
value=".$niz['id_odgovori'].">&nbsp".$niz['odgovori']."</
td>";
}
echo"";
```

```
echo "<input type='submit'
class='change' name='glasaj'
value='Vote'>&nbsp";
echo "<input type='submit'
class='change' name='rez' value='Count'>";
$glasanje=&$_POST['glasaj'];
$rezultati=&$_POST['rez'];
if(isset($glasanje))
$odgovor=&$ POST['odgovori'];
$upisi_odgovor=' UPDATE rezultat SET rezultat=rezultat+1
WHERE id_odgovori='.$odgovor;
$izvrsi_upisi_odgovor=mysql_query($upisi_odgovor,$kon
ekcija) or die ("Pick one!");
if($izvrsi upisi odgovor)
echo'<br/>You have voted!<br>';
else{
echo 'Pick one!';
}
if(isset($rezultati)){
$rezultati="SELECT * FROM ankete WHERE aktivna=1";
$izvrsi_rezultati=mysql_query($rezultati, $konekcija) or
die("Upit 4 nije
```

```
izvršen!".mysql error());
$red=mysql_fetch_array($izvrsi_rezultati);
$id=$red['id_ankete'];
echo '';
echo ''.$red['pitanje'].'';
$odgovori = "SELECT o.odgovori, r.rezultat FROM
odgovori o, rezultat r WHERE o.id odgovori =
r.id_odgovori AND r.id_ankete =".$id;
$uzmi_odgovore = mysql_query($odgovori) or
die(mysql_error());
while($red=mysql_fetch_array($uzmi_odgovore))
{echo
''.$red['odgovori'].''.$red['rezultat'].'</
td><br/>;}
echo '';
mysql_close($konekcija);
?>
</div></form>
     <div id="rezultat"></div>
                   </div>
```

```
</div>
                </div>
            </div>
       </div>
       <nav id="bazingaMenuContainer">
            <?php
                include("menu.php");
            ?>
            <div class="bazingaClear"></div>
            <?php
                include("footer.php");
            ?>
       </nav>
       <script>window.jQuery ||
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
```

```
<script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
       <script src="js/background.js"></script>
       <script defer src="js/plugins.js"></script>
       <script defer src="js/script.js"></script>
  </body>
</html>
3.1.6 login.php
<?php
  @session_start();
  if(isset($_SESSION['kor_ime'])){
       header("Location: index.php");
  }
  if(isset($_REQUEST['btnLogovanje']))
  {
       $korIme = trim($_REQUEST['UserName']);
```

```
$lozinka = md5(trim($_REQUEST['Password']));
      $upit = "SELECT * FROM korisnici k
                JOIN uloge u
                ON k.id uloge=u.id uloge
                WHERE k.username='$korlme'
                AND k.lozinka='$lozinka'";
      include('function/konekcija.inc');
      $rez = mysql_query($upit, $konekcija);
      $greske = array();
      if(mysql_num_rows($rez) == 0)
           $greske[] = "Doslo je greske prilikom
logovanja!";
      }
      else
           $r = mysql_fetch_array($rez);
           $_SESSION['kor_ime'] = $r['username'];
      // $x = $_SESSION['kor_ime'];
```

```
$_SESSION['nu'] = $r['naziv_uloge'];
$_SESSION['idU'] = $r['id_uloge'];
switch($_SESSION['nu'])
{
    case 'admin':
         header('Location: index.php');
         break;
    case 'korisnik':
         header('Location: index.php');
         break;
}
include('function/zatvori.inc');
```

}

```
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       k rel="stylesheet"
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
       <meta name="author" content="Vladimir
Uskokovic">
       <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
       <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
       <script src="js/libs/jquery.min.js"></script>
       <script type="text/javascript">
                $(document).ready(function($){
                     $("#login").hover(function(){
```

```
$(this).css("background-
color","#c74c00");
                     },
                     function(){
                          $(this).css("background-
color","#ff6000");
                     });
                });
                $(document).ready(function($){
                     $("a.reg").hover(function(){
                          $(this).css("background-
color","#c74c00");
                     },
                     function(){
                          $(this).css("background-
color","#ff6000");
                     });
                });
       </script>
  </head>
  <body>
       <div id="container">
            <form id="loginForm" class="" role="form"
method="post" >
```

```
<div class="form-backdrop"></div>
           <div class="form-content">
               <a href="index.php"><img
src="img/log.png" ></img></a>
               <input id="UserName" class="form-
control" type="text" placeholder="User Name"
name="UserName" autofocus=""></input>
               <br/>
               <input id="Password" class="form-
control" type="password" placeholder="Password"
name="Password"></input>
               <br/>
               <br/>
               <input id="login" type="submit"
value="Log in" name="btnLogovanje"></input>
               <br/>
               <br/>
               <div class="link">
                    <a class="reg" href="register.php">
                        Sign up!
                    </a>
               </div>
```

```
</div>
            </form>
       </div>
       <script>window.jQuery ||
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
```

3.1.7 register.php

```
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
       <meta name="author" content="Vladimir
Uskokovic">
       <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
       <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
       <script src="js/libs/jquery.min.js"></script>
       <script type="text/javascript">
                 function provera(){
```

```
var
```

name=document.getElementById("tbName").value;

var

surname=document.getElementById("tbSurname").value;

var email =

document.getElementById("tbEmail").value;

var

username=document.getElementById("tbUserName").value;

var

password=document.getElementById("tbPassword").valu
e;

var

repeatpassword=document.getElementById("tbRepeatPa ssword").value;

```
var reg_name=/^[A-Z][a-z]{1,14}$/;
var reg_email=/^[a-z0-9-]+(.[a-z0-9-]+)*@[a-z0-9-]+(.[a-z0-9-]+)*(.[a-z]{2,3})$/;
var reg_username=/^[a-z0-9\_]+$/;
var reg_password=/[^\\.,<>:;*?A-
Z]$/;
```

var provera=true;

if(!reg_ime.test(name)){

```
document.getElementById('greska ime').innerHTML="<br
/>Niste lepo napisali ime !!";
provera=false;
if(!reg_ime.test(surname)){
document.getElementById('greska_prezime').innerHTML=
"<br/>Niste lepo napisali prezime !!";
provera=false;
if(!reg_mail.test(email)){
document.getElementById('greska_mail').innerHTML="
<br/>>Email adresa nije napisana u ispravnom formatu !!";
provera=false;
if(!reg_username.test(username)){
document.getElementById('greska_username').innerHTM
L="<br/>br/>Za username se mogu koristiti samo mala slova,
brojevi i !!!";
provera=false;
if(!reg_password.test(password)){
document.getElementById('greska_password').innerHTM
L="<br/>br/> Za lozinku se mogu koristiti samo mala slova i
brojevi!!";
provera=false;
return provera;
</script>
```

```
<script src="js/libs/jquery.min.js"></script>
       <script type="text/javascript">
                $(document).ready(function($){
                     $("#registar").hover(function(){
                          $(this).css("background-
color","#c74c00");
                     },
                     function(){
                          $(this).css("background-
color","#ff6000");
                     });
                });
                </script>
  </head>
  <body>
       <div id="container">
           <form id="loginForm" role="form"</pre>
method="post" onSubmit="return provera();">
           <div class="form-backdrop"></div>
           <div class="form-content">
                     <a href="index.php"><img
src="img/log.png" ></img></a>
```

```
<input id="tbName" class="form-
control" type="text" placeholder="Name"
name="tbName" autofocus=""></input>
                    <span id="greska_ime"></span>
                    <br/>
                    <input id="tbSurname" class="form-
control" type="text" placeholder="Surname"
name="tbSurname"></input>
                    <span id="greska_prezime"></span>
                    <br/>
                    <input id="tbUserName"</pre>
class="form-control" type="text" placeholder="User
Name" name="tbUserName" ></input>
                    <span id="greska_mail"></span>
                    <br/>
                    <input id="tbEmail" class="form-
control" type="text" placeholder="Email"
name="tbEmail"></input>
                    <span
id="greska_username"></span>
                    <br/>
                    <input id="tbPassword"</pre>
class="form-control" type="password"
placeholder="Password" name="tbPassword" ></input>
                    <span
id="greska_password"></span>
                    <br/>
                    <input id="tbRepeatPassword"</pre>
class="form-control" type="password"
```

```
placeholder="Repeat Password"
name="tbRepeatPassword"></input>
                    <span
id="greska_password"></span>
                    <br/>
                    <br/>
                    <input id="registar" type="submit"
value="Register"
name="register"onClick="provera();"></input>
                    </br>
                    <?php
$dugme=@$ POST['register'];
if(isset($dugme)){
$ime=$_POST['tbName'];
$prezime=$_POST['tbSurname'];
$mail=$_POST['tbEmail'];
$username=$_POST['tbUserName'];
$password=md5($_POST['tbPassword']);
$reg ime="/^[A-Z][a-z]{1,14}$/";
$reg_mail="/^[_a-z0-9-]+(.[_a-z0-9-]+)*@[a-z0-9-]+(.[a-z0-
9-]+)*(.[a-z]{2,3})$/";
$reg_username="/^[a-z0-9\_]+$/";
$reg_password="/[^\/.,<>:;*?A-Z]$/";
$greske=array();
if(!preg match($reg ime,$ime)){
$greske[]="Niste lepo napisali ime !!";
}
if(!preg_match($reg_ime,$prezime)){
$greske[]="Niste lepo napisali prezime!!";
```

```
}
if(!preg_match($reg_mail,$mail)){
$greske[]="E-mail adresa nije napisana u ispravnom
formatu !!";
if(!preg_match($reg_username,$username)){
$greske[]="Za username se mogu koristiti samo mala
slova, brojevi i _ !!!";
}
if(!preg_match($reg_password,$password)){
$greske[]="Za lozinku se mogu koristiti samo mala slova i
brojevi!!";
}
if(count($greske)>0){
print "<br/>";
foreach($greske as $greska){
print "".$greska."";
print "";
else{
include_once('function/konekcija.inc');
$upit="insert into korisnici
values(",'$ime','$prezime','$username','$mail','$passwor
d',2)";
$rezultat=mysql_query($upit,$konekcija);
if(@$rezultat){echo "Uspesno ste se registrovali!";}
```

```
</form>
       </div>
        <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
```

```
<div class="bazingaMake990">
      <div id="bazingaLogoContainer">
      <div id="bazingaLogo"><a href="index.php"</pre>
title="Coffeesite"></a></div>
      </div>
      <?php
              include("function/konekcija.inc");
              $dinMeniupit = "SELECT * FROM
din_meni";
              $rezmeni =
mysql_query($dinMeniupit,$konekcija) or die("Greska
prilikom iscitavanja galerija!");
              echo "";
              while($rm=mysql_fetch_array($rezmeni))
              {
                  echo "<a
href=".$rm['link']." title=".$rm['naziv']."></a>";
              echo "";
```

```
include("function/zatvori.inc");
```

3.1.9 footer.php

?>

3.1.10 logout.php

```
<?php
  @session_start();
  if(isset($_SESSION['idU']))
{</pre>
```

```
unset($_SESSION['idU']);
       unset($_SESSION['nu']);
       unset($_SESSION['kor_ime']);
       session_destroy();
       header('Location:index.php');
  }
?>
3.1.11. gethint.php
  <?php
// Array with names
include "function/konekcija.inc";
$sql = "SELECT naziv FROM katalog";
$result = mysql_query($sql,$konekcija);
while(($row = mysql_fetch_assoc($result))) {
  $a[] = $row['naziv'];
}
```

```
// get the q parameter from URL
@$q = $_REQUEST["q"];
$hint = "";
// lookup all hints from array if $q is different from ""
if ($q !== "") {
  $q = strtolower($q);
  $len=strlen($q);
  foreach($a as $naziv) {
    if (stristr($q, substr($naziv, 0, $len))) {
      if ($hint === "") {
         $hint = $naziv;
      } else {
         $hint .= ", $naziv";
      }
    }
  }
}
// Output "no suggestion" if no hint was found or output
correct values
echo $hint === "" ? "no suggestion" : $hint;
?>
```

3.1.12 panel.php

```
<?php
  @session_start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">
```

```
<meta name="description" content="Welcome to
Bazinga Cafe !">
      <meta name="keywords" content="Bazinga Cafe">
      <meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
```

```
echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                   break;
           }
      ?>
           <div id="main" role="main">
               <div id="bazingaContent">
                   <div id="bazingaContentInner">
                        <div
class="bazingaThinColumnWidest">
                        <?php
                            include('adminmeni.php');
                        ?>
                   </div>
               </div>
           </div>
      </div>
```

```
</div>
        <nav id="bazingaMenuContainer">
            <?php
                 include("menu.php");
            ?>
            <div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
       </nav>
        <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
```

```
</body>
```

3.1.13 adminmeni.php

href="changepoll.php">Change Poll

</div>

3.1.14 changeusers.php

```
<?php
  @session_start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">
```

```
<meta name="description" content="Welcome to
Bazinga Cafe !">
      <meta name="keywords" content="Bazinga Cafe">
      <meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
```

```
echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                  break;
          }
      ?>
          <div id="main" role="main">
              <div id="bazingaContent">
                  <div id="bazingaContentInner">
                      <div
class="bazingaThinColumnWidest">
                      <?php
                          include('adminmeni.php');
                      ?>
                      <br/>
                      <br/>
                      <br/>
                      <br/>
                      <div id="editadmin">
                              <table
id="users_table">
                              <thead>
                              ID
                              Name
                              Surname
```

```
User Name
                               Email
  Administrator
                               Change
                               Delete
                               </thead>
                               <?php
  include("function/konekcija.inc");
                               # user listing
                               $query="SELECT *
FROM korisnici";
  $data=mysql_query($query,$konekcija);
                               if($data){
  while($row=mysql_fetch_array($data,MYSQLI_ASSOC))
  if($row['id_uloge']==1) $is_admin="<img
src=\"img/yes.png\" height='20px' width='20px' alt=\"\"
/>";
                                       else
$is_admin="<img src=\"img/no.png\" height='20px'
width='20px' alt=\"\" />";
  $user_edit="user_edit.php?edit=".@$row['id_korisnici'
];
```

{

```
$user_del="changeusers.php?user_del=".@$row['id_ko
risnici'];
                                 echo "";
                                 echo
"".$row['id_korisnici']."";
                                 echo
"".$row['ime']."":
                                 echo
"".$row['prezime']."";
                                 echo
"".$row['username']."";
                                 echo
"".$row['email']."";
                                 echo
"$is_admin";
                                 echo "<a
href=\"$user edit\"><img height='20px' width='20px'
src=\"img/edit.png\"/></a>";
                                 echo "<a
href=\"$user_del\" onclick=\"return
confirm_user_del();\"><img height='20px' width='20px'
src=\"img/no.png\" /></a>";
                                 echo "":
                                 }
                                 else
die("Neuspešno dohvatanje podataka!");
```

```
<?php
                                       # user delete
  if(isset($_GET['user_del'])){
  $id=$_GET['user_del'];
                                       $query="DELETE
FROM korisnici WHERE id korisnici=".$id;
  if(mysql_query($query,$konekcija)){
                                       echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Uspešno ste obrisali korisnika
<span style=\"color: #fbb700;\"></span>!</span><br />";
                                       echo "Stranica će
se osvežiti za 3 sekundi.";
  $refresh time=3000; # msec
  $refresh_to="changeusers.php"; # absolute link
                                       echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                       }
```

?>

```
else{
                                             echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Niste obrisali korisnika!</span><br/>class=\"sucess_msg\">Niste obrisali korisnika!</span><br/>
/>";
                                             }
                                             ?>
                                             <!--END
CONTENT-->
                                             <script
type="text/javascript">
                                            function
confirm_user_del(){
                                             if(confirm("Da li
ste sigurni da želite da obrišete korisnika?")) return;
                                            else return false;
                                             </script>
                                             <form
action="<?php echo $_SERVER['PHP_SELF']; ?>" id="add-
user" method="post">
                                             <div class="user-
backdrop"></div>
                                             <div class="user-
content">
                                             <h3>Create
User</h3>
```

```
<input
type="text" name="user_name" placeholder="User
Name" />
                            <input
type="password" name="password"
placeholder="Password" />
                            <input
type="email" name="email" placeholder="Email" />
                            >
                            <input
type="text" name="name" placeholder="Name"/>
```

```
<input
type="text" name="surname" placeholder="Surname"/>
                             <select
name="admin">
                             <option
value="0">Acount type</option>
                             <option
value="1">Administrator</option>
                             <option
value="2">Regular</option>
                             </select>
                             <input
type="reset" class="change" value="Reset" />
```

```
<input
type="submit" class="change" name="adduser_btn"
value="Add" />
                                   <?php
                                   # user add
  if(isset($_POST['adduser_btn'])){
  $user_name=strtolower(trim(@$_POST['user_name']));
  $password=trim(@$_POST['password']);
  $email=strtolower(trim(@$_POST['email']));
  $name=trim(@$_POST['name']);
  $surname=trim(@$_POST['surname']);
  $admin=trim(@$ POST['admin']);
  $password=md5($password);
                                   $query="INSERT
INTO korisnici
```

```
VALUES(",'$name','$surname','$user_name','$email','$pa
ssword','$admin')";
  if(mysql_query($query,$konekcija)){
                                           echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Uspešno ste registrovali
korisnika!</span><br />";
                                           echo "Stranica će
se osvežiti za 3 sekundi.";
  $refresh time=3000; # msec
  $refresh_to="changeusers.php"; # absolute link
                                           echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                           }
                                           else{
                                           echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Neuspešna registracija!</span><br/>class=\"sucess_msg\">Neuspešna registracija!</span><br/>
/>";
                                           </div>
                                           </form>
```

```
</div>
                </div>
            </div>
       </div>
       </div>
       <nav id="bazingaMenuContainer">
           <?php
                include("menu.php");
           ?>
           <div class="bazingaClear"></div>
           <?php
                include("footer.php");
           ?>
       </nav>
       <script>window.jQuery ||
document.write('<script src="js/libs/jquery-</pre>
1.6.2.min.js"><\/script>')</script>
```

```
<?php
  @session_start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
       <meta name="author" content="Vladimir
Uskokovic">
       <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
```

```
<script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
      ?>
           <div id="main" role="main">
               <div id="bazingaContent">
```

```
<div id="bazingaContentInner">
                         <div
class="bazingaThinColumnWidest">
                        <?php
                             include('adminmeni.php');
                         ?>
                        <br/>
                        <br/>
                        <br/>
                        <br/>
                        <div id="edituser">
                        <?php
  include('function/konekcija.inc');
                             if(isset($_GET['edit'])){
                             $id=$_GET['edit'];
                             $query="SELECT ime,
prezime, username, email, lozinka, id uloge FROM
korisnici WHERE id_korisnici=".$id;
  if($data=mysql_query($query,$konekcija)){
  while($row=mysql_fetch_row($data)){
$name=@$row[0];
$surname=@$row[1];
$user_name=@$row[2];
$user_email=@$row[3];
```

```
$password=@$row[4];
$admin=@$row[5];
$site_page="user_edit.php?edit=".$id;
else {die("Neuspešno dohvatanje podataka!");}
}
?>
<form action="<?php echo $site_page; ?>" id="edit-user"
method="post">
<div class="user-backdrop"></div>
<div class="user-content">
<h3>Change User <span style="color:
#fbb700;"><b><?php echo @$user_name;
?></b></style></h3>
<input type="text" placeholder="User Name"
name="user_name" value="<?php echo $user_name; ?>"
/>
<input type="password" placeholder="Password"</pre>
name="password" value="<?php echo $password; ?>" />
```

```
<input type="email" name="email" placeholder="Email"
value="<?php echo</pre>
$user_email; ?>" />
<input type="text" placeholder="Name" name="name"</pre>
value="<?php echo
$name; ?>" />
<input type="text" placeholder="Surname"</pre>
name="surname" value="<?php echo
$surname; ?>" />
<select name="admin">
<?php
echo "<option
value=\"0\">Acount type</option>";
echo "<option
```

```
value=\"1\">Administrator</option>";
echo "<option
value=\"2\">Regular</option>";
?>
</select>
<input type="reset" class="change" value="Reset" />
<input type="submit" class="change"
name="edituser btn"
value="Change" />
</form></div>
<?php
if(isset($_POST['edituser_btn'])){
$user_name=strtolower(trim(@$_POST['user_name']));
$email=strtolower(trim(@$_POST['email']));
$name=trim(@$_POST['name']);
$surname=trim(@$_POST['surname']);
$admin=trim(@$_POST['admin']);
if(strlen(@$_POST['password'])>0){
$password1=md5($_POST['password']);
$query1="UPDATE korisnici
```

```
SET
ime=\"$name\",
prezime=\"$surname\",
username=\"$user_name\",
email=\"$email\",
lozinka=\"$password1\",
id uloge=$admin
WHERE id_korisnici=".$id;
}
else{
$query1="UPDATE korisnici
SET
ime=\"$name\",
prezime=\"$surname\",
username=\"$user_name\",
email=\"$email\",
id_uloge=$admin
WHERE id korisnici=".$id;
if(mysql_query($query1,$konekcija)){
echo "<span
class=\"sucess_msg\">Uspešno ste izmenili podatke za
korisnika!</span><br/>";
echo "Bićete vraćeni na stranicu sa korisnicima za 3
sekundi.";
$refresh_time=3000; # msec
$refresh_to="changeusers.php"; # absolute link
echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
```

```
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
}
else{
echo "<span
class=\"sucess_msg\">Neuspešna izmena podataka za
korisnika!</span><br/>br />";
echo mysql_error($konekcija);
}
}
?>
</div>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
<nav id="bazingaMenuContainer">
<?php
include("menu.php");
```

```
?>
            <div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
        </nav>
        <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
       <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
```

3.1.16 changepoll.php

```
<?php
  @session start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
```

```
<meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
```

```
?>
           <div id="main" role="main">
               <div id="bazingaContent">
                    <div id="bazingaContentInner">
                        <div
class="bazingaThinColumnWidest">
                        <?php
                             include('adminmeni.php');
                        ?>
                         <div id="editpoll">
                                      <form
name="ankete" method="post" action="changepoll.php"
id="add-poll">
                                      <div class="poll-
backdrop"></div>
                                      <div class="poll-
content">
                                      <h2>Create new
poll</h2><br>
                                      <input
type="text" name="pitanje"
placeholder="Question?"><br>
                                      <textarea
name="odgovori" cols="18"
placeholder="Answers"></textarea><br>
```

```
<input
type="submit" value="Add" name="unesi" class="add">
           <?php
           include('function/konekcija.inc');
  $dugme_upis=&$_POST['unesi'];
  $dugme_aktiviraj=&$_POST['aktiviraj'];
  $dugme_brisi=&$_POST['delete'];
  if(isset($dugme_upis)){
  $pitanje=&$_POST['pitanje'];
  $odgovori=&$_POST['odgovori'];
$niz_odgovori=explode('
', $odgovori);
  $broj=count($niz_odgovori);
  $upis_pitanje="INSERT INTO ankete VALUES(",
'$pitanje', 0)";
  $izvrsi_upis_pitanje=mysql_query($upis_pitanje) or
die(mysql_error());
```

```
$izvuciID="SELECT id_ankete FROM ankete WHERE
pitanje='$pitanje'";
  $izvrsi_izvuciID=mysql_query($izvuciID) or
die(mysql error());
  $red=mysql_fetch_array($izvrsi_izvuciID);
  $id_ankete=$red['id_ankete'];
                                       for($i = 0; $i <
$broj; $i++){
                                       $upis odgovora =
"INSERT INTO odgovori VALUES(", '$id_ankete',
  '$niz_odgovori[$i]')";
                                       $upisi =
mysql query($upis odgovora) or die("Upit 3 nije
izvršen!".mysql error());
                                       $id odgovor =
"SELECT id_odgovori FROM odgovori WHERE id_ankete =
'$id_ankete' AND odgovori= '$niz_odgovori[$i]'";
  $uzmi id odgovor = mysql query($id odgovor) or
die(mysql_error());
                                       $niz_id_odgovor
= mysql_fetch_array($uzmi_id_odgovor);
```

```
$id_odgovor=
$niz_id_odgovor[0];
                                        $upis_rezultati =
"INSERT INTO rezultat VALUES(", '$id_ankete',
'$id_odgovor', '0')";
                                        $upis =
mysql_query($upis_rezultati) or die(mysql_error());
                                        }
                                        if($upis)
                                        {echo 'Anketa je
upisana!';
  $refresh_time=3000;
  $refresh_to="changepoll.php";
                                        echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                        }
                                        }?>
                                        </form></div>
                                        <form
name="aktivnost" method="post"
action="changepoll.php" id="active-poll">
                                        <div class="poll-
backdrop"></div>
                                        <div class="poll-
content">
```

```
<h2>Change
active poll</h2><br>
                                      <select
name="aktivnost_ankete">
                                      <option>Choose
poll
                                      <?php
                                      $upit="SELECT *
FROM ankete";
  $rezultat=mysql query($upit) or die("Upit 1 nije
izvršen!".mysql_error());
  while($niz=mysql_fetch_array($rezultat))
                                      { echo '<option
value="'.$niz['id_ankete'].'">'.$niz['pitanje'].'</option>'; }
?>
                                      </select>
                                      <br/>
                                      <input
type="submit" value="Activate" name="aktiviraj"
class="active"> <br>
                                      <input
type="submit" value="Delete" name="delete"
class="erase"><br>
                                      <a
href="author.php">Ankete</a><br/>
```

```
if(isset($dugme_aktiviraj)){
  $aktivnost=$_POST['aktivnost_ankete'];
  $aktiviraj="UPDATE ankete SET aktivna=1 WHERE
id_ankete=".$aktivnost;
  $deaktiviraj="UPDATE ankete SET aktivna=0 WHERE
id_ankete <>".$aktivnost;
  $izvrsi deaktiviraj=mysql query($deaktiviraj) or
die("Upit 6 nije izvršen!".mysql_error());
  $izvrsi_aktiviraj=mysql_query($aktiviraj) or die("Upit 7
nije izvršen!".mysql_error());
  if($izvrsi_aktiviraj)
                                        {echo 'Anketa je
uspešno aktivirana!';}
                                        }
  if(isset($dugme_brisi)){
  $pollerase=$_POST['aktivnost_ankete'];
```

<?php

```
$delete_anketa="DELETE FROM ankete WHERE
id_ankete=".$pollerase;
  $delete_odgovori="DELETE FROM odgovori WHERE
id ankete=".$pollerase;
  $delete_rezultat="DELETE FROM rezultat WHERE
id_ankete=".$pollerase;
  $del=mysql_query($delete_anketa) or die("Upit 7 nije
izvršen!".mysql error());
                                           if($del){
  $del_odg=mysql_query($delete_odgovori) or die("Upit
7 nije izvršen!".mysql_error());}
                                           if($del_odg){
  $del rez=mysql query($delete rezultat) or die("Upit 7
nije izvršen!".mysql_error());}
                                           if($del rez)
                                      {echo 'Anketa je
uspešno obrisana!';
  $refresh time=3000;
  $refresh_to="changepoll.php";
                                      echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
```

```
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                      }
                                      }
  mysql_close($konekcija); ?>
  </form></div></body></html>
                                      </div>
                    </div>
                </div>
           </div>
      </div>
      </div>
       <nav id="bazingaMenuContainer">
           <?php
                include("menu.php");
           ?>
```

```
<div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
        </nav>
        <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
       <script defer src="js/script.js"></script>
  </body>
</html>
```

3.1.17 changegallery.php

```
<?php
  @session start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
```

```
<meta name="keywords" content="Bazinga Cafe">
      <meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
```

```
}
      ?>
          <div id="main" role="main">
              <div id="bazingaContent">
                 <div id="bazingaContentInner">
                     <div
class="bazingaThinColumnWidest">
                     <?php
                         include('adminmeni.php');
                      ?>
                     <br/>
                     <br/>
                     <br/>
                     <br/>
                     <div id="editadmin">
                              <table
id="users_table">
                             <thead>
                             ID
                             Name
                             picture
                             DELETE
                             </thead>
```

```
<?php
  include("function/konekcija.inc");
                                # user listing
                                $query="SELECT *
FROM galerija";
  $data=mysql_query($query,$konekcija);
                                if($data){
  while($row=mysql_fetch_array($data,MYSQLI_ASSOC))
{
  $gallery_del="changegallery.php?gallery_del=".@$row
['id_galerija'];
                                    echo "";
                                    echo
"".$row['id_galerija']."";
                                    echo
"".$row['naziv']."";
                                    echo "<img
src='".$row['putanja_mala']."'/>";
```

```
echo "<a
href=\"$gallery_del\" onclick=\"return
confirm_gallery_del();\"><img height='20px'
width='20px' src=\"img/no.png\" /></a>";
                                      echo "";
                                      }
                                      }
                                      else
die("Neuspešno dohvatanje podataka!");
                                      ?>
                                      <?php
                                      # gallery delete
  if(isset($_GET['gallery_del'])){
  $id=@$_GET['gallery_del'];
                                      $query="DELETE
FROM galerija WHERE id_galerija=".$id;
  if(mysql_query($query,$konekcija)){
                                      echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Uspešno ste obrisali sliku <span
style=\"color: #fbb700;\"></span>!</span><br />";
```

```
se osvežiti za 3 sekundi.";
  $refresh_time=3000; # msec
  $refresh to="changegallery.php"; # absolute link
                                        echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                        }
                                        else{
                                        echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Niste obrisali sliku!</span><br />";
                                         }
                                         <!--END
CONTENT-->
                                        <script
type="text/javascript">
                                         function
confirm gallery del(){
                                        if(confirm("Da li
ste sigurni da želite da obrišete korisnika?")) return;
                                        else return false;
                                         </script>
```

```
<form
action="<?php echo $_SERVER['PHP_SELF']; ?>" id="add-
user" method="post" enctype="multipart/form-data" >
                                 <div class="user-
backdrop"></div>
                                 <div class="user-
content">
                                 <h3>Upload
Picture</h3>
                                 <input
type="text" class="styled" id="tbImeSlike"
placeholder="Name"name="tbImeSlike" />
                                 <input type="file" id="tbSlika"
name="tbSlika" />
```

```
<br/><input type="submit"
value="Upload" class="change" name="btnPostavi" />
               <?php
include('function/funkcije.inc');
if(isset($_REQUEST['btnPostavi']))
  {
      $dir velike = "gallery/";
      $dir_male = "gallery/malaslika/";
      $ime_slike = @$_REQUEST['tbImeSlike'];
      $ime_fajla = $_FILES['tbSlika']['name'];
      $tmp_fajla = $_FILES['tbSlika']['tmp_name'];
      $tip_fajla = $_FILES['tbSlika']['type'];
      $putanja_slike = $dir_velike.$ime_fajla;
      $putanja_male = $dir_male.$ime_fajla;
      if($tip_fajla == "image/jpg" || $tip_fajla ==
"image/jpeg")
```

```
if(move_uploaded_file($tmp_fajla,
$putanja_slike))
           {
                malaslika($putanja_slike, $putanja_male,
181, 181);
                $upit_upis = "INSERT INTO galerija
VALUES(", '$ime_slike',
'$putanja_slike','$putanja_male')";
                $rez upis = mysql query($upit upis,
$konekcija);
                if(!$rez_upis)
                     $greske[] = "Greska prilikom
upisa".mysql error();
                else{echo "You are successfully uploaded
photo! Page refreshed after 3 seconds!";
                $refresh time=3000; # msec
  $refresh to="changegallery.php"; # absolute link
                                        echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                        };
```

```
include("function/zatvori.inc");
           }
       }
       else
           $greske[] = "Nije dozvoljen nijedan tip fajla
sem jpg/jpeg!";
       ispis_gresaka($greske);
?>
                                        </form>
                                        </div>
                     </div>
                </div>
            </div>
       </div>
       </div>
       <nav id="bazingaMenuContainer">
```

```
<?php
                 include("menu.php");
            ?>
            <div class="bazingaClear"></div>
            <?php
                 include("footer.php");
            ?>
        </nav>
       <script>window.jQuery ||
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
```

3.1.18 funkcije.inc

```
<?php
function malaslika($name,$filename,$new_w,$new_h){
  $system=explode('.',$name);
  if (preg_match('/jpg|jpeg/i',$system[1])){
      $src img=imagecreatefromjpeg($name);
  }
  if (preg_match('/png/i',$system[1])){
      $src_img=imagecreatefrompng($name);
  }
  $old_x=imageSX($src_img);
  $old_y=imageSY($src_img);
  if ($old_x > $old_y) {
      $thumb_w=$new_w;
      $thumb_h=$old_y*($new_h/$old_x);
  if ($old_x < $old_y) {
      t = x^*(\text{snew w/sold y});
      $thumb_h=$new_h;
  if ($old_x == $old_y) {
      $thumb_w=$new_w;
```

```
$thumb_h=$new_h;
  }
  $dst_img=imagecreatetruecolor($thumb_w,$thumb_h)
  imagecopyresampled($dst_img,$src_img,0,0,0,0,$thum
b_w,$thumb_h,$old_x,$old_y);
  if (preg_match("/png/i",$system[1])){
      imagepng($dst_img,$filename);
  } else {
      imagejpeg($dst_img,$filename);
  }
  imagedestroy($dst_img);
  imagedestroy($src_img);
}
function ispis_gresaka($greske){
 if(count($greske) != 0){
 print "";
 foreach($greske as $g){
   print "".$g."";
 }
 print "";
 }
?>
```

3.1.19 changemenu.php

```
<?php
  @session_start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">
```

```
<meta name="description" content="Welcome to
Bazinga Cafe !">
      <meta name="keywords" content="Bazinga Cafe">
      <meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
```

```
echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                  break;
          }
      ?>
          <div id="main" role="main">
              <div id="bazingaContent">
                  <div id="bazingaContentInner">
                      <div
class="bazingaThinColumnWidest">
                      <?php
                          include('adminmeni.php');
                      ?>
                      <br/>
                      <br/>
                      <br/>
                      <br/>
                      <div id="editadmin">
                              <table
id="users_table">
                              <thead>
                              ID
                              Name
                              Context
```

```
Price
                               Chocolate
                               Change
                               Delete
                               </thead>
                               <?php
  include("function/konekcija.inc");
                               # menu listing
                               $query="SELECT *
FROM katalog";
  $data=mysql_query($query,$konekcija);
                               if($data){
  while($row=mysql_fetch_array($data,MYSQLI_ASSOC))
{
  if($row['cokolada']=='yes') $is_cho="<img
src=\"img/yes.png\" height='20px' width='20px' alt=\"\"
/>";
                                        else
$is_cho="<img src=\"img/no.png\" height='20px'
width='20px' alt=\"\" />";
  $menu_edit="menu_edit.php?edit=".@$row['id_katalo
g'];
```

```
$menu_del="changemenu.php?menu_del=".@$row['id
katalog'];
                                echo "";
                                echo
"".$row['id_katalog']."";
                                echo
"".$row['naziv']."":
                                echo
"".$row['sastav']."";
                                echo
"$".$row['cena']."";
                                echo
"$is_cho";
                                echo "<a
href=\"$menu_edit\"><img height='20px' width='20px'
src=\"img/edit.png\"/></a>";
                                echo "<a
href=\"$menu del\" onclick=\"return
confirm_menu_del();\"><img height='20px' width='20px'
src=\"img/no.png\" /></a>";
                                echo "";
                                }
                                else
die("Neuspešno dohvatanje podataka!");
                                ?>
```

```
<?php
                                       # menu delete
  if(isset($ GET['menu del'])){
  $id=$_GET['menu_del'];
                                       $query="DELETE
FROM katalog WHERE id_katalog=".$id;
  if(mysql query($query,$konekcija)){
                                       echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">You are successfully deleted
article!<span style=\"color:
#fbb700;\"></span>!</span><br />";
                                       echo "Refresh
page after 3 seconds.";
  $refresh_time=3000; # msec
  $refresh_to="changemenu.php"; # absolute link
                                       echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                       }
                                       else{
```

```
echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">Task isn't execute!</span><br />";
                                       }
                                       ?>
                                       <!--END
CONTENT-->
                                       <script
type="text/javascript">
                                       function
confirm_menu_del(){
                                       if(confirm("Are
you sure want to delete this article?")) return;
                                       else return false;
                                       </script>
                                       <form
action="<?php echo $_SERVER['PHP_SELF']; ?>" id="add-
user" method="post">
                                       <div class="user-
backdrop"></div>
                                       <div class="user-
content">
                                       <h3>Create
article</h3>
```

```
<input
type="text" name="name" placeholder="Name" />
                             <input
type="text" name="context" placeholder="Context" />
                             >
                             <input
type="text" name="price" placeholder="Price"/>
                             Chocolate
                             >
                             &nbsp<input
type="radio" name="rbcho" value="Yes" /> Yes <br/>
                             <input
type="radio" name="rbcho" value="No" /> No <br/>
```

```
<input
type="reset" class="change" value="Reset" />
                                 <input
type="submit" class="change" name="adduser_btn"
value="Add" />
                                 <?php
                                 # user add
 if(isset($_POST['adduser_btn'])){
  $name=strtolower(trim(@$_POST['name']));
  $context=trim(@$_POST['context']);
  $price=trim(@$_POST['price']);
  $rbcho=trim(@$_POST['rbcho']);
```

```
$regprice="/^[^A-
Za-z]{1,}$/";
  if(!preg_match($regprice,$price))
                                       {
                                            echo " Price
must be a number!";
                                       }
                                       else{
                                       $query="INSERT
INTO katalog
VALUES(",'$name','$context','$price','$rbcho')";
  if(mysql_query($query,$konekcija)){
                                       echo "<p
style=\"text-align: center;\"><span</pre>
class=\"sucess_msg\">You are successfully create
article!</span><br />";
                                       echo "Page
refresh after 3 seconds.";
  $refresh time=3000; # msec
  $refresh_to="changemenu.php"; # absolute link
                                       echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
                                       }
```

```
else{
    echo "<span
class=\"sucess_msg\">Failed!</span><br />";
}
}
?>
</div>
</form>
</div>
```

```
</div>
    </div>
</div>
</div>
</div>
<nav id="bazingaMenuContainer">
    <?php
        include("menu.php");
    ?>
    <div class="bazingaClear"></div>
```

```
<?php
                 include("footer.php");
            ?>
        </nav>
        <script>window.jQuery | |
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
```

3.1.20 menu_edit.php

```
<?php
  @session start();
  if(!isset($_SESSION['idU']) | | $_SESSION['nu'] !=
'admin')
  {
       header('Location:index.php');
  }
?>
<!doctype html>
<html>
  <head>
       <title>Cafe Bazinga</title>
       <link rel="stylesheet" href="css/supersized.css"</pre>
media="screen" />
       <link rel="stylesheet"</pre>
href="css/jquery.jscrollpane.css" media="screen" />
       <link rel="stylesheet" href="css/stil.css"</pre>
type="text/css">
       <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8">
    <meta name="description" content="Welcome to
Bazinga Cafe !">
       <meta name="keywords" content="Bazinga Cafe">
```

```
<meta name="author" content="Vladimir
Uskokovic">
      <link rel="shortcut icon"</pre>
href="img/bazingaLogoTransparent.png">
      <script src="js/libs/modernizr-</pre>
2.0.6.min.js"></script>
  </head>
  <body>
      <div id="container">
      <?php
           switch(@$_SESSION['nu'])
           {
               case 'admin':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> <a href='panel.php'>Admin
Panel</a>";
                    break;
               case 'korisnik':
                    echo "Welcome:
<b>".$_SESSION['kor_ime']." </b><a
href='logout.php'>Logout</a> ";
                    break;
           }
```

```
?>
            <div id="main" role="main">
                <div id="bazingaContent">
                    <div id="bazingaContentInner">
                         <div
class="bazingaThinColumnWidest">
                         <?php
                             include('adminmeni.php');
                         ?>
                         <br/>
                         <br/>
                         <br/>
                         <br/>
                         <div id="edituser">
                         <?php
  include('function/konekcija.inc');
                             if(isset($_GET['edit'])){
                             $id=$ GET['edit'];
                             $query="SELECT naziv,
sastav, cena FROM katalog WHERE id_katalog=".$id;
  if($data=mysql_query($query,$konekcija)){
  while($row=mysql_fetch_row($data)){
$naziv=@$row[0];
```

```
$sastav=@$row[1];
$cena=@$row[2];
$site_page="menu_edit.php?edit=".$id;
}
else {die("Neuspešno dohvatanje podataka!");}
}
?>
<form action="<?php echo $site_page; ?>" id="edit-user"
method="post">
<div class="user-backdrop"></div>
<div class="user-content">
<h3>Change Article <span style="color:
#fbb700;"><b><?php echo @$naziv;
?></b></style></h3>
<input type="text" placeholder="Name" name="name"
value="<?php echo $naziv; ?>" />
<input type="text" placeholder="Content"</pre>
name="content" value="<?php echo $sastav; ?>" />
```

```
<input type="text" placeholder="Price" name="price"
value="<?php echo
$cena; ?>" />
Chocolate
&nbsp <input type="radio" name="rbcho" value="Yes" />
Yes <br/>
<input type="radio" name="rbcho" value="No" /> No
<br/>
<input type="reset" class="change" value="Reset" />
<input type="submit" class="change"
name="edituser btn"
value="Change" />
```

```
</form></div>
<?php
if(isset($_POST['edituser_btn'])){
$name=trim(@$_POST['name']);
$content=trim(@$_POST['content']);
$price=trim(@$ POST['price']);
$choco=trim(@$ POST['rbcho']);
$query1="UPDATE katalog
SET
naziv=\"$name\",
sastav=\"$content\",
cena=\"$price\",
cokolada=\"$choco\"
WHERE id_katalog=".$id;
if(mysql_query($query1,$konekcija)){
echo "<span
class=\"sucess msg\">Uspešno ste izmenili podatke za
proizvod!</span><br />";
echo "Bićete vraćeni na stranicu sa katalogom za 3
sekundi.";
$refresh time=3000; # msec
$refresh to="changemenu.php"; # absolute link
echo "<script
type=\"text/javascript\">setTimeout(function(){window.l
ocation.replace(\"$refresh_to\");},$refresh_time);</scrip
t>";
}
```

```
else{
echo "<span
class=\"sucess_msg\">Neuspešna izmena podataka za
korisnika!</span><br />";
echo mysql_error($konekcija);
}
}
</div>
```

```
</div>
</div>
</div>
</div>
</div>
<nav id="bazingaMenuContainer">
<?php
        include("menu.php");
        ?>
        <div class="bazingaClear"></div>
<?php
```

```
include("footer.php");
            ?>
        </nav>
       <script>window.jQuery ||
document.write('<script src="js/libs/jquery-
1.6.2.min.js"><\/script>')</script>
       <script type="text/javascript"</pre>
src="js/mylibs/supersized.3.1.3.min.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.mousewheel.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/mwheelIntent.js"></script>
       <script type="text/javascript"</pre>
src="js/mylibs/jquery.jscrollpane3.min.js"></script>
        <script src="js/background.js"></script>
        <script defer src="js/plugins.js"></script>
        <script defer src="js/script.js"></script>
  </body>
</html>
```

3.2.1. jquery.jscrollpane.css

```
.jspContainer
  overflow: hidden;
  position: relative;
}
.jspPane
  position: absolute;
}
.jspVerticalBar
  position: absolute;
  top: 0;
  right: 0;
  width: 14px;
  height: 100%;
  background: none;
```

```
}
.jspHorizontalBar
  position: absolute;
  bottom: 0;
  left: 0;
  width: 100%;
  height: 16px;
  background: red;
}
.jspVerticalBar *,
.jspHorizontalBar *
  margin: 0;
  padding: 0;
}
.jspCap
  display: none;
}
.jspHorizontalBar .jspCap
{
  float: left;
}
```

```
.jspTrack
  background: rgba(0,0,0,0.2);
  background-repeat:repeat-y;
  position: relative;
}
.jspDrag
  /*background: url(../img/bazingaScrollerBean.png);
  background-repeat:no-repeat;*/
  background:white;
  position: relative;
  top: 0;
  left: 0;
  cursor: pointer;
}
.jspHorizontalBar .jspTrack,
.jspHorizontalBar .jspDrag
  float: left;
  height: 100%;
}
.jspArrow
  background: #50506d;
  text-indent: -20000px;
```

```
display: block;
  cursor: pointer;
}
.jspArrow.jspDisabled
  cursor: default;
  background: #80808d;
}
.jspVerticalBar .jspArrow
{
  height: 16px;
}
.jspHorizontalBar .jspArrow
  width: 16px;
  float: left;
  height: 100%;
}
.jspVerticalBar .jspArrow:focus
{
  outline: none;
}
.jspCorner
```

```
background: #eeeef4;
  float: left;
  height: 100%;
}
/* Yuk! CSS Hack for IE6 3 pixel bug :( */
* html .jspCorner
{
  margin: 0 -3px 0 0;
}
3.2.2. supersized.css
* { margin:0; padding:0; }
body { background:#1a1a1a; }
  img{ border:none; }
  #supersized-loader { position:absolute; top:50%;
left:50%; z-index:10; width:60px; height:60px; margin:-
30px 0 0 -30px; text-indent:-999em; background-
color:#111; background:rgba(0,0,0,0.8)
url(../img/progress.gif) no-repeat center center; -webkit-
border-radius:5px; -moz-border-radius:5px; border-
radius:5px;}
```

```
#supersized { position:fixed; left:0; top:0;
overflow:hidden; z-index:-999; height:100%; width:100%;
       #supersized img{ width:auto; height:auto;
position:relative; display:none; outline:none;
border:none; }
           #supersized.speed img { -ms-interpolation-
mode:nearest-neighbor; image-rendering: -moz-crisp-
           /*Speed*/
edges; }
           #supersized.quality img { -ms-interpolation-
mode:bicubic; image-rendering: optimizeQuality; }
       /*Quality*/
       #supersized a { z-index:-30; position:absolute;
overflow:hidden; top:0; left:0; width:100%; height:100%;
background:#111;}
            #supersized a.prevslide { z-index:-20; }
            #supersized a.activeslide { z-index:-10; }
            #supersized a.prevslide img, #supersized
a.activeslide img{ display:inline; }
  /*Controls Section*/
  #controls-wrapper { margin:0 auto; height:62px;
width:100%; bottom:0; left:0; z-index:4;
background:url(../img/nav-bg.png) repeat-x;
position:fixed; }
       #controls { overflow:hidden; height:100%; text-
align:left; z-index:5; padding:0 114px; /* Increase padding
to give thumbnails room */ }
```

```
#slidecounter { float:left; color:#888;
font:23px "Helvetica Neue", Helvetica, Arial, sans-serif;
font-weight:bold; text-shadow:#000 0 -1px 0;
margin:19px 10px 18px 20px; }
           #slidecaption { overflow:hidden; float:left;
color:#FFF; font:16px "Helvetica Neue", Helvetica, Arial,
sans-serif; font-weight:bold; text-shadow:#000 0 2px 0;
margin:23px 20px 23px 0; }
           #navigation { float:right; margin:10px 20px 0
0; }
  /*Thumbnail Navigation*/
  #nextthumb,#prevthumb { z-index:6; display:none;
position:fixed; bottom:12px; height:75px; width:100px;
overflow:hidden; background:#ddd; border:2px solid #fff;
-webkit-box-shadow:0 0 5px #000; }
       #nextthumb { right:12px; }
       #prevthumb { left:12px; }
           #nextthumb img, #prevthumb img {
width:150px; height:auto; }
           #nextthumb:active, #prevthumb:active {
bottom:10px; }
           #navigation > :hover,#nextthumb:hover,
#prevthumb:hover { cursor:pointer; }
```

3.2.3 jquery.fancybox-1.3.4.css

```
#fancybox-loading {
  position: fixed;
  top: 50%;
  left: 50%;
  width: 40px;
  height: 40px;
  margin-top: -20px;
  margin-left: -20px;
  cursor: pointer;
  overflow: hidden;
  z-index: 1104;
  display: none;
}
#fancybox-loading div {
  position: absolute;
  top: 0;
  left: 0;
  width: 40px;
  height: 480px;
  background-image: url('fancybox.png');
}
#fancybox-overlay {
```

```
position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  z-index: 1100;
  display: none;
}
#fancybox-tmp {
  padding: 0;
  margin: 0;
  border: 0;
  overflow: auto;
  display: none;
}
#fancybox-wrap {
  position: absolute;
  top: 0;
  left: 0;
  padding: 20px;
  z-index: 1101;
  outline: none;
  display: none;
}
#fancybox-outer {
  position: relative;
  width: 100%;
```

```
height: 100%;
  background: #fff;
}
#fancybox-content {
  width: 0;
  height: 0;
  padding: 0;
  outline: none;
  position: relative;
  overflow: hidden;
  z-index: 1102;
  border: 0px solid #fff;
}
#fancybox-hide-sel-frame {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background: transparent;
  z-index: 1101;
}
#fancybox-close {
  position: absolute;
  top: -15px;
  right: -15px;
```

```
width: 30px;
  height: 30px;
  background: transparent url('fancybox.png') -40px 0px;
  cursor: pointer;
  z-index: 1103;
  display: none;
}
#fancybox-error {
  color: #444;
  font: normal 12px/20px Arial;
  padding: 14px;
  margin: 0;
}
#fancybox-img {
  width: 100%;
  height: 100%;
  padding: 0;
  margin: 0;
  border: none;
  outline: none;
  line-height: 0;
  vertical-align: top;
}
#fancybox-frame {
  width: 100%;
  height: 100%;
```

```
border: none;
  display: block;
}
#fancybox-left, #fancybox-right {
  position: absolute;
  bottom: 0px;
  height: 100%;
  width: 35%;
  cursor: pointer;
  outline: none;
  background: transparent url('blank.gif');
  z-index: 1102;
  display: none;
}
#fancybox-left {
  left: 0px;
}
#fancybox-right {
  right: 0px;
}
#fancybox-left-ico, #fancybox-right-ico {
  position: absolute;
  top: 50%;
  left: -9999px;
  width: 30px;
```

```
height: 30px;
  margin-top: -15px;
  cursor: pointer;
  z-index: 1102;
  display: block;
}
#fancybox-left-ico {
  background-image: url('fancybox.png');
  background-position: -40px -30px;
}
#fancybox-right-ico {
  background-image: url('fancybox.png');
  background-position: -40px -60px;
}
#fancybox-left:hover, #fancybox-right:hover {
  visibility: visible; /* IE6 */
}
#fancybox-left:hover span {
  left: 20px;
}
#fancybox-right:hover span {
  left: auto;
  right: 20px;
}
```

```
.fancybox-bg {
  position: absolute;
  padding: 0;
  margin: 0;
  border: 0;
  width: 20px;
  height: 20px;
  z-index: 1001;
}
#fancybox-bg-n {
  top: -20px;
  left: 0;
  width: 100%;
  background-image: url('fancybox-x.png');
}
#fancybox-bg-ne {
  top: -20px;
  right: -20px;
  background-image: url('fancybox.png');
  background-position: -40px -162px;
}
#fancybox-bg-e {
  top: 0;
  right: -20px;
  height: 100%;
```

```
background-image: url('fancybox-y.png');
  background-position: -20px 0px;
}
#fancybox-bg-se {
  bottom: -20px;
  right: -20px;
  background-image: url('fancybox.png');
  background-position: -40px -182px;
}
#fancybox-bg-s {
  bottom: -20px;
  left: 0;
  width: 100%;
  background-image: url('fancybox-x.png');
  background-position: 0px -20px;
}
#fancybox-bg-sw {
  bottom: -20px;
  left: -20px;
  background-image: url('fancybox.png');
  background-position: -40px -142px;
}
#fancybox-bg-w {
  top: 0;
  left: -20px;
```

```
height: 100%;
  background-image: url('fancybox-y.png');
}
#fancybox-bg-nw {
  top: -20px;
  left: -20px;
  background-image: url('fancybox.png');
  background-position: -40px -122px;
}
#fancybox-title {
  font-family: Helvetica;
  font-size: 12px;
  z-index: 1102;
}
.fancybox-title-inside {
  padding-bottom: 10px;
  text-align: center;
  color: #333;
  background: #fff;
  position: relative;
}
.fancybox-title-outside {
  padding-top: 10px;
  color: #fff;
}
```

```
.fancybox-title-over {
  position: absolute;
  bottom: 0;
  left: 0;
  color: #FFF;
  text-align: left;
}
#fancybox-title-over {
  padding: 10px;
  background-image: url('fancy_title_over.png');
  display: block;
}
.fancybox-title-float {
  position: absolute;
  left: 0;
  bottom: -20px;
  height: 32px;
}
#fancybox-title-float-wrap {
  border: none;
  border-collapse: collapse;
  width: auto;
}
#fancybox-title-float-wrap td {
```

```
border: none;
  white-space: nowrap;
}
#fancybox-title-float-left {
  padding: 0 0 0 15px;
  background: url('fancybox.png') -40px -90px no-repeat;
}
#fancybox-title-float-main {
  color: #FFF;
  line-height: 29px;
  font-weight: bold;
  padding: 0 0 3px 0;
  background: url('fancybox-x.png') 0px -40px;
}
#fancybox-title-float-right {
  padding: 0 0 0 15px;
  background: url('fancybox.png') -55px -90px no-repeat;
}
/* IE6 */
.fancybox-ie6 #fancybox-close { background: transparent;
filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_close.png', sizingMethod='scale'); }
```

```
.fancybox-ie6 #fancybox-left-ico { background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_nav_left.png', sizingMethod='scale');
.fancybox-ie6 #fancybox-right-ico { background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_nav_right.png', sizingMethod='scale');
.fancybox-ie6 #fancybox-title-over { background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_title_over.png',
sizingMethod='scale'); zoom: 1; }
.fancybox-ie6 #fancybox-title-float-left { background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_title_left.png', sizingMethod='scale');
.fancybox-ie6 #fancybox-title-float-main { background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy title main.png',
sizingMethod='scale'); }
.fancybox-ie6 #fancybox-title-float-right { background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
```

```
rc='fancybox/fancy title right.png',
sizingMethod='scale'); }
.fancybox-ie6 #fancybox-bg-w, .fancybox-ie6 #fancybox-
bg-e, .fancybox-ie6 #fancybox-left, .fancybox-ie6
#fancybox-right, #fancybox-hide-sel-frame {
  height: expression(this.parentNode.clientHeight +
"px");
#fancybox-loading.fancybox-ie6 {
  position: absolute; margin-top: 0;
  top: expression( (-20 +
(document.documentElement.clientHeight?
document.documentElement.clientHeight/2:
document.body.clientHeight/2) + (ignoreMe =
document.documentElement.scrollTop?
document.documentElement.scrollTop:
document.body.scrollTop )) + 'px');
}
#fancybox-loading.fancybox-ie6 div{ background:
transparent; filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy loading.png', sizingMethod='scale'); }
/* IE6, IE7, IE8 */
```

```
.fancybox-ie .fancybox-bg { background: transparent
!important; }
.fancybox-ie #fancybox-bg-n { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy shadow n.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-ne { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_shadow_ne.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-e { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_shadow_e.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-se { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy shadow se.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-s { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_shadow_s.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-sw { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_shadow_sw.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-w { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
```

```
rc='fancybox/fancy_shadow_w.png',
sizingMethod='scale'); }
.fancybox-ie #fancybox-bg-nw { filter:
progid:DXImageTransform.Microsoft.AlphaImageLoader(s
rc='fancybox/fancy_shadow_nw.png',
sizingMethod='scale'); }
                 3.3 jQuery I javaScript
3.3.1 background.js
  jQuery(function($){
                $.supersized({
                    //Functionality
                    slideshow
                                      : 1,
  //Slideshow on/off
```

```
autoplay
                                                 1,
  //Slideshow starts playing automatically
                     start slide
                                      : 1,
                                                 //Start
slide (0 is random)
                     random
                                                      0,
       //Randomize slide order (Ignores start slide)
                     slide interval
                                        : 5600,
  //Length between transitions
                                                 //0-
                     transition
                                      : 1,
None, 1-Fade, 2-Slide Top, 3-Slide Right, 4-Slide Bottom,
5-Slide Left, 6-Carousel Right, 7-Carousel Left
                     transition speed
                                                 1200.
  //Speed of transition
                     new window
                                                      1,
       //Image links open in new window/tab
                     pause hover
                                         : 0,
  //Pause slideshow on hover
                     keyboard nav
                                          : 0,
  //Keyboard navigation on/off
                     performance
                                                      3,
       //0-Normal, 1-Hybrid speed/quality, 2-Optimizes
image quality, 3-Optimizes transition speed // (Only
works for Firefox/IE, not Webkit)
                     image protect
                                                      0,
       //Disables image dragging and right click with
Javascript
                     image path
  '../img/', //Default image path
```

```
//Size & Position
                                         : 0,
                  min width
//Min width allowed (in pixels)
                  min height
                                         : 0,
//Min height allowed (in pixels)
                  vertical center
                                     : 1,
//Vertically center background
                  horizontal center
                                       : 1,
//Horizontally center background
                  fit_always
                                                  1,
                  //Components
                  navigation
                                   : 0,
//Slideshow controls on/off
                  thumbnail_navigation : 0,
//Thumbnail navigation
                  slide_counter
                                     : 0,
//Display slide numbers
                  slide captions
//Slide caption (Pull from "title" in slides array)
                  slides
                                                  ſ
    //Slideshow Images
    {image: 'img/backgrounds/background 003.jpg'},
    {image: 'img/backgrounds/background_002.jpg'},
```

3.4 AJAX

3.4.1 AJAX za pretragu se nalazi na index strain

```
<script>
function showHint(str) {
   if (str.length == 0) {
      document.getElementById("txtHint").innerHTML =
"";
   return;
   } else {
```

```
var xmlhttp = new XMLHttpRequest();
    xmlhttp.onreadystatechange = function() {
        if (xmlhttp.readyState == 4 && xmlhttp.status ==
200) {
            document.getElementById("txtHint").innerHTML
= xmlhttp.responseText;
        }
    }
    xmlhttp.open("GET", "gethint.php?q=" + str, true);
    xmlhttp.send();
}
```

4. Dizajn baze





naziv_uloge : varchar(20)









🗸 💍 coffeebase. ankete

pitanje : varchar(100)

@ id_ankete : int(5)

aktivna : int(1)