DOKUMENTACIJA

Praktikum iz PHP-a

Vladimir Lobanov 84/21 Smer: Internet Tehnologije Modul: Web Programiranje Predmet: Praktikum iz PHP-a

Sadrzaj

Uvod


1.1 Korisceni programski jezici

Jezike koje sam koristio prilikom izrade sajta su HTML,CSS, JavaScript, JQuery kao biblioteku, PHP I koristio sam bootstrap kao framework za zeljeni izgled.

1.2 Opis funkcionalnosti

- Dinamicki slajder
- Login forma kao obradjena klijentskim I serverskim putem.
- Register forma validirana I klijentski I serverski
- Admin panel sa CRUD operacijama sa razlicitim varijantama elemenata forme
- Cuvanje slika u bazi I njihovo menjanje
- Menjanje lozinke usera I admina
- Cuvanje odgovora ankete
- Prikazivanje pitanja logovanih korisnika

1.2 Baza podataka



ORGANIZACIJA 2.1 Mapa sajta

```
<?xml version="1.0" encoding ="UTF-8"?>
<urlset xmlns = "http://www.sitemaps.org/schemas/sitemap/0.9">
   <url>
       <loc>https://student-library-panel.000webhostapp.com/index.php</loc>
       <lastmod>06/05/2023</lastmod>
       <changefreq>daily</changefreq>
       <priority>0.9</priority>
   </url>
   <url>
       <loc>https://student-library-panel.000webhostapp.com/signup.php</loc>
       <lastmod>06/05/2023</lastmod>
       <changefreq>daily</changefreq>
       <priority>0.9</priority>
   </url>
   <url>
       <loc>https://student-library-panel.000webhostapp.com/admin/dashboard.php</loc>
       <lastmod>05/03/2023</lastmod>
       <changefreq>weekly</changefreq>
       <priority>0.8</priority>
   </url>
   <url>
       <loc>https://student-library-panel.000webhostapp.com/contact-admin.php</loc>
       <lastmod>06/04/2023</lastmod>
       <changefreq>weekly</changefreq>
       <priority>0.7</priority>
   </url>
   <url>
       <loc>https://student-library-panel.000webhostapp.com/admin/contact-review.php</loc>
       <lastmod>05/05/2023</lastmod>
       <changefreq>daily</changefreq>
       <priority>0.8</priority>
   </url>
   <url>
       <loc>https://student-library-panel.000webhostapp.com/admin/reg-students.php</loc>
       <lastmod>05/05/2023</lastmod>
       <changefreq>daily</changefreq>
       <priority>0.8</priority>
   </url>
    <url>
       <loc>https://student-library-panel.000webhostapp.com/author.php</loc>
       <lastmod>05/03/2023</lastmod>
       <changefreq>montly</changefreq>
       <priority>0.6</priority>
```

</url: </urlset>

2.1 SLIKE STRANICA I OPIS FUNKCIONALNOSTI



HOME STUDENT LOGIN STUDENT REGISTER ADMIN PANEL AUTHOR



STUDENT LOG IN

Enter your credentials			
Enter Email:			
Password:			
LOGIN Not Registered	Yet		


Ova stranica je početna stranica za online sistem za upravljanje studentskim podacima (OLMS) koji omogućava studentima da se prijave i pristupe svojim podacima. Na početnoj stranici nalazi se klizač sa tri slike koje se automatski rotiraju i prikazuju unapred definisane slike. Također, na početnoj stranici nalazi se sekcija za prijavu studenata koja provjerava valjanost korisničkih podataka i prikazuje odgovarajuće greške ako su podaci neispravni. Na dnu stranice nalazi se zaglavlje i podnožje koje sadrže dodatne informacije. Ukoliko podaci nisu ispravni klijentski se

prvenstveno prikazuju greske. Ukoliko nije uneseno ispravan Email ili lozinka,korisniku se prikazuje


Greska.

Enter Email:	
Email is required	
Password:	
Password is required LOGIN Not Registered Yet	
Enter your credentials	
Enter Email:	
Enter Email: vlada@gmail.com	
vlada@gmail.com	
Enter Email: vlada@gmail.com Password: Password is required	

Signup.php



REGISTER AND USE OUR LIBRARY!



Ovaj kod prikazuje stranicu za registraciju studenata za sistem za upravljanje bibliotekom. Kada korisnik popuni formu i klikne na dugme "signup", PHP skripta proverava da li postoji student sa istom email adresom u bazi podataka. Ako postoji, prikazuje se poruka o grešci. Ako student sa tom email adresom ne postoji u bazi, skripta generiše novi ID broj studenta i dodaje novog studenta u bazu podataka sa informacijama koje je korisnik uneo u formi.

Ova stranica koristi i JavaScript za proveru dostupnosti email adrese korisnika. Kada korisnik unese email adresu, JavaScript skripta šalje zahtev serveru da proveri da li postoji student sa tom email adresom u bazi podataka. Ako postoji, korisniku se prikazuje poruka da email adresa nije dostupna, a ako ne postoji, prikazuje se poruka da je email adresa dostupna.


Korisnički interfejs stranice je implementiran pomoću HTML-a i CSS-a, uz Bootstrap okvir za stajlizovanje elemenata i Font Awesome biblioteku za ikonice. Stranica takođe uključuje zaglavlje koje je uključeno u svaku stranicu, koje se nalazi u fajlu "header.php".

vladimirloban	ov338@gmail.com				
---------------	-----------------	--	--	--	--

Takodje postoji zasebna stranica koja realizuje logiku email prilikom registracije. Ukoliko se u bazi nalazi korisnik sa zadatim mejlom, prikazace mu se greska, a ukoliko ne postoji prikazuje se poruka.

vladimirloabanov338@gmai	il.com		
--------------------------	--------	--	--

Author.php



ABOUT ME


Greetings everyone! My name is Vladimir Lobanov and i am the only author of this website. I am student of ICT college, 2nd year. I found my passion in creating websites and learning new possibilities after taking short course on Web design, so decided to dig deeper and learn a lot more cool stuff. I have experience working in MS Office package, as well in HTML.HTML5.CSS3 and MySQL DBMS. I enjoy my free time in reading news and different forums on tech-trends, playing video games and reading about political topics. My biggest joy is to sit. turn on the music, relax and drink coffee in a cozy space while coding. :D

</About me>

Broj indeksa: 84/21

Stranica o autoru, koja prikazuje opste informacije o autoru sajta.

Svaka stranica se ucitava kroz index.php, gde se razliciti parametar prosledjuje kroz URL adresu I na samoj index.php stranici je ucitana konekcija sa bazom, kao I header I footer za svaku stranicu.




Glavni sadržaj stranice je prikaz nekoliko statističkih podataka u obliku kartica s ikonama i brojevima. Podaci uključuju ukupan broj knjiga, broj knjiga koje još nisu vraćene, ukupan broj registriranih korisnika, broj navedenih autora i broj odgovora na anketu. Svaka kartica ima <a "href" > koja vodi na drugu stranicu za upravljanje odgovarajućim podacima. Postoji nekoliko SQL upita koji dohvataju podatke iz baze podataka i koriste se za brojanje redova u tabelama s knjigama, sa karticom o kontaktiranju admina, samom profilu. Takodje, ulogovani korisnik moze da uradi anketu I submituje je koja ce se INSERT operacijom cuvati u bazi. Koriscen je iskljucivo framework Bootstrap za izradu kompletne stranice.


Listed-books.php








LIST OF BOOKS




Ovo je PHP stranica koja prikazuje listu knjiga iz biblioteke. Uključuje konekciju na bazu podataka, prikazuje zaglavlje i poziva skriptu za prikaz navigacionog menija, prikazuje panel sa naslovom "Library Books" i listom knjiga iz baze podataka. Koristi se PDO objekat za izvršavanje SQL upita i dohvatanje podataka iz baze. Knjige su prikazane

u thumbnail formatu, a za svaku knjigu se prikazuje naslov, kategorija, autor, ISBN broj i slika. Takođe, ako je knjiga već izdata, ispod naslova knjige će se prikazati odgovarajuća poruka. Stranica se neće prikazati ako korisnik nije prijavljen (login). Ako korisnik nije prijavljen, biće preusmeren na stranicu za prijavu (index.php). Stranica ima obradjenu paginaciju tako da se po strani prikazuje maksimalno 6 knjiga, a zatim korisnik klikom na stranu, menja prikaz.


Contact-admin.php





Ukoliko korisnik ima neka pitanja, moze se putem kontakt forme obratiti adminu direktno I sacekati odgovor u roku od 24h. Korisnik unosi email adresu koja je identicna sa emailom kojim se prijavio na sistem I unosi poruku. Nakon INSERT operacije poruka se cuva u bazi gde se zapisuje I ID korisnika koji je poslao kao I njegov email.

My-profile.php



My profile.php služi za ažuriranje podataka studenta u bazi podataka.

U početnom delu, kod proverava da li je korisnik prijavljen na sistem. Ako nije, korisnik će biti preusmeren na stranicu za prijavu.


Ako je korisnik prijavljen, kod čeka podatke iz forme za ažuriranje, a zatim izvršava SQL upit koji ažurira informacije studenta u bazi podataka. Nakon izvršavanja upita, proverava se broj redova koji su bili pogođeni ažuriranjem i prikazuje poruku o uspehu ili neuspehu ažuriranja. U nastavku korisnik ne moze promeniti email adresu kojom je logovanom, vec korisnicko ime ili broj telefona I ukoliko je doslo do greske ispisuje se poruka.

Na kraju HTML koda nalazi se JavaScript kôd koji dodaje funkcionalnost za slanje podataka iz forme koristeći AJAX. Nakon slanja podataka, JavaScript kod prikazuje poruku o uspehu ili neuspehu ažuriranja.



Change-password.php


CHANGE PASSWORD



Ukoliko korisnik nije zadovoljan trenutnom lozinkom moze je uvek promeniti u okviru sekcije change-password.php. Kada dodje do izmene korisniku se ispisuje poruka o uspehu ili gresci prilikom azuriranja.

Survey-review.php







Prvo se proverava da li je korisnik prijavljen u OLMS (Online Learning Management System) web aplikaciju tako što proverava dužinu session varijable 'login'. Ako nije prijavljen, preusmerava korisnika na stranicu za prijavu. Zatim se proverava postoji li 'answer_id' varijabla u \$_POST nizu. Ako postoji, onda uzima

'answer_id' vrednosti ubacuje ga u bazu podataka u student_answer tablicu zajedno s id-em studenta koji je trenutno prijavljen.

Ako student s tim emailom ne postoji u bazi podataka, izacice greska 'error_message' session varijablu i preusmeriti korisnika na njegovu nadzornu ploču (dashboard). Ako student postoji u bazi podataka, skripta će prikazati HTML stranicu s obrascem za anketiranje.

Uzima se iz baze podataka pitanja i prikazuju se kao radio dugmici s njihovim odgovorima. Kada korisnik odabere odgovor i klikne na 'Submit' dugme, forma će spremati odgovor u bazu I zapisati ga u red. Prilikom klika na 'logout' sesija se unistava I korisnik vise nije ulogovan.



Kada korisnik klikne da dugme Posalji, rezultat se cuva u bazi za admina, a na njegovom dashboard.php se prikazuje poruka o uspesnom slanju.


AdminLogin.php

ADMIN LOGIN FORM



Admin se moze ulogovati na sistem svojom lozinkom I username-om.


Admin/dashboard.php




Nakon uspesne prijave na sistem, admin ima mogucnost upravljanja sajtom. Dinamicki meni se menja I prikazuje dodatne opcije koje admin moze izvrsiti kao CRUD operacije iz baze. Dashboard je slican korisnickom, samo sto admin ima mogucnost da izlistava nove knjige, da dodaje kategorije, autore, da upravlja vracenim knjigama ili registrovanim korisnicima.


Manage-books.php

MANAGE BOOKS



ADD BOOK






Stranice, manage-books, add-book, edit-book predstavljaju CRUD operacije kojima admin moze u kontaktu sa bazom podataka, da doda novu knjigu na spisak I da je izmeni ukoliko je potrebno. Forma za izmenu se sastoji od podataka vezanih za autora, naziva knjige I jedinstvenog broja knjige(ISPBN- internacionalni studentski broj knjige, koji je unique). Takodje ukoliko student nije vratio knjigu u nekom odredjenom roku, moze se definisati cena kazne. Svaka knjiga ima I jedinstvenu cenu.

Manage-categories.php Add-categories.php Edit-categories.php

MANAGE CATEGORIES




EDIT CATEGORY




Stranice za upravljanje kategorijama gde su izlistane kategorije upitom iz baze. Prikazuju se dodatno statusi kategorija, u zavisnosti da li knjige u biblioteci imaju odredjenu kategoriju, kao I informacije o kreiranju kategorije I izmenama u istim. Admin moze takodje dodati novu kategoriju ili izbrisati istu. Prilikom dodavanja klikom na dugme Edit, otvara se mini forma gde se

unosi ime kategorije I status se cekira. Kada dodje do uspesnog dodavanja ili izmene izlazi sledeca poruka:




Stranice o autorima rade na slican princip koput kategorija.

MANAGE AUTHORS




ADD AUTHOR




Issued-books.php
Issued-books-details.php
Issue-new-book.php
Manage-issued-books.php

ISSUE A NEW BOOK




Admin moze na osnovu jedinstvenog ID studenta da iznajmi knjigu na njegovo ime. Ukoliko dodje do iznajmljivanja knjiga dobija status Book already issued I ne moze se koristiti u tom periodu. Kada korisnik vrati knjigu, koriscenje se naplacuje I definise se odredjena kvota novca. U tabeli na stranici manage-issued-books.php se vide podaci o iznajmljivanju I vracanju knjiga.



Ukoliko se ne unese ispravan ISPBN knjige, izlazi poruka Record not found odmah nakon Blur polja omoguceno Blur() funkcijom u kodu.

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE




Student-history.php Reg-students.php



MANAGE REGISTERED STUDENTS






#SID035 BOOK ISSUED HISTORY

#	Student ID	Student Name	Issued Book	Issued Date	Returned Date	Fine (if any)
1	SID035	Vladimir Lobanov	The joy of PHP 2.Edition	2023-05-10 20:02:29	2023-05-10 20:12:50	20

Lista korisnika koji koriste sistem gde svaki korisnik prijavljen na sistem dobija status Active. Ukoliko admin odluci da sankcionise korisnika, pomocu tabele I dugmeta Inactive, blokira korisnika. Na stranici student-history.php se vide istorije uzimanih knjiga sa datumima, I kaznom tj. Naplatom koriscenja zadate knjige za zadatog korisnika. Kao I regularni korisnik, admin ima mogucnost da izmenu lozinku.

Survey-listed-anwsers.php




Kada neki korisnik glasa za anketu, u admin sekciji se odgovori izlistavaju I prikazuje se statistika najbiranijeg odgovora.

Check-availibility.php


Stranica check-availability proverava dostupnost mejla povlacenjem podataka iz baze.

Users-text-file.php




Na ovoj stranici admin ima mogucnost da prati novoregistrovane korisnike,kada se neki student registruje kroz signup.php formu, automatski se u tekstualni fajl upisuje taj korisnik I njegovi podaci.

Omogucena su I dugmad za brisanje I izmenu istog korisnika.



VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE



Na ovoj stranici admin moze da pregleda statistiku I broj pristupa odredjenim stranicama, I prikaz u procentima istim. Kroz bazu se iz tabele page-views izvlace podaci o stranicama I URL adrese I ispisuju se u okviru ove stranice.

KODOVI PHP Index.php

```
session_start();
include('views/fixed/connection.php');
include('models/validateLoginStudents.php');
include('models/unos.php');
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Home Page </title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
    <link href='https://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
<?php include('views/fixed/header.php');?>
<?php
    if(isset($_GET['page'])){
        switch($_GET['page']){
            case 'admin':
                include 'views/pages/adminLogin.php';
                break;
            case 'register':
                include 'views/pages/signup.php';
                break;
            case 'pocetna':
                include 'views/pages/pocetna.php';
                break;
            case 'dashboard':
                include 'views/pages/dashboard.php';
                break:
            case 'issued':
                include 'views/pages/issued-books.php';
                break:
            case 'listed':
                include 'views/pages/listed-books.php';
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
break;
            case 'contact':
                include 'views/pages/contact-admin.php';
                break;
            case 'profile':
                include 'views/pages/my-profile.php';
                break;
            case 'password-change':
                include 'views/pages/change-password.php';
                break;
            case 'survey':
                include 'views/pages/survey-review.php';
            case 'update':
                include 'views/pages/update-profile.php';
                break:
            case 'author':
                include 'views/pages/author.php';
            default:
                include 'index.php';
   else{
       include 'views/pages/pocetna.php';
?>
   <?php include('views/fixed/footer.php');?>
   <script src="assets/js/jquery-1.10.2.js"></script>
   <script src="assets/js/bootstrap.js"></script>
</body>
</html>
```

Check availability.php

```
<?php
require_once('views/fixed/connection.php');
if(!empty($_POST["email"])) {
    $email= $_POST["email"];
    if (filter_var($email, FILTER_VALIDATE_EMAIL)===false) {
    }
    else {
        $sql ="SELECT email FROM students WHERE email=:email";
        $query= $dbh -> prepare($sql);
        $query-> bindParam(':email', $email, PDO::PARAM_STR);
        $query-> execute();
        $results = $query -> fetchAll(PDO::FETCH_OBJ);
        $cnt=1;
}
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
if($query -> rowCount() > 0)
{
    echo "<span style='color:red'> Email already exists .</span>";
    echo "<script>$('#submit').prop('disabled',true);</script>";
} else{
    echo "<span style='color:green'> Email available for Registration .</span>";
    echo "<script>$('#submit').prop('disabled',false);</script>";
}
}
}
}
```

Views/fixed/connection.php

```
define('DB_HOST','localhost');
define('DB_USER','root');
define('DB_PASS','');
define('DB_NAME','library');
    try
    {
        $dbh = new PDO("mysql:host=".DB_HOST.";dbname=".DB_NAME,DB_USER,
DB_PASS,array(PDO::MYSQL_ATTR_INIT_COMMAND => "SET NAMES 'utf8'"));
    }
    catch (PDOException $e)
    {
        exit("Error: " . $e->getMessage());
    }
}
```

Views/fixed/footer.php

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
</div>
</section>

<style>
    .ic{
        padding: 20px;
        font-size: 20px;
        color: blue;
    }
</style>
```

Views/fixed/header.php

```
<style>
    .dropdown a{
        background-color: #f5f5f5 !important;
    .dropdown a:hover{
        background-color: #f5f5f5 !important;
    .dropdown a:focus{
        background-color: #f5f5f5 !important;
</style>
<nav class="navbar navbar-inverse set-radius-zero">
   <div class="container">
        <div class="navbar-header">
            <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-</pre>
target="#navbar-collapse">
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <a id="logo" href="<?php echo isset($_SESSION['login']) ?</pre>
index.php?page=dashboard' : 'index.php'; ?>">
                <img src="assets/img/myLogo.png" alt="Logo">
            </a>
        </div>
        <?php if(isset($_SESSION['login']) && $_SESSION['login'])</pre>
   <div class="right-div">
        <a href="models/logout.php" class="btn btn-danger pull-right">LOG ME OUT</a>
   </div>
<?php }?>
</div>
</div>
<!-- LOGO HEADER END-->
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<?php if(isset($ SESSION['login']) && $ SESSION['login'])</pre>
<section class="menu-section">
   <div class="container">
      <div class="row">
          <div class="col-md-12">
             <div class="navbar-collapse collapse">
                <a href="index.php?page=dashboard" class="menu-top-</a>
active">DASHBOARD</a>
                   <a href="index.php?page=issued">Issued Books</a>
                   <a href="index.php?page=contact">Contact Admin</a>
                   class="dropdown">
                       <a href="#" class="dropdown-toggle" id="ddlmenuItem" data-</pre>
toggle="dropdown"> Account <i class="fa fa-angle-down"></i></a>
                       <a role="menuitem" tabindex="-1"</pre>
href="index.php?page=profile">My Profile</a>
                          <a role="menuitem" tabindex="-1"</pre>
href="index.php?page=password-change">Change Password</a>
                       </div>
          </div>
      </div>
   </div>
</section>
<?php } else { ?>
   <section class="menu-section">
      <div class="container">
          <div class="row">
             <div class="col-md-12">
                <div class="navbar-collapse collapse">
                   $sql = "SELECT * FROM navigations";
                       $stmt = $dbh->query($sql);
                       $navItems = $stmt->fetchAll(PDO::FETCH ASSOC);
                       <?php foreach ($navItems as $navItem) { ?>
                          <a href="<?php echo $navItem['href']; ?>"><?php echo</pre>
$navItem['name']; ?></a>
                       <?php } ?>
                   </div>
             </div>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
</div>
        </div>
    </section>
<?php } ?>
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<script>
$(document).ready(function() {
    $('.dropdown-toggle').on('click', function(e) {
        e.preventDefault();
        $(this).parent().toggleClass('open');
    });
    var currentPage = "<?php echo $_GET['page'] ?? ''; ?>";
    $('#menu-top li a').each(function() {
        var linkPage = $(this).attr('href').split('=')[1];
        if (linkPage === currentPage) {
            $(this).addClass('menu-top-active');
            if (linkPage !== 'profile' && linkPage !== 'password-change') {
                $(this).parents('.dropdown').addClass('open');
    });
});
</script>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/adminLogin.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
$ SESSION['alogin'] = true;
if($ SESSION['alogin']!=''){
$_SESSION['alogin']='';
if(isset($ POST['login']))
$username=$ POST['username'];
$password=md5($ POST['password']);
$sq1 ="SELECT UserName,Password FROM admin WHERE UserName=:username and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':username', $username, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
if($query->rowCount() > 0)
$ SESSION['alogin']=$ POST['username'];
echo "<script type='text/javascript'> document.location ='admin/dashboard.php'; </script>";
echo "<script>alert('Invalid Details');</script>";
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Admin Panel</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
<body>
    <div class="container">
       <div class="row pad-botm">
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<div class="col-md-12">
                <h4 class="header-line">ADMIN LOGIN FORM</h4>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
                <div class="panel panel-info">
                    <div class="panel-heading">
                         LOGIN FORM
                    </div>
                    <div class="panel-body">
                         <form role="form" method="post">
                             <div class="form-group">
                                 <label for="username">Enter Username</label>
                                 <input class="form-control" type="text" name="username"</pre>
id="username" autocomplete="off" required />
                             </div>
                             <div class="form-group">
                                 <label for="password">Password</label>
                                 <input class="form-control" type="password" name="password"</pre>
id="password" autocomplete="off" required />
                             </div>
                             <button type="submit" name="login" class="btn btn-</pre>
info">LOGIN</button>
                         </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <script src="assets/js/jquery-1.10.2.js"></script>
    <script src="assets/js/bootstrap.js"></script>
</script>
</body>
 /html>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/author.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | User DashBoard</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
   <link href="assets/css/font-awesome.css" rel="stylesheet" />
   <link href="assets/css/style.css" rel="stylesheet" />
    <link href='https://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">About me</h4>
                </div>
            </div>
            <div class="row text-center justify-content-center">
                    <div class="col-md-4 col-sm-4 col-xs-6 centr">
                        <img src="assets/img/author.jpg"/>
                    </div>
                    <div class="col-md-4 col-sm-4 col-xs-6 centr" style="margin-top:5vh;">
                        <div class="alert alert-success back-widget-set">
                        Greetings everyone! My name is Vladimir Lobanov and i
                        am the only author of this website. I am student of ICT college,
                         2nd year. I found my passion in creating websites and learning new
                         possibilities after taking short course on Web design, so decided
                         to dig deeper and learn a lot more cool stuff. I have experience
                         working in MS Office package, as well in HTML, HTML5, CSS3 and MySQL DBMS
                          I enjoy my free time in reading news and different forums on tech-
trends, playing
                          video games and reading about political topics. My biggest joy is to
sit, turn on
                          the music, relax and drink coffee in a cozy space while coding. :D
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/books-not-returned.php

```
<?php include "includes/connection.php";</pre>
session start();
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<head>
   <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | Books Not Returned Yet</title>
   <link href="assets/css/bootstrap.css" rel="stylesheet" />
   <link href="assets/css/font-awesome.css" rel="stylesheet" />
   <link href="assets/css/style.css" rel="stylesheet" />
   <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <?php include('includes/header.php');?>
   <div class="content-wrapper">
       <div class="container">
           <div class="row pad-botm">
                <div class="col-md-12">
                   <h4 class="header-line">Books Not Returned Yet</h4>
               </div>
           </div>
           <div class="row">
               <div class="col-md-12">
                   <div class="table-responsive">
```

```
<thead>
                                 #
                                 Book Name
                                 ISBN
                                 Issued Date
                                 Return Date
                             </thead>
                          <?php
                                 $rsts = 0;
                                 $sid = $ SESSION['stdid'];
                                 $sql = "SELECT books.name, books.isbn,
issued_book_details.issue_date, issued_book_details.return_date, issued_book_details.id as rid
                                        FROM issued_book_details JOIN books ON books.id =
issued_book_details.book_id
                                        WHERE issued_book_details.student_id = :sid
                                        AND (issued_book_details.return_status = :rsts
                                        OR issued_book_details.return_status IS NULL OR
issued_book_details.return_status = '')";
                                 $query = $dbh->prepare($sq1);
                                 $query->bindParam(':sid', $sid, PDO::PARAM_STR);
                                 $query->bindParam(':rsts', $rsts, PDO::PARAM_STR);
                                 $query->execute();
                                 $results = $query->fetchAll(PDO::FETCH OBJ);
                                 cnt = 1;
                                 if ($query->rowCount() > 0) {
                                     foreach ($results as $result) {
                             <?php echo htmlentities($cnt);?>
                                 <?php echo htmlentities($result->name);?>
                                 <?php echo htmlentities($result->isbn);?>
                                 <?php echo htmlentities($result->issue_date);?>
                                     <?php
                                        if ($result->return_date == "") {
                                            echo htmlentities("Not Return Yet");
                                            echo htmlentities($result->return_date);
                                        }
                                     ?>
                                 <?php
                                 $cnt++;
                             }}
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/change-password.php

```
<?php include 'models/password-change.php';</pre>
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Password Change</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
    <style>
        .errorWrap {
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #dd3d36;
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
            box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        .succWrap {
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #5cb85c;
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
            box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    </style>
</head>
<body>
    <div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">Change Password</h4>
                </div>
            </div>
```

```
<?php if ($error) { ?>
                <div class="errorWrap"><?php echo htmlentities($error); ?></div>
            <?php } else if ($msg) { ?>
                <div class="succWrap"><?php echo htmlentities($msg); ?></div>
            <?php } ?>
            <div class="row">
                <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
                    <div class="panel panel-info">
                        <div class="panel-heading">Change Password</div>
                        <div class="panel-body">
                             <form role="form" method="post" onSubmit="return valid();"</pre>
name="chngpwd">
                                 <div class="form-group">
                                     <label>Current Password</label>
                                     <input class="form-control" type="password" name="password"</pre>
autocomplete="off" required />
                                 </div>
                                 <div class="form-group">
                                     <label>Enter New Password</label>
                                     <input class="form-control" type="password"</pre>
name="newpassword" autocomplete="off" required />
                                 </div>
                                 <div class="form-group">
                                     <label>Confirm New Password</label>
                                     <input class="form-control" type="password"</pre>
name="confirmpassword" autocomplete="off" required />
                                 <button type="submit" name="change" class="btn btn-</pre>
info">Confirm</button>
                             </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <script src="assets/js/jquery-1.10.2.js"></script>
    <script src="assets/js/bootstrap.js"></script>
    <script>
        var errorWrap = document.querySelector('.errorWrap');
        var succWrap = document.querySelector('.succWrap');
        if (errorWrap || succWrap) {
            setTimeout(function() {
                if (errorWrap) {
                    errorWrap.style.display = 'none';
                if (succWrap) {
                    succWrap.style.display = 'none';
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/contact-admin.php

```
include 'models/contact-adminLogic.php';
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
        <meta name="description" content="" />
        <meta name="author" content="" />
        <title>OLMS | Contact Admin </title>
        <link href="assets/css/bootstrap.css" rel="stylesheet" />
        <link href="assets/css/font-awesome.css" rel="stylesheet" />
        <link href="assets/css/style.css" rel="stylesheet" />
        <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
    </head>
    <body>
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-md-6">
                <div class="card">
                    <div class="card-header">
                        <h3>Contact Admin</h3>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<span id="rspmsg" style="color:green;"></span>
                    </div>
                    <div class="card-body">
                        <form method="post" id="kontaktirajForma" action="<?php echo</pre>
 index.php?page=contact'; ?>">
                             <div class="form-group">
                                 <label for="email">Email address(Enter email you are
using)</label>
                                 <input type="email" class="form-control" id="email" name="email"</pre>
aria-describedby="emailHelp" placeholder="Enter email" required>
                             </div>
                             <div class="form-group">
                                 <label for="message">Message</label>
                                 <textarea class="form-control" id="message" name="message"</pre>
rows="3" placeholder="Enter your message here..." required></textarea>
                             </div>
                             <button type="submit" name="submit" class="btn btn-primary">Send
Message</button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <script>
        setTimeout(function() {
            $(".alert").hide(2500, function(){
                $(this).remove();
            });
        }, 3000);
    </script>
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
</body>
</html>
```

Views/pages/dashboard.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['login'])==0) {
```

```
header('location:index.php');
 else {
   if (isset($ SESSION['success message'])) {
       echo '' . $_SESSION['success_message'] . '';
       unset($_SESSION['success_message']);
   if (isset($_SESSION['error_message'])) {
       echo '' . $_SESSION['error_message'] . '';
       unset($_SESSION['error_message']);
   }
!DOCTYPE html>
<html>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | User DashBoard</title>
   <link href="assets/css/bootstrap.css" rel="stylesheet" />
   <link href="assets/css/font-awesome.css" rel="stylesheet" />
   <link href="assets/css/style.css" rel="stylesheet" />
   <link href='https://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
   <div class="content-wrapper">
       <div class="container">
           <div class="row pad-botm">
               <div class="col-md-12">
                   <h4 class="header-line">User DASHBOARD</h4>
               </div>
           </div>
           <?php include 'models/dashboard-repetition-blocks.php';?>
       </div>
   <script src="assets/js/jquery-1.10.2.js"></script>
   <script src="assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>
```

```
Views/pages/issued-books.php
```

```
<?php
$page = $ SERVER['REQUEST URI'];
```

```
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['login'])==0)
header('location:index.php');
else{
<!DOCTYPE html>
       <meta charset="utf-8" />
       <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
       <meta name="description" content="" />
       <meta name="author" content="" />
       <title>OLMS | Issued Books</title>
       <link href="assets/css/bootstrap.css" rel="stylesheet" />
       <link href="assets/css/font-awesome.css" rel="stylesheet" />
       <link href="assets/css/style.css" rel="stylesheet" />
       <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
   </head>
   <body>
       <div class="container">
           <div class="row pad-botm">
               <div class="col-md-12">
                  <h4 class="header-line">Your Issued Books</h4>
               </div>
           </div>
           <div class="row">
               <div class="col-md-12">
                  <div class="panel panel-default">
                      <div class="panel-heading">
                          Issued Books
                      </div>
                      <div class="panel-body">
                          <div class="table-responsive">
                              id="dataTables-example">
                                     #
                                         Book Name
                                         ISBN 
                                         Issued Date
                                         Return Date
```

```
Fine in(USD)
                                  </thead>
                               $sid=$ SESSION['stdid'];
                                      $sql = "SELECT books.name AS BookName, books.isbn AS
ISBNNumber, issued_book_details.issue_date
                                             AS IssuesDate,
issued book details.return date AS ReturnDate, issued book details.id
                                             AS rid, issued_book_details.fine
                                             FROM issued_book_details
                                             JOIN students ON students.student id number
= issued book details.student id
                                             JOIN books ON books.id =
issued_book_details.book_id
                                             WHERE students.student_id_number = :sid
                                             ORDER BY issued_book_details.id DESC";
                                      $query = $dbh -> prepare($sq1);
                                      $query-> bindParam(':sid', $sid, PDO::PARAM_STR);
                                      $query->execute();
                                      $results=$query->fetchAll(PDO::FETCH_OBJ);
                                      $cnt=1;
                                      if($query->rowCount() > 0) {
                                         foreach($results as $result) {
                                  <?php echo
<?php echo htmlentities($result-</pre>
>BookName);?>
                                      <?php echo htmlentities($result-</pre>
>ISBNNumber);?>
                                      <?php echo htmlentities($result-</pre>
>IssuesDate);?>
                                      <?php if($result->ReturnDate=="") {?>
                                             <span style="color:red">
                                                <?php echo htmlentities("Not Return</pre>
Yet"); ?>
                                             </span>
                                             echo htmlentities($result->ReturnDate);
                                      <?php echo htmlentities($result-</pre>
>fine);?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
$cnt=$cnt+1;
                                          }
                                      }
                                  </div>
                      </div>
                  </div>
               </div>
           </div>
       </div>
       <script src="assets/js/jquery-1.10.2.js"></script>
       <script src="assets/js/bootstrap.js"></script>
   </body>
</html>
<?php
```

Views/pages/listed-books.php

```
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if (strlen($_SESSION['login']) == 0) {
    header('location:index.php');
} else {
?>
<!DOCTYPE html>
<html>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
        <meta name="description" content="" />
        <meta name="author" content="" />
        <title>OLMS | List of Books</title>
        <link href="assets/css/bootstrap.css" rel="stylesheet" />
        <link href="assets/css/font-awesome.css" rel="stylesheet" />
        <link href="assets/css/style.css" rel="stylesheet" />
        <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
    </head>
    <body>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">List of Books</h4>
                </div>
            </div>
            <div class="container">
                <?php include 'models/listing-books.php';?>
            </div>
        </div>
   </div>
   </body>
</html>
<?php }?>
```

Views/pages/my-profile.php

```
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
include "models/update-logic.php";
<!DOCTYPE html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Student Profile</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
    <link href='https://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
  <div class="content-wrapper">
    <div class="container">
      <div class="row pad-botm">
        <div class="col-md-12">
          <h4 class="header-line">My Profile</h4>
        </div>
```

```
</div>
     <div class="row">
       <div class="col-md-9 col-md-offset-1">
         <div class="panel panel-danger">
           <div class="panel-heading">
             My Profile
           </div>
           <div class="panel-body">
              <form name="signup" method="post" id="update-form" action="index.php?page=update">
                $sid=$_SESSION['stdid'];
               $sql="SELECT student_id_number,name,email,mobile,created_at,updated_at,status
from students where student id number=:sid ";
               $query = $dbh -> prepare($sql);
               $query-> bindParam(':sid', $sid, PDO::PARAM_STR);
                $query->execute();
               $results=$query->fetchAll(PDO::FETCH_OBJ);
                $cnt=1;
                if($query->rowCount() > 0)
                  foreach($results as $result)
                 <div class="form-group">
                    <label>Student ID : </label>
                    <?php echo htmlentities($result->student id number);?>
                  </div>
                 <div class="form-group">
                    <label>Registration Date : </label>
                    <?php echo htmlentities($result->created_at);?>
                 </div>
                 <?php if($result->updated at!=""){?>
                 <div class="form-group">
                    <label>Last Updation Date : </label>
                    <?php echo htmlentities($result->updated_at);?>
                  </div>
                 <?php } ?>
                  <div class="form-group">
                    <label>Profile Status : </label>
                    <?php if($result->status==1){?>
                    <span style="color: green">Active</span>
                    <?php } else { ?>
                    <span style="color: red">Blocked</span>
                    <?php }?>
                  </div>
                  <div class="form-group">
                   <label>Enter Full Name</label>
```

```
<input class="form-control" type="text" name="fullname" value="<?php echo</pre>
htmlentities($result->name);?>" autocomplete="off" required />
                  </div>
                  <div class="form-group">
                    <label>Mobile Number :</label>
                    <input class="form-control" type="text" name="mobileno" maxlength="10"</pre>
value="<?php echo htmlentities($result->mobile);?>" autocomplete="off" required />
                  </div>
                  <div class="form-group">
                    <label>Your Email</label>
                    <input class="form-control" type="email" name="email" id="emailid"</pre>
value="<?php echo htmlentities($result->email);?>" autocomplete="off" required readonly />
                  </div>
                  <small>You cannot change email. In order to do so, contact admin!</small>
                  <div class="form-group">
                        <a href="index.php?page=password-change">Change
Password</a>
                   </div>
                  <?php }} ?>
                  <button type="submit" name="update" class="btn btn-primary" id="submit">Update
Now </button>
                 <div id="update-message"></div>
                </form>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
   <script src="assets/js/jquery-1.10.2.js"></script>
   <script src="assets/js/bootstrap.js"></script>
   <script>
        const updateForm = document.getElementById('update-form');
        const updateMessage = document.getElementById('update-message');
        updateForm.addEventListener('submit', (event) => {
            $.ajax({
                url: "update-profile.php",
                type: "POST",
                data: $("#update-form").serialize(),
                success: function(response) {
                },
                error: function(jqXHR, textStatus, errorThrown) {
                  console.log(textStatus);
                }
            });
        });
    </script>
```

Vladimir Lobanov 84/21



VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/pocetna.php

```
<?php
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(isset($_SESSION['login']) && $_SESSION['login']) {
   header("Location: index.php?page=dashboard");
   exit();
<div class="content-wrapper">
   <div class="container">
      <div class="row">
          <div class="col-md-10 col-sm-8 col-xs-12 col-md-offset-1">
             <div id="carousel-example" class="carousel slide slide-bdr" data-</pre>
ride="carousel">
                 <div class="carousel-inner">
                    <div class="item active">
                        <img src="assets/img/slide1.jpg" alt="" />
                    </div>
                    <div class="item">
                        <img src="assets/img/slide2.jpeg" alt="" />
                    </div>
                    <div class="item">
                        <img src="assets/img/slide3.png" alt="" />
                    </div>
                 </div>
                 class="active">
                    <a class="left carousel-control" href="#carousel-example" data-slide="prev">
                    <span class="glyphicon glyphicon-chevron-left"></span>
                 </a>
                 <a class="right carousel-control" href="#carousel-example" data-</pre>
slide="next">
                    <span class="glyphicon glyphicon-chevron-right"></span>
                 </a>
             </div>
          </div>
      </div>
      <div class="col-md-12">
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/signup.php

```
<?php include 'models/register.php';</pre>
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Student Signup</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <div class="container">
    <span id="error-msg"></span>
            <div class="row pad-botm">
                <div class="col-md-12">
                     <h4 class="header-line">Register and use our Library!</h4>
                </div>
            </div>
```

```
<div class="row">
                <div class="col-md-9 col-md-offset-1">
                     <div class="panel panel-danger">
                         <div class="panel-heading">
                             Enter your credentials
                         </div>
                         <div class="panel-body">
                         <form name="signup" id="loginForm1" method="post" onSubmit="return</pre>
validRegistration();" novalidate>
                             <div class="form-group">
                                 <label for="full-name">Ime i prezime:</label>
                                 <input class="form-control" type="text" name="fullname"</pre>
id="full-name" autocomplete="off" required />
                                 <span id="full-name-error" class="error"></span>
                             </div>
                             <div class="form-group">
                                 <label for="mobile-number">Mobilni telefon:</label>
                                 <input class="form-control" type="text" name="mobileNum"</pre>
id="mobile-number" maxlength="10" autocomplete="off" required />
                                 <span id="mobile-number-error" class="error"></span>
                             </div>
                             <div class="form-group">
                                 <label for="email">Email:</label>
                                 <input class="form-control" type="email" name="email" id="email"</pre>
onBlur="checkAvailability()" autocomplete="off" required />
                                 <span id="email-error" class="error"></span>
                                 <span id="user-availability-status" style="font-</pre>
size:12px;"></span>
                             </div>
                             <div class="form-group">
                                 <label for="password">Lozinka:</label>
                                 <input class="form-control" type="password" name="password"</pre>
id="password" autocomplete="off" required />
                                 <span id="password-error" class="error"></span>
                             </div>
                             <div class="form-group">
                                 <label for="confirm-password">Potvrdi lozinku:</label>
                                 <input class="form-control" type="password"</pre>
name="confirmpassword" id="confirm-password" autocomplete="off" required />
                                 <span id="confirm-password-error" class="error"></span>
                             </div>
                             <button type="submit" name="signup" class="btn btn-danger"</pre>
id="submit">Registruj se</button>
                         </form>
                         </div>
                    </div>
                </div>
            </div>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Views/pages/survey-review.php

```
include 'models/survey-sendingLogic.php';
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Survey </title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
<div class="mx-0 mx-sm-auto">
  <div class="card">
    <div class="card-body">
      <div class="text-center">
        <i class="far fa-file-alt fa-4x mb-3 text-primary"></i></i></i>
          How did you hear about our Library?<br/>
Please choose one of answers below.
        </div>
      <form class="px-4" action="index.php?page=survey" method="post" style="text-</pre>
align:center;">
        <?php
        $stmt = $dbh->query("SELECT * FROM survey");
        while ($row = $stmt->fetch(PDO::FETCH_ASSOC)) {
         $answer id = $row['id'];
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
$answer text = $row['answer text'];
         <div class="form-check mb-2">
           <input class="form-check-input" type="radio" name="answer_id" id="answer_<?php echo</pre>
$answer_id ?>" value="<?php echo $answer_id ?>" />
           <label class="form-check-label" for="answer <?php echo $answer id ?>">
             <?php echo $answer_text ?>
           </label>
         </div>
       <?php } ?>
       <?php
       if(isset($_POST['submit'])) {
           if(!isset($ POST['answer id'])) {
               echo 'Morate izabrati nešto!';
       <button type="submit" name="submit" class="btn btn-primary">Submit</button>
     </form>
   </div>
 </div>
</div>
<script src="assets/js/jquery-1.10.2.js"></script>
<script src="assets/js/bootstrap.js"></script>
</body>
</html>
```

Views/pages/update-profile.php

```
include "models/update-logic.php";
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
   <title>OLMS | Student Profile</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
   <link href="assets/css/font-awesome.css" rel="stylesheet" />
```

```
<link href="assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
 <div class="content-wrapper">
    <div class="container">
     <div class="row pad-botm">
        <div class="col-md-12">
          <h4 class="header-line">My Profile</h4>
        </div>
      </div>
      <div class="row">
        <div class="col-md-9 col-md-offset-1">
          <div class="panel panel-danger">
            <div class="panel-heading">
              My Profile
            </div>
            <div class="panel-body">
              <form name="signup" method="post" id="update-form"</pre>
action="index.php?page=profile">
              <div id="messages"><?php echo $message; ?></div>
                <?php
                $sid=$_SESSION['stdid'];
                $sql="SELECT student_id_number, name, email, mobile, created_at, updated_at, status
from students where student id number=:sid ";
                $query = $dbh -> prepare($sql);
                $query-> bindParam(':sid', $sid, PDO::PARAM_STR);
                $query->execute();
                $results=$query->fetchAll(PDO::FETCH_OBJ);
                $cnt=1;
                if($query->rowCount() > 0)
                  foreach($results as $result)
                  <div class="form-group">
                    <label>Student ID : </label>
                    <?php echo htmlentities($result->student_id_number);?>
                  </div>
                  <div class="form-group">
                    <label>Registration Date : </label>
                    <?php echo htmlentities($result->created_at);?>
                  </div>
                  <?php if($result->updated at!=""){?>
                  <div class="form-group">
                    <label>Last Updation Date : </label>
                    <?php echo htmlentities($result->updated_at);?>
```

```
</div>
                  <?php } ?>
                  <div class="form-group">
                    <label>Profile Status : </label>
                    <?php if($result->status==1){?>
                    <span style="color: green">Active</span>
                    <?php } else { ?>
                    <span style="color: red">Blocked</span>
                    <?php }?>
                  </div>
                  <div class="form-group">
                    <label>Enter Full Name</label>
                    <input class="form-control" type="text" name="fullname" value="<?php echo</pre>
htmlentities($result->name);?>" autocomplete="off" required />
                  </div>
                  <div class="form-group">
                    <label>Mobile Number :</label>
                    <input class="form-control" type="text" name="mobileno" maxlength="10"</pre>
value="<?php echo htmlentities($result->mobile);?>" autocomplete="off" required />
                  </div>
                  <div class="form-group">
                    <label>Your Email</label>
                    <input class="form-control" type="email" name="email" id="emailid"</pre>
value="<?php echo htmlentities($result->email);?>" autocomplete="off" required readonly />
                  </div>
                  <small>You cannot change email. In order to do so, contact admin!</small>
                  <div class="form-group">
                        <a href="index.php?page=password-change">Change
Password</a>
                  </div>
                  <?php }} ?>
                  <button type="submit" name="update" class="btn btn-primary" id="submit">Update
Now </button>
                </form>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
    <script src="assets/js/jquery-1.10.2.js"></script>
    <script src="assets/js/bootstrap.js"></script>
   <script>
    setTimeout(function() {
     window.location.href = "index.php?page=profile";
    }, 2500);
  </script>
```

Vladimir Lobanov 84/21



VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Models/contact-adminLogic.php

```
<?php
if (isset($ SESSION['success message'])) {
   echo '' . $_SESSION['success_message'] . '';
   unset($ SESSION['success message']);
if (isset($_SESSION['error_message'])) {
   echo '' . $ SESSION['error message'] . '';
   unset($ SESSION['error message']);
if(strlen($ SESSION['login'])==0){
   header('location:index.php');
else{
   if(isset($ POST['submit'])){
       $email = $ SESSION['login'];
       if($email != $_POST['email']){
           $_SESSION['error_message'] = 'You need to use your email.';
           header("Location: index.php?page=contact");
           exit();
       }
       $sql = "SELECT id FROM students WHERE email=:email";
       $query = $dbh->prepare($sql);
       $query->bindParam(':email', $email, PDO::PARAM_STR);
       $query->execute();
       $result = $query->fetch(PDO::FETCH ASSOC);
       $studentid = $result['id'];
       $email = $ POST['email'];
       $message = $_POST['message'];
       $sq1 = "INSERT INTO contact_admin (student_id, Message) VALUES (:studentid, :message)";
       $query = $dbh->prepare($sql);
       $query->bindParam(':studentid', $studentid, PDO::PARAM_STR);
       $query->bindParam(':message', $message, PDO::PARAM_STR);
       $query->execute();
       $lastInsertId = $dbh->lastInsertId();
       if ($lastInsertId) {
           $_SESSION['success_message'] = 'Your message has been succefully sent. Admin will
           header("Location: index.php?page=contact");
           exit();
       } else {
           $_SESSION['error_message'] = 'Something went wrong. Please try again';
           header("Location: index.php?page=contact");
           exit();
   }
```

25

Models/dashboard-repetition-blocks.php

```
<div class="row text-center justify-content-center">
                        $sql = 'SELECT * FROM dashbord_icons_user';
                        $query = $dbh->prepare($sq1);
                        $query->execute();
                        $results = $query->fetchAll(PDO::FETCH_OBJ);
                        foreach ($results as $row) {
                            id = row->id;
                            $name = $row->name;
                            $iconClass = $row->icon class;
                            $hrefLocation = $row->href location;
                            if ($name == 'Books Listed') {
                    <a href="<?php echo $hrefLocation; ?>">
                        <div class="col-md-4 col-sm-4 col-xs-6 centr">
                            <div class="alert alert-success back-widget-set">
                                <i class="<?php echo $iconClass; ?>" style="color: <?php echo</pre>
$row->icon_color; ?>;"></i></i>
                                <?php
                                    $sql ="SELECT id FROM books";
                                    $query = $dbh->prepare($sq1);
                                    $query->execute();
                                    $results = $query->fetchAll(PDO::FETCH OBJ);
                                    $listdbooks = $query->rowCount();
                                <h3><?php echo htmlentities($listdbooks); ?></h3>
                                <?php echo $name; ?>
                            </div>
                        </div>
                    </a>
                    <?php } else { ?>
                    <a href="<?php echo $hrefLocation; ?>">
                        <div class="col-md-4 col-sm-4 col-xs-6 centr">
                            <div class="alert alert-success back-widget-set">
                                <i class="<?php echo $iconClass; ?>" style="color: <?php echo</pre>
$row->icon_color; ?>;"></i></i>
                                <h3>&nbsp;</h3>
                                <?php echo $name; ?>
                            </div>
                        </div>
                    </a>
                    <?php }
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

</div>

Models/listing-books.php

```
<?php
$results per page = 6;
$sql = "SELECT COUNT(*) AS count FROM books";
$query = $dbh->prepare($sql);
$query->execute();
$row = $query->fetch(PDO::FETCH_ASSOC);
$num_results = $row['count'];
$num pages = ceil($num results / $results per page);
$page = isset($_GET['pagenum']) && is_numeric($_GET['pagenum']) ? intval($_GET['pagenum']) : 1;
$page = max(1, min($page, $num_pages));
$start index = ($page - 1) * $results per page;
$sql = "SELECT books.name AS bookName, category.name AS categoryName, authors.name AS authorName,
books.isbn AS ISBNNumber, books.price, books.id AS bookId, books.image AS bookImage,
books.is issued AS isIssued
       FROM books
       JOIN category ON category.id = books.category_id
       JOIN authors ON authors.id = books.author id
       LIMIT $start index, $results per page";
$query = $dbh->prepare($sql);
$query->execute();
$results = $query->fetchAll(PD0::FETCH OBJ);
<div class="row">
   <div class="col-md-12">
       <div class="panel panel-default">
           <div class="panel-heading">
               <h3 class="panel-title">Library Books</h3>
           </div>
           <div class="panel-body">
               <div class="row">
                   cnt = 1;
                   if ($query->rowCount() > 0) {
                       foreach ($results as $result) {
                           <div class="col-md-4">
                               <div class="thumbnail">
                                   <img src="admin/bookimg/<?php echo htmlentities($result-</pre>
<div class="caption">
                                      <h4><?php echo htmlentities($result->bookName); ?></h4>
                                      <strong>Category:</strong> <?php echo
htmlentities($result->categoryName); ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<strong>Author:</strong> <?php echo
htmlentities($result->authorName); ?>
                                    <strong>ISBN (unique Book Id):</strong> <?php echo
htmlentities($result->ISBNNumber); ?>
                                    <?php if ($result->isIssued == '1') : ?>
                                        Book Already Issued
                                    <?php endif; ?>
                                 </div>
                             </div>
                         </div>
                         <?php
                         $cnt = $cnt + 1;
                  }
              </div>
              <?php if ($num_pages > 1): ?>
                  <?php if ($page > 1): ?>
                         <a href="index.php?page=listed&pagenum=<?php echo $page -</pre>
1; ?>">Previous</a>
                      <?php endif; ?>
                      <?php for ($i = 1; $i <= $num_pages; $i++): ?>
                         <li<?php if ($i == $page): ?> class="active"<?php endif; ?>>
                             <a href="index.php?page=listed&pagenum=<?php echo $i; ?>"><?php</pre>
<?php endfor; ?>
                      <?php if ($page < $num pages): ?>
                         <a href="index.php?page=listed&pagenum=<?php echo $page +</pre>
1; ?>">Next</a>
                      <?php endif; ?>
                  <?php endif; ?>
           </div>
       </div>
   </div>
/div>
```

Models/login.php

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
</script>';
if(isset($ SESSION['login']) && $_SESSION['login']){
    header("Location: index.php?page=dashboard");
    exit();
<div class="row">
                <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3" >
                    <div class="panel panel-info">
                         <div class="panel-heading">
                             Enter your credentials
                         </div>
                         <div class="panel-body">
                             <form role="form" method="post" id="loginForm" novalidate>
                                 <div class="form-group">
                                     <label for="emailid">Enter Email:</label>
                                     <input class="form-control" type="text" name="emailid"</pre>
required autocomplete="off" value="<?php echo $email; ?>">
                                     <span class="error"><?php echo $emailErr; ?></span>
                                 </div>
                                 <div class="form-group">
                                     <label for="password">Password:</label>
                                     <input class="form-control" type="password" name="password"</pre>
required autocomplete="off">
                                     <span class="error"><?php echo $passwordErr; ?></span>
                                 </div>
                                 <button type="submit" name="login" class="btn btn-</pre>
info">LOGIN</button> | <a href="index.php?page=register">Not Registered Yet</a>
                                 <div class="error"><?php echo isset($errorMsg) ? $errorMsg :</pre>
 '; ?></div>
                             </form>
                        </div>
                    </div>
                </div>
            </div>
```

Models/logout.php

```
<?php
session_start();
session_destroy();
header("location:../index.php");
?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Models/password-change.php

```
<?php
if (strlen($ SESSION['login']) == 0) {
    header('location:index.php');
    exit();
msg = null;
$error = null;
if (isset($_POST['change'])) {
    $password = md5($_POST['password']);
    $newpassword = md5($ POST['newpassword']);
    $email = $ SESSION['login'];
    $sq1 = "SELECT Password FROM students WHERE email=:email and Password=:password";
    $query = $dbh->prepare($sq1);
    $query->bindParam(':email', $email, PDO::PARAM_STR);
    $query->bindParam(':password', $password, PDO::PARAM_STR);
    $query->execute();
    $results = $query->fetchAll(PDO::FETCH OBJ);
    if ($query->rowCount() > 0) {
        if (strlen($ POST['newpassword']) >= 8) {
            $con = "UPDATE students SET password=:newpassword WHERE email=:email";
            $chngpwd1 = $dbh->prepare($con);
            $chngpwd1->bindParam(':email', $email, PDO::PARAM STR);
            $chngpwd1->bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
            $chngpwd1->execute();
            $_SESSION['msg'] = "Your password has been successfully changed.";
            $msg = isset($ SESSION['msg']) ? htmlentities($ SESSION['msg']) : "";
            $type = "succWrap";
        } else {
            $ SESSION['error'] = "Your new password must have at least 8 characters.";
            $error = isset($_SESSION['error']) ? htmlentities($_SESSION['error']) : "";
           $type = "errorWrap";
    } else {
        $_SESSION['error'] = "Your current password is wrong.";
        $error = isset($ SESSION['error']) ? htmlentities($ SESSION['error']) : "";
        $type = "errorWrap";
```

Models/register.php

```
<?php
if(isset($ POST['signup'])) {</pre>
```

```
$StudentId = "SID" . rand(000, 999);
   $sql = "SELECT * FROM students WHERE student_id_number = :student_id_number";
   $query = $dbh->prepare($sq1);
   $query->bindParam(':student_id_number',$StudentId,PDO::PARAM_STR);
   $query->execute();
   $count = $query->rowCount();
   while ($count > 0) {
       $StudentId = "SID" . rand(000, 999);
       $query ->execute();
       $count = $query->rowCount();
   }
       $fname=$_POST['fullname'];
       $mobileNum=$ POST['mobileNum'];
       $email=$_POST['email'];
       $password=md5($_POST['password']);
       $status=1:
       $sql = "SELECT * FROM students WHERE email = :email";
       $query = $dbh->prepare($sq1);
       $query->bindParam(':email',$email,PDO::PARAM_STR);
       $query->execute();
       $count = $query->rowCount();
       if($count > 0) {
           echo 'Email already exists. Please use a different
email address.';
           echo '<script>
               setTimeout(function() {
                   $(".alert").slideUp(500);
               }, 2000);
           </script>';
       } else {
           $sql="INSERT INTO students(student_id_number,name,mobile,email,password,status)
                 VALUES(:StudentId,:fname,:mobileNum,:email,:password,:status)";
           $query = $dbh->prepare($sq1);
           $query->bindParam(':StudentId',$StudentId,PDO::PARAM_STR);
           $query->bindParam(':fname',$fname,PD0::PARAM_STR);
           $query->bindParam(':mobileNum',$mobileNum,PDO::PARAM STR);
           $query->bindParam(':email',$email,PDO::PARAM STR);
           $query->bindParam(':password',$password,PDO::PARAM_STR);
           $query->bindParam(':status',$status,PD0::PARAM_STR);
           $query->execute();
           $lastInsertId = $dbh->lastInsertId();
           if($lastInsertId) {
               $_SESSION['registration_message'] = 'Registration successful! Your student ID is:
 .$StudentId:
               header("Location: index.php#ulogin");
               exit;
```

student-library-panel

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
} else {
          $_SESSION['registration_message'] = 'Something went wrong. Please try again.';
          header("Location: index.php#ulogin");
          exit;
     }
}
```

?>

Models/survey-sendingLogic.php

```
if (strlen($_SESSION['login']) == 0) {
   header('location:index.php');
} else {
   $email = $ SESSION['login'];
   $stmt = $dbh->prepare("SELECT id FROM students WHERE email = ?");
   $stmt->execute([$email]);
   $result = $stmt->fetch();
   if ($result) {
       $student_id = $result['id'];
        if (isset($_POST['answer_id'])) {
            $answer_id = $_POST['answer_id'];
            $stmt = $dbh->prepare("INSERT INTO student_answer (student_id, answer_id) VALUES
(?, ?)");
            $stmt->execute([$student_id, $answer_id]);
            $_SESSION['success_message'] = "Answer added successfully!";
            header("Location: index.php?page=dashboard");
            exit();
   } else {
        $_SESSION['error_message'] = "Could not find student with this email!";
       header("Location: index.php?page=dashboard");
       exit();
```

Models/unos.php

```
<?php
if(isset($_POST['signup'])){

    $separator = "_";
    $ime = $_POST['fullname'];
    $mob = $_POST['mobileNum'];
    $email = $_POST['email'];
    $fajl = fopen("data/korisnici.txt", "a");</pre>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
$sadrzaj = $ime.$separator.$mob.$separator.$email."\n";
fwrite($fajl,$sadrzaj);
if(fclose($fajl)){
    header("Location: index.php#ulogin");
}}
?>
```

Models/update-logic.php

```
<?php
if(strlen($_SESSION['login']) == 0) {
   header('location:index.php');
} else {
   if(isset($_POST['update'])) {
       $message = '';
       $sid = $_SESSION['stdid'];
       $fname = $_POST['fullname'];
       $mobileno = $_POST['mobileno'];
       try {
           $sql = "UPDATE students SET name=:fname, mobile=:mobileno WHERE
student_id_number=:sid";
           $query = $dbh->prepare($sql);
           $query->bindParam(':sid', $sid, PDO::PARAM_STR);
           $query->bindParam(':fname', $fname, PDO::PARAM_STR);
           $query->bindParam(':mobileno', $mobileno, PDO::PARAM_STR);
           $query->execute();
           $affectedRows = $query->rowCount();
           if ($affectedRows > 0) {
               $message = 'Your profile has been updated
successfully!';
           } else {
               $message = 'Failed to update! You didn\'t make any
changes.';
       } catch (PDOException $e) {
           echo 'Error: ' . $e->getMessage();
```

Models/validateLoginStudents.php

```
<?php
$email = "";
$password = "";
$emailErr = $passwordErr = "";
if ($_SERVER["REQUEST_METHOD"] == "POST") {
   if (empty($ POST["emailid"])) {</pre>
```

```
$emailErr = "Email is required";
 } else {
   $email = test input($ POST["emailid"]);
   if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
      $emailErr = "Invalid email format";
 if (empty($_POST["password"])) {
   $passwordErr = "Password is required";
 } else {
   $password = md5(test_input($_POST["password"]));
 if (empty($emailErr) && empty($passwordErr)) {
    $sql ="SELECT email,password,student_id_number,status FROM students WHERE email=:email and
password=:password";
   $query= $dbh->prepare($sql);
   $query->bindParam(':email', $email, PDO::PARAM_STR);
   $query->bindParam(':password', $password, PDO::PARAM_STR);
   $query->execute();
   $results=$query->fetchAll(PDO::FETCH_OBJ);
   if ($query->rowCount() > 0) {
     foreach ($results as $result) {
        $_SESSION['stdid'] = $result->student_id_number;
       if ($result->status == 1) {
          $_SESSION['login'] = $email;
          echo "<script type='text/javascript'> document.location ='index.php?page=dashboard';
</script>";
        } else {
          $errorMsg = "Your Account Has been blocked. Please contact admin";
      }
   } else {
      $errorMsg = "Invalid email or password";
function test_input($data) {
 $data = trim($data);
 $data = stripslashes($data);
 $data = htmlspecialchars($data);
 return $data;
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/models/brisanje.php

```
<?php
if (isset($_GET['id'])){
    $id = $_GET['id'];
    $noviNiz=[];
    $pokazivac = fopen("../../data/korisnici.txt","r");
    $vrednosti = fread($pokazivac, filesize("../../data/korisnici.txt"));
    $niz = explode("\n",$vrednosti);
    fclose($pokazivac);
    for($i = 0; $i < count($niz); $i++){
        if($i != $id){
            $noviNiz[] = $niz[$i];
    $podaci = implode("\n", $noviNiz);
    $file = fopen("../../data/korisnici.txt","w");
    fwrite($file,$podaci);
    if(fclose($file)){
        header("Location:../dashboard.php?page=textFile");
        exit(0);
```

Admin/models/izmena.php

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Change users</title>
    <link href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"</pre>
rel="stylesheet" />
    <link href="../../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
<body>
   <?php
   if ($ SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['submit'])) {
       $ime = $ POST['ime'];
```

```
$brojTelefona = $ POST['brojTelefona'];
    $email = $ POST['email'];
    $indeks = $ POST['indeks'];
    $pokazivac = fopen("../../data/korisnici.txt", "r");
    $fileSize = filesize("../../data/korisnici.txt");
    if ($fileSize > 0) {
        $vrednosti = fread($pokazivac, $fileSize);
        $vrednosti = trim($vrednosti);
        $imenik = explode("\n", $vrednosti);
    } else {
        $imenik = [];
    fclose($pokazivac);
    $imenik[$indeks] = "{$ime}_{$broj}Telefona}_{$email}";
    $pokazivac = fopen("../../data/korisnici.txt", "w");
    fwrite($pokazivac, implode("\n", $imenik));
    fclose($pokazivac);
   header("Location: ../dashboard.php?page=textFile");
   exit();
} else {
    if (!isset($_GET['id'])) {
        header("Location: ../dashboard.php?page=textFile");
        exit();
   $indeks = $ GET['id'];
    $pokazivac = fopen("../data/korisnici.txt", "r");
   $fileSize = filesize("../data/korisnici.txt");
    if ($fileSize > 0) {
        $vrednosti = fread($pokazivac, $fileSize);
        $vrednosti = trim($vrednosti);
        $imenik = explode("\n", $vrednosti);
        if (!isset($imenik[$indeks])) {
            fclose($pokazivac);
            header("Location: ../dashboard.php?page=textFile");
            exit();
        list($ime, $brojTelefona, $email) = explode("_", $imenik[$indeks]);
    } else {
        fclose($pokazivac);
        header("Location: ../dashboard.php?page=textFile");
        exit();
    fclose($pokazivac);
<div class="container" style='margin-top:110px;'>
   <div class="row">
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<form method="POST" action='models/izmena.php'>
                <input type="hidden" name="indeks" value="<?= $indeks ?>">
                <div class="form-group">
                    <label for="ime">Ime i Prezime</label>
                    <input type="text" class="form-control" id="ime" name="ime" value="<?=</pre>
$ime ?>">
                </div>
                <div class="form-group">
                    <label for="brojTelefona">Broj telefona</label>
                    <input type="text" class="form-control" id="brojTelefona"</pre>
name="brojTelefona" value="<?= $brojTelefona ?>">
                </div>
                <div class="form-group">
                    <label for="email">Email</label>
                    <input type="email" class="form-control" id="email" name="email" value="<?=</pre>
$email ?>">
                </div>
                <button type="submit" class="btn btn-primary" name="submit">Sačuvaj
izmene</button>
            </form>
        </div>
   </div>
    <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</body>
</html>
```

Admin/views/fixed/header.php

```
<div class="navbar navbar-inverse set-radius-zero" >
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-toggle="collapse" data-</pre>
target=".navbar-collapse">
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="dashboard.php">
                    <img src="../assets/img/myLogo.png" alt="My Logo" />
            </div>
       </div>
  </div>
  <section class="menu-section">
    <div class="container">
      <div class="row">
       <div class="col-md-12">
```

```
<div class="navbar-collapse collapse">
        <div class="right-div">
            <a href="views/pages/logout.php" class="btn btn-danger pull-right">Logout</a>
          <?php
            $query = "SELECT * FROM navigations_admin";
            $stmt = $dbh->prepare($query);
            $stmt->execute();
            $navigations = $stmt->fetchAll(PDO::FETCH_ASSOC);
            foreach ($navigations as $navigation) {
              if ($navigation['has subpages'] == 1) {
               echo '';
               echo '<a href="#" class="dropdown-toggle" id="ddlmenuItem" data-
toggle="dropdown">' . $navigation['name'] . ' <i class="fa fa-angle-down"></i></a>';
               echo '';
               $query = "SELECT * FROM admin_subpages WHERE navigation_id = :navigation_id";
               $stmt = $dbh->prepare($query);
               $stmt->bindParam(':navigation_id', $navigation['id']);
               $stmt->execute();
               $subpages = $stmt->fetchAll(PDO::FETCH_ASSOC);
               foreach ($subpages as $subpage) {
                 echo '<a role="menuitem" tabindex="-1" href="' .</pre>
$subpage['href'] . '">' . $subpage['name'] . '</a>';
               echo '';
               echo '';
              } else {
               echo '<a href="' . $navigation['href'] . '">' . $navigation['name'] .
</a>';
              }
          </div>
       </div>
     </div>
   </div>
 </section>
script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<script>
 $(document).ready(function() {
   $('.dropdown-toggle').dropdown();
 });
</script>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/dashboard.php

```
session start();
include('.../views/fixed/connection.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Admin DashBoard</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
  <?php include('views/fixed/header.php');?>
    <div class="container">
      <?php
        if(isset($_GET['page'])){
          switch($_GET['page']){
            case 'addCategory':
              include 'views/pages/add-category.php';
            case 'manageCategory':
              include 'views/pages/manage-categories.php';
              break;
            case 'editCategory':
              include 'views/pages/edit-category.php';
              break;
            case 'addAuthor':
              include 'views/pages/add-author.php';
              break;
            case 'manageAuthor':
              include 'views/pages/manage-authors.php';
              break;
            case 'addBook':
```

```
include 'views/pages/add-book.php';
  break;
case 'manageBook';
  include 'views/pages/manage-books.php';
  break;
case 'editBook':
  include 'views/pages/edit-book.php';
  break;
case 'issueBook':
  include 'views/pages/issue-book.php';
  break;
case 'manageIssued':
  include 'views/pages/manage-issued-books.php';
  break;
case 'updateIssued':
  include 'views/pages/update-issue-bookdeails.php';
  break;
case 'regStudents':
  include 'views/pages/reg-students.php';
  break:
case 'details':
  include 'views/pages/student-history.php';
  break;
case 'changePass':
  include 'views/pages/change-password.php';
  break;
case 'survey':
  include 'views/pages/survey-listed-answers.php';
  break:
case 'questions':
  include 'views/pages/contact-review.php';
case 'changeBook':
  include 'views/pages/change-bookimg.php';
  break;
case 'textFile':
  include 'views/pages/text-file-users.php';
  break;
case 'izmena':
  include 'models/izmena.php';
  break;
case 'access':
  include 'views/pages/page-access.php';
  break;
default:
  include 'dashboard.php';
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
else{
      include 'views/pages/pocetnaAdmin.php';
    }
    ?>
    <?php include('../views/fixed/footer.php');?>
      <script src="../assets/js/jquery-1.10.2.js"></script>
        <script src="../assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>
```

Admin/views/pages/add-author.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
if(isset($_POST['create']))
$author=$_POST['author'];
$sql="INSERT INTO authors(name) VALUES(:author)";
$query = $dbh->prepare($sql);
$query->bindParam(':author',$author,PD0::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
    echo "<div class='alert alert-success' role='alert'>Author added succefully</div>";
    echo "<script>setTimeout(function(){window.location.href='dashboard.php?page=manageAuthor';},
1500);</script>";
else
    echo "<div class='alert alert-danger' role='alert'>Something went wrong. Please try
again</div>";
    echo "<script>setTimeout(function(){window.location.href='dashboard.php?page=manageAuthor';}
1500);</script>";
```

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Add Author</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <div class="container">
        <div class="row pad-botm">
            <div class="col-md-12">
                <h4 class="header-line">Add Author</h4>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
                <div class="panel panel-info">
                    <div class="panel-heading">
                         Author Info
                    </div>
                    <div class="panel-body">
                         <form role="form" method="post">
                             <div class="form-group">
                                 <label for="author">Author Name</label>
                                 <input class="form-control" type="text" name="author"</pre>
id="author" autocomplete="off" required />
                             </div>
                             <button type="submit" name="create" class="btn btn-</pre>
info">Add</button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    <script src="../assets/js/jquery-1.10.2.js"></script>
    <script src="../assets/js/bootstrap.js"></script>
/body>
</html>
<?php } ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/add-book.php

```
<?php
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
    header('location:index.php');
else{
    if(isset($_POST['add']))
        $bookname=$ POST['bookname'];
        $category=$_POST['category'];
        $author=$_POST['author'];
        $isbn=$ POST['isbn'];
        $price=$_POST['price'];
        $bookimg=$_FILES["bookpic"]["name"];
        $extension = substr($bookimg,strlen($bookimg)-4,strlen($bookimg));
        $allowed_extensions = array(".jpg","jpeg",".png",".gif");
        $imgnewname=md5($bookimg.time()).$extension;
        if(!in array($extension,$allowed extensions))
            echo 'Invalid format. Only jpg / jpeg / png / gif
format allowed';
        }
       else
        {
           move uploaded file($ FILES["bookpic"]["tmp name"],"bookimg/".$imgnewname);
            $sql="INSERT INTO books(name, category_id, author_id, isbn, price, image)
VALUES(:bookname,:category,:author,:isbn,:price,:imgnewname)";
            $query = $dbh->prepare($sq1);
            $query->bindParam(':bookname',$bookname,PDO::PARAM_STR);
            $query->bindParam(':category',$category,PDO::PARAM_STR);
            $query->bindParam(':author',$author,PDO::PARAM_STR);
            $query->bindParam(':isbn',$isbn,PD0::PARAM_STR);
            $query->bindParam(':price',$price,PD0::PARAM_STR);
            $query->bindParam(':imgnewname',$imgnewname,PDO::PARAM_STR);
            $query->execute();
            $lastInsertId = $dbh->lastInsertId();
            if($lastInsertId)
```

```
echo 'Book added successfully';
<script>setTimeout(function(){window.location.href="dashboard.php?page=manageBook";},1500);</sc</pre>
ript>';
           }
           else
               echo 'Something went wrong. Please try again';
               echo
<script>setTimeout(function(){window.location.href="dashboard.php?page=manageBook";},1500);</sc</pre>
ript>';
       }
<!DOCTYPE html>
<html>
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | Add Book</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
   <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
   <div class="content-wrapper">
        <div class="container">
       <div class="row pad-botm">
           <div class="col-md-12">
               <h4 class="header-line">Add Book</h4>
           </div>
       </div>
       <div class="row">
           <div class="col-md-12 col-sm-12 col-xs-12">
               <div class="panel panel-info">
                   <div class="panel-heading">
                       Book Info
                   </div>
               <div class="panel-body">
                   <form role="form" method="post" enctype="multipart/form-data">
                       <div class="col-md-6">
                           <div class="form-group">
```

```
<label>Book Name<span style="color:red;">*</span></label>
                                 <input class="form-control" type="text" name="bookname"</pre>
autocomplete="off"
                    required />
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
                                 <label> Category<span style="color:red;">*</span></label>
                                 <select class="form-control" name="category"</pre>
required="required">
                                     <option value=""> Select Category</option>
                                     <?php
                                     $status=1;
                                     $sql = "SELECT * FROM category WHERE status=:status";
                                     $query = $dbh -> prepare($sq1);
                                     $query -> bindParam(':status',$status, PDO::PARAM_STR);
                                     $query->execute();
                                     $results=$query->fetchAll(PDO::FETCH_OBJ);
                                     $cnt=1:
                                     if($query->rowCount() > 0) {
                                          foreach($results as $result) { ?>
                                              <option value="<?php echo htmlentities($result-</pre>
>id); ?>">
                                                  <?php echo htmlentities($result->name); ?>
                                              </option>
                                     <?php }} ?>
                                 </select>
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
                                 <label> Author<span style="color:red;">*</span></label>
                                      <select class="form-control" name="author"</pre>
required="required">
                                          <option value=""> Select Author</option>
                                              <?php
                                                  $sql = "SELECT * from authors ";
                                                  $query = $dbh -> prepare($sql);
                                                  $query->execute();
                                                  $results=$query->fetchAll(PDO::FETCH_OBJ);
                                                  $cnt=1;
                                                  if($query->rowCount() > 0) {
                                                      foreach($results as $result) { ?>
                                                          <option value="<?php echo</pre>
htmlentities($result->id); ?>">
                                                               <?php echo htmlentities($result-</pre>
>name); ?>
                                                          </option>
```

```
<?php }} ?>
                                    </select>
                                </div>
                            </div>
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label>ISBN Number<span style="color:red;">*</span></label>
                                    <input class="form-control" type="text" name="isbn"</pre>
id="isbn" required="required" autocomplete="off" onBlur="checkisbnAvailability()" />
                                        An ISBN is an International
Standard Book Number.ISBN Must be unique
                                            <span id="isbn-availability-status" style="font-</pre>
size:12px;"></span>
                                </div>
                            </div>
                             <div class="col-md-6">
                                <div class="form-group">
                                    <label>Price<span style="color:red;">*</span></label>
                                    <input class="form-control" type="text" name="price"</pre>
autocomplete="off" required="required" />
                                </div>
                            </div>
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label>Book Picture<span style="color:red;">*</span></label>
                                    <input class="form-control" type="file" name="bookpic"</pre>
                     required="required" />
autocomplete="off"
                                </div>
                            </div>
                            <button type="submit" name="add" id="add" class="btn btn-</pre>
info">Submit </button>
                        </div>
                    </div>
                </div>
            </div>
        </div>
   </div>
    <script src="../assets/js/jquery-1.10.2.js"></script>
    <script src="../assets/js/bootstrap.js"></script>
    <script type="text/javascript">
        function checkisbnAvailability() {
       $("#loaderIcon").show();
        jQuery.ajax({
        url: "check_availability.php",
        data:'isbn='+$("#isbn").val(),
        type: "POST",
        success:function(data){
        $("#isbn-availability-status").html(data);
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
$("#loaderIcon").hide();
          },
          error:function (){}
          });
     }
     </script>
</body>
</html>
```

Admin/views/pages/add-category.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
if(isset($_POST['create']))
$category=$_POST['category'];
$status=$_POST['status'];
$sql="INSERT INTO category(name ,status) VALUES(:category,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':category',$category,PD0::PARAM_STR);
$query->bindParam(':status',$status,PD0::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
$_SESSION['msg']="Category succefully added";
header('location:dashboard.php?page=manageCategory');
else
$_SESSION['error']="Something went wrong. Please try again";
header('location:dashboard.php?page=manageCategory');
<!DOCTYPE html>
<html>
```

```
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Add Categories</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
(/head>
<body>
    <div class="container">
        <div class="row pad-botm">
            <div class="col-md-12">
                <h4 class="header-line">Add category</h4>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
                <div class="panel panel-info">
                    <div class="panel-heading">
                        Category Info
                    </div>
                    <div class="panel-body">
                        <form role="form" method="post">
                             <div class="form-group">
                                 <label>Category Name</label>
                                 <input class="form-control" type="text" name="category"</pre>
autocomplete="off" required />
                             </div>
                             <div class="form-group">
                                 <label>Status</label>
                                     <div class="radio">
                                         <label>
                                              <input type="radio" name="status" id="status"</pre>
value="1" checked="checked">Active
                                         </label>
                                     </div>
                                     <div class="radio">
                                         <label>
                                              <input type="radio" name="status" id="status"</pre>
value="0">Inactive
                                         </label>
                                     </div>
                                 </div>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/change-bookimg.php

```
<?php
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
if(isset($ POST['update'])){
    $bookid=intval($_GET['bookid']);
    $bookimg=$_FILES["bookpic"]["name"];
    $cimage=$_POST['curremtimage'];
    $cpath="bookimg"."/".$cimage;
    $extension = substr($bookimg,strlen($bookimg)-4,strlen($bookimg));
    $allowed_extensions = array(".jpg","jpeg",".png",".gif");
    $imgnewname=md5($bookimg.time()).$extension;
    if(!in_array($extension,$allowed_extensions)){
        echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format
allowed');</script>";
    else{
        move uploaded file($ FILES["bookpic"]["tmp name"],"bookimg/".$imgnewname);
        $sql="UPDATE books SET image=:imgnewname WHERE id=:bookid";
        $query = $dbh->prepare($sq1);
        $query->bindParam(':imgnewname',$imgnewname,PDO::PARAM_STR);
        $query->bindParam(':bookid',$bookid,PDO::PARAM_STR);
        $query->execute();
        unlink($cpath);
```

```
echo "<script>alert('Book image updated successfully');</script>";
        echo "<script>window.location.href='dashboard.php?page=manageBook'</script>";
<!DOCTYPE html>
<html>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
   <title>OLMS | Edit Book</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <div class="container">
        <div class="row pad-botm">
            <div class="col-md-12">
                <h4 class="header-line">Add Book</h4>
            </div>
        </div>
        <div class="row">
            <div class="col-md-12 col-sm-12 col-xs-12">
                <div class="panel panel-info">
                    <div class="panel-heading">
                        Book Info
                    </div>
                    <div class="panel-body">
                        <form role="form" method="post" enctype="multipart/form-data">
                            $bookid=intval($_GET['bookid']);
                            $sq1 = "SELECT books.name,books.id as bookid,books.image from books
where books.id=:bookid";
                            $query = $dbh -> prepare($sql);
                            $query->bindParam(':bookid',$bookid,PDO::PARAM_STR);
                            $query->execute();
                            $results=$query->fetchAll(PDO::FETCH OBJ);
                            if($query->rowCount() > 0) {
                                foreach($results as $result) { ?>
                                <input type="hidden" name="curremtimage" value="<?php echo</pre>
htmlentities($result->image);?>">
                                <div class="col-md-6">
```

```
<div class="form-group">
                                          <img src="bookimg/<?php echo htmlentities($result-</pre>
>image);?>" width="150">
                                      </div>
                                 </div>
                                 <div class="col-md-6">
                                      <div class="form-group">
                                          <label>Book Name</label>
                                          <input class="form-control" type="text" name="bookname"</pre>
value="<?php echo htmlentities($result->name);?>" readonly />
                                      </div>
                                 </div>
                                 <div class="col-md-6">
                                      <div class="form-group">
                                          <label>Book Picture<span</pre>
style="color:red;">*</span></label>
                                          <input class="form-control" type="file" name="bookpic"</pre>
autocomplete="off" required="required" />
                                      </div>
                                 </div>
                                 <?php }} ?>
                                 <div class="col-md-12">
                                      <button type="submit" name="update" class="btn btn-</pre>
info">Update</button>
                                 </div>
                         </form>
                     </div>
                </div>
            </div>
        </div>
    </div>
    <script src="../assets/js/jquery-1.10.2.js"></script>
    <script src="../assets/js/bootstrap.js"></script>
</body>
<?php } ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/change-password.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
$error= null;
$msg = null;
if(strlen($_SESSION['alogin'])==0){
    header('location:index.php');
else{
if(isset($_POST['change'])){
    $password=md5($_POST['password']);
    $newpassword=md5($_POST['newpassword']);
    $username=$ SESSION['alogin'];
    $sq1 ="SELECT Password FROM admin where UserName=:username and Password=:password";
    $query= $dbh -> prepare($sq1);
    $query-> bindParam(':username', $username, PDO::PARAM_STR);
    $query-> bindParam(':password', $password, PDO::PARAM_STR);
    $query-> execute();
    $results = $query -> fetchAll(PDO::FETCH_OBJ);
    if($query -> rowCount() > 0)
    $sq1="UPDATE admin SET Password=:newpassword WHERE UserName=:username";
    $chngpwd = $dbh->prepare($sql);
    $chngpwd-> bindParam(':username', $username, PDO::PARAM STR);
    $chngpwd-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
    $chngpwd->execute();
    $msg="Your Password successfully changed";
   else {
    $error="Your current password is wrong";
    }
<!DOCTYPE html>
<html>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Admin-PassChange</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
```

```
<link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
   <style>
        .errorWrap {
        padding: 10px;
       margin: 0 0 20px 0;
       background: #fff;
       border-left: 4px solid #dd3d36;
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
       box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
        .succWrap{
            padding: 10px;
            margin: 0 0 20px 0;
            background: #fff;
            border-left: 4px solid #5cb85c;
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
           box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
   </style>
<body>
 <div class="container">
   <div class="row pad-botm">
     <div class="col-md-12">
        <h4 class="header-line">User Change Password</h4>
     </div>
   </div>
   <?php if($error) { ?>
     <div class="alert alert-danger"><?php echo htmlentities($error); ?> </div>
   <?php } else if($msg) { ?>
      <div class="alert alert-success"><?php echo htmlentities($msg); ?> </div>
   <?php } ?>
   <div class="row">
     <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3" >
        <div class="panel panel-info">
          <div class="panel-heading">
            Change Password
          </div>
          <div class="panel-body">
            <form role="form" method="post" onSubmit="return valid();" name="chngpwd">
              <div class="form-group">
                <label>Current Password</label>
                <input class="form-control" type="password" name="password" autocomplete="off"</pre>
required />
              </div>
             <div class="form-group">
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<label>Enter Password</label>
                <input class="form-control" type="password" name="newpassword"</pre>
autocomplete="off" required />
              </div>
              <div class="form-group">
                <label>Confirm Password </label>
                <input class="form-control" type="password" name="confirmpassword"</pre>
autocomplete="off" required />
              </div>
              <button type="submit" name="change" class="btn btn-info">Change </button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <script src="../assets/js/jquery-1.10.2.js"></script>
  <script src="../assets/js/bootstrap.js"></script>
  <script type="text/javascript">
    function valid()
      if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
        alert("New Password and Confirm Password Field does not match !!");
        document.chngpwd.confirmpassword.focus();
        return false;
      return true;
  </script>
</body>
</html>
<?php } ?>
```

Admin/views/pages/check availability.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
require_once('../includes/connection.php');
if(!empty($_POST["isbn"])) {
$isbn=$_POST["isbn"];
$sql ="SELECT id FROM books WHERE isbn=:isbn";
$query= $dbh -> prepare($sql);
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
$query-> bindParam(':isbn', $isbn, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query -> rowCount() > 0){
  echo "<span style='color:red'> ISBN already exists with another book. .</span>";
  echo "<script>$('#add').prop('disabled',true);</script>";
} else { echo "<script>$('#add').prop('disabled',false);</script>";}
}
```

Admin/views/pages/contact-review.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<html>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | Survey Answers</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
   <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
 <section class="vh-100 gradient-custom" style="margin-left:33%;">
 <div class="py-5">
   <div class="row d-flex justify-content-center align-items-center h-100">
     <div class="col-12 col-md-8 col-lg-6 col-xl-5">
       <div class="tabelaCreate">
         <div class="table-responsive" style="margin-top:10rem;">
           <h3 class="page-title" style="margin:2rem;">Questions from students: </h3>
           <thead>
               Student
                 Email
                 Message
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<?php
               $sql ="SELECT students.email, contact_admin.message from students INNER JOIN
contact_admin
               ON students.id = contact admin.student id
               ORDER BY contact_admin.posting_date ASC";
               $query = $dbh -> prepare($sq1);
               $query->execute();
               $results=$query->fetchAll(PDO::FETCH_OBJ);
               $cnt=1;
               if($query->rowCount() > 0)
                foreach($results as $result)
                    <?php echo htmlentities($cnt);?>
                    <?php echo htmlentities($result->email);?>
                    <?php echo htmlentities($result->message);?>
                    <?php
                    $cnt=$cnt+1;
           </div>
      </div>
    </div>
   </div>
 </div>
</section>
   <script src="../assets/js/jquery-1.10.2.js"></script>
   <script src="../assets/js/bootstrap.js"></script>
/body>
/html>
```

Admin/views/pages/edit-author.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
```

```
$stmt->execute();
session start();
include('../includes/connection.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
    if(isset($_POST['update']))
    $athrid=intval($_GET['athrid']);
    $author=$ POST['author'];
    $sql="UPDATE authors SET name=:author WHERE id = :athrid";
    $query = $dbh->prepare($sq1);
    $query->bindParam(':author',$author,PDO::PARAM_STR);
    $query->bindParam(':athrid',$athrid,PD0::PARAM_STR);
    $query->execute();
    $ SESSION['updatemsg']="Author info updated successfully";
    header('location:manage-authors.php');
<!DOCTYPE html>
chtml>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
   <title>OLMS | Update Author</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <?php include('includes/header.php');?>
    <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">Update Author</h4>
                </div>
            </div>
            <div class="row">
                <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
                    <div class="panel panel-info">
                        <div class="panel-heading">
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
Author Info
                        </div>
                        <div class="panel-body">
                             <form role="form" method="post">
                                 <div class="form-group">
                                     <label>Author Name</label>
                                     <?php
                                     $athrid=intval($_GET['athrid']);
                                     $sql = "SELECT * from authors where id=:athrid";
                                     $query = $dbh -> prepare($sq1);
                                     $query->bindParam(':athrid',$athrid,PD0::PARAM_STR);
                                     $query->execute();
                                     $results=$query->fetchAll(PDO::FETCH OBJ);
                                     $cnt=1;
                                     if($query->rowCount() > 0)
                                         foreach($results as $result)
                                     <input class="form-control" type="text" name="author"</pre>
value="<?php echo htmlentities($result->name);?>" required />
                                     <?php }} ?>
                                 </div>
                                 <button type="submit" name="update" class="btn btn-</pre>
info">Update</button>
                             </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <?php include('../includes/footer.php');?>
    <script src="../assets/js/jquery-1.10.2.js"></script>
    <script src="../assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>
```

Admin/views/pages/edit-book.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
{
```

```
header('location:index.php');
else{
if(isset($_POST['update']))
$bookname=$ POST['bookname'];
$category=$_POST['category'];
$author=$_POST['author'];
$isbn=$ POST['isbn'];
$price=$ POST['price'];
$bookid=intval($_GET['bookid']);
$sql="UPDATE books SET name=:bookname,category_id=:category,author_id=:author,price=:price
WHERE id=:bookid";
$query = $dbh->prepare($sql);
$query->bindParam(':bookname',$bookname,PD0::PARAM_STR);
$query->bindParam(':category',$category,PDO::PARAM_STR);
$query->bindParam(':author',$author,PD0::PARAM_STR);
$query->bindParam(':price',$price,PD0::PARAM_STR);
$query->bindParam(':bookid',$bookid,PD0::PARAM_STR);
$query->execute();
echo "<script>alert('Book info updated successfully');</script>";
echo "<script>window.location.href='dashboard.php?page=manageBook'</script>";
<!DOCTYPE html>
<html>
    <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Edit Book</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
(/head>
<body>
    <div class="container">
        <div class="row pad-botm">
            <div class="col-md-12">
                <h4 class="header-line">Add Book</h4>
            </div>
        </div>
        <div class="row">
            <div class="col-md12 col-sm-12 col-xs-12">
                <div class="panel panel-info">
```

```
<div class="panel-heading">
                         Book Info
                    </div>
                    <div class="panel-body">
                         <form role="form" method="post">
                                 <?php
                                 $bookid=intval($_GET['bookid']);
                                 $sql = "SELECT books.name AS bookname, category.name AS catname,
category.id AS cid,
                                 authors.name AS athrname, authors.id AS athrid, books.isbn,
                                 books.price, books.id AS bookid, books.image AS bookImage
                                 FROM books
                                 JOIN category ON category.id = books.category id
                                 JOIN authors ON authors.id = books.author id
                                 WHERE books.id = :bookid";
                                 $query = $dbh -> prepare($sql);
                                 $query->bindParam(':bookid',$bookid,PD0::PARAM_STR);
                                 $query->execute();
                                 $results=$query->fetchAll(PDO::FETCH OBJ);
                                 $cnt=1;
                                 if($query->rowCount() > 0) {
                                     foreach($results as $result) {
                                 <div class="col-md-6">
                                     <div class="form-group">
                                         <img src="bookimg/<?php echo htmlentities($result-</pre>
>bookImage);?>" width="100">
                                         <a href="dashboard.php?page=changeBook&bookid=<?php echo</pre>
htmlentities($result->bookid);?>"
                                              class="btn btn-secondary"
style="color:#20b3fd;">Change Book Image
                                         </a>
                                     </div>
                                 </div>
                                 <div class="col-md-6">
                                     <div class="form-group">
                                         <label>Book Name<span</pre>
style="color:red;">*</span></label>
                                         <input class="form-control" type="text" name="bookname"</pre>
                                              value="<?php echo htmlentities($result-</pre>
>bookname);?>" required />
                                     </div>
                                 </div>
                                 <div class="col-md-6">
                                     <div class="form-group">
                                         <label> Category<span</pre>
style="color:red;">*</span></label>
```

```
<select class="form-control" name="category"</pre>
required="required">
                                                  <option value="<?php echo htmlentities($result-</pre>
>cid); ?>">
                                                       <?php echo htmlentities($catname=$result-</pre>
>catname); ?>
                                                  </option> <?php
                                                           $status=1;
                                                           $sql = "SELECT * FROM category WHERE
status=:status";
                                                           $query = $dbh -> prepare($sql);
                                                           $query-> bindParam(':status',$status,
PDO::PARAM STR);
                                                           $query->execute();
                                                           $results=$query-
>fetchAll(PDO::FETCH_OBJ);
                                                           if($query->rowCount() > 0) {
                                                               foreach($results as $row)
                                                                   if($catname==$row->name) {
                                                                       continue;
                                                                   } else { ?>
                                                                   <option value="<?php echo</pre>
htmlentities($row->id); ?>">
                                                                       <?php echo
htmlentities($row->name); ?>
                                                                   </option>
                                                                   <?php
                                                               }}} ?>
                                              </select>
                                          </div>
                                      </div>
                                      <div class="col-md-6">
                                      <div class="form-group">
                                          <label>Author <span style="color:red;">*</span></label>
                                          <select class="form-control" name="author"</pre>
required="required">
                                              <option value="<?php echo htmlentities($result-</pre>
>athrid); ?>"><?php echo htmlentities($athrname=$result->athrname); ?></option>
                                              $sql = "SELECT * from authors";
                                              $query2 = $dbh -> prepare($sql);
                                              $query2->execute();
                                              $result2=$query2->fetchAll(PDO::FETCH_OBJ);
                                              if($query2->rowCount() > 0) {
                                                  foreach($result2 as $ret) {
                                                       if($athrname==$ret->name) {
                                                          continue;
```

```
} else {
                                             <option value="<?php echo htmlentities($ret-</pre>
>id); ?>"><?php echo htmlentities($ret->name); ?></option>
                                            <?php }}} ?>
                                         </select>
                                    </div>
                                </div>
                                <div class="col-md-6">
                                    <div class="form-group">
                                         <label>ISBN Number <span style="color:red;">*</span>
                                         </label>
                                        <input class="form-control" type="text" name="isbn"</pre>
value="<?php echo htmlentities($result->isbn);?>" readonly />
                                        An ISBN is an International
Standard Book Number.ISBN Must be unique
                                    </div>
                                </div>
                                <div class="col-md-6">
                                    <div class="form-group">
                                    <label>Price in USD <span style="color:red;">*</span>
                                    </label>
                                    <input class="form-control" type="text" name="price"</pre>
value="<?php echo htmlentities($result->price);?>" required="required" />
                                </div>
                                </div> <?php }} ?>
                                    <div class="col-md-12">
                                    <button type="submit" name="update" class="btn btn-</pre>
info">Update </button>
                                </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
   </div>
    <script src="../assets/js/jquery-1.10.2.js"></script>
    <script src="../assets/js/bootstrap.js"></script>
(/body>
</html>
<?php } ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/edit-category.php

```
<?php
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
if(isset($_POST['update']))
$category=$_POST['category'];
$status=$ POST['status'];
$catid=intval($ GET['catid']);
$sq1="UPDATE category SET name=:category,status=:status WHERE id=:catid";
$query = $dbh->prepare($sql);
$query->bindParam(':category',$category,PD0::PARAM STR);
$query->bindParam(':status',$status,PD0::PARAM_STR);
$query->bindParam(':catid',$catid,PDO::PARAM_STR);
$query->execute();
$_SESSION['updatemsg']="Category succefully updated";
header('location: dashboard.php?page=manageCategory');
?>
<!DOCTYPE html>
<html>
    <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Edit Categories</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
<div class="container">
        <div class="row pad-botm">
            <div class="col-md-12">
                <h4 class="header-line">Edit category</h4>
```

```
</div>
        </div>
        <div class="row">
            <div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3">
                <div class="panel panel-info">
                     <div class="panel-heading">
                         Category Info
                    </div>
                    <div class="panel-body">
                         <form role="form" method="post">
                             <?php
                                 $catid=intval($_GET['catid']);
                                 $sql="SELECT * from category where id=:catid";
                                 $query=$dbh->prepare($sq1);
                                 $query->bindParam(':catid',$catid, PDO::PARAM_STR);
                                 $query->execute();
                                 $results=$query->fetchAll(PDO::FETCH OBJ);
                                 if($query->rowCount() > 0) {
                                     foreach($results as $result) { ?>
                                     <div class="form-group">
                                         <label>Category Name</label>
                                         <input class="form-control" type="text" name="category"</pre>
value="<?php echo htmlentities($result->name);?>" required />
                                     </div>
                                     <div class="form-group">
                                         <label>Status</label>
                                         <div class="radio">
                                              <label>
                                                  <input type="radio" name="status" id="status1"</pre>
value="1" <?php if($result->status==1) echo 'checked="checked"'; ?>>Active
                                              </label>
                                         </div>
                                         <div class="radio">
                                              <label>
                                                  <input type="radio" name="status" id="status0"</pre>
value="0" <?php if($result->status==0) echo 'checked="checked"'; ?>>Inactive
                                              </label>
                                         </div>
                                     </div>
                                     <?php }} ?>
                             <button type="submit" name="update" class="btn btn-</pre>
info">Update</button>
                         </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/get_book.php

```
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
require once('../includes/connection.php');
if (!empty($_POST["bookid"])) {
   $bookid = $_POST["bookid"];
   $sql = "SELECT DISTINCT books.name AS bookName, books.id, authors.name
           AS authorName, books.image AS bookImage, books.is_issued
           FROM books
           JOIN authors ON authors.id = books.author id
           WHERE (isbn = :bookid OR books.name LIKE '%$bookid%')";
   $query = $dbh->prepare($sq1);
   $query->bindParam(':bookid', $bookid, PDO::PARAM STR);
   $query->execute();
   $results = $query->fetchAll(PDO::FETCH OBJ);
   cnt = 1;
   if ($query->rowCount() > 0) {
    <div class="container">
       <div class="row">
           <?php foreach ($results as $result) { ?>
                       <img src="bookimg/<?php echo htmlentities($result->bookImage); ?>"
width="120"><br />
                           <?php echo htmlentities($result->bookName); ?><br />
                           <?php echo htmlentities($result->authorName); ?><br />
                           <?php if ($result->is_issued == '1') : ?>
                               Book Already issued
                           <?php else : ?>
                              <input type="radio" name="bookid" value="<?php echo</pre>
htmlentities($result->id); ?>" required>
                          <?php endif; ?>
                       <?php echo "<script>$('#submit').prop('disabled',false);</script>"; ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/get_student.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
require_once('../includes/connection.php');
if(!empty($ POST["studentid"])) {
 $studentid= strtoupper($ POST["studentid"]);
  $sql ="SELECT name, status, email, mobile
         FROM students
         WHERE student_id_number=:studentid";
  $query= $dbh -> prepare($sql);
  $query-> bindParam(':studentid', $studentid, PDO::PARAM_STR);
 $query-> execute();
  $results = $query -> fetchAll(PDO::FETCH_OBJ);
  $cnt=1;
  if($query -> rowCount() > 0)
    echo "<div class='container'>";
    echo "<div class='row'>";
    echo "<div class='col-md-12'>";
    foreach ($results as $result) {
      if($result->status==0)
        echo "<span style='color:red'> Student ID Blocked </span>"."<br />";
        echo "<b>Student Name-</b>" .$result->name;
        echo "<script>$('#submit').prop('disabled',true);</script>";
      } else {
        echo htmlentities($result->name)."<br />";
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
echo htmlentities($result->email)."<br />";
      echo htmlentities($result->mobile);
      echo "<script>$('#submit').prop('disabled',false);</script>";
  echo "</div>";
  echo "</div>";
  echo "</div>";
}
else{
  echo "<div class='container'>";
  echo "<div class='row'>";
  echo "<div class='col-md-12'>";
  echo "<span style='color:red'> Invalid Student ID. Please Enter Valid Student ID.</span>";
  echo "<script>$('#submit').prop('disabled',true);</script>";
  echo "</div>";
  echo "</div>";
  echo "</div>";
```

Admin/views/pages/issue-book.php

```
ddq{>
$page = $ SERVER['REQUEST URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if (strlen($_SESSION['alogin']) == 0) {
    header('location:index.php');
} else {
    if (isset($_POST['issue'])) {
        $studentid = $_POST['studentid'];
        $bookid = $_POST['bookid'];
        sisssued = 1;
        $sql student = "SELECT id FROM students WHERE student id number = :studentid";
        $query student = $dbh->prepare($sql student);
        $query_student->bindParam(':studentid', $studentid, PD0::PARAM_STR);
        $query student->execute();
        $studentRow = $query_student->fetch(PD0::FETCH_ASSOC);
        if ($studentRow) {
            $student_id = $studentRow['id'];
            $sql_update = "UPDATE books SET is_issued = :isissued WHERE id = :bookid";
            $query_update = $dbh->prepare($sql_update);
            $query_update->bindParam(':isissued', $isssued, PDO::PARAM_STR);
            $query update->bindParam(':bookid', $bookid, PDO::PARAM STR);
```

```
$query update->execute();
            if ($query update->rowCount() > 0) {
                $sql_insert = "INSERT INTO issued_book_details(student_id, book_id)
VALUES(:studentid, :bookid)";
                $query insert = $dbh->prepare($sql insert);
                $query_insert->bindParam(':studentid', $student_id, PD0::PARAM_INT);
                $query_insert->bindParam(':bookid', $bookid, PDO::PARAM_INT);
                $query insert->execute();
                $lastInsertId = $dbh->lastInsertId();
                if ($lastInsertId) {
                    $ SESSION['msg'] = "Book issued successfully";
                    header('location:dashboard.php?page=manageIssued');
                } else {
                    $_SESSION['error'] = "Something went wrong. Please try again";
                    header('location:dashboard.php?page=manageIssued');
            } else {
                $_SESSION['error'] = "Failed to update book status. Please try again";
                header('location:dashboard.php?page=manageIssued');
            }
        } else {
            $_SESSION['error'] = "Invalid student ID. Please try again";
            header('location:dashboard.php?page=manageIssued');
<!DOCTYPE html>
<html>
   <head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | Issue a new Book</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
style type="text/css">
    .others{
        color:red;
</style>
</head>
<body>
```

```
<div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                     <h4 class="header-line">Issue a New Book</h4>
                </div>
            </div>
            <div class="row">
                <div class="col-md-10 col-sm-6 col-xs-12 col-md-offset-1">
                     <div class="panel panel-info">
                         <div class="panel-heading">
                             Issue a New Book
                         </div>
                         <div class="panel-body">
                         <form role="form" method="post">
                             <div class="form-group">
                                 <label>Student ID <span style="color:red;">*</span></label>
                                 <input class="form-control" type="text" name="studentid"</pre>
id="studentid" onBlur="getstudent()" autocomplete="off" required />
                             </div>
                             <div class="form-group">
                                 <span id="get_student_name" style="font-size:16px;"></span>
                             </div>
                             <div class="form-group">
                                 <label>ISBN Number or Book Title <span</pre>
style="color:red;">*</span></label>
                                 <input class="form-control" type="text" name="bookid"</pre>
id="bookid" onBlur="getbook()" required="required" />
                             <div class="form-group" id="get_book_name">
                             </div>
                             <button type="submit" name="issue" id="submit" class="btn btn-</pre>
info">Issue Book</button>
                         </form>
                         </div>
                    </div>
                </div>
            </div>
        </div>
    <script src="../assets/js/jquery-1.10.2.js"></script>
    <script src="../assets/js/bootstrap.js"></script>
    <script>
    function getstudent() {
    $("#loaderIcon").show();
    jQuery.ajax({
    url: "get_student.php",
    data:'studentid='+$("#studentid").val(),
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
type: "POST",
   success:function(data){
   $("#get_student_name").html(data);
   $("#loaderIcon").hide();
   },
   error:function (){}
   });
   function getbook() {
   $("#loaderIcon").show();
   jQuery.ajax({
   url: "get_book.php",
   data:'bookid='+$("#bookid").val(),
   type: "POST",
   success:function(data){
   $("#get_book_name").html(data);
   $("#loaderIcon").hide();
   error:function (){}
   });
</script>
</body>
<?php } ?>
```

Admin/views/pages/logout.php

```
<?php
session_start();
session_destroy();
header("location:../../index.php?page=admin");
die();
?>
```

Admin/views/pages/manage-authors.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin']) == 0) {
    header('location:index.php');
```

```
else {
   if(isset($_GET['del'])) {
       $id = $ GET['del'];
       $sql = "DELETE FROM authors WHERE id=:id";
       $query = $dbh->prepare($sq1);
       $query->bindParam(':id', $id, PDO::PARAM_STR);
       $query->execute();
       $_SESSION['delmsg'] = "Author deleted";
       header('location:dashboard.php?page=manageAuthor');
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
<meta name="description" content="" />
<meta name="author" content="" />
<title>OLMS | Manage Authors</title>
<link href="../assets/css/bootstrap.css" rel="stylesheet" />
<link href="../assets/css/font-awesome.css" rel="stylesheet" />
<link href="../assets/css/style.css" rel="stylesheet" />
</head>
<body>
   <div class="content-wrapper">
       <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">Manage Authors</h4>
                </div>
                <div class="row">
                <?php if(isset($ SESSION['error']) && $ SESSION['error']!="") { ?>
                        <div class="col-md-6">
                            <div class="alert alert-danger" id="sm">
                                <?php echo htmlentities($_SESSION['error']); ?>
                                <?php echo htmlentities($_SESSION['error']=""); ?>
                            </div>
                        </div>
                    <?php } ?>
                    <?php if(isset($_SESSION['msg']) && $_SESSION['msg']!="") { ?>
                        <div class="col-md-6">
                            <div class="alert alert-success" id="sm">
                                <?php echo htmlentities($_SESSION['msg']); ?>
                                <?php echo htmlentities($_SESSION['msg']=""); ?>
                            </div>
                        </div>
                    <?php } ?>
                    <?php if(isset($_SESSION['updatemsg']) && $_SESSION['updatemsg']!="") { ?>
```

```
<div class="col-md-6">
                         <div class="alert alert-success" id="sm">
                             <?php echo htmlentities($_SESSION['updatemsg']); ?>
                            <?php echo htmlentities($_SESSION['updatemsg']=""); ?>
                         </div>
                     </div>
                 <?php } ?>
                 <?php if(isset($_SESSION['delmsg']) && $_SESSION['delmsg']!="") { ?>
                     <div class="col-md-6">
                         <div class="alert alert-success">
                             <?php echo htmlentities($_SESSION['delmsg']); ?>
                             <?php echo htmlentities($_SESSION['delmsg']=""); ?>
                         </div>
                     </div>
                 <?php } ?>
              </div>
          </div>
          <div class="row">
              <div class="col-md-12">
                  <div class="panel panel-default">
                     <div class="panel-heading">
                        Authors Listing
                     </div>
                     <div class="panel-body">
                         <div class="table-responsive">
                            id="dataTables-example">
                                <thead>
                                    #
                                       Author
                                       Creation Date
                                       Updation Date
                                       Action
                                   </thead>
                                <?php
                                       $sql = "SELECT * from authors";
                                       $query = $dbh->prepare($sq1);
                                       $query->execute();
                                       $results=$query->fetchAll(PDO::FETCH_OBJ);
                                       $cnt=1;
                                       if($query->rowCount() > 0)
                                           foreach($results as $result)
```

```
<?php echo
htmlentities($cnt);?>
                                         <?php echo
htmlentities($result->name);?>
                                         <?php echo
htmlentities($result->created_at);?>
                                         <?php echo
htmlentities($result->updated at);?>
                                         <a href="edit-author.php?athrid=<?php echo
htmlentities($result->id);?>">
                                                <button class="btn btn-primary"><i</pre>
class="fa fa-edit "></i> Edit</button>
                                             </a>
href="dashboard.php?page=manageAuthor&del=<?php echo htmlentities($result->id);?>"
onclick="return confirm('Are you sure you want to delete?');">
                                                <button class="btn btn-danger"><i</pre>
class="fa fa-pencil"></i> Delete</button>
                                             </a>
                                         <?php
                                             $cnt=$cnt+1;
                               </div>
                    </div>
                 </div>
             </div>
          </div>
       </div>
   </div>
<script src="../assets/js/jquery-1.10.2.js"></script>
<script src="../assets/js/bootstrap.js"></script>
<script>
       setTimeout(function() {
          document.getElementById("sm").style.display = "none";
       }, 3000);
</script>
</body>
</html>
<?php } ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/manage-books.php

```
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if (strlen($ SESSION['alogin']) == 0) {
    header('location:index.php');
} else {
    if (isset($_GET['del'])) {
        $id = $ GET['del'];
        $sql = "DELETE FROM books WHERE id=:id";
        $query = $dbh->prepare($sq1);
        $query->bindParam(':id', $id, PDO::PARAM_STR);
        $query->execute();
        $_SESSION['delmsg'] = "Book deleted successfully";
        header('location:dashboard.php?page=manageBook');
    }
<!DOCTYPE html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Manage Books</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">Manage Books</h4>
                </div>
            </div>
            <div class="row">
                <div class="col-md-12">
                    <div class="panel panel-default">
                        <div class="panel-heading">
                             Books Listing
                        </div>
```

```
<div class="panel-body">
                     <div class="table-responsive">
                        <table class="table table-striped table-bordered table-hover"
id="dataTables-example">
                           <thead>
                              #
                                 Book Name
                                 Category
                                 Author
                                 ISBN
                                 Price
                                 Action
                              </thead>
                           <?php
                              $sql = "SELECT books.name AS book_name, category.name AS
category_name, authors.name AS author_name, books.isbn, books.price, books.id AS bookid,
books.image
                              FROM books
                              JOIN category ON category.id = books.category_id
                              JOIN authors ON authors.id = books.author_id";
                              $query = $dbh->prepare($sq1);
                              $query->execute();
                              $results = $query->fetchAll(PDO::FETCH OBJ);
                              scnt = 1;
                              if ($query->rowCount() > 0) {
                                 foreach ($results as $result) {
                                    htmlentities($result->bookid); ?>">
                                       <?php echo
<img src="bookimg/<?php echo</pre>
htmlentities($result->image); ?>" width="100">
                                           <br /><b><?php echo</pre>
htmlentities($result->book name); ?></b>
                                       <?php echo
htmlentities($result->category_name); ?>
                                       <?php echo
htmlentities($result->author_name); ?>
                                       <?php echo
<?php echo
htmlentities($result->price); ?>
```

```
href="dashboard.php?page=editBook&bookid=<?php echo htmlentities($result->bookid); ?>">Edit</a>
href="dashboard.php?page=manageBook&del=<?php echo htmlentities($result->bookid); ?>"
onclick="return confirm('Da li ste sigurni da želite da obrišete ovu knjigu?');">Delete</a>
                                                   <?php
                                               $cnt++;
                                        }
                                       else {
                                            if(isset($ GET['del'])) {
                                               $id=$_GET['del'];
                                               $sql = "DELETE FROM books WHERE id=:id";
                                               $query = $dbh->prepare($sq1);
                                               $query -> bindParam(':id', $id, PDO::PARAM_STR);
                                               $query -> execute();
                                               $_SESSION['delmsg']="Category deleted
successfully ";
                                               header('location:manage-books.php');
                                        }
                                    </div>
                       </div>
                    </div>
               </div>
           </div>
        </div>
        <script>
           function deleteBook(bookId) {
                if (confirm('Da li ste sigurni da želite da obrišete ovu knjigu?')) {
                   $.ajax({
                       url: 'manage-books.php?del=' + bookId,
                       method: 'GET',
                       success: function() {
                           var rowId = 'book-' + bookId;
                           $('#' + rowId).remove();
                   });
                }
        </script>
        <script src="../assets/js/jquery-1.10.2.js"></script>
        <script src="../assets/js/bootstrap.js"></script>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
</body>
</html>
<?php
}
?>
```

Admin/views/pages/manage-categories.php

```
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
    if(strlen($ SESSION['alogin'])==0) {
        header('location:index.php');
    } else {
        if(isset($_GET['del'])) {
            $id=$_GET['del'];
            $sql = "delete from category WHERE id=:id";
            $query = $dbh->prepare($sq1);
            $query -> bindParam(':id',$id, PDO::PARAM STR);
            $query -> execute();
            header('location: dashboard.php?page=manageCategory');
            $ SESSION['delmsg']="Category deleted successfully ";
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Manage Categories</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
    <div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">Manage Categories</h4>
                </div>
```

```
<div class="row">
                <?php if(isset($_SESSION['error']) && $_SESSION['error']!="") {?>
                    <div class="col-md-6">
                        <div class="alert alert-danger" >
                            <?php echo htmlentities($_SESSION['error']);?>
                            <?php echo htmlentities($ SESSION['error']="");?>
                        </div>
                    </div>
                    <?php } ?>
                    <?php if(isset($_SESSION['msg']) && $_SESSION['msg']!="") {?>
                    <div class="col-md-6">
                        <div class="alert alert-success" id="sm" >
                            <?php echo htmlentities($ SESSION['msg']);?>
                            <?php echo htmlentities($_SESSION['msg']="");?>
                        </div>
                    </div>
                    <?php } ?>
                    <?php if(isset($_SESSION['updatemsg']) && $_SESSION['updatemsg']!="") {?>
                    <div class="col-md-6">
                        <div class="alert alert-success" id="sm" >
                            <?php echo htmlentities($_SESSION['updatemsg']);?>
                            <?php echo htmlentities($_SESSION['updatemsg']="");?>
                        </div>
                    </div>
                    <?php } ?>
                    <?php if(isset($ SESSION['delmsg']) && $ SESSION['delmsg']!="") {?>
                    <div class="col-md-6">
                        <div class="alert alert-success" >
                            <?php echo htmlentities($_SESSION['delmsg']);?>
                            <?php echo htmlentities($_SESSION['delmsg']="");?>
                        </div>
                    </div>
                    <?php } ?>
                </div>
            </div>
            <div class="row">
                <div class="col-md-12">
                    <div class="panel panel-default">
                        <div class="panel-heading">
                            Categories
                        </div>
                        <div class="panel-body">
                            <div class="table-responsive">
                                <table class="table table-striped table-bordered table-hover"
id="dataTables-example">
                                    <thead>
                                        #
```

```
Category
                                  Status
                                  Creation Date
                                  Updation Date
                                  Action
                               </thead>
                            $sql = "SELECT * from category";
                               $query = $dbh->prepare($sq1);
                               $query->execute();
                               $results = $query->fetchAll(PDO::FETCH OBJ);
                               scnt = 1;
                               if ($query->rowCount() > 0) {
                                  foreach ($results as $result) {
                                     <?php echo
<?php echo
htmlentities($result->name);?>
                                         <?php if ($result->status == 1) { ?>
                                               <a href="#" class="btn btn-success
btn-xs">Active</a>
                                            <?php } else { ?>
                                               <a href="#" class="btn btn-danger
btn-xs">Inactive</a>
                                            <?php } ?>
                                         <?php echo
htmlentities($result->created_at);?>
                                         <?php echo
href="dashboard.php?page=editCategory&catid=<?php echo htmlentities($result->id);?>">
                                               <button class="btn btn-primary"><i</pre>
class="fa fa-edit "></i> Edit</button>
                                            </a>
href="dashboard.php?page=manageCategory&del=<?php echo htmlentities($result->id);?>"
onclick="return confirm('Are you sure you want to delete?');">
                                               <button class="btn btn-danger"><i</pre>
class="fa fa-pencil"></i> Delete</button>
                                            </a>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<?php $cnt = $cnt + 1;</pre>
                                       }
                                   </div>
                       </div>
                   </div>
               </div>
           </div>
<script src="../assets/js/jquery-1.10.2.js"></script>
<script src="../assets/js/bootstrap.js"></script>
<script>
       setTimeout(function() {
           document.getElementById("sm").style.display = "none";
       }, 3000);
   </script>
</body>
</html>
<?php
```

Admin/views/pages/manage-issued-books.php

```
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
    header('location:index.php');
else{
<!DOCTYPE html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Manage Issued Books</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
```

```
<link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
<div class="content-wrapper">
        <div class="container">
            <div class="row pad-botm">
                <div class="col-md-12">
                    <h4 class="header-line">Manage Issued Books</h4>
                </div>
            </div>
            <div class="row">
                <?php if(isset($_SESSION['error']) && $_SESSION['error']!="") {?>
                <div class="col-md-6">
                    <div class="alert alert-danger" id="ib">
                        <?php echo htmlentities($_SESSION['error']);?>
                        <?php echo htmlentities($_SESSION['error']="");?>
                    </div>
                </div>
                <?php } ?>
                <?php if(isset($_SESSION['msg']) && $_SESSION['msg']!="") {?>
                <div class="col-md-6">
                    <div class="alert alert-success" id="ib">
                        <?php echo htmlentities($ SESSION['msg']);?>
                        <?php echo htmlentities($_SESSION['msg']="");?>
                    </div>
                </div>
                <?php } ?>
                <?php if(isset($_SESSION['delmsg']) && $_SESSION['delmsg']!="") {?>
                <div class="col-md-6">
                    <div class="alert alert-success" id="ib">
                        <?php echo htmlentities($_SESSION['delmsg']);?>
                        <?php echo htmlentities($_SESSION['delmsg']="");?>
                    </div>
                </div>
                <?php } ?>
            </div>
        </div>
    </div>
</body>
</html>
<?php } ?>
   </div>
        </div>
            <div class="row">
               <div class="col-md-12">
```

```
<div class="panel panel-default">
                   <div class="panel-heading">
                     Issued Books
                   </div>
                   <div class="panel-body">
                      <div class="table-responsive">
                      <table class="table table-striped table-bordered table-hover"
id="dataTables-example">
                         <thead>
                             #
                                Student Name
                                Book Name
                                ISBN
                                Issued Date
                                Return Date
                                Action
                             </thead>
                             <?php
                                $sql = "SELECT students.name AS studentName, books.name
AS bookName, books.isbn AS ISBNNumber,
                                             issued_book_details.issue_date AS
IssuesDate, issued_book_details.return_date
                                         AS ReturnDate, issued book details.id AS rid
                                         FROM issued book details
                                         JOIN students ON students.id =
issued book details.student id
                                         JOIN books ON books.id =
issued_book_details.book_id
                                         ORDER BY issued book details.id DESC";
                                $query = $dbh->prepare($sql);
                                $query->execute();
                                $results = $query->fetchAll(PDO::FETCH_OBJ);
                                $cnt = 1;
                                if ($query->rowCount() > 0) {
                                   foreach ($results as $result) { ?>
                                      <?php echo
<?php echo
<?php echo
htmlentities($result->bookName); ?>
                                         <?php echo
htmlentities($result->ISBNNumber); ?>
```

```
<?php echo
htmlentities($result->IssuesDate); ?>
                                               <?php if ($result-
>ReturnDate == "") {
                                                                         echo
htmlentities("Not Return Yet");
                                                                     } else {
                                                                         echo
htmlentities($result->ReturnDate);
                                                                     } ?>
                                               href="dashboard.php?page=updateIssued&rid=<?php echo htmlentities($result->rid); ?>">
                                                   <button class="btn btn-primary"><i</pre>
class="fa fa-edit "></i> Edit</button>
                                               <?php $cnt = $cnt + 1;</pre>
                                   </div>
                     </div>
                  </div>
              </div>
          </div>
       </div>
   <script src="../assets/js/jquery-1.10.2.js"></script>
   <script src="../assets/js/bootstrap.js"></script>
   <script>
       setTimeout(function() {
          document.getElementById("ib").style.display = "none";
       }, 3000);
   </script>
</body>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/page-access.php

```
<div class="row mt-4">
   <div class="col-md-12">
      <h4 class="header-line">Page Visits</h4>
   </div>
</div>
<div class="row mt-4">
   <div class="col-md-12">
      Stranica
                Pristupi
                 Procenat
          </thead>
          <?php
             $sql = "SELECT page, COUNT(*) AS visits FROM page_views WHERE timestamp >= (NOW())
 INTERVAL 1 DAY) GROUP BY page";
             $query = $dbh->prepare($sq1);
             $query->execute();
             $results = $query->fetchAll(PDO::FETCH_ASSOC);
             $totalVisits = 0;
             foreach ($results as $row) {
                 $totalVisits += $row['visits'];
             foreach ($results as $row) {
                 $page = $row['page'];
                 $visits = $row['visits'];
                 $percentage = ($visits / $totalVisits) * 100;
                 <?php echo $page; ?>
                    <?php echo $visits; ?>
                    <?php echo $percentage; ?>%
                 <?php
          </div>
/div>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/pocetnaAdmin.php

```
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<div class="row mt-4">
    <div class="col-md-12">
        <h4 class="header-line">ADMIN DASHBOARD</h4>
    </div>
</div>
<div class="row mt-4">
   $sql = 'SELECT * FROM dashboard admin icons';
    $query = $dbh->prepare($sq1);
    $query->execute();
    $results_icons = $query->fetchAll(PDO::FETCH_OBJ);
    $colors = array(
        'Books listed' => array('background' => '#dff0d8', 'text' => '#3c763d'),
        'Books Not Returned Yet' => array('background' => '#fcf8e3', 'text' => '#8a6d3b'),
        'Registered Users' => array('background' => '#f2dede', 'text' => '#a94442'),
        'Authors Listed' => array('background' => '#dff0d8', 'text' => '#3c763d'),
        'Survey answers' => array('background' => '#a19cd2', 'text' => 'purple'),
        'Questions from students' => array('background' => '#87CEFA', 'text' => 'white'),
        'Listed Categories' => array('background' => 'transparent', 'text' => '#31708f'),
        'Users from text file' => array('background' => 'transparent', 'text' => 'blue'),
        'Page access' => array('background' => 'pink', 'text' => 'brown')
    );
    foreach ($results icons as $row) {
        $name = $row->name;
        $icon = $row->icon;
        $href = $row->href;
        $color = $colors[$name];
        <div class="col-md-3 col-sm-6">
            <a href="<?php echo htmlentities($href); ?>" style="text-decoration: none;">
                <div class="alert text-center"</pre>
                     style="background-color: <?php echo $color['background']; ?>; color: <?php</pre>
echo $color['text']; ?>;border: 2px solid <?php echo $color['text']; ?>">
                    <i class="fa <?php echo htmlentities($icon); ?> fa-5x"></i>
                    <?php
                    if ($name == 'Page access') {
                        $query = $dbh->prepare(upiti($name));
                        $query->execute();
                        $result = $query->fetch(PDO::FETCH ASSOC);
```

```
$visits = $result['visits'];
                       echo "<h3>Page visits <br/> <br/>".$visits."</h3>";
                       continue;
                   if ($name == 'Users from text file') {
                       $pokazivac = fopen("../data/korisnici.txt", "r");
                       $fileSize = filesize("../data/korisnici.txt");
                       if ($fileSize > 0) {
                           $vrednosti = fread($pokazivac, $fileSize);
                           fclose($pokazivac);
                           $vrednosti = trim($vrednosti);
                           $imenik = explode("\n", $vrednosti);
                           $brojKorisnika = "".count($imenik).
'";
                           echo "<br/><b>".$brojKorisnika."</b></br>";
                       } else {
                           fclose($pokazivac);
                           $brojKorisnika = "0";
                           echo "<br/>><b>".$brojKorisnika."</b></br>";
                   } else {
                       $query = $dbh->prepare(upiti($name));
                       $query->execute();
                       $count = $query->rowCount();
                       echo "<h3>".htmlentities($count)."</h3>";
                   }
                   <?php echo htmlentities($name); ?>
               </div>
           </a>
       </div>
   <?php
   function upiti($name) {
       if ($name == 'Books listed') {
           return 'SELECT id FROM books';
       } else if ($name == 'Books Not Returned Yet') {
           return 'SELECT id FROM issued_book_details WHERE return_status = "" OR return_status
IS NULL';
       } else if ($name == 'Registered Users') {
           return 'SELECT id FROM students';
       } else if ($name == 'Authors Listed') {
           return 'SELECT id FROM authors';
       } else if ($name == 'Survey answers') {
           return 'SELECT students.email, survey.answer_text FROM student_answer
                   INNER JOIN students ON students.id = student_answer.student_id
                   INNER JOIN survey ON survey.id = student_answer.answer_id';
       } else if ($name == 'Questions from students') {
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/reg-students.php

```
$page = $_SERVER['REQUEST URI'];
$sql = "INSERT INTO page views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
else{
if(isset($_GET['inid'])){
    $id=$_GET['inid'];
   $status=0;
    $sql = "UPDATE students SET status=:status WHERE id=:id";
    $query = $dbh->prepare($sq1);
    $query -> bindParam(':id',$id, PDO::PARAM_STR);
    $query -> bindParam(':status',$status, PDO::PARAM_STR);
    $query -> execute();
    header('location: dashboard.php?page=regStudents');
if(isset($_GET['id'])) {
    $id=$ GET['id'];
    $status=1;
   $sql = "UPDATE students SET status=:status WHERE id=:id";
    $query = $dbh->prepare($sq1);
    $query -> bindParam(':id',$id, PDO::PARAM_STR);
    $query -> bindParam(':status',$status, PDO::PARAM_STR);
    $query -> execute();
    header('location: dashboard.php?page=regStudents');
<!DOCTYPE html>
```

```
<html>
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | Manage Registered Students</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
   <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
   <div class="content-wrapper">
        <div class="container">
       <div class="row pad-botm">
           <div class="col-md-12">
               <h4 class="header-line">Manage Registered Students</h4>
           </div>
       </div>
       <div class="row">
           <div class="col-md-12">
               <div class="panel panel-default">
                   <div class="panel-heading">
                       Reg Students
                   </div>
                       <div class="panel-body">
                          <div class="table-responsive">
                              <table class="table table-striped table-bordered table-hover"
id="dataTables-example">
                                  <thead>
                                      #
                                          Student ID
                                          Student Name
                                          Email id 
                                          Mobile Number
                                          Reg Date
                                          Status
                                          Action
                                      </thead>
                                  <?php $sql = "SELECT * from students";</pre>
                                      $query = $dbh -> prepare($sql);
                                      $query->execute();
```

```
$results=$query->fetchAll(PDO::FETCH OBJ);
                                 $cnt=1;
                                 if($query->rowCount() > 0) {
                                    foreach($results as $result)
                                    <?php echo
<?php echo
htmlentities($result->student id number);?>
                                        <?php echo
htmlentities($result->name);?>
                                        <?php echo
htmlentities($result->email);?>
                                        <?php echo
htmlentities($result->mobile);?>
                                        <?php echo
htmlentities($result->created_at);?>
                                        <?php if($result->status==1)
                                           echo htmlentities("Active");
                                        } else {
                                           echo htmlentities("Blocked");
                                        } ?> 
                                        <?php if($result->status==1) { ?>
href="dashboard.php?page=regStudents&inid=<?php echo htmlentities($result->id);?>"
                                              onclick="return confirm('Are you sure
you want to block this student?');" >
                                               <button class="btn btn-danger">
Inactive</button>
                                                  <?php } else {?>
href="dashboard.php?page=regStudents&id=<?php echo htmlentities($result->id);?>"
                                                     onclick="return confirm('Are you
sure you want to active this student?');">
                                                     <button class="btn btn-primary">
Active</button>
                                                  <?php } ?>
href="dashboard.php?page=details&stdid=<?php echo htmlentities($result->student_id_number);?>">
                                                  <button class="btn btn-</pre>
success">Details</button>
                                    <?php
$cnt=$cnt+1;}} ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
</div>
                      </div>
                   </div>
               </div>
           </div>
       </div>
   </div>
   <script src="../assets/js/jquery-1.10.2.js"></script>
   <script src="../assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>
```

Admin/views/pages/student-history.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
if(isset($_GET['inid']))
$id=$_GET['inid'];
$status=0;
$sql = "UPDATE students SET status=:status WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PD0::PARAM_STR);
$query -> bindParam(':status',$status, PDO::PARAM_STR);
$query -> execute();
header('location:dashboard.php?page=regStudents');
if(isset($_GET['id']))
$id=$_GET['id'];
$status=1;
$sql = "UPDATE students SET status=:status WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM_STR);
$query -> bindParam(':status',$status, PDO::PARAM_STR);
$query -> execute();
```

```
header('location:dashboard.php?page=regStudents');
<!DOCTYPE html>
<html>
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>OLMS | Student History</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
   <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
   <div class="content-wrapper">
       <div class="container">
           <div class="row pad-botm">
               <div class="col-md-12">
                   <?php $sid=$_GET['stdid']; ?>
                   <h4 class="header-line">#<?php echo $sid;?> Book Issued History</h4>
               </div>
           </div>
           <div class="row">
               <div class="col-md-12">
                   <div class="panel panel-default">
                       <div class="panel-heading">
                          <?php echo $sid;?> Details
                       </div>
                       <div class="panel-body">
                          <div class="table-responsive">
                              <table class="table table-striped table-bordered table-hover"
id="dataTables-example">
                                  <thead>
                                      #
                                          Student ID
                                          Student Name
                                          Issued Book
                                          Issued Date
                                          Returned Date
                                          Fine (if any)
                                      </thead>
```

```
$sql = "SELECT s.student id number AS StudentId, s.name
AS FullName, s.email, s.mobile, b.name AS BookName, b.isbn, ibd.issue_date AS IssuesDate,
ibd.return_date AS ReturnDate, ibd.id AS rid, ibd.fine, ibd.return_status, b.id AS bid, b.image
                                        FROM issued book details ibd
                                        JOIN students s ON s.id = ibd.student id
                                        JOIN books b ON b.id = ibd.book id
                                       WHERE s.student_id_number = '$sid' ";
                                 $query = $dbh -> prepare($sq1);
                                 $query->execute();
                                 $results=$query->fetchAll(PDO::FETCH_OBJ);
                                 $cnt=1;
                                 if($query->rowCount() > 0) {
                                    foreach($results as $result) { ?>
                                        <?php echo
<?php echo
htmlentities($result->StudentId);?>
                                           <?php echo
htmlentities($result->FullName);?>
                                           <?php echo
htmlentities($result->BookName);?></rappe>
                                           <?php echo
htmlentities($result->IssuesDate);?>
                                           <?php
                                              if($result->ReturnDate=='') {
                                                  echo "Not returned yet";
                                              } else {
                                                  echo htmlentities($result-
>ReturnDate);
                                           <?php
                                              if($result->ReturnDate=='') {
                                                  echo "Not payed yet";
                                              } else {
                                                  echo $result->fine;
                                           <?php
                                    $cnt=$cnt+1;
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Admin/views/pages/survey-listed-answers.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
<!DOCTYPE html>
<html>
   <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
   <title>OLMS | Survey Answers</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
</head>
<body>
 <section class="vh-100 gradient-custom" style="margin-left:33%;">
 <div class="py-5">
    <div class="row d-flex justify-content-center align-items-center h-100">
      <div class="col-12 col-md-8 col-lg-6 col-xl-5">
        <div class="tabelaCreate">
          <div class="table-responsive" style="margin-top:10rem;">
            <h3 class="page-title" style="margin:2rem;">Survey answers from students:</h3>
```

```
<thead>
             Student
               Answer
               Answer Selection
             </thead>
           <?php
               $sql = "SELECT students.email, survey.answer_text
                     FROM student_answer
                     INNER JOIN students ON students.id = student answer.student id
                     INNER JOIN survey ON survey.id = student_answer.answer_id
                     ORDER BY student_answer.id DESC";
               $query = $dbh->prepare($sq1);
               $query->execute();
               $results=$query->fetchAll(PDO::FETCH_OBJ);
               $cnt=1;
               if($query->rowCount() > 0)
                foreach($results as $result)
             <?php echo htmlentities($cnt);?>
               <?php echo htmlentities($result->email);?>
               <?php echo htmlentities($result->answer_text);?>
             <?php
               $cnt=$cnt+1;
                 }
               $stmt = $dbh->query("SELECT s.id, s.answer_text, COUNT(sr.id) AS count FROM
survey s
                                LEFT JOIN student_answer sr ON s.id = sr.answer_id GROUP
BY s.id");
               $results = $stmt->fetchAll(PDO::FETCH_ASSOC);
               numMax = 0;
               $highestPollVote = '';
               foreach ($results as $result) {
                  if ($result['count'] > $numMax) {
                     $numMax = $result['count'];
                     $highestPollVote = $result['answer_text'];
                  }
               }
             ?>
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
<div style="background-color: #9df0e4; border-radius: 4px; padding: 5px; text-align:</pre>
center;">
              <h5 class="page-title" style="margin-top: 2rem; font-weight: bold;">Survey Answer
Statistics:</h5>
              Most selected answer: <span style="color:blue;"><?php echo</p>
$highestPollVote; ?></span>
           </div>
         </div>
       </div>
     </div>
   </div>
 </div>
</section>
   <script src="../assets/js/jquery-1.10.2.js"></script>
   <script src="../assets/js/bootstrap.js"></script>
</body>
</html>
```

Admin/views/pages/text-file-users.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
$pokazivac = fopen("../data/korisnici.txt", "r");
$fileSize = filesize("../data/korisnici.txt");
if ($fileSize > 0) {
   $vrednosti = fread($pokazivac, $fileSize);
   $vrednosti = trim($vrednosti);
   $imenik = explode("\n", $vrednosti);
 else {
   simenik = [];
fclose($pokazivac);
<div class="container" style='margin-top:60px;'>
   <div class="row">
      <thead>
             R.B.
                 Ime i Prezime
                 Broj telefona
                 Email
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

```
Izmena
                Brisanje
         </thead>
         <?php foreach ($imenik as $indeks => $osoba):
                list($ime, $brojTelefona, $email) = explode("_", $osoba);
            <?= $indeks+1; ?>
                <?= $ime; ?>
                <?= $brojTelefona; ?>
                <?= $email; ?>
                <a href="dashboard.php?page=izmena&id=<?= $indeks ?>">Izmeni</a>
                <a href="models/brisanje.php?id=<?= $indeks ?>" onclick="return
confirmDelete()">Izbrisi
            <?php endforeach; ?>
         </div>
</div>
<script>
   function confirmDelete() {
      var result = confirm("Da li ste sigurni da želite da obrišete ovog korisnika?");
      return result;
/script>
```

Admin/views/pages/update-issue-bookdeails.php

```
<?php
$page = $_SERVER['REQUEST_URI'];
$sql = "INSERT INTO page_views (page) VALUES (:page)";
$stmt = $dbh->prepare($sql);
$stmt->bindParam(':page', $page);
$stmt->execute();
if (strlen($ SESSION['alogin']) == 0) {
    header('location:index.php');
} else {
    if (isset($_POST['return'])) {
        $rid = intval($_GET['rid']);
        $fine = $_POST['fine'];
       $rstatus = 1;
        $bookid = $_POST['bookid'];
        $sq1 = "UPDATE issued_book_details SET fine=:fine,return_status=:rstatus WHERE id=:rid;
                UPDATE books SET is_issued = 0 WHERE id=:bookid";
        $query = $dbh->prepare($sq1);
```

```
$query->bindParam(':rid', $rid, PDO::PARAM STR);
        $query->bindParam(':fine', $fine, PDO::PARAM_STR);
        $query->bindParam(':rstatus', $rstatus, PDO::PARAM_STR);
        $query->bindParam(':bookid', $bookid, PDO::PARAM_STR);
        $query->execute();
        $_SESSION['msg'] = "Book Returned successfully";
        header('location:manage-issued-books.php');
<!DOCTYPE html>
<html>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>OLMS | Issued Book Details</title>
   <link href="../assets/css/bootstrap.css" rel="stylesheet" />
   <link href="../assets/css/font-awesome.css" rel="stylesheet" />
   <link href="../assets/css/style.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'</pre>
type='text/css' />
<style type="text/css">
    .others{
        color:red;
</style>
</head>
<body>
        <div class="content-wrapper">
            <div class="container">
                <div class="row pad-botm">
                    <div class="col-md-12">
                        <h4 class="header-line">Issued Book Details</h4>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-10 col-sm-6 col-xs-12 col-md-offset-1">
                        <div class="panel panel-info">
                            <div class="panel-heading">
                                Issued Book Details
                            </div>
                            <div class="panel-body">
                            <form role="form" method="post">
                            <?php
                            $rid = intval($_GET['rid']);
                            $sql = "SELECT students.student_id_number AS studentIdNumber,
students.name AS studentName, students.email, students.mobile, books.name AS bookName,
```

```
books.isbn, issued book details.issue date AS issueDate, issued book details.return date AS
returnDate, issued book details.id AS rid, issued book details.fine,
issued book details.return status, books.id AS bid, books.image
                            FROM issued book details
                             JOIN students ON students.id = issued book details.student id
                            JOIN books ON books.id = issued book details.book id
                            WHERE issued book details.id = :rid";
                            $query = $dbh->prepare($sql);
                            $query->bindParam(':rid', $rid, PDO::PARAM STR);
                            $query->execute();
                            $result = $query->fetch(PDO::FETCH_OBJ);
                            if ($result) { ?>
                                 <div class="panel-body">
                                     <input type="hidden" name="bookid" value="<?php echo</pre>
htmlentities($result->bid); ?>">
                                     <h4 style="font-size: 25px;"><b>Student Details</b></h4>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Student ID :</label>
                                             <?php echo htmlentities($result-</pre>
>studentIdNumber); ?>
                                         </div>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Student Name :</label>
                                             <?php echo htmlentities($result->studentName); ?>
                                         </div>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Student Email Id :</label>
                                             <?php echo htmlentities($result->email); ?>
                                         </div>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Student Contact No :</label>
                                             <?php echo htmlentities($result->mobile); ?>
                                         </div>
                                     </div>
                                     <h4>Book Details</h4>
                                     <div class="col-md-6">
                                        <div class="form-group">
```

```
<label>Book Image :</label>
                                              <img src="bookimg/<?php echo htmlentities($result-</pre>
>image); ?>" width="120">
                                         </div>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Book Name :</label>
                                              <?php echo htmlentities($result->bookName); ?>
                                         </div>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                              <label>ISBN :</label>
                                              <?php echo htmlentities($result->isbn); ?>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Book Issued Date :</label>
                                              <?php echo htmlentities($result->issueDate); ?>
                                         </div>
                                     </div>
                                     <div class="col-md-6">
                                         <div class="form-group">
                                             <label>Book Returned Date :</label>
                                             if ($result->returnDate == "") {
                                                  echo htmlentities("Not Return Yet");
                                              } else {
                                                  echo htmlentities($result->returnDate);
                                         </div>
                                             </div>
                                             <div class="col-md-12">
                                                  <div class="form-group">
                                                      <label>Fine (in USD) :</label>
                                                      <?php if ($result->fine == "") { ?>
                                                          <input class="form-control" type="text"</pre>
name="fine" id="fine" required />
                                                      <?php } else {</pre>
                                                          echo htmlentities($result->fine);
                                                      } ?>
                                                  </div>
                                              </div>
                                              <?php if ($result->return_status == 0) { ?>
```

```
<button type="submit" name="return" id="submit"</pre>
class="btn btn-info">Return Book</button>
                                             <?php } ?>
                                         </div>
                                     <?php } ?>
                                 </div>
                            </form>
        <script src="../assets/js/jquery-1.10.2.js"></script>
        <script src="../assets/js/bootstrap.js"></script>
        <script>
            function getstudent() {
            $("#loaderIcon").show();
            jQuery.ajax({
            url: "get_student.php",
            data:'studentid='+$("#studentid").val(),
            type: "POST",
            success:function(data){
            $("#get_student_name").html(data);
            $("#loaderIcon").hide();
            error:function (){}
            });
            function getbook() {
            $("#loaderIcon").show();
            jQuery.ajax({
            url: "get_book.php",
            data:'bookid='+$("#bookid").val(),
            type: "POST",
            success:function(data){
            $("#get_book_name").html(data);
            $("#loaderIcon").hide();
            },
            error:function (){}
        </script>
/body>
/html>
?php
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

STYLE.CSS

```
margin: 0px;
    padding: 0px;
    box-sizing: border-box;
body {
    font-family: 'Open Sans', sans-serif;
    line-height:28px;
.set-radius-zero {
    border-radius:0px;
    -moz-border-radius:0px;
    -webkit-border-radius:0px;
.header-line {
   font-weight: 900;
    text-transform: uppercase;
    text-align: center;
    padding: 5rem 0 4rem 0;
#logo{
    width: 50%;
right-div {
    float: right;
    padding: 20px;
#menu-top a {
   color:#000;
   text-decoration:none;
   font-weight:500;
    padding: 25px 15px 25px 15px;
    text-transform:uppercase;
.menu-section {
    background-color: #f7f7f7;
   width:100%;
    position: relative;
    bottom: 7rem;
.menu-top-active {
    background-color:#eeeeee;
.navbar-inverse {
background-color: #FFF;
border-color: rgba(155, 153, 153, 0.23);
```

```
.navbar {
   min-height: 90px;
    margin-bottom: 0px;
.navbar-inverse .navbar-collapse, .navbar-inverse .navbar-form {
    border-color:transparent;
.navbar-toggle {
background-color: black;
border: 1px solid black;
  DASHBOARD STYLES
.img-comments {
   border: 3px double #e1e1e1;
   height: 60px;
.recent-users-sec img {
    max-height:80px;
    margin:15px;
back-widget-set {
    background-color:transparent;
footer-section {
    padding:25px 50px 25px 50px;
   margin-top: 21rem;
    color:#000;
    font-size:13px;
    background-color: #f7f7f7;
    text-align:right;
footer-section a, .footer-section a:hover {
    color:#000;
#emailError, #passwordError {
    color:red;
.error{
    color:red;
.centr{
    width:50% !important;
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

JavaScript Custom.js

```
const form = document.querySelector("#loginForm1");
const emailInput = form.querySelector('input[name="email"]');
const passwordInput = form.querySelector('input[name="password"]');
const nameInput = form.querySelector('input[name="fullname"]');
 let errors = [];
 // Validacija emaila
 const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
 if (!emailRegex.test(emailInput.value)) {
   errors.push('Invalid email address.');
 // Validacija punog imena
 const fullNameRegex = /^[a-zA-Z\s]*$/;
 if (!nameInput.value | !fullNameRegex.test(nameInput.value.trim())) {
   errors.push('Invalid full name.');
 const errorMessage = document.querySelector(".error");
 if (errors.length > 0) {
   errorMessage.textContent = errors.join("\n");
   return false; // sprečava da se forma pošalje
   errorMessage.textContent = "";
   return true; // forma se može poslati
});*/
/*REG*/
function validRegistration() {
 var isValid = true;
 // Validacija polja za ime i prezime
 var fullName = document.getElementById("full-name").value.trim();
 var fullNameRegex = /^[a-zA-Z\s]*$/;
 if (fullName == "") {
   document.getElementById("full-name-error").innerHTML = "Polje ime i prezime je obavezno.";
   isValid = false;
 } else if (!fullNameRegex.test(fullName)) {
   document.getElementById("full-name-error").textContent = "Polje ime i prezime može sadržati
samo slova i razmake.";
   isValid = false;
 } else {
   document.getElementById("full-name-error").innerHTML = "";
 // Validacija polja za mobilni telefon
 var mobileNum = document.getElementById("mobile-number").value.trim();
```

```
var mobileNumRegex = /^\d{10}$/;
 if (mobileNum == "") {
    document.getElementById("mobile-number-error").innerHTML = "Polje mobilni telefon je
obavezno.";
   isValid = false;
 } else if (!mobileNumRegex.test(mobileNum)) {
   document.getElementById("mobile-number-error").innerHTML = "Polje mobilni telefon mora
sadržati tačno 10 cifara.";
   isValid = false;
 } else {
    document.getElementById("mobile-number-error").innerHTML = "";
 // Validacija polja za email
 var email = document.getElementById("email").value.trim();
 var emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
 if (email == "") {
   document.getElementById("email-error").innerHTML = "Polje email je obavezno.";
   isValid = false;
 } else if (!emailRegex.test(email)) {
   document.getElementById("email-error").innerHTML = "Polje email nije ispravnog formata.";
   isValid = false;
 } else {
   document.getElementById("email-error").innerHTML = "";
 // Validacija polja za lozinku
 var password = document.getElementById("password").value.trim();
 var passwordRegex =/^[a-zA-Z0-9]{8,}$/;
 if (password == "") {
   document.getElementById("password-error").innerHTML = "Polje lozinka je obavezno.";
   isValid = false;
 } else if (!passwordRegex.test(password)) {
   document.getElementById("password-error").innerHTML = "Polje lozinka mora sadržati najmanje
8 karaktera.";
   isValid = false;
 } else {
   document.getElementById("password-error").innerHTML = "";
   // Validacija polja za potvrdu lozinke
   var confirmPassword = document.getElementById("confirm-password").value.trim();
   if (confirmPassword == "") {
   document.getElementById("confirm-password-error").innerHTML = "Polje potvrda lozinke je
obavezno.";
   isValid = false;
   } else if (confirmPassword != password) {
   document.getElementById("confirm-password-error").innerHTML = "Potvrda lozinke se ne
podudara sa lozinkom.";
   isValid = false;
```

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Ucitani su I eskterni fontovi,kao I bootstrap I js bootstrap za prikaz. Prilikom izrade sajta sam koristio online materijal I predavanja sa fakulteta kako bih dolazio do resenja.

