

Министерство образования Республики Беларусь
Учреждение образования «Белорусский государственный университет
информатики и радиоэлектроники»

Факультет компьютерных систем и сетей
Кафедра Информатики
Дисциплина «Избранные главы информатики»

ОТЧЕТ
к лабораторной работе №1
на тему:
«СИСТЕМА КОНТРОЛЯ ВЕРСИЙ GIT»
БГУИР 6-05-0612-02 61

Выполнил студент группы 353502
КОЗЕЛЛО Владислав Александрович

(дата, подпись студента)

Проверил ассистент каф. Информатики
ЖВАКИНА Анна Васильевна

(дата, подпись преподавателя)

Минск 2025

1 ЦЕЛЬ РАБОТЫ

Познакомиться с возможностями и получить практические навыки работы с системой контроля версий Git.

2 ВЫПОЛНЕНИЕ РАБОТЫ

Задание 1. Подготовить рабочее окружение в соответствии с типом операционной системы:

- а) установить Git;
- б) выполнить базовую настройку.

Ниже представлен результат базовой настройки

```
→git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
core.fsmonitor=true
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Vladislav Kozello
user.email=vkozello2005@gmail.com
safe.directory=D:/Projects/BsuirRepo
safe.directory=D:/Projects/bsuir_repo_front/bsuir_repo
safe.directory=D:/BSUIR/FCADHACK/front
safe.directory=D:/BSUIR/FCADHACK/HAKATON
safe.directory=D:/BSUIR/4th_Semester/IGI/353502_KOZELLO_13
```

Задание 2. Создайте структуру папок (использовать командную строку) и поместите в репозиторий Git на своем локальном компьютере.

Создание структуры:

```
→mkdir 353502_KOZELLO_13
→mkdir IGI
→mkdir LR1
→mkdir LR2
→mkdir LR3
→mkdir LR4
```

```
→mkdir LR5
→mkdir STRWEB
→mkdir LR1
→mkdir LR2
→mkdir LR3
→mkdir LR4
```

Индивидуальное задание:

```
→cd .\353502_KOZELLO_13\
→cd .\IGI\
→cd .\LR1\
→mkdir bar
→cd bar
→mkdir 755
→mkdir baz
→cd baz
→mkdir 734
→cd ../
→cd ../
→mkdir bin
→cd bin
→mkdir 177
→echo 534 > readme.txt
→mkdir example
→cd .\example\
→mkdir 535
→cd ../
→mkdir foo
→cd foo
→mkdir 131
→mkdir awk
→cd awk
→mkdir 434
→cd ../
→echo 737 > test.txt
```

Создание репозитория:

```
→git init
Initialized empty Git repository in D:/BSUIR/4th_Semester/IGI/353502_KOZELLO_13/.git/
```

Дерево структуры проекта:

```
→tree ./ /f
Folder PATH listing
Volume serial number is 2EF1-7F3B
D:\BSUIR\4TH_SEMESTER\IGI\353502_KOZELLO_13
|
├── IGI
│   ├── LR1
│   │   ├── Отчет ЛР1.docx
│   │   ├── bar
│   │   │   ├── 755
│   │   │   └── baz
│   │   │       └── 734
│   │   └── bin
│   │       ├── readme.txt
│   │       ├── 177
│   │       ├── example
│   │       │   └── 535
│   │       └── foo
│   │           ├── test.txt
│   │           ├── 131
│   │           └── awk
│   │               └── 434
│   ├── LR2
│   ├── LR3
│   ├── LR4
│   └── LR5
└── STRWEB
    ├── LR1
    ├── LR2
    ├── LR3
    └── LR4
```

Задание 3. Создайте репозиторий внутри папки LR1 с помощью клонирования проекта с сайта github.com.

```
→git clone https://github.com/smartiqaorg/geometric_lib
Cloning into 'geometric_lib' ...
remote: Enumerating objects: 35, done.
remote: Total 35 (delta 0), reused 0 (delta 0), pack-reused 35 (from 1)
Receiving objects: 100% (35/35), 4.60 KiB | 2.30 MiB/s, done.
Resolving deltas: 100% (6/6), done.
```

Задание 4. Выполните следующие действия, каждый раз проверяя состояние файлов в локальном репозитории до и после выполнения операции.

а) сделайте индексацию нескольких файлов в вашем Git-репозитории:

```
→echo temp file > temp.txt
→echo some text > data.txt

→git add .\data.txt
→git add .\temp.txt
→git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file> ..." to unstage)
    new file:   data.txt
    new file:   temp.txt

Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    "~$\321\207\320\265\321\202 \320\233\320\2401.docx"
    "\320\236\321\202\321\207\320\265\321\202 \320\233\320\2401.docx"
```

б) внесите изменения в файлы:

```
→echo changed text > .\data.txt
→echo another text > .\temp.txt
→git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file> ..." to unstage)
    new file:   data.txt
    new file:   temp.txt

Changes not staged for commit:
  (use "git add <file> ..." to update what will be committed)
  (use "git restore <file> ..." to discard changes in working directory)
    modified:   data.txt
    modified:   temp.txt

Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    "~$\321\207\320\265\321\202 \320\233\320\2401.docx"
    "\320\236\321\202\321\207\320\265\321\202 \320\233\320\2401.docx"
```

с) выполните коммиты к проиндексированным файлам:

```

→git add .\data.txt
→git add .\temp.txt
→git commit -m "changes in two files"
[master 5140d53] changes in two files
 2 files changed, 0 insertions(+), 0 deletions(-)
→git status
On branch master
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    "~$\321\207\320\265\321\202 \320\233\320\2401.docx"
    "\320\236\321\202\321\207\320\265\321\202 \320\233\320\2401.docx"

nothing added to commit but untracked files present (use "git add" to track)

```

d) добавьте и удалите файлы (один и группу файлов с определенным расширением)

```

→echo 1 > file1.bin
→echo 2 > file2.bin
→echo 3 > file3.bin
→echo 4 > file4.bin
→git add file1.bin file2.bin file3.bin file4.bin
→git status
On branch master
Changes to be committed:
  (use "git restore --staged <file> ..." to unstage)
    new file:   file1.bin
    new file:   file2.bin
    new file:   file3.bin
    new file:   file4.bin

Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    "~$\321\207\320\265\321\202 \320\233\320\2401.docx"
    "\320\236\321\202\321\207\320\265\321\202 \320\233\320\2401.docx"

→git rm file1.bin -f
rm 'IGI/LR1/file1.bin'
→git rm -r '*.bin' -f
rm 'IGI/LR1/file2.bin'
rm 'IGI/LR1/file3.bin'
rm 'IGI/LR1/file4.bin'
→git status
On branch master
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    "~$\321\207\320\265\321\202 \320\233\320\2401.docx"
    "\320\236\321\202\321\207\320\265\321\202 \320\233\320\2401.docx"

nothing added to commit but untracked files present (use "git add" to track)

```

e) переименуйте файлы

```

→echo text for rename file > index.html
→git add .\index.html
→git mv index.html page.html
→git status
On branch master
Changes to be committed:
  (use "git restore --staged <file> ..." to unstage)
        new file:   page.html

Untracked files:
  (use "git add <file> ..." to include in what will be committed)
        bin/
        geometric_lib/

```

f) создайте для IGI и STRWEB, а также для каждой ЛР, вложенной в них, отдельные ветки, переместите папки и файлы на соответствующие ветки.

```

→git checkout -b IGI_LR1
Switched to a new branch 'IGI_LR1'
→git checkout -b IGI_LR2
Switched to a new branch 'IGI_LR2'
→git checkout -b IGI_LR3
Switched to a new branch 'IGI_LR3'
→git checkout -b IGI_LR4
Switched to a new branch 'IGI_LR4'
→git checkout -b IGI_LR5
Switched to a new branch 'IGI_LR5'
→git checkout -b STRWEB_LR1
Switched to a new branch 'STRWEB_LR1'
→git checkout -b STRWEB_LR2
Switched to a new branch 'STRWEB_LR2'
→git checkout -b STRWEB_LR3
Switched to a new branch 'STRWEB_LR3'
→git checkout -b STRWEB_LR4
Switched to a new branch 'STRWEB_LR4'

```

g) выведите историю коммитов: полностью и с ограничением вывода — отобразить только последние, до и после указанной даты, по автору файлов, коммитов (флаги n, since, after, until, before, author, committer, grep):

```

→git log
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:19:08 2025 +0300

    changes in two files

commit c8280e0480ecf985bc4c547db04b50422d47e431
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:17:56 2025 +0300

    added two files
→LR1 ↻ ( master)
→git log -1
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:19:08 2025 +0300

    changes in two files
→git log --since="2025-02-16"
→git log --since="2025-02-15"
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:19:08 2025 +0300

    changes in two files

commit c8280e0480ecf985bc4c547db04b50422d47e431
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:17:56 2025 +0300

    added two files
→git log --until="2025-02-19"
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:19:08 2025 +0300

    changes in two files

commit c8280e0480ecf985bc4c547db04b50422d47e431
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 21:17:56 2025 +0300

    added two files

```



```

→git log --author="Vladislav Kozello"
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:19:08 2025 +0300

    changes in two files

commit c8280e0480ecf985bc4c547db04b50422d47e431
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:17:56 2025 +0300

    added two files
→git log --committer="Vladislav Kozello"
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:19:08 2025 +0300

    changes in two files

commit c8280e0480ecf985bc4c547db04b50422d47e431
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:17:56 2025 +0300

    added two files
→git log --grep="changes"
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4, S
TRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1
)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:19:08 2025 +0300

    changes in two files

```

h) исследуйте флаги для git log:

- -p (показывает разницу в изменениях каждого коммита);
- --stat (отображает статистику для коммита);
- --shortstat (показывает количество изменений/вставок/удалений при применении команды --stat);
- --name-only (отображает информацию о коммите и имена измененных файлов);
- --name-status (выводит сообщение о списке файлов, которые были изменены, в т. ч. добавлены и удалены);
- --relative-date (отображает дату применения изменений в относительном формате)
- --pretty (меняет формат вывода истории коммитов: =online в одну строку, =full – полный и =short – краткий вывод);
- --graph (показывает ветвление веток Git и историю их слияний);

i) найдите разницу в изменениях для каждого коммита:

```
→git log -p
commit 5140d53a8e2502e8be9fc4c423a94b895f32fb94 (HEAD → master, STRWEB_LR4,
STRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI
_LR1)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:19:08 2025 +0300

    changes in two files

diff --git a/IGI/LR1/data.txt b/IGI/LR1/data.txt
index 13c3106..830c1cf 100644
Binary files a/IGI/LR1/data.txt and b/IGI/LR1/data.txt differ
diff --git a/IGI/LR1/temp.txt b/IGI/LR1/temp.txt
index 605eb97..d863fce 100644
Binary files a/IGI/LR1/temp.txt and b/IGI/LR1/temp.txt differ

commit c8280e0480ecf985bc4c547db04b50422d47e431
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 21:17:56 2025 +0300

    added two files

diff --git a/IGI/LR1/data.txt b/IGI/LR1/data.txt
new file mode 100644
index 0000000..13c3106
Binary files /dev/null and b/IGI/LR1/data.txt differ
diff --git a/IGI/LR1/temp.txt b/IGI/LR1/temp.txt
new file mode 100644
index 0000000..605eb97
Binary files /dev/null and b/IGI/LR1/temp.txt differ
```

Разница заключается в том, что в нижнем коммите происходит сравнение с пустым файлом, так как файлы были только созданы. В верхнем коммите происходит сравнение разных версий данного файла.

j) создайте новый файл test.txt и вставьте в него строчку 'номер варианта'. затем сделайте коммит и отмените его

```
→echo Вариант 13 > test.txt
→git add .\test.txt

→git commit -m "commit to delete"
[IGI_LR1 c794cf6] commit to delete
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 IGI/LR1/test.txt
→git log -1
commit c794cf600200830c4886b64038f70083792450ef (HEAD → IGI_LR1)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date: Sun Feb 16 22:15:48 2025 +0300

    commit to delete
```

```

→git reset HEAD~
→git log -1
commit 3cd37a9a80ac47b4b8c2202925aef7c2118a2de5 (HEAD → IGI_LR1)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 22:01:32 2025 +0300

    added page.html
→LR1 4 (IGI_LR1)
15 minutes ago

```

k) проиндексируйте файл в вашем Git-репозитории, затем отмените его индексацию.

```

→git add .\test.txt
→git status
On branch IGI_LR1
Changes to be committed:
  (use "git restore --staged <file> ..." to unstage)
    new file:   test.txt

→git restore --staged .\test.txt
→git status
On branch IGI_LR1
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    test.txt

```

l) внесите изменения в файл в вашем Git-репозитории и затем верните его в исходное состояние.

```

→echo changes to file > data.txt
→git status
On branch IGI_LR1
Changes not staged for commit:
  (use "git add <file> ..." to update what will be committed)
  (use "git restore <file> ..." to discard changes in working directory)
    modified:   data.txt

→git restore data.txt
→git status
On branch IGI_LR1
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    bin/
    geometric_lib/
    test.txt
    "~$ \321\207\320\265\321\202 \320\233\320\2401.docx"
    "\320\236\321\202\321\207\320\265\321\202 \320\233\320\2401.docx"

nothing added to commit but untracked files present (use "git add" to track)

```

5. Выполните следующие действия с удаленным репозиторием:

а) создайте удаленный репозиторий (на github.com)



Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Create a codespace



Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

Set up in Desktop

or

HTTPS SSH

https://github.com/Vladk-jpg/IGI_Lab1.git



Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# IGI_Lab1" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Vladk-jpg/IGI_Lab1.git
git push -u origin main
```



...or push an existing repository from the command line

```
git remote add origin https://github.com/Vladk-jpg/IGI_Lab1.git
git branch -M main
git push -u origin main
```



b) посмотрите информацию о нем, внесите изменения и опять просмотрите

```
→ git remote add origin https://github.com/Vladk-jpg/IGI_Lab1.git
```

```
→ git remote show origin
```

```
* remote origin
```

```
Fetch URL: https://github.com/Vladk-jpg/IGI_Lab1.git
```

```
Push URL: https://github.com/Vladk-jpg/IGI_Lab1.git
```

```
HEAD branch: (unknown)
```

```
→ echo "Репозиторий для лабораторной работы 1 для ИГИ" > README.md
```

```
→ git init
```

```
Initialized empty Git repository in D:/BSUIR/4th_Semester/IGI/353502_KOZELLO_13/IGI/LR1/RemoteRepo/.git/
```

```
→ git add README.md
```

```
→ git commit -m "first commit"
```

```
[master (root-commit) 4a0a9d4] first commit
```

```
1 file changed, 0 insertions(+), 0 deletions(-)
```

```
create mode 100644 README.md
```

```
→ git branch -M main
```

```
→ git remote add origin https://github.com/Vladk-jpg/IGI_Lab1.git
```

```

→git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 286 bytes | 286.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Vladk-jpg/IGI_Lab1.git
 * [new branch]      main → main
branch 'main' set up to track 'origin/main'.
→git remote show origin
* remote origin
Fetch URL: https://github.com/Vladk-jpg/IGI_Lab1.git
Push URL: https://github.com/Vladk-jpg/IGI_Lab1.git
HEAD branch: main
Remote branch:
  main tracked
Local branch configured for 'git pull':
  main merges with remote main
Local ref configured for 'git push':
  main pushes to main (up to date)

```

с) измените несколько файлов в вашем проекте и перенесите их в удаленный репозиторий

```

→echo "какой-то файл" > data.txt
→echo
→'
→#include <iostream>
→int main() {
→std::cout << "Hello World" << endl;
→return 0;
→}
→' > main.cpp

→echo "Изменения в Readme" > .\README.md
→git add .
→git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file> ..." to unstage)
        modified:   README.md
        new file:   data.txt
        new file:   main.cpp

```

```

→git push
Everything up-to-date
→git commit -m "second commit"
[main 3ab48c3] second commit
3 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 data.txt
create mode 100644 main.cpp
→git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 515 bytes | 515.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Vladk-jpg/IGI_Lab1.git
4a0a9d4..3ab48c3 main → main

```

d) переименуйте свой удаленный репозиторий

```

→git remote
origin
→git remote rename origin new_origin
Renaming remote references: 100% (1/1), done.
→git remote
new_origin

```

e) получите данные из удаленного репозитория

```

→git fetch origin
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.06 KiB | 155.00 KiB/s, done.
From https://github.com/Vladk-jpg/IGI_Lab1
3ab48c3..41f5565 main → origin/main

→git merge origin/main
Updating 3ab48c3..41f5565
Fast-forward
 README.md | Bin 42 → 152 bytes
1 file changed, 0 insertions(+), 0 deletions(-)

```

f) просмотреть историю изменений

```

→git log
commit 41f55659a100035835431402d46a9f6c5fcf635a (HEAD → main, origin/main)
Author: Uladzislau Kazela <77569014+Vladk-jpg@users.noreply.github.com>
Date:   Sun Feb 16 23:33:19 2025 +0300

    Update README.md

commit 3ab48c3ade9340c6b50f0c3dbbcb398703c769d8
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 23:23:52 2025 +0300

    second commit

commit 4a0a9d4a484afb94ed79c4def94fce357df2ff06
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 23:16:36 2025 +0300

    first commit

```

g) создайте дополнительную ветку 1 в удаленном репозитории, перенесите в нее два файла из другой ветки, удалите один из файлов

```

→git checkout -b firstBranch
Switched to a new branch 'firstBranch'

→git push --set-upstream origin firstBranch
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'firstBranch' on GitHub by visiting:
remote:   https://github.com/Vladk-jpg/IGI_Lab1/pull/new/firstBranch
remote:
To https://github.com/Vladk-jpg/IGI_Lab1.git
 * [new branch]      firstBranch → firstBranch
branch 'firstBranch' set up to track 'origin/firstBranch'.

→git rm data.txt
rm 'data.txt'

→git status
On branch firstBranch
Changes to be committed:
  (use "git restore --staged <file> ..." to unstage)
        deleted:    data.txt

```



```

→git commit -m "deleted data.txt"
[firstBranch 8d33d7d] deleted data.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 data.txt
→git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 276 bytes | 276.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Vladk-jpg/IGI_Lab1.git
41f5565..8d33d7d firstBranch → firstBranch

```

h) создайте дополнительную ветку 2 в удаленном репозитории, перенесите в нее два файла из вашего проекта, слить изменения в основную ветку, удалить дополнительную ветку 2

```

→git checkout -b secondBranch
Switched to a new branch 'secondBranch'
→git push --set-upstream origin secondBranch
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'secondBranch' on GitHub by visiting:
remote:      https://github.com/Vladk-jpg/IGI_Lab1/pull/new/secondBranch
remote:
To https://github.com/Vladk-jpg/IGI_Lab1.git
* [new branch]      secondBranch → secondBranch
branch 'secondBranch' set up to track 'origin/secondBranch'.
→git status
On branch secondBranch
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
      page.html
      temp.txt
→git add .
→git commit -m "New files"
[secondBranch ddfbf6a] New files
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 page.html
create mode 100644 temp.txt
→git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 450 bytes | 450.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Vladk-jpg/IGI_Lab1.git
41f5565..ddfbf6a secondBranch → secondBranch

```



```

→git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
→git merge secondBranch
Updating 41f5565..ddfbf6a
Fast-forward
 page.html | Bin 0 → 52 bytes
 temp.txt  | Bin 0 → 32 bytes
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 page.html
 create mode 100644 temp.txt
→git log -1
commit ddfbf6adafe143e97bae97878b8a04a49f195365 (HEAD → main, origin/secondBr
anch, secondBranch)
Author: Vladislav Kozello <vkozello2005@gmail.com>
Date:   Sun Feb 16 23:52:56 2025 +0300

    New files

→git branch -d secondBranch
Deleted branch secondBranch (was ddfbf6a).
→git push origin --delete secondBranch
To https://github.com/Vladk-jpg/IGI_Lab1.git
- [deleted]          secondBranch

```