

## API-1 Add to Cart Boeing Women's Silver Rotating Airplane Watch

The screenshot shows the Postman application interface. The left sidebar displays a 'Team Workspace' with various collections and environments. The main workspace shows a POST request to 'https://www.boeingstore.com/cart/add.js'. The request body is set to 'form-data' with the key 'form\_type=product&utf8=%E2%9C%93&id=43425998504058&quantity=1'. The response status is 200 OK with a time of 438 ms and a size of 4.77 KB. Below the response, there are tabs for Body, Cookies (13), Headers (40), and Test Results (6/6). The Test Results tab shows six green 'PASS' status messages: 'Status code is 200', 'Response time is less than 1000ms', 'Response size is less than 2000B', 'Body matches string', 'Headers are correct', and 'Response keys and value are correct'. A progress bar at the bottom indicates '67%'.

This screenshot is identical to the one above, showing the same POST request to 'https://www.boeingstore.com/cart/add.js'. The response details, including the 200 OK status, 438 ms time, and 4.77 KB size, are identical. The Test Results tab is also identical, displaying the same six green 'PASS' status messages. The progress bar at the bottom is still at 67%.

The screenshot shows the Postman application interface. The left sidebar displays 'Team Workspace' with sections for 'Collections', 'Environments', and 'History'. The main workspace shows a 'Final Project Boeing Website' collection with several requests listed. A specific POST request to 'https://www.boeingstore.com/cart/add.js' is selected, showing its details. The 'Tests' tab is active, displaying a JavaScript code block for testing the response status, time, size, and body content. To the right, a sidebar provides information about test scripts and snippets. At the bottom, a progress bar indicates '67%' completion of a team invite process.

Final Project Boeing Web... / Add to Cart Boeing Women's Silver Rotating Airplane ...

POST https://www.boeingstore.com/cart/add.js

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

```
1 pm.test("Status code is 200", function () {  
2     pm.response.to.have.status(200);  
3 });  
4 pm.test("Response time is less than 1000ms", function () {  
5     pm.expect(pm.response.responseTime).to.be.below(1000);  
6 });  
7 pm.test("Response size is less than 2000B", function () {  
8     pm.expect(pm.response.responseSize).to.be.below(2000);  
9 });  
10 pm.test("Body matches string", function () {  
11     pm.expect(pm.response.text()).to.include("id");  
12     pm.expect(pm.response.text()).to.include("properties");  
13     pm.expect(pm.response.text()).to.include("quantity");  
14     pm.expect(pm.response.text()).to.include("variant_id");  
15     pm.expect(pm.response.text()).to.include("key");  
16     pm.expect(pm.response.text()).to.include("title");  
17     pm.expect(pm.response.text()).to.include("price");  
18     pm.expect(pm.response.text()).to.include("original_price");  
19     pm.expect(pm.response.text()).to.include("discounted_price");  
20     pm.expect(pm.response.text()).to.include("line_price");  
});
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets

- Send a request
- Status code: Code is 200
- Response body: Contains string
- Response body: JSON value check
- Response body: Is equal to a string
- Response headers: Content-Type header check
- Response time is less than 200ms
- Status code: Successful POST request

Start working with your team

Body Cookies (13) Headers (40) Test Results (6/6)

All Passed Skipped Failed

67%  
Next: Invite at least 1 person. [Invite](#)

The screenshot shows the Postman application interface. On the left, the sidebar includes 'Collections' (with 'Final Project Boeing Website' selected), 'Environments', and 'History'. The main workspace displays a collection named 'Final Project Boeing Website' containing several API requests:

- POST Add to Cart Boeing Women's Silver Rotating Airplane Watch
- GET Cart Checking
- POST Add to Cart Boeing Rosie Lunc...
- GET Check Cart after addition Boei...
- POST Removing of Some Item
- GET Changed Cart Checking
- POST Checkout Start

The selected request is a POST to <https://www.boeingstore.com/cart/add.js>. The 'Tests' tab is active, showing a JavaScript test script:

```
pm.expect(pm.response.text()).to.include("final_price");
pm.expect(pm.response.text()).to.include("url");
});
pm.test("Headers are correct", function () {
    pm.response.to.have.header("Content-Type", "text/javascript; charset=utf-8");
    pm.response.to.have.header("Transfer-Encoding", "chunked");
    pm.response.to.have.header("Connection", "keep-alive");
    pm.response.to.have.header("X-Sorting-Hat-PodId", "121");
    pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");
    pm.response.to.have.header("X-Frame-Options", "DENY");
});
pm.test("Response keys and value are correct", function () {
    var jsonData = pm.response.json();
    pm.expect(jsonData.id).to.eql(43425998504058);
    pm.expect(jsonData.variant_id).to.eql(43425998504058);
    pm.expect(jsonData.key).to.eql
        ("43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb");
    pm.expect(jsonData.title).to.eql("Boeing Women's Silver Rotating Airplane Watch");
});
```

The 'Test Results' tab shows 6/6 tests passed. The bottom status bar indicates 200 OK, 438 ms, 4.77 KB, and a progress bar at 67%.

## API-2 Cart Checking after addition Add to Cart Boeing Women's Silver Rotating Airplane Watch

The screenshot shows the Postman application interface. The left sidebar is titled "Team Workspace" and lists several collections and environments. The main workspace is titled "Final Project Boeing Website / Cart Checking". A GET request is being viewed with the URL <https://www.boeingstore.com/cart.js>. The "Tests" tab is selected, displaying a JavaScript code block for assertions:

```
1 pm.test("Status code is 200", function () {
2     pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5     pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
7 pm.test("Response size is less than 2000B", function () {
8     pm.expect(pm.response.responseSize).to.be.below(2000);
9 });
10 pm.test("Body matches string", function () {
11     pm.expect(pm.response.text()).to.include("id");
12     pm.expect(pm.response.text()).to.include("properties");
13     pm.expect(pm.response.text()).to.include("quantity");
14     pm.expect(pm.response.text()).to.include("variant_id");
15     pm.expect(pm.response.text()).to.include("key");
16     pm.expect(pm.response.text()).to.include("title");
17     pm.expect(pm.response.text()).to.include("price");
18     pm.expect(pm.response.text()).to.include("original_price");
19     pm.expect(pm.response.text()).to.include("discounted_price");
20     pm.expect(pm.response.text()).to.include("line_price");
21 });

22 pm.expect(pm.response.text()).to.include("taxable");
23 pm.expect(pm.response.text()).to.include("product_id");
24 pm.expect(pm.response.text()).to.include("product_has_only_default_variant");
25 pm.expect(pm.response.text()).to.include("gift_card");
26 pm.expect(pm.response.text()).to.include("product_description");
27 pm.expect(pm.response.text()).to.include("final_price");
28 pm.expect(pm.response.text()).to.include("url");
29 });
30 pm.test("Headers are correct", function () {
31     pm.response.to.have.header("Content-Type", "text/javascript; charset=utf-8");
32     pm.response.to.have.header("Transfer-Encoding", "chunked");
33     pm.response.to.have.header("Connection", "keep-alive");
34     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");
35     pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");
36     pm.response.to.have.header("X-Frame-Options", "DENY");
37 });
38 });

39 });

40 });

41 });

42 });

43 });

44 });

45 });

46 });

47 });

48 };
```

The "Test Results" section shows 5/5 tests passed. The status bar at the bottom indicates a 200 OK response, 207 ms duration, and 4.02 KB size.

The screenshot shows the Postman application interface, identical to the one above but with a different set of test assertions. The "Tests" tab is selected, displaying a JavaScript code block for assertions:

```
31 pm.expect(pm.response.text()).to.include("vendor");
32 pm.expect(pm.response.text()).to.include("taxable");
33 pm.expect(pm.response.text()).to.include("product_id");
34 pm.expect(pm.response.text()).to.include("product_has_only_default_variant");
35 pm.expect(pm.response.text()).to.include("gift_card");
36 pm.expect(pm.response.text()).to.include("product_description");
37 pm.expect(pm.response.text()).to.include("final_price");
38 pm.expect(pm.response.text()).to.include("url");
39 });
40 pm.test("Headers are correct", function () {
41     pm.response.to.have.header("Content-Type", "text/javascript; charset=utf-8");
42     pm.response.to.have.header("Transfer-Encoding", "chunked");
43     pm.response.to.have.header("Connection", "keep-alive");
44     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");
45     pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");
46     pm.response.to.have.header("X-Frame-Options", "DENY");
47 });
48 };
```

The "Test Results" section shows 5/5 tests passed. The status bar at the bottom indicates a 200 OK response, 207 ms duration, and 4.02 KB size.

Home Workspaces API Network Explore Search Postman Invite Upgrade

Team Workspace New Import POST Add to GET Cart C POST Rer GET Change POST Add to GET Check PC > + ... No Environment

Collections Environments History

Final Project Boeing Website / Cart Checking

GET https://www.boeingstore.com/cart.js

Params Authorization Headers (8) Body Pre-request Script Tests Settings

```
pm.expect(pm.response.text()).to.include("vendor");
pm.expect(pm.response.text()).to.include("taxable");
pm.expect(pm.response.text()).to.include("product_id");
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts.

Body Cookies (12) Headers (37) Test Results (5/5)

Pretty Raw Preview Visualize JSON

```
1 "token": "8aebfa01f28ab76f5feab37e24334866",
2 "note": null,
3 "attributes": {},
4 "original_total_price": 2500,
5 "total_price": 2500,
6 "total_discount": 0,
7 "total_weight": 0.0,
8 "item_count": 1,
9 "items": [
10   {
11     "id": 43425998504058,
12     "properties": null,
13     "quantity": 1,
14     "variant_id": 43425998504058,
15     "key": "43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb",
16     "title": "Boeing Women's Silver Rotating Airplane Watch",
17     "price": 2500
18 }
```

200 OK 207 ms 4.02 KB Save as Example

Start working with your team 67% Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

Home Workspaces API Network Explore Search Postman Invite Upgrade

Team Workspace New Import POST Add to GET Cart C POST Rer GET Change POST Add to GET Check PC > + ... No Environment

Collections Environments History

Final Project Boeing Website / Cart Checking

GET https://www.boeingstore.com/cart.js

Params Authorization Headers (8) Body Pre-request Script Tests Settings

```
pm.expect(pm.response.text()).to.include("vendor");
pm.expect(pm.response.text()).to.include("taxable");
pm.expect(pm.response.text()).to.include("product_id");
pm.expect(pm.response.text()).to.include("product_has_only_default_variant");
pm.expect(pm.response.text()).to.include("gift_card");
pm.expect(pm.response.text()).to.include("product_description");
pm.expect(pm.response.text()).to.include("final_price");
pm.expect(pm.response.text()).to.include("url");
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts.

Snippets Send a request Status code: Code is 200 Response body: Contains string

Body Cookies (12) Headers (37) Test Results (5/5)

All Passed Skipped Failed

PASS Status code is 200  
PASS Response time is less than 1000ms  
PASS Response size is less than 2000B  
PASS Body matches string  
PASS Headers are correct

Start working with your team 67% Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

### API-3 Add to Cart Boeing Rosie Lunchbox

The screenshot shows the Postman application interface. On the left, there's a sidebar with 'Team Workspace' collections, environments, and history. The main area displays a POST request for 'Add to Cart Boeing Rosie Lunchbox' with the URL <https://www.boeingstore.com/cart/add.js>. The 'Body' tab is selected, showing the raw JSON payload: 

```
form_type=product&utf8=%E2%9C%93&id=39822919598202&quantity=1
```

. The response status is 200 OK with 539 ms and 4.74 KB. Below the body, the JSON response is displayed:

```
1 "id": 39822919598202,
2 "properties": null,
3 "quantity": 1,
4 "variant_id": 39822919598202,
5 "key": "39822919598202-6f2487331bc364dc13a152b7be68d5c3",
6 "title": "Boeing Rosie Lunchbox",
7 "price": 1500,
8 "original_price": 1500,
9 "discounted_price": 1500,
10 "line_price": 1500,
11 "original_line_price": 1500,
12 "total_discount": 0,
13 "discounts": [],
14 "sku": "465047010079",
15 "grams": 0,
16 "vendor": "The Boeing Store".
```

This screenshot shows the same POST request for 'Add to Cart Boeing Rosie Lunchbox' in Postman. The JSON response is much longer, indicating additional product details. The response status is 200 OK with 539 ms and 4.74 KB. The JSON response starts with the previous items and continues with:

```
22 "final_price": 1500,
23 "final_line_price": 1500,
24 "url": "/products/rosie-lunchbox?variant=39822919598202",
25 "featured_image": {
26     "aspect_ratio": 1.0,
27     "alt": "Boeing Rosie Lunchbox",
28     "height": 2048,
29     "url": "https://cdn.shopify.com/s/files/1/1193/5506/products/465047010079_02_Web.jpg?v=1659485316",
30     "width": 2048
31 },
32 "image": "https://cdn.shopify.com/s/files/1/1193/5506/products/465047010079_02_Web.jpg?v=1659485316",
33 "handle": "rosie-lunchbox",
34 "requires_shipping": true,
35 "product_type": "",
36 "product_title": "Boeing Rosie Lunchbox",
37 "product_description": "This lunchbox is the best thing since sliced bread! Add a pop of color to your meal with this Boeing Rosie Lunchbox. It features a vibrant design and plenty of storage space for all your essentials. Perfect for work or school, this lunchbox is a must-have for anyone who wants to look good while getting their nutrition on the go. Order yours today and start packing in style!"}
```

Home Workspaces API Network Explore Search Postman Invite Upgrade

Team Workspace New Import POST Add to Cart Boeing Rosie Lunchbox Save ...

Collections Environments History

Final Project Boeing Website / Add to Cart Boeing Rosie Lunchbox

POST https://www.boeingstore.com/cart/add.js

Params Authorization Headers (11) Body Pre-request Script Tests Settings Cookies

```
1 pm.test("Status code is 200", function () {  
2   pm.response.to.have.status(200);  
3 };  
4 pm.test("Response time is less than 1000ms", function () {  
5   pm.expect(pm.response.responseTime).to.be.below(1000);  
6 };  
7 pm.test("Response size is less than 2000B", function () {  
8   pm.expect(pm.response.responseSize).to.be.below(2000);  
9 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets Get an environment variable Get a global variable

Body Cookies (13) Headers (40) Test Results (6/6)

All Passed Skipped Failed

PASS Status code is 200  
PASS Response time is less than 1000ms  
PASS Response size is less than 2000B  
PASS Body matches string  
PASS Headers are correct  
PASS Response keys and value are correct

Start working with your team 67%  
Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash ?

Home Workspaces API Network Explore Search Postman Invite Upgrade

Team Workspace New Import POST Add to Cart Boeing Rosie Lunchbox Save ...

Collections Environments History

Final Project Boeing Website / Add to Cart Boeing Rosie Lunchbox

POST https://www.boeingstore.com/cart/add.js

Params Authorization Headers (11) Body Pre-request Script Tests Settings Cookies

```
1 pm.test("Response keys and value are correct", function () {  
2   pm.response.to.have.header("Content-Type", "application/json; charset=utf-8");  
3   pm.response.to.have.header("Transfer-Encoding", "chunked");  
4   pm.response.to.have.header("Connection", "keep-alive");  
5   pm.response.to.have.header("X-Sorting-Hat-PodId", "121");  
6   pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");  
7   pm.response.to.have.header("X-Frame-Options", "DENY");  
8 };  
9 pm.test("Response keys and value are correct", function () {  
10   var jsonData = pm.response.json();  
11   pm.expect(jsonData.id).to.eql("39822919598202");  
12   pm.expect(jsonData.variant_id).to.eql("39822919598202");  
13   pm.expect(jsonData.key).to.eql("39822919598202:6f2487331bc364dc13a152b7be68d5c3");  
14   pm.expect(jsonData.title).to.eql("Boeing Rosie Lunchbox");  
15   pm.expect(jsonData.original_price).to.eql(1500);  
16   pm.expect(jsonData.total_discount).to.eql(0);  
17   pm.expect(jsonData.sku).to.eql("465047010079");  
18   pm.expect(jsonData.grams).to.eql(0);  
19   pm.expect(jsonData.vendor).to.eql("The Boeing Store");  
20 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets Get an environment variable Get a global variable Get a variable Get a collection variable Set an environment variable Set a global variable Set a collection variable Clear an environment variable

Body Cookies (13) Headers (40) Test Results (6/6)

All Passed Skipped Failed

Start working with your team 67%  
Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash ?

## API-4 Check Cart after addition Boeing Rosie Lunchbox

The screenshot shows the Postman application interface. On the left, there's a sidebar with 'Team Workspace' collections, environments, and history. The main area displays a 'Final Project Boeing Website / Check Cart after addition Boeing Rosie Lunchbox' collection. A GET request is selected with the URL <https://www.boeingstore.com/cart.js>. The 'Tests' tab is active, showing a JavaScript test script:

```

1 pm.test("Status code is 200", function () {
2     pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5     pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
7 pm.test("Response size is less than 2000B", function () {
8     pm.expect(pm.response.responseSize).to.be.below(5000);
9 });
10 pm.test("Body matches string", function () {

```

The 'Body' tab shows the JSON response from the API call:

```

1 "token": "8aebfa01f28ab76f5feab37e24334866",
2 "note": null,
3 "attributes": {},
4 "original_total_price": 4000,
5 "total_price": 4000,
6 "total_discount": 0,
7 "total_weight": 0.0,
8 "item_count": 2,
9 "items": [
10     {
11         "product_id": "43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb",
12         "title": "Boeing Women's Silver Rotating Airplane Watch",
13         "price": 2500,
14         "original_price": 2500,
15         "discounted_price": 2500,
16         "line_price": 2500,
17         "original_line_price": 2500,
18         "total_discount": 0,
19         "properties": null,
20         "quantity": 1,
21         "variant_id": 43425998504058,
22         "key": "43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb"
23     }

```

At the bottom, there are buttons for 'Send', 'Save', and 'Test Results (5/5)'. The status bar at the bottom indicates a 200 OK response with 216 ms and 5.62 KB.

This screenshot shows the same Postman interface as the previous one, but with a more detailed test script. The 'Tests' tab now includes additional assertions for specific product details:

```

26 pm.expect(pm.response.text()).to.include("original_line_price");
27 pm.expect(pm.response.text()).to.include("total_discount");
28 pm.expect(pm.response.text()).to.include("discounts");
29 pm.expect(pm.response.text()).to.include("sku");
30 pm.expect(pm.response.text()).to.include("grams");
31 pm.expect(pm.response.text()).to.include("vendor");
32 pm.expect(pm.response.text()).to.include("taxable");
33 pm.expect(pm.response.text()).to.include("product_id");
34 pm.expect(pm.response.text()).to.include
    ("product_has_only_default_variant");

```

The 'Body' tab shows the JSON response, which is identical to the one in the first screenshot. The status bar at the bottom indicates a 200 OK response with 216 ms and 5.62 KB.

Home Workspaces API Network Explore Search Postman Invite Upgrade

Team Workspace New Import POST Add GET Cart Cl POST Remo GET Cha POST Add GET Check PC > + ... No Environment

Collections Environments History

Final Project Boeing Website / Check Cart after addition Boeing Rosie Lunchbox

GET https://www.boeingstore.com/cart.js

Params Authorization Headers (8) Body Pre-request Script Tests \* Settings Cookies

```
40 pm.test("Headers are correct", function () {  
41     pm.response.to.have.header("Content-Type", "text/javascript;  
42         charset=utf-8");  
43     pm.response.to.have.header("Transfer-Encoding", "chunked");  
44     pm.response.to.have.header("Connection", "keep-alive");  
45     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");  
46     pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");  
47 };  
48 }
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets Get an environment variable Get a global variable

Body Cookies (12) Headers (37) Test Results (5/5) 200 OK 216 ms 5.62 KB Save as Example

Pretty Raw Preview Visualize JSON

```
88     "final_line_price": 1500,  
89     "url": "/products/rosie-lunchbox?variant=39822919598202",  
90     "featured_image": {  
91         "aspect_ratio": 1.0,  
92         "alt": "Boeing Rosie Lunchbox",  
93         "height": 2048,  
94         "url": "https://cdn.shopify.com/s/files/1/1193/5506/products/465047010079_02_Web.jpg?  
95             v=1659485316",  
96         "width": 2048  
97     },
```

Start working with your team 67% Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

Home Workspaces API Network Explore Search Postman Invite Upgrade

Team Workspace New Import POST Add GET Cart Cl POST Remo GET Cha POST Add GET Check PC > + ... No Environment

Collections Environments History

Final Project Boeing Website / Check Cart after addition Boeing Rosie Lunchbox

GET https://www.boeingstore.com/cart.js

Params Authorization Headers (8) Body Pre-request Script Tests \* Settings Cookies

```
39 };  
40 pm.test("Headers are correct", function () {  
41     pm.response.to.have.header("Content-Type", "text/javascript;  
42         charset=utf-8");  
43     pm.response.to.have.header("Transfer-Encoding", "chunked");  
44     pm.response.to.have.header("Connection", "keep-alive");  
45     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");  
46     pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");  
47 };  
48 }
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets Get an environment variable Get a global variable

Body Cookies (12) Headers (37) Test Results (5/5) 200 OK 216 ms 5.62 KB Save as Example

All Passed Skipped Failed

PASS Status code is 200  
PASS Response time is less than 1000ms  
PASS Response size is less than 2000B  
PASS Body matches string  
PASS Headers are correct

Start working with your team 67% Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

## API-5 Removing of Some Item

The screenshot shows the Postman application interface. On the left, there's a sidebar with 'Team Workspace' collections, environments, and history. The main area displays a POST request to <https://www.boeingstore.com/cart/change.js>. The request body is set to JSON with the value: 

```
[{"line": "2", "quantity": 0}]
```

. The response tab shows a 200 OK status with 450 ms duration and 5.06 KB size. The response body is displayed in JSON format:

```

1
2   "token": "8aebfa01f28ab76f5feab37e24334866",
3   "note": null,
4   "attributes": {},
5   "original_total_price": 2500,
6   "total_price": 2500,
7   "total_discount": 0,
8   "total_weight": 0.0,
9   "item_count": 1,
10  "items": [
11    {
12      "id": 43425998504058,
13      "properties": {},
14      "quantity": 1,
15      "variant_id": 43425998504058,
16      "key": "43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb",
17    }
  ]

```

Below the response, the 'Test Results' tab shows 5/5 passes. The sidebar also includes a progress bar for inviting team members (67%) and a reminder to 'Start working with your team'.

This screenshot shows the same Postman session as the previous one, but with the 'Tests' tab selected. The test script is as follows:

```

1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5   pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
7 pm.test("Response size is less than 2000B", function () {
8   pm.expect(pm.response.responseSize).to.be.below(5000);
9 });
10 pm.test("Body matches string", function () {
11   pm.expect(pm.response.text()).to.include("line: 2 quantity: 0");
12 });

```

The right side of the interface has a sidebar with links to 'Tests scripts', 'Snippets', 'Get an environment variable', 'Get a global variable', and 'Get a variable'. The 'Test Results' tab shows 5/5 passes. The sidebar also includes a progress bar for inviting team members (67%) and a reminder to 'Start working with your team'.

Home Workspaces API Network Explore

Search Postman

Team Workspace New Import

GET Cart C POST Req GET Char POST Adv GET Check POST Check

No Environment

Collections Environments History

Final Project Boeing Website / Removing of Some Item

POST https://www.boeingstore.com/cart/change.js

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

```
33 pm.expect(pm.response.text()).to.include("product_id");
34 pm.expect(pm.response.text()).to.include
35 ("product_has_only_default_variant");
36 pm.expect(pm.response.text()).to.include("gift_card");
37 pm.expect(pm.response.text()).to.include("product_description");
38 pm.expect(pm.response.text()).to.include("final_price");
39 pm.expect(pm.response.text()).to.include("url");
40 pm.test("Headers are correct", function () {
41     pm.response.to.have.header("Content-Type", "text/javascript;
42         charset=utf-8");
43     pm.response.to.have.header("Transfer-Encoding", "chunked");
44     pm.response.to.have.header("Connection", "keep-alive");
45     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");
46 });
47 }
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets Get an environment variable  
Get a global variable  
Get a variable  
Get a collection variable  
Set an environment variable

Body Cookies (13) Headers (40) Test Results (5/5)

Pretty Raw Preview Visualize JSON

```
13 properties . . ,
14 "quantity": 1,
15 "variant_id": 43425998504058,
16 "key": "43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb",
17 "title": "Boeing Women's Silver Rotating Airplane Watch",
18 "price": 2500,
19 "original_price": 2500,
```

200 OK 450 ms 5.06 KB Save as Example

Start working with your team 67% Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

Home Workspaces API Network Explore

Search Postman

Team Workspace New Import

GET Cart C POST Req GET Char POST Adv GET Check POST Check

No Environment

Collections Environments History

Final Project Boeing Website / Removing of Some Item

POST https://www.boeingstore.com/cart/change.js

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

```
40 pm.test("Headers are correct", function () {
41     pm.response.to.have.header("Content-Type", "text/javascript;
42         charset=utf-8");
43     pm.response.to.have.header("Transfer-Encoding", "chunked");
44     pm.response.to.have.header("Connection", "keep-alive");
45     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");
46     pm.response.to.have.header("X-Sorting-Hat-ShopId", "11935506");
47     pm.response.to.have.header("X-Frame-Options", "DENY");
48 });
49 }
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets Get an environment variable  
Get a global variable

Body Cookies (13) Headers (40) Test Results (5/5)

Pretty Raw Preview Visualize JSON

```
38 height: 1000,
39 url: "https://cdn.shopify.com/s/files/1/1193/5506/products/222027060234_b.jpg?
40 v=1573743998",
41 "width": 1300
42 },
43 "image": "https://cdn.shopify.com/s/files/1/1193/5506/products/222027060234_b.jpg?
44 v=1573743998",
45 "handle": "boeing-womens-silver-rotating-airplane-watch",
46 "requires_shipping": true,
47 "product_type": "Accessories",
"product_title": "Boeing Women's Silver Rotating Airplane Watch",
"product_description": "Maintain your style and punctuality with this Boeing Ladies Silver
```

200 OK 450 ms 5.06 KB Save as Example

Start working with your team 67% Next: Invite at least 1 person. Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

## API-6 Changed Cart Checking after removing some item

The screenshot shows the Postman application interface. On the left, there's a sidebar with 'Team Workspace' selected, displaying a list of collections and environments. The main area shows a 'Changed Cart Checking' collection under 'Final Project Boeing Website'. A specific GET request to 'https://www.boeingstore.com/cart.js' is selected. The 'Tests' tab is active, showing a JavaScript code block with several assertions using the pm.expect API to check response status, time, size, body, and headers. Below the tests, the 'Test Results' section shows five green 'PASS' status indicators. At the bottom, a summary bar indicates a 200 OK response with 195 ms and 4.01 KB.

```

1 pm.test("Status code is 200", function () {
2     pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5     pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
7 pm.test("Response size is less than 5000B", function () {
8     pm.expect(pm.response.responseSize).to.be.below(5000);
9 });
10 pm.test("Body matches string", function () {
11     pm.expect(pm.response.text()).to.include("id");
});
    
```

This screenshot is nearly identical to the one above, showing the same 'Changed Cart Checking' collection in Postman. The 'Tests' tab displays a longer JavaScript code block with more complex assertions. The 'Test Results' section shows five green 'PASS' status indicators. The 'Body' tab at the bottom is selected, showing a detailed JSON response with fields like token, note, attributes, and items. The JSON response is displayed in a collapsible tree view.

```

1 pm.expect(pm.response.text()).to.include("grams");
2 pm.expect(pm.response.text()).to.include("vendor");
3 pm.expect(pm.response.text()).to.include("taxable");
4 pm.expect(pm.response.text()).to.include("product_id");
5 pm.expect(pm.response.text()).to.include
6     ("product_has_only_default_variant");
7 pm.expect(pm.response.text()).to.include("gift_card");
8 pm.expect(pm.response.text()).to.include("product_description");
9 pm.expect(pm.response.text()).to.include("final_price");
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
    
```

Home Workspaces API Network Explore

Search Postman

Team Workspace New Import

Final Project Boeing Website / Changed Cart Checking

GET https://www.boeingstore.com/cart.js

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
37 | pm.expect(pm.response.text()).to.include("final_price");
38 | pm.expect(pm.response.text()).to.include("url");
39 | });
40 | pm.test("Headers are correct", function () {
41 |     pm.response.to.have.header("Content-Type", "text/javascript;
42 |         charset=utf-8");
43 |     pm.response.to.have.header("Transfer-Encoding", "chunked");
44 |     pm.response.to.have.header("Connection", "keep-alive");
45 |     pm.response.to.have.header("X-Sorting-Hat-PodId", "121");
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets

Get an environment variable  
Get a global variable

Body Cookies (12) Headers (37) Test Results (5/5)

200 OK 195 ms 4.01 KB Save as Example

Pretty Raw Preview Visualize JSON

```
13 |
14 |     "properties": 25,
15 |     "quantity": 1,
16 |     "variant_id": 43425998504058,
17 |     "key": "43425998504058:db5c89b5fe25d1e9f926374b47b0c9bb",
18 |     "title": "Boeing Women's Silver Rotating Airplane Watch",
19 |     "price": 2500,
20 |     "original_price": 2500,
21 |     "discounted_price": 2500,
22 |     "line_price": 2500,
23 |     "original_line_price": 2500,
24 |     "total_discount": 0,
25 |     "discounts": []
```

Start working with your team

67% Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

Home Workspaces API Network Explore

Search Postman

Team Workspace New Import

Final Project Boeing Website / Changed Cart Checking

GET https://www.boeingstore.com/cart.js

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
37 | pm.expect(pm.response.text()).to.include("final_price");
38 | pm.expect(pm.response.text()).to.include("url");
39 | });
40 | pm.test("Headers are correct", function () {
41 |     pm.response.to.have.header("Content-Type", "text/javascript;
42 |         charset=utf-8");
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts ↗

Snippets

Body Cookies (12) Headers (37) Test Results (5/5)

200 OK 195 ms 4.01 KB Save as Example

Pretty Raw Preview Visualize JSON

```
45 |
46 |     "product_type": "Accessories",
47 |     "product_title": "Boeing Women's Silver Rotating Airplane Watch",
48 |     "product_description": "Maintain your style and punctuality with this Boeing Ladies Silver
        Rotating Watch\r\n\r\nDetails: \r\n\r\nSilver raised metallic Boeing logo in dial
        \r\n\r\n IPS plating alloy case\r\n\r\nGenuine leather strap \r\n\r\n Case diameter: 30.5
        mm\r\n\r\n Strap width: 14 mm\r\n\r\n Imported\r\n\r\n\r\n\r\n",
49 |     "variant_title": null,
50 |     "variant_options": [
51 |         "Default Title"
52 |     ],
53 |     "options_with_values": [
54 |         {
55 |             "name": "Title",
56 |             "value": "Default Title"
57 |         }
58 |     ]
59 | }
```

Start working with your team

67% Invite

Online Find and Replace Console Cookies Capture requests Runner Trash

## API-7 Start to Checkout

The screenshot shows the Postman interface with the following details:

- Header Bar:** Home, Workspaces, API Network, Explore, Search Postman, Invite, Upgrade.
- Left Sidebar:** Team Workspace, Collections, Environments, History.
- Request Details:**
  - Method: POST
  - URL: https://notify.bugsnag.com/
  - Headers: (9)
  - Body: (green dot)
  - Pre-request Script: (grey dot)
  - Tests: (orange dot) - Active tab
  - Settings: (grey dot)
- Test Script (Tests tab):**

```

1 pm.test("Status code is 200", function () {
2     pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5     pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
7 pm.test("Response size is less than 1000B", function () {
8     pm.expect(pm.response.responseSize).to.be.below(1000);
9 });
10
11 pm.test("Headers are correct", function () {
12     pm.response.to.have.header("Access-Control-Allow-Origin", "*");
13     pm.response.to.have.header("Content-Length", "2");
14     pm.response.to.have.header("Content-Type", "text/plain;
15         charset=utf-8");
16     pm.response.to.have.header("Via", "1.1 google");
17 });
18

```
- Test Results:** 4/4
  - All
  - Passed
  - Skipped
  - Failed
  - PASS Status code is 200
  - PASS Response time is less than 1000ms
  - PASS Response size is less than 1000B
  - PASS Headers are correct
- Bottom Status:** 200 OK, 62 ms, 268 B, Save as Example.
- Footer:** Cookies, Capture requests, Runner, Trash.

The screenshot shows the Postman interface with the following details:

- Header Bar:** Home, Workspaces, API Network, Explore, Search Postman, Invite, Upgrade.
- Left Sidebar:** Team Workspace, Collections, Environments, History.
- Request Details:**
  - Method: POST
  - URL: https://notify.bugsnag.com/
  - Headers: (9)
  - Body: (green dot)
  - Pre-request Script: (grey dot)
  - Tests: (orange dot) - Active tab
  - Settings: (grey dot)
- Test Script (Tests tab):**

```

1 pm.test("Status code is 200", function () {
2     pm.response.to.have.status(200);
3 });
4 pm.test("Response time is less than 1000ms", function () {
5     pm.expect(pm.response.responseTime).to.be.below(1000);
6 });
7 pm.test("Response size is less than 1000B", function () {
8     pm.expect(pm.response.responseSize).to.be.below(1000);
9 });
10
11 pm.test("Headers are correct", function () {
12     pm.response.to.have.header("Access-Control-Allow-Origin", "*");
13     pm.response.to.have.header("Content-Length", "2");
14     pm.response.to.have.header("Content-Type", "text/plain;
15         charset=utf-8");
16     pm.response.to.have.header("Via", "1.1 google");
17 });
18

```
- Test Results:** 4/4
  - All
  - Passed
  - Skipped
  - Failed
  - PASS Status code is 200
  - PASS Response time is less than 1000ms
  - PASS Response size is less than 1000B
  - PASS Headers are correct
- Bottom Status:** 200 OK, 62 ms, 268 B, Save as Example.
- Footer:** Cookies, Capture requests, Runner, Trash.