DEVHINTS.IO

Curl cheatsheet

Options

```
-o <file>    # --output: write to file
-u user:pass # --user: Authentication


-v           # --verbose
-vv          # Even more verbose
-s           # --silent


-I           # --head: headers only
```

Request

```
-X POST          # --request
-L               # follow link if page redir
```

Data

```
-d 'data'    # --data: HTTP post data, URL e
-d @file     # --data via file
-G           # --get: send -d data via get
```

Headers

```
-A <str>        # --user-agent
-b name=val     # --cookie
-b FILE         # --cookie
-H "X-Foo: y"   # --header
--compressed    # use deflate/gzip
```

SSL

```
--cacert <file>
--capath <dir>
```

```
-E, --cert <cert>        # --cert: Client cert
    --cert-type          # der/pem/eng
-k, --insecure           # for self-signed cert
```

Examples

```
# Post data:
curl -d password=x http://x.com/y
```

```
# Auth/data:
curl -u user:pass -d status="Hello" http://twitter.com/statuses/update.xml
```

```
# multipart file upload
curl -v -include --form key1=value1 --form upload=@localfilename URL
```

▶   **0 Comments** for this cheatsheet. Write yours!

Search 381+ cheatsheets

Over 381 curated cheatsheets, by developers for developers.

Devhints home

Other CLI cheatsheets

Cron cheatsheet	Homebrew cheatsheet
httpie cheatsheet	adb (Android Debug Bridge) cheatsheet
composer cheatsheet	Fish shell cheatsheet

Top cheatsheets

Elixir cheatsheet	ES2015+ cheatsheet
React.js cheatsheet	Vimdiff cheatsheet
Vim cheatsheet	Vim scripting cheatsheet