

Cheatsheet styles cheatsheet

This page is a work in progress. You can help by [suggesting edits](#)!

This is a reference of styles that you can use on Devhints cheatsheets. How meta! You can refer to this when contributing your own cheatsheets to the [GitHub repo](#).

Variants

H2 sections

-one-column
-two-column
-three-column
-left-reference
-no-hide
-setup
-crosslink
See: Paragraphs

Paragraphs

H3 sections

-prime
See: H3 sections
Code
3 columns
-box-chars
-setup
-wrap
-setup
Gray background
-crosslink
Has arrow on the link
Adding variants

```
## Section
{: .-two-column}
```

Devhints uses Kramdown, and supports addir

H3 sections

Supported

Each section can have the following children:	This is a section with { : . -prime }. Notice th
White	
pre	
ul	
table	
Gray	
p	
h4	

Code

Basic code

here.is(() => { some.code() })
here.is.some.more()
Code blocks can be placed one after the other. See: Cheatsheets

Code with headings

index.js
here.is(() => { some.code() })
other.js
here.is.some.more()
Code blocks can have headings.

Setup blocks

import React from 'react'

Long lines

function createNode(nodeName: string, return true
--

```
class Hello extends React.Component {
  render () {
    return <span>Hello</span>
  }
}
```

}

Long lines will have scrollbars.

Add { : .-setup } to a pre or table or ul.

Lists

Lists

This is
a list
with a few items
Here's an extra paragraph after the list.

Lists with headings

Part 1
createElement()
componentDidMount()
componentWillUnmount()
Part 2
shouldComponentUpdate()
componentWillReceiveProps()
Here's an extra paragraph after the list.

List columns

Six columns

One	Two	Three	Four
Five	Six	Seven	Eight
Nine	Ten	Eleven	
Add { : .-six-column } to make large lists.			

Four columns

One	Two	Three
Four	Five	Six
Seven	Eight	Nine
Ten	Eleven	
Add { : . -four-column } to make large lists.		

Also see

One	Two	Three	Four	Five
Six	Seven	Eight	Nine	Ten
Add { : . -also-see }.				

Paragraphs

Basic paragraphs

This is a basic section with paragraphs in it. When paragraphs are in the body, they appear as white.

Basic paragraphs

...
When paragraphs appear after pre/table/u1

Crosslink

Add { : . -crosslink } to make big loud external links:
...
Home

≠ Tables

Basic table

Date
%m/%d/%Y
%A, %B %e, %Y
%b %e %a
Time
%H:%M
%I:%M %p
This is a basic table with h4's.

Shortcuts

V
P
T
L
R
O
U
Add { : . -shortcuts } to tables.

≠ Two columns

One

...

Two

...

≠ Left reference

One

...

Two

...

...

...

...

...

...

...

...

...

...

Three

...


≠ One column

One

...

► 0 Comments for this cheatsheet. [Write yours!](#)

Search 381+ cheatsheets



Over 381 curated cheatsheets, by developers for developers.

Devhints home

Other cheatsheets

Top cheatsheets

<div>Date & time formats</div> <div>cheatsheet</div>	<div>strftime format</div> <div>cheatsheet</div>	<div>Elixir</div> <div>cheatsheet</div>	<div>ES2015+</div> <div>cheatsheet</div>
<div>Semver</div> <div>cheatsheet</div>	<div>regex</div> <div>cheatsheet</div>	<div>React.js</div> <div>cheatsheet</div>	<div>Vimdiff</div> <div>cheatsheet</div>
<div>Screen resolutions</div> <div>cheatsheet</div>	<div>Watchman</div> <div>cheatsheet</div>	<div>Vim</div> <div>cheatsheet</div>	<div>Vim scripting</div> <div>cheatsheet</div>