

Foundation-5 Cheat sheet

Fork me on github (<https://github.com/sudheerDev/CheatSheet>)



Default colors

					
Primary	Secondary	Alert	Success	Body Font	Header Font
#2ba6cb	#e9e9e9	#f04124	#43ac6a	#222222	#222222

Structure

MEDIA QUERIES

```
@media only screen {}  
@media only screen and (max-width: 40em) {}  
@media only screen and (min-width: 40.063em) {}  
@media only screen and (min-width: 90.063em) {}  
@media only screen and (min-width: 90.063em) and (max-width: 120em) {}  
  
@media only screen and (min-width: 40.063em) and (max-width: 64em) {}  
@media only screen and (min-width: 64.063em) {}  
@media only screen and (min-width: 64.063em) and (max-width: 90em) {}  
@media only screen and (min-width: 120.063em) {}  
  
@media only screen and (min-width: 90.063em) {}  
@media only screen and (min-width: 90.063em) and (max-width: 120em) {}  
@media only screen and (min-width: 120.063em) {}
```

BASIC

```
div class="small-6 columns"  
div class="small-6 large-3 columns"  
div class="small-6 medium-4 large-1 columns"
```

OFFSETS

```
div class="small-10 small-offset-2 medium-6 columns"  
div class="small-7 small-offset-5 medium-6 medium-offset-3 large-10 large-offset-2 columns"
```

INCOMPLETE ROWS

your row doesn't have a count that adds up to 12 columns, you can add class `end` to override default behaviour of last column floating to right

```
div class="row"  
div class="medium-3 columns"  
div class="medium-3 columns end"
```

CENTERED COLUMNS

```
div class="small-10 small-centered columns"  
div class="small-10 large-centered columns"  
div class="small-9 small-centered large-uncentered columns"
```

SOURCE RENDERING

div class="large-9 large-push-3 columns"

div class="medium-6 medium-push-6 columns"

small-5 small-push-7 medium-7 medium-push-5 columns

BLOCK GRID

Evenly split the contents of a list within the grid

ul class="small-block-grid-2"

ul class="small-block-grid-2 large-block-grid-4"

Visibilty Classes

SHOW CLASSES

class="show-for-small-only"

class="show-for-medium-up"

class="show-for-medium-only"

class="show-for-large-down"

class="show-for-large"

class="show-for-large-up"

class="show-for-xlarge"

class="show-for-xxlarge"

HIDE CLASSES

class="hide-for-small-only"

class="hide-for-medium-up"

class="hide-for-medium-only"

class="hide-for-large-down"

class="hide-for-large"

class="hide-for-large-up"

class="hide-for-xlarge"

class="hide-for-xxlarge"

ORIENTATION DETECTION

class="show-for-landscape"

class="show-for-portrait"

TOUCH DETECTION

class="show-for-touch"

class="hide-for-touch"

ACCESSIBILITY

If you want to hide some content but still make it accessible for screen readers, use the hidden visibility classes.To reverse the rules defined by hidden, use the visible visibility classes.

class="hidden-for-small-only"

class="visible-for-small-only"

Buttons

BASIC

Tiny Button

a class="button tiny"

Small Button

a class="button small"

Default Button

a class="button"

Large Button

```
a class="button large"
```

Expanded Button

```
a class="button expand"
```

Alert Button

```
a class="button alert"
```

Success Button

```
a class="button success"
```

Disabled Button

```
a class="button disabled"
```

Secondary Button

```
a class="button secondary"
```

Radius Button

```
a class="button radius"
```

Round Button

```
a class="button round"
```

BUTTON GROUPS

Button 1 Button 2

```
ul class="button-group"
li a class="button"
```

BUTTON BARS

Button 1 Button 2 Button 1 Button 2

```
div class="button-bar"
ul class="button-group"
li a class="button"
```

SPLIT BUTTONS

Split Button

```
a href="#" class="button split" span data-dropdown="drop">../span../a../br
ul id="drop" class="f-dropdown" data-dropdown-content
li a href="#"
```

DROPDOWN

Dropdown Button

```
a href="#" data-dropdown="drop1" class="button dropdown" ../br
```

```
ul id="drop1" data-dropdown-content class="f-dropdown"
li a href="#"
```

Utility Classes

FLOAT CLASSES

You can change the float behavior of an element by adding `.left` or `.right` to an HTML element. To clear floats, add the class `.clearfix` to the parent element.

Float Left

Float Right

div class="clearfix"

a class="button right"

a class="button left"

RADIUS AND ROUNDED

The `.radius` and `.round` classes allow you to easily apply a border-radius to a UI-element. Adding the class to a button group will apply the border radius only to the outside corners.

Round Button

Radius Button

class="button round"

a class="button radius"

TEXT ALIGN CLASSES

You can change the text alignment of an element by adding `.text-left`, `.text-right`, `.text-center` or `.text-justify` to an element.

This text is left aligned

This text is center aligned

This text is right aligned

[More text alignment classes](#)

Forms

INPUT FORMS

Label

Inline Text Input

div class="small-3 columns"

label for="right-label" class="right inline"

div class="small-9 columns"

input type="text" id="right-label" placeholder="Inline Text Input"

Hex Value

Go

```
div class="row collapse"
div class="small-10 columns"
input type="text" placeholder="Hex Value"
div class="small-2 columns"
a href="#" class="button postfix"
```

SWITCHES

```
div class="switch"
```

```
input id="exampleCheckboxSwitch" type="checkbox"
label for="exampleCheckboxSwitch"
```

ERROR STATES

Invalid entry

```
label class="error"
input type="text" class="error"
small class="error"
```

Message...

Invalid entry

```
textarea class="error" placeholder="Message..."
small class="error"
```

SLIDERS

```
div class="range-slider" data-slider
span class="range-slider-handle" role="slider"
span class="range-slider-active-segment"
input type="hidden"
```

Typography

HEADERS

```
h1. h2. h3. h4. h5. h6.
```

SUB HEADERS

```
h1. h2. h3. h4. h5. h6.
```

SMALL HEADER SEGMENTS

```
h1. h2. h3. h4. h5. h6
```

LIST ITEMS

```
Unordered list
o circle as bullet -div class="circle"
• disc as bullet -div class="disc"
■ sqare as bullet -div class="square"
no bullet -div class="no-bullet"
Ordered list
1. this is an ordered list
```

KEYSTROKE

For example, to close your browser hit `Cmd + Q`

<p><kbd>Cmd</kbd>+<kbd>Q</kbd></p>

V-CARD

first name
street address.
locality
state, 12345
email@example.com

```
ul class="vcard"
li class="fn"
li class="street-address"
li class="locality"
```

li span class="state"

li span class="zip"

li class="email"

BLOCKQUOTES

blockquote QUOTE cite AUTHOR /cite /blockquote

Those people who think they know everything are a great annoyance to those of us who do.
— Isaac Asimov

DESCRIPTION LIST

dl..dt..dd

Definition Title

Definition Cras justo odio, dapibus ac facilisis in, egestas eget quam. Nullam id dolor id nibh .

LABELS

Regular Label

class="label"

Radius Secondary Label

class="radius secondary label"

Round Alert Label

class="round alert label"

Warning Label

class="warning label"

Success Label

class="success label"

INLINELIST

[Link 1](#) [Link 2](#) [Link 3](#) [Link 4](#) [Link 5](#)

ul class="inline-list"

Navigation

PAGNITION

[« \(\)](#) [1 \(\)](#) [2 \(\)](#) [... \(\)](#) [12 \(\)](#) [13 \(\)](#) [» \(\)](#)

ul class="pagination"

li class="arrow unavailable"

li class="current"

li class="unavailable"

li class="arrow"

SUB-NAV

FILTER: All Active Pending

dl class="sub-nav"

dt

dd class="active" a href=""

dd a href=""

ICON BARS


[Home](#)


[Bookmark](#)


[Info](#)


[Mail](#)


[Like](#)

Specifying the number of items through will ensure the items are evenly spaced.

div class="icon-bar five-up"

a class="item"

img src=""

BREADCRUMBS

[HOME](#) / [FEATURES](#) / [GENE SP LICING](#) / [CLONING](#)

ul class="breadcrumbs"

li class="unavailable"

li class="current"

nav class="breadcrumbs"

a class="unavailable"

a class="current"

SIDE NAV

[Link 1](#)

[Link 2](#)

[Link 3](#)

[Link 4](#)

ul class="side-nav"

li class="active"

TOP-BAR

nav class="top-bar"

ul class="title-area"

li class="name"

li class="toggle-topbar menu-icon ... a span Menu"


section class="top-bar-section"

ul class="left"

li class="active"

Media

FLEX VIDEO



div class="flex-video"

```
iframe width="420" height="315" src="//www..com/embed/aiBt44rrslw" frameborder="0" allowfullscreen
```

THUMBNAILS



```
a class="th" href="path/to/your/img"
img src="path/to/your/img-th"
```


CLEARING LIGHTBOX



```
ul class="clearing-thumbs" data-clearing
li..a href="path/to/your/img"..img src="path/to/your/img-th"../a>../li
```


Callouts

ALERTS



```
Alert boxes take 100% width and you can add .radius, .success, .alert, .round, .secondary or .close to create close box
div data-alert class="alert-box"
a href="#" class="close"
```

PANELS



```
div class="panel callout radius"
```

TOOLTIPS

```
Default Tool-tip class='has-tip'
Top Tool-tip class='has-tip tip-top'
left Tool-tip class='has-tip tip-left'
right Tool-tip class='has-tip tip-right'
```

REVEAL MODAL

```
Click Me For A Modal
a href="#" data-reveal-id="myModal"
div id="myModal" class="reveal-modal" data-reveal
a class="close-reveal-modal" >x
```

Content

PRICING TABLES

Standard

\$99.99

An awesome description

1 Database

Buy Now

```
ul class="pricing-table">- 
- 
- 
- 
- 

```

PROGRESS BARS

```
div class="progress">
```

TABLES

Table Header	Table Header	Table Header
Content Goes Here	This is longer content Donec id elit non .	Content Goes Here
Content Goes Here	This is longer Content Goes Here Donec id .	Content Goes Here

```
table|  |
| --- |
|  |

```

DATA EQUALIZER

Pellentesque habitant morbi ultricies eget, tempor sit amet

Lorem ipsum dolor sit amet, consectetur adipiscing elit.
 Aliquam tincidunt mauris eu risus.

```
div class="row" data-equalizer
```

[Kitchen sink \(http://foundation.zurb.com/docs/components/kitchen_sink.html\)](http://foundation.zurb.com/docs/components/kitchen_sink.html)

[Interchange \(http://foundation.zurb.com/docs/components/interchange.html\)](http://foundation.zurb.com/docs/components/interchange.html)

[Off Canvas \(http://foundation.zurb.com/docs/components/offcanvas.html\)](http://foundation.zurb.com/docs/components/offcanvas.html)

[Magellan \(http://foundation.zurb.com/docs/components/magellan.html\)](http://foundation.zurb.com/docs/components/magellan.html)

[Orbit \(http://foundation.zurb.com/docs/components/orbit.html\)](http://foundation.zurb.com/docs/components/orbit.html)

[Joyride \(http://foundation.zurb.com/docs/components/joyride.html\)](http://foundation.zurb.com/docs/components/joyride.html)

[Abide Validation \(http://foundation.zurb.com/docs/components/abide.html\)](http://foundation.zurb.com/docs/components/abide.html)

[Dropdowns \(http://foundation.zurb.com/docs/components/dropdown.html\)](http://foundation.zurb.com/docs/components/dropdown.html)

[Accordion \(http://foundation.zurb.com/docs/components/accordion.html\)](http://foundation.zurb.com/docs/components/accordion.html)

[Tabs \(http://foundation.zurb.com/docs/components/tabs.html\)](http://foundation.zurb.com/docs/components/tabs.html)

Cheat sheet created by Sudheer