

YourLocalCityGuide

SEO + Paywall Architecture Implementation Brief for Codex

Repository reviewed: Voidd2/NewLocalCityGuides
Current architecture reviewed through 25 September 2026

Primary objective

Increase the number and quality of indexable Leiden pages without giving away the paid experience. Public pages should explain and preview. Premium access should unlock the actual guided experience: full stories, media, GPS guidance, route execution, custom routes and saved progress.

This document is intended to be handed directly to Codex.

Implementation map

#	Section
1	Executive summary
2	Current repository state
3	Core SEO/paywall principle
4	Target information architecture
5	Route pages: public preview + premium experience
6	Location and Discover entity pages
7	Routes overview and conversion flow
8	Server rendering and client boundaries
9	Sitemap, canonicals, hreflang and robots
10	Structured data strategy
11	Internal linking and topical authority
12	Content/data model changes
13	Multilingual requirements
14	Security and premium-content protection
15	Performance and image handling
16	Implementation phases and exact files
17	Testing and acceptance criteria
18	Rollout / migration plan
19	Do-not-do list
20	Copy-paste master instruction for Codex

Repository facts Codex must trust

- Framework: Next.js 16.3.5 + TypeScript + React 19.2.8.
- Styling: Tailwind CSS v4.
- Internationalization: next-intl with /nl, /en and /de routes.
- Current live deployment: newlocalcityguide-fawn.vercel.app.
- Current active code uses /routes and /map. Some older project documentation still mentions /tours and /kaart; current code wins.
- Current public SEO infrastructure already includes sitemap, robots, canonicals, hreflang, Open Graph, JSON-LD, breadcrumbs, blog, RSS and llms.txt.
- Current premium route/location detail pages use PaywallGuard and are marked noindex.

1. Executive summary

The project already has a solid technical SEO foundation. The main structural weakness is not missing metadata; it is that a large amount of highly relevant, search-worthy content is attached to URLs that are intentionally noindex and rendered entirely behind a client-side paywall.

The recommended architecture is to separate an indexable public preview from the premium interactive experience on the same conceptual entity. Google should be able to understand what a route, museum, attraction or local place is. A paying visitor should still be required to unlock the high-value experience.

The central product rule

Information is not the main paid product. The paid product is the guided experience: complete historical stories, audio/video, exact route execution, GPS guidance, dynamic routing, custom route building and saved progress.

Desired outcome

- Turn route detail pages from pure paywall endpoints into useful public landing pages with a premium unlock boundary.
- Create or expose indexable entity pages for museums, attractions, historic locations, markets and selected local businesses.
- Keep the exact premium route execution and full historical media protected.
- Use existing data in routes.ts, locations.ts and local-spots.ts to generate many high-quality pages programmatically.
- Preserve the existing NL/EN/DE localization model.
- Keep one canonical URL per search intent and avoid thin duplicate pages.

Expected SEO effect

Current	Target
A limited set of public Leiden landing pages	A broad Leiden topic cluster with route, attraction, museum and itinerary depth
Premium detail URLs are noindex	Public preview URLs are indexable; premium state remains gated
Route cards blurred before purchase	Route cards readable; route details previewed; actual tour start stays locked
SEO value concentrated in hubs/blog	SEO value distributed through hubs, entity pages and strong internal links
Google sees limited entity depth	Google sees many useful, semantically linked Leiden entities

2. Current repository state

2.1 Current technical SEO that should be retained

- `src/app/sitemap.ts` generates localized URLs with alternates.
- `src/app/robots.ts` defines crawl rules and blocks account/private application paths.
- `src/lib/seo.ts` centralizes metadata, canonicals, hreflang, Open Graph and Twitter metadata.
- Public SEO pages exist for `/leiden`, `/leiden/things-to-do`, `/city-guide-leiden` and `/leiden-tours`.
- Blog pages use BlogPosting schema and breadcrumbs.
- Public pages already use TouristDestination, FAQPage, ItemList, LocalBusiness and related schema types.
- `llms.txt` and `feed.xml` already exist.

2.2 Current gating pattern that limits indexable depth

```
src/app/[locale]/routes/[slug]/page.tsx

createDynamicMetadata({
  ...
  index: false,
});

<PaywallGuard>
  <RouteDetail route={route} />
</PaywallGuard>
```

The same pattern exists on individual historical location pages and Discover spot pages.

```
src/app/[locale]/locations/[slug]/page.tsx
src/app/[locale]/ontdek/[id]/page.tsx

index: false
+
<PaywallGuard>...</PaywallGuard>
```

Why this matters

Google can index the public overview pages, but the most specific pages - the pages best suited to queries such as 'Pieterskerk Leiden', 'Naturalis Leiden', or a specific self-guided walking tour - are explicitly excluded.


2.3 Existing data is already rich enough

Source	Existing useful fields
<code>src/data/routes.ts</code>	title, subtitle, description, image, distance, type, tags, stops and route variants
<code>src/data/locations.ts</code>	slug, name, address, coordinates, hook, shortStory, readingText, voiceOver, category, entryFee, ticketUrl
<code>src/data/local-spots.ts</code>	name, category, address, coordinates, website, description NL/EN/DE, tags, hours, rating, price, visitDuration, featured, ticketUrl
<code>src/data/seo-content.ts</code>	SEO landing pages, blog posts, sections, FAQs and multilingual content

This means Codex should focus on reusable templates and data transformation rather than writing dozens of one-off pages.

3. Core SEO/paywall principle

Replace the all-or-nothing paywall with a layered page model.



3.1 What may be public

- Name, category, verified address and verified coordinates.
- Short factual overview and useful visitor context.
- Approximate route duration and distance when verified.
- Selected highlights, but not the entire premium route sequence.
- A limited story excerpt or preview, not the full paid narrative.
- A map preview, but not premium route guidance or protected media URLs.
- Links to related public pages and a clear purchase CTA.

3.2 What remains premium

- Full historical story / complete readingText / complete voiceOver.
- Premium audio and video URLs or embeds.
- Exact ordered route execution where that is part of the paid experience.
- GPS walker mode and dynamic next-stop guidance.
- Custom route builder.
- Saved progress, purchases and account state.
- Unpublished research notes.

4. Target information architecture

Build a Leiden topic cluster around stable public entities and premium experiences.

```
[/locale]/leiden
|
+-- /leiden/things-to-do
|
+-- /leiden/tours
|   +-- /historic-centre
|   +-- /market-and-craft
|   +-- /canals-and-city
|   +-- ...
|
+-- /leiden/attractions
|   +-- /de-burcht
|   +-- /pieterskerk
|   +-- /rapenburg
|   +-- ...
|
+-- /leiden/museums
|   +-- /museum-de-lakenhal
|   +-- /naturalis
|   +-- /rijksmuseum-van-oudheden
|   +-- /boerhaave
|   +-- ...
|
+-- /leiden/local
|   +-- /schaapsvishandel
|   +-- selected high-value local entities
|
+-- /leiden/itineraries
|   +-- /one-day
|   +-- /weekend
|   +-- /with-kids
|   +-- future: /rainy-day, /free-things-to-do
```

URL decision

Do not create a second indexable page for the same intent. If the existing `/leiden-tours` page is kept as the canonical tours hub, either use it as the hub or migrate it cleanly. Avoid both `/leiden-tours` and `/leiden/tours` targeting the same main keywords.

Recommended canonical ownership

Intent	Recommended owner
Leiden overview	<code>/[locale]/leiden</code>
Things to do in Leiden	<code>/[locale]/leiden/things-to-do</code>
Leiden city guide / practical planning	<code>/[locale]/city-guide-leiden</code>
Leiden tours / self-guided walking tours	Keep <code>/[locale]/leiden-tours</code> as hub OR migrate once; do not duplicate
Specific curated route	New indexable public route preview page
Specific museum/attraction	New indexable entity page
Specific premium experience execution	Existing protected route/location experience

5. Route pages: public preview + premium experience

5.1 Required public route page anatomy

- Hero: route title, one-sentence proposition, route image.
- Quick facts: route type, approximate duration, distance, family suitability when supported.
- Why choose this route: 150-300 words of useful, original copy.
- Selected highlights: 3-5 notable places, not the full premium stop order.
- Map preview: static/non-guidance preview or restricted map mode.
- How the self-guided tour works.
- One short story/video teaser if available and safe.
- Related Leiden pages: things to do, city guide, museums/attractions.
- Strong CTA: unlock all Leiden routes from the current package price.

5.2 Premium section

```
<PublicRoutePage route={route}>
  <RouteHero />
  <RouteQuickFacts />
  <RouteHighlights />
  <RoutePreviewMap />
  <RouteHowItWorks />
  <RoutePreviewStory />
  <RelatedPages />

  <PremiumExperienceBoundary>
    <RouteDetail route={route} />
  </PremiumExperienceBoundary>
</PublicRoutePage>
```

The public shell must be server-rendered. The premium boundary may hydrate client-side and use auth state.

5.3 Metadata change

Current route detail metadata uses index: false. Public preview route pages must use index: true.

```
return createDynamicMetadata({
  locale,
  title: publicRouteTitle,
  description: publicRouteDescription,
  path: publicRoutePath,
  image: route.image,
  index: true,
});
```

Do not expose paid copy in metadata or JSON-LD

Titles/descriptions may summarize the experience. Do not serialize complete readingText, voiceOver, premium media URLs, or the full protected route sequence into HTML or JSON-LD.

6. Location and Discover entity pages

The repo contains rich content for museums, historic locations and local places. This should be converted into useful public entity pages rather than keeping all detail behind /ontdek/[id] or /locations/[slug].

6.1 Public entity page structure

```
<PublicEntityPage>
  <Hero />
  <Breadcrumbs />
  <Summary />
  <WhyVisit />
  <Highlights />
  <PracticalInfo />
  <FamilyInfo />
  <NearbyPlaces />
  <IncludeInRouteCTA />
  <PremiumStoryPreview />
  <UnlockCTA />
</PublicEntityPage>
```

6.2 Slug requirement

local-spots.ts currently uses IDs such as S001. Do not use these IDs as public SEO URLs. Add a stable human-readable slug field or a deterministic verified slug map.

```
interface LocalSpot {
  id: string;
  slug: string; // e.g. "museum-de-lakenhal"
  ...
}
```

6.3 Suggested public categories

Category	Public path example
museum	/[locale]/leiden/museums/museum-de-lakenhal
historic attraction	/[locale]/leiden/attractions/de-burcht
market	/[locale]/leiden/markets/leiden-market
selected local business	/[locale]/leiden/local/schaapsvishandel

6.4 Avoid thin programmatic SEO

Do not auto-publish every dataset row merely because it exists. Only generate an indexable page when the entity has enough verified, genuinely useful content. The page should stand on its own for a visitor who never purchases.

7. Routes overview and conversion flow

The current RoutesOverview blurs route cards for non-paying users. Replace this with readable cards and a progressive purchase funnel.

Current behavior	Required behavior
Non-paid route card blurred	Card fully visible and clickable
Click goes directly to pricing	Click opens public route preview
Visitor must pay before understanding route	Visitor understands value, then pays to start/unlock
Premium details hidden by blur	Premium functionality locked by explicit CTA/boundary

Recommended card content

- Route image
- Route title + subtitle
- Walking/cycling type
- Approximate distance/duration
- 2-4 thematic tags
- Short value proposition
- Button: View route
- Optional small label: Full experience included in Leiden package

CTA hierarchy

Public card -> View route
Public route page -> Preview route
Primary conversion CTA -> Unlock Leiden package
After purchase -> Start tour

8. Server rendering and client boundaries

Search-critical page content must not depend on client auth hydration. Auth state should decide which premium controls are available, not whether the page contains useful indexable content.

8.1 Server-render these elements

- H1/H2 headings
- intro and descriptive copy
- route/entity quick facts
- selected highlights
- breadcrumbs
- related links
- public structured data
- purchase proposition

8.2 Client components may handle

- isLoggedIn / hasPaid state
- premium unlock button state
- interactive GPS map
- current location
- route progress
- saved route state
- premium media controls

8.3 Suggested component split

```
app/[locale]/.../page.tsx    // server
-> PublicRoutePage           // server-friendly
  -> PublicRouteContent
  -> RelatedLinks
  -> StructuredData
  -> PremiumAccessPanel      // client
    -> if paid: RouteDetail / walker
    -> else: purchase CTA
```

9. Sitemap, canonicals, hreflang and robots

9.1 Sitemap

Extend `src/app/sitemap.ts` with public route previews and qualifying public entity pages in all three locales.

```
const publicRoutePaths = routes.map((route) => `/leiden/tours/${route.publicSlug}`);

const publicEntityPaths = [
  ...publicMuseums.map((spot) => `/leiden/museums/${spot.slug}`),
  ...publicAttractions.map((spot) => `/leiden/attractions/${spot.slug}`),
];

const publicPaths = [
  ...existingPublicPaths,
  ...publicRoutePaths,
  ...publicEntityPaths,
];
```

9.2 Canonicals and language alternates

- Every indexable page must have exactly one self-referencing canonical.
- Every localized equivalent must expose nl, en, de and x-default alternates.
- Do not point all language variants to the Dutch canonical.
- Do not create translated slugs unless the router and hreflang strategy can maintain stable equivalents; stable shared slugs are acceptable.

9.3 Robots

Keep account, login, dashboard, APIs, my-routes and custom-route execution excluded. Do not use robots.txt as access control. Premium data must be protected by application logic.

9.4 Existing premium URLs

If current `/routes/[slug]`, `/locations/[slug]` and `/ontdek/[id]` remain as protected application URLs, they may stay noindex. The new public SEO pages should be separate stable URLs, unless the implementation safely merges public preview and paid state on the same URL.

10. Structured data strategy

Page type	Preferred schema
Leiden hub	TouristDestination + BreadcrumbList
Things to do	ItemList + BreadcrumbList
Tours hub	ItemList; optionally TouristTrip entries
Specific route preview	TouristTrip + BreadcrumbList
Museum	Museum or TouristAttraction + BreadcrumbList
Historic attraction	TouristAttraction / Place + BreadcrumbList
Local business	LocalBusiness subtype only when accurate
Blog	BlogPosting + BreadcrumbList

Rules

- Schema properties must be supported by visible page content.
- Do not add reviews or aggregateRating until genuine attributable reviews exist.
- Do not include premium media URLs or hidden premium story text in structured data.
- Use verified address, coordinates, prices and opening hours only.
- Do not mark generic pages as LocalBusiness or TouristAttraction unless the page actually represents that entity.

11. Internal linking and topical authority

The goal is not simply more URLs. The goal is a coherent Leiden graph in which hubs distribute relevance to specific pages and specific pages link back to hubs and adjacent entities.

Leiden hub

- > Things to do
- > Tours
- > Museums
- > Attractions
- > Itineraries

Things to do

- > selected museums
- > selected attractions
- > selected route previews

Museum page

- > Leiden hub
- > Things to do
- > nearby attraction
- > relevant route preview
- > related article

Route preview

- > its selected highlights
- > Leiden tours hub
- > city guide
- > pricing

Anchor text

- Prefer descriptive anchors such as 'historic centre walking tour' over generic 'click here'.
- Keep anchors natural; do not repeat exact-match keywords mechanically.
- Each important public page should have at least 2-3 meaningful internal links pointing to it.

12. Content/data model changes

Codex should introduce explicit public SEO fields rather than deriving everything from full premium copy.

```
type PublicSeoContent = {
  slug: string;
  title: LocalizedText;
  metaDescription: LocalizedText;
  intro: LocalizedText;
  whyVisit?: LocalizedText;
  highlights?: Record<Locale, string[]>;
  practical?: LocalizedText;
  previewStory?: LocalizedText;
  indexable: boolean;
};

type RouteData = {
  ...
  publicSeo?: PublicSeoContent;
};

type LocalSpot = {
  ...
  slug?: string;
  publicSeo?: PublicSeoContent;
};
```

Reason: premium fields such as readingText and voiceOver should never accidentally become public because a component slices them or serializes them.

Fallback behavior

- If publicSeo.indexable is false or required fields are missing, do not add the URL to the sitemap.
- Return noindex or 404 for incomplete public pages based on the routing design.
- Never silently fall back to complete premium text.

13. Multilingual requirements

Every public SEO page must work in NL, EN and DE.

- Do not ship English copy into NL/DE variants as a placeholder unless explicitly approved.
- Add new UI strings to messages/nl.json, messages/en.json and messages/de.json.
- Entity factual data such as official names and addresses may remain identical where appropriate.
- Metadata must be localized, not just the body text.
- Breadcrumb labels and CTA copy must be localized.
- Structured data inLanguage should reflect the locale where relevant.

Keyword strategy note

Do not force literal keyword translations. Dutch, English and German users may search differently. The data structure should allow each language to have its own page title, H1 and meta description.

14. Security and premium-content protection

SEO work must not weaken access control. robots.txt and noindex are not security mechanisms.

- Do not ship full premium text in page source and hide it with CSS.
- Do not serialize premium story objects into public client props for unpaid users.
- Do not expose premium video/audio URLs in HTML, JSON-LD or public APIs.
- Do not expose user purchases, progress or saved routes to crawlers.
- When real authentication is added, enforce entitlement server-side for premium endpoints/media.
- Current demo auth can remain for now, but the public/premium component architecture should be ready for server-side entitlement later.

15. Performance and image handling

Programmatic SEO only helps if pages remain fast and crawlable. Avoid turning every public page into a large client-side bundle.

- Prefer Next.js Image for new public page images.
- Use static/server-rendered copy and minimal JavaScript.
- Lazy-load maps and heavy interactive modules below the fold.
- Do not mount full premium RouteDetail on unpaid visitors if it pulls heavy data or map logic.
- Use meaningful alt text for informative images; decorative images may use empty alt.
- Preserve Core Web Vitals when adding dozens of pages.

16. Implementation phases and exact files

Implement in small commits. Do not ask Codex to refactor the entire repository at once.

Phase	Work
Phase 0 - Baseline	Read PROJECT-GUIDE.md, TODOLIST.md, docs/SEO-AI-CONTENT-GUIDE.md. Run lint/test/build. Record baseline.
Phase 1 - Data contracts	Add public slug/publicSeo structures and safe selectors. No visual changes yet.
Phase 2 - Public route preview	Create reusable server-rendered route preview and premium access panel. Make one route the reference implementation.
Phase 3 - Route overview	Remove blur for unpaid users and link cards to public previews.
Phase 4 - Entity template	Create reusable public museum/attraction/local entity pages using qualifying data.
Phase 5 - SEO plumbing	Extend sitemap, metadata, hreflang, breadcrumbs, structured data and internal links.
Phase 6 - NL/EN/DE content	Complete translations and per-language metadata.
Phase 7 - QA	Run lint/test/build; validate no premium data leaks; inspect public HTML and route behavior.

High-priority files

- src/app/[locale]/routes/[slug]/page.tsx
- src/components/routes/RoutesOverview.tsx
- src/components/auth/PaywallGuard.tsx or a new PremiumAccessPanel
- src/data/routes.ts
- src/data/locations.ts
- src/data/local-spots.ts
- src/app/[locale]/leiden/** (new public route/entity paths as chosen)
- src/app/sitemap.ts
- src/app/robots.ts (only if route model requires changes)
- src/lib/se0.ts
- src/components/se0/Breadcrumbs.tsx
- messages/nl.json
- messages/en.json
- messages/de.json

Do not overwrite blindly

The repository changes frequently. Before each phase, read the current version of every file that will be edited. Do not rely on file contents quoted in this PDF as exact current source code.

17. Testing and acceptance criteria

17.1 Commands

```
npm run lint  
npm test  
npm run build
```

17.2 Public route acceptance

- Logged-out visitor can read a useful route preview without blur.
- The preview URL has index,follow metadata.
- H1, description, quick facts and links exist in server-rendered HTML.
- Full route execution still requires paid access.
- Premium story/media is not present in public HTML/JSON-LD.
- Canonical and hreflang are correct in NL/EN/DE.
- Route preview is present in sitemap.

17.3 Entity page acceptance

- Human-readable slug.
- Useful unique content, not a thin record dump.
- Correct entity schema.
- Verified facts only.
- Related links to Leiden hub, things-to-do and one relevant route/article.
- No paid story leakage.

17.4 Regression acceptance

- Paid users can still start and resume routes.
- GPS, map filters and route progress still work.
- Date-aware route behavior still works.
- Schaapsvishandel day-dependent logic remains intact.
- Existing public SEO pages remain indexable.
- Account/private pages remain noindex and excluded where appropriate.

18. Rollout / migration plan

Avoid a large URL migration unless needed. The safest first iteration is additive: keep existing protected application URLs and create dedicated public SEO preview URLs.

Step	Action
1	Ship one reference public route preview and verify behavior.
2	Ship routes overview linking to the preview.
3	Add remaining public route previews.
4	Ship museum/attraction entity template with a small curated set.
5	Extend sitemap and internal linking.
6	Submit/recheck in Google Search Console after deployment.
7	Use Search Console data to decide which clusters to expand next.

If URLs are migrated

- Use permanent redirects from old public URLs where necessary.
- Update canonicals, sitemap and internal links in the same deployment.
- Do not leave duplicate indexable versions targeting the same intent.

19. Do-not-do list

- Do not remove the paywall from full stories, audio, video or GPS execution.
- Do not change verified historical facts or invent facts to fill SEO pages.
- Do not auto-index every local spot regardless of quality.
- Do not create keyword-stuffed near-duplicate pages.
- Do not expose complete premium objects to the client and merely hide them visually.
- Do not add fake reviews, ratings or unsupported schema.
- Do not create both /leiden-tours and /leiden/tours as competing indexable hubs without a canonical migration plan.
- Do not rewrite unrelated application code during SEO work.
- Do not break the date-aware route logic, 3 October behavior or Schaapsvishandel market-day behavior.
- Do not trust stale path names in older documentation over the current source tree.

20. Copy-paste master instruction for Codex

The following instruction can be pasted into Codex after this PDF is attached or available in the workspace.

You are implementing a structural SEO + paywall refactor for YourLocalCityGuide.

FIRST:

1. Read PROJECT-GUIDE.md.
2. Read TODOLIST.md.
3. Read docs/SEO-AI-CONTENT-GUIDE.md.
4. Inspect the CURRENT source files before editing. This repository changes frequently.
5. Run npm run lint, npm test and npm run build to establish the baseline.

PRIMARY GOAL:

Increase the number and quality of indexable Leiden pages without giving away the paid experience.

CORE PRODUCT RULE:

Public information may explain and preview a route/place.

Premium access must still protect the complete guided experience:

- complete historical stories
- complete audio/video
- premium media URLs
- exact route execution/guidance
- GPS walker functionality
- route progress
- custom route builder
- saved routes/account/purchase state

CURRENT PROBLEM:

Individual route/location/detail URLs are generally noindex and wrapped entirely in PaywallGuard.

The public routes overview also blurs unpaid route cards.

This prevents useful route/entity detail from becoming strong organic landing pages.

IMPLEMENTATION REQUIREMENTS:

A. PUBLIC ROUTE PREVIEWS

Create a reusable, server-rendered public route preview architecture.

The public route page should contain:

- localized H1/title
- localized meta description
- route image
- short original overview
- approximate route type, duration/distance where verified
- selected highlights only
- limited map/route preview
- explanation of how the self-guided experience works
- related internal links
- CTA to unlock the Leiden package

Do NOT expose full premium story text, premium media URLs, complete route execution data or private state.

B. PREMIUM BOUNDARY

Move the entitlement check around the premium experience, not around the whole useful page.

Auth/client state should determine whether the user can start/use the premium experience.

Search-critical public text must render on the server.

C. ROUTES OVERVIEW

Remove the blur-based non-paid route cards.

Show readable route cards to everyone.

Non-paid visitors should click to a public route preview.

Paid visitors may continue into the full experience from there.

D. PUBLIC ENTITY PAGES

Create a reusable public entity-page system for qualifying museums, attractions and selected local businesses.

Use existing data from locations.ts and local-spots.ts.

Add human-readable stable slugs where needed.

Only index entities with enough verified and genuinely useful content.

A public entity page may include:

- name
- address/coordinates when verified
- concise description
- why visit
- selected highlights
- practical information
- family suitability if supported
- nearby/related places
- relevant route link
- premium story preview + unlock CTA

Do not publish complete premium historical narratives or media.

E. DATA MODEL

Prefer explicit publicSeo/publicPreview fields instead of slicing premium readingText/voiceOver.

The data layer must make accidental premium leakage difficult.

F. INFORMATION ARCHITECTURE

Keep one canonical owner per search intent.

Preserve existing public hubs such as:

/[locale]/leiden
 /[locale]/leiden/things-to-do
 /[locale]/city-guide-leiden
 /[locale]/leiden-tours

Do not create a competing tours hub without a migration/canonical plan.

Specific public route/entity pages may sit under a clear Leiden hierarchy.

G. SEO TECHNICAL REQUIREMENTS

For every new indexable page:

- unique localized title and meta description
- self-referencing canonical
- NL/EN/DE hreflang + x-default
- BreadcrumbList
- correct structured data for the entity
- useful internal links
- sitemap inclusion
- server-rendered meaningful content

Keep account/login/dashboard/my-routes/custom execution/API paths private/noindex as appropriate.

H. STRUCTURED DATA

Use schema only when supported by visible content.

Do not add fake ratings/reviews.

Do not place premium stories/media in JSON-LD.

Use verified facts only.

I. MULTILINGUAL

Everything public must work in NL/EN/DE.

Update all three message files for UI text.

Metadata and body copy must be localized.

J. SECURITY

robots.txt is not security.

Never ship full premium content in the HTML and hide it with CSS.

Never serialize protected media/story data to unpaid clients if it can be avoided.

Preserve the current product boundary.

K. REGRESSIONS TO AVOID

Do not break:

- GPS behavior
- MapLibre maps
- route progress
- date-aware route conditions
- 3 October route behavior
- Schaapsvishandel Wednesday/Saturday/shop switching

- affiliate links
- current public SEO pages

L. PERFORMANCE

Keep public landing pages mostly server-rendered.

Lazy-load heavy maps/interactive premium components.

Use Next.js Image for new/changed public image implementations where practical.

WORK IN PHASES:

Phase 0 baseline

Phase 1 safe data contracts

Phase 2 one reference public route preview

Phase 3 routes overview refactor

Phase 4 reusable entity pages

Phase 5 sitemap/metadata/schema/internal links

Phase 6 NL/EN/DE completion

Phase 7 full QA

After each meaningful phase:

- inspect changed files
- run relevant tests
- commit with a clear message
- do not refactor unrelated code

FINAL ACCEPTANCE:

npm run lint

npm test

npm run build

Then verify:

1. Logged-out users can read useful route/entity previews.
2. Those public URLs are indexable and in the sitemap.
3. Paid content is still protected.
4. Premium text/media does not leak into public HTML/JSON-LD.
5. NL/EN/DE canonical + hreflang is correct.
6. Existing route/map/progress logic still works.
7. No duplicate SEO hubs compete for the same intent.

Use this PDF as the architectural specification. If current source differs from quoted examples, preserve current functionality and apply the principles to the current source rather than blindly copying old snippets.

Final implementation note

The highest-value first milestone is not '100 new pages'. It is one clean reusable route-preview architecture and one clean reusable entity-page architecture. Once these templates are correct, scaling the Leiden cluster becomes cheap, consistent and safer.