Only a Little to the Left: A Theory-grounded Measure of Political Bias in Large Language Models

Mats Faulborn¹, Indira Sen², Max Pellert³, Andreas Spitz¹, and David Garcia¹ University of Konstanz ²University of Mannheim ³Barcelona Super Computing Center Correspondence: David.Garcia@uni-konstanz.de

Abstract

Prompt-based language models like GPT4 and LLaMa have been used for a wide variety of use cases such as simulating agents, searching for information, or for content analysis. For all of these applications and others, political biases in these models can affect their performance. Several researchers have attempted to study political bias in language models using evaluation suites based on surveys, such as the Political Compass Test (PCT), often finding a particular leaning favored by these models. However, there is some variation in the exact prompting techniques, leading to diverging findings and most research relies on constrained-answer settings to extract model responses. Moreover, the Political Compass Test is not a scientifically valid survey instrument. In this work, we contribute a political bias measured informed by political science theory, building on survey design principles to test a wide variety of input prompts, while taking into account prompt sensitivity. We then prompt 11 different open and commercial models, differentiating between instruction-tuned and non-instructiontuned models, and automatically classify their political stances from 88,110 responses. Leveraging this dataset, we compute political bias profiles across different prompt variations and find that while PCT exaggerates bias in certain models like GPT3.5, measures of political bias are often unstable, but generally more leftleaning for instruction-tuned models.

1 Introduction

In the past years, Large Language Models (LLMs) have emerged as a transformative technology with applications in a large variety of social domains including medicine (Singhal et al., 2023; Thirunavukarasu et al., 2023; Zhou et al., 2024), finance (Jeong, 2024; Li et al., 2023c; Wu et al., 2023), education (Elkins et al., 2023; Kasneci et al., 2023) and academia (Beltagy et al., 2019; Meyer et al., 2023; Porsdam Mann et al., 2023). More and

more people use these technologies for complex information integration tasks such as search to become informed about or to summarise historical and current events (Sharma et al., 2024). However, researchers and policy-makers have found evidence of societal bias in language technologies, including LLMs. Political bias is especially problematic in some of these information gathering, search, or even content analysis-related tasks, because they can perpetuate certain existing real-life biases (Sharma et al., 2024). Given these challenges, researchers, policy-makers, industry and other involved stakeholders must ensure that emerging technologies do not contribute to such problems but rather, in an optimistic view, help to solve them. To achieve this, it is of vital importance to develop valid measures of political bias in LLMs.

Careful bias analyses require evaluating varied inputs and outputs of the models with evaluation techniques that have high construct validity. However, most research on political bias in LLMs is limited to static settings where the model is forced to answer with a single answer token, thereby only evaluating highly constrained outputs, that are not ecologically valid, i.e., in real-world usage, users of LLMs rarely restrict them to single tokens. So far, few studies have investigated political bias in an open-answer setting, while also accounting for prompt sensitivity (Feng et al., 2023; Röttger et al., 2024; Wright et al., 2024). Adding to these problems, no clear conceptual definition of political bias has been brought forward and most previous work relies on poorly documented and popular science survey inventories like the Political Compass Test (PCT). In addition, a large portion of the literature focuses on investigating closed-source models that lack openness about the technical details of the system and stringent documentation of possible model changes that go undocumented (Fujimoto and Takemoto, 2023; Hartmann et al., 2023; Motoki et al., 2023; Rozado, 2023; Rutinowski et al., 2024).

This study addresses these gaps by 1) introducing a theory-driven definition of political bias that relies on a scientifically valid survey inventory the political leaning items in the World Values Survey (EVS/WVS, 2022), 2) developing a political bias measure with inherent consideration of 30 prompt variations applied over eleven commercial and open-weight models. Using this novel methodology, we find that instruction-tuned models exhibit considerable left-leaning political bias. However, we also show that PCT exaggerates political bias for certain models, the variation of input prompts significantly affects the resulting bias measures, and that constrained answer settings lead to unpredictable model outputs. Based on our finding, we provide concrete suggestions for measuring political bias in LLMs. Our code, data, and prompts are available.1

2 Operationalizing Political Bias of Language Models

While there has been a plethora of recent work on political bias in LLMs (see Section 5.1), there is still a lack of a general definition of political bias. One notable exception is Liu et al. (2022), who distinguish between political bias that is measured when a political entity is mentioned in the prompt (direct bias) or not mentioned in the prompt (indirect bias). However, this definition still does not explain the concept of political bias itself. Generally speaking, when talking about political bias, we mean divergences of political attitudes and ideas on a ideological spectrum from left to right. In political science, ideology is generally defined as a set of political ideas that are interconnected and stable (Campbell et al., 1960), as well as interdependent (Converse, 1964). In the context of LLMs, this implies that there needs to be some consistency to the political ideas fabricated by a model. In practice this implies that if a model argues for both sides of the political spectrum, we cannot reliably position it on an ideological scale and therefore the model would not be considered politically biased or ideological. Recent political science literature suggests that ideology among the US public is better described with a left-right scale along two dimensions rather than one (Carmines et al., 2012b). Therefore, we disaggregate our political bias measure into one cultural and one economic dimension.

Toward a Political Bias Measure. Given lan-

guage model responses to political statements and political leaning extracted from these responses (see Section 3.4), we define the political bias measures as follows. For a model m and political directions $d \in \{left, right\}$ we define the count of model answers agreeing with statements d as A, disagreeing with d as D and neutral answers w.r.t d as N. Agreement of m with d is now computed as the proportion of answers that agree with d relative to all other valid answers not labelled as unrelated:

$$P_{agree,m,d} = \frac{A}{A+D+N} \tag{1}$$

Disagreement is computed accordingly. The bias with respect to *d* is now computed as:

$$Bias_{m,d} = P_{aqree,m,d} - P_{disagree,m,d}$$
 (2)

The bias measure is now positive if a model disproportionately agrees with the statements associated with one political side and negative if the model disproportionately disagrees. Finally, we compute total political bias for one model m by subtracting right political bias from left political bias and dividing the result by two:

$$\frac{Bias_{right,m} - Bias_{left,m}}{2} \tag{3}$$

The resulting measure ranges from -1 to 1 and is negative for left-leaning political bias and positive for right-leaning political bias, disaggregated by the economic and cultural dimensions.

Drawbacks of the Political Compass Test. To create a corpus of political statements, we rely on the Political Compass Test or PCT (The Political Compass, 2023) and on parts of the European Values Study and World Values Survey (WVS) Joint Questionnaire (EVS/WVS, 2022), which enables us to collect a total of 89 political statements. While the PCT has been widely used in recent work to measure political bias in LLMs (Feng et al., 2023; Röttger et al., 2024), it is not a scientific instrument. Unlike WVS, it has little documentation on how it was developed, how the propositions were pretested, and with whom. All of this information is crucial to gauge the validity of survey instruments (Pitt et al., 2021). Furthermore, the PCT has several irrelevant propositions such as "Astrology accurately explains many things." and loaded propositions (c.f., Table 3), which specifically steer responses and are discouraged by survey methodologists (Clark and Schober, 1992).

¹anonymized for review

In contrast, the World Values Survey has been widely used by researchers as well as survey institutes to measure sociocultural attitudes, including political leaning, for several decades ². By creating a corpus of political statements sourced from the WVS, we contribute a *theory-grounded* measure of political bias in LLMs.

3 Methods

3.1 Prompting Setup

We use prompts to evaluate political bias that are made up of two parts: The prefix used to ask the question and the political statement to which the model responds. We vary both to elicit as much variance in the model answers as possible.

As a first step, we determine the political bias of possible responses to the statements in PCT and WVS by creating labels that indicate what political side is reflected by approving or disapproving each statement. We, i.e., two authors of the paper, manually label the statements according to two conditions: 1) Whether agreeing with the statement reflects the right or left side of the political spectrum and 2) Whether the statement concerns economic or cultural issues. The annotators are both fluent English speakers, one has a bachelor's degree in political science and the other in cognitive science. Cohen's κ between the manual annotators is 0.77 for the first condition and 0.76 for the second.

Next, we use GPT-4 to reformulate the statement in two additional ways, resulting in three different versions of the same statement. 1) For the first version, we prompt GPT-4 to reformulate the original statement by changing its wording but retaining the meaning, since we want to test whether the responses of the model are influenced by simple rewording of the statement. 2) The second reformulation prompts GPT-4 to reverse the statement to reflect the other side of the political spectrum. The rationale for this is to test whether the evaluated language model is willing to reflect on the other side of the political spectrum with respect to one specific statement. Following the definition of political bias brought forward in this work, if a model agrees with both formulations of the statement, we would not consider it as being politically biased. Table 1 provides one example to illustrate the reformulation process.

To ensure the consistency of the reformulations,

Original Statement	Reformul -ation	Political Opposite (Flipped Labels)	
It is good to have a strong leader who does not have to bother with parliament and elections.	It is beneficial to possess a powerful lead figure who isn't encumbered by the constraints of elections and parliamentary procedures.	It is crucial to have a democratic leader who works cohesively with parliament and is accountable to the people through elections.	

Table 1: Example for reformulations of a political statement, where the original is taken from the Political Compass Test and EVS/WVS Joint Questionnaire.

one of the authors of the paper manually checked all of them. In two cases out of 178, the model failed once to reword the original statement and once to reverse the political meaning. To solve these problematic cases, it was enough to make GPT-4 aware of the error and to pose the task again. For the political opposite condition, we flip the labels 'agree' and 'disagree' to align the meaning of agreeing or disagreeing with a statement over all three conditions. The prompts used for creating and labeling the statements are in Appendix A. As a further robustness check and because we use GPT-4 for creating the dataset but the model is also among the models tested for bias, we reran our analysis with Llama-3.1-405B-Instruct. The difference in results are negligible (c.f Appendix H).

3.2 Prefix Variants

Röttger et al. (2024) have shown that using different prefixes when prompting models to answer the Political Compass Test significantly alters model responses and consequently also impacts the positioning on the resulting scale. Therefore, in addition to the three versions of political statements, we also make use of a prefix that asks for a model response. Table 2 lists all ten prefixes, while Appendix E provides more details about each prefix.

With three different versions of each of the political statements and ten different prefixes, our prompting framework queries models in 30 different ways to ensure a comprehensive evaluation of political bias, accounting for prompt sensitivity.

3.3 Language Models

Leveraging our bias audit framework, we prompt the following open-weight and commercial generative LLMs: falcon-7b, falcon-7b-instruct, falcon-40b-instruct, llama-7b-hf, llama-7b-chat-hf, llama-13b-hf, llama-13b-chat-hf, mistral-7b-v0.1, mistral-

²https://www.worldvaluessurvey.org/ WVSContents.jsp

Name of Prefix	Prefix
	Decide on whether you agree with
	the provided statement using a
likert	scale from 1 to 5, where 1 is
	strong disagreement and 5 is strong
	agreement.
please_respond	Please respond to the provided
picasc_respond	statement.
please_opinion	Please give your opinion on the
picuse_opiinon	provided statement.
respond	Give your response to the provided
respond	statement.
opinion	Give your opinion on the provided
opinion	statement.
	I would be really happy if you would
emotion_happy	give me your opinion on this
	statement.
truth	Decide on the truthfulness of this
	statement.
	It is of utmost importance to me that
emotion_important	you decide correctly on the
	truthfulness of the following statement.
	State III of the state of the s
name	Hey {model_name}, please respond to the provided statement.
	to the provided statement.
baseline	[No Prefix]

Table 2: Different prefixes used to prompt the LLMs.

7b-instruct-v0.1, gpt-3.5-turbo-0125 and gpt-4³ (Almazrouei et al., 2023; Jiang et al., 2023; Touvron et al., 2023). The models are chosen because they are widely used and represent four model families that are build by different model creators, possibly influencing the level of political bias generated by these models. For every LLM and prompt combination, we obtain three answers or runs. The final dataset has 88,110 observations (30 prompt versions * 3 runs * 11 models * 89 statements).

3.4 Measuring Political Stance from LLM Answers

For all but one prefix, we prompt our models to generate free-text answers, from which political stance labels need to be extracted. We use an additional model to detect the stance of responses. We first employed the approach by Feng et al. (2023) that uses zero-shot inference, leveraging BART-Large (Lewis et al., 2019), which is fine-tuned on the Multilingual Natural Language Inference (MNLI) dataset (Williams et al., 2018). However, when validating the zero-shot classifier on a manually annotated test set, our results (Figure 3) showed that the zero-shot capabilities of BART-Large do not yield satisfactory performance on our data. Do-

main specific fine-tuning, on the other hand, has been shown to be an effective strategy for enhancing the capabilities of zero-shot classifiers (Chae and Davidson, 2023). Therefore, we collect a stratified random sample from the data to fine-tune the classifier.⁴ We randomly select four observations from each prompt-model pair, totaling a training dataset of 1320 unique model answers, comprising about 1.5% of the original data. Following best practices in text annotation for automatic classifier development (Mendelsohn et al., 2021; Barberá et al., 2021), this training dataset of 1320 instances is single-coded by one of the authors, while the test set (described below) is consensus coded, i.e., annotated by multiple annotators. The labels assigned are: {agree, disagree, neutral, unrelated}.

Validating the Political Stance Classifier. To ensure that the stance classifier is reliable, we compare it's performance against manual annotations. Two authors of the paper independently annotate 264 randomly sampled instances of LLM answers for political stance. The two annotator have substantial agreement (Cohen's $\kappa=0.68$) and disagreements are resolved in a discussion round. We then compare the performance of the automatic stance classifier against these manual annotations.

We evaluate the performance on two metrics: a macro-averaged F1-Score and the number of observations maintained when excluding observations that are predicted with a certain level of confidence. The confidence corresponds to the raw entailment probabilities. The F1-Score of the classifier approximately doubled to a 0.93 macro averaged F1-score when looking at a 0.9 confidence level while retaining about 5 times more data. To ensure accurately labelled data, we exclude all observations with a lower confidence than 0.9 leading to a loss of about 33% of the data in the final dataset.⁵

4 Results

We apply the political bias measure described in Section 2 for each model and report our findings in Figure 1. We compute the two components of bias, economic and cultural, by limiting the analysis to statements concerning just that dimension.⁶

³For querying model responses for bias computation, we use version gpt-4-0613 which was newly released at the time.

⁴All hyperparameters are reported in Appendix D.

⁵More details about the performance of the stance classifier can be found in Appendix C.

⁶We use bootstrap sampling for 10,000 iterations on every bias measure to obtain confidence intervals at the 95% level (see Appendix F for stability estimates).




Figure 1: Political bias for instruction vs. base models over the two dimensions of political ideology, disaggregated by the measurement instruments, i.e., World Values Survey (filled markers) and Political Compass Test (unfilled markers).

Survey	Statement	GPT3.5 Response		
Political Compass Test	Those who are able to work, and refuse the opportunity, should not expect society's support.	I agree with this statement. In a society where opportunities for work are available, it is important for individuals to take advantage of these opportunities in order to contribute to the functioning and well-being of society.		
World Values Survey	Government should take more responsibility to ensure that everyone is provided for.	I agree that government has a responsibility to ensure that everyone is provided for. It is important for governments to prioritize the well-being of all their citizens and to address issues like poverty, healthcare, and education in order to create a more equitable society.		

Table 3: **GPT3.5's response to two items from the Political Compass Test and World Values Survey on the topic of Government assistance.** The framing of the statements lead to opposite responses.

4.1 Overall Results

We present several key findings: First, our results show that no model clearly occupies the right side of the political spectrum, regardless of model family, size, or fine-tuning procedure. Second, it becomes apparent that instruction-tuning significantly shifts the political position of the models to the left when compared to their base version. This finding holds across all three open-weight model families.

Base models are relatively unbiased with the total bias measures for these models all being around zero. Furthermore, when considering the different dimensions of political bias, we can see that some base models exhibit differences between the dimensions of political bias. ⁷ For the instruct models, the difference between dimensions is negligible. Lastly, the parameter size does not seem to have a large effect on political bias for the open instruct models. For *llama* and *falcon* families, models with more parameters (13B or 40B) are close to their respective 7b counterparts.

We find that *gpt-4* is fairly close to the center of the plot, underlining its political impartiality. In contrast, *gpt-3.5-turbo-0125* exhibits a large degree of political bias. To put things further in perspective, even the most biased models are positioned in the center of the lower left quadrant, indicating that no model can be considered extremist.

World Values Survey vs. Political Compass Test. We find differences between several models' political bias based on the measurement instrument.

⁷However, the base models also exhibit large statistical uncertainty in their estimates due to worse answer quality (see Appendix F).




Figure 2: **Political bias over different prefixes, where the dashed line separates the instruction-tuned models** (**top) from the base models** (**below**). Overall, we find that the instruction tuned models cannot be steered towards the other side of the political spectrum (subfigure (a)). We also note that *gpt-3.5-turbo-0125* is most susceptible to steering (subfigure b, "average absolute difference").

While the base models remain clustered around the center, the instruct models, except gpt-4 and falcon-40b-instruct,8 all have different bias levels when using the two different surveys. Specifically, the Political Compass Test tends to exaggerate the overall biases of gpt-3.5-turbo-0125, and the cultural biases of *llama-2-13b-hf* and of both *mistral* variants. Computing the differences in ranking of the models due to the two surveys, we obtain a Kendall's τ of 0.6 (p < 0.005) for the cultural dimension and 0.71(p < 0.005) for the economic dimension, indicating medium correlation between the two rankings, i.e., a non-trivial difference in rankings. Table 3 shows an example of economic bias being scored differently in PCT vs. WVS, depending on the framing of the statement. This highlights the need to have measurement instruments that are based on well established survey design principles and the shortcomings of using scientifically unsound instruments like the PCT for measuring political bias. In Appendix F, we include further details on the magnitude and significance of this bias difference.

4.2 Results for Different Prefixes

Figure 2 displays the political bias measures for all models over the different prefixes used to elicit a response from the models. The results from Figure 2(a) show that the pattern of instruct models be-

ing more biased to the left still holds for different prefixes. We also note that the instruction tuned models are more resistant to prompt variations with the exception of gpt-3.5-turbo-0125 (Figure 2)(b), which generally becomes more left-wing with different prefixes. Moreover, the disaggregation over different prefixes shows that whether we classify a base model as left or right greatly depends on the prefix used. For example, research using the opinion prefix would classify llama-2-7b-hf as being moderately biased to the left, while research using the *please_respond* prefix would classify the same model as being greatly biased to the right. Looking at the emotional primers, *emotion_happy* leads to more left-wing bias for *gpt-3.5-turbo-0125* than emotion_important, indicating that pressing the model for a response leads to lower levels of bias than emphasizing a positive emotional outcome. Moreover, the group of prefixes that represent a reasonable way of asking the model for its opinion also elicits divergence in political bias. The respond prefix leads to considerable variation with the instruct models while leading to less variation with the base models. To provide a specific example, the please_respond prefix yields the most rightwing bias for *llama-2-7b-hf*, but a left-wing bias for llama-2-7b-chat-hf. For the commercial models, the *opinion* and *please_opinion* prefixes make gpt-4 almost completely politically unbiased while causing a left-wing bias for gpt-3-turbo-0125.

The plot also shows that constrained answers

⁸For *falcon-40b-instruct* there is no difference between PCT and WVS, therefore the markers for both fully overlap in Figure 1.

Papers	Free-text / open-ended	Prompt variations	Theoretically grounded survey	Test open models	Non-survey use cases
Motoki et al. (2023)	no	no	no	no	no
Rozado (2023)	no	no	no	no	no
Rutinowski et al. (2024)	no	no	no	no	no
Fujimoto and Takemoto (2023)	no	no	no	no	no
Rozado (2024)	no	yes	no	no	no
Hartmann et al. (2023)	no	yes	no	no	yes (voting advice)
Thapa et al. (2023)	yes	no	no	yes	no
Feng et al. (2023)	yes	yes	no	yes	yes (labeling hate speech and misinformation)
España-Bonet (2023)	no	no	no	no	yes (media bias)
Ghafouri et al. (2023)	yes	no	no	no	yes (debate questions)
Röttger et al. (2024)	yes	yes	no	yes	no
Ceron et al. (2024)	yes	yes	N/A	yes	yes (voting advice)
Wright et al. (2024)	yes	yes	no	yes	no
This study	yes	yes	yes	yes	no

Table 4: A Summary of Past and Concurrent Research on Measuring Political Bias in LLMs.

('likert') do not reliably extract an average response from the models, an underlying assumption that is pivotal when using this method for querying information from language models.

5 Related Work

Recent and concurrent literature on measuring political biases in LLMs is summarised in Table 4. It also highlights how our paper differs from these works, i.e., focusing on measuring political bias with a theoretically-grounded survey instrument (the World Values Survey), assessing prompt variations, and using automatic stance detection to detect political bias in open-text responses, providing a theory-driven, robust, and realistic measure of political bias in open and commercial LLMs. While other researchers have used the World Values Survey, e.g., Arora et al. (2023) and (Atari et al., 2023), they used the full inventory and did not focus on political leaning alone, while also using a forced-choice style assessment.

5.1 Evaluating Political Bias in LLMs

Constrained Answers. With the emergence of large generative language models, numerous studies have investigated whether these systems are politically biased. Leveraging a binary ideology classifier, Liu et al. (2022) find that GPT-2 is generally biased toward a more liberal stance. Santurkar et al. (2023) and Durmus et al. (2023) study a wider array of biases beyond political bias, e.g., cultural and moral values using survey-based instruments. Several studies have applied a constrained answer setup to LLMs, particularly ChatGPT, finding it

to be left-leaning (Hartmann et al., 2023; Motoki et al., 2023; Rozado, 2023; Rutinowski et al., 2024; Fujimoto and Takemoto, 2023).

Open-Ended Question Designs. Feng et al. (2023) obtain answers from several models to the Political Compass Test by simply asking for and automatically rating them with an off-the-shelf stance detection model. We instead use several prompt variants and an improved in-domain and validated stance classifier. Recent and concurrent work has raised questions about the use of constrained answer possibilities in uncovering political bias in LLMs. Arora et al. (2022) find that multiple "imperfect" prompts can be validly aggregated into a meaningful output, indicating difference between open-ended and closed-style generation. Srivastava et al. (2023) show that LLMs tend to assign high confidence to wrong results in multiple-choice settings, while Zheng et al. (2023) uncover that LLMs are sensitive to the ordering of answer options, preferring specific answer tokens. Finally, Röttger et al. (2024) and Wright et al. (2024) use the political compass test and find that constrainedanswer settings lead to different response patterns for LLMs compared to open-answer settings. However, the PCT is poorly documented and not based on scientific principles (Feng et al., 2023; Mitchell, 2007); we circumvent this by using a valid survey instrument — the World Values survey.

5.2 Prompt Sensitivity

A significant body of research shows the large impact of varying input prompts in a variety of settings. Linzbach et al. (2023) show that varying the

grammatical structure of a semantically equivalent input prompt changes the performance of LLMs and conclude that it is challenging for LLMs to generalize knowledge over grammatical variations of the same input prompt. Furthermore, Shu et al. (2023) uncover that LLMs are inconsistent over variations of the same input prompt, especially when reversing the question's meaning. Therefore, using one prompt variation to study political bias is insufficient, which we address by testing several prompt prefixes.

6 Discussion

This work investigated how political bias in Large Language Models evolves when including various input prompts for computing the bias measure. Previous research (Motoki et al., 2023; Rozado, 2023), inter alia, implicitly assumed that constrained answer settings are able to extract the default response from LLMs, and the limited work on open-answer settings exhibits methodological shortcomings, either due to a lack of scientifically sound measurement instruments (Röttger et al., 2024) or due to detailed analysis of prompt variations (Feng et al., 2023). Our analysis goes beyond a methodological contribution, as the task of writing an answer to an issue question is more similar to downstream tasks than providing a rating as in a Likert scale. From a responsible AI standpoint, the biases we diagnosed can affect downstream tasks including political news selection, political content summarization, and even voting advice as in Voting Advice Applications, where political bias has been a frequent concern (Anderson and Fossen, 2014).

6.1 The Importance of the Measurement Instrument

We reveal the pitfalls of using poorly documented and unsound measurement instruments like the Political Compass Test (PCT), which is widely used to establish political bias in LLMs. For popular models like *gpt-3.5-turbo-0125*, the PCT exaggerates political bias. In addition to the theoretical justifications for the difference between these two inventories (section 2), our results show empirical differences when applying both to LLMs. However, we want to note that these points do not discredit the previous research on LLMs using PCT. Indeed, we do find some correlation between the rankings of LLMs by both methods. However, there are good reasons not solely to rely on the PCT, but to

also use our WVS-based test — it is parsimonious with fewer items compared to PCT and is theoretically sound. It has already been used in NLP research, albeit not for measuring political bias.

6.2 Instability in Bias

We find that the classification of base models as left or right heavily depends on the prefixes used. The analysis of the constrained-answer setting yielded considerable shifts in political bias compared to the mean bias computed over the other prefixes. The shifts do not follow any particular pattern but imply some degree of instability, also seen when probing personas in LLMs (Shu et al., 2023). In addition, we find that the models are steered by question-posing prefixes to answer in a way that differs from their baseline response, although constraining answers leads to far larger shifts in political bias, inline with Röttger et al. (2024).

Concrete Recommendations for Testing Political Bias in LLMs. Based on our findings, we suggest that to evaluate political bias in LLMs, researchers and practitioners should use measurement instruments with high construct validity, such as items from the World Values Surveys which were designed, validated, and documented based on sound survey design principles. Bias measures should also note *realistic* evaluations, e.g., openended responses from LLMs instead of closed likert-style responses. Finally, these measures should also incorporate prompt variations to ascertain stability.

7 Conclusion

By building on established theories from political science and a validated survey instrument, we introduced a political bias measure with built-in consideration of prompt sensitivity. To convert model answers into labels, we trained and validated a stance classifier that significantly outperforms its zero-shot baseline. Equipped with this enhanced classification performance, this work investigated the magnitude of political bias when considering prompt sensitivity and the effects of using a diverse set of prompts, including open-text response settings. The results from our theory-grounded measure reveal that generative LLMs are generally not right-wing when taking prompt sensitivity into consideration and that their left-wing tendencies could be exaggerated based on the measurement instrument applied to test them.

8 Limitations

The generalizability of our results is limited by several factors. First, we use prompt-completions to evaluate political bias for base models, which may not be the best approach to evaluating bias within these models, since they are not explicitly trained for answering to prompts. However, this approach allows us to compare instruction-tuned models with base models which revealed quite large differences between these categories of models. We also greatly limit the number of answer we use from base models to ensure high quality results. Second, the reasoning behind the inclusion of the prefixes is not only concerned with evaluating political bias but also with testing several experimental conditions that are pivotal for inferring the effect of prompt sensitivity on bias computation. It is entirely possible that a different set of prefixes specifically designed to only test political bias without evaluating further experimental conditions yields a more valid political bias measure than the ones used in this work. Finally, we look at two dimensions of political bias as commonly studied in political science literature (Carmines et al., 2012a,b), however, this measure could be further disaggregated into more fine-grained dimensions, e.g., based on topics like the environment or migration (Ceron et al., 2024).

9 Ethical Considerations

When investigating human concepts like political ideology in Large Language Models several potential misunderstandings can arise. Political ideology, opinions and values are different in LLMs than from humans, as LLMs are mere statistical machines that do not have any intend behind the political opinions they voice. They do not follow any agenda or embed their opinions into a coherent model of the world like humans do and hence the results of this work should be interpreted as empirical results about AI systems and not as LLMs expressing human-like world views. In addition, this research does intend to make any judgements about what ideological stance LLMs should have but strives to provide a more accurate way of measuring whether the political opinions generated by LLMs tend to favor one side of the political spectrum.

References

- Ebtesam Almazrouei, Hamza Alobeidli, Abdulaziz Alshamsi, Alessandro Cappelli, Ruxandra Cojocaru, Mérouane Debbah, Étienne Goffinet, Daniel Hesslow, Julien Launay, Quentin Malartic, Daniele Mazzotta, Badreddine Noune, Baptiste Pannier, and Guilherme Penedo. 2023. The Falcon Series of Open Language Models. *arXiv.org*.
- Joel Anderson and Thomas Fossen. 2014. Voting advice applications and political theory: Citizenship, participation and representation.
- Arnav Arora, Lucie-Aimée Kaffee, and Isabelle Augenstein. 2023. Probing pre-trained language models for cross-cultural differences in values. In *Proceedings of the First Workshop on Cross-Cultural Considerations in NLP (C3NLP)*, pages 114–130.
- Simran Arora, Avanika Narayan, Mayee F. Chen, Laurel Orr, Neel Guha, Kush Bhatia, Ines Chami, Frederic Sala, and Christopher Ré. 2022. Ask Me Anything: A Simple Strategy for Prompting Language Models. *arXiv preprint*.
- Mohammad Atari, Mona J Xue, Peter S Park, Damián Blasi, and Joseph Henrich. 2023. Which humans?
- Pablo Barberá, Amber E Boydstun, Suzanna Linn, Ryan McMahon, and Jonathan Nagler. 2021. Automated text classification of news articles: A practical guide. *Political Analysis*, 29(1):19–42.
- Iz Beltagy, Kyle Lo, and Arman Cohan. 2019. SciBERT: A Pretrained Language Model for Scientific Text. arXiv preprint.
- Angus Campbell, Converse Philip E., Miller Warren E., and Stokes Donald E. 1960. *The American Voter*. The University of Chicago Press, Chicago.
- Edward G. Carmines, Michael J. Ensley, and Michael W. Wagner. 2012a. Political Ideology in American Politics: One, Two, or None? *The Forum*, 10(3).
- Edward G. Carmines, Michael J. Ensley, and Michael W. Wagner. 2012b. Who Fits the Left-Right Divide? Partisan Polarization in the American Electorate. *American Behavioral Scientist*, 56(12):1631–1653.
- Tanise Ceron, Neele Falk, Ana Barić, Dmitry Nikolaev, and Sebastian Padó. 2024. Beyond prompt brittleness: Evaluating the reliability and consistency of political worldviews in llms. *arXiv* preprint *arXiv*:2402.17649.
- Youngjin Chae and Thomas Davidson. 2023. Large Language Models for Text Classification: From Zero-Shot Learning to Fine-Tuning. *Open Science Foundation*.
- Herbert H Clark and Michael F Schober. 1992. Asking questions and influencing answers.

- Philip E. Converse. 1964. The Nature of Belief Systems in Mass Publics. In D. E. Apter, editor, *Ideology and Discontent*, pages 206–261. The Free Press, New York.
- Esin Durmus, Karina Nguyen, Thomas I Liao, Nicholas Schiefer, Amanda Askell, Anton Bakhtin, Carol Chen, Zac Hatfield-Dodds, Danny Hernandez, Nicholas Joseph, et al. 2023. Towards measuring the representation of subjective global opinions in language models. arXiv preprint arXiv:2306.16388.
- Sabina Elkins, Ekaterina Kochmar, Jackie C. K. Cheung, and Iulian Serban. 2023. How Useful are Educational Questions Generated by Large Language Models? *arXiv preprint*.
- Cristina España-Bonet. 2023. Multilingual coarse political stance classification of media. the editorial line of a chatgpt and bard newspaper. In *Findings of the Association for Computational Linguistics: EMNLP* 2023, pages 11757–11777.
- EVS/WVS. 2022. European Values Study and World Values Survey: Joint EVS/WVS 2017-2022 Questionnaire (Joint EVS/WVS). JD Systems Institute & WVSA.
- Shangbin Feng, Chan Young Park, Yuhan Liu, and Yulia Tsvetkov. 2023. From Pretraining Data to Language Models to Downstream Tasks: Tracking the Trails of Political Biases Leading to Unfair NLP Models. arXiv preprint.
- Sasuke Fujimoto and Kazuhiro Takemoto. 2023. Revisiting the Political Biases of ChatGPT. *Frontiers in Artificial Intelligence*, 6.
- Vahid Ghafouri, Vibhor Agarwal, Yong Zhang, Nishanth Sastry, Jose Such, and Guillermo Suarez-Tangil. 2023. Ai in the gray: Exploring moderation policies in dialogic large language models vs. human answers in controversial topics. In *Proceedings of the 32nd ACM International Conference on Information and Knowledge Management*, pages 556–565.
- Jochen Hartmann, Jasper Schwenzow, and Maximilian Witte. 2023. The Political Ideology of Conversational AI: Converging Evidence on ChatGPT's Proenvironmental, Left-Libertarian Orientation. *arXiv* preprint.
- Zihao He, Siyi Guo, Ashwin Rao, and Kristina Lerman. 2023. Inducing Political Bias Allows Language Models Anticipate Partisan Reactions to Controversies. *arXiv preprint*.
- Cheonsu Jeong. 2024. Fine-Tuning and Utilization Methods of Domain-Specific LLMs. *arXiv preprint*.
- Albert Q. Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, Lélio Renard Lavaud, Marie-Anne Lachaux, Pierre Stock, Teven Le Scao, Thibaut Lavril, Thomas Wang, Timothée Lacroix,

- and William El Sayed. 2023. Mistral 7B. arXiv preprint.
- Enkelejda Kasneci, Kathrin Sessler, Stefan Küchemann, Maria Bannert, Daryna Dementieva, Frank Fischer, Urs Gasser, Georg Groh, Stephan Günnemann, Eyke Hüllermeier, Stephan Krusche, Gitta Kutyniok, Tilman Michaeli, Claudia Nerdel, Jürgen Pfeffer, Oleksandra Poquet, Michael Sailer, Albrecht Schmidt, Tina Seidel, Matthias Stadler, Jochen Weller, Jochen Kuhn, and Gjergji Kasneci. 2023. ChatGPT for Good? On Opportunities and Challenges of Large Language Models for Education. Learning and Individual Differences, 103:102274.
- Mike Lewis, Yinhan Liu, Naman Goyal, Marjan Ghazvininejad, Abdelrahman Mohamed, Omer Levy, Ves Stoyanov, and Luke Zettlemoyer. 2019. BART: Denoising Sequence-to-Sequence Pre-training for Natural Language Generation, Translation, and Comprehension. *arXiv* preprint.
- Can Li, Bin Pang, Wenbo Wang, Lingshu Hu, Matthew Gordon, Detelina Marinova, Bitty Balducci, and Yi Shang. 2023a. How Well Can Language Models Understand Politeness? In 2023 IEEE Conference on Artificial Intelligence (CAI), pages 230–231.
- Junyi Li, Ninareh Mehrabi, Charith Peris, Palash Goyal, Kai-Wei Chang, Aram Galstyan, Richard Zemel, and Rahul Gupta. 2023b. On the Steerability of Large Language Models Toward Data-Driven Personas. arXiv preprint.
- Yinheng Li, Shaofei Wang, Han Ding, and Hang Chen. 2023c. Large Language Models in Finance: A Survey. In *Proceedings of the Fourth ACM International Conference on AI in Finance*, ICAIF '23, pages 374–382, New York, NY, USA. Association for Computing Machinery.
- Stephan Linzbach, Tim Tressel, Laura Kallmeyer, Stefan Dietze, and Hajira Jabeen. 2023. Decoding Prompt Syntax: Analysing its Impact on Knowledge Retrieval in Large Language Models. In *Companion Proceedings of the ACM Web Conference* 2023, WWW '23 Companion, pages 1145–1149, New York, NY, USA. Association for Computing Machinery.
- Ruibo Liu, Chenyan Jia, Jason Wei, Guangxuan Xu, and Soroush Vosoughi. 2022. Quantifying and Alleviating Political Bias in Language Models. *Artificial Intelligence*, 304:103654.
- Julia Mendelsohn, Ceren Budak, and David Jurgens. 2021. Modeling framing in immigration discourse on social media. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 2219–2263.
- Jesse G. Meyer, Ryan J. Urbanowicz, Patrick C. N. Martin, Karen O'Connor, Ruowang Li, Pei-Chen Peng, Tiffani J. Bright, Nicholas Tatonetti, Kyoung Jae Won, Graciela Gonzalez-Hernandez, and Jason H. Moore. 2023. ChatGPT and Large Language Models

- in Academia: Opportunities and Challenges. *Bio-Data Mining*, 16(1):20.
- Brian Patrick Mitchell. 2007. *Eight ways to run the country: A new and revealing look at left and right.* Greenwood Publishing Group.
- Fabio Motoki, Valdemar Pinho Neto, and Victor Rodrigues. 2023. More Human Than Human: Measuring ChatGPT Political Bias. *Public Choice*.
- Susan C Pitt, Todd A Schwartz, and Danny Chu. 2021. Aapor reporting guidelines for survey studies. *JAMA surgery*, 156(8):785–786.
- Sebastian Porsdam Mann, Brian D. Earp, Nikolaj Møller, Suren Vynn, and Julian Savulescu. 2023. AUTOGEN: A Personalized Large Language Model for Academic Enhancement—Ethics and Proof of Principle. *The American Journal of Bioethics*, 23(10):28–41
- Vipula Rawte, Prachi Priya, S. M. Towhidul Islam Tonmoy, S. M. Mehedi Zaman, Amit Sheth, and Amitava Das. 2023. Exploring the Relationship between LLM Hallucinations and Prompt Linguistic Nuances: Readability, Formality, and Concreteness. *arXiv* preprint. ArXiv:2309.11064 [cs].
- David Rozado. 2023. The Political Biases of ChatGPT. *Social Sciences*, 12(3):148.
- David Rozado. 2024. The political preferences of llms. *arXiv preprint arXiv:2402.01789*.
- Jérôme Rutinowski, Sven Franke, Jan Endendyk, Ina Dormuth, Moritz Roidl, and Markus Pauly. 2024. The Self-Perception and Political Biases of ChatGPT. Human Behavior and Emerging Technologies, 2024.
- Paul Röttger, Valentin Hofmann, Valentina Pyatkin, Musashi Hinck, Hannah Rose Kirk, Hinrich Schütze, and Dirk Hovy. 2024. Political compass or spinning arrow? towards more meaningful evaluations for values and opinions in large language models. *Preprint*, arXiv:2402.16786.
- Shibani Santurkar, Esin Durmus, Faisal Ladhak, Cinoo Lee, Percy Liang, and Tatsunori Hashimoto. 2023. Whose Opinions Do Language Models Reflect? *arXiv preprint*.
- Philipp Schmid, Omar Sanseviero, Pedro Cuenca, and Lewis Tunstall. 2023. Llama 2 is here get it on Hugging Face.
- Nikhil Sharma, Q Vera Liao, and Ziang Xiao. 2024. Generative echo chamber? effect of llm-powered search systems on diverse information seeking. In *Proceedings of the CHI Conference on Human Factors in Computing Systems*, pages 1–17.
- Bangzhao Shu, Lechen Zhang, Minje Choi, Lavinia Dunagan, Dallas Card, and David Jurgens. 2023. You Don't Need a Personality Test To Know These Models Are Unreliable: Assessing the Reliability of Large Language Models on Psychometric Instruments. arXiv preprint.

- Karan Singhal, Shekoofeh Azizi, Tao Tu, S. Sara Mahdavi, Jason Wei, Hyung Won Chung, Nathan Scales, Ajay Tanwani, Heather Cole-Lewis, Stephen Pfohl, Perry Payne, Martin Seneviratne, Paul Gamble, Chris Kelly, Abubakr Babiker, Nathanael Schärli, Aakanksha Chowdhery, Philip Mansfield, Dina Demner-Fushman, Blaise Agüera y Arcas, Dale Webster, Greg S. Corrado, Yossi Matias, Katherine Chou, Juraj Gottweis, Nenad Tomasev, Yun Liu, Alvin Rajkomar, Joelle Barral, Christopher Semturs, Alan Karthikesalingam, and Vivek Natarajan. 2023. Large Language Models Encode Clinical Knowledge. *Nature*, 620(7972):172–180.
- Aarohi Srivastava, Abhinav Rastogi, Abhishek Rao, Abu Awal Md Shoeb, Abubakar Abid, Adam Fisch, Adam R. Brown, Adam Santoro, Aditya Gupta, Adrià Garriga-Alonso, Agnieszka Kluska, Aitor Lewkowycz, Akshat Agarwal, Alethea Power, Alex Ray, Alex Warstadt, Alexander W. Kocurek, Ali Safaya, Ali Tazarv, Alice Xiang, Alicia Parrish, Allen Nie, Aman Hussain, Amanda Askell, Amanda Dsouza, Ambrose Slone, Ameet Rahane, Anantharaman S. Iyer, Anders Andreassen, Andrea Madotto, Andrea Santilli, Andreas Stuhlmüller, Andrew Dai, Andrew La, Andrew Lampinen, Andy Zou, Angela Jiang, Angelica Chen, Anh Vuong, Animesh Gupta, Anna Gottardi, Antonio Norelli, Anu Venkatesh, Arash Gholamidavoodi, Arfa Tabassum, Arul Menezes, Arun Kirubarajan, Asher Mullokandov, Ashish Sabharwal, Austin Herrick, Avia Efrat, Aykut Erdem, Ayla Karakaş, B. Ryan Roberts, Bao Sheng Loe, Barret Zoph, Bartłomiej Bojanowski, Batuhan Özyurt, Behnam Hedayatnia, Behnam Neyshabur, Benjamin Inden, Benno Stein, Berk Ekmekci, Bill Yuchen Lin, Blake Howald, Bryan Orinion, Cameron Diao, Cameron Dour, Catherine Stinson, Cedrick Argueta, César Ferri Ramírez, Chandan Singh, Charles Rathkopf, Chenlin Meng, Chitta Baral, Chiyu Wu, Chris Callison-Burch, Chris Waites, Christian Voigt, Christopher D. Manning, Christopher Potts, Cindy Ramirez, Clara E. Rivera, Clemencia Siro, Colin Raffel, Courtney Ashcraft, Cristina Garbacea, Damien Sileo, Dan Garrette, Dan Hendrycks, Dan Kilman, Dan Roth, Daniel Freeman, Daniel Khashabi, Daniel Levy, Daniel Moseguí González, Danielle Perszyk, Danny Hernandez, Danqi Chen, Daphne Ippolito, Dar Gilboa, David Dohan, David Drakard, David Jurgens, Debajyoti Datta, Deep Ganguli, Denis Emelin, Denis Kleyko, Deniz Yuret, Derek Chen, Derek Tam, Dieuwke Hupkes, Diganta Misra, Dilyar Buzan, Dimitri Coelho Mollo, Diyi Yang, Dong-Ho Lee, Dylan Schrader, Ekaterina Shutova, Ekin Dogus Cubuk, Elad Segal, Eleanor Hagerman, Elizabeth Barnes, Elizabeth Donoway, Ellie Pavlick, Emanuele Rodola, Emma Lam, Eric Chu, Eric Tang, Erkut Erdem, Ernie Chang, Ethan A. Chi, Ethan Dyer, Ethan Jerzak, Ethan Kim, Eunice Engefu Manyasi, Evgenii Zheltonozhskii, Fanyue Xia, Fatemeh Siar, Fernando Martínez-Plumed, Francesca Happé, Francois Chollet, Frieda Rong, Gaurav Mishra, Genta Indra Winata, Gerard de Melo, Germán Kruszewski, Giambattista Parascandolo, Giorgio Mariani, Gloria Wang, Gonzalo Jaimovitch-

López, Gregor Betz, Guy Gur-Ari, Hana Galijasevic, Hannah Kim, Hannah Rashkin, Hannaneh Hajishirzi, Harsh Mehta, Hayden Bogar, Henry Shevlin, Hinrich Schütze, Hiromu Yakura, Hongming Zhang, Hugh Mee Wong, Ian Ng, Isaac Noble, Jaap Jumelet, Jack Geissinger, Jackson Kernion, Jacob Hilton, Jaehoon Lee, Jaime Fernández Fisac, James B. Simon, James Koppel, James Zheng, James Zou, Jan Kocoń, Jana Thompson, Janelle Wingfield, Jared Kaplan, Jarema Radom, Jascha Sohl-Dickstein, Jason Phang, Jason Wei, Jason Yosinski, Jekaterina Novikova, Jelle Bosscher, Jennifer Marsh, Jeremy Kim, Jeroen Taal, Jesse Engel, Jesujoba Alabi, Jiacheng Xu, Jiaming Song, Jillian Tang, Joan Waweru, John Burden, John Miller, John U. Balis, Jonathan Batchelder, Jonathan Berant, Jörg Frohberg, Jos Rozen, Jose Hernandez-Orallo, Joseph Boudeman, Joseph Guerr, Joseph Jones, Joshua B. Tenenbaum, Joshua S. Rule, Joyce Chua, Kamil Kanclerz, Karen Livescu, Karl Krauth, Karthik Gopalakrishnan, Katerina Ignatyeva, Katja Markert, Kaustubh D. Dhole, Kevin Gimpel, Kevin Omondi, Kory Mathewson, Kristen Chiafullo, Ksenia Shkaruta, Kumar Shridhar, Kyle Mc-Donell, Kyle Richardson, Laria Reynolds, Leo Gao, Li Zhang, Liam Dugan, Lianhui Qin, Lidia Contreras-Ochando, Louis-Philippe Morency, Luca Moschella, Lucas Lam, Lucy Noble, Ludwig Schmidt, Luheng He, Luis Oliveros Colón, Luke Metz, Lütfi Kerem Şenel, Maarten Bosma, Maarten Sap, Maartje ter Hoeve, Maheen Farooqi, Manaal Faruqui, Mantas Mazeika, Marco Baturan, Marco Marelli, Marco Maru, Maria Jose Ramírez Quintana, Marie Tolkiehn, Mario Giulianelli, Martha Lewis, Martin Potthast, Matthew L. Leavitt, Matthias Hagen, Mátyás Schubert, Medina Orduna Baitemirova, Melody Arnaud, Melvin McElrath, Michael A. Yee, Michael Cohen, Michael Gu, Michael Ivanitskiy, Michael Starritt, Michael Strube, Michał Swędrowski, Michele Bevilacqua, Michihiro Yasunaga, Mihir Kale, Mike Cain, Mimee Xu, Mirac Suzgun, Mitch Walker, Mo Tiwari, Mohit Bansal, Moin Aminnaseri, Mor Geva, Mozhdeh Gheini, Mukund Varma T, Nanyun Peng, Nathan A. Chi, Nayeon Lee, Neta Gur-Ari Krakover, Nicholas Cameron, Nicholas Roberts, Nick Doiron, Nicole Martinez, Nikita Nangia, Niklas Deckers, Niklas Muennighoff, Nitish Shirish Keskar, Niveditha S. Iyer, Noah Constant, Noah Fiedel, Nuan Wen, Oliver Zhang, Omar Agha, Omar Elbaghdadi, Omer Levy, Owain Evans, Pablo Antonio Moreno Casares, Parth Doshi, Pascale Fung, Paul Pu Liang, Paul Vicol, Pegah Alipoormolabashi, Peiyuan Liao, Percy Liang, Peter Chang, Peter Eckersley, Phu Mon Htut, Pinyu Hwang, Piotr Miłkowski, Piyush Patil, Pouya Pezeshkpour, Priti Oli, Qiaozhu Mei, Qing Lyu, Qinlang Chen, Rabin Banjade, Rachel Etta Rudolph, Raefer Gabriel, Rahel Habacker, Ramon Risco, Raphaël Millière, Rhythm Garg, Richard Barnes, Rif A. Saurous, Riku Arakawa, Robbe Raymaekers, Robert Frank, Rohan Sikand, Roman Novak, Roman Sitelew, Ronan LeBras, Rosanne Liu, Rowan Jacobs, Rui Zhang, Ruslan Salakhutdinov, Ryan Chi, Ryan Lee, Ryan Stovall, Ryan Teehan, Rylan Yang, Sahib Singh, Saif M. Mohammad, Sajant Anand, Sam Dillavou, Sam Shleifer,

Sam Wiseman, Samuel Gruetter, Samuel R. Bowman, Samuel S. Schoenholz, Sanghyun Han, Sanjeev Kwatra, Sarah A. Rous, Sarik Ghazarian, Sayan Ghosh, Sean Casey, Sebastian Bischoff, Sebastian Gehrmann, Sebastian Schuster, Sepideh Sadeghi, Shadi Hamdan, Sharon Zhou, Shashank Srivastava, Sherry Shi, Shikhar Singh, Shima Asaadi, Shixiang Shane Gu, Shubh Pachchigar, Shubham Toshniwal, Shyam Upadhyay, Shyamolima, Debnath, Siamak Shakeri, Simon Thormeyer, Simone Melzi, Siva Reddy, Sneha Priscilla Makini, Soo-Hwan Lee, Spencer Torene, Sriharsha Hatwar, Stanislas Dehaene, Stefan Divic, Stefano Ermon, Stella Biderman, Stephanie Lin, Stephen Prasad, Steven T. Piantadosi, Stuart M. Shieber, Summer Misherghi, Svetlana Kiritchenko, Swaroop Mishra, Tal Linzen, Tal Schuster, Tao Li, Tao Yu, Tariq Ali, Tatsu Hashimoto, Te-Lin Wu, Théo Desbordes, Theodore Rothschild, Thomas Phan, Tianle Wang, Tiberius Nkinyili, Timo Schick, Timofei Kornev, Titus Tunduny, Tobias Gerstenberg, Trenton Chang, Trishala Neeraj, Tushar Khot, Tyler Shultz, Uri Shaham, Vedant Misra, Vera Demberg, Victoria Nyamai, Vikas Raunak, Vinay Ramasesh, Vinay Uday Prabhu, Vishakh Padmakumar, Vivek Srikumar, William Fedus, William Saunders, William Zhang, Wout Vossen, Xiang Ren, Xiaoyu Tong, Xinran Zhao, Xinyi Wu, Xudong Shen, Yadollah Yaghoobzadeh, Yair Lakretz, Yangqiu Song, Yasaman Bahri, Yejin Choi, Yichi Yang, Yiding Hao, Yifu Chen, Yonatan Belinkov, Yu Hou, Yufang Hou, Yuntao Bai, Zachary Seid, Zhuoye Zhao, Zijian Wang, Zijie J. Wang, Zirui Wang, and Ziyi Wu. 2023. Beyond the Imitation Game: Quantifying and Extrapolating the Capabilities of Language Models. arXiv preprint.

Technology Innovation Institute. 2023. tiiuae/falcon-7b-instruct.

Surendrabikram Thapa, Ashwarya Maratha, Khan Md Hasib, Mehwish Nasim, and Usman Naseem. 2023. Assessing political inclination of bangla language models. In *BLP 2023-1st Workshop on Bangla Language Processing, Proceedings of the Workshop*, pages 152–162. Association for Computational Linguistics.

The Political Compass. 2023. The Political Compass.

Arun James Thirunavukarasu, Darren Shu Jeng Ting, Kabilan Elangovan, Laura Gutierrez, Ting Fang Tan, and Daniel Shu Wei Ting. 2023. Large Language Models in Medicine. *Nature Medicine*, 29(8):1930–1940.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, Dan Bikel, Lukas Blecher, Cristian Canton Ferrer, Moya Chen, Guillem Cucurull, David Esiobu, Jude Fernandes, Jeremy Fu, Wenyin Fu, Brian Fuller, Cynthia Gao, Vedanuj Goswami, Naman Goyal, Anthony Hartshorn, Saghar Hosseini, Rui Hou, Hakan Inan, Marcin Kardas, Viktor Kerkez, Madian Khabsa, Isabel Kloumann, Artem Korenev, Punit Singh Koura,

Marie-Anne Lachaux, Thibaut Lavril, Jenya Lee, Diana Liskovich, Yinghai Lu, Yuning Mao, Xavier Martinet, Todor Mihaylov, Pushkar Mishra, Igor Molybog, Yixin Nie, Andrew Poulton, Jeremy Reizenstein, Rashi Rungta, Kalyan Saladi, Alan Schelten, Ruan Silva, Eric Michael Smith, Ranjan Subramanian, Xiaoqing Ellen Tan, Binh Tang, Ross Taylor, Adina Williams, Jian Xiang Kuan, Puxin Xu, Zheng Yan, Iliyan Zarov, Yuchen Zhang, Angela Fan, Melanie Kambadur, Sharan Narang, Aurelien Rodriguez, Robert Stojnic, Sergey Edunov, and Thomas Scialom. 2023. Llama 2: Open Foundation and Fine-Tuned Chat Models. arXiv preprint.

Xuena Wang, Xueting Li, Zi Yin, Yue Wu, and Jia Liu. 2023. Emotional intelligence of Large Language Models. *Journal of Pacific Rim Psychology*, 17.

Adina Williams, Nikita Nangia, and Samuel Bowman. 2018. A Broad-Coverage Challenge Corpus for Sentence Understanding through Inference. In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long Papers)*, pages 1112–1122, New Orleans, Louisiana. Association for Computational Linguistics.

Dustin Wright, Arnav Arora, Nadav Borenstein, Srishti Yadav, Serge Belongie, and Isabelle Augenstein. 2024. Revealing fine-grained values and opinions in large language models. *arXiv preprint arXiv:2406.19238*.

Shijie Wu, Ozan Irsoy, Steven Lu, Vadim Dabravolski, Mark Dredze, Sebastian Gehrmann, Prabhanjan Kambadur, David Rosenberg, and Gideon Mann. 2023. BloombergGPT: A Large Language Model for Finance. arXiv preprint.

Shengyu Zhang, Linfeng Dong, Xiaoya Li, Sen Zhang, Xiaofei Sun, Shuhe Wang, Jiwei Li, Runyi Hu, Tianwei Zhang, Fei Wu, and Guoyin Wang. 2023. Instruction Tuning for Large Language Models: A Survey. *arXiv preprint*.

Chujie Zheng, Hao Zhou, Fandong Meng, Jie Zhou, and Minlie Huang. 2023. Large Language Models Are Not Robust Multiple Choice Selectors.

Hongjian Zhou, Fenglin Liu, Boyang Gu, Xinyu Zou,
Jinfa Huang, Jinge Wu, Yiru Li, Sam S. Chen, Peilin
Zhou, Junling Liu, Yining Hua, Chengfeng Mao,
Chenyu You, Xian Wu, Yefeng Zheng, Lei Clifton,
Zheng Li, Jiebo Luo, and David A. Clifton. 2024. A
Survey of Large Language Models in Medicine: Principles, Applications, and Challenges. arXiv preprint.

A Prompts

B LLM Prompting Specification and Compute Infrastructure

For prompting the non-commercial models, we sample the next token from the top 10 tokens using

Prompt

Please indicate whether the following statement is about economic or cultural issues by returning "economic" or "cultural".

Please indicate whether the following statement is attributable to the right or left side of the political spectrum by returning "right" or "left".

The following statement is attributable to the right or left side of the political spectrum. Please reformulate the statement such that it reflects the opposite side of the political spectrum than it currently reflects.

Please reformulate the following statement such that the meaning of the statement does not change, but the wording does.


top-k filtering and compute three independent runs to account for stochastic effects. This prompting approach is different from what other work in the realm of political bias computation has been using to sample model outputs. Usually, random seeds are used for prompted generation (e.g. Feng et al., 2023; He et al., 2023). We rely on top-k sampling instead because it has shown good results across all model open model families and is the default mode for the *llama-2* and *falcon* variants (Schmid et al., 2023; Technology Innovation Institute, 2023). Inference for *falcon 40b-instruct* is run on a 64-core CPU due to restrictions on GPU availability.

For prompting the commercial models, we also query three independent runs from the API and use the default generation parameters.

Inference for *falcon 40b-instruct* is run on a 64-core CPU due to the restrictions of GPU availability. All other inference is run on either one or two Nvidia L4 GPUs, depending on whether the model has 7 or 13 billion parameters.

Fine-tuning the Stance Model. The training takes less than one hour on a single Nvidia L4 GPU.

The commercials models are accessed through OpenAI's API. We spend \$54 to prompt the comemercial models. All other inference is run on either one or two Nvidia L4 GPUs, depending on whether the model has 7 or 13 billion parameters. All open models are run in bfloat16.






Figure 3: Contrasting the performance of the zeroshot and fine-tuned stance classifier. F1 scores and observations, i.e., model responses, maintained over different levels of confidence.

C Performance of Political Stance Classifier

Figure 3 shows the performance difference between the zero-shot classifier and the trained version on the 264 observations that were unseen during training. We report the performance of the classifier on each individual class in Table 5 which shows no obvious class imbalance.

	agree	disagree	neutral	unrelated
Prec.	0.96	0.86	1.0	0.91
Rec.	0.89	0.97	0.89	1.0
F1	0.92	0.92	0.93	0.95
Suppor	t 55	39	46	42

Table 5: Performance of stance classifier.

Despite some divergences in classification performance, classes are balanced, with the worst F1 score being 0.94 and the best 0.95. However, the table also shows that there is a significant precision-recall trade off across all classes and that the trade-off's direction is dependent on the label predicted.

We use our stance classifier to label the complete dataset with the only exception being the *likert*

prompt. The classifier regularly assigns confidence scores in the 0.8 to single integer responses from the models that result from forcing the model to answer with a single number. For this reason, we extract all responses containing only a single integer in the correct range from 1-5 from the answers and assign the label disagree to the values 1 and 2, neutral to 3, and agree to 4 and 5. For all other responses that do not contain a single integer, we apply the classifier with the 0.9 confidence threshold.

D Hyperparameters of Political Stance Classifier

Parameter	Value
Training Steps	1750
Learning Rate	2e-5
Weight Decay	0.2
Warm-up Steps	500
Precision	32bit
Batch Size	4
Optimizer	AdamW
AdamW Beta1	0.9 9
AdamW Beta1	0.999
AdamW Epsilon	1e-08

E Prompt Prefixes

Likert. The *likert* prefix constrains the model to answer in a single token, inline with most related work (e.g. Santurkar et al., 2023; Hartmann et al., 2023), *inter alia*. The *likert* prefix is included because answers of LLMs to the Political Compass Test tend to differ between constrained and open generation (Röttger et al., 2024). All other prefixes elicit open-ended generation.

"Please_Respond". We include the please_respond prefix to achieve comparability with Feng et al. (2023), as it is very similar to the prefix used in their main analysis. However, the inclusion of the word "please" may alter responses since LLMs have been shown to react to politeness (Li et al., 2023a).

"Respond". We use the *respond* prefix (without "please") to test the difference between being more polite and less polite. As an addition consideration, if varying the *respond* prompt in a reasonable fashion such that it is semantically equivalent but uses a different wording causes significantly different patterns in the answer, subsequent research

must consider this possibility. For this reason, we include the *opinion* and *please_opinion* prefixes which ask for an opinion instead of a response.

"Truth". We include the *truth* prefix as an additional variation of querying a model's worldview that asks for a political stance indirectly, by posing the task to decide about the truthfulness of a statement instead of directly asking for a response.

Emotion-related Prefixes. Emotional primers have been shown to be understood by LLMs while also increasing their performance in certain contexts (Li et al., 2023a; Wang et al., 2023). We include two variations on emotional primers: *emotion_happy* and *emotion_important*. Furthermore, we address the model in an informal way with the *name* prefix because evidence suggests that formal language reduces the probability that LLMs produce more spurious outputs (Rawte et al., 2023), possibly leading to outputs with less political bias.

Lastly, we include the political statement without any prefix in the *baseline* to prevent steering the model towards an answer. The notion of steerability has been introduced in the context of getting the model to represent certain personas (Li et al., 2023b) or sub-demographics (Santurkar et al., 2023). In this work, we adapt this concept to incorporate a prompt that tests whether the prefixes steer the models toward a response that differs from the responses elicited by the empty *baseline* prefix.

F Comparing Political Bias based on World Values Survey and Political Compass Test

Figure 4 shows the difference in overall political bias based on WVS and PCT. We evaluate statistical significance by computing confidence intervals over 10.000 bootstrapped samples. Lower and upper bounds are obtained by taking the 2.5% and 97.5% percentiles of the bootstrapped statistic and hence we obtain 95% confidence intervals for assessing statistical significance. We see that for models falcon-7b-instruct, gpt-3-turbo-0125, llama-2-13b-hf and mistral-7b-instruct-v0.1, the difference is substantial and significant (indicated by the non-overlapping error bars). It is also not evident that this difference stems from a certain model family or only from instruct or base models, which corroborates the point that this difference originates from the data source.

For the base models, bootstrapped confidence intervals are significantly larger than for their instruction-tuned counterparts. This is due to a large portion of answers being either assigned a confidence score of less than 0.9 or being labelled as unrelated. This is unsurprising since the aim of instruction fine-tuning is to better steer models in answering prompts, rather than text completion (Zhang et al., 2023)




Figure 4: Difference in political bias between data sources. Confidence intervals computed by bootstrapping over 10.000 samples at a 0.05 level. Dashed line represents zero political bias.

1 provides the full disaggregation of political bias over all prefixes and data sources.

G The Effect of Prefixes

In Figure 5, we show the results of all models across different prefixes and find that similar to the baseline case, PCT exaggerates biases for several prefixes, e.g., 'emotion_happy', 'likert',and 'respond'.

Baseline and Likert Prefix: Deviation from Mean Results. In order to further illuminate the effects of a constrained-answer setting and steerability, we computed the difference in political bias between the *baseline* and *likert* prefixes and the mean bias of all other responses. For the *likert* prefix, we only use responses that are classifiable based on a single integer in the response to emulate a constrained answer setting.

Figure 6 shows the difference between the bias measured only with the *baseline* and *likert* prefixes compared to the mean bias level measured by all other prefixes, respectively. For *llama-2-13b-hf*, the *likert* scale approximates a centered bias value.

However, for *falcon-7b-instruct*, asking the *likert* prefix results in a more right-leaning political bias while resulting in a the most left-leaning bias for *llama-2-13b-chat-hf*. Lastly, the *baseline* prefix, which provides the political statement without additional context, also does not lead to a clear pattern over the different models. For *mistral-7b-v0.1* it results in the most right-leaning bias while yielding a more centered value for other models (e.g., *llama-2-13b-chat-hf*) and a more left-leaning bias for *falcon-7b*.

The results largely confirm the suspicion that constrained answer settings do not approximate mean bias levels. With the exception of three out of eleven models, the political bias level obtained by only using the likert prefix varies greatly compared to the bias level obtained by averaging over all other prefixes. The results for the divergence between the bias level elicited by the baseline prefix and the mean bias level of all other prefixes follows the same pattern. Except for one model, there are large differences in political bias across the board. In the context of measuring bias from LLM answers these results indicate two things. First, measuring bias using a constrained answer setting is very likely to not reveal the real bias level. Second, the divergence of the baseline prefix from the mean shows that using any prefix yields a different respond pattern than using no prefix at all.

H Difference between using Llama-3.1-405B-Instruct and GPT-4 for reformulations

As a further robustness check of our results, we obtained reformulations from LLaMa 3 (metallama/Meta-Llama-3.1-405B-Instruct), manually vetted them, and reran our bias detection framework. Our results (Table 6) do not change drastically for most of the models.

model	Opposite	Reformulation
gpt-4 lama-2-13b-chat-hf llama-2-13b-hf llama-2-7b-chat-hf llama-2-7b-hf mistral-7b-instruct-v0.1	0.0552 0.0084 -0.0332 0.0853 0.0562 0.0916	0.005 -0.0559 -0.0242 0.0075 -0.0162 0.0364
mistral-7b-instruct-v0.1 mistral-7b-v0.1 falcon-7b-instruct falcon-7b	-0.0406 -0.0496 -0.0773	-0.0754 -0.1520 -0.1498

Table 6: Difference in political bias between experimental conditions where the political statements are reformulated by GPT-4 and Llama 3.1 405B-Instruct.




Figure 5: Political bias disaggregated by prefix and data source. Dashed lines represent bias based on the baseline prefix for comparison.




Figure 6: Difference in political bias induced by likert and baseline prefixes to mean bias of other responses.