



Performance Report for: <https://designshack.net/>

Report generated: Mon, Oct 17, 2022 7:25 PM -0700

Test Server Location: Vancouver, Canada

Using: Chrome (Desktop) 103.0.5060.134, Lighthouse 9.6.4

| | | | | | |
|----------|----------------------------|--------------------------|-------------------------------------|--------------------------------|-----------------------------|
| A | Performance 100% | Structure 100% | L. Contentful Paint 101ms | T. Blocking Time 0ms | C. Layout Shift 0 |
|----------|----------------------------|--------------------------|-------------------------------------|--------------------------------|-----------------------------|

Top Issues

| IMPACT | AUDIT | |
|--------|--|-----------------------------|
| Low | Properly size images | Potential savings of 61.4KB |
| Low | Serve static assets with an efficient cache policy | Potential savings of 17.1KB |
| Low | Reduce unused JavaScript LCP | Potential savings of 54.4KB |
| Low | Avoid an excessive DOM size TBT | 525 elements |
| Low | Avoid enormous network payloads LCP | Total size was 509KB |

Page Details



Total Page Size - 509KB



Total Page Requests - 34



HTML
 JS
 CSS
 IMG
 Video
 Font
 Other

How does this affect me?

Today's web user expects a fast and seamless website experience. Delivering that fast experience can result in increased visits, conversions and overall happiness.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**


About GTmetrix

CARBON60
THE MANAGED CLOUD COMPANY


GTmetrix is developed by the good folks at **Carbon60**, a Canadian hosting company with over 26 years experience in web technology.

<https://carbon60.com/>


Page scores



Page metrics





Page sizes and request counts



The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

Design Articles, Inspiration & Guides | Design Shack





Performance Metrics

| | | | |
|---|---|--|---|
| First Contentful Paint How quickly content like text or images are painted onto your page. A good user experience is 0.9s or less. | Good - Nothing to do here 101ms | Time to Interactive How long it takes for your page to become fully interactive. A good user experience is 2.5s or less. | Good - Nothing to do here 165ms |
| Speed Index How quickly the contents of your page are visibly populated. A good user experience is 1.3s or less. | Good - Nothing to do here 165ms | Total Blocking Time How much time is blocked by scripts during your page loading process. A good user experience is 150ms or less. | Good - Nothing to do here 0ms |
| Largest Contentful Paint How long it takes for the largest element of content (e.g. a hero image) to be painted on your page. A good user experience is 1.2s or less. | Good - Nothing to do here 101ms | Cumulative Layout Shift How much your page's layout shifts as it loads. A good user experience is a score of 0.1 or less. | Good - Nothing to do here 0 |

Browser Timings

| | | | | | |
|------------|-------|----------|-------|--------------|-------|
| Redirect | 0ms | Connect | 16ms | Backend | 16ms |
| TTFB | 32ms | DOM Int. | 57ms | First Paint | 101ms |
| DOM Loaded | 166ms | Onload | 195ms | Fully Loaded | 254ms |

| IMPACT | AUDIT | |
|--------|---|---------------------------------|
| Low | Properly size images | Potential savings of 61.4KB |
| Low | Serve static assets with an efficient cache policy | Potential savings of 17.1KB |
| Low | Reduce unused JavaScript <small>LCP</small> | Potential savings of 54.4KB |
| Low | Avoid an excessive DOM size <small>TBT</small> | 525 elements |
| Low | Avoid enormous network payloads <small>LCP</small> | Total size was 509KB |
| Low | Reduce JavaScript execution time <small>TBT</small> | 10ms spent executing JavaScript |
| Low | Reduce unused CSS <small>FCP</small> <small>LCP</small> | Potential savings of 10.5KB |
| Low | Serve images in next-gen formats | Potential savings of 37.7KB |
| Low | Defer offscreen images | Potential savings of 67.8KB |
| Low | Avoid chaining critical requests <small>FCP</small> <small>LCP</small> | 1 chain found |
| N/A | Largest Contentful Paint element <small>LCP</small> | 1 element found |
| N/A | Reduce initial server response time <small>FCP</small> <small>LCP</small> | Root document took 15ms |
| N/A | Avoid large layout shifts <small>CLS</small> | 1 element found |
| N/A | Minimize main-thread work <small>TBT</small> | Main-thread busy for 226ms |
| N/A | Reduce the impact of third-party code <small>TBT</small> | Total size was 142KB |
| N/A | User Timing marks and measures | |