

# The Resilience and Disaster Recovery Tool Suite

## Run Checklist Version 2023.1

Volpe Project: OS20A121

**April 10, 2023**

VNTSC-OST-22-04 Rev. 2

DOI: 10.21949/1527574 Rev. 2

Prepared for:

**United States Department of Transportation  
Office of Research, Development, and Technology  
Washington, D.C.**



**The Federal Highway Administration  
Office of Natural Environment  
Washington, D.C.**



### **Recommended citation:**

Jonathan Badgley, Andrew Breck, Daniel Flynn, Olivia Gillham, Michelle Gilmore, Kristin C. Lewis (Project Manager), Alexander Oberg, Gretchen Reese, Scott Smith, Kevin Zhang. The Resilience and Disaster Recovery Tool Suite: Run Checklist Version 2023.1. Volpe National Transportation Systems Center, Cambridge, MA, 2023. DOI: 10.21949/1527574 Rev. 2.

## Notice

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for the contents or use thereof.

The United States Government does not endorse products or manufacturers. Trade or manufacturers' names appear herein solely because they are considered essential to the objective of this report.

---

<b>REPORT DOCUMENTATION PAGE</b>			<i>Form Approved</i> <i>OMB No. 0704-0188</i>	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE  April 10, 2023		3. REPORT TYPE AND DATES COVERED  Report (6/2021-3/2023)
4. TITLE AND SUBTITLE The Resilience and Disaster Recovery Tool Suite: Run Checklist Version 2023.1				5a. FUNDING NUMBERS OS20A121
6. AUTHOR(S)  Jonathan Badgley, Andrew Breck, Daniel Flynn, Olivia Gillham, Michelle Gilmore, Kristin C. Lewis (Project Manager), Alexander Oberg, Gretchen Reese, Scott Smith, Kevin Zhang				5b. CONTRACT NUMBER 693JK421NT800008
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Department of Transportation John A Volpe National Transportation Systems Center 55 Broadway, Cambridge, MA 02142-1093				8. PERFORMING ORGANIZATION REPORT NUMBER  VNTSC-OST-22-04 Rev. 2
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  US Dept. of Transportation Office of Research, Development and Technology 1200 New Jersey Ave, SE, Washington, DC 20590				10. SPONSORING/MONITORING AGENCY REPORT NUMBER  DOI: 10.21949/1527574 Rev. 2
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  This document is available to the public at <a href="https://volpeusdot.github.io/RDR-Public">https://volpeusdot.github.io/RDR-Public</a> .				12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words)  Volpe developed the Resilience and Disaster Recovery (RDR) Tool Suite in support of the USDOT Office of Research, Development and Technology in collaboration with the Federal Highway Administration's Office of Natural Environment. The RDR Tool Suite enables transportation practitioners to assess the return-on-investment of resilient infrastructure across a range of potential hazard conditions to help prioritize resilience investments. This Run Checklist provides users with a comprehensive summary of input files and parameters to be reviewed before running an RDR analysis. It is complemented by the RDR Tool Suite Technical Document, User Guide, and Quick Start Tutorial.				
14. SUBJECT TERMS				15. NUMBER OF PAGES  8
				16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT  Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE  Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT  Unclassified	20. LIMITATION OF ABSTRACT  Unlimited	

# RDR Run Checklist

This document provides a high-level overview of the input files required to run a custom analysis with the RDR Tool Suite. For more details on the RDR input files, see the RDR Tool Suite User Guide.

## Required Files

The following input files are required before the tool suite can be run for analysis:

- ☐ Batch file (`run_rdr_full.bat` OR `run_rdr_analysis.bat`)
  - ☐ Line 17 – Provide the full file path to the configuration file for the analysis.
- ☐ Configuration file (`{User-Defined}.config`, filename left up to user)

The following parameters must be modified by the user before running a scenario. All other parameters in the configuration file have default values provided, which can be modified by the user as needed.

  - ☐ Line 18 – Provide the full file path to your input data folder.
  - ☐ Line 19 – Provide the full file path to where you want output data to be created. (RDR will automatically create this folder.)
  - ☐ Line 23 – Provide a text string identifier for your run; output files are labeled with this run ID.
  - ☐ Line 26 – Specify the beginning year of the ROI analysis period.
  - ☐ Line 28 – Specify the final year of the ROI analysis period.
  - ☐ Line 32 – Specify the base year for core model runs, corresponding to user-provided base year trip tables.
  - ☐ Line 35 – Specify the future year for core model runs, corresponding to user-provided future year trip tables.
  - ☐ Line 53 – Specify the number of scenarios to run in the AequilibraE core model to build the regression model.
  - ☐ Line 59 – Specify whether the run is a full run or an additional run.
  - ☐ Line 64 – If line 59 is set to True, specify the number of additional scenarios to run in the AequilibraE core model.
  - ☐ Line 99 – Provide the column name in the exposure analysis input files defining exposure level.
  - ☐ Line 136 – Specify the largest node ID in the user's network designating a centroid node.
  - ☐ Line 225 – Specify what type of ROI analysis (e.g., BCA, Regret, Breakeven) to run.
  - ☐ Line 238 – Specify the year in which all monetary units are inputted and reported. All default values are in 2021 dollars.
- ☐ Model parameters file (`Model_Parameters.xlsx`)

UncertaintyParameters tab

  - ☐ Column A ("Hazard Events") – List all hazard events as text strings for the RDR Metamodel (RDRM).

- ☐ Column B (“Recovery Stages”) – List all hazard recovery stages as nonnegative numbers (e.g., 0, 1, 2, ...) for the RDRM.
- ☐ Column C (“Economic Scenarios”) – List all economic futures as text strings for the RDRM.
- ☐ Column D (“Trip Loss Elasticities”) – List all elasticity values as numbers (ranging from -1 to 0) for the RDRM.
- ☐ Column E (“Project Groups”) – List all resilience project groupings as text strings for the RDRM.

ProjectGroups tab

- ☐ Make sure every resilience project for the RDRM is listed in Column B (“Resiliency Projects”) and assigned to exactly one project group in Column A (“Project Groups”).

Hazards tab

- ☐ Make sure every hazard event in Column A of the UncertaintyParameters tab is listed as a row in this tab.
- ☐ Required columns – “Hazard Event”, “Filename”, “HazardDim1”, “HazardDim2”, “Event Probability in Start Year”

- ☐ User inputs file (UserInputs.xlsx)

UserInputs tab

- ☐ Column A (“Hazard Events”) – List all hazard events as text strings for the RDR ROI Analysis Module.
- ☐ Column B (“Economic Scenarios”) – List all economic futures as text strings for the RDR ROI Analysis Module.
- ☐ Column C (“Trip Loss Elasticities”) – List all elasticity values as numbers (ranging from -1 to 0) for the RDR ROI Analysis Module.
- ☐ Column D (“Resiliency Projects”) – List all resilience projects as text strings for the RDR ROI Analysis Module.
- ☐ Column E (“Event Frequency Factors”) – List all hazard event frequency multiplicative factors as numbers for the RDR ROI Analysis Module.
- ☐ Make sure every entry in columns A through D is included in the model parameters file.

- ☐ Exposure analysis files ({Filename}.csv for each hazard event)

- ☐ Make sure there is a CSV file in the “Hazards” subdirectory with the designated filename (specified in the model parameters file) for each hazard event.
- ☐ Required columns – “link\_id”, “A”, “B”, “Value” (or string corresponding to line 99 of the configuration file)
- ☐ Make sure all road and transit network links are included. Centroid connectors and transit boarding/transfer links are not required to be included.

- ☐ Network attribute files (node.csv AND {econ}{projgroup}.csv for each economic scenario and project group)

Node file

- ☐ Make sure there is a CSV file named `node.csv` in the “Networks” subdirectory.
- ☐ Required columns – “`node_id`”, “`x_coord`”, “`y_coord`”, “`node_type`”
- ☐ Confirm that node IDs are unique.
- ☐ Label centroid nodes in the network as “centroid” (case-sensitive) in `node_type` column.

Link files

- ☐ Make sure there is a CSV file in the “Networks” subdirectory for each project group-economic scenario combination.
  - ☐ Required columns – “`link_id`”, “`from_node_id`”, “`to_node_id`”, “`directed`”, “`length`”, “`facility_type`”, “`capacity`”, “`free_speed`”, “`lanes`”, “`allowed_uses`”, “`toll`”, “`travel_time`”
  - ☐ Confirm that link IDs are unique.
  - ☐ Confirm the `directed` column is always equal to 1.
  - ☐ Confirm the `allowed_uses` column is always equal to “c”.
  - ☐ Confirm the units of the capacity column is in vehicles / day / lane, the units of the toll column is in cents, and the units of the travel time column is in minutes.
  - ☐ If the RDR run includes trip tables for households owning vehicles and households without cars, “`toll_nocar`” and “`travel_time_nocar`” are also required columns.
  - ☐ If using the default repair cost and/or repair time tables, make sure the facility type column aligns with the numerical codes described in the documentation (e.g., 21 for subway service and boarding/deboarding links).
- 
- ☐ Demand files (`{econ}_demand_summed.omx` for each economic scenario)
    - ☐ Make sure there is an open matrix (OMX) file in the “AEMaster/matrices” subdirectory for each economic scenario with a trip table matrix labeled “matrix”.
    - ☐ If the RDR run includes trip tables for households owning vehicles and households without cars, the OMX file should include two trip tables matrices labeled “matrix” and “nocar” for each, respectively.
- 
- ☐ SQLite database (`project_database.sqlite`)
    - ☐ Confirm this file exists in the “AEMaster” subdirectory. Otherwise, copy the template SQLite database from the “config” directory to the “AEMaster” subdirectory.
- 
- ☐ Base year core model runs file (`Metamodel_scenario_SP_baseyear.csv` OR `Metamodel_scenario_RT_baseyear.csv`)
    - ☐ Create a row with base year core model run outputs for each hazard event-recovery stage combination.
    - ☐ Required columns – “`hazard`”, “`recovery`”, “`trips`”, “`miles`”, “`hours`”
    - ☐ If using the base year run helper tool, make sure there is a CSV file named `baseyear.csv` in the “Networks” subdirectory specifying network links for the base year and an OMX file named `baseyear_demand_summed.omx` in the “AEMaster/matrices” subdirectory specifying trip tables for the base year.
- 
- ☐ Resilience projects files (`project_info.csv` AND `project_table.csv`)

#### Project info file

- ☐ Make sure there is a CSV file named `project_info.csv` in the “LookupTables” subdirectory.
- ☐ Required columns – “Project ID”, “Project Name”, “Asset”, “Project Cost”, “Project Lifespan”, “Annual Maintenance Cost”
- ☐ Make sure resilience project costs are provided in the dollar year units specified on line 238 of the configuration file.

#### Project table file

- ☐ Make sure there is a CSV file named `project_table.csv` in the “LookupTables” subdirectory.
- ☐ Required columns – “link\_id”, “Project ID”, “Category”
- ☐ If using default repair cost and/or repair time tables, confirm Category column is either “Highway” “Bridge”, or “Transit”.
- ☐ Make sure all road and transit network links covered by the resilience project (e.g., including bus links) are included.
- ☐ If using the optional “Exposure Reduction” column for resilience project partial mitigation modeling, make sure “Manual” is specified on line 142 of the configuration file and the units used in the column match units of the exposure analysis files.

## Optional Files

The following input files provide optional functionality for a custom analysis:

- ☐ True shape file (`TrueShape.csv`)
  - ☐ If used, make sure there is a CSV file named `TrueShape.csv` in the “LookupTables” subdirectory.
  - ☐ Required columns – “link\_id”, “WKT”
- ☐ Link types look-up table (`link_types_table.csv`)
  - ☐ If used, make sure there is a CSV file named `link_types_table.csv` in the “LookupTables” subdirectory.
  - ☐ Required columns – “facility\_type”, “alpha”, “beta”
- ☐ Exposure-disruption look-up table
  - ☐ If used, make sure “Manual” is specified on line 94 of the configuration file for link availability approach and the full path of the CSV file is specified on line 109 of the configuration file.
  - ☐ Required columns – “min\_inclusive”, “max\_exclusive”, “link\_availability”
- ☐ Exposure-damage look-up table
  - ☐ If used, make sure “Manual” is specified on line 180 of the configuration file for exposure damage approach and the full path of the CSV file is specified on line 185 of the configuration file.
  - ☐ Required columns – “Asset Type”, “min\_exposure”, “max\_exposure”, “Damage (%)”

- ☐ Repair cost look-up table
  - ☐ If used, make sure “User-Defined” is specified on line 192 of the configuration file for repair cost approach and the full path of the CSV file is specified on line 201 of the configuration file.
  - ☐ Required columns – “Asset Type”, “Facility Type”, “Damage Repair Cost”, “Total Repair Cost”
  - ☐ Make sure costs are defined per lane-mile for all asset types except “Bridge”, which has costs defined per square foot.
- ☐ Repair time look-up table
  - ☐ If used, make sure “User-Defined” is specified on line 208 of the configuration file for repair time approach and the full path of the CSV file is specified on line 212 of the configuration file.
  - ☐ Required columns – “Asset Type”, “category\_min”, “category\_max”, “repair\_time”

## RDR Input Validation Helper Tool

- ☐ Run the input validation tool from the “helper\_tools” subfolder of the RDR directory (e.g., “C:\GitHub\RDR\helper\_tools”).
- ☐ Correct errors identified in the Input Validation Helper Tool log file.<sup>1</sup>

---

<sup>1</sup> Note that the input validation helper tool is not a comprehensive check of all possible user input errors. In particular, the script does not check for errors in the batch file, the configuration file, or optional input files.