

JS Syntax Fundamentals – Exercises

Problems with exercise and homework for the ["JS Front-End" Course @ SoftUni](#).

1. Ages

Write a function that **determines** whether based on the given **age** a person is: **baby**, **child**, **teenager**, **adult**, **elder**.

The input comes as a **single number parameter**. The bounders are:

- **0-2 (age)** – is a **baby**;
- **3-13 (age)** – is a **child**;
- **14-19 (age)** – is a **teenager**;
- **20-65 (age)** – is an **adult**;
- **>=66 (age)** – is an **elder**;
- In all other cases print – "**out of bounds**";

The **output** should be printed to the console.

Examples

Input	Output
20	adult
1	baby
100	elder
-1	out of bounds

2. Vacation

You are given a **group of people**, the **type of the group**, and the **day of the week** they are going to stay. Based on that information **calculate** how much they have to pay and **print** that price on the console. Use the table below. In each cell is the price for a **single person**.

The output should look like that: ``Total price: {price}``. The **price** should be **formatted** to the second decimal point.

	Friday	Saturday	Sunday
Students	8.45	9.80	10.46
Business	10.90	15.60	16
Regular	15	20	22.50

There are also **discounts** based on some conditions:

- **Students** – if the group is bigger than or equal to 30 people you should reduce the **total** price by 15%
- **Business** – if the group is bigger than or equal to 100 people **10** of them can stay **for free**
- **Regular** – if the group is bigger than or equal to 10 and less than or equal to 20 reduce the total price by 5%

Note: You should reduce the prices in that **EXACT** order.

Examples

Input	Output
30, "Students", "Sunday"	Total price: 266.73
40, "Regular", "Saturday"	Total price: 800.00

3. Leap Year

Write a JS function to check whether a **year** is a **leap**. Leap years are either **divisible** by **4** but not by **100** or are divisible by **400**. The **output** should be following:

- If the year is a leap, print: **"yes"**
- Otherwise, print: **"no"**

Examples

Input	Output
1984	yes
2003	no
4	yes

4. Print and Sum

Write a function that displays numbers from **given start** to given **end** and their **sum**. The input comes as **two number parameters**. **Print** the result like the examples below:

Examples

Input	Output
5, 10	5 6 7 8 9 10 Sum: 45
0, 26	0 1 2 ... 26 Sum: 351

50, 60	50 51 52 53 54 55 56 57 58 59 60 Sum: 605
--------	--

5. Multiplication Table

You will receive a **number** as a parameter. Print the **10 times table** for this **number**. See the examples below for more information.

Output

Print every row of the table in the following format:

{number} X {times} = {product}

Constraints

- The number will be an **integer** will be in the interval [1...100]

Examples

Input	Output	Input	Output
5	5 X 1 = 5 5 X 2 = 10 5 X 3 = 15 5 X 4 = 20 5 X 5 = 25 5 X 6 = 30 5 X 7 = 35 5 X 8 = 40 5 X 9 = 45 5 X 10 = 50	2	2 X 1 = 2 2 X 2 = 4 2 X 3 = 6 2 X 4 = 8 2 X 5 = 10 2 X 6 = 12 2 X 7 = 14 2 X 8 = 16 2 X 9 = 18 2 X 10 = 20

6. Sum Digits

Write a **function**, which will be given a single **number**. Your task is to find the **sum** of its digits.

Examples

Input	Output
245678	32
97561	28
543	12

7. Chars to String

Write a **function**, which receives **3 parameters**. Each parameter is a single character. Combine all the characters into **one** string and print it on the console.

Examples

Input	Output
'a', 'b', 'c'	abc
'%', '2', 'o'	%2o
'1', '5', 'p'	15p

8. Reversed Chars

Write a program that takes **3 parameters** (characters) and prints them in **reversed order** with a space between them.

Examples

Input	Output
'A', 'B', 'C'	C B A
'1', 'L', '&'	& L 1

9. Fruit

Write a function that calculates how much money you need to buy fruit. You will receive a **string** for the type of fruit you want to buy, a **number** for weight in **grams**, and another **number** for the price per **kilogram**.

Print the following text on the console:

```
`I need ${money} to buy {weight} kilograms {fruit}.`
```

Print the weight and the money **rounded** to two decimal places.

The **input** comes as **three arguments** passed to your function.

The **output** should be printed on the console.

Examples

Input	Output
'orange', 2500, 1.80	I need \$4.50 to buy 2.50 kilograms orange.

Input	Output
'apple', 1563, 2.35	I need \$3.67 to buy 1.56 kilograms apple.

10. Same Numbers

Write a function that takes an **integer number** as an input and check if all the digits in a given number are the same or not.

Print on the console **true** if all numbers are the same and **false** if not. On the next line print the **sum of all digits**.

The **input** comes as an integer number.

The **output** should be printed on the console.

Examples

Input	Output
2222222	true 14

Input	Output
1234	false 10

11. Road Radar

Write a function that determines whether a driver is within the speed limit. You will receive the speed and the area. Each area has a different limit:

- On the **motorway**, the limit is **130 km/h**
- On the **interstate**, the limit is **90 km/h**
- In the **city**, the limit is **50 km/h**
- Within a **residential** area, the limit is **20 km/h**

If the driver is **within the limits**, there should be a printed speed and the speed limit.

``Driving {speed} km/h in a {speed limit} zone``

If the driver is **over the limit**, however, your function should print the severity of the infraction and the difference in speeds.

``The speed is {difference} km/h faster than the allowed speed of {speed limit} - {status}``

For speeding up to **20 km/h** over the limit, the **status** should be **speeding**.

For speeding up to **40 km/h** over the limit, the **status** should be **excessive speeding**.

For anything else, **status** should be **reckless driving**.

The **input** comes as **2 string parameters**. The first element is the current speed (**number**), the second element is the area.

The **output** should be printed on the console.

Examples

Input	Output
40, 'city'	Driving 40 km/h in a 50 zone
21, 'residential'	The speed is 1 km/h faster than the allowed speed of 20 - speeding
120, 'interstate'	The speed is 30 km/h faster than the allowed speed of 90 - excessive speeding

200, 'motorway'	The speed is 70 km/h faster than the allowed speed of 130 - reckless driving
-----------------	--

12. Cooking by Numbers

Write a program that receives 6 parameters which are a **number** and a **list** of five operations. Perform the operations **sequentially** by starting with the **input number** and using the result of every operation as a starting point for the next one. Print the result of every operation in order. The operations can be one of the following:

- **chop** - divide the number by two
- **dice** - square root of a number
- **spice** - add 1 to the number
- **bake** - multiply number by 3
- **fillet** - subtract 20% from the number

The **input** comes as **6 string elements**. The first element is the starting point and must be **parsed** to a number. The remaining 5 elements are the names of the operations to be performed.

The **output** should be printed on the console.

Examples

Input	Output
'32', 'chop', 'chop', 'chop', 'chop', 'chop'	16 8 4 2 1

Input	Output
'9', 'dice', 'spice', 'chop', 'bake', 'fillet'	3 4 2 6 4.8

13. Array Rotation

Write a function that receives an **array** and the **number of rotations** you have to perform.

Note: Depending on the number of rotations, the first element goes to the end.

Output

Print the resulting array elements separated by a single space.

Examples

Input	Output
[51, 47, 32, 61, 21], 2	32 61 21 51 47
[32, 21, 61, 1], 4	32 21 61 1

[2, 4, 15, 31], 5	4 15 31 2
-------------------	-----------

14. Print Every N-th Element from an Array

The **input** comes as two parameters – an **array of strings** and a **number**. The second parameter is **N – the step**.

The **output** is every element on the **N-th** step **starting from the first one**. If the step is **3**, you need to return the **1-st**, the **4-th**, the **7-th** ... and so on, until you reach the end of the array.

The **output** is the **return** value of your function and must be an **array**.

Example

Input	Output	Input	Output	Input	Output
['5', '20', '31', '4', '20'], 2	['5', '31', '20']	['dsa', 'asd', 'test', 'tset'], 2	['dsa', 'test']	['1', '2', '3', '4', '5'], 6	['1']

Hints

- Return all the elements with **for** loop, **incrementing** the **loop variable** with the value of the **step** variable.

15. List of Names

You will receive an **array of names**. Sort them **alphabetically in ascending order** and print a numbered list of all the names, each on a new line.

Example

Input	Output
["John", "Bob", "Christina", "Ema"]	1.Bob 2.Christina 3.Ema 4.John

Hints

- The **sort** function rearranges the array in ascending order

16. Sorting Numbers

Write a function that sorts an **array of numbers** so that the first element is the **smallest** one, the second is the **biggest** one, the third is the **second smallest** one, the fourth is the **second biggest** one, and so on.

Return the resulting array.

Example

Input	Output
-------	--------

[1, 65, 3, 52, 48, 63, 31, -3, 18, 56]

[-3, 65, 1, 63, 3, 56, 18, 52, 31, 48]

17. Reveal Words

Write a function, which receives **two parameters**.

The first parameter will be a string with some words **separated by ' , '**.

The second parameter will be a string that contains **templates containing '*'**.

Find the word with the **same length** as the template and **replace** it.

Example

Input	Output
'great', 'softuni is ***** place for learning new programming languages'	softuni is great place for learning new programming languages
'great, learning', 'softuni is ***** place for ***** new programming languages'	softuni is great place for learning new programming languages

18. Modern Times of #(HashTag)

The input will be a **single string**.

Find all special words **starting with #**. If the found special word does not consist only of letters, then it is invalid and should not be printed.

Finally, print out all the special words you found without the label (**#**) on a new line.

Example

Input	Output
'Nowadays everyone uses # to tag a #special word in #socialMedia'	special socialMedia
'The symbol # is known #variously in English-speaking #regions as the #number sign'	variously regions number

19. String Substring

The input will be given as **two** separated strings (a **word** as a first parameter and a **text** as a second).

Write a function that checks given text for containing a given word. The comparison should be **case insensitive**. Once you find a match, **print** the word and **stop** the program.

If you don't find the word print: "{word} not found!"

Example

Input	Output
'javascript', 'JavaScript is the best programming language'	javascript
'python', 'JavaScript is the best programming language'	python not found!

20. Pascal-Case Splitter

You will receive a **single string**.

This string is written in **PascalCase** format. Your task here is to split this string by **every word** in it.

Print them joined by **comma** and **space**.

Examples

Input	Output
'SplitMeIfYouCanHaHaYouCantOrYouCan'	Split, Me, If, You, Can, Ha, Ha, You, Cant, Or, You, Can
'HoldTheDoor'	Hold, The, Door
'ThisIsSoAnnoyingToDo'	This, Is, So, Annoying, To, Do