





# Designing UI

Mine Çetinkaya-Rundel

@minebocek   
mine-cetinkaya-rundel   
mine@stat.duke.edu 

- Web application UI is ultimately HTML/CSS/JavaScript
- Let R users write user interfaces using a simple, familiar-looking API...
- ...but no limits for advanced users



# Interface builder functions



# tags

```
> names(tags)
 [1] "a"          "abbr"      "address"   "area"      "article"
 [6] "aside"     "audio"     "b"         "base"      "bdi"
[11] "bdo"       "blockquote" "body"      "br"        "button"
[16] "canvas"    "caption"   "cite"      "code"      "col"
[21] "colgroup"  "command"   "data"      "datalist"  "dd"
[26] "del"       "details"   "dfn"       "div"        "dl"
[31] "dt"        "em"        "embed"     "eventsource" "fieldset"
[36] "figcaption" "figure"    "footer"    "form"       "h1"
[41] "h2"        "h3"        "h4"       "h5"        "h6"
[46] "head"
[51] "i"
[56] "kbd"
[61] "link"      "mark"      "map"       "menu"      "meta"
[66] "meter"     "nav"       "noscript"  "object"    "ol"
[71] "optgroup"  "option"    "output"    "p"         "param"
[76] "pre"       "progress"  "q"         "ruby"      "rp"
[81] "rt"        "s"         "samp"      "script"    "section"
[86] "select"    "small"     "source"    "span"      "strong"
[91] "style"     "sub"       "summary"   "sup"       "table"
[96] "tbody"     "td"        "textarea"  "tfoot"     "th"
[101] "thead"    "time"      "title"     "tr"        "track"
[106] "u"        "ul"        "var"       "video"     "wbr"
```

*<i> some text </i>*

# tag → HTML

```
> tags$b("This is my first app")  
<b>This is my first app</b>
```



# Header tags

```
library(shiny)

# Define UI with tags
ui <- fluidPage(
  tags$h1("First level heading"),
  tags$h2("Second level heading"),
  tags$h3("Third level heading")
)

# Define server fn that does nothing :)
server <- function(input, output) {}

# Create the app object
shinyApp(ui = ui, server = server)
```




# Linked text

```
library(shiny)

# Define UI with tags
ui <- fluidPage(
  tags$h1("Awesome title"),
  tags$br(), # line break
  tags$a("This app is built with
Shiny.", href = "http://
shiny.rstudio.com/")
)

# Define server fn that does nothing :)
server <- function(input, output) {}

# Create the app object
shinyApp(ui = ui, server = server)
```



# Nested tags

```
library(shiny)

# Define UI with tags
ui <- fluidPage(
  tags$p("Lorem ipsum",
    tags$em("dolor"), "sit amet,",
    tags$b("consectetur"),
    "adipiscing elit.")
)

# Define server fn that does nothing :)
server <- function(input, output) {}

# Create the app object
shinyApp(ui = ui, server = server)
```





# Common tags

tags\$p(...)	→	p(...)
tags\$h1(...)		h1(...)
tags\$h2(...)		h2(...)
tags\$h3(...)		h3(...)
tags\$h4(...)		h4(...)
tags\$h5(...)		h5(...)
tags\$h6(...)		h6(...)
tags\$a(...)		a(...)
tags\$br(...)		br(...)
tags\$div(...)		div(...)
tags\$span(...)		span(...)
tags\$pre(...)		pre(...)
tags\$code(...)		code(...)
tags\$img(...)		img(...)
tags\$strong(...)		strong(...)
tags\$em(...)		em(...)
tags\$hr(...)		hr(...)

# Common tags

```
> tags$a("Anchor text")
<a>Anchor text</a>
> a("Anchor text")
<a>Anchor text</a>

> tags$br()
<br/>
> br()
<br/>

> tags$code("Monospace text")
<code>Monospace text</code>
> code("Monospace text")
<code>Monospace text</code>

> tags$h1("First level header")
<h1>First level header</h1>
> h1("First level header")
<h1>First level header</h1>
```



# HTML

```
> HTML("Hello world, <br/> and then a line break.")  
Hello world, <br/> and then a line break.
```

# Your turn

- Start with `movies-apps/movies-16.R`.
- Add some helper text to the app using tags that let your users know how to navigate the app.



5<sub>m</sub> 00<sub>s</sub>




# Tabs



# tabPanel()

```
mainPanel(  
  tabsetPanel(type = "tabs",  
    tabPanel("Plot", plotOutput("plot")),  
    tabPanel("Summary", tableOutput("summary")),  
    tabPanel("Data", DT::dataTableOutput("data")),  
    tabPanel("Reference",  
      tags$p("There data were obtained from",  
        tags$a("IMDB", href = "http://www.imdb.com/"), "and",  
        tags$a("Rotten Tomatoes", href = "https://  
www.rottentomatoes.com/"), "."),  
      tags$p("The data represent", nrow(movies), "randomly samplec  
movies released between 1972 to 2014 in the United States.")  
    )  
  )  
)
```



# tabPanel()

```
mainPanel(  
  tabsetPanel(type = "tabs",  
    tabPanel("Plot", plotOutput("plot")),  
    tabPanel("Summary", tableOutput("summary")),  
    tabPanel("Data", DT::dataTableOutput("data")),  
    tabPanel("Reference",  
      tags$p("There data were obtained from",  
        tags$a("IMDB", href = "http://www.imdb.com/"), "and",  
        tags$a("Rotten Tomatoes", href = "https://  
www.rottentomatoes.com/"), "."),  
      tags$p("The data represent", nrow(movies), "randomly sampled  
movies released between 1972 to 2014 in the United States.")  
    )  
  )  
)
```

Plot

Summary

Data

Reference

mpaa_rating	mean_as	sd_as	mean_cs	sd_cs	n	cor
G	66.625	20.656	62.250	27.939	16	0.836
NC-17	63.500	10.607	83.000	4.243	2	1.000
PG	60.418	20.110	54.491	28.503	110	0.733
PG-13	56.015	19.002	46.085	26.518	130	0.662
R	61.454	19.986	56.877	27.463	317	0.648
Unrated	70.812	14.725	74.938	16.631	16	0.105



# tabPanel()

```
mainPanel(  
  tabsetPanel(type = "tabs",  
    tabPanel("Plot", plotOutput("plot")),  
    tabPanel("Summary", tableOutput("summary")),  
    tabPanel("Data", DT::dataTableOutput("data")),  
    tabPanel("Reference",  
      tags$p("There data were obtained from",  
        tags$a("IMDB", href = "http://www.imdb.com/"), "and",  
        tags$a("Rotten Tomatoes", href = "https://  
www.rottentomatoes.com/"), "."),  
      tags$p("The data represent", nrow(movies), "randomly sampled  
movies released between 1972 to 2014 in the United States.")  
    )  
  )  
)
```

Plot

Summary

Data

Reference

Show 10 entries


Search:

title	title_type	genre	runtime	mpaa_rating	studio	t
Filly Brown	Feature Film	Drama	80	R	Indomina Media Inc.	2019
The Dish	Feature Film	Drama	101	PG-13	Warner Bros. Pictures	2014
Waiting for Guffman	Feature Film	Comedy	84	R	Sony Pictures Classics	1991
The Age of Innocence	Feature Film	Drama	139	PG	Columbia Pictures	1993
Malevolence	Feature Film	Horror	90	R	Anchor Bay Entertainment	2001
...	Feature	-	...	...	Paramount	19...






# Tabs and reactivity



# navlistPanel()

```
mainPanel(  
  navlistPanel(tabPanel("Plot", plotOutput("plot")),  
    tabPanel("Summary", tableOutput("summary"))  
    tabPanel("Data", DT::dataTableOutput("data"))  
    tabPanel("Reference",  
      tags$p("There data were obtained from",  
        tags$a("IMDB", href = "http://www.imdb.com/"), "and"  
        tags$a("Rotten Tomatoes", href = "https://  
www.rottentomatoes.com/"), "."),  
      tags$p("The data represent", nrow(movies), "randomly  
sampled movies released between 1972 to 2014 in the Unite  
States.")  
    )  
  )  
)
```



# Your turn









- Continue working on `movies-apps/movies-16.R`.
- Split the app into two tabs: one for plot and the other for data table.
- **Stretch goal:** Add another tab for summary statistics and references.

10<sub>m</sub> 00<sub>s</sub>



# shinythemes






```
library(shiny)
library(shinythemes)
```

```
ui <- fluidPage(
  themeSelector(),
  ...
)
```

# shinythemes





# Your turn

- Continue working on `movies-apps/movies-16.R`.
- Add the theme selector, browse various themes, and pick a theme and apply it.
- Don't forget to remove the selector once you're done picking a theme.



5<sub>m</sub> 00<sub>s</sub>

