



Send an SMS Message

Q Search

Send an SMS Message

Ask AI

POST https://api.servicem8.com/platform_service_sms

Important: Sending messages via this endpoint will incur SMS charges. Marketing and promotional SMS is not permitted. The **From** address of SMS messages sent via the Messaging API depends on the user's Country/Region. It may be alphanumeric or numeric, depending on the capabilities of the telecommunications system in that country. If the user has set up [Premium SMS](#) on their account, then their custom Sender ID will be used for any messages sent through the Messaging API.

Recent Requests

Log in to see full request history

TIME	STATUS	USER AGENT
Make a request to see history.		

Body Params

to string **required**

Phone number of the message recipient in E.164 format, including + prefix, country code and area code

message string **required** length ≤ 1600

Content of the SMS message. Special characters are not supported. Messages longer than 153 characters will consume multiple SMS credits.

regardingJobUUID uuid

UUID of the job that this message is regarding. This is used to link the message to the job in ServiceM8, causing the SMS to appear in the job diary. If you do not specify a job UUID, the message will not be linked to any job.

Responses

<div>200</div> Success	▼
RESPONSE BODY	
object	
errorCode integer	Integer error code (0 for success)
message string	Human-readable description of the result of the Sending operation
messageID string	Unique reference number identifying the message that was sent
submittedAt date-time	ISO 8601 formatted date at which the message was submitted
to string	Recipient of the message that was sent (phone number or email address)
<div>400</div> Error	>
<div>429</div> Too Many Requests	>

LANGUAGE

- Shell
- Node
- Ruby
- PHP
- Python

cURL Request

Examples

```
1 curl --request POST \  
2   --url https://api.servicem8.com/platform_service_sms \  
3   --header 'accept: application/json' \  
4   --header 'content-type: application/json'
```

Try It!

RESPONSE

200 - Success

Example

```
1 { "errorCode": 0, \  
2   "errorCode": 0, \  
3   "message": "OK", \  
4   "messageID": "ABC1234", \  
5   "submittedAt": "2017-02-12T15:19:21+00:00", \  
6   "to": "+61412345678" \  
7 }
```

 Updated about 9 hours ago

[← Send an Email](#)

[Document Templates →](#)

Did this page help you? [👍 Yes](#) [👎 No](#)

