
CNNP Skill -1


Roll N0: 2520090041

Name : V. Pavani


Total Packets:




Tcp:


Capturing from Wi-Fi 2
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp
No. Time Source Destination Protocol Length Info
92453 133.197148000 10.250.23.122 104.94.102.136 TCP 54 55743 → 443 [RST, ACK] Seq=828 Ack=37996 Win=0 Len=0
92454 133.197175200 10.250.23.122 104.94.102.136 TCP 54 55745 → 443 [RST, ACK] Seq=828 Ack=35438 Win=0 Len=0
92455 133.197219300 10.250.23.122 52.110.15.140 TCP 54 60667 → 443 [ACK] Seq=1223 Ack=11666 Win=131328 Len=0
92456 133.197251400 10.250.23.122 52.110.15.177 TCP 54 56802 → 443 [ACK] Seq=4932 Ack=15032 Win=131328 Len=0
92457 133.197277200 10.250.23.122 52.110.15.177 TCP 54 56803 → 443 [ACK] Seq=7194 Ack=17083 Win=131328 Len=0
92458 133.197316100 10.250.23.122 40.104.122.162 TCP 54 56804 → 443 [ACK] Seq=2729 Ack=20884 Win=130560 Len=0
92459 133.197465700 10.250.23.122 52.110.15.172 TCP 54 56805 → 443 [ACK] Seq=2780 Ack=12182 Win=131328 Len=0
92598 133.273171400 10.250.23.122 149.154.170.200 TLSv1.2 178 Application Data
92665 133.292814800 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55740 [FIN, ACK] Seq=37500 Ack=828 Win=64128 Len=0
92666 133.292815100 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55736 [FIN, ACK] Seq=38361 Ack=828 Win=64128 Len=0
92667 133.292815400 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55738 [FIN, ACK] Seq=40174 Ack=828 Win=64128 Len=0
92668 133.292815700 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55734 [FIN, ACK] Seq=38008 Ack=828 Win=64128 Len=0
92669 133.292816000 23.63.84.225 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 52538 [FIN, ACK] Seq=17046 Ack=1944 Win=66432 Len=0
92670 133.292816300 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55742 [FIN, ACK] Seq=42084 Ack=828 Win=64128 Len=0
92671 133.292816600 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55739 [FIN, ACK] Seq=37549 Ack=828 Win=64128 Len=0
92672 133.292816900 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55741 [FIN, ACK] Seq=38088 Ack=828 Win=64128 Len=0
92673 133.292817200 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55744 [FIN, ACK] Seq=39364 Ack=828 Win=64128 Len=0
92674 133.292817500 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55737 [FIN, ACK] Seq=38115 Ack=828 Win=64128 Len=0
92675 133.292817800 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55735 [FIN, ACK] Seq=52983 Ack=828 Win=64128 Len=0
92676 133.292818100 104.94.102.136 10.250.23.122 TCP 60 [TCP Retransmission] 443 → 55743 [FIN, ACK] Seq=37996 Ack=828 Win=64128 Len=0
Frame 206: Packet, 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{
Ethernet II, Src: LiteonTechno_78:36:e5 (74:4c:a1:78:36:e5), Dst: HewlettPacka_52:c1:00 (4c:d5:87:52:c1:
Internet Protocol Version 4, Src: 10.250.23.122, Dst: 142.251.154.7
Transmission Control Protocol, Src Port: 55233, Dst Port: 443, Seq: 1, Ack: 1, Len: 1
0000 4c d5 87 52 c1 00 74 4c a1 78 36 e5 08 00 45 00
0010 00 29 e8 55 40 00 80 06 c7 02 0a fa 17 7a 8e fb
0020 9a 07 d7 c1 01 bb 82 a3 48 a2 e4 36 75 7e 50 10
0030 01 fd 63 e8 00 00 00
Transmission Control Protocol: Protocol
Packets: 102528 · Displayed: 2276 (2.2%)
Profile: Default


Tcp.len>3:


Capturing from Wi-Fi 2
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp.len>3
No. Time Source Destination Protocol Length Info
1165 1.457587200 10.250.23.122 149.154.170.200 TLSv1.2 178 Application Data
1235 1.569212800 149.154.170.200 10.250.23.122 TLSv1.2 174 Application Data
3295 4.586707300 10.250.23.122 149.154.170.200 TLSv1.2 178 Application Data
3321 4.686281100 149.154.170.200 10.250.23.122 TLSv1.2 174 Application Data
5131 7.646628200 10.250.23.122 172.67.221.124 TCP 1454 52526 → 443 [ACK] Seq=1 Ack=1 Win=131584 Len=1400 [TCP PDU reassembled in 5132]
5132 7.646628200 10.250.23.122 172.67.221.124 TLSv1.3 581 Client Hello (SNI=bitcoinexplorer.org)
5133 7.647369800 10.250.23.122 104.16.118.55 TCP 1454 60663 → 443 [ACK] Seq=1 Ack=1 Win=131584 Len=1400 [TCP PDU reassembled in 5134]
5134 7.647369800 10.250.23.122 104.16.118.55 TLSv1.3 609 Client Hello (SNI=blockchain.info)
5171 7.703663500 10.250.23.122 149.154.170.200 TLSv1.2 178 Application Data
5198 7.715962100 10.250.23.122 104.16.118.55 TCP 1454 [TCP Retransmission] 60663 → 443 [PSH, ACK] Seq=556 Ack=1 Win=131584 Len=1400 [TCP PDU reassembled in 5134]
5199 7.716020800 10.250.23.122 172.67.221.124 TCP 1454 [TCP Retransmission] 52526 → 443 [PSH, ACK] Seq=528 Ack=1 Win=131584 Len=1400 [TCP PDU reassembled in 5132]
5235 7.752978800 104.16.118.55 10.250.23.122 TLSv1.3 1514 Server Hello, Change Cipher Spec
5236 7.752989400 104.16.118.55 10.250.23.122 TCP 2974 443 → 60663 [ACK] Seq=1461 Ack=1956 Win=131072 Len=2920 [TCP PDU reassembled in 5237]
5237 7.752992300 104.16.118.55 10.250.23.122 TLSv1.3 664 Application Data
5238 7.752992900 172.67.221.124 10.250.23.122 TLSv1.3 1514 Server Hello, Change Cipher Spec
5239 7.752993700 104.16.118.55 10.250.23.122 TCP 664 [TCP Retransmission] 443 → 60663 [PSH, ACK] Seq=4381 Ack=1956 Win=131072 Len=610 [TCP PDU reassembled in 5237]
5242 7.754581600 10.250.23.122 104.16.118.55 TLSv1.3 118 Change Cipher Spec, Application Data
5243 7.754811200 10.250.23.122 104.16.118.55 TLSv1.3 146 Application Data
5244 7.755052000 10.250.23.122 104.16.118.55 TLSv1.3 348 Application Data
5245 7.758155600 172.67.221.124 10.250.23.122 TCP 1514 443 → 52526 [ACK] Seq=1461 Ack=1928 Win=131072 Len=1460 [TCP PDU reassembled in 5246]
Frame 1165: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits) on interface \Device\N
Ethernet II, Src: LiteonTechno_78:36:e5 (74:4c:a1:78:36:e5), Dst: HewlettPacka_52:c1:00 (4c:d5:87:52:c1:
Internet Protocol Version 4, Src: 10.250.23.122, Dst: 149.154.170.200
Transmission Control Protocol, Src Port: 62101, Dst Port: 443, Seq: 1, Ack: 1, Len: 124
Transport Layer Security
0000 4c d5 87 52 c1 00 74 4c a1 78 36 e5 08 00 45 00
0010 00 a4 57 ab 40 00 80 06 3f d2 0a fa 17 7a 95 9a
0020 aa c8 f2 95 01 bb 93 87 52 be c8 f2 34 a8 50 18
0030 08 01 40 23 00 00 17 03 03 00 77 00 00 00 00 00
0040 00 00 b2 cb 10 4a 41 d5 ec c7 66 6c 9c 68 4a 64
0050 53 c4 ff b3 6a 31 bd 8e 2e 32 69 0b e6 68 8a 3f
0060 a2 bc 8b 3b 77 35 9c 1a 61 c1 45 dd 6a ce db ec
0070 39 9e fe a1 4e 5e ea 27 a9 eb 2f cd 71 56 81 87
0080 d7 27 2a a5 d9 96 c8 52 8f 00 55 96 1e 72 66 8f
0090 1d a2 d2 c9 8d e9 8c a5 10 f7 ee 22 52 5b b7 69
00a0 9a fc b9 40 15 63 a6 be 07 6c 38 0a 7f 91 49 03
00b0 32 83
wireshark_Wi-Fi 2X4WEY3.pcapng
Packets: 137108 · Displayed: 1407 (1.0%)
Profile: Default


Eth:


Capturing from Wi-Fi 2
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
eth
No. Time Source Destination Protocol Length Info
1155 1.454501600 Intel_d3:81:b4 Broadcast ARP 56 Who has 10.250.4.38? Tell 10.250.9.224
1156 1.454522900 10.250.1.67 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(18)._spotify-connect._tcp.local SRV 0 0 59056 lahari.local TXT A 10.250.1
1157 1.454764700 10.250.9.131 224.0.0.251 MDNS 345 Standard query response 0x0000 PTR Spotify Desktop Launcher(32)._spotify-connect._tcp.local SRV 0 0 63389 Susheel_Chandu.local TXT A
1158 1.455541500 fe80::cec:8072:3a86… ff02::fb MDNS 145 Standard query 0x0000 TXT EPSON M2170 Series._ipps._tcp.local, "QU" question TXT EPSON M2170 Series._ipp._tcp.local, "QU" question
1159 1.455838900 Intel_ee:1c:5e Broadcast ARP 56 Who has 10.250.11.85? Tell 10.250.8.80
1160 1.455861800 10.250.24.89 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(20)._spotify-connect._tcp.local SRV 0 0 56141 shainu.local TXT A 10.250.2
1161 1.456129200 10.250.7.154 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(8)._spotify-connect._tcp.local SRV 0 0 61658 PANTHER.local TXT A 10.250.7
1162 1.456352200 10.250.22.250 224.0.0.251 MDNS 348 Standard query response 0x0000 PTR Spotify Desktop Launcher(10)._spotify-connect._tcp.local SRV 0 0 59861 LAPTOP-66N72S87.local TXT A
1163 1.456575500 Intel_fc:d5:d2 Broadcast ARP 56 Who has 10.250.10.212? Tell 10.250.11.235
1164 1.456594900 AzureWaveTec_36:5b:… Broadcast ARP 56 Who has 10.250.6.118? Tell 10.250.8.178
1165 1.457587200 10.250.23.122 149.154.170.200 TLSv1.2 178 Application Data
1166 1.458022600 Intel_8a:76:fe Broadcast ARP 56 Who has 10.250.23.43? Tell 10.250.3.6
1167 1.458049500 10.250.20.104 224.0.0.251 MDNS 333 Standard query response 0x0000 PTR Spotify Desktop Launcher(6)._spotify-connect._tcp.local SRV 0 0 59584 LAPTOP-H4K52LEO.local TXT A
1168 1.458376100 10.250.9.150 224.0.0.251 MDNS 322 Standard query response 0x0000 PTR Spotify Desktop Launcher(3)._spotify-connect._tcp.local SRV 0 0 57683 MANJITH.local TXT A 10.250.9
1169 1.458609600 Intel_b7:24:f1 Broadcast ARP 56 Who has 10.250.7.194? Tell 10.250.8.104
1170 1.458628400 10.250.29.97 224.0.0.251 MDNS 319 Standard query response 0x0000 PTR Spotify Desktop Launcher(2)._spotify-connect._tcp.local SRV 0 0 57126 Saharsha.local TXT A 10.250.
1171 1.458849000 10.250.4.148 224.0.0.251 MDNS 335 Standard query response 0x0000 PTR Spotify Desktop Launcher(15)._spotify-connect._tcp.local SRV 0 0 50294 LAPTOP-L0DKC7D8.local TXT A
1172 1.459064500 fe80::a8e9:d6be:571… ff02::fb MDNS 355 Standard query response 0x0000 PTR Spotify Desktop Launcher(15)._spotify-connect._tcp.local SRV 0 0 50294 LAPTOP-L0DKC7D8.local TXT A
1173 1.460344500 10.250.23.188 224.0.0.251 MDNS 346 Standard query response 0x0000 PTR Spotify Desktop Launcher(7)._spotify-connect._tcp.local SRV 0 0 55041 LAPTOP-UCAF2JDR.local TXT A
1174 1.460621800 10.250.6.15 224.0.0.251 MDNS 346 Standard query response 0x0000 PTR Spotify Desktop Launcher(4)._spotify-connect._tcp.local SRV 0 0 55528 LAPTOP-ID6HRUD0.local TXT A
Frame 1165: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits) on interface \Device\N
Ethernet II, Src: LiteonTechno_78:36:e5 (74:4c:a1:78:36:e5), Dst: HewlettPacka_52:c1:00 (4c:d5:87:52:c1:
Internet Protocol Version 4, Src: 10.250.23.122, Dst: 149.154.170.200
Transmission Control Protocol, Src Port: 62101, Dst Port: 443, Seq: 1, Ack: 1, Len: 124
Transport Layer Security
Ethernet: Protocol
Packets: 155584 · Displayed: 155584 (100.0%)
Profile: Default

Udp:


Capturing from Wi-Fi 2
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
udp
No. Time Source Destination Protocol Length Info
1150 1.453199000 10.250.10.240 224.0.0.251 MDNS 96 Standard query 0x0000 TXT EPSON M2170 Series._uscan._tcp.local, "QM" question
1151 1.453494100 fe80::e243:98f0:bca… ff02::fb MDNS 116 Standard query 0x0000 TXT EPSON M2170 Series._uscan._tcp.local, "QM" question
1152 1.453768900 fe80::e243:98f0:bca… ff02::fb MDNS 117 Standard query 0x0000 TXT EPSON M2170 Series._uscans._tcp.local, "QM" question
1153 1.454001800 10.250.10.240 224.0.0.251 MDNS 97 Standard query 0x0000 TXT EPSON M2170 Series._uscans._tcp.local, "QM" question
1154 1.454258800 fe80::1ccc:bb19:9c4… ff02::fb MDNS 161 Standard query 0x0000 TXT Nivrithi's MacBook Air._companion-link._tcp.local, "QM" question TXT Subhash's MacBook Pro._companion-link.
1156 1.454522900 10.250.1.67 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(18)._spotify-connect._tcp.local SRV 0 0 59056 lahari.local TXT A 10.250.1
1157 1.454764700 10.250.9.131 224.0.0.251 MDNS 345 Standard query response 0x0000 PTR Spotify Desktop Launcher(32)._spotify-connect._tcp.local SRV 0 0 63389 Susheel_Chandu.local TXT A
1158 1.455541500 fe80::cec:8072:3a86… ff02::fb MDNS 145 Standard query 0x0000 TXT EPSON M2170 Series._ipps._tcp.local, "QU" question TXT EPSON M2170 Series._ipp._tcp.local, "QU" question
1160 1.455861800 10.250.24.89 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(20)._spotify-connect._tcp.local SRV 0 0 56141 shainu.local TXT A 10.250.2
1161 1.456129200 10.250.7.154 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(8)._spotify-connect._tcp.local SRV 0 0 61658 PANTHER.local TXT A 10.250.7
1162 1.456352200 10.250.22.250 224.0.0.251 MDNS 348 Standard query response 0x0000 PTR Spotify Desktop Launcher(10)._spotify-connect._tcp.local SRV 0 0 59861 LAPTOP-66N72S87.local TXT A
1167 1.458049500 10.250.20.104 224.0.0.251 MDNS 333 Standard query response 0x0000 PTR Spotify Desktop Launcher(6)._spotify-connect._tcp.local SRV 0 0 59584 LAPTOP-H4K52LEO.local TXT A
1168 1.458376100 10.250.9.150 224.0.0.251 MDNS 322 Standard query response 0x0000 PTR Spotify Desktop Launcher(3)._spotify-connect._tcp.local SRV 0 0 57683 MANJITH.local TXT A 10.250.9
1170 1.458628400 10.250.29.97 224.0.0.251 MDNS 319 Standard query response 0x0000 PTR Spotify Desktop Launcher(2)._spotify-connect._tcp.local SRV 0 0 57126 Saharsha.local TXT A 10.250.
1171 1.458849000 10.250.4.148 224.0.0.251 MDNS 335 Standard query response 0x0000 PTR Spotify Desktop Launcher(15)._spotify-connect._tcp.local SRV 0 0 50294 LAPTOP-L0DKC7D8.local TXT A
1172 1.459064500 fe80::a8e9:d6be:571… ff02::fb MDNS 355 Standard query response 0x0000 PTR Spotify Desktop Launcher(15)._spotify-connect._tcp.local SRV 0 0 50294 LAPTOP-L0DKC7D8.local TXT A
1173 1.460344500 10.250.23.188 224.0.0.251 MDNS 346 Standard query response 0x0000 PTR Spotify Desktop Launcher(7)._spotify-connect._tcp.local SRV 0 0 55041 LAPTOP-UCAF2JDR.local TXT A
1174 1.460621800 10.250.6.15 224.0.0.251 MDNS 346 Standard query response 0x0000 PTR Spotify Desktop Launcher(4)._spotify-connect._tcp.local SRV 0 0 55528 LAPTOP-ID6HRUD0.local TXT A
1177 1.462465800 10.250.30.43 239.255.255.250 SSDP 212 M-SEARCH * HTTP/1.1
1178 1.462581900 10.250.27.193 224.0.0.251 MDNS 333 Standard query response 0x0000 PTR Spotify Desktop Launcher(9)._spotify-connect._tcp.local SRV 0 0 51887 LAPTOP-G68M8INC.local TXT A
Frame 1162: Packet, 348 bytes on wire (2784 bits), 348 bytes captured (2784 bits) on interface \Device\N
Ethernet II, Src: AzureWaveTec_be:b1:08 (50:bb:b5:be:b1:08), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
Internet Protocol Version 4, Src: 10.250.22.250, Dst: 224.0.0.251
User Datagram Protocol, Src Port: 5353, Dst Port: 5353
Multicast Domain Name System (response)
User Datagram Protocol: Protocol
Packets: 175190 · Displayed: 109955 (62.8%)
Profile: Default

ip:


Capturing from Wi-Fi 2
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip
No. Time Source Destination Protocol Length Info
1142 1.451179700 10.250.12.255 224.0.0.251 MDNS 333 Standard query response 0x0000 PTR Spotify Desktop Launcher(6)._spotify-connect._tcp.local SRV 0 0 62729 LAPTOP-SJC9SN9I.local TXT A
1144 1.451550900 10.250.11.18 224.0.0.251 MDNS 325 Standard query response 0x0000 PTR Spotify Desktop Launcher(23)._spotify-connect._tcp.local SRV 0 0 57882 MaheshBabu.local TXT A 10.2
1147 1.452100900 10.250.10.233 224.0.0.251 MDNS 141 Standard query 0x0000 TXT Nivrithi's MacBook Air._companion-link._tcp.local, "QM" question TXT Subhash's MacBook Pro._companion-link.
1149 1.452714300 10.250.10.240 224.0.0.251 MDNS 97 Standard query 0x0000 SRV EPSON M2170 Series._uscans._tcp.local, "QM" question
1150 1.453199000 10.250.10.240 224.0.0.251 MDNS 96 Standard query 0x0000 TXT EPSON M2170 Series._uscan._tcp.local, "QM" question
1153 1.454001800 10.250.10.240 224.0.0.251 MDNS 97 Standard query 0x0000 TXT EPSON M2170 Series._uscans._tcp.local, "QM" question
1156 1.454522900 10.250.1.67 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(18)._spotify-connect._tcp.local SRV 0 0 59056 lahari.local TXT A 10.250.1
1157 1.454764700 10.250.9.131 224.0.0.251 MDNS 345 Standard query response 0x0000 PTR Spotify Desktop Launcher(32)._spotify-connect._tcp.local SRV 0 0 63389 Susheel_Chandu.local TXT A
1160 1.455861800 10.250.24.89 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(20)._spotify-connect._tcp.local SRV 0 0 56141 shainu.local TXT A 10.250.2
1161 1.456129200 10.250.7.154 224.0.0.251 MDNS 317 Standard query response 0x0000 PTR Spotify Desktop Launcher(8)._spotify-connect._tcp.local SRV 0 0 61658 PANTHER.local TXT A 10.250.7
1162 1.456352200 10.250.22.250 224.0.0.251 MDNS 348 Standard query response 0x0000 PTR Spotify Desktop Launcher(10)._spotify-connect._tcp.local SRV 0 0 59861 LAPTOP-66N72S87.local TXT A
1165 1.457587200 10.250.23.122 149.154.170.200 TLSv1.2 178 Application Data
1167 1.458049500 10.250.20.104 224.0.0.251 MDNS 333 Standard query response 0x0000 PTR Spotify Desktop Launcher(6)._spotify-connect._tcp.local SRV 0 0 59584 LAPTOP-H4K52LEO.local TXT A
1168 1.458376100 10.250.9.150 224.0.0.251 MDNS 322 Standard query response 0x0000 PTR Spotify Desktop Launcher(3)._spotify-connect._tcp.local SRV 0 0 57683 MANJITH.local TXT A 10.250.9
1170 1.458628400 10.250.29.97 224.0.0.251 MDNS 319 Standard query response 0x0000 PTR Spotify Desktop Launcher(2)._spotify-connect._tcp.local SRV 0 0 57126 Saharsha.local TXT A 10.250.
1171 1.458849000 10.250.4.148 224.0.0.251 MDNS 335 Standard query response 0x0000 PTR Spotify Desktop Launcher(15)._spotify-connect._tcp.local SRV 0 0 50294 LAPTOP-L0DKC7D8.local TXT A
1173 1.460344500 10.250.23.188 224.0.0.251 MDNS 346 Standard query response 0x0000 PTR Spotify Desktop Launcher(7)._spotify-connect._tcp.local SRV 0 0 55041 LAPTOP-UCAF2JDR.local TXT A
1174 1.460621800 10.250.6.15 224.0.0.251 MDNS 346 Standard query response 0x0000 PTR Spotify Desktop Launcher(4)._spotify-connect._tcp.local SRV 0 0 55528 LAPTOP-ID6HRUD0.local TXT A
1177 1.462465800 10.250.30.43 239.255.255.250 SSDP 212 M-SEARCH * HTTP/1.1
1178 1.462581900 10.250.27.193 224.0.0.251 MDNS 333 Standard query response 0x0000 PTR Spotify Desktop Launcher(9)._spotify-connect._tcp.local SRV 0 0 51887 LAPTOP-G68M8INC.local TXT A
Frame 1162: Packet, 348 bytes on wire (2784 bits), 348 bytes captured (2784 bits) on interface \Device\
Ethernet II, Src: AzureWaveTec_be:b1:08 (50:bb:b5:be:b1:08), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
Internet Protocol Version 4, Src: 10.250.22.250, Dst: 224.0.0.251
User Datagram Protocol, Src Port: 5353, Dst Port: 5353
Multicast Domain Name System (response)
0000 01 00 5e 00 00 fb 50 bb b5 be b1 08 08 00 45 00
0010 01 4e 1f 6d 00 00 01 11 96 43 0a fa 16 fa e0 00
0020 00 fb 14 e9 14 e9 01 3a fc b4 00 00 84 00 00 00
0030 00 01 00 00 00 04 10 5f 73 70 6f 74 69 66 79 2d
0040 63 6f 6e 6e 65 63 74 04 5f 74 63 70 05 6c 6f 63
0050 61 6c 00 00 0c 00 01 00 00 11 94 00 3a 1c 53 70
0060 6f 74 69 66 79 20 44 65 73 6b 74 6f 70 20 4c 61
0070 75 6e 63 68 65 72 28 31 30 29 10 5f 73 70 6f 74
0080 69 66 79 2d 63 6f 6e 6e 65 63 74 04 5f 74 63 70
0090 05 6c 6f 63 61 6c 00 1c 53 70 6f 74 69 66 79 20
00a0 44 65 73 6b 74 6f 70 20 4c 61 75 6e 63 68 65 72
00b0 28 31 30 29 10 5f 73 70 6f 74 69 66 79 2d 63 6f
00c0 6e 6e 65 63 74 04 5f 74 63 70 05 6c 6f 63 61 6c
00d0 00 00 21 00 01 00 00 00 78 00 1d 00 00 00 00 e9
00e0 d5 0f 4c 41 50 54 4f 50 2d 36 36 4e 37 32 53 38
00f0 37 05 6c 6f 63 61 6c 00 c0 6d 00 10 00 01 00 00
0100 11 94 00 0a 09 43 50 61 74 68 3d 2f 7a 63 0f 4c
0110 41 50 54 4f 50 2d 36 36 4e 37 32 53 38 37 05 6c
0120 6f 63 61 6c 00 00 01 00 01 00 00 00 3c 00 04 0a
0130 fa 16 fa c0 e4 00 2f 00 01 00 00 00 3c 00 1d 0f
0140 4c 41 50 54 4f 50 2d 36 36 4e 37 32 53 38 37 05
0150 6c 6f 63 61 6c 00 00 04 00 00 00 08
Ethernet (eth), 14 bytes
Packets: 201779 · Displayed: 83088 (41.2%)
Profile: Default