Analysis report for sample: 05d05ab086b7dbb639c97387ba759702

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 3956 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 05d05ab086b7dbb639c97387ba759702

AV detections

- Microsoft: PWS:Win32/Primarypass.A
- Kaspersky: Backdoor.Win32.Androm.negd
- Symantec: Trojan.Gen.2
- Malwarebytes:

Original source url

•

Virustotal url

- https://virustotal.com/es/file/fc9187fa12bbadac7febf68e98cc059a098148c081b236f58ed2b01ec19f2b9c/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])
- Armadillo_v171 ()
- Microsoft_Visual_Cpp_v60 ()
- Microsoft_Visual_Cpp_v50v60_MFC_additional ()
- Microsoft_Visual_Cpp_50 ()
- Armadillo_v171_additional ()
- Armadillo_v4x ()
- Microsoft_Visual_Cpp ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)

- win_registry (Affect system registries)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- win_hook (Affect hook table)
- without_urls (Rule to detect the no presence of any url)

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Start
11:31 AM
Monday
6/12/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cmd.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe

- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name UI0Detect.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\cmd.exe PID: P1, Command line: C:\\Windows\\system32\\cmd.exe /c echo on error resume next:CreateObject("WScript.Shell").Run "C:\\Users\\javi\\Downloads\\cebo.exe",1: >"C:\\Users\\javi\\AppData\\Roaming\\Microsoft\\Windows\\Start Menu\\Programs\\Startup\\x.vbs")

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: .ms-*nl
- url | valid domains | tlds: ChildF.me<\\Prog
- url | valid domains | tlds: i.iN>
- url | valid domains | tlds: e.Sa
- url | valid domains | tlds: 5.vI
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetNetworkParams
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware:)b!?Send
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: CreateThread
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- registry: SOFTWARE\\Microsoft\\Cryptography
- api | wininet: InternetOpenA
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | ws2_32: WSAIoctl
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect

- api | kernel32: LoadLibraryA
- api | kernel32: GetLastError
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress
- api | user32: UnregisterClassA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: RegCreateKeyW
- api | user32: PostThreadMessageA
- api | user32: RegisterClipboardFormatA
- api | user32: CharUpperA
- api | user32: MessageBeep
- api | user32: GetNextDlgGroupItem
- api | user32: SetRect
- api | user32: CopyAcceleratorTableA
- api | user32: CharNextA
- api | user32: GetSysColorBrush
- api | user32: GetDesktopWindow
- api | user32: PtInRect
- api | user32: GetClassNameA
- api | user32: GrayStringA
- api | user32: DrawTextA
- api | user32: TabbedTextOutA
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetWindowDC
- api | user32: ClientToScreen
- api | user32: DestroyMenu
- api | user32: LoadStringA
- api | user32: MapDialogRect
- api | user32: SetWindowContextHelpId
- api | user32: ReleaseDC
- api | user32: GetMessageA
- api | user32: ValidateRect
- api | user32: SetCursor
- api | user32: PostQuitMessage
- api | user32: ShowWindow
- api | user32: MoveWindow
- api | user32: SetWindowTextA
- api | user32: IsDialogMessageA
- api | user32: GetMenuCheckMarkDimensions
- api | user32: LoadBitmapA
- api | user32: GetMenuState

- api | user32: ModifyMenuA
- api | user32: SetMenuItemBitmaps
- api | user32: CheckMenuItem
- api | user32: EnableMenuItem
- api | user32: PostMessageA
- api | user32: UpdateWindow
- api | user32: SendDlgItemMessageA
- api | user32: MapWindowPoints
- api | user32: GetSysColor
- api | user32: DispatchMessageA
- api | user32: GetFocus
- api | user32: SetFocus
- api | user32: AdjustWindowRectEx
- api | user32: CopyRect
- api | user32: IsWindowVisible
- api | user32: GetTopWindow
- api | user32: MessageBoxA
- api | user32: IsChild
- api | user32: GetCapture
- api | user32: WinHelpA
- api | user32: wsprintfA
- api | user32: GetClassInfoA
- api | user32: RegisterClassA
- api | user32: GetMenuItemCount
- api | user32: GetSubMenu
- api | user32: GetMenuItemID
- api | user32: GetWindowTextLengthA
- api | user32: GetWindowTextA
- api | user32: GetDlgCtrlID
- api | user32: CreateWindowExA
- api | user32: SetWindowsHookExA
- api | user32: GetClassLongA
- api | user32: SetPropA
- api | user32: UnhookWindowsHookEx
- api | user32: GetPropA
- api | user32: CallWindowProcA
- api | user32: RemovePropA
- api | user32: DefWindowProcA
- api | user32: GetMessageTime
- api | user32: GetLastActivePopup
- api | user32: GetWindow
- api | user32: SetWindowLongA
- api | user32: SetWindowPos
- api | user32: RegisterWindowMessageA
- api | user32: OffsetRect
- api | user32: SystemParametersInfoA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetNextDlgTabItem
- api | user32: EndDialog
- api | user32: GetActiveWindow
- api | user32: SetActiveWindow
- api | user32: IsWindow
- api | user32: CreateDialogIndirectParamA
- api | user32: DestroyWindow
- api | user32: GetParent
- api | user32: GetWindowLongA

- api | user32: GetDlgItem
- api | user32: IsWindowEnabled
- api | user32: UnregisterHotKey
- api | user32: IsIconic
- api | user32: GetSystemMetrics
- api | user32: GetClientRect
- api | user32: DrawIcon
- api | user32: GetSystemMenu
- api | user32: AppendMenuA
- api | user32: LoadIconA
- api | user32: FindWindowW
- api | user32: GetCursorPos
- api | user32: RegisterClassW
- api | user32: LoadCursorA
- api | user32: SetCaretPos
- api | user32: SetForegroundWindow
- api | user32: GetClipboardOwner
- api | user32: PeekMessageA
- api | user32: EnableWindow
- api | user32: SendMessageA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: SetStdHandle
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: IsBadWritePtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetACP
- api | kernel32: GetLocalTime
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: RtlUnwind
- api | kernel32: GetFileTime
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetVolumeInformationA
- api | kernel32: FindFirstFileA

- api | kernel32: FindClose
- api | kernel32: UnlockFile
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: GetCurrentProcess
- api | kernel32: DuplicateHandle
- api | kernel32: SetErrorMode
- api | kernel32: GetThreadLocale
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetOEMCP
- api | kernel32: GetCPInfo
- api | kernel32: GetProcessVersion
- api | kernel32: TlsGetValue
- api | kernel32: LocalReAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GlobalReAlloc
- api | kernel32: TlsFree
- api | kernel32: GlobalHandle
- api | kernel32: TlsAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: LocalAlloc
- api | kernel32: GlobalFlags
- api | kernel32: lstrcpynA
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: MulDiv
- api | kernel32: GetModuleFileNameA
- api | kernel32: GlobalAlloc
- api | kernel32: lstrcmpA
- api | kernel32: GetCurrentThread
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenA
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: FreeLibrary
- api | kernel32: lstrcatA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GlobalGetAtomNameA
- api | kernel32: lstrcmpiA
- api | kernel32: GlobalFindAtomA
- api | kernel32: lstrcpyA
- api | kernel32: GetModuleHandleA
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalFree
- api | kernel32: LockResource
- api | kernel32: FindResourceA
- api | kernel32: TerminateThread
- api | kernel32: GlobalAddAtomA
- api | kernel32: GetSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection

- api | kernel32: DeleteCriticalSection
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetTimeFormatA
- api | kernel32: SetEndOfFile
- api | kernel32: GetCommState
- api | kernel32: WaitForSingleObject
- api | kernel32: DeleteFileA
- api | kernel32: SetEvent
- api | ntdll: atan
- api | ntdll: sqrt
- api | ntdll: ceil
- api | ntdll: floor
- api | ntdll: fabs
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoA

Involved hosts

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cmd.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\cmd.exe PID: P1, Command line: C:\\Windows\\system32\\cmd.exe /c echo on error resume next:CreateObject("WScript.Shell").Run "C:\\Users\\javi\\Downloads\\cebo.exe",1: >"C:\\Users\\javi\\AppData\\Roaming\\Microsoft\\Windows\\Start Menu\\Programs\\Startup\\x.vbs")
- **Thread T2 (in process P1, cmd.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e5300000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee50003000000000000000040000000978950001000000000001004f0000000978930011000000b59ee1007b000000b59ede00

• Module 1 yara matches

• suspicious_packer_section (The packer/protector section names/keywords)
• UPX ()
• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• Str_Win32_Internet_API (Match Windows Inet API call)
• with_sqlite (Rule to detect the presence of SQLite data in raw image)
• Microsoft_Visual_Cpp_v50v60_MFC ()
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• UPXv20MarkusLaszloReiser ()
• UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
• DebuggerCheck__QueryInfo ()
• network_dns (Communications use DNS)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• with_urls (Rule to detect the presence of an or several urls)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)
• CRC32_table (Look for CRC32 table)
• CRC32_poly_Constant (Look for CRC32 [poly])

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
• url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
• url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
• url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
• url | valid domains | tlds: .ms-*nl
• url | valid domains | tlds: ChildF.me<\\Prog
• url | valid domains | tlds: i.iN>
• url | valid domains | tlds: e.Sa
• api | frequently used by malware: GetNetworkParams
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware:)b!?Send
• api | frequently used by malware: CoCreateInstance

- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetOpenA
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | kernel32: GetLastError
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

• Module 1 other strings

- .exe
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt

- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- *.ini
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port
- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH

- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat

- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s

- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch
- Titan Browser
- Chromium
- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open
- ShellExecuteA
- time
- WS2_32.dll
- WININET.dll
- SHELL32.dll
- OLEAUT32.dll
- MFC42.DLL

- iphlpapi.dll
- KERNEL32.DLL
- 3UW.w
- gnI7
- SAIo
- ERf;Q
- 4iUReque^H
- +fdiv7
- S\\MO
- C3l
- i6D"
- 0kPV
- ed{ch
- ModuHandl!O
- \\)9Y
- 7Info
- q<us
- Un;K6kk
- ~4riCM
- Librarr
- Termin
- V;tualAll~
- (TickCoHa
- ElAg;f
- 8ca55
-]1\t9e
- 96 |
- roK
- 6{Y)
- 5Qb1k;m
- B%skE
- aq
- i;q;
- tUih
- I 9}<s7f
- nQma
- 7Xhwc=-=a
- g;7
- a=g;l1o
- /62kMc
- pwa0
- V@6"
- 30+du
- | CO
- +D/DESCRIPTION\\SW
- OFTWARE\\Mi.
- n+|SoftzO\\
- lmH6
- {.U*
- wordZ
- ~gif,
- "y1)
- j/Z7
- -Ag=:
- AccX
- 7_0K
- iPadqCPU

- 9274'
- SS15Q
- /5Sa
- GT-I9
- mfAu9
- 3F+ps
- &7.36[m
- gE*){
- 2A6C
- s+0727)K8
- g5SV
- afei-[
- kekax,
- 3n253
- OS X :_8)V
- osh?
- JKMac
- WOWu
- 26'J3
- MSIE 9
- efox/
- aecko]
- rv:16#)
- ux x86_64
- X13Ubu
- s#{.67
- mZ+Aw
- /yse41/s,)o
- ouelp.y
- Yahoo! Slurp
- /5u (%7m
- M*Mo
- /web
- ainM
- l$aGx
- */*; q011l
- avascr.t
- ? gzip?1.0*w
- k\t9v53cn
- en-UK;q=0.8,
- about:blank
- pd4
- \\7\t.
- es\\InFrMt Ex
- CMy1D
- tions+
- z{-Gener
- Local A
- yVal
- o3eg00
- Form%Ava
- %GOpen$o
- D$aYEmpty
- ipboard!
- a#InputSt
- read
- :ITh

- KicTimer9
- MessageA
- Post
- Enabld
- `1pdateWindowws;t
- Xqs3
- pok.
- $p`@2
- ADVAPI
- SER32.dll
- T>T8T2T
- W01'
- 1`1\\T
- 13 1
- .htm0ep($
- 4M82,&
- 60*$M
- 4TNH
- ~Lu;
- {41bw
- ;x4u v
- <88-9
- 3,kE
- >"u:F
- "n]EC
- 48<@
- $(,0
- 8DHL
- (,04
- Kj`0
- e[2H
- 9h"&
- qud`9
- SkO`
- 02vSn
- ./0123
- B0Fa.
- a,sQk
- uvHH0J-
- d-bi`
- 9z{O
- G&9F
-)[8EG
- =RFI
- d3cf{
- =e5k
- 0ntNE
- tDHu~
- Y4`*&
- i2~W<
- \\b9UVW
- <17v
- JXe+
- un\tut
- d{oJ
- 4>R
- V8H<

- 4(Lh
- D(L5x2
- #4d_
- 0~d2!'
- %u$Vd
- ph4D
- jX1{
- qPmi
- dBf1`ceR^,
- P\\ou#K
- 8WP`
- faw!^
- 3 @B
- MeB0
- -tV5
- SD'8
- pB2,
- H|%I
- SF]8Gx0B
-]0jt
- t3Yi
- <+.u
- V}E+e
- b9Vt'
- $t8X
- 4TL
- 5GB-
- 0(d$
- ;H3r
- QWC2^
- 3VrZI"n
- A!#S
- UPX!
- 3.91
- UPX1
- UPX0
- !This program cannot be run in DOS mode.
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
-]q"4
- 64723
- 1?0`
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName

- Port
- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA
- 09] t
- YF;u
- YY9u

- jeXf
- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU
- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]
- u@h(mA
- 4^_S
- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf
- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf
- Xj1f
- Xjaf
- Xjef

- [jif
- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh
- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA
- hpiA
- u.hpiA
- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j
- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf
- Xjif
- Xjaf
- Xjif

- Xjaf
- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf
- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf
- Yjaf
- ^jif
- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jlf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf
- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA
- Yh(mA
- Xjif
- Xjaf

- Xjuf
- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA
- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA
- T$@E
- L$x3
- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho
- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA
- uo9E
- hXZA
- Y[_3

- h,dA
- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA
- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3
- PhPYA
- hPZA
- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu
- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh
- uiSShx
- SWh0QA
- SWW3

- tUSW3
- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T
- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj
- teV3
- GYYNu
- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1
- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E
- SVW3
- ufSW
- j3Xf

- j2[f
- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf
- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+
- L$0PQ
- L$09N
- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9I$D}G
- L$(UQ
- v89I$D|0
- D$8=
- L$8WQ
- 9D$8

- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- w\tCt
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2

- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s
- %s*
- .tmp
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- MSVCRT.dll
- XPTPSW
- 'Rn
- # :.rd
- chfp
- mbF,
- M:Qw>Cxx
- cspn
- _bfniX
- Xc|Z
- rgs9cmnn
- t{-r
- pP;h
- D;ctN
- TkLm
- R!M_
- fK
- S%wq
- sssyg
- scP)kH
- rkg
- R+CG
- y/]C
- nddX"o
- R%c)
- ukB? &{n
- hsKUck
- Bpm-*
- \\\t\\C~r"
- GH(KexY
- x-xbitp
- crtC

- PgmS
- mQp/
- -Typ!
- -En+db{
- 9vd%b>
- JDQR
- CLRC
- &V.s;
- ~KHTML
- s NT 6
- * G#gG2
- \\tp:/
- sdch
- defl~[
- compPs
- 4zh-CN
- m;%Cl&e;
- GD&ktop;
- ,&T; `>
- yPTJTD<y
- ZTNHGET ^&
- ixrlf`
- kpcjd^X
- JD>M
- nQhb\\`
- l'f`Z4M
- @_h!
- DD4Lfd
- xx@?
- pptt\t'
- hll\\rr
- %'\\\\
- \\rTTXX
- %LPP
- \\|``Lr
- XPVSZt
- dddd$(,0dddd48<@fdddDHLPT
- dddd
- lptx
- TX\\h
- DHLP
- ptx|
- `dhl
- PTX\\
- |xddddtplhddddd`\\X
- dddd
- dddd
- dddd
- dddd
- dddd
- ddld
- }t]H?D]Pfdx
- `gCR
- .=-%
- {#D\\C
- NhTd\\
- ~\\`]H

- ()*+-
- #$%&'
- }KPL
- Dm,@
- -I7x"X
- R-{
- ;Hv<
- @-j,
- b-@+S
- b\\|n
- `5]kS\\
- PQPPl
- ,,cT
- P-`M
- xdG|
- >C;]
- VvDw
- ~%hp
- x- \\G
- SwE(|+
- hgY
- %WH$
- [@/,
- w-B
- !|Pn
- l:Q8x<
- "M,u;g
- ,(~P$h
- ~>+H
- qlh NWm
- t\th,
- t:ZZ
- ..C,d0Wt
- s%f_
- Q&XhH;<u<8FR
- l8tn=N:
- Vd@##
- B.]C1;
- \\,WS
- !\twp-
- L,X\tPNY
- rRw/
- /a)s<T
- $cKQ
- mRWPt
- fSTRUDC.
-) <bP
- Q V,
- WRTDx=
- KU$rj(
- dL:!D
- hdb!
- Nddc
- pA(gqC
- :2 <%QjT&
- _^Pjt
- cK!<

- f/!h
- (SVW
- t\tV*
- .rsrc
- .M_Rich
- .M_/(K_
- .M_k2C_
- .M_+!
- #.zf
- wn>Jj
- Qkkbal
- n;^
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g
- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA
- txVS
- tqNt*Nt
- QQSVWh
- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^
- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]

- t<Vh,
- Xj.f
- Xjrf
- Sj%XjsYj\\f
- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- XjIf
- Xjs[j\\f
- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf
- jSXjoZjf
- XSSf
- Xj\\f
- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf
- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf

- Xjr[je_jFf
- Xjt^jwf
- Xjff
- @SVWjSXjof
- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf
- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf
- Xjwf
- XjPf
- j%XjsYj\\f
- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf
- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf

- _jcf
- [jtf
- [j\\f
- Xjsf
- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff
- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf
- Xj\\f
- YjoXjzf
- XjNf
- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf
- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f

- YPWV
- @_^[
- VVVhx
- t'WV
- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH
- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh
- @_^[
- WSSh
- WSSh
- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- ZjIf
- Xjsf
- Yjtf
- Xjnf
- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f

- Yj%Xjsf
- Xjlf
- XjTf
- XjMf
- j\\XjSf
- Xjlf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xjlf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf
- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\[jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf
- ^jpXjof
- Xjmf
- Xjrf
- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf
- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf

- jmZVXjp^j.f
- ^jdf
- _jrf
- ^jtf
- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf
- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf
- Xjnf
- Xjcf
- XjIf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjIf
- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf

- Xjcf
- Xjsf
- Xjpf
- Xjhf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf
- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf
- Xjnf
- XjCf
- Xj\\f
- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- XjIf
- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof

- Xje^jkf
- Yj\\ZjDf
- Xjsf
- Xjf_j%f
- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh
- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H
- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh

- tOSVWh
- Y_^[
- SVWh
- Y[_^
- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj
- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW
- SVWj
- tDj^^
- Yj\tf
- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS
- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[

- >SSh
- WSSh
- WWhT
- t:jd
- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V
- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]
- YYGt]h
- @_^]
- rSVj
- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[
- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj

- QSVW
- PSVW
- t#VVh
- tCVVh[
- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t}j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW
- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- XjIf
- Xjpf
- XjLf
- ZjHXjEf
- XjPf
- XjVf
- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjIf
- Xjnf
- Xjmf
- Xjr^jIf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf
- Xjpf
- Xjwf
- XjIf
- Xjhf
- Yjsf

- SVWj
- +|$,
- L$<+L$
- $rHV
- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- l$(;
- +l$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• 44616e530000000000000000000000000561f1300250000000000000037000000000000100da010000621f130015000000831c0e001b00000036260a009600000036260b005a000000e81f0b0006000000c7060600

• Module 2 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• Armadillo_v171 ()
• Microsoft_Visual_Cpp_v60 ()
• Microsoft_Visual_Cpp_v50v60_MFC_additional ()
• Microsoft_Visual_Cpp_50 ()
• Microsoft_Visual_Cpp_v50v60_MFC ()
• Armadillo_v171_additional ()
• Armadillo_v4x ()
• Microsoft_Visual_Cpp ()
• IsPE32 ()
• IsWindowsGUI ()
• IsBeyondImageSize (Data Beyond ImageSize Check)
• HasRichSignature (Rich Signature Check)
• screenshot (Take screenshot)
• keylogger (Run a keylogger)
• win_registry (Affect system registries)
• win_private_profile (Affect private profile)
• win_files_operation (Affect private profile)
• win_hook (Affect hook table)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)

• Module 2 strings

• Module 2 most interesting strings

• api | frequently used by malware: OleInitialize
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetDC
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: GetMenu
• api | frequently used by malware: GetKeyState
• api | frequently used by malware: CallNextHookEx
• api | frequently used by malware: GetMessagePos
• api | frequently used by malware: GetForegroundWindow
• api | frequently used by malware: RegisterHotKey
• api | frequently used by malware: GetTimeZoneInformation
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: WriteFile
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetVersion
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: LoadResource

- api | frequently used by malware: CreateThread
- api | ws2_32: WSAIoctl
- api | user32: UnregisterClassA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: RegCreateKeyW
- api | user32: PostThreadMessageA
- api | user32: RegisterClipboardFormatA
- api | user32: CharUpperA
- api | user32: MessageBeep
- api | user32: GetNextDlgGroupItem
- api | user32: SetRect
- api | user32: CopyAcceleratorTableA
- api | user32: CharNextA
- api | user32: GetSysColorBrush
- api | user32: GetDesktopWindow
- api | user32: PtInRect
- api | user32: GetClassNameA
- api | user32: GrayStringA
- api | user32: DrawTextA
- api | user32: TabbedTextOutA
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetWindowDC
- api | user32: ClientToScreen
- api | user32: DestroyMenu
- api | user32: LoadStringA
- api | user32: MapDialogRect
- api | user32: SetWindowContextHelpId
- api | user32: ReleaseDC
- api | user32: GetMessageA
- api | user32: ValidateRect
- api | user32: SetCursor
- api | user32: PostQuitMessage
- api | user32: ShowWindow
- api | user32: MoveWindow
- api | user32: SetWindowTextA
- api | user32: IsDialogMessageA
- api | user32: GetMenuCheckMarkDimensions
- api | user32: LoadBitmapA
- api | user32: GetMenuState
- api | user32: ModifyMenuA
- api | user32: SetMenuItemBitmaps
- api | user32: CheckMenuItem
- api | user32: EnableMenuItem
- api | user32: PostMessageA
- api | user32: UpdateWindow
- api | user32: SendDlgItemMessageA
- api | user32: MapWindowPoints
- api | user32: GetSysColor
- api | user32: DispatchMessageA
- api | user32: GetFocus
- api | user32: SetFocus
- api | user32: AdjustWindowRectEx
- api | user32: CopyRect

- api | user32: IsWindowVisible
- api | user32: GetTopWindow
- api | user32: MessageBoxA
- api | user32: IsChild
- api | user32: GetCapture
- api | user32: WinHelpA
- api | user32: wsprintfA
- api | user32: GetClassInfoA
- api | user32: RegisterClassA
- api | user32: GetMenuItemCount
- api | user32: GetSubMenu
- api | user32: GetMenuItemID
- api | user32: GetWindowTextLengthA
- api | user32: GetWindowTextA
- api | user32: GetDlgCtrlID
- api | user32: CreateWindowExA
- api | user32: SetWindowsHookExA
- api | user32: GetClassLongA
- api | user32: SetPropA
- api | user32: UnhookWindowsHookEx
- api | user32: GetPropA
- api | user32: CallWindowProcA
- api | user32: RemovePropA
- api | user32: DefWindowProcA
- api | user32: GetMessageTime
- api | user32: GetLastActivePopup
- api | user32: GetWindow
- api | user32: SetWindowLongA
- api | user32: SetWindowPos
- api | user32: RegisterWindowMessageA
- api | user32: OffsetRect
- api | user32: SystemParametersInfoA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetNextDlgTabItem
- api | user32: EndDialog
- api | user32: GetActiveWindow
- api | user32: SetActiveWindow
- api | user32: IsWindow
- api | user32: CreateDialogIndirectParamA
- api | user32: DestroyWindow
- api | user32: GetParent
- api | user32: GetWindowLongA
- api | user32: GetDlgItem
- api | user32: IsWindowEnabled
- api | user32: UnregisterHotKey
- api | user32: IsIconic
- api | user32: GetSystemMetrics
- api | user32: GetClientRect
- api | user32: DrawIcon
- api | user32: GetSystemMenu
- api | user32: AppendMenuA
- api | user32: LoadIconA
- api | user32: FindWindowW
- api | user32: GetCursorPos
- api | user32: RegisterClassW
- api | user32: LoadCursorA

- api | user32: SetCaretPos
- api | user32: SetForegroundWindow
- api | user32: GetClipboardOwner
- api | user32: PeekMessageA
- api | user32: EnableWindow
- api | user32: SendMessageA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: SetStdHandle
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: IsBadWritePtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetACP
- api | kernel32: GetLocalTime
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: RtlUnwind
- api | kernel32: GetFileTime
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetVolumeInformationA
- api | kernel32: FindFirstFileA
- api | kernel32: FindClose
- api | kernel32: UnlockFile
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: GetCurrentProcess
- api | kernel32: DuplicateHandle
- api | kernel32: SetErrorMode
- api | kernel32: GetThreadLocale

- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetOEMCP
- api | kernel32: GetCPInfo
- api | kernel32: GetProcessVersion
- api | kernel32: TlsGetValue
- api | kernel32: LocalReAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GlobalReAlloc
- api | kernel32: TlsFree
- api | kernel32: GlobalHandle
- api | kernel32: TlsAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: LocalAlloc
- api | kernel32: GetLastError
- api | kernel32: GlobalFlags
- api | kernel32: lstrcpynA
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: MulDiv
- api | kernel32: SetLastError
- api | kernel32: GetModuleFileNameA
- api | kernel32: GlobalAlloc
- api | kernel32: lstrcmpA
- api | kernel32: GetCurrentThread
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenA
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: lstrcatA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GlobalGetAtomNameA
- api | kernel32: lstrcmpiA
- api | kernel32: GlobalFindAtomA
- api | kernel32: lstrcpyA
- api | kernel32: GetModuleHandleA
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalFree
- api | kernel32: LockResource
- api | kernel32: FindResourceA
- api | kernel32: TerminateThread
- api | kernel32: CloseHandle
- api | kernel32: GlobalAddAtomA
- api | kernel32: GetSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: GlobalDeleteAtom
- api | kernel32: VirtualAlloc
- api | kernel32: GetModuleFileNameW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: GetEnvironmentStringsW

- api | kernel32: GetTimeFormatA
- api | kernel32: SetEndOfFile
- api | kernel32: GetCommState
- api | kernel32: WaitForSingleObject
- api | kernel32: DeleteFileA
- api | kernel32: SetEvent
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | ntdll: atan
- api | ntdll: sqrt
- api | ntdll: ceil
- api | ntdll: floor
- api | ntdll: fabs
- api | user32: GetSystemMetrics
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoA

• Module 2 other strings

- Progman
- 5CPT
- L9C:
- g8zt
- zd2Y,
- 0O93
- 4#I*
- UUYYY
- wIk)
- q$c:u
- :\tUa
- v8vt
- l6K>
- v/d2
- k<{i
- b1I6
- 377w
- M666
- &ad;
- BUSX
- IDAT
- DjLu,O:[
- 8IU0Y
- =w11>
- KtMew
- /nt8
- q=>{U
- 0E!_
- u|TI%
- Y"I&
- TC'UJ
- h4PU
- xyee

- `Gp1
- EOG<vv
- iB?A
- `ee%
- RiA
- @$AO
- #!\tA:
- L1E>
- O^pX
- `ii)
- &ahaz;]f
- ~0|p
- T*111A
- l.]=O
- 8BQ4T
- +9EE
- loll|ztMUU\\
- (115
- g3,7L
- cS1/
- : WI
- d2d2
- PJaZ-
- Ag@Z
- W28Q
- an:y
- TA,$II
- Wxju@6+
- "%5f
- 2]BOF
- o1?o
- j~`O
- U677y
- q37`
- |>O6
- ^+Onv
- 1b"\'D
- Vc2i
- $I;5
- rI*;
- L&_7
- RT,E
- t9`e
- LY\\p4F2
- F\tu:
- u DPk
- deIp
- y^EJy
- v-`i
- IDAT0
- 6=1h
- 7JBW9wu
- ?K!oQixh
- Gl5$
- N%8w1
- Y1&i4;
- "ffu

- h0>8
- aDJ3
- EQH$
- 89kphXCS4LWb
- |/Xit
- 'X\\5
- EQh6
- Uxn%d
- o28`
- be+f
- :s#9
- ;U%3
- tblE'
- #\\7B(
- Xh4Yt5
- ,gox
- `\tAqFru=
- $2&j;
- W8<}
- abZ)
- 8b6i S
- +++2
- <I~p
- uV@q
- BvHA
- 2(o{
- |AII:
- WgaS
- l}g8
- onrp:
- po1L
- p>AJ
- UAa8b
- 9Jl
- &h8L;
- 5F&%'
- |2C2
- U405
- <2\\d
- fit!
- #I*^L
- ^9/$
- IdBr
- %B6*K4
- s@cu
- O-6p
- 8r"E
- IIe%d
- XI4bP
- MHu_
- r3dc
- DuR
- V\tHdo
- 7V+=
- ye3f
- OR,(
- 4L4t

- |a1`_Z
- 6|^|
- t^c8a
- Ay;F
- IDATq
- U"*nH
- ,1>qi
- 3CER
- d|2E
- r4op:Pys
- J1QF
- X\tIq
- M~U~:
- OCnQ
- 3*-M
- 6$48]
- f=di
- gj:5
- 9RTX
- l81[
- o24bs
- k>9;
- LAl*
- e.-V
- 3agh
- M?Og
- }G-6^
- q<*5
- p#f<4
- &8p8f
- I)oN
- Pb8}
- H2Cc
- l5=R
- llIR
- c6]x
- >4ch
- hzBO
- U.d"
- dx0Mv
- :4|(T
- "|AHQ
- 1b&ZG;
- N0;7
- ;96~1
- =Eog/9
- 33EL3I
- >M=2
- 9D&S;'5
- [Up=
- ,c~e[
- jn0d
- 7]2U
- wP09
- lmEg
- jNPA0
- 3@mq

- &3>[
-)6mn
- -;j9
- V0n<
- H)h6/A
- \\al@
- 9ops
- EQ.s
- h4!.\\
- +,-/2
- ?H2U
-]gq9B
- D&20
- {706
- 5PC@
- *3Kk
- oC(,
- 97Qa
- U9k9
- IDAT
- q]0t
- e Lzil4u
- culv6$ONI
- 98N@
- TTNO
- d3>7
- H\t^Zu
- AIsU%
- II8$p]e
- T+u|O
- !EPC
- Sp0=A3!Y-Bw
- 1>|g
- OUp]
- `V 4
- P(I:
- a.L:t
- U9tJ
-)u*"
- 6;0X
- K@L0
- HF0b
- |4ME
- IOb'
- CjHeuMP
- p#q2e
- <I4e
- K\t4}
- $VD2>k3
- UU7*
- ;Y^9
- Btvv03
- UTU]
- EH$T4
- urADU
- UsiX*G
- D#:2

- EfWKx
- lW97
- U(l+wia
- ON#5
- 6r]w
- 342L$
- t[ez
-)i:n0
- BG7T
-]8M"
- w(lH
- AGGG
- lDAT
- -6X-l,
- aK\\R
- cDau
- JnA"4p*
- !g+8
- q6Ri
- 41K%
- i,Eg
- $Qip
- 0Co
- X8l<
- $$4VI
- yRI*
- lV%33
- C:[U
- A;4K<19
- Rb4E
- c"5@
- dSO6#LEA:
- v[27/y
- Y[ez
- fSeu
- 15er
- O'D*b
- (:L"I
- F0UJ
- U*1L\tP
- !qI/g
- URK6qk
- MB_A
- eYH)
- 0[DJ
- mw23o
- 1U4)
- `j7S
- ;dPi
- uVVW8{
- Wh4"t
- 3l'z
- %EQ^
- \\Yey
- #d8f
- #BE
- O>cs

- ,9i:
- 2A; 6
- ?C$#6
- b8jS
- 6Q0a
- nsim
- _S1t
- <\\7
- h7#>
- h5=Fc
- uXYI
- =-PU
- o\/9
- UN_^'
- lUjl
- #\t>Io_
- "eHj
- ^\\Bu=
- "\\Wa
- P*I6
-)f246
- &EQT;
- 5P-8vp
- ?Bi&
- 6)0i
- 0m45
- JV/O8
- K0,h
- "[0:
- /9uH
- LsK0
- [_Mo
- K$LMe
- 0w)(5PK
- {8U9
- e"#v
- 9\tZL
- _EI8
- SOV@
- XCI8
- f^h5N
- IDATf
- ^5 5
- 4;0_N4
- Y666
- TUMd
- #DR6
- =oask
- 7136
- 3!^laj
- }Vc|5
- 4"?B
- 8oRo
- !04A
- S.[g`f\t6k07
- I.A
- Kg0 F

- 2U,Qi59}1
- T*1==
- fO1Ow
- 3pW|
- 355E
- ppi7
- 3%hw
- ADc=
- U6Z<
- CKHA
- u SJ:
- q2U
- :1Dlg
- 2NDw
- HE0p
- `0`{{
- {an_
- RiKb[
-][A+E
- Mo[`
- y+A.am}
- Ucvj
- ch6`
- SOAaS
- h4p]
- +k1g
- onn>
- IDAT
- 2(c;
- Q6[N
- 7IAoB0#I
- }6E;
- MQNU
- ,--e
-)%FI
- hh6-
- vF0U
- d)2 O
- 5jse
- 5^xu
- '3}?
- ka>j
- Zegg
- Ti<[
- uIohH"I
- %-,i
- $26\\
- u&\\IRn
- 0O5W
- bcSa
- /^d0x
- ScPi
- V7#6
- ;qA8H?
- ;wO[/
- 3'QJ
- 1V:)

- *sE2
- \\aem
- u&,L
- =B5a
- 0&sE;
- P"&1
- 15];x
- '(T5
- #*6z,
- D1^d1T
- lktl8
- [(!l
- "pA+
- AT@t4T
- 7x}W
- A`_3
- 7T<v
- `M47G
- C($a
- @pe0
- l277
- (BjIe
-){jV
- +jZsA
- N\t=hi
- ',*9
- !a[g2
- #@O!E
- RS333?
- R|u3
- KN4$G
- W)U=
- 927E.
- :<0S
- n4"o
- B033
- 6G`ss
- IDAT
- fc'A89j
- o9>
- O2IS\\
- /rcE
- "1m0q6)
- ,lhg
- D,5@
- 1Ic,
- K%Sa
- $iJ4
- u67ZHi#m
-)0&K;
- |6Q1D
- yP-0E0;*
- Cl7
- &ojT;
- :5`4&
- 1e0;1&
- 0|mM

- d%N2C
- Pakg
- 6;;)
- r9VVV
- it3aj
- (#Ce
- \'74"
- 8 @/
- OrvD
- O1["
- R@F@7!*@1
- 1$fB
- Ecccc
- U666
- l6C>
- }hubz
- 3n@;
- B,c4)
- M6w4
- u_w$
- O3===
- d8(|
- %qgcO
- e=FE
- E<8z
- D`HE,
- $2:(J
- $IB"
- Ctx2
- AY}j
- 8S!r[
- ~azg
- 4[{ds
- [3??
- O333
- 4;;;
- B0??
- g666
- oq~~
- 1777t
- C>0\tZ
- ^H&7
- P. e
- ,$39
- +loo
- 1h7p;}v
- S7q;w
- *Xx4
- `0`ll
- A)rz
- +<04
- IDAT
- TD$4
- y`ayy
- d033
- $hJ 5
- g0:k

- C+1S(
- 0X\\\\
- ,MOO
- NOO355
- =mX2
- =t3&
- U677
- pa#!;5
- {11}
- a<066
- 29(c
- !a x
- zm0L
- 1666p]
- G9ca
- XDJ9T
- IP8F
- (e13
- 3cS(
- HTLa
- Id&G;
- 7FiL
- ,//311
- oV|Z
- 4A"L
- 9j{]
- 1J)*
- Q6!iCN
- 6{{{\\
- CW*U
- ln_Bj96WoQ
- 03eP
- l6;L
- -05^
- !9)%
- h4.^
- LMMaY
- l6K>
- 7I4w
- AJN)
- fsxI
- B)E
- VJ}i
- c333
- l6K6
- OMME
- 233s^J
- @obb
- $I899
- xJ)5eY
- 0MSEQ44d!
- w>zI
- DH)I
- M>5gx
- %2"c
- IDATx
- IHDR

-]@7'/
- F{}>6
- 9tv|
- u~IV\\ G8
- *UQ$
- 73dDh[
- ke*p
- p#`8
- ;J;8b
- -'D7
- 7;89#
- LOO9
- aen:
- #c;4
- SacR#
- %xx%a
- cca*#
- a_?~`
- oSSUTQ
- =6755
- `6Dj#
- YC-00
- C3FGF0
- 6b#+
- f\t\t\tbbaa+
- _aa5
- Yeef`ej4
- Ahej`f$
- kk@Jc_754
- xghg@J747WC
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- .?AVtype_info@@
- .?AV_AFX_OLE_STATE@@
- .?AVCOleBusyDialog@@
- .?AVCOleDialog@@
- .?AVXMessageFilter@COleMessageFilter@@
- .?AUIMessageFilter@@
- .?AVCOleMessageFilter@@
- .?AVCOleException@@
- .PAVCFileException@@
- .?AVXEnumVOID@CEnumArray@@
- .?AUIEnumVOID@@
- .PAVCOleDispatchException@@
- .?AVCOleDispatchException@@
- .PAVCOleException@@
- .?AVCFileException@@
- .?AVCMemFile@@
- .?AVCFile@@
- .?AVCDataSourceControl@@
- .?AVXOleControlSite@COleControlSite@@

- .?AUIOleControlSite@@
- .?AVXAmbientProps@COleControlSite@@
- .?AUIDispatch@@
- .?AVXPropertyNotifySink@COleControlSite@@
- .?AUIPropertyNotifySink@@
- .?AVCOleControlSite@@
- .?AVXEventSink@COleControlSite@@
- .?AVXBoundObjectSite@COleControlSite@@
- .?AUIBoundObjectSite@@
- .?AVXOleClientSite@COleControlSite@@
- .?AUIOleClientSite@@
- .?AVXNotifyDBEvents@COleControlSite@@
- .?AUINotifyDBEvents@@
- .?AVXOleIPSite@COleControlSite@@
- .?AUIOleInPlaceSite@@
- .?AVXRowsetNotify@COleControlSite@@
- .?AUIRowsetNotify@@
- .?AVCEnumUnknown@@
- .?AVCEnumArray@@
- .?AVXOleContainer@COleControlContainer@@
- .?AUIOleContainer@@
- .?AUIParseDisplayName@@
- .?AVCOleControlContainer@@
- .?AVXOleIPFrame@COleControlContainer@@
- .?AUIOleInPlaceFrame@@
- .?AUIOleInPlaceUIWindow@@
- .?AUIOleWindow@@
- .?AVCArchiveStream@@
- .?AUIStream@@
- .?AUISequentialStream@@
- .?AUIUnknown@@
- .?AVCHandleMap@@
- .?AUCThreadData@@
- .?AVCNotSupportedException@@
- .?AVCMemoryException@@
- .PAVCNotSupportedException@@
- .PAVCMemoryException@@
- .?AVCFileDialog@@
- .?AVCCommonDialog@@
- .?AVCUserException@@
- .?AVCResourceException@@
- .?AVCSimpleException@@
- .?AVCException@@
- .PAVCResourceException@@
- .PAVCSimpleException@@
- .PAVCObject@@
- .PAX
- .?AVCTempGdiObject@@
- .?AVCPaintDC@@
- .?AVCWindowDC@@
- .?AVCClientDC@@
- .?AVCTempMenu@@
- .?AVCMenu@@
- .?AV_AFX_BASE_MODULE_STATE@@
- .?AVAFX_MODULE_THREAD_STATE@@
- .?AVAFX_MODULE_STATE@@
- .?AV_AFX_THREAD_STATE@@

- .?AVCOccManager@@
- .?AVCTempImageList@@
- .?AVCImageList@@
- .?AVCGdiObject@@
- .?AV_AFX_CTL3D_THREAD@@
- .?AVCWinApp@@
- .?AVCWinThread@@
- .?AV_AFX_WIN_STATE@@
- .?AVCEdit@@
- .?AVCComboBox@@
- .?AVCButton@@
- .?AV_AFX_CTL3D_STATE@@
- .?AVCNoTrackObject@@
- .PAVCUserException@@
- .?AVCTestCmdUI@@
- .?AVCCmdUI@@
- .PAVCException@@
- .?AVCDialog@@
- .?AVCObject@@
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- flag:
- type=%d,code=%d
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- lgsnake_capture
- lgsnake_pause
- IP:
- IP:
- %02d:%02d:%02d
- %2.2d-%2.2d %2.2d:%2.2d:%2.2d
- RedTom21@HotMail.com
- email)! lgsnake_sword01@126.com
- lgsnake
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP

- ICMP
- %6.6X
- %2.2X
- WS2_32.dll
- OLEAUT32.dll
- OLEPRO32.DLL
- ole32.dll
- OleIsCurrentClipboard
- OleFlushClipboard
- CoRevokeClassObject
- CoRegisterMessageFilter
- CoFreeUnusedLibraries
- OleUninitialize
- CoTaskMemAlloc
- CoTaskMemFree
- CreateILockBytesOnHGlobal
- StgCreateDocfileOnILockBytes
- StgOpenStorageOnILockBytes
- CoGetClassObject
- CLSIDFromString
- CLSIDFromProgID
- oledlg.dll
- COMCTL32.dll
- ImageList_Destroy
- SHELL32.dll
- ADVAPI32.dll
- WINSPOOL.DRV
- OpenPrinterA
- DocumentPropertiesA
- ClosePrinter
- comdlg32.dll
- GetFileTitleA
- GetOpenFileNameA
- GetSaveFileNameA
- GDI32.dll
- GetBkColor
- GetTextColor
- GetMapMode
- Escape
- ExtTextOutA
- TextOutA
- RectVisible
- PtVisible
- GetWindowExtEx
- GetViewportExtEx
- GetDeviceCaps
- ScaleWindowExtEx
- SetWindowExtEx
- ScaleViewportExtEx
- SetViewportExtEx
- OffsetViewportOrgEx
- SetViewportOrgEx
- SetMapMode
- GetStockObject
- SelectObject
- RestoreDC
- SaveDC

- DeleteDC
- GetObjectA
- SetBkColor
- SetTextColor
- GetClipBox
- ExtTextOutW
- GetTextMetricsA
- CreateBitmap
- DeleteObject
- USER32.dll
- KERNEL32.dll
- + LOOP
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- user32.dll
- log10
- sinh
- cosh
- tanh
- asin
- acos
- atan2
- modf
- ldexp
- _cabs
- fmod
- frexp
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- abnormal program termination
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization

- R6027
- - unable to initialize heap
- R6028
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- e+000
- KERNEL32
- GAIsProcessorFeaturePresent
- 700WP
- (8PX
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- %9, %8
- CLSID\\%1\\DefaultExtension
- CLSID\\%1\\Printable
- %2\\DocObject
- CLSID\\%1\\DocObject
- CLSID\\%1\\InProcServer32
- CLSID\\%1\\MiscStatus
- %3,%7
- CLSID\\%1\\DefaultIcon
- CLSID\\%1\\AuxUserType\\3
- CLSID\\%1\\AuxUserType\\2
- CLSID\\%1\\Insertable
- &Open;,0,2
- CLSID\\%1\\Verb\\1
- &Edit;,0,2
- CLSID\\%1\\Verb\\0
- CLSID\\%1\\LocalServer32
- ole32.dll
- CLSID\\%1\\InprocHandler32
- CLSID\\%1\\ProgID
- CLSID\\%1
- %2\\protocol\\StdFileEditing\\server
- &Edit;
- %2\\protocol\\StdFileEditing\\verb\\0
- %2\\Insertable
- %2\\CLSID

- COleDialog
- COleBusyDialog
- COleException
- CFileException
- Native
- OwnerLink
- ObjectLink
- Embedded Object
- Embed Source
- Link Source
- Object Descriptor
- Link Source Descriptor
- FileName
- FileNameW
- Rich Text Format
- RichEdit Text and Objects
- COleDispatchException
- CFile
- .INI
- MSWHEEL_ROLLMSG
- commdlg_LBSelChangedNotify
- commdlg_ShareViolation
- commdlg_FileNameOK
- commdlg_ColorOK
- commdlg_SetRGBColor
- CMemFile
- software
- CException
- CMemoryException
- CNotSupportedException
- combobox
- CObject
- CFileDialog
- CResourceException
- CUserException
- CClientDC
- CWindowDC
- CPaintDC
- CGdiObject
- CFont
- CTempGdiObject
- CMenu
- CTempMenu
- CImageList
- CTempImageList
- CWinThread
- Settings
- PreviewPages
- CWinApp
- CButton
- CComboBox
- CEdit
- CCmdTarget
- COMCTL32.DLL
- InitCommonControlsEx
- DISPLAY
- USER32

- AfxOleControl42s
- AfxFrameOrView42s
- AfxMDIFrame42s
- AfxControlBar42s
- AfxWnd42s
- AfxOldWndProc423
- MS Sans Serif
- Helv
- Edit
- CDialog
- SUVW
- uP9q
- SVW3
- t1Ht
- QSUV
- 9w,t
- ;F0v
- SVW3
- SVW3
- PUSVV
- UVWS
- UVWS
- u1j@
- <:u\tV
- 9^xu2
- QQV3
- uTVW
- u5SVW
- Vu4j
- QQUV
- ;Nxu
- 9~$t
- UUSW
- UUSW
- QSUVW
- 1FF;E
- <<9~
- 1GG;E
- .<9~
- <A|2<Z
- SVW3
- N US+
- V,S3
- ~4_^
- HHu&
- uw%t
- ~0PPW
- 9X tn
- tuHHt
- UUWP
- SUVW
- VVUVS
- V9l$
- 9y`u
- 9Q\\u
- n0SSSSU
- u\t9Z

- tWS3
- t\t9A8u
- u09=
- t59~
- u<9E
- E SVj
- ^[+E
- SVW3
- tSh8
- WWWWU
- te9|$
- ug9|$
- 09|$
- SUVWj
- SVW3
- 97_u
- r0=8
- u,;C
- 9HPu
- t7j,
- 9w u
- t39w
- t\t9p$u
- 4SVW
- Xt7f
- 9PRV
- YuLf
- uSj*
- 4SV3
- tAhh
- u/9F
- t\t9p
- QSVW3
- (;=0
- z;=4
- ue;=8
- SVW3
- u$SShe
- PVhe
- QQUV
- Fd9]
- QSVW3
- ?*u7
- ?.u!W
- #<*u
- tA<#u
- 8<=t
- uT9}
- t@9u
- tUj=
- t\t9]
- 9] u
- _u@W
- 0SVW
- tAVW
- u\tIu
- QSUV

- j\tXO
- NTuI
- <8=u
- VWuBh
- 1_^[
- ^}%95
- SVWu
- 1t*;
- SVW3
- ,f9=$
- Qf9=x
- SVW3
- u>Vj
- w9j
- uA;5
- ^[_3
- ^_[3
- u%C@
- sN;E
- SUVWu
- pD#U
- uY;]
- uiSj
- 8csm
- t3x<
- tEVU
- SVWU
- VC20XC00U
- Yt0@
- 8MZu
- @@f9
- @@f9
- 8"u,
- 8"uF@
- 8"uD
- QQS3
- ?=t"U
- t9UW
- <"u%
- t&:a
- t@9}
- E WW
- 9} u
- uFWWj
- 80t<
- eYt,F
- u>Wj
- YYF;5
- u!PV
- t:\tU
- YYF;5
- Yu!j
- 9p`t
- u?jtj
- 8csm
- u SW
- 8csm

- u Vj
- ub9~
- u,9x
- 8csm
- uf9=
- uSVj
- uFj
- uFj
- u_j
- @AA;
- t7SW
- Wj@Y3
- j@Y3
- SUVW
- t-9]
- u,9u
- uSj
- u;j
- t/Ku
- GIt%
- SVWu
- SVWu
- SVWUj
- 4SVW
- t#C;u
- u"SVU
- 4RRR
- f98u
- 0F;s
- 9Q8u
- 9QHt
- ;~8|
- 9^8~#
- V8Iu
- ;~8|
- 9~@St99~8~
- 9~Ht
- 9^Ht}3
- 4OYu
- L8$;
- t\\9^
- 9^8t
- ;~8|
- 9^8~
- 9^@t53
- W9^$t
- 9u ^t
- @8;G
- u0j\\
- N8+F,+N0
- qXu*
- 9F t
- Fq@u
- 9^xt~
- f9x0
- |%9]
- P0PS

- tc9]
- QVW3
- Ch#E
- F8+N,+F0
- 59H8u
- AH;D$
- 9~Du
- 9x u\tf
- 9G4_^d
- ^$u/
- 9X w
- 4SVW
-)] 3
- SVW3
- 9{u
- VPVj0
- ;(rU
- D$4Ph
- T$8%
- L$8PQ
- L$4Qh
- D$0P
- T$5j
- A=hU
- SUVj
- USShB
- PSUj
- USjAj
- QSUV
- QSUVW
- D$<3
- D$0
- D$,1
- SUVW
- SUVW
- \\$$3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- (((((H
- (null)
- jjjjj
- jjjjj
- jjjjj
- jjjjjj
- jjjjjjjj
- Vcb.
- Kt@{p(~!
- i^Gw<z
- T#`n
- Nk@D
- h`Y}TY
- <_sr
- H&W;,
- Q$#k(

- gvvvH*
- qfff
- P(R(&
- >*?Fb
- E&&&X;^^
- -//?
- r,.."
- YH;x
- cryy
- qzTR:?
- / r$R
- Jc%
- |~G#pd
- r)f'p
- |&M;"
- Xy@B
- lntX
-)S"_
- ?NMM
- htVp
- Zc,_@U
- "$C
- R)VVVv
- !EtZm&&
- jYP(hL
- 8Xf}K@
- m%)%S
- ~+Dx>3
- j+++
- @(P*'
- J)&f;&8~
- `mmmt
- \\.G"
- Hpp~
- ,#K/
- <s:f
- B&!H
- @pb.OZ
- ,g/8LM)X
- Lbm+TS:
- C.nFL
- jp`*
- :&{~
- P#\tY
- %dJc
- qM&[
- t:M*
- =\\WB
- XLsf
- h}-v}#
- \\fcy
- L.\\)
- XnF|
- M^<{
- KgkTV
- dRV*
- !^(

- /kqz
- D(lT]z"!
- `s-dtO
- J@q(
- MNN>
- /?J[(h
- v-`l
- +j\\D2Q
- \\zpZ
- ![#)$
- x]pS
- =!Hj
- G>f&
- ND"Rpr!
- `h|^
- Pcd(
- >:N-
- ._[B
- Z;$R,
- }GBP
- @\tc:
- ZW!P
- #S)^}
- ;K v[
- :[!QH
- F]!%lrY
- HHT3dd
- `h<Mq(
- [$S:
- c<q@'
- "TC\'
- D=elbfFz#
- /-FL
- V]pj
- ,rc&/^)
- H</"
- Tb\\%
- ,gj.
- `$'H
- \\X,sqi
- Rp~#
- [\\h{
- Ltb\\
- c#&g;*
- $y#b
- ^"FR
- -PTR
- \\G"C
- HKBZ
- |K!b4%X
- iP(Xt:
- B.gpn
- .pp:
- (xpN
- $P;>Bu
- xYgj
- gr$}h4

- _S\\,QZm
- !&+P
- kL{>
- sZ(~
- Gx}Mr
- _bW]
- X:rS
- qN\\T
- ($TAH:Dj
- _^&_v
- /Q<|
- @CB"
- JP}h
- \\=J~f
-]?I*Qd
- MWg;
- `t">
- T+.Q]
- **~\\r
- *|gM
- *@+BX
- .[(:H
- V+P'
- `s`Dc
- ZC%C
- p(M)s
- m&',
- *[k=
- &[z#
- ,d,F"
- BH|/
- }$Dw
- (HvY
- ' CmJ
- pn|f
- SB[R
- m+mmm
- bp`x
- xLB{2~
- <*/q
- vfV*
- \\.Xy
- C:\t|
- {|^]
- %hkK
- N(D".
- cFtVV
- NPZm
- _sDg~)
- `k]z
- (N{>
- j.DDp
- pxc^
- J["D[
- }[J@-
- LN\\`h
- 0==C__

- #$;S
- $_lR/[hZ
- jCbt
- !d(X
- B$.x
- F}<KR
- >c;ay>
- g/^`G_;
- Mh
- tY\tP
- PhZ>
- Z F+
- B(L\\
- RAQ%"JN
- jLX_
- dkm@
- B&n;@
- XV{Qb
- <A}@`C
- t:}S
- w-q~}
- #{!R
- w fJ!
- jkB
- N]bm
- pDkk
-]7ds)~
- Gj]Z
- WV$zJe
- Sp{m
- !Z:fRW
- 6y+GksB{
- %^{b
- tJG!J
- hG!(
-)hW{
- cA-$==
- }"P]
- }?Bh$
- s+X)
- T*mS
- /Q*D
- lV`~
- &Js;@
- Jqpw
- WR(d
- j_b:
- }gff
- x<.l){$
- M.T]b
- W&,-
- ;H-
- _ksizW
- vYXX
- |n9 hw
- yPF@
- pC`-+LV%

- F#fggY__
- qxmS&
- wVhTj
- QfRD
- X'p%
- *q$P
- *q/B
- \\fss
- +*-
- C&"n
- 9Sl>grx
- ?@v;t.T
- J~r
- Xdqq
- KKK(
- T-fn
- V,Pv@CEQ
- hT,|G
- hLj[
- }zc(
- QJSS
- =jssX
- !_x~
- -!g+
- hT"(
- fB>/
- SxrL
- &<TV,
- wcX<
- JQ/k
- "[[[h
- ?Pd>
- ={]M.
- /"Q,
- F`*y
-]*@G@
- #lnn
- .'4Rh,!
- /%$F
- ,L$t&P;)
- FF \\
-)JYXy
- x%"w
- b+"g
- nCwJ
-)<Fs
- R`0h-(
- BkhJP
- Z/,,,
- }<`kk
- "VWW
- P(XHz,
- ;fn*G9
- *KKK
-]|KQ,
- \\>$W/
- H%X)

- `/\tD
- &Bqk;
- Lvb^L5
- Yd`(
- z, T`
- DCl`
- g,T_
- /_Fk}
- &\t'k
- 8L&}v[
- tzg@_kM
- bF":
- CXP(f
- 8^\tH')
- WWWq
- ,fgg
- d]/H
- [#v:6;
- T_"-
- !KKK
- "RJvww
- jMr,
- <Krz&G;/?b8V
- 0)r"lS
- _g}}
- }D/BH
- /F{H@
- :lm\\#k
- 6%Q H#
- S;;;
- t^Gx]
- _gmm
- phK:j
- B}?
- :,/,##
- +++\\
- `nnn
- w|3KSsdss,
- fQ B\t""
- &($$
- YYY!
- df~~
- jlmmM---
- K-!L
- z=vww
- <{{{
- h'm
- dX^^frr
- X]]}Gz
- .AJ|?B
- HGb[
- &$qd
- BF!v
- /_fgg
- S'"
- nJ|?AHPR!
- RLLL

- gffx
- vww
- H{,NMM
- T-(M
- g'"
- .]b~~
- -_'gKz
- cr<C
- qjvv
- EJYX\\\\
- qtX\tpd
- $"Q
- +chV
- bVrn
- $\t_v
- fffX^^
- mvww
- 'VWW
- 3gX[[c{{
-)s{s
- ~()"gx
- mnn~
- =_S)
- !&:
- .qh@
- <TJq
- cLMM
- 8RTJ+dr%t
- [DD{!qbb(
- dnnn
- lmmQ
- QfLN;hU
- qlptJ
- tlJV
- u(/&S;*
- <;;;\\
- Xd~~
- yfff
- Lffqq
- nZH)
- ?Lp{}</`
- ^`mk
- p{MN
- "KKK,//
- ya;!W)
- MMM}
- b&G;>g!u
- GBH(
- /d!~
- D&-Pc$A
- MNNR.
- rLL-
- yGJsgJ:K
- (f<lK
- Gw(N
- _gcc
- ,-.Q

- xwcc
- t>dY
- m{x_j
- P(P(
- $\t{{{
- gYV|
- vkzz
- `hl)
- t'''
- `lnn
- /^<V
- Lfx;%
- HJTJ)t]G
- /_>&
- , S,
- =>}-M
- RFRJ/
- T*'-
- >>p`<,F
- zXQP'1$
- n'6KWcB
- n/_^CT
- pnnp
- ;J8t\\W
- (%%%%F
- &zz;%
- Qxy.
- V-XSQx
- #Yhh<
- %.%#
- W@~`Z
- %.//0.#"
- "##%.F|
- |x.%##
- wmZZZms
- !%QTm
- +!%%!!
- %Tw
- !*+TU*
- YY$bB4$&++
- JB`%
- C@C`3/
- {nq'
- l?[V
- }{{}}}
- <{{}
- CGGG:0
- ?K@X
- BdX&@$
- #$@@
- bcrW
- $fDCC@#
- YCDDDD@
- &QTV;*
- fYC@CCC
- eYWD_D@
- NJcW7>

- Nbc_(4
- %%!!
- "ffjjjj5
- !&%!(*@ONN_bW#$
- !Rfx
- DY`YW
- +VD]gg@J5$$_J
- !QQY]*#4WWJB
- Q[pw
- !!%!
- &>Q%
- !%QZmu
- !!!!
- p[TQ%!
- !&QZmw;
- wp[T+!
- !!+QT[pw
- pmZQ+%!
- upmm[ZZZZZZ[[mpuw
- wwww
- wwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- D?$?
- ?/L[
- ?Zd;
- HMXB
- .?AVCPtrList@@
- Dw=X
- .?AVCFont@@
- .?AVCMapPtrToPtr@@
- .?AVCTempDC@@
- .?AVCDC@@
- .?AVCListCtrl@@
- .?AVCTempWnd@@
- .?AVCWnd@@
- .?AVCCmdTarget@@
- TCP
- GGP
- Len=%d
- %s:%d
- %s%c
- TCP
- GGP
- Text File (*.txt)|*.txt|
- pi.txt
- %d/%d
- TCP
- GGP
- TCP
- GGP

- LPtoDP
- DPtoLP
- Dw=|:s
- _hypot
- __MSVCRT_HEAP_SELECT
- (null)
- ppxxxx
- `h``
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- .HLP
- commdlg_help
- CPtrList
- CMapPtrToPtr
- System
- CTempDC
- CListCtrl
- %*.*f
- commctrl_DragListMsg
- CWnd
- CTempWnd
- MS Shell Dlg
- ^,_^][
- t%Ht
- HVWH
- t,Vj
- tq9w(tlSj
- Vhk|
- N(;N,r
- ~`j,j
- VVUSVV
- _^][
- t$ PUSVV
- VVUSVV
- FTgs
- WVWWW
- PWVWWW
- QQSVW
- t#;^
- QSVW
- _^]YY
- _^[d
- _j X;
- j@j<
- +tJHt:Ht*
- ~ _^
- Pd;~
- _^][Y
- _^[]
- <A|@<Z
- CGGC
- _^][
- SShv
- F$_^
- V(RW
-)SPj

- ^$_^[]
- _^[d
- WWWj
- F ^d
- tBSh
- tBSh
- @t4Ht1Ht_Ht
- kwFt
- Ht#HHt
- w%t
- w'tR
- QQVj
- X_^d
- X_^[
- /t\tP
- tN@@
- PVVV
- WRPQ
- p[t!
- F _^
- QQSVW
- Qj<P
- X^[_
- j Pj
- j j
- t@WP
- @Pj@
- tBSh
- tD9_Pt?
- _^][Y
- _^][
- ;qdt
- Ph_^][Y
- _SSSSU
- QSUVWj
- Pl_^
- PPhj
- t$$SS
- ^_[]
- hWj@_;
- j@jP
- _^[]
- t>Ht Ht
- tFHt>
- (wqt\\HHtS
- F,_^][
- PWhj
- tvWWWWU
- PPPPhd
- $SVW
- _^[]
- VwltB
- <VWj
- @t\tV
- _^[d
- >(r-
- tMVW

- ^$tL
- ,SVW
- btZ-
- @SVW
- X_^[
- tBSh
- QQSV
- PQQQQQ
- QWWV
- QQVW
- WWWWW
- NTQP
- ~<j j
- Yt&hL;
- _^[]
- F$^d
- tBSh
- (Vj(
- _^[d
- SVWj(
- X_^[]
- M;=<
- X_^[
- _^[d
- PVhd
- F\\Pt
- FxQj
- N|@+
- _^[d
- F\\jLSP
- VWj
- nt2Ht#Ht
- ^][_
- QQSVW3
- t-VW
- tySS
- PWPSS
- PWPSS
- FGQPS
- _^][Y
- t/WWUPj
- WWWWj
- +ttHHtd
- \\SVW
- H}Fj
- HSVHWtgHHtF
- t%WV
- SVWf
- _^[]
- @PWV
- PPPP
- PPPP
- SVWj
- t!CS
- SVWj
- _^[]
- t%WV

- VWsr
- _^][YY
- QQSUVWj
- WWWj
- WWSj
- WWWj
- WQPWS
- Y_^[
- >:u#FV
- >:uNFV
- PSj?
- PSj?
- QQSVWj
- w|j
- PVhP
- ^VhT
- PPPPPPPP
- PPPPPPPP
- PPPPPPPP
- QQSV
- _^][
- X_^[
- j?^;
- j #M
- Yt\tV
-]_^[
- t>j,P
- HSVWh
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- PSSW
- F<"t
- ~XY_
- _WPS
- VSh
- tMWWS
- "WWShP
- [ShT
- _^[]
- SVWj
- btHHt.
- QQSV
- Yt\tf
- HHtpHHtl
- X_[^
- tYPV
- SVWj
- ~&WP;
- QQSVW
- QQSVW
- Yt&V;
- @PPk
- Yt)V
- t:jtj
- QQSVW

- YYPW
- ?csm
- _^[]
- sO;>|C;~
- QQVW
- YY_^[
- X_^]
- wLVSP
- (SVW
- GGBBf
- _^[]
- SVWt
-
- SVWj
- _^][
- _^[]
- _^[]
- <Xt
- t\tVP
- w.j
- uRFGHt
- XSVW
- tzVS
- _^[]
- t$ V
- D$ P
- t.;t$$t(
-]_^[
- X_^[]
- PhYY
- QQSVWd
- QSVW
- 'SVW
- _^[]
- PPPj
- t(VW
- YY_^[
- Yt)V
- P_^
- @q t
- _^[]
- [_^]
- @u+;t$
- Zt(Ht Ht
- SVWj
- t*Ht"Ht
- _^[d
- HtLH
- HtLH
- _^[d
- VVVPQR
- PQRj
- RVPW
- W _^[
- v<QP
- VWt)
- QQSV

- X_^[
- V@W@PQ
- SVW
- _^[d
- ~LWh
- ~HWh
- QQSV
- FL_;
- _^[d
- QSVW
- Fq@t
- QWPS
- XQPh
- VX_^]
- WPPR
- F|PW
- F|f;
- QQSV
- SVW
- _^[d
- PSSj
- SSSj
- NpQj
- dSVW
- FLRh
- sL|.
- C,PP
- {PWh
- Clt+
- _^[d
- _^[d
- _^[d
- ;~,r
- pT^t
- PSSf
- HtYHt6H
- SSSS
- s$_r
- (_^][
- L$XhhU
- _^][
- L$@hxU
- D$8j-P
- T$@hxU
- ._^][
- D$DWPh
- L$$VQh
- D$<h
- _^][
- T$-W
- T$%V
- D$$j
- T$4j(R
- L$ QR
- L$PWQ
- D$Ph
-]_^[d

- L$,_^]d
- T$,h
- Sh T
- _^][
- _^][d
- RPVQ
- _^][Y
- Nx<V
- Pj'Q
- L$dd
- L$dd
- <:;sD
- D$p/
- D$dC
- D$`H
- D$TF
- D$PK
- D$H\\
- D$(L
- D$ s
- F\\Ph
- _^[d
- F\\Ph
- L$,_^][d
- L$$Q
- D$DP
- T$<PR
- NxSWh
- FxWWh
- L$$Q
- D$ hP
- Wj(j
- VxSj
- VxSj
- L$,_^][d
- D$ @;
- < |%
- \\$$~:V
- .rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000561f130025000000000000000370000000000000100da010000621f130015000000831c0e001b00000036260a009600000036260b005a000000e81f0b0006000000c7060600

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Armadillo_v171 ()
- Microsoft_Visual_Cpp_v60 ()
- Microsoft_Visual_Cpp_v50v60_MFC_additional ()
- Microsoft_Visual_Cpp_50 ()
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Armadillo_v171_additional ()

- Armadillo_v4x ()
- Microsoft_Visual_Cpp ()
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_registry (Affect system registries)
- win_private_profile (Affect private profile)
- win_files_operation (Affect private profile)
- win_hook (Affect hook table)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 3 strings

• Module 3 most interesting strings

- api | frequently used by malware: OleInitialize
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetVersion
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: CreateThread
- api | ws2_32: WSAIoctl
- api | user32: UnregisterClassA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: RegCreateKeyW
- api | user32: PostThreadMessageA
- api | user32: RegisterClipboardFormatA
- api | user32: CharUpperA
- api | user32: MessageBeep
- api | user32: GetNextDlgGroupItem
- api | user32: SetRect
- api | user32: CopyAcceleratorTableA
- api | user32: CharNextA
- api | user32: GetSysColorBrush

- api | user32: GetDesktopWindow
- api | user32: PtInRect
- api | user32: GetClassNameA
- api | user32: GrayStringA
- api | user32: DrawTextA
- api | user32: TabbedTextOutA
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetWindowDC
- api | user32: ClientToScreen
- api | user32: DestroyMenu
- api | user32: LoadStringA
- api | user32: MapDialogRect
- api | user32: SetWindowContextHelpId
- api | user32: ReleaseDC
- api | user32: GetMessageA
- api | user32: ValidateRect
- api | user32: SetCursor
- api | user32: PostQuitMessage
- api | user32: ShowWindow
- api | user32: MoveWindow
- api | user32: SetWindowTextA
- api | user32: IsDialogMessageA
- api | user32: GetMenuCheckMarkDimensions
- api | user32: LoadBitmapA
- api | user32: GetMenuState
- api | user32: ModifyMenuA
- api | user32: SetMenuItemBitmaps
- api | user32: CheckMenuItem
- api | user32: EnableMenuItem
- api | user32: PostMessageA
- api | user32: UpdateWindow
- api | user32: SendDlgItemMessageA
- api | user32: MapWindowPoints
- api | user32: GetSysColor
- api | user32: DispatchMessageA
- api | user32: GetFocus
- api | user32: SetFocus
- api | user32: AdjustWindowRectEx
- api | user32: CopyRect
- api | user32: IsWindowVisible
- api | user32: GetTopWindow
- api | user32: MessageBoxA
- api | user32: IsChild
- api | user32: GetCapture
- api | user32: WinHelpA
- api | user32: wsprintfA
- api | user32: GetClassInfoA
- api | user32: RegisterClassA
- api | user32: GetMenuItemCount
- api | user32: GetSubMenu
- api | user32: GetMenuItemID
- api | user32: GetWindowTextLengthA
- api | user32: GetWindowTextA
- api | user32: GetDlgCtrlID
- api | user32: CreateWindowExA
- api | user32: SetWindowsHookExA

- api | user32: GetClassLongA
- api | user32: SetPropA
- api | user32: UnhookWindowsHookEx
- api | user32: GetPropA
- api | user32: CallWindowProcA
- api | user32: RemovePropA
- api | user32: DefWindowProcA
- api | user32: GetMessageTime
- api | user32: GetLastActivePopup
- api | user32: GetWindow
- api | user32: SetWindowLongA
- api | user32: SetWindowPos
- api | user32: RegisterWindowMessageA
- api | user32: OffsetRect
- api | user32: SystemParametersInfoA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetNextDlgTabItem
- api | user32: EndDialog
- api | user32: GetActiveWindow
- api | user32: SetActiveWindow
- api | user32: IsWindow
- api | user32: CreateDialogIndirectParamA
- api | user32: DestroyWindow
- api | user32: GetParent
- api | user32: GetWindowLongA
- api | user32: GetDlgItem
- api | user32: IsWindowEnabled
- api | user32: UnregisterHotKey
- api | user32: IsIconic
- api | user32: GetSystemMetrics
- api | user32: GetClientRect
- api | user32: DrawIcon
- api | user32: GetSystemMenu
- api | user32: AppendMenuA
- api | user32: LoadIconA
- api | user32: FindWindowW
- api | user32: GetCursorPos
- api | user32: RegisterClassW
- api | user32: LoadCursorA
- api | user32: SetCaretPos
- api | user32: SetForegroundWindow
- api | user32: GetClipboardOwner
- api | user32: PeekMessageA
- api | user32: EnableWindow
- api | user32: SendMessageA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: SetStdHandle
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: IsBadWritePtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: VirtualFree

- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetACP
- api | kernel32: GetLocalTime
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: RtlUnwind
- api | kernel32: GetFileTime
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetVolumeInformationA
- api | kernel32: FindFirstFileA
- api | kernel32: FindClose
- api | kernel32: UnlockFile
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: GetCurrentProcess
- api | kernel32: DuplicateHandle
- api | kernel32: SetErrorMode
- api | kernel32: GetThreadLocale
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetOEMCP
- api | kernel32: GetCPInfo
- api | kernel32: GetProcessVersion
- api | kernel32: TlsGetValue
- api | kernel32: LocalReAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GlobalReAlloc
- api | kernel32: TlsFree
- api | kernel32: GlobalHandle
- api | kernel32: TlsAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: LocalAlloc
- api | kernel32: GetLastError
- api | kernel32: GlobalFlags
- api | kernel32: lstrcpynA
- api | kernel32: FileTimeToLocalFileTime

- api | kernel32: FileTimeToSystemTime
- api | kernel32: MulDiv
- api | kernel32: SetLastError
- api | kernel32: GetModuleFileNameA
- api | kernel32: GlobalAlloc
- api | kernel32: lstrcmpA
- api | kernel32: GetCurrentThread
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenA
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: lstrcatA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GlobalGetAtomNameA
- api | kernel32: lstrcmpiA
- api | kernel32: GlobalFindAtomA
- api | kernel32: lstrcpyA
- api | kernel32: GetModuleHandleA
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalFree
- api | kernel32: LockResource
- api | kernel32: FindResourceA
- api | kernel32: TerminateThread
- api | kernel32: CloseHandle
- api | kernel32: GlobalAddAtomA
- api | kernel32: GetSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: GlobalDeleteAtom
- api | kernel32: VirtualAlloc
- api | kernel32: GetModuleFileNameW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetTimeFormatA
- api | kernel32: SetEndOfFile
- api | kernel32: GetCommState
- api | kernel32: WaitForSingleObject
- api | kernel32: DeleteFileA
- api | kernel32: SetEvent
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | ntdll: atan
- api | ntdll: sqrt
- api | ntdll: ceil
- api | ntdll: floor
- api | ntdll: fabs
- api | user32: GetSystemMetrics
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect

- api | user32: MonitorFromPoint
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoA

• Module 3 other strings

- Progman
- 5CPT
- L9C:
- g8zt
- zd2Y,
- 0O93
- 4#I*
- UUYYY
- wIk)
- q$c:u
- :\tUa
- v8vt
- l6K>
- v/d2
- k<{i
- b1I6
- 377w
- M666
- &ad;
- BUSX
- IDAT
- DjLu,O:[
- 8IU0Y
- =w11>
- KtMew
- /nt8
- q=>{U
- 0E!_
- u|TI%
- Y"I&
- TC'UJ
- h4PU
- xyee
- `Gp1
- EOG<vv
- iB?A
- `ee%
- RiA
- @$AO
- #!\tA:
- L1E>
- O^pX
- `ii)
- &ahaz;]f
- ~0|p
- T*111A
- l.]=O
- 8BQ4T
- +9EE
- loll|ztMUU\\

- (115
- g3,7L
- cS1/
- : WI
- d2d2
- PJaZ-
- Ag@Z
- W28Q
- an:y
- TA,$lI
- Wxju@6+
- "%5f
- 2]BOF
- o1?o
- j~`O
- U677y
- q37`
- |>O6
- ^+Onv
- 1b"\'D
- Vc2i
- $I;5
- rI*;
- L&_7
- RT,E
- t9`e
- LY\\p4F2
- F\tu:
- u DPk
- deIp
- y^EJy
- v-`i
- IDAT0
- 6=1h
- 7JBW9wu
- ?K!oQixh
- Gl5$
- N%8w1
- Y1&i4;
- "ffu
- h0>8
- aDJ3
- EQH$
- 89kphXCS4LWb
- |/Xit
- 'X\\5
- EQh6
- Uxn%d
- o28`
- be+f
- :s#9
- ;U%3
- tblE'
- #\\7B(
- Xh4Yt5
- ,gox
- `\tAqFru=

- $2&j;
- W8<}
- abZ)
- 8b6i S
- +++2
- <l~p
- uV@q
- BvHA
- 2(o{
- |AIl:
- WgaS
- l}g8
- onrp:
- po1L
- p>AJ
- UAa8b
- 9Jl
- &h8L;
- 5F&%'
- |2C2
- U405
- <2\\d
- fit!
- #I*^L
- ^9/$
- IdBr
- %B6*K4
- s@cu
- O-6p
- 8r"E
- IIe%d
- Xl4bP
- MHu_
- r3dc
- DuR
- V\tHdo
- 7V+=
- ye3f
- OR,(
- 4L4t
- |a1`_Z
- 6|^|
- t^c8a
- Ay;F
- IDATq
- U"*nH
- ,1>qi
- 3CER
- d|2E
- r4op:Pys
- J1QF
- X\tIq
- M~U~:
- OCnQ
- 3*-M
- 6$48]
- f=di

- gj:5
- 9RTX
- l81[
- o24bs
- k>9;
- LAl*
- e.-V
- 3agh
- M?Og
- }G-6^
- q<*5
- p#f<4
- &8p8f
- l)oN
- Pb8}
- H2Cc
- l5=R
- lllR
- c6]x
- >4ch
- hzBO
- U.d"
- dx0Mv
- :4|(T
- "|AHQ
- 1b&ZG;
- N0;7
- ;96~1
- =Eog/9
- 33EL3I
- >M=2
- 9D&S;'5
- [Up=
- ,c~e[
- jn0d
- 7]2U
- wP09
- lmEg
- jNPA0
- 3@mq
- &3>[
-)6mn
- -;j9
- V0n<
- H)h6/A
- \\al@
- 9ops
- EQ.s
- h4!.\\
- +,-/2
- ?H2U
-]gq9B
- D&20
- {706
- 5PC@
- *3Kk
- oC(,

- 97Qa
- U9k9
- IDAT
- q]0t
- e LzIl4u
- culv6$ONI
- 98N@
- TTNO
- d3>7
- H\t^Zu
- AIsU%
- II8$p]e
- T+u|O
- !EPC
- Sp0=A3!Y-Bw
- 1>|g
- OUp]
- `V 4
- P(I:
- a.L:t
- U9tJ
-)u*"
- 6;0X
- K@L0
- HF0b
- |4ME
- IOb'
- CjHeuMP
- p#q2e
- <I4e
- K\t4}
- $VD2>k3
- UU7*
- ;Y^9
- Btvv03
- UTU]
- EH$T4
- urADU
- UsiX*G
- D#:2
- EfWKx
- IW97
- U(I+wia
- ON#5
- 6r]w
- 342L$
- t[ez
-)i:n0
- BG7T
-]8M"
- w(IH
- AGGG
- IDAT
- -6X-I,
- aK\\R
- cDau
- JnA"4p*

- !g+8
- q6Ri
- 41K%
- i,Eg
- $Qip
- 0Co
- X8I<
- $$4VI
- yRI*
- lV%33
- C:[U
- A;4K<19
- Rb4E
- c"5@
- dSO6#LEA:
- v[27/y
- Y[ez
- fSeu
- 15er
- O'D*b
- (:L"I
- F0UJ
- U*1L\tP
- !qI/g
- URK6qk
- MB_A
- eYH)
- 0[DJ
- mw23o
- 1U4)
- `j7S
- ;dPi
- uVVW8{
- Wh4"t
- 3l'z
- %EQ^
- \\Yey
- #d8f
- #BE
- O>cs
- ,9i:
- 2A; 6
- ?C$#6
- b8jS
- 6Q0a
- nsim
- _S1t
- <\\7
- h7#>
- h5=Fc
- uXYI
- =-PU
- o\/9
- UN_^'
- lUjl
- #\t>Io_
- "eHj

- ^\\Bu=
- "\\Wa
- P*I6
-)f246
- &EQT;
- 5P-8vp
- ?Bi&
- 6)0i
- 0m45
- JV/O8
- K0,h
- "[0:
- /9uH
- LsK0
- [_Mo
- K$LMe
- 0w)(5PK
- {8U9
- e"#v
- 9\tZL
- _EI8
- SOV@
- XCI8
- f^h5N
- IDATf
- ^5 5
- 4;0_N4
- Y666
- TUMd
- #DR6
- =oask
- 7136
- 3!^laj
- }Vc|5
- 4"?B
- 8oRo
- !04A
- S.[g`f\t6k07
- I.A
- Kg0 F
- 2U,Qi59}1
- T*1==
- fO1Ow
- 3pW|
- 355E
- ppi7
- 3%hw
- ADc=
- U6Z<
- CKHA
- u SJ:
- q2U
- :1DIg
- 2NDw
- HE0p
- `0`{{
- {an_

- RiKb[
-][A+E
- Mo[`
- y+A.am}
- Ucvj
- ch6`
- SOAaS
- h4p]
- +k1g
- onn>
- IDAT
- 2(c;
- Q6[N
- 7IAoB0#I
- }6E;
- MQNU
- ,--e
-)%FI
- hh6-
- vF0U
- d)2 O
- 5jse
- 5^xu
- '3}?
- ka>j
- Zegg
- Ti<[
- uIohH"I
- %-,i
- $26\\
- u&\\IRn
- 0O5W
- bcSa
- /^d0x
- ScPi
- V7#6
- ;qA8H?
- ;wO[/
- 3'QJ
- 1V:)
- *sE2
- \\aem
- u&,L
- =B5a
- 0&sE;
- P"&1
- 15];x
- '(T5
- #*6z,
- D1^d1T
- lktl8
- [(!I
- "pA+
- AT@t4T
- 7x}W
- A`_3
- 7T<v

- `M47G
- C($a
- @pe0
- l277
- (BjIe
-){iV
- +jZsA
- N\t=hi
- ',*9
- !a[g2
- #@O!E
- RS333?
- R|u3
- KN4$G
- W)U=
- 927E.
- :<0S
- n4"o
- B033
- 6G`ss
- lDAT
- fc'A89j
- o9>
- O2IS\\
- /rcE
- "1m0q6)
- ,lhg
- D,5@
- 1Ic,
- K%Sa
- $iJ4
- u67ZHi#m
-)0&K;
- |6Q1D
- yP-0E0;*
- Cl7
- &ojT;
- :5`4&
- 1e0;1&
- 0|mM
- d%N2C
- Pakg
- 6;;)
- r9VVV
- it3aj
- (#Ce
- \'74"
- 8 @/
- OrvD
- O1["
- R@F@7!*@1
- 1$fB
- Ecccc
- U666
- l6C>
- }hubz
- 3n@;

- B,c4)
- M6w4
- u_w$
- O3===
- d8(|
- %qgcO
- e=FE
- E<8z
- D`HE,
- $2:(J
- $IB"
- Ctx2
- AY}j
- 8S!r[
- ~azg
- 4[{ds
- [3??
- O333
- 4;;;
- B0??
- g666
- oq~~
- 1777t
- C>0\tZ
- ^H&7
- P. e
- ,$39
- +loo
- 1h7p;}v
- S7q;w
- *Xx4
- `0`ll
- A)rz
- +<04
- IDAT
- TD$4
- y`ayy
- d033
- $hJ 5
- g0:k
- C+1S(
- 0X\\\\
- ,MOO
- NOO355
- =mX2
- =t3&
- U677
- pa#!;5
- {11}
- a<066
- 29(c
- !a x
- zm0L
- 1666p]
- G9ca
- XDJ9T
- IP8F

- (e13
- 3cS(
- HTLa
- Id&G;
- 7FiL
- ,//311
- oV|Z
- 4A"L
- 9j{]
- 1J)*
- Q6!iCN
- 6{{{\\
- CW*U
- ln_Bj96WoQ
- 03eP
- l6;L
- -05^
- !9)%
- h4.^
- LMMaY
- l6K>
- 7I4w
- AJN)
- fsxI
- B)E
- VJ}i
- c333
- l6K6
- OMME
- 233s^J
- @obb
- $I899
- xJ)5eY
- 0MSEQ44d!
- w>zI
- DH)I
- M>5gx
- %2"c
- IDATx
- IHDR
-]@7'/
- F{}>6
- 9tv|
- u~lV\\ G8
- *UQ$
- 73dDh[
- ke*p
- p#`8
- ;J;8b
- -'D7
- 7;89#
- LOO9
- aen:
- #c;4
- SacR#
- %xx%a
- cca*#

- a_?~`
- oSSUTQ
- =6755
- `6Dj#
- YC-00
- C3FGF0
- 6b#+
- f\t\t\tbbaa+
- _aa5
- Yeef`ej4
- Ahej`f$
- kk@Jc_754
- xghg@J747WC
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- .?AVtype_info@@
- .?AV_AFX_OLE_STATE@@
- .?AVCOleBusyDialog@@
- .?AVCOleDialog@@
- .?AVXMessageFilter@COleMessageFilter@@
- .?AUIMessageFilter@@
- .?AVCOleMessageFilter@@
- .?AVCOleException@@
- .PAVCFileException@@
- .?AVXEnumVOID@CEnumArray@@
- .?AUIEnumVOID@@
- .PAVCOleDispatchException@@
- .?AVCOleDispatchException@@
- .PAVCOleException@@
- .?AVCFileException@@
- .?AVCMemFile@@
- .?AVCFile@@
- .?AVCDataSourceControl@@
- .?AVXOleControlSite@COleControlSite@@
- .?AUIOleControlSite@@
- .?AVXAmbientProps@COleControlSite@@
- .?AUIDispatch@@
- .?AVXPropertyNotifySink@COleControlSite@@
- .?AUIPropertyNotifySink@@
- .?AVCOleControlSite@@
- .?AVXEventSink@COleControlSite@@
- .?AVXBoundObjectSite@COleControlSite@@
- .?AUIBoundObjectSite@@
- .?AVXOleClientSite@COleControlSite@@
- .?AUIOleClientSite@@
- .?AVXNotifyDBEvents@COleControlSite@@
- .?AUINotifyDBEvents@@
- .?AVXOleIPSite@COleControlSite@@
- .?AUIOleInPlaceSite@@
- .?AVXRowsetNotify@COleControlSite@@
- .?AUIRowsetNotify@@

- .?AVCEnumUnknown@@
- .?AVCEnumArray@@
- .?AVXOleContainer@COleControlContainer@@
- .?AUIOleContainer@@
- .?AUIParseDisplayName@@
- .?AVCOleControlContainer@@
- .?AVXOleIPFrame@COleControlContainer@@
- .?AUIOleInPlaceFrame@@
- .?AUIOleInPlaceUIWindow@@
- .?AUIOleWindow@@
- .?AVCArchiveStream@@
- .?AUIStream@@
- .?AUISequentialStream@@
- .?AUIUnknown@@
- .?AVCHandleMap@@
- .?AUCThreadData@@
- .?AVCNotSupportedException@@
- .?AVCMemoryException@@
- .PAVCNotSupportedException@@
- .PAVCMemoryException@@
- .?AVCFileDialog@@
- .?AVCCommonDialog@@
- .?AVCUserException@@
- .?AVCResourceException@@
- .?AVCSimpleException@@
- .?AVCException@@
- .PAVCResourceException@@
- .PAVCSimpleException@@
- .PAVCObject@@
- .PAX
- .?AVCTempGdiObject@@
- .?AVCPaintDC@@
- .?AVCWindowDC@@
- .?AVCClientDC@@
- .?AVCTempMenu@@
- .?AVCMenu@@
- .?AV_AFX_BASE_MODULE_STATE@@
- .?AVAFX_MODULE_THREAD_STATE@@
- .?AVAFX_MODULE_STATE@@
- .?AV_AFX_THREAD_STATE@@
- .?AVCOccManager@@
- .?AVCTempImageList@@
- .?AVCImageList@@
- .?AVCGdiObject@@
- .?AV_AFX_CTL3D_THREAD@@
- .?AVCWinApp@@
- .?AVCWinThread@@
- .?AV_AFX_WIN_STATE@@
- .?AVCEdit@@
- .?AVCComboBox@@
- .?AVCButton@@
- .?AV_AFX_CTL3D_STATE@@
- .?AVCNoTrackObject@@
- .PAVCUserException@@
- .?AVCTestCmdUI@@
- .?AVCCmdUI@@
- .PAVCException@@

- .?AVCDialog@@
- .?AVCObject@@
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- flag:
- type=%d,code=%d
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- lgsnake_capture
- lgsnake_pause
- IP:
- IP:
- %02d:%02d:%02d
- %2.2d-%2.2d %2.2d:%2.2d:%2.2d
- RedTom21@HotMail.com
- email)! lgsnake_sword01@126.com
- lgsnake
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- %6.6X
- %2.2X
- WS2_32.dll
- OLEAUT32.dll
- OLEPRO32.DLL
- ole32.dll
- OleIsCurrentClipboard
- OleFlushClipboard
- CoRevokeClassObject
- CoRegisterMessageFilter
- CoFreeUnusedLibraries
- OleUninitialize
- CoTaskMemAlloc
- CoTaskMemFree
- CreateILockBytesOnHGlobal
- StgCreateDocfileOnILockBytes

- StgOpenStorageOnILockBytes
- CoGetClassObject
- CLSIDFromString
- CLSIDFromProgID
- oledlg.dll
- COMCTL32.dll
- ImageList_Destroy
- SHELL32.dll
- ADVAPI32.dll
- WINSPOOL.DRV
- OpenPrinterA
- DocumentPropertiesA
- ClosePrinter
- comdlg32.dll
- GetFileTitleA
- GetOpenFileNameA
- GetSaveFileNameA
- GDI32.dll
- GetBkColor
- GetTextColor
- GetMapMode
- Escape
- ExtTextOutA
- TextOutA
- RectVisible
- PtVisible
- GetWindowExtEx
- GetViewportExtEx
- GetDeviceCaps
- ScaleWindowExtEx
- SetWindowExtEx
- ScaleViewportExtEx
- SetViewportExtEx
- OffsetViewportOrgEx
- SetViewportOrgEx
- SetMapMode
- GetStockObject
- SelectObject
- RestoreDC
- SaveDC
- DeleteDC
- GetObjectA
- SetBkColor
- SetTextColor
- GetClipBox
- ExtTextOutW
- GetTextMetricsA
- CreateBitmap
- DeleteObject
- USER32.dll
- KERNEL32.dll
- + LOOP
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- user32.dll

- log10
- sinh
- cosh
- tanh
- asin
- acos
- atan2
- modf
- ldexp
- _cabs
- fmod
- frexp
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- abnormal program termination
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- e+000
- KERNEL32
- GAIsProcessorFeaturePresent
- 700WP
- (8PX
- Sunday
- Monday
- Tuesday
- Wednesday

- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- %9, %8
- CLSID\\%1\\DefaultExtension
- CLSID\\%1\\Printable
- %2\\DocObject
- CLSID\\%1\\DocObject
- CLSID\\%1\\InProcServer32
- CLSID\\%1\\MiscStatus
- %3,%7
- CLSID\\%1\\DefaultIcon
- CLSID\\%1\\AuxUserType\\3
- CLSID\\%1\\AuxUserType\\2
- CLSID\\%1\\Insertable
- &Open;,0,2
- CLSID\\%1\\Verb\\1
- &Edit;,0,2
- CLSID\\%1\\Verb\\0
- CLSID\\%1\\LocalServer32
- ole32.dll
- CLSID\\%1\\InprocHandler32
- CLSID\\%1\\ProgID
- CLSID\\%1
- %2\\protocol\\StdFileEditing\\server
- &Edit;
- %2\\protocol\\StdFileEditing\\verb\\0
- %2\\Insertable
- %2\\CLSID
- COleDialog
- COleBusyDialog
- COleException
- CFileException
- Native
- OwnerLink
- ObjectLink
- Embedded Object
- Embed Source
- Link Source
- Object Descriptor
- Link Source Descriptor
- FileName
- FileNameW
- Rich Text Format
- RichEdit Text and Objects
- COleDispatchException

- CFile
- .INI
- MSWHEEL_ROLLMSG
- commdlg_LBSelChangedNotify
- commdlg_ShareViolation
- commdlg_FileNameOK
- commdlg_ColorOK
- commdlg_SetRGBColor
- CMemFile
- software
- CException
- CMemoryException
- CNotSupportedException
- combobox
- CObject
- CFileDialog
- CResourceException
- CUserException
- CClientDC
- CWindowDC
- CPaintDC
- CGdiObject
- CFont
- CTempGdiObject
- CMenu
- CTempMenu
- CImageList
- CTempImageList
- CWinThread
- Settings
- PreviewPages
- CWinApp
- CButton
- CComboBox
- CEdit
- CCmdTarget
- COMCTL32.DLL
- InitCommonControlsEx
- DISPLAY
- USER32
- AfxOleControl42s
- AfxFrameOrView42s
- AfxMDIFrame42s
- AfxControlBar42s
- AfxWnd42s
- AfxOldWndProc423
- MS Sans Serif
- Helv
- Edit
- CDialog
- SUVW
- uP9q
- SVW3
- t1Ht
- QSUV
- 9w,t
- ;F0v

- SVW3
- SVW3
- PUSVV
- UVWS
- UVWS
- u1j@
- <:u\tV
- 9^xu2
- QQV3
- uTVW
- u5SVW
- Vu4j
- QQUV
- ;Nxu
- 9~$t
- UUSW
- UUSW
- QSUVW
- 1FF;E
- <<9~
- 1GG;E
- .<9~
- <A|2<Z
- SVW3
- N US+
- V,S3
- ~4_^
- HHu&
- uw%t
- ~0PPW
- 9X tn
- tuHHt
- UUWP
- SUVW
- VVUVS
- V9l$
- 9y`u
- 9Q\\u
- n0SSSSU
- u\t9Z
- tWS3
- t\t9A8u
- u09=
- t59~
- u<9E
- E SVj
- ^[+E
- SVW3
- tSh8
- WWWWU
- te9|$
- ug9|$
- 09|$
- SUVWj
- SVW3
- 97_u
- r0=8

- u,;C
- 9HPu
- t7j,
- 9w u
- t39w
- t\t9p$u
- 4SVW
- Xt7f
- 9PRV
- YuLf
- uSj*
- 4SV3
- tAhh
- u/9F
- t\t9p
- QSVW3
- (;=0
- z;=4
- ue;=8
- SVW3
- u$SShe
- PVhe
- QQUV
- Fd9]
- QSVW3
- ?*u7
- ?.u!W
- #<*u
- tA<#u
- 8<=t
- uT9}
- t@9u
- tUj=
- t\t9]
- 9] u
- _u@W
- 0SVW
- tAVW
- u\tIu
- QSUV
- j\tXO
- NTuI
- <8=u
- VWuBh
- 1_^[
- ^}%95
- SVWu
- 1t*;
- SVW3
- ,f9=$
- Qf9=x
- SVW3
- u>Vj
- w9j
- uA;5
- ^[_3
- ^_[3

- u%C@
- sN;E
- SUVWu
- pD#U
- uY;]
- uiSj
- 8csm
- t3x<
- tEVU
- SVWU
- VC20XC00U
- Yt0@
- 8MZu
- @@f9
- @@f9
- 8"u,
- 8"uF@
- 8"uD
- QQS3
- ?=t"U
- t9UW
- <"u%
- t&:a
- t@9}
- E WW
- 9} u
- uFWWj
- 80t<
- eYt,F
- u>Wj
- YYF;5
- u!PV
- t:\tU
- YYF;5
- Yu!j
- 9p`t
- u?jtj
- 8csm
- u SW
- 8csm
- u Vj
- ub9~
- u,9x
- 8csm
- uf9=
- uSVj
- uFj
- uFj
- u_j
- @AA;
- t7SW
- Wj@Y3
- j@Y3
- SUVW
- t-9]
- u,9u
- uSj

- u;j
- t/Ku
- GIt%
- SVWu
- SVWu
- SVWUj
- 4SVW
- t#C;u
- u"SVU
- 4RRR
- f98u
- 0F;s
- 9Q8u
- 9QHt
- ;~8|
- 9^8~#
- V8Iu
- ;~8|
- 9~@St99~8~
- 9~Ht
- 9^Ht}3
- 4OYu
- L8$;
- t\\9^
- 9^8t
- ;~8|
- 9^8~
- 9^@t53
- W9^$t
- 9u ^t
- @8;G
- u0j\\
- N8+F,+N0
- qXu*
- 9F t
- Fq@u
- 9^xt~
- f9x0
- |%9]
- P0PS
- tc9]
- QVW3
- Ch#E
- F8+N,+F0
- 59H8u
- AH;D$
- 9~Du
- 9x u\tf
- 9G4_^d
- ^$u/
- 9X w
- 4SVW
-)] 3
- SVW3
- 9{u
- VPVj0
- ;(rU

- D$4Ph
- T$8%
- L$8PQ
- L$4Qh
- D$0P
- T$5j
- A=hU
- SUVj
- USShB
- PSUj
- USjAj
- QSUV
- QSUVW
- D$<3
- D$0
- D$,1
- SUVW
- SUVW
- \\$$3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- (((((H
- (null)
- jjjjj
- jjjjj
- jjjjj
- jjjjjj
- jjjjjjjj
- Vcb.
- Kt@{p(~!
- i^Gw<z
- T#`n
- Nk@D
- h`Y}TY
- <_sr
- H&W;,
- Q$#k(
- gvvvH*
- qfff
- P(R(&
- >*?Fb
- E&&&X;^^
- -//?
- r,.."
- YH;x
- cryy
- qzTR:?
- / r$R
- Jc%
- |~G#pd
- r)f'p
- |&M;"
- Xy@B
- lntX

-)S"_
- ?NMM
- htVp
- Zc,_@U
- "$C
- R)VVVv
- !EtZm&&
- jYP(hL
- 8Xf}K@
- m%)%S
- ~+Dx>3
- j+++
- @(P*'
- J)&f;&8~
- `mmmt
- \\.G"
- Hpp~
- ,#K/
- <s:f
- B&!H
- @pb.OZ
- ,g/8LM)X
- Lbm+TS:
- C.nFL
- jp`*
- :&{~
- P#\tY
- %dJc
- qM&[
- t:M*
- =\\WB
- XLsf
- h}-v}#
- \\fcy
- L.\\)
- XnF|
- M^<{
- KgkTV
- dRV*
- !^(
- /kqz
- D(lT]z"!
- `s-dtO
- J@q(
- MNN>
- /?J[(h
- v-`l
- +j\\D2Q
- \\zpZ
- ![#)$
- x]pS
- =!Hj
- G>f&
- ND"Rpr!
- `h|^
- Pcd(
- >:N-

- ._[B
- Z;$R,
- }GBP
- @\tc:
- ZW!P
- #S)^}
- ;K v[
- :[!QH
- F]!%lrY
- HHT3dd
- `h<Mq(
- [$S:
- c<q@'
- "TC\'
- D=elbfFz#
- /-FL
- V]pj
- ,rc&/^)
- H</"
- Tb\\%
- ,gj.
- `$'H
- \\X,sqi
- Rp~#
- [\\h{
- Ltb\\
- c#&g;*
- $y#b
- ^"FR
- -PTR
- \\G"C
- HKBZ
- |K!b4%X
- iP(Xt:
- B.gpn
- .pp:
- (xpN
- $P;>Bu
- xYgj
- gr$}h4
- _S\\,QZm
- !&+P
- kL{>
- sZ(~
- Gx}Mr
- _bW]
- X:rS
- qN\\T
- ($TAH:Dj
- _^&_v
- /Q<|
- @CB"
- JP}h
- \\=J~f
-]?!*Qd
- MWg;
- `t">

- T+.Q]
- **~\\r
- *|gM
- *@+BX
- .[(:H
- V+P'
- `s`Dc
- ZC%C
- p(M)s
- m&',
- *[k=
- &[z#
- ,d,F"
- BH|/
- }$Dw
- (HvY
- ' CmJ
- pn|f
- SB[R
- m+mmm
- bp`x
- xLB{2~
- <*/q
- vfV*
- \\.Xy
- C:\t|
- {|^]
- %hkK
- N(D".
- cFtVV
- NPZm
- _sDg~)
- `k]z
- (N{>
- j.DDp
- pxc^
- J["D[
- }[J@-
- LN\\`h
- 0==C__
- #$;S
- $_lR/[hZ
- jCbt
- !d(X
- B$.x
- F}<KR
- >c;ay>
- g/^`G_;
- Mh
- tY\tP
- PhZ>
- Z F+
- B(L\\
- RAQ%"JN
- jLX_
- dkm@
- B&n;@

- XV{Qb
- <A}@`C
- t:}S
- w-q~}
- #{!R
- w fJ!
- jkB
- N]bm
- pDkk
-]7ds)~
- Gj]Z
- WV$zJe
- Sp{m
- !Z:fRW
- 6y+GksB{
- %^{b
- tJG!J
- hG!(
-)hW{
- cA-$==
- }"P]
- }?Bh$
- s+X)
- T*mS
- /Q*D
- IV`~
- &Js;@
- Jqpw
- WR(d
- j_b:
- }gff
- x<.I){$
- M.T]b
- W&,-
- ;H-
- _ksizW
- vYXX
- |n9 hw
- yPF@
- pC`-+LV%
- F#fggY__
- qxmS&
- wVhTj
- QfRD
- X'p%
- *q$P
- *q/B
- \\fss
- +*-
- C&"n
- 9Sl>grx
- ?@v;t.T
- J~r
- Xdqq
- KKK(
- T-fn
- V,Pv@CEQ

- hT,|G
- hLj[
- }zc(
- QJSS
- =jssX
- !_x~
- -!g+
- hT"(
- fB>/
- SxrL
- &<TV,
- wcX<
- JQ/k
- "[[[h
- ?Pd>
- ={]M.
- /"Q,
- F`*y
-]*@G@
- #lnn
- .'4Rh,!
- /%$F
- ,L$t&P;)
- FF \\
-)JYXy
- x%"w
- b+"g
- nCwJ
-)<Fs
- R`0h-(
- BkhJP
- Z/,,,
- }<`kk
- "VWW
- P(XHz,
- ;fn*G9
- *KKK
-]|KQ,
- \\>$W/
- H%X)
- `/\tD
- &Bqk;
- Lvb^L5
- Yd`(
- z, T`
- DCl`
- g,T_
- /_Fk}
- &\t'k
- 8L&}v[
- tzg@_kM
- bF":
- CXP(f
- 8^\tH')
- WWWq
- ,fgg
- d]/H

- [#v:6;
- T_"-
- !KKK
- "RJvww
- jMr,
- <Krz&G;/?b8V
- 0)r"lS
- _g}}
- }D/BH
- /F{H@
- :lm\\#k
- 6%Q H#
- S;;;
- t^Gx]
- _gmm
- phK:j
- B}?
- :,/,##
- +++\\
- `nnn
- w|3KSsdss,
- fQ B\t""
- &($$
- YYY!
- df~~
- jlmmM---
- K-!L
- z=vww
- <{{{
- h'm
- dX^^frr
- X]]}Gz
- .AJ|?B
- HGb[
- &$qd
- BF!v
- /_fgg
- S'"
- nJ|?AHPR!
- RLLL
- gffx
- vww
- H{,NMM
- T-(M
- g'"
- .]b~~
- -_'gKz
- cr<C
- qjvv
- EJYX\\\\
- qtX\tpd
- $"Q
- +chV
- bVrn
- $\t_v
- fffX^^
- mvww

- 'VWW
- 3gX[[c{{
-)s{s
- ~()"gx
- mnn~
- =_S)
- !&:
- .qh@
- <TJq
- cLMM
- 8RTJ+dr%t
- [DD{!qbb(
- dnnn
- lmmQ
- QfLN;hU
- qlptJ
- tlJV
- u(/&S;*
- <;;;\\
- Xd~~
- yfff
- Lffqq
- nZH)
- ?Lp{}</`
- ^`mk
- p{MN
- "KKK,//
- ya;!W)
- MMM}
- b&G;>g!u
- GBH(
- /d!~
- D&-Pc$A
- MNNR.
- rLL-
- yGJsgJ:K
- (f<lK
- Gw(N
- _gcc
- ,-.Q
- xwcc
- t>dY
- m{x_j
- P(P(
- $\t{{{
- gYV|
- vkzz
- `hl)
- t'''
- `lnn
- /^<V
- Lfx;%
- HJTJ)t]G
- /_>&
- , S,
- =>}-M
- RFRJ/

- T*'-
- >>p`<,F
- zXQP'1$
- n'6KWcB
- n/_^CT
- pnnp
- ;J8t\\W
- (%%%%F
- &zz;%
- Qxy.
- V-XSQx
- #Yhh<
- %.%#
- W@~`Z
- %.//0.#"
- "##%.F|
- |x.%##
- wmZZZms
- !%QTm
- +!%%!!
- %Tw
- !*+TU*
- YY$bB4$&++
- JB`%
- C@C`3/
- {nq'
- l?[V
- }{{}}}
- <{{}
- CGGG:0
- ?K@X
- BdX&@$
- #$@@
- bcrW
- $fDCC@#
- YCDDDD@
- &QTV;*
- fYC@CCC
- eYWD_D@
- NJcW7>
- Nbc_(4
- %%!!
- "ffjjjj5
- !&%!(*@ONN_bW#$
- !Rfx
- DY`YW
- +VD]gg@J5$$_J
- !QQY]*#4WWJB
- Q[pw
- !!%!
- &>Q%
- !%QZmu
- !!!!
- p[TQ%!
- !&QZmw;
- wp[T+!
- !!+QT[pw

- pmZQ+%!
- upmm[ZZZZZZ[[mpuw
- wwww
- wwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- D?$?
- ?/L[
- ?Zd;
- HMXB
- .?AVCPtrList@@
- Dw=X
- .?AVCFont@@
- .?AVCMapPtrToPtr@@
- .?AVCTempDC@@
- .?AVCDC@@
- .?AVCListCtrl@@
- .?AVCTempWnd@@
- .?AVCWnd@@
- .?AVCCmdTarget@@
- TCP
- GGP
- Len=%d
- %s:%d
- %s%c
- TCP
- GGP
- Text File (*.txt)|*.txt|
- pi.txt
- %d/%d
- TCP
- GGP
- TCP
- GGP
- LPtoDP
- DPtoLP
- Dw=|:s
- _hypot
- __MSVCRT_HEAP_SELECT
- (null)
- ppxxxx
- `h''''
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- .HLP
- commdlg_help
- CPtrList
- CMapPtrToPtr
- System
- CTempDC

- CListCtrl
- %*.*f
- commctrl_DragListMsg
- CWnd
- CTempWnd
- MS Shell Dlg
- ^._^][
- t%Ht
- HVWH
- t,Vj
- tq9w(tlSj
- Vhk|
- N(;N,r
- ~`j.j
- VVUSVV
- _^][
- t$ PUSVV
- VVUSVV
- FTgs
- WVWWW
- PWVWWW
- QQSVW
- t#;^
- QSVW
- _^]YY
- _^[d
- _j X;
- j@j<
- +tJHt:Ht*
- ~ _^
- Pd;~
- _^][Y
- _^[]
- <A|@<Z
- CGGC
- _^][
- SShv
- F$_^
- V(RW
-)SPj
- ^$_^[]
- _^[d
- WWWj
- F ^d
- tBSh
- tBSh
- @t4Ht1Ht_Ht
- kwFt
- Ht#HHt
- w%t
- w'tR
- QQVj
- X_^d
- X_^[
- /t\tP
- tN@@
- PVVV

- WRPQ
- p[t!
- F _^
- QQSVW
- Qj<P
- X^[_
- j Pj
- j j
- t@WP
- @Pj@
- tBSh
- tD9_Pt?
- _^][Y
- _^][
- ;qdt
- Ph_^][Y
- _SSSSU
- QSUVWj
- Pl_^
- PPhj
- t$$SS
- ^_[]
- hWj@_;
- j@jP
- _^[]
- t>Ht Ht
- tFHt>
- (wqt\\HHtS
- F,_^][
- PWhj
- tvWWWWU
- PPPPhd
- $SVW
- _^[]
- VwltB
- <VWj
- @t\tV
- _^[d
- >(r-
- tMVW
- ^$tL
- ,SVW
- btZ-
- @SVW
- X_^[
- tBSh
- QQSV
- PQQQQQ
- QWWV
- QQVW
- WWWWW
- NTQP
- ~<j j
- Yt&hL;
- _^[]
- F$^d
- tBSh

- (Vj(
- _^[d
- SVWj(
- X_^[]
- M;=<
- X_^[
- _^[d
- PVhd
- F\\Pt
- FxQj
- N|@+
- _^[d
- F\\jLSP
- VWj
- nt2Ht#Ht
- ^][_
- QQSVW3
- t-VW
- tySS
- PWPSS
- PWPSS
- FGQPS
- _^][Y
- t/WWUPj
- WWWWj
- +ttHHtd
- \\SVW
- H}Fj
- HSVHWtgHHtF
- t%WV
- SVWf
- _^[]
- @PWV
- PPPP
- PPPP
- SVWj
- t!CS
- SVWj
- _^[]
- t%WV
- VWsr
- _^][YY
- QQSUVWj
- WWWj
- WWSj
- WWWj
- WQPWS
- Y_^[
- >:u#FV
- >:uNFV
- PSj?
- PSj?
- QQSVWj
- w|j
- PVhP
- ^VhT
- PPPPPPPP

- PPPPPPPP
- PPPPPPPP
- QQSV
- _^][
- X_^[
- j?^;
- j #M
- Yt\tV
-]_^[
- t>j,P
- HSVWh
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- PSSW
- F<"t
- ~XY_
- _WPS
- VSh
- tMWWS
- "WWShP
- [ShT
- _^[]
- SVWj
- btHHt.
- QQSV
- Yt\tf
- HHtpHHtl
- X_[^
- tYPV
- SVWj
- ~&WP;
- QQSVW
- QQSVW
- Yt&V;
- @PPk
- Yt)V
- t:jtj
- QQSVW
- YYPW
- ?csm
- _^[]
- sO;>|C;~
- QQVW
- YY_^[
- X_^]
- wLVSP
- (SVW
- GGBBf
- _^[]
- SVWt
-
- SVWj
- _^][
- _^[]
- _^[]

- <Xt
- t\tVP
- w.j
- uRFGHt
- XSVW
- tzVS
- _^[]
- t$ V
- D$ P
- t.;t$$t(
-]_^[
- X_^[]
- PhYY
- QQSVWd
- QSVW
- 'SVW
- _^[]
- PPPj
- t(VW
- YY_^[
- Yt)V
- P_^
- @q t
- _^[]
- [_^]
- @u+;t$
- Zt(Ht Ht
- SVWj
- t*Ht"Ht
- _^[d
- HtLH
- HtLH
- _^[d
- VVVPQR
- PQRj
- RVPW
- W _^[
- v<QP
- VWt)
- QQSV
- X_^[
- V@W@PQ
- SVW
- _^[d
- ~LWh
- ~HWh
- QQSV
- FL_;
- _^[d
- QSVW
- Fq@t
- QWPS
- XQPh
- VX_^]
- WPPR
- F|PW
- F|f;

- QQSV
- SVW
- _^[d
- PSSj
- SSSj
- NpQj
- dSVW
- FLRh
- sL|.
- C,PP
- {PWh
- Clt+
- _^[d
- _^[d
- _^[d
- ;~,r
- pT^t
- PSSf
- HtYHt6H
- SSSS
- s$_r
- (_^][
- L$XhhU
- _^][
- L$@hxU
- D$8j-P
- T$@hxU
- ,_^][
- D$DWPh
- L$$VQh
- D$<h
- _^][
- T$-W
- T$%V
- D$$j
- T$4j(R
- L$ QR
- L$PWQ
- D$Ph
-]_^[d
- L$,_^]d
- T$,h
- Sh T
- _^][
- _^][d
- RPVQ
- _^][Y
- Nx<V
- Pj'Q
- L$dd
- L$dd
- <:;sD
- D$p/
- D$dC
- D$`H
- D$TF
- D$PK

- D$H\\
- D$(L
- D$ s
- F\\Ph
- _^[d
- F\\Ph
- L$,_^][d
- L$$Q
- D$DP
- T$<PR
- NxSWh
- FxWWh
- L$$Q
- D$ hP
- Wj(j
- VxSj
- VxSj
- L$,_^][d
- D$ @;
- < |%
- \\$$~:V
- .rsrc

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000561f130025000000000000003700000000000100da010000621f130015000000831c0e001b00000036260a009600000036260b005a000000e81f0b0006000000c7060600

• Module 4 yara matches

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: 5.vl
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetVersion

- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: CreateThread
- api | ws2_32: WSAIoctl
- api | user32: UnregisterClassA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: RegCreateKeyW
- api | user32: PostThreadMessageA
- api | user32: RegisterClipboardFormatA
- api | user32: CharUpperA
- api | user32: MessageBeep
- api | user32: GetNextDlgGroupItem
- api | user32: SetRect
- api | user32: CopyAcceleratorTableA
- api | user32: CharNextA
- api | user32: GetSysColorBrush
- api | user32: GetDesktopWindow
- api | user32: PtInRect
- api | user32: GetClassNameA
- api | user32: GrayStringA
- api | user32: DrawTextA
- api | user32: TabbedTextOutA
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetWindowDC
- api | user32: ClientToScreen
- api | user32: DestroyMenu
- api | user32: LoadStringA
- api | user32: MapDialogRect
- api | user32: SetWindowContextHelpId
- api | user32: ReleaseDC
- api | user32: GetMessageA
- api | user32: ValidateRect
- api | user32: SetCursor
- api | user32: PostQuitMessage
- api | user32: ShowWindow
- api | user32: MoveWindow
- api | user32: SetWindowTextA
- api | user32: IsDialogMessageA
- api | user32: GetMenuCheckMarkDimensions
- api | user32: LoadBitmapA
- api | user32: GetMenuState
- api | user32: ModifyMenuA
- api | user32: SetMenuItemBitmaps
- api | user32: CheckMenuItem
- api | user32: EnableMenuItem
- api | user32: PostMessageA
- api | user32: UpdateWindow
- api | user32: SendDlgItemMessageA
- api | user32: MapWindowPoints
- api | user32: GetSysColor
- api | user32: DispatchMessageA
- api | user32: GetFocus
- api | user32: SetFocus

- api | user32: AdjustWindowRectEx
- api | user32: CopyRect
- api | user32: IsWindowVisible
- api | user32: GetTopWindow
- api | user32: MessageBoxA
- api | user32: IsChild
- api | user32: GetCapture
- api | user32: WinHelpA
- api | user32: wsprintfA
- api | user32: GetClassInfoA
- api | user32: RegisterClassA
- api | user32: GetMenuItemCount
- api | user32: GetSubMenu
- api | user32: GetMenuItemID
- api | user32: GetWindowTextLengthA
- api | user32: GetWindowTextA
- api | user32: GetDlgCtrlID
- api | user32: CreateWindowExA
- api | user32: SetWindowsHookExA
- api | user32: GetClassLongA
- api | user32: SetPropA
- api | user32: UnhookWindowsHookEx
- api | user32: GetPropA
- api | user32: CallWindowProcA
- api | user32: RemovePropA
- api | user32: DefWindowProcA
- api | user32: GetMessageTime
- api | user32: GetLastActivePopup
- api | user32: GetWindow
- api | user32: SetWindowLongA
- api | user32: SetWindowPos
- api | user32: RegisterWindowMessageA
- api | user32: OffsetRect
- api | user32: SystemParametersInfoA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetNextDlgTabItem
- api | user32: EndDialog
- api | user32: GetActiveWindow
- api | user32: SetActiveWindow
- api | user32: IsWindow
- api | user32: CreateDialogIndirectParamA
- api | user32: DestroyWindow
- api | user32: GetParent
- api | user32: GetWindowLongA
- api | user32: GetDlgItem
- api | user32: IsWindowEnabled
- api | user32: UnregisterHotKey
- api | user32: IsIconic
- api | user32: GetSystemMetrics
- api | user32: GetClientRect
- api | user32: DrawIcon
- api | user32: GetSystemMenu
- api | user32: AppendMenuA
- api | user32: LoadIconA
- api | user32: FindWindowW
- api | user32: GetCursorPos

- api | user32: RegisterClassW
- api | user32: LoadCursorA
- api | user32: SetCaretPos
- api | user32: SetForegroundWindow
- api | user32: GetClipboardOwner
- api | user32: PeekMessageA
- api | user32: EnableWindow
- api | user32: SendMessageA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: SetStdHandle
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: IsBadWritePtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetACP
- api | kernel32: GetLocalTime
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: RtlUnwind
- api | kernel32: GetFileTime
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetVolumeInformationA
- api | kernel32: FindFirstFileA
- api | kernel32: FindClose
- api | kernel32: UnlockFile
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: CreateFileA
- api | kernel32: GetCurrentProcess
- api | kernel32: DuplicateHandle

- api | kernel32: SetErrorMode
- api | kernel32: GetThreadLocale
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetOEMCP
- api | kernel32: GetCPInfo
- api | kernel32: GetProcessVersion
- api | kernel32: TlsGetValue
- api | kernel32: LocalReAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GlobalReAlloc
- api | kernel32: TlsFree
- api | kernel32: GlobalHandle
- api | kernel32: TlsAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: LocalAlloc
- api | kernel32: GetLastError
- api | kernel32: GlobalFlags
- api | kernel32: lstrcpynA
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: MulDiv
- api | kernel32: SetLastError
- api | kernel32: GetModuleFileNameA
- api | kernel32: GlobalAlloc
- api | kernel32: lstrcmpA
- api | kernel32: GetCurrentThread
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrlenA
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: lstrcatA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GlobalGetAtomNameA
- api | kernel32: lstrcmpiA
- api | kernel32: GlobalFindAtomA
- api | kernel32: lstrcpyA
- api | kernel32: GetModuleHandleA
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalFree
- api | kernel32: LockResource
- api | kernel32: FindResourceA
- api | kernel32: TerminateThread
- api | kernel32: CloseHandle
- api | kernel32: GlobalAddAtomA
- api | kernel32: GetSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: GlobalDeleteAtom
- api | kernel32: VirtualAlloc
- api | kernel32: GetModuleFileNameW
- api | kernel32: CreateFileW

- api | kernel32: TerminateProcess
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetTimeFormatA
- api | kernel32: SetEndOfFile
- api | kernel32: GetCommState
- api | kernel32: WaitForSingleObject
- api | kernel32: DeleteFileA
- api | kernel32: SetEvent
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | ntdll: atan
- api | ntdll: sqrt
- api | ntdll: ceil
- api | ntdll: floor
- api | ntdll: fabs
- api | user32: GetSystemMetrics
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoA

• Module 4 other strings

- Translation
- VarFileInfo
- SpecialBuild
- 1, 0, 0, 1
- ProductVersion
- PackInter
- ProductName
- PrivateBuild
- PackInter.EXE
- OriginalFilename
- LegalTrademarks
- (C) 2002
- LegalCopyright
- PackInter
- InternalName
- 1, 0, 0, 1
- FileVersion
- PackInter Microsoft
- FileDescription
- CompanyName
- Comments
- 081304e3
- StringFileInfo
- VS_VERSION_INFO
- ?? PackInter(&A;)...
- List1
- SysListView32
- EMail:
- ???? (C) 2002
- PackInter 1.0 ?
- Progman

- ***j
- 111y
- *0//
- ,,,u
- 8
- l000
- W666
- &&&{999
- 0MMM
- e
- E///
- lEEE
- EGGG
- 6OOO
- 1BBB
- :III
- 8
- 1
- ENNN
- 9PPP
- [222
- ,777
- bAAA
- 4CCC
- w999
- !666
- G333
- lEND
- 7O()l
- [Ro[K
- 6"1?
- /3/l
- oJvS-
- \\6[m
- eN=9
- u7\t 5
- e-=\\
- e8O*
- ulzy
- 9$!h
- D AnS
- u7Yn"
- 1xE)
- 4,3
- f1Ah
- <fJ|3
- u@/e7
- kMUP
- Yt4h
- J2WY
- eY1
- `flO
- 2* C
- WaNDQ
- dr#2
- E$lR
- UNBm

- p4`M
- (HA:
- $I;M
- iRH~
- IDAT9J
- loos
- !s9X
-]ok`
- Vpee
- gggE
- ee`#
- (b2L
- <88|=
- >[[[4
- m`7\tE/
- h4X]]euu
- t8>>
- u9::
- V]e:
- e('d
- O8::
- :Sfi2HF
- dGOl
- [9$XI
- e*gc;
- .)9Q
- t>Ey\\
- Pk4h
- Nq]8:
- m677y
- .Lsr2
- 7P$I
- Mi5[
- 9_<}F
- $Tk5
- x2b<
- E+T<
- oqz2
- RZ~L6
- ;4ku
- t0EE
- lxoZ
- W/^2
- &O;?}
- ANlE
- 'OPJ
- 3^Z6
- ySLKa2;&
- TeN.
- DBc2
- r0*0L
- 9E!I
- UUYXX
- 21oL*
- %,74F^
- R2l"
- 4 /2

- w4D5T
- ;UT~
- *T4Uc6
- *(FA
- sE<a
- 4XY]
- :etS
- [o3|
- ([6B)
- K6i"
- RSA-
- Bg8q
- (Bgaq
- l6QU
- lYZZe8
- ~~5^
- 5LUc
- .T\\oJ
- 3Vkm
- lDAT
- PmTH3
- u^xi
- l766
- j54cN
- *$qA
-]`yU
-]3YZ
- h4h4
- Ov88|V
- h8FA
- "geq
- U"oF
- /uY\\h
- `4&Uu;
- D9Y1o
- 7E)W
- 2N%$
- Tk6R
- PQlrH
- XZ\\e6
- wRp2
- =4Mcaa
- ?3LSPu
- jEN
- KA_mf
- lRp2
- ,M_^^FUU>
- KE38
- .P1,z
- O!T"
- $lr6
- aeYF
- /pQ5
- Oo~)A
- W3~tT
- 2+ K
- U666

- Sv8<:
- %A)+X.CTn0
- EaUUN+
- ;W_A
- :*a*YZ_A
- 7C/|
- 0aZ$(
- J60/
- eYFQ
- monn
- f3LK
- t2A(
- ~GUU'
- `qq1w]7
- eWA[
- U)(9&
- RS1t
- 2/\tN
- .wPE
- 4666
- l\tf#F
- 3#K~
- 0QHIY
- YFU5Jv\tUS
- ?44M
- `ii)
- UC"
- g4j6E
- @PHA
- FRN2
- 4[Lf9^
- ;YAj(
- IDAT
- GCU8
- h4~f)0
- w~LI
- C\\7}n
- 5LS#
- i7kXRr<
- "E#
- mTU%
- .E^P
- SBSA5M2?f
- 055eFQ
- U<O%U
- &Kd3;
- qLNO
- d2Am
- xa@6
- m66[
-)|7AA
- 4<m%
- 5t=E"
- >`ee
- a@:a`
- "\t#E
- L>E.

- CU4Z=
- +3;_"
- 5IjI
- a{C'
- ~ 1p"
- mQ98
- l6q]
- ciiiD
- 6Ah1
- ' 7Y
- 1Z=N
- 7?|7Z
- "d9&
- :.IC
- {axju:
- B\\TU
- nw\tBA
- 37?E&
- (QLO
- CSuB$
- 0FB
- FUedB
- $IPo
- 1CPR
- G&z6Guf;
- <E)A5
- u4-bll
- Ap3?
- dS4L
- i"91o
- LON0=1
- ,/7P
- 5CPT
- L9C:
- g8zt
- zd2Y,
- 0O93
- 4#I*
- UUYYY
- wIk)
- q$c:u
- :\tUa
- v8vt
- l6K>
- v/d2
- k<{i
- b1I6
- 377w
- M666
- &ad;
- BUSX
- IDAT
- DjLu,O:[
- 8IU0Y
- =w11>
- KtMew
- /nt8

- q=>{U
- 0E!_
- u|TI%
- Y"I&
- TC'UJ
- h4PU
- xyee
- `Gp1
- EOG<vv
- iB?A
- `ee%
- RiA
- @$AO
- #!\tA:
- L1E>
- O^pX
- `ii)
- &ahaz;]f
- ~0|p
- T*111A
- l.]=O
- 8BQ4T
- +9EE
- loll|ztMUU\\
- (115
- g3,7L
- cS1/
- : WI
- d2d2
- PJaZ-
- Ag@Z
- W28Q
- an:y
- TA,$II
- Wxju@6+
- "%5f
- 2]BOF
- o1?o
- j~`O
- U677y
- q37`
- |>O6
- ^+Onv
- 1b"\'D
- Vc2i
- $I;5
- rI*;
- L&_7
- RT,E
- t9`e
- LY\\p4F2
- F\tu:
- u DPk
- deIp
- y^EJy
- v-`i
- IDAT0

- 6=1h
- 7JBW9wu
- ?K!oQixh
- Gl5$
- N%8w1
- Y1&i4;
- "ffu
- h0>8
- aDJ3
- EQH$
- 89kphXCS4LWb
- |/Xit
- 'X\\5
- EQh6
- Uxn%d
- o28`
- be+f
- :s#9
- ;U%3
- tblE'
- #\\7B(
- Xh4Yt5
- ,gox
- `\tAqFru=
- $2&j;
- W8<}
- abZ)
- 8b6i S
- +++2
- <l~p
- uV@q
- BvHA
- 2(o{
- |AIl:
- WgaS
- l}g8
- onrp:
- po1L
- p>AJ
- UAa8b
- 9Jl
- &h8L;
- 5F&%'
- |2C2
- U405
- <2\\d
- fit!
- #I*^L
- ^9/$
- IdBr
- %B6*K4
- s@cu
- O-6p
- 8r"E
- IIe%d
- Xl4bP
- MHu_

- r3dc
- DuR
- V\tHdo
- 7V+=
- ye3f
- OR,(
- 4L4t
- |a1`_Z
- 6|^|
- t^c8a
- Ay;F
- IDATq
- U"*nH
- ,1>qi
- 3CER
- d|2E
- r4op:Pys
- J1QF
- X\tIq
- M~U~:
- OCnQ
- 3*-M
- 6$48]
- f=di
- gj:5
- 9RTX
- l81[
- o24bs
- k>9;
- LAl*
- e.-V
- 3agh
- M?Og
- }G-6^
- q<*5
- p#f<4
- &8p8f
- I)oN
- Pb8}
- H2Cc
- l5=R
- lllR
- c6]x
- >4ch
- hzBO
- U.d"
- dx0Mv
- :4|(T
- "|AHQ
- 1b&ZG;
- N0;7
- ;96~1
- =Eog/9
- 33EL3I
- >M=2
- 9D&S;'5
- [Up=

- ,c~e[
- jn0d
- 7]2U
- wP09
- lmEg
- jNPA0
- 3@mq
- &3>[
-)6mn
- -;j9
- V0n<
- H)h6/A
- \\al@
- 9ops
- EQ.s
- h4!.\\
- +,-/2
- ?H2U
-]gq9B
- D&20
- {706
- 5PC@
- *3Kk
- oC(,
- 97Qa
- U9k9
- IDAT
- q]0t
- e Lzil4u
- culv6$ONI
- 98N@
- TTNO
- d3>7
- H\t^Zu
- AIsU%
- II8$p]e
- T+u|O
- !EPC
- Sp0=A3!Y-Bw
- 1>|g
- OUp]
- `V 4
- P(I:
- a.L:t
- U9tJ
-)u*"
- 6;0X
- K@L0
- HF0b
- |4ME
- IOb'
- CjHeuMP
- p#q2e
- <I4e
- K\t4}
- $VD2>k3
- UU7*

- ;Y^9
- Btvv03
- UTU]
- EH$T4
- urADU
- UsiX*G
- D#:2
- EfWKx
- lW97
- U(l+wia
- ON#5
- 6r]w
- 342L$
- t[ez
-)i:n0
- BG7T
-]8M"
- w(lH
- AGGG
- lDAT
- -6X-l,
- aK\\R
- cDau
- JnA"4p*
- !g+8
- q6Ri
- 41K%
- i,Eg
- $Qip
- 0Co
- X8l<
- $$4VI
- yRI*
- lV%33
- C:[U
- A;4K<19
- Rb4E
- c"5@
- dSO6#LEA:
- v[27/y
- Y[ez
- fSeu
- 15er
- O'D*b
- (:L"l
- F0UJ
- U*1L\tP
- !qI/g
- URK6qk
- MB_A
- eYH)
- 0[DJ
- mw23o
- 1U4)
- `j7S
- ;dPi
- uVVW8{

- Wh4"t
- 3l'z
- %EQ^
- \\Yey
- #d8f
- #BE
- O>cs
- ,9i:
- 2A; 6
- ?C$#6
- b8jS
- 6Q0a
- nsim
- _S1t
- <\\7
- h7#>
- h5=Fc
- uXYI
- =-PU
- o\\/9
- UN_^'
- lUjl
- #\t>Io_
- "eHj
- ^\\Bu=
- "\\Wa
- P*I6
-)f246
- &EQT;
- 5P-8vp
- ?Bi&
- 6)0i
- 0m45
- JV/O8
- K0,h
- "[0:
- /9uH
- LsK0
- [_Mo
- K$LMe
- 0w)(5PK
- {8U9
- e"#v
- 9\tZL
- _EI8
- SOV@
- XCI8
- f^h5N
- IDATf
- ^5 5
- 4;0_N4
- Y666
- TUMd
- #DR6
- =oask
- 7136
- 3!^laj

- }Vc|5
- 4"?B
- 8oRo
- !04A
- S.[g`f\t6k07
- I.A
- Kg0 F
- 2U,Qi59}1
- T*1==
- fO1Ow
- 3pW|
- 355E
- ppi7
- 3%hw
- ADc=
- U6Z<
- CKHA
- u SJ:
- q2U
- :1DIg
- 2NDw
- HE0p
- `0`{{
- {an_
- RiKb[
-][A+E
- Mo[`
- y+A.am}
- Ucvj
- ch6`
- SOAaS
- h4p]
- +k1g
- onn>
- IDAT
- 2(c;
- Q6[N
- 7IAoB0#I
- }6E;
- MQNU
- ,--e
-)%FI
- hh6-
- vF0U
- d)2 O
- 5jse
- 5^xu
- '3}?
- ka>j
- Zegg
- Ti<[
- uIohH"I
- %-,i
- $26\\
- u&\\IRn
- 0O5W
- bcSa

- /^d0x
- ScPi
- V7#6
- ;qA8H?
- ;wO[/
- 3'QJ
- 1V:)
- *sE2
- \\aem
- u&,L
- =B5a
- 0&sE;
- P"&1
- 15];x
- '(T5
- #*6z,
- D1^d1T
- lktl8
- [(!l
- "pA+
- AT@t4T
- 7x}W
- A`_3
- 7T<v
- `M47G
- C($a
- @pe0
- l277
- (BjIe
-){iV
- +jZsA
- N\t=hi
- ',*9
- !a[g2
- #@O!E
- RS333?
- R|u3
- KN4$G
- W)U=
- 927E.
- :<0S
- n4"o
- B033
- 6G`ss
- IDAT
- fc'A89j
- o9>
- O2IS\\
- /rcE
- "1m0q6)
- ,lhg
- D,5@
- 1Ic,
- K%Sa
- $iJ4
- u67ZHi#m
-)0&K;

- |6Q1D
- yP-0E0;*
- Cl7
- &ojT;
- :5`4&
- 1e0;1&
- 0|mM
- d%N2C
- Pakg
- 6;;)
- r9VVV
- it3aj
- (#Ce
- \'74"
- 8 @/
- OrvD
- O1["
- R@F@7!*@1
- 1$fB
- Ecccc
- U666
- l6C>
- }hubz
- 3n@;
- B,c4)
- M6w4
- u_w$
- O3===
- d8(|
- %qgcO
- e=FE
- E<8z
- D`HE,
- $2:(J
- $IB"
- Ctx2
- AY}j
- 8S!r[
- ~azg
- 4[{ds
- [3??
- O333
- 4;;;
- B0??
- g666
- oq~~
- 1777t
- C>0\tZ
- ^H&7
- P. e
- ,$39
- +loo
- 1h7p;}v
- S7q;w
- *Xx4
- `0`ll
- A)rz

- +<04
- IDAT
- TD$4
- y`ayy
- d033
- $hJ 5
- g0:k
- C+1S(
- 0X\\\\
- ,MOO
- NOO355
- =mX2
- =t3&
- U677
- pa#!;5
- {11}
- a<066
- 29(c
- !a x
- zm0L
- 1666p]
- G9ca
- XDJ9T
- IP8F
- (e13
- 3cS(
- HTLa
- Id&G;
- 7FiL
- ,//311
- oV|Z
- 4A"L
- 9j[]
- 1J)*
- Q6!iCN
- 6{{{\\
- CW*U
- ln_Bj96WoQ
- 03eP
- l6;L
- -05^
- !9)%
- h4.^
- LMMaY
- l6K>
- 7I4w
- AJN)
- fsxI
- B)E
- VJ}i
- c333
- l6K6
- OMME
- 233s^J
- @obb
- $I899
- xJ)5eY

- 0MSEQ44d!
- w>zI
- DH)I
- M>5gx
- %2"c
- IDATx
- IHDR
-]@7'/
- F{}>6
- 9tv|
- u~IV\\ G8
- *UQ$
- 73dDh[
- ke*p
- p#`8
- ;J;8b
- -'D7
- 7;89#
- LOO9
- aen:
- #c;4
- SacR#
- %xx%a
- cca*#
- a_?~`
- oSSUTQ
- =6755
- `6Dj#
- YC-00
- C3FGF0
- 6b#+
- f\t\t\tbbaa+
- _aa5
- Yeef`ej4
- Ahej`f$
- kk@Jc_754
- xghg@J747WC
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- .?AVtype_info@@
- .?AV_AFX_OLE_STATE@@
- .?AVCOleBusyDialog@@
- .?AVCOleDialog@@
- .?AVXMessageFilter@COleMessageFilter@@
- .?AUIMessageFilter@@
- .?AVCOleMessageFilter@@
- .?AVCOleException@@
- .PAVCFileException@@
- .?AVXEnumVOID@CEnumArray@@
- .?AUIEnumVOID@@
- .PAVCOleDispatchException@@

- .?AVCOleDispatchException@@
- .PAVCOleException@@
- .?AVCFileException@@
- .?AVCMemFile@@
- .?AVCFile@@
- .?AVCDataSourceControl@@
- .?AVXOleControlSite@COleControlSite@@
- .?AUIOleControlSite@@
- .?AVXAmbientProps@COleControlSite@@
- .?AUIDispatch@@
- .?AVXPropertyNotifySink@COleControlSite@@
- .?AUIPropertyNotifySink@@
- .?AVCOleControlSite@@
- .?AVXEventSink@COleControlSite@@
- .?AVXBoundObjectSite@COleControlSite@@
- .?AUIBoundObjectSite@@
- .?AVXOleClientSite@COleControlSite@@
- .?AUIOleClientSite@@
- .?AVXNotifyDBEvents@COleControlSite@@
- .?AUINotifyDBEvents@@
- .?AVXOleIPSite@COleControlSite@@
- .?AUIOleInPlaceSite@@
- .?AVXRowsetNotify@COleControlSite@@
- .?AUIRowsetNotify@@
- .?AVCEnumUnknown@@
- .?AVCEnumArray@@
- .?AVXOleContainer@COleControlContainer@@
- .?AUIOleContainer@@
- .?AUIParseDisplayName@@
- .?AVCOleControlContainer@@
- .?AVXOleIPFrame@COleControlContainer@@
- .?AUIOleInPlaceFrame@@
- .?AUIOleInPlaceUIWindow@@
- .?AUIOleWindow@@
- .?AVCArchiveStream@@
- .?AUIStream@@
- .?AUISequentialStream@@
- .?AUIUnknown@@
- .?AVCHandleMap@@
- .?AUCThreadData@@
- .?AVCNotSupportedException@@
- .?AVCMemoryException@@
- .PAVCNotSupportedException@@
- .PAVCMemoryException@@
- .?AVCFileDialog@@
- .?AVCCommonDialog@@
- .?AVCUserException@@
- .?AVCResourceException@@
- .?AVCSimpleException@@
- .?AVCException@@
- .PAVCResourceException@@
- .PAVCSimpleException@@
- .PAVCObject@@
- .PAX
- .?AVCTempGdiObject@@
- .?AVCPaintDC@@
- .?AVCWindowDC@@

- .?AVCClientDC@@
- .?AVCTempMenu@@
- .?AVCMenu@@
- .?AV_AFX_BASE_MODULE_STATE@@
- .?AVAFX_MODULE_THREAD_STATE@@
- .?AVAFX_MODULE_STATE@@
- .?AV_AFX_THREAD_STATE@@
- .?AVCOccManager@@
- .?AVCTempImageList@@
- .?AVCImageList@@
- .?AVCGdiObject@@
- .?AV_AFX_CTL3D_THREAD@@
- .?AVCWinApp@@
- .?AVCWinThread@@
- .?AV_AFX_WIN_STATE@@
- .?AVCEdit@@
- .?AVCComboBox@@
- .?AVCButton@@
- .?AV_AFX_CTL3D_STATE@@
- .?AVCNoTrackObject@@
- .PAVCUserException@@
- .?AVCTestCmdUI@@
- .?AVCCmdUI@@
- .PAVCException@@
- .?AVCDialog@@
- .?AVCObject@@
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- flag:
- type=%d,code=%d
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- lgsnake_capture
- lgsnake_pause
- IP:
- IP:
- %02d:%02d:%02d
- %2.2d-%2.2d %2.2d:%2.2d:%2.2d
- RedTom21@HotMail.com
- email)! lgsnake_sword01@126.com
- lgsnake
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP

- ICMP
- MAX
- RAW
- IDP
- UDP
- PUP
- IGMP
- ICMP
- %6.6X
- %2.2X
- WS2_32.dll
- OLEAUT32.dll
- OLEPRO32.DLL
- ole32.dll
- OleIsCurrentClipboard
- OleFlushClipboard
- CoRevokeClassObject
- CoRegisterMessageFilter
- CoFreeUnusedLibraries
- OleUninitialize
- CoTaskMemAlloc
- CoTaskMemFree
- CreateILockBytesOnHGlobal
- StgCreateDocfileOnILockBytes
- StgOpenStorageOnILockBytes
- CoGetClassObject
- CLSIDFromString
- CLSIDFromProgID
- oledlg.dll
- COMCTL32.dll
- ImageList_Destroy
- SHELL32.dll
- ADVAPI32.dll
- WINSPOOL.DRV
- OpenPrinterA
- DocumentPropertiesA
- ClosePrinter
- comdlg32.dll
- GetFileTitleA
- GetOpenFileNameA
- GetSaveFileNameA
- GDI32.dll
- GetBkColor
- GetTextColor
- GetMapMode
- Escape
- ExtTextOutA
- TextOutA
- RectVisible
- PtVisible
- GetWindowExtEx
- GetViewportExtEx
- GetDeviceCaps
- ScaleWindowExtEx
- SetWindowExtEx
- ScaleViewportExtEx
- SetViewportExtEx

- OffsetViewportOrgEx
- SetViewportOrgEx
- SetMapMode
- GetStockObject
- SelectObject
- RestoreDC
- SaveDC
- DeleteDC
- GetObjectA
- SetBkColor
- SetTextColor
- GetClipBox
- ExtTextOutW
- GetTextMetricsA
- CreateBitmap
- DeleteObject
- USER32.dll
- KERNEL32.dll
- + LOOP
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- user32.dll
- log10
- sinh
- cosh
- tanh
- asin
- acos
- atan2
- modf
- ldexp
- _cabs
- fmod
- frexp
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- abnormal program termination
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019

- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- e+000
- KERNEL32
- GAIsProcessorFeaturePresent
- 700WP
- (8PX
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- %9, %8
- CLSID\\%1\\DefaultExtension
- CLSID\\%1\\Printable
- %2\\DocObject
- CLSID\\%1\\DocObject
- CLSID\\%1\\InProcServer32
- CLSID\\%1\\MiscStatus
- %3,%7
- CLSID\\%1\\DefaultIcon
- CLSID\\%1\\AuxUserType\\3
- CLSID\\%1\\AuxUserType\\2
- CLSID\\%1\\Insertable
- &Open;,0,2
- CLSID\\%1\\Verb\\1
- &Edit;,0,2
- CLSID\\%1\\Verb\\0
- CLSID\\%1\\LocalServer32
- ole32.dll
- CLSID\\%1\\InprocHandler32

- CLSID\\%1\\ProgID
- CLSID\\%1
- %2\\protocol\\StdFileEditing\\server
- &Edit;
- %2\\protocol\\StdFileEditing\\verb\\0
- %2\\Insertable
- %2\\CLSID
- COleDialog
- COleBusyDialog
- COleException
- CFileException
- Native
- OwnerLink
- ObjectLink
- Embedded Object
- Embed Source
- Link Source
- Object Descriptor
- Link Source Descriptor
- FileName
- FileNameW
- Rich Text Format
- RichEdit Text and Objects
- COleDispatchException
- CFile
- .INI
- MSWHEEL_ROLLMSG
- commdlg_LBSelChangedNotify
- commdlg_ShareViolation
- commdlg_FileNameOK
- commdlg_ColorOK
- commdlg_SetRGBColor
- CMemFile
- software
- CException
- CMemoryException
- CNotSupportedException
- combobox
- CObject
- CFileDialog
- CResourceException
- CUserException
- CClientDC
- CWindowDC
- CPaintDC
- CGdiObject
- CFont
- CTempGdiObject
- CMenu
- CTempMenu
- CImageList
- CTempImageList
- CWinThread
- Settings
- PreviewPages
- CWinApp
- CButton

- CComboBox
- CEdit
- CCmdTarget
- COMCTL32.DLL
- InitCommonControlsEx
- DISPLAY
- USER32
- AfxOleControl42s
- AfxFrameOrView42s
- AfxMDIFrame42s
- AfxControlBar42s
- AfxWnd42s
- AfxOldWndProc423
- MS Sans Serif
- Helv
- Edit
- CDialog
- tioB
- wc3.v
- -v57.v
- ,va8.v
- u.vp
- 9.vQ
- O!.v
- i$v%
- n$vO
- %v99%vN
- SUVW
- uP9q
- SVW3
- t1Ht
- QSUV
- 9w,t
- ;F0v
- SVW3
- SVW3
- PUSVV
- UVWS
- UVWS
- u1j@
- <:u\tV
- 9^xu2
- QQV3
- uTVW
- u5SVW
- Vu4j
- QQUV
- ;Nxu
- 9~$t
- UUSW
- UUSW
- QSUVW
- 1FF;E
- <<9~
- 1GG;E
- .<9~
- <A|2<Z

- SVW3
- N US+
- V,S3
- ~4_^
- HHu&
- uw%t
- ~0PPW
- 9X tn
- tuHHt
- UUWP
- SUVW
- VVUVS
- V9l$
- 9y`u
- 9Q\\u
- n0SSSSU
- u\t9Z
- tWS3
- t\t9A8u
- u09=
- t59~
- u<9E
- E SVj
- ^[+E
- SVW3
- tSh8
- WWWWU
- te9|$
- ug9|$
- 09|$
- SUVWj
- SVW3
- 97_u
- r0=8
- u,;C
- 9HPu
- t7j,
- 9w u
- t39w
- t\t9p$u
- 4SVW
- Xt7f
- 9PRV
- YuLf
- uSj*
- 4SV3
- tAhh
- u/9F
- t\t9p
- QSVW3
- (;=0
- z;=4
- ue;=8
- SVW3
- u$SShe
- PVhe
- QQUV

- Fd9]
- QSVW3
- ?*u7
- ?.u!W
- #<*u
- tA<#u
- 8<=t
- uT9}
- t@9u
- tUj=
- t\t9]
- 9] u
- _u@W
- 0SVW
- tAVW
- u\tIu
- QSUV
- j\tXO
- NTuI
- <8=u
- VWuBh
- 1_^[
- ^}%95
- SVWu
- 1t*;
- SVW3
- ,f9=$
- Qf9=x
- SVW3
- u>Vj
- w9j
- uA;5
- ^[_3
- ^_[3
- u%C@
- sN;E
- SUVWu
- pD#U
- uY;]
- uiSj
- 8csm
- t3x<
- tEVU
- SVWU
- VC20XC00U
- Yt0@
- 8MZu
- @@f9
- @@f9
- 8"u,
- 8"uF@
- 8"uD
- QQS3
- ?=t"U
- t9UW
- <"u%
- t&:a

- t@9}
- E WW
- 9} u
- uFWWj
- 80t<
- eYt,F
- u>Wj
- YYF;5
- u!PV
- t:\tU
- YYF;5
- Yu!j
- 9p`t
- u?jtj
- 8csm
- u SW
- 8csm
- u Vj
- ub9~
- u,9x
- 8csm
- uf9=
- uSVj
- uFj
- uFj
- u_j
- @AA;
- t7SW
- Wj@Y3
- j@Y3
- SUVW
- t-9]
- u,9u
- uSj
- u;j
- t/Ku
- GIt%
- SVWu
- SVWu
- SVWUj
- 4SVW
- t#C;u
- u"SVU
- 4RRR
- f98u
- 0F;s
- 9Q8u
- 9QHt
- ;~8|
- 9^8~#
- V8Iu
- ;~8|
- 9~@St99~8~
- 9~Ht
- 9^Ht}3
- 4OYu
- L8$;

- t\\9^
- 9^8t
- ;~8|
- 9^8~
- 9^@t53
- W9^$t
- 9u ^t
- @8;G
- u0j\\
- N8+F,+N0
- qXu*
- 9F t
- Fq@u
- 9^xt~
- f9x0
- |%9]
- P0PS
- tc9]
- QVW3
- Ch#E
- F8+N,+F0
- 59H8u
- AH;D$
- 9~Du
- 9x u\tf
- 9G4_^d
- ^$u/
- 9X w
- 4SVW
-)] 3
- SVW3
- 9{u
- VPVj0
- ;(rU
- D$4Ph
- T$8%
- L$8PQ
- L$4Qh
- D$0P
- T$5j
- A=hU
- SUVj
- USShB
- PSUj
- USjAj
- QSUV
- QSUVW
- D$<3
- D$0
- D$,1
- SUVW
- SUVW
- \\$$3
- @.data
- `.rdata
- .text
- Rich

- !This program cannot be run in DOS mode.
- (&H;)
- (&N;)
- MS Shell Dlg
- ??*??????
- ????...
- ??-->
- IP????
- ????
- ????
- ????
- ?? ????
- (((((H
- (null)
- jjjjj
- jjjjj
- jjjjj
- jjjjjj
- jjjjjjjj
- PAPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING
PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX
PADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPA
DDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPA
DDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDI
NGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDI
NGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING
PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX
PADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPA
DDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPA
DDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDI
NGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDI
NGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING
PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX
PADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPA
DDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPA
DDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDI
NGXXPAD
- !!!V
- !!!q
- Z'&&
- *$#!
- ###m
- V
- ---t
- z&&&
- p(((
- L+++
- b...
- &&&j;
- ^===
- wJJJ
- wJJJ
- lLLL
- ^JJJ

- "KKK
- h,,,
- .
-
- X
- r
- V
- ")))
- !...
- DLLL
- jMMM
- =???
- j(((
- .
- ?
-
- !
- <
- p
- ?
- l
- b
- ."""
- #&&&
- NCCC
- bLLL
- mDDD
- X@@@
-)===
- q***
- :%%%
- y
- f\t\t\t\t&
- j
- F
- ###
- +DDD
- QKKK
- FPPP
- |PPP
- !LLL
- .PPP
- +NNN
- mDDD
- n(((
- |
- GYK/
- :\txXt
- z[Kg
- c9W;%m
- ,R`[
- l!;[
- `(k)
- b;.Y
- r]W)
- ^~m>|
- s<.T

- zF=@
- ![]]
- @.}\tW)
-)'"
- KbY'\\
- </HB
- d,T
- <VVV
- m},9_r
- \\L%`
- .;;;
- LF#vw
- KD K
- Q\t^s
- ?<;;
- VWVV~
- rzzj
- !ggg
- DQT<
- &K;'4*-
- ~gr`
- \\c%^
- SNNNJ[}
- R+,PT
- x@\\kP
- L@)&
- G)u)T(
- qxzD
- ;>>.
- +X vH,
- Rk t
- '\t._j
- t!Kbd
- GdDL
- mt~Bp
- }t:=
- ^+cX
- @t~c
- ?^XXx]
- t]!/
- bX:%
- J\tM+!
- J,,,
- q:R,
- h.rgg
- &cwFZ;
- D"YX*
- kkk<|
- /ptx
- mZTke*
- S%r]6W
- VVVx
- %PD\tq,)
- <t[!
- DHPT
- ~Z|k
- OX^YC+)<

- #tM!Nb
- kl,^
- Lg.+
- *Y<=
- dGQJ
- X!+$
- /VWW
- X[['
- <%M#L
- #Wtr
- \\lVy
- x<~\\.
- xDVd\\
- X'VR
- GS&^
- X*Q&
- V%-bF
- hTK1=/`_.
- !X^^
- ?d}c
- Y[nr
- h4f<q)
- ,--q
- H.//
- KkkTl
- lwQc}}
- LLCCS5LSe8
- tK!L
- ,Myx
- K-.omP
- <)@(
- ,/.rtx
- RbWT.
- <xB(\\
- SQ|n}
- /cY&q;
- +".n
- XZ^ p
- CQRj
- H\\/
- HBQ(
- N].^^
- Hvq-
- ~{|_
-]j+[
- W_\\G+
- rDQD}{
- hl[!
- {!zB
- z-zf
- P<.]l1
- MBGF
- $\\wH
- \\BWT
- \\YZ![
- q|?"
- -E(RD*?

- H&hu;X
- |TQT<
- VV/#
- Z`v]La
- (BGR
- Z*`w
- bd)br~
- Rfs{
- Vcb.
- Kt@{p(~!
- i^Gw<z
- T#`n
- Nk@D
- h`Y}TY
- <_sr
- H&W;,
- Q$#k(
- gvvvH*
- qfff
- P(R(&
- >*?Fb
- E&&&X;^^
- -//?
- r,.."
- YH;x
- cryy
- qzTR:?
- / r$R
- Jc%
- |~G#pd
- r)f'p
- |&M;"
- Xy@B
- lntX
-)S"_
- ?NMM
- htVp
- Zc,_@U
- "$C
- R)VVVv
- !EtZm&&
- jYP(hL
- 8Xf}K@
- m%)%S
- ~+Dx>3
- j+++
- @(P*'
- J)&f;&8~
- `mmmt
- \\.G"
- Hpp~
- ,#K/
- <s:f
- B&!H
- @pb.OZ
- ,g/8LM)X
- Lbm+TS:

- C.nFL
- jp`*
- :&{~
- P#\tY
- %dJc
- qM&[
- t:M*
- =\\WB
- XLsf
- h}-v}#
- \\fcy
- L.\\)
- XnF|
- M^<{
- KgkTV
- dRV*
- !^(
- /kqz
- D(lT]z"!
- `s-dtO
- J@q(
- MNN>
- /?J[(h
- v-`l
- +j\\D2Q
- \\zpZ
- ![#)$
- x]pS
- =!Hj
- G>f&
- ND"Rpr!
- `h|^
- Pcd(
- >:N-
- ._[B
- Z;$R,
- }GBP
- @\tc:
- ZW!P
- #S)^}
- ;K v[
- :[!QH
- F]!%lrY
- HHT3dd
- `h<Mq(
- [$S:
- c<q@'
- "TC\'
- D=elbfFz#
- /-FL
- V]pj
- ,rc&/^)
- H</"
- Tb\\%
- ,gj.
- `$'H
- \\X,sqi

- Rp~#
- [\\h{
- Ltb\\
- c#&g;*
- $y#b
- ^"FR
- -PTR
- \\G"C
- HKBZ
- |K!b4%X
- iP(Xt:
- B.gpn
- .pp:
- (xpN
- $P;>Bu
- xYgj
- gr$}h4
- _S\\,QZm
- !&+P
- kL{>
- sZ(~
- Gx}Mr
- _bW]
- X:rS
- qN\\T
- ($TAH:Dj
- _^&_v
- /Q<|
- @CB"
- JP}h
- \\=J~f
-]?!*Qd
- MWg;
- `t">
- T+.Q]
- **~\\r
- *|gM
- *@+BX
- .[(:H
- V+P'
- `s`Dc
- ZC%C
- p(M)s
- m&',
- *[k=
- &[z#
- ,d,F"
- BH|/
- }$Dw
- (HvY
- ' CmJ
- pn|f
- SB[R
- m+mmm
- bp`x
- xLB{2~
- <*/q

- vfV*
- \\.Xy
- C:\t|
- {|^]
- %hkK
- N(D".
- cFtVV
- NPZm
- _sDg~)
- `k]z
- (N{>
- j.DDp
- pxc^
- J["D[
- }[J@-
- LN\\`h
- 0==C__
- #$;S
- $_lR/[hZ
- jCbt
- !d(X
- B$.x
- F}<KR
- >c;ay>
- g/^`G_;
- Mh
- tY\tP
- PhZ>
- Z F+
- B(L\\
- RAQ%"JN
- jLX_
- dkm@
- B&n;@
- XV{Qb
- <A}@`C
- t:}S
- w-q~}
- #{!R
- w fJ!
- jkB
- N]bm
- pDkk
-]7ds)~
- Gj]Z
- WV$zJe
- Sp{m
- !Z:fRW
- 6y+GksB{
- %^{b
- tJG!J
- hG!(
-)hW{
- cA-$==
- }"P]
- }?Bh$
- s+X)

- T*mS
- /Q*D
- lV`~
- &Js;@
- Jqpw
- WR(d
- j_b:
- }gff
- x<.I){$
- M.T]b
- W&,-
- ;H-
- _ksizW
- vYXX
- |n9 hw
- yPF@
- pC`-+LV%
- F#fggY__
- qxmS&
- wVhTj
- QfRD
- X'p%
- *q$P
- *q/B
- \\fss
- +*-
- C&"n
- 9Sl>grx
- ?@v;t.T
- J~r
- Xdqq
- KKK(
- T-fn
- V,Pv@CEQ
- hT,|G
- hLj[
- }zc(
- QJSS
- =jssX
- !_x~
- -!g+
- hT"(
- fB>/
- SxrL
- &<TV,
- wcX<
- JQ/k
- "[[[h
- ?Pd>
- ={]M.
- /"Q,
- F`*y
-]*@G@
- #lnn
- .'4Rh,!
- /%$F
- ,L$t&P;)

- FF \\
-)JYXy
- x%"w
- b+"g
- nCwJ
-)<Fs
- R`0h-(
- BkhJP
- Z/,,,
- }<`kk
- "VWW
- P(XHz,
- ;fn*G9
- *KKK
-]|KQ,
- \\>$W/
- H%X)
- `/\tD
- &Bqk;
- Lvb^L5
- Yd`(
- z, T`
- DCl`
- g,T_
- /_Fk}
- &\t'k
- 8L&}v[
- tzg@_kM
- bF":
- CXP(f
- 8^\tH')
- WWWq
- ,fgg
- d]/H
- [#v:6;
- T_"-
- !KKK
- "RJvww
- jMr,
- <Krz&G;/?b8V
- 0)r"lS
- _g}}
- }D/BH
- /F{H@
- :lm\\#k
- 6%Q H#
- S;;;
- t^Gx]
- _gmm
- phK:j
- B}?
- :,/,##
- +++\\
- `nnn
- w|3KSsdss,
- fQ B\t""
- &($$

- YYY!
- df~~
- jlmmM---
- K-!L
- z=vww
- <{{{
- h'm
- dX^^frr
- X]]}Gz
- .AJ|?B
- HGb[
- &$qd
- BF!v
- /_fgg
- S'''
- nJ|?AHPR!
- RLLL
- gffx
- vww
- H{,NMM
- T-(M
- g'''
- .]b~~
- -_'gKz
- cr<C
- qjvv
- EJYX\\\\
- qtX\tpd
- $"Q
- +chV
- bVrn
- $\t_v
- fffX^^
- mvww
- 'VWW
- 3gX[[c{{
-)s{s
- ~()"gx
- mnn~
- =_S)
- !&:
- .qh@
- <TJq
- cLMM
- 8RTJ+dr%t
- [DD{!qbb(
- dnnn
- lmmQ
- QfLN;hU
- qlptJ
- tlJV
- u(/&S;*
- <;;;\\
- Xd~~
- yfff
- Lffqq
- nZH)

- ?Lp{}</`
- ^`mk
- p{MN
- "KKK,//
- ya;!W)
- MMM}
- b&G;>g!u
- GBH(
- /d!~
- D&-Pc$A
- MNNR.
- rLL-
- yGJsgJ:K
- (f<lK
- Gw(N
- _gcc
- ,-.Q
- xwcc
- t>dY
- m{x_j
- P(P(
- $\t{{{
- gYV|
- vkzz
- `hl)
- t"'
- `lnn
- /^<V
- Lfx;%
- HJTJ)t]G
- /_>&
- , S,
- =>}-M
- RFRJ/
- T*'-
- >>p`<,F
- zXQP'1$
- n'6KWcB
- n/_^CT
- pnnp
- ;J8t\\W
- (%%%%F
- &zz;%
- Qxy.
- V-XSQx
- #Yhh<
- %.%#
- W@~`Z
- %.//0.#"
- "##%.F|
- |x.%##
- wmZZZms
- !%QTm
- +!%%!!
- %Tw
- !*+TU*
- YY$bB4$&++

- JB`%
- C@C`3/
- {nq'
- l?[V
- }{{}}}
- <{{}
- CGGG:0
- ?K@X
- BdX&@$
- #$@@
- bcrW
- $fDCC@#
- YCDDDD@
- &QTV;*
- fYC@CCC
- eYWD_D@
- NJcW7>
- Nbc_(4
- %%!!
- "ffjjjj5
- !&%!(*@ONN_bW#$
- !Rfx
- DY`YW
- +VD]gg@J5$$_J
- !QQY]*#4WWJB
- Q[pw
- !!%!
- &>Q%
- !%QZmu
- !!!!
- p[TQ%!
- !&QZmw;
- wp[T+!
- !!+QT[pw
- pmZQ+%!
- upmm[ZZZZZZ[[mpuw
- wwww
- wwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
- wwwwww
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- D?$?
- ?/L[
- ?Zd;
- HMXB
- .?AVCPtrList@@
- Dw=X

- .?AVCFont@@
- .?AVCMapPtrToPtr@@
- .?AVCTempDC@@
- .?AVCDC@@
- .?AVCListCtrl@@
- .?AVCTempWnd@@
- .?AVCWnd@@
- .?AVCCmdTarget@@
- TCP
- GGP
- Len=%d
- %s:%d
- %s%c
- TCP
- GGP
- Text File (*.txt)|*.txt|
- pi.txt
- %d/%d
- TCP
- GGP
- TCP
- GGP
- LPtoDP
- DPtoLP
- Dw=|:s
- _hypot
- __MSVCRT_HEAP_SELECT
- (null)
- ppxxxx
- `h''''
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- .HLP
- commdlg_help
- CPtrList
- CMapPtrToPtr
- System
- CTempDC
- CListCtrl
- %*.*f
- commctrl_DragListMsg
- CWnd
- CTempWnd
- MS Shell Dlg
- G-v.
- .vqW/v
- -v1#-v
- /.v&<.vV
- -v]7.v
- ".v|
- n1vl"-vKj/v
- -v\\9.v
- -v+E.v
- ,vQ3.vh
- -v;c/vy
- -v(s-v

- t,vp
- =-v.
- -vQJ.v<
- d/v/d/v
- -.vb
- vykv
- $v<j$v
-]$v@f$v{
- &vl;:%vN
- ^,_^][
- t%Ht
- HVWH
- t,Vj
- tq9w(tlSj
- Vhk|
- N(;N,r
- ~`j,j
- VVUSVV
- _^][
- t$ PUSVV
- VVUSVV
- FTgs
- WVWWW
- PWVWWW
- QQSVW
- t#;^
- QSVW
- _^]YY
- _^[d
- _j X;
- j@j<
- +tJHt:Ht*
- ~ _^
- Pd;~
- _^][Y
- _^[]
- <A|@<Z
- CGGC
- _^][
- SShv
- F$_^
- V(RW
-)SPj
- ^$_^[]
- _^[d
- WWWj
- F ^d
- tBSh
- tBSh
- @t4Ht1Ht_Ht
- kwFt
- Ht#HHt
- w%t
- w'tR
- QQVj
- X_^d
- X_^[

- /t\tP
- tN@@
- PVVV
- WRPQ
- p[t!
- F _^
- QQSVW
- Qj<P
- X^[_
- j Pj
- j j
- t@WP
- @Pj@
- tBSh
- tD9_Pt?
- _^][Y
- _^][
- ;qdt
- Ph_^][Y
- _SSSSU
- QSUVWj
- Pl_^
- PPhj
- t$$SS
- ^_[]
- hWj@_;
- j@jP
- _^[]
- t>Ht Ht
- tFHt>
- (wqt\\HHtS
- F,_^][
- PWhj
- tvWWWWU
- PPPPhd
- $SVW
- _^[]
- VwltB
- <VWj
- @t\tV
- _^[d
- >(r-
- tMVW
- ^$tL
- ,SVW
- btZ-
- @SVW
- X_^[
- tBSh
- QQSV
- PQQQQQ
- QWWV
- QQVW
- WWWWW
- NTQP
- ~<j j
- Yt&hL;

- _^[]
- F$^d
- tBSh
- (Vj(
- _^[d
- SVWj(
- X_^[]
- M;=<
- X_^[
- _^[d
- PVhd
- F\\Pt
- FxQj
- N|@+
- _^[d
- F\\jLSP
- VWj
- nt2Ht#Ht
- ^][_
- QQSVW3
- t-VW
- tySS
- PWPSS
- PWPSS
- FGQPS
- _^][Y
- t/WWUPj
- WWWWj
- +ttHHtd
- \\SVW
- H}Fj
- HSVHWtgHHtF
- t%WV
- SVWf
- _^[]
- @PWV
- PPPP
- PPPP
- SVWj
- t!CS
- SVWj
- _^[]
- t%WV
- VWsr
- _^][YY
- QQSUVWj
- WWWj
- WWSj
- WWWj
- WQPWS
- Y_^[
- >:u#FV
- >:uNFV
- PSj?
- PSj?
- QQSVWj
- w|j

- PVhP
- ^VhT
- PPPPPPPP
- PPPPPPPP
- PPPPPPPP
- QQSV
- _^][
- X_^[
- j?^;
- j #M
- Yt\tV
-]_^[
- t>j,P
- HSVWh
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- PSSW
- F<"t
- ~XY_
- _WPS
- VSh
- tMWWS
- "WWShP
- [ShT
- _^[]
- SVWj
- btHHt.
- QQSV
- Yt\tf
- HHtpHHtl
- X_[^
- tYPV
- SVWj
- ~&WP;
- QQSVW
- QQSVW
- Yt&V;
- @PPk
- Yt)V
- t:jtj
- QQSVW
- YYPW
- ?csm
- _^[]
- sO;>|C;~
- QQVW
- YY_^[
- X_^]
- wLVSP
- (SVW
- GGBBf
- _^[]
- SVWt
-
- SVWj

- _^][
- _^[]
- _^[]
- <Xt
- t\tVP
- w.j
- uRFGHt
- XSVW
- tzVS
- _^[]
- t$ V
- D$ P
- t.;t$$t(
-]_^[
- X_^[]
- PhYY
- QQSVWd
- QSVW
- 'SVW
- _^[]
- PPPj
- t(VW
- YY_^[
- Yt)V
- P_^
- @q t
- _^[]
- [_^]
- @u+;t$
- Zt(Ht Ht
- SVWj
- t*Ht"Ht
- _^[d
- HtLH
- HtLH
- _^[d
- VVVPQR
- PQRj
- RVPW
- W _^[
- v<QP
- VWt)
- QQSV
- X_^[
- V@W@PQ
- SVW
- _^[d
- ~LWh
- ~HWh
- QQSV
- FL_;
- _^[d
- QSVW
- Fq@t
- QWPS
- XQPh
- VX_^]

- WPPR
- F|PW
- F|f;
- QQSV
- SVW
- _^[d
- PSSj
- SSSj
- NpQj
- dSVW
- FLRh
- sL|.
- C,PP
- {PWh
- Clt+
- _^[d
- _^[d
- _^[d
- ;~,r
- pT^t
- PSSf
- HtYHt6H
- SSSS
- s$_r
- (_^][
- L$XhhU
- _^][
- L$@hxU
- D$8j-P
- T$@hxU
- ,_^][
- D$DWPh
- L$$VQh
- D$<h
- _^][
- T$-W
- T$%V
- D$$j
- T$4j(R
- L$ QR
- L$PWQ
- D$Ph
-]_^[d
- L$,_^]d
- T$,h
- Sh T
- _^][
- _^][d
- RPVQ
- _^][Y
- Nx<V
- Pj'Q
- L$dd
- L$dd
- <:;sD
- D$p/
- D$dC

- D$`H
- D$TF
- D$PK
- D$H\\
- D$(L
- D$ s
- F\\Ph
- _^[d
- F\\Ph
- L$,_^][d
- L$$Q
- D$DP
- T$<PR
- NxSWh
- FxWWh
- L$$Q
- D$ hP
- Wj(j
- VxSj
- VxSj
- L$,_^][d
- D$ @;
- < |%
- \\$$~:V
- .rsrc