Analysis report for sample: 0762e980a9f23b59f312aaa52afca234

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 24919 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 0762e980a9f23b59f312aaa52afca234

AV detections

- Microsoft:
- Kaspersky:
- Symantec:
- Malwarebytes:

Original source url

-

Virustotal url

- https://virustotal.com/es/file/2e53563f5ab6a6162c9e9d5ebb1973df35e61898f4e8de65dc1b2f7c94ba4bd6/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- VC8_Microsoft_Corporation ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- network_http (Communications over HTTP)
- screenshot (Take screenshot)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- VC8_Random (Look for Random function)
- CRC32_poly_Constant (Look for CRC32 [poly])

Snapshot


C:\Windows\s...
Recycle Bin
ManyCam Installer
1 Welcome
2 Installation
3 Finished
Welcome to the ManyCam Setup Wizard
Select the components you want to install:
Desktop Icon
Launch ManyCam on startup
Select your language:
English (US)
Destination Folder:
C:\Program Files\ManyCam
Browse...
ManyCam is a virtual webcam with awesome effects, webcam switching and more! By installing this application you agree you have rea
accepted the End User License Agreement, Effects Submission Policy and the Privacy Policy.
NEXT >
Start
2:59 PM
Monday
6/12/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613 Desired Access: Query Value, Set Value, Create Sub Key, Enumerate Sub Keys, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CachePath Type: REG_EXPAND_SZ, Length: 182, Data: %USERPROFILE%\\AppData\\Local\\Microsoft\\Windows\\History\\History.IE5\\MSHist012017061220170613)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CachePrefix Type: REG_SZ, Length: 40, Data: :2017061220170613:)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CacheLimit Type: REG_DWORD, Length: 4, Data: 8192)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CacheOptions Type: REG_DWORD, Length: 4, Data: 11)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CacheRepair Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows Script\\Settings Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)

• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\My Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\AuthRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: Sleep
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: SetCapture
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteFile
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateThread
- registry: Software\\Classes\\http\\shell\\open\\command
- registry: Software\\Microsoft\\Windows\\Shell\\Associations\\UrlAssociations\\http\\UserChoice
- api | wininet: FindCloseUrlCache
- api | wininet: FindFirstUrlCacheEntryW
- api | wininet: HttpOpenRequestW
- api | wininet: HttpQueryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetConnectW
- api | wininet: FindNextUrlCacheEntryW
- api | wininet: InternetCrackUrlW
- api | wininet: DeleteUrlCacheEntryW
- api | wininet: InternetOpenW
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: VirtualAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId

- api | kernel32: SetLastError
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsAlloc
- api | kernel32: TlsGetValue
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: RtlUnwind
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | urlmon: CoInternetSetFeatureEnabled
- api | kernel32: RegOpenKeyExW
- api | advapi32: DuplicateTokenEx
- api | kernel32: RegQueryValueExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetSidSubAuthority
- api | user32: GetDesktopWindow
- api | user32: wsprintfW
- api | user32: LoadImageW
- api | user32: SetClassLongW
- api | user32: GetSystemMenu
- api | user32: PostMessageW
- api | user32: EnableMenuItem
- api | user32: SendMessageW
- api | user32: SetWindowTextW
- api | user32: GetClientRect
- api | user32: FindWindowW
- api | user32: ClientToScreen
- api | user32: DestroyWindow
- api | user32: GetWindowRect
- api | user32: GetMessageW
- api | user32: GetWindowLongW
- api | user32: ReleaseDC
- api | user32: SetWindowLongW
- api | user32: SetWindowPos
- api | user32: ShowWindow
- api | user32: CreateDialogParamW
- api | user32: AdjustWindowRectEx
- api | user32: MessageBoxW
- api | user32: ReleaseCapture
- api | user32: GetSystemMetrics
- api | user32: UpdateWindow
- api | user32: CallWindowProcW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: HeapDestroy

- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: RaiseException
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetLocalTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: GetFileAttributesW
- api | kernel32: SystemTimeToFileTime
- api | kernel32: SetFilePointer
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: ReadFile
- api | kernel32: CopyFileW
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileSize
- api | kernel32: LockResource
- api | kernel32: CreateFileW
- api | kernel32: GetExitCodeProcess
- api | kernel32: SizeofResource
- api | kernel32: FindResourceW
- api | kernel32: FindResourceExW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCommandLineW
- api | kernel32: UnmapViewOfFile
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: LocalFree
- api | kernel32: GetCurrentProcessId
- api | kernel32: CloseHandle
- api | kernel32: LoadLibraryA
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: GetProcessHeap
- api | kernel32: WaitForSingleObject
- api | kernel32: HeapFree
- api | kernel32: GetCurrentProcess
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: FreeLibrary
- api | kernel32: DeleteFileW
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetSystemDefaultLCID
- api | kernel32: CreateDirectoryW
- api | kernel32: GetTempFileNameW
- api | kernel32: GetProductInfo
- api | advapi32: CreateProcessWithTokenW
- api | user32: ChangeWindowMessageFilter
- api | kernel32: IsWow64Process
- api | user32: MessageBoxA

- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer

Involved hosts

- 52.222.157.129:http
- a84-53-132-33.deploy.akamaitechnologies.com:http
- ec2-52-70-201-36.compute-1.amazonaws.com:http
- javi-PC:60047
- javi-PC:http
- mad06s09-in-f14.1e100.net:http
- nat276.national-net.com:http
- ocsp.comodoca.com:http
- visicom-82.nationalnet.com:https
- 178.255.83.1:80 (ocsp.usertrust.com)
- 192.168.133.1:5355
- 192.168.133.219:49195
- 192.168.133.219:49196
- 192.168.133.219:49197
- 192.168.133.219:49198
- 192.168.133.219:49199
- 192.168.133.219:49200
- 192.168.133.219:49203
- 192.168.133.219:49208
- 192.168.133.219:49211
- 192.168.133.219:49214
- 192.168.133.219:49217
- 192.168.133.219:49220
- 192.168.133.219:49223
- 192.168.133.219:49226
- 192.168.133.219:49231
- 192.168.133.219:49234
- 192.168.133.219:49243
- 192.168.133.219:49248
- 192.168.133.219:49255
- 192.168.133.219:49258
- 192.168.133.219:49261
- 192.168.133.219:53195
- 192.168.133.219:54483
- 192.168.133.219:55882
- 192.168.133.219:56161
- 192.168.133.219:68
- 192.168.133.254:67
- 192.168.133.2:53
- 216.58.210.142:80 (www.google-analytics.com)
- 23.43.69.163:80 (crl.geotrust.com)
- 23.43.75.27:80 (sr.symcd.com)
- 52.222.157.129:80 (installer.manycam.com)
- 52.70.201.36:80 (installstat.manycam.com)
- 66.115.160.33:80 (geoip.vmn.net)
- 69.50.129.55:443 (analytics.vmn.net)
- 77.209.227.8:80 (crl.microsoft.com)
- 84.53.132.33:80
- 93.184.220.20:80 (ocsp.omniroot.com)
- 93.184.220.29:80 (ocsp.digicert.com)

Dns queries

- 254.133.168.192.in-addr.arpa ---> no answers
- installer.manycam.com ---> 52.222.157.129, 52.222.157.84, 52.222.157.16, 52.222.157.215, 52.222.157.42, 52.222.157.124, 52.222.157.141, 52.222.157.10
- 129.157.222.52.in-addr.arpa ---> no answers
- geoip.vmn.net ---> 66.115.160.33
- www.google-analytics.com ---> 216.58.210.142
- analytics.vmn.net ---> 69.50.129.55, 69.50.129.56
- installstat.manycam.com ---> 52.70.201.36, 52.1.48.114
- 142.210.58.216.in-addr.arpa ---> no answers
- 36.201.70.52.in-addr.arpa ---> no answers
- 33.160.115.66.in-addr.arpa ---> no answers
- 55.129.50.69.in-addr.arpa ---> no answers
- 33.132.53.84.in-addr.arpa ---> no answers
- ocsp.usertrust.com ---> 178.255.83.1
- 1.83.255.178.in-addr.arpa ---> no answers
- ocsp.comodoca.com ---> 178.255.83.1
- crl.microsoft.com ---> 77.209.227.8, 77.209.227.24
- sr.symcd.com ---> 23.43.75.27
- 8.227.209.77.in-addr.arpa ---> no answers
- ss.symcd.com ---> 23.43.75.27
- 27.75.43.23.in-addr.arpa ---> no answers
- ocsp.digicert.com ---> 93.184.220.29
- 29.220.184.93.in-addr.arpa ---> no answers
- ocsp.verisign.com ---> 23.43.75.27
- s2.symcb.com ---> 23.43.75.27
- g2.symcb.com ---> 23.43.75.27
- clients1.google.com ---> 216.58.210.142
- g.symcd.com ---> 23.43.75.27
- crl.geotrust.com ---> 23.43.69.163
- ocsp.omniroot.com ---> 93.184.220.20
- 163.69.43.23.in-addr.arpa ---> no answers
- 20.220.184.93.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.219:49195 ---> 52.222.157.129 (installer.manycam.com) :80

GET /0.html HTTP/1.1[...]Accept: */*[...]Accept-Language: en-us[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /1.html HTTP/1.1[...]Accept: */*[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /style.css HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /utils.js HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /jquery.js HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /main-bottom-gradient.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /logo-installer.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /2.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /close.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive

• tcp 52.222.157.129 (installer.manycam.com) :80 ---> 192.168.133.219:49195

HTTP/1.1 200 OK[...]Content-Type: text/html[...]Content-Length: 140[...]Connection: keep-alive[...]Accept-Ranges: bytes[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Date: Wed, 31 May 2017 22:17:26 GMT[...]ETag: "56d5a945-8c"[...]Expires: Wed, 31 May 2017 22:47:26 GMT[...]Last-Modified: Tue, 01 Mar 2016 14:37:57 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 91db3e27f70759a0dea967c4b34efea9.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: yLQY_cm4ITt3g6nFShCO4yGkaL4vhjOKHm94Y94z08rKYS-iaJVx6A==[...]<html>[...]<head>[...]<title>ManyCamWebInstaller</title>[...]<meta http-equiv="refresh" content="0; url=1.html" />[...]</head>[...]<body>[...]</body>[...]</html>HTTP/1.1 200 OK[...]Content-Type: text/html[...]Content-Length: 140[...]Connection: keep-alive[...]Accept-Ranges: bytes[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Date: Wed, 31 May 2017 22:17:26 GMT[...]ETag: "56d5a945-8c"[...]Expires: Wed, 31 May 2017 22:47:26 GMT[...]Last-Modified: Tue, 01 Mar 2016 14:37:57 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 91db3e27f70759a0dea967c4b34efea9.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: yLQY_cm4ITt3g6nFShCO4yGkaL4vhjOKHm94Y94z08rKYS-iaJVx6A==[...]<html>[...]<head>[...]<title>ManyCamWebInstaller</title>[...]<meta http-equiv="refresh" content="0; url=1.html" />[...]</head>[...]<body>[...]</body>[...]</html>HTTP/1.1 200 OK[...]Content-Type: text/html[...]Content-Length: 4337[...]Connection: keep-alive[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Content-Encoding: gzip[...]Date: Fri, 09 Jun 2017 05:27:16 GMT[...]ETag: W/"59282d30-3f77"[...]Expires: Fri, 09 Jun 2017 05:57:16 GMT[...]Last-Modified: Fri, 26 May 2017 13:27:12 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 91db3e27f70759a0dea967c4b34efea9.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: fCRtHx-vHcjZh_XmBBDXku0l7yHN-XEPipAvaPSKgoqsiz91pS4ytQ==[...]hR<E[...]ao7|>bc[...]_@ulGn([...]O=iv[...]ag\';[...]pyI N0[...]0Gob[...]c1:!3π[...]\'GBN#[...]DuZH+[...])\\$F[...]q%FW[...]^7Tf[...]p; 8[...]ZE+m6[...]\\#]=\\[...]4p$Y<v[...]vT(K[...]bydc[...]-&6kfl[...]DnZI[...]VamV[...]a?7s[..

.]<DZP[...]KmcAAZ[...]v3L7i83?[...]!rUS\\[...]Ve.h[...]>BuJ[...]Q#2?[...]%Yf[...]rzf&6[...]J|P$[...]Y]st)[...]l{b([...]9Aq<ne[...]H0l}y[...]:|f\'[...]w:4S|[...]Y>\'2[...]eTPc[...]JZJi[...]KalbT[...]Xr\'|[...]TPKh[...]jhVJ[...]|_8;Z[...]l6r[[...]E;-_[...]HTTP/1.1 200 OK[...]Content-Type: text/css[...]Content-Length: 2122[...]Connection: keep-alive[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Content-Encoding: gzip[...]Date: Fri, 09 Jun 2017 05:27:17 GMT[...]ETag: W/"585b7d88-19c2"[...]Expires: Fri, 09 Jun 2017 05:57:17 GMT[...]Last-Modified: Thu, 22 Dec 2016 07:15:20 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 91db3e27f70759a0dea967c4b34efea9.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: PWn2lHPIYJDGGoPXS9rJ6mlq6EgvTNli6d8jnNzDY7inCZ_3yE_2iw==[...]2I=I[...],jv}sv[...]XiQg[...]fb.A-N~[...]3ga%+[...]&f;\t\\[...]%@w[[...]\\c<o[...]/`188[...]#upg^[...]6m"k[...]U{S/-[...]*-vb[...]UrwS[...]$MLk[...]*3h%[...]94C/{m:[...]N\'-~[...]Z@W.[...]Pf|a[...]l`X_[...]0Z>q32[...]1uQe[...]M`Vk[...].tf3[...]b[+s[...]Cx\\7w[...](:j7[...]HTTP/1.1 200 OK[...]Content-Type: application/javascript[...]Content-Length: 8396[...]Connection: keep-alive[...]Accept-Ranges: bytes[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Date: Fri, 09 Jun 2017 05:27:17 GMT[...]ETag: "57c63974-20cc"[...]Expires: Fri, 09 Jun 2017 05:57:17 GMT[...]Last-Modified: Wed, 31 Aug 2016 01:57:08 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 91db3e27f70759a0dea967c4b34efea9.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: LNGKWZkSBoGwrH9gtSC2MLtRgj_1y_sEmvcItskO-nU9Ixg8DqhI7g==[...]// General Utility Functions[...]var GATIMEOUT = 250;[...]var sDestFolder = \'Visicom Media\\\\ManyDownloader\';[...]function adjust4k()[...]x = window.screen.availWidth;[...]y = window.screen.availHeight;[...]if(document.body.style.zoom)[...]if (x >= 3840 || y >= 2160)[...]document.body.style.zoom = "200%";[...]}[...]else[...]{[...]// IE 9[...]if (x >= 3840 || y >= 2160)[...]{[...]document.body.style.msTransform = document.body.style.transform = \'translate(0px, 250px) scale(2)\';[...]document.body.style.msTransformOrigin = (0, 0);[...]}[...]}[...]function isIE8()[...]if (document.all && document.querySelector && !document.addEventListener)[...]return true;[...]else[...]return false;[...]function isWow64()[...]if (navigator.userAgent.indexOf("WOW64") != -1 || navigator.userAgent.indexOf("Win64") != -1)[...]return true;[...]} else {[...]return false;[...]function Navigate(sUrl)[...]// Add timestamp to url to avoid browser caching[...]var tc = Date.parse((new Date()).toUTCString());[...]// Preserve existing url query params if any, while adding our timestamp:[...]var url = document.createElement(\'a\');[...]url.href = sUrl;[...]if (url.search.length == 0)[...]url.search = tc;[...]else[...]url.search = url.search.replace(\'?\', \'?\' + tc + \'&\');[...]sUrl = url.href;[...]// Navigate[...]window.location.assign(sUrl);[...]return false;[...]function ExternalError(sFuncName)[...]alert(\'Error: function \' + sFuncName + \' not found\');[...]function Quit(bNoPrompt, isFinish)[...]if(!bNoPrompt)[...]sendEventAnalytics("Flow", "Aborted", "InstallerCancelled");\t//prematureExist[...]}[...]if (window.external.Quit)[...]if (!bNoPrompt)[...]if (!confirm(l10n_GetTextById(\'quit\')))[...]return false;[...]if (!isFinish)[...]$(document).trigger("quit", [ ]);[...]//sendAnalytics();[...]setTimeout(function(){\t//Give time to Google Analitics post to be sent properly.[...]window.external.Quit();[...]}, GATIMEOUT);[...]else[...]ExternalError(\'Quit\');[...]return false;[...]function OpenUrl(sUrl)[...]try{[...]if (window.external.NewWindow)[...]window.external.NewWindow(sUrl);[...]else[...]ExternalError(\'NewWindow\');[...]}catch(ex){[...]//Fallback IE opening if there was an I/O error by opening the default browser.[...]window.external.shellExecuteParams("iexplore.exe", sUrl);[...]return true;[...]function SetNamedParamStrVal(sName, sValue)[...]if (window.external.Params)[...]window.external.Params(sName, sValue);[...]else[...]ExternalError(\'Params\');[...]function GetNamedParam(sName)[...]if (window.external.Params)[...]return window.external.Params(sName);[...]else[...]ExternalError(\'Params\');[...]return null;[...]function SetNamedParamStr(sName)[...]if (window.external.Params)[...]window.external.Params(sName, document.getElementById(sName).value);[...]else[...]ExternalError(\'Params\');[...]function SetNamedParamBool(sName)[...]if (window.external.Params)[...]window.external.Params(sName, document.getElementById(sName).checked ? \'1\' : \'0\');[...]else[...]ExternalError(\'Params\');[...]// Installer Specific Functions[...]var g_OnFinishEvent = null;[...]var g_CommandLineParameter = null;[...]var g_NextInstallerToDownload = null;[...]function IsInstallFinishedEx()[...]if (window.external.IsInstallerFinished)[...]return window.external.IsInstallerFinished();[...]return false;[...]function IsInstallerFinished()[...]if (window.external.IsInstallerFinished)[...]if (window.external.IsInstallerFinished())[...]var bSuccess = window.external.GetInstallerExitCode && (window.external.GetInstallerExitCode() == 0);[...]g_NextInstallerToDownload(bSuccess);[...]else[...]WaitInstaller();[...]return;[...]else[...]g_NextInstallerToDownload(false);[...]function IsDownloadInstallerFinished()[...]if (window.external.IsDownloadFinished)[...]if (window.external.IsDownloadFinished())[...]ExecLocalInstaller(g_OnFinishEvent, g_CommandLineParameter);[...]else[...]WaitDownloadInstaller(g_OnFinishEvent, g_CommandLineParameter, g_NextInstallerToDownload);[...]return;[...]else[...]g_NextInstallerToDownload(false);[...]function WaitInstaller()[...]setTimeout(IsInstallerFinished, 200);[...]function WaitDownloadInstaller(fnOnFinish, fnCommandLineParameters, fnNextInstallerToDownload)[...]g_OnFinishEvent = fnOnFinish;[...]g_CommandLineParameter = fnCommandLineParameters;[...]g_NextInstallerToDownload = fnNextInstallerToDownload;[...]setTimeout(IsDownloadInstallerFinished, 200);[...]function ExecLocalInstaller(fnOnFinish, g_CommandLineParameter, g_CommandLineExe)[...]if (window.external.Install)[...]if (fnOnFinish)[...]fnOnFinish();[...]try {[...]if (!g_CommandLineExe)[...]{[...]window.external.Install(g_CommandLineParameter());[...]WaitInstaller();[...]}[...]else[...]{[...]window.external.Install(g_CommandLineParameter(), g_CommandLineExe, function() {});[...]}[...]} catch (e) {[...]alert(\'Error: Unable to launch the main installation package.\\nPlease try to re-run this program.\\n\\nThe program will now exit.\');[...]window.external.Quit();[...]}[...]else[...]ExternalError(\'Install\');[...]}\t// ExecInstaller[...]function getParameterByName(name) {[...]name = name.replace(/[\\[]/, "\\\\[").replace(/[\\]]/, "\\\\]");[...]var regex = new RegExp("[\\\\?&]" + name + "=([^&#

• tcp 192.168.133.219:49196 ---> 52.222.157.129 (installer.manycam.com) :80

GET /l10n.js HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /analytics.js HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C;

.NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /image-UI.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /top-shadow-divider.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /1-on.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /3.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive[...]GET /next-arrow.png HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installer.manycam.com[...]Connection: Keep-Alive

• tcp 52.222.157.129 (installer.manycam.com) :80 ---> 192.168.133.219:49196

HTTP/1.1 200 OK[...]Content-Type: application/javascript[...]Content-Length: 7174[...]Connection: keep-alive[...]Accept-Ranges: bytes[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Date: Fri, 09 Jun 2017 05:27:17 GMT[...]ETag: "585b7d84-1c06"[...]Expires: Fri, 09 Jun 2017 05:57:17 GMT[...]Last-Modified: Thu, 22 Dec 2016 07:15:16 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 e9cb084a7980d1028202eee7e07a5589.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: vnAjC6bsajpcUS9AtJjQ_OzOzG-Vvk7L121CWBmdIWjEBFOAYpEJ1g==[...]// Structure format:[...]// lang_id -> textField_id -> translation[...]var l10n_DefaultLanguage = \'en\';[...]var l10n_CurrentLanguage = null;[...]var l10n_vals = {[...]\'en\' :[...]\'LangName\' : \'English\',[...]\'x64\' : \'This is a 64-bit application. It can be installed only on a 64-bit version of Microsoft Windows.\',[...]\'quit\': \'Are you sure you want to exit installer?\',[...]\'prog-1-on\' : \'Welcome\',[...]\'prog-1\' : \'Welcome\',[...]\'prog-2-on\' : \'Installation\',[...]\'prog-2\' : \'Installation\',[...]\'prog-3-on\' : \'Finished\',[...]\'prog-3\' : \'Finished\',[...]\'p1_welcome_line1\' : \'Welcome to the ManyCam Setup Wizard\',[...]\'p1_welcome_line2\' : \'\',[...]\'p1_lang\' : \'Select your language:\',[...]\'p1_CheckTheComponents\': \'Check the components you want to install:\',[...]\'p1_QuickLaunchShorcut\': \'Quick Launch Shortcut\',[...]\'p1_DesktopIcon\':\'Desktop Icon\',[...]\'p1_StartMenuShortcut\':\'Start Menu Shortcut\',[...]\'p1_MakeManyCamStartwithWindows\':\'Launch ManyCam on startup\',[...]\'p1_MigrateMyVideoEffectsfrommyPrevious\':\'Migrate my video effects\',[...]\'p1_ManyCamVersion\':\'from my previous version\',[...]\'p1_descr\' : \'Destination Folder:\',[...]\'p1_location_browse\' : \'Browse...\',[...]\'p1_legal_line1\': \'ManyCam is a virtual webcam with awesome effects, webcam switching and more! By installing this application you agree you have read and accepted the\',[...]\'p1_legal_line2\':\'End User License Agreement\',[...]\'p1_legal_line3\':\'Effects Submission Policy\',[...]\'p1_legal_line4\':\'and the\',[...]\'p1_legal_line5\':\'Privacy Policy\',[...]\'p2_welcome_line1\':\'Experience MyStart\',[...]\'p2_welcome_line2\':\'\',[...]\'p2_welcome_line3\':\'(Recommended)\',[...]\'p2_welcome_line4\':\'MyStart allows you to control your Internet browsing with <br/> customised Start and New tab pages.\',[...]\'p2_welcome_line5\':\'Enjoy stunning background images, access your favourite
 bookmarks or apps, and reopen closed tabs.\',[...]\'p2_SetMyStartMyDefaultHomepage\':\'Make MyStart.com the home page\',[...]\'p2_SetMyStartMyDefaultSearchProvider\':\'Changing your default search to Yahoo!\',[...]\'p2_SetGoogleExtension\':\'Add the MyStart New Tab extension to Chrome\',[...]\'p2_legal_line1\':\'By clicking on the checkboxes above and installing this application you agree to the \',[...]\'p2_legal_line2\':\'MyStart Privacy Policy\',[...]\'p3_welcome_line1\':\'Install the Free MyStart Toolbar\',[...]\'p3_welcome_line2\':\'(Recommended)\',[...]\'p3_welcome_line3\':\'The best of the Web delivered to you!\',[...]\'p3_welcome_line4\':\'Open ManyCam directly from toolbar.\',[...]\'p3_welcome_line5\':\'Get quick access to your favorite apps, games and social networks.\',[...]\'p3_welcome_line6\':\'Search the web and keep up to date on the latest news.\',[...]\'p3_legal_line1\':\'By clicking on the checkboxes above and installing this application you agree to the\',[...]\'p3_legal_line2\':\' MyStat End User License Agreement\',[...]\'p3_legal_line3\':\'and \',[...]\'p3_legal_line4\':\'MyStart Privacy Policy\',[...]\'p3_legal_line5\':\'MyStart toolbar is a product of Visicom Media Inc.\',[...]\'p4_welcome_line1\':\'ManyCam introduces ManyDownloader\',[...]\'p4_welcome_line2\':\'\',[...]\'p4_welcome_line3\':\'A free, powerful and fast torrent application for Windows!\',[...]\'p4_welcome_line4\':\'All-in one software that combines:\',[...]\'p4_welcome_line5\':\'Video downloader\',[...]\'p4_welcome_line6\':\'Cloud server\',[...]\'p4_welcome_line7\':\'Torrent client\',[...]\'p4_welcome_line8\':\'FTP client\',[...]\'p4_legal_line1\':\'By clicking on "Accept" you agree to install ManyDownloader and to the\',[...]\'p4_legal_line2\':\' End User License Agreement\',[...]\'p4_legal_line3\':\'and \',[...]\'p4_legal_line4\':\'Privacy Policy\',[...]\'p5_Msg\':\'Installing...\',[...]\'p5_welcome_line1\':\'Please wait while your programs are being installed\',[...]\'p5_Msg_Installing\':\'Installing\',[...]\'p5_Msg_Downloading\':\'Downloading\',[...]\'p5_Msg_Canceled\' : \'The installation was cancelled. The program will now exit.\',[...]\'p6_success_line1\':\'ManyCam was\',[...]\'p6_success_line2\':\'successfully installed\',[...]\'p6_finish_line1\':\'Click the Finish button to exit the installer and\',[...]\'p6_finish_line2\':\'launch ManyCam.\',[...]\'p7_welcome_line1\':\'Join the #1 Live Video Chat Community\',[...]\'p7_welcome_line2\':\'Meet, Connect and Have Fun\',[...]\'p7_welcome_line3\':\'\',[...]\'p7_welcome_line4\':\'Live Video Chat FREE\',[...]\'p7_welcome_line5\':\'5,000 Video Chat Rooms\',[...]\'p7_welcome_line6\':\'Meet New People Every Day\',[...]\'p7_legal_line1\':\'By selecting the

checkbox, you agree to install Paltalk Video Chat, its \',[...]\'p7_legal_line2\':\'Terms\',[...]\'p7_legal_line3\':\'Privacy Policy\',[...]\'p8_welcome_line1\': \'MyStart\',[...]\'p8_welcome_line2\': \'\',[...]\'p8_welcome_line3\': \'Shield\',[...]\'p8_welcome_line4\': \'MyStart Shield is the best tool to browse the Internet\',[...]\'p8_welcome_line5\': \' safely\',[...]\'p8_welcome_line6\': \' and quickly. It \',[...]\'p8_welcome_line7\': \' blocks \',[...]\'p8_welcome_line8\': \' malware, tracking, popups, ads and more. \',[...]\'p8_SetGoogleExtension\': \'Add MyStartShield extension to Google Chrome\',[...]\'p8_legal_line1\': \'By clicking NEXT you agree to the MyStartShield \',[...]\'p8_legal_line2\': \' Privacy Policy\',[...]\'idBtnCancel\' : \'Cancel\',[...]\'idBtnNext\' : \'Next\',[...]\'idBtnBack\':\'Back\',[...]\'idBtnAccept\' : \'Accept\',[...]\'idBtnDecline\':\'Decline\',[...]\'idBtnFinished\' : \'Finish\',[...]\'idBtnClose\' : \'Close\'[...]function l10n_GetTextById(id)[...]try {[...]var langId = l10n_CurrentLanguage;[...]i = langId.indexOf(\'-\');[...]if (i != -1)[...]langId = langId.substr(0, i);\t// Example: \'en-US\' to \'en\'[...]return l10n_vals[langId][id];[...]} catch (e) {[...]return null;[...]function l10n_Translate(langId)[...]if (!langId)[...]return;[...]i = langId.indexOf(\'-\');[...]if (i != -1)[...]langId = langId.substr(0, i);\t// Example: \'en-US\' to \'en\'[...]var lang = (langId in l10n_vals) ? l10n_vals[langId] : l10n_vals[l10n_DefaultLanguage];[...]var elt;[...]for (var key in lang)[...]elt = document.getElementById(key);[...]if (elt)[...]elt.innerHTML = lang[key];[...]elt = document.getElementById(\'close\');[...]if (elt)[...]elt.title = l10n_GetTextById(\'idBtnClose\');[...]function l10n_Init()[...]try {[...]l10n_CurrentLanguage = GetNamedParam(\'l10n_Lang\');[...]if (!l10n_CurrentLanguage)[...]var langId = window.navigator.systemLanguage;[...]i = langId.indexOf(\'-\');[...]if (i != -1)[...]langId = langId.substr(0, i);\t// Example: \'en-US\' to \'en\'[...]l10n_CurrentLanguage = langId;[...]SetNamedParamStrVal(\'l10n_Lang\', l10n_CurrentLanguage);[...]} catch (e) {[...]// keep silence[...]l10n_Translate(l10n_CurrentLanguage);[...]function l10n_InitLangSelector()[...]var elt = document.getElementById(\'idLang\');[...]if (!elt)[...]return;[...]while(elt.options.length > 0)[...]elt.remove(0);[...]for (var langId in l10n_vals)[...]var opt = document.createElement(\'option\');[...]opt.value\t\t= langId;[...]opt.innerHTML\t= l10n_vals[langId].LangName;[...]opt.selected\t= l10n_CurrentLanguage.indexOf(langId) === 0 ? true : false;[...]elt.appendChild(opt);[...]function l10n_OnChangeLang(selector)[...]l10n_CurrentLanguage = selector.value;[...]SetNamedParamStrVal(\'l10n_Lang\', l10n_CurrentLanguage);[...]l10n_Translate(l10n_CurrentLanguage);[...]HTTP/1.1 200 OK[...]Content-Type: application/javascript[...]Content-Length: 1136[...]Connection: keep-alive[...]Accept-Ranges: bytes[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Date: Fri, 10 Mar 2017 17:51:49 GMT[...]ETag: "56dcfd3a-470"[...]Expires: Fri, 10 Mar 2017 18:21:49 GMT[...]Last-Modified: Mon, 07 Mar 2016 04:02:02 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 e9cb084a7980d1028202eee7e07a5589.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: yjs1TuY8ta9xBQD19YIZSaE0s1xtTTFCljAQTLTkbI6Fxo13yQUgNw==[...]function getPwTracker(baseUrl, siteId){[...]var u = baseUrl.replace(/\\/$/, "");[...]var tracker = function(){[...]// arguments does not implement Array common function (shift, slice....)[...]// Piwik make use of these function on _paq instance thus the necessity[...]// of casting arguments as Array[...](window._paq = window._paq || []).push(Array.prototype.slice.call(arguments));[...]tracker(\'setTrackerUrl\', u + \'/piwik.php\');[...]tracker(\'setSiteId\', siteId);[...]var g = document.createElement(\'script\');[...]var s = document.getElementsByTagName(\'script\')[0];[...]g.type = \'text/javascript\';[...]g.async = true;[...]g.defer = true;[...]g.src = u + \'/piwik.js\';[...]s.parentNode.insertBefore(g,s);[...]return tracker;[...]function PiwikAnalytics(page)[...]// Tracking Code[...]pwTracker = getPwTracker(\'https://analytics.vmn.net/\',5);[...]//pwTracker = getPwTracker(\'http://piwik.mystart.lab/\', 2);[...]//Settgins and PageView[...]pwTracker(\'setCustomUrl\',\'http://manycam.com/installer/\' + page);[...]pwTracker(\'setDocumentTitle\', page); // replace wlcome with the page name[...]pwTracker(\'trackPageView\'); // replace welcome with page name[...]return pwTracker;[...]HTTP/1.1 200 OK[...]Content-Type: image/png[...]Content-Length: 51590[...]Connection: keep-alive[...]Accept-Ranges: bytes[...]Cache-Control: max-age=1800[...]Cache-Control: public[...]Date: Fri, 09 Jun 2017 05:27:17 GMT[...]ETag: "585b7d85-c986"[...]Expires: Fri, 09 Jun 2017 05:57:17 GMT[...]Last-Modified: Thu, 22 Dec 2016 07:15:17 GMT[...]Server: nginx[...]X-Cache: RefreshHit from cloudfront[...]Via: 1.1 e9cb084a7980d1028202eee7e07a5589.cloudfront.net (CloudFront)[...]X-Amz-Cf-Id: qHM8K1iFiF4HAoJSCxyQBEUByyfYAyWxLBZ2E7s8TS-ZzhnR192PFg==[...]IHDR[...]pHYs[...]IDATx[...]3UUU#[...]n}_}}}_[...]7^&0[...]O?=o[...]?~|[[...]kDTT[...]MQ1Nxt[...]/444[...]$,VW[...]XdkK[...]Ovuum[...]7!#F9[...]<988[...]\'+{E[...]#iOYh[...]u{|O_;[...]I`]cc[...]U"Dx[...]T`sGG[...][;;;[...]jqL[...]ttt<[...]5?d\\[...],3DE[...]Eggg[...]#nM#[...];6NR[...]zTs;[...]6Z7n[...]]eJQ[...]jkko[...]!p]7[...]Cggg]GG[...]JWGo[...]Cc\\^3[...]|9fc[...]CB][[...]SYo:[...]1T0@[...]\\85[...]9WFh[...],)yn[...]20hi[...]zn\']E[...]GH/X~[...]GBWN[...],)H([...]K/3d4e[...]\'U[G[...](;::[...]tvvn[...]56K36[...]H!Fx[...]-yMac[...]#Zr8[...]"BHZ[...]0?m1/i[...]MmLb_[...]|p];[...]8%7 \'[...]<LP.a0[...]L9f5[...]r=Mw?[...]56)%[...]r{pM[...]p.\'C![...]ad,~[...]/lfq[...]6.jb[...]u$IK[...](caK[...]i;B.[...]~Vo^[...])b:G[...];Ku]5}[...]hm^3![...]!FRIN[...]<<mXW[...])aU*[...]X$V7\',dh[...]uhKZW[...]&}?MN;)U[...]"J)L[...]@Y1j[...]yC3n[...]h45V#u[...]184B[...]C]C="(c[...](ThA[...]g$D1Is[...]xYQ8r[...]DB"*d[...]m\tF=[...];?|c[...]#qG_9[...]MI~"II[...]qEw>[...]W^n$[...]wdmZ[...]f\\sy[...]80>[...])R L8[...]oUttt[...]jjhI([...]|MS\\qp[...]qhJ([...],ogp`[...]JAit[...]IDATE[...]_OlmI[...]mIc\\[...]:GJU#[...]N\\W(Q[...]A\tA10[...]z:,j[...]<97I{[...]: fW[...]B\t7?BS[...]Du--M[...]o1<<B,[...]^Fsy[...]$]K);[...]%SUCK[[...]*:;;[...]/0V\'[...]<iU3[...]2hNaO+[...]WbnU[...]Xhr[...]U(;F*UM[...]9A[2l[...]4R3)GXQ[...]LRf([...]?I"7Jip[...]6{k?[...]bN6E[...]&Una;[...]%wdm[...]~e|M[...]6?:hH([...]R`$8[...]e_Wc[...][V.yM[...]UnUttt\\[...]fhG[...]hIXW[...]D*SC[...]KH;AU[...]LO%rc[...]2dR1[...]iOq6X[...]o=.#[...]3Ae$-[...]xBa&[...]S9WW[...]U2: h_JmS[...]syN][...]/RjHA[...],dN7[...]7BrN[...]TUUO[...]N<q[[...]u$GF<[...]d~*<[...]tATL[...]\'8itO[...]!$}{[...]~6,Z[...]D"5-[...]aO2w0[...]}>,R[...]!Ws*[...]55xn[...]PXJ`[...]P=w[...]8>YS[...]@Y_V[...]=NxR2%[...]2OHK[...]CjC,[...]S477r[...]&e;\tVUO[...]1AUZ[...]EK9u[...]4R43[...]^\tc<[...]T,Ej[...]$(%T][...]UN_p(f[...]B@F9[...]vm#\t%[...]],X}[...]cC]I[...]cvW=[...]9,K s()[...]FKJy[...]2sCN[...]){h[q[...]]Jbn[...]Tdxv[...]CJ5Nj[...]#*$l|L[...]?C|Q[...]$>DBfn[...][G5_[...]Q|+#Y\\[...]cX;[[...]BkM.[...]R\\^T[...]GR^5[...]]pyS[...]VDwww33[...];^LUU[...]k{v?[...]ogN[+[...]x.ozs[...]o: _.R[...]\\FK9t[...]G#fN[...]W*;4h[...]+O&K;[...]\\]Ba[...]Ufab[...]nF8X[...]R)DS3[...]uw00[...]V~aq[...]{HL|[...]a4JO[...]o5ttt4[...]t{}}[...]K>eW[...]%_s[...]cHcS[...]18o.[...]i&v-O;![...]K)<QY[...]8<<H[...]k i+[...]<zse[...][LXYM[...]QN*[...]JEFF[...]y&^x[...]*LAAQ[...]*(CQ[...];ZK0B[...]0I!7[...]f)a#n@[...]14T"[...]go10i[...]bl!1[...]4YY]![...]*u>[...],X{[...]IDAT[...]v%#}[...]^Bl-D[...]z\tZRtc 6[...]AOTf[...]pB&][...]Tyr^#[...]ebp/[...];E~^0[...]:a0:[...](Fx.2[...]>_1Ut[...]$f%4LZC[...]!\tY:[...]r9K%[...]PkFxa[...]=umS[...]82]=S[...]%C1)|f[...]+O>Hir/[...]nP^+[...]ZkH"[...]MOli-Bx[...]A\'1Z[...]lYkO[...]z;qe[...]9<Wrh[...]yK_?r[...]N_O%[...]\'T*g[...]=~<][...]vN={[...]FhkY[...]73zr[...]J$AhFsc[...]R277[...]DZ&;[...]aW|Ag[...]5CS,[...]V!Z:[...]\\9Mc~[...]:7=[...]NR L[...]0f|z[...]@A"o[...]vmZfF[...]D,5"[...]me{x_[...]R?\'O[...]~?kk[...]X$Z\'[...]Cd)[...]N[A<[...]00A3[...]MT^a`x[...]$2-m[...]$IB)[...]c,,W[...]%s>_`bb<[...]6c)-Y[...]Osav[...]-oe|[...]Zwz^a[...]\'wpi[...]56hFM[...]</;~[...]m6N[...]#(% \t0[...]s.}C#[...]4Ivc[...]G_Ax[...]""689[...]W/S[8[...]S<rl[...]/B+:c[...]l[[)[...]0V[a[[...]ae*_i[...]R($<[...]6<)8x[...]=jKz[...]0Z11[...]ZSo6[...]mfo_[...]eAm!r7[...]8qbH[...]I\\F[...]D8J"J[...]EF_q[...]B@m~[...]9}:&W;,0{[...]ke60[...]c90=[...]sgNQ[...]6xju[...]2J%-[...]$1(aq<[...]F8-A[...]SvZ*[...]IDAT[...]<y;q[...]:!i6[...]y\'{Td[...]naE{[...]p$JJ\\[...][^{Cu[...]>>95[...]$km{[...]HkqU[...]SZko[...]bmEkr.[...]8Ru\\[...]ql|,c[...]O#e?w[...]Dcy\t;Y[...][:mr[...]ss(#[...][k{Z\'[...]qF\'\t&[...]$"IbJ[...]v/1][...]@=d`[...]bH=![...](k4F[...]D6Yqs[...][?@[...]!Fg*![...]?O09[...]%[2OM[...]0Fx.[...]Gb6|[...]//Q}v[...]?Cy~[...],FcU[...]$*7a|[...]Ry=7[...]X7r][...]o]uz[...]Kd,"[...](BlQ[...]J\\+q[...]y`C&[...]w@qp[...]qvQd[...

.];6B5[...]b&?@[...]-&#

• tcp 192.168.133.219:49197 ---> 66.115.160.33 (geoip.vmn.net) :80

GET /index.php?v=2&format;=json&callback;=jQuery1710363481108556542_1497304644082&_=1497304644989 HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: geoip.vmn.net[...]Connection: Keep-Alive

• tcp 192.168.133.219:49198 ---> 216.58.210.142 (www.google-analytics.com) :80

GET /analytics.js HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: www.google-analytics.com[...]Connection: Keep-Alive[...]GET /r/collect?v=1&_v=j55&a;=454531266&t;=event&_s=1&dl;=http%3A%2F%2Finstaller.manycam.com%2F1.html&ul;=en-us&de;=windows-1252&dt;=ManyCamWebInstaller&sd;=32-bit&sr;=1280x960&vp;=730x503&je;=0&ec;=Welcome&ea;=install-started⪙=started-installation&_u=IEBAAEAAI~&jid;=106378624&gjid;=2131878013&cid;=1910471057.1497304645&tid;=UA-2413912-2&_gid=1200590579.1497304645&_r=1&z;=1175146133 HTTP/1.1[...]Accept: */*[...]Referer: http://installer.manycam.com/1.html[...]Accept-Language: en-US[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: www.google-analytics.com[...]Connection: Keep-Alive

• tcp 192.168.133.219:49199 ---> 69.50.129.55 (analytics.vmn.net) :443

analytics.vmn.net[...]2-xu[...]dSOPJ^[...]J3 P[...]^Le+8}[...]4x6R[...]f&=~[...]ZrP[...]ZMSo[...]_G1*[...]#&)0[...]R3x5[...]]L>\\W[...]ya&l;[...]1@3U[...]$ eP9[...]*k+Ti[...]q+AMTV[...]hPUK[...]vdtj

• tcp 216.58.210.142 (www.google-analytics.com) :80 ---> 192.168.133.219:49198

HTTP/1.1 200 OK[...]Strict-Transport-Security: max-age=10886400; includeSubDomains; preload[...]Timing-Allow-Origin: *[...]Date: Mon, 12 Jun 2017 21:12:21 GMT[...]Expires: Mon, 12 Jun 2017 23:12:21 GMT[...]Last-Modified: Wed, 31 May 2017 23:40:38 GMT[...]X-Content-Type-Options: nosniff[...]Content-Type: text/javascript[...]Vary: Accept-Encoding[...]Content-Encoding: gzip[...]Server: Golfe2[...]Content-Length: 12349[...]Cache-Control: public, max-age=7200[...]Age: 2804[...]T\'47[...]Axp7[...]fqTm[...]=8<:~[...]M.h\\r[...]FuK4[...]If5[[...]Jmw#h[...]}@z#[...]]Xp>[...]|ok,[...]EZ[&q;[...]W*]KJ[...]`0t-[...] AXzzD[...]C1E.E[...]\'VWE[...]oxV4[...]ju+g([...]x:W*xx[...]g\'Vp-L[...]\\}BT*[...][GFW[...]M"ZZ[...]VPZh[...]D[bt5[...]M9u[...]!\'0<[...]l<vw[...]G8H=[...]%M$0[...]G*bv (`[...]PVtdz[...]t\'b8[...](UW]u[...]9[>:[...]1h[Q[...];Q},Z[...]fRX$[...]hl>D[...]Y_R&[...]/cS<[...]94YXyc[...]t~+/E([...]@963[...]KcDFJ[...]#@"`O[...]]?hq[...]?p{%[...]2*z. [...]}<8L[...]RcS7[...]m[yH3[...]=sjw[...]S\tG)[...]u2RJ[...],dRF0\'3d`M[...]AwrK[...]6zUh[...]RTq`+[...]d8*E[...][i!t8[...]v 42K[...]5*ko[...]5zkk[...]mYZo[...]r\t$ 2[...].s/Z [...]Q.#(^[...]dTAk[...]lBN8kR[...]#VaA[...]xb,D?[...]#\t-F[...]mlelG[...]/|7z[...]/#k<e[...]B`T>[...]G/)7[...]hJz[...]!pc9[...]NR7#[...]}-zF[...]?Q0xo[...]xfOv[...]H0NO[...]dx (Y[...]D{<%[...]\\ o[...]Jme4[...]h]to":MW=[...]{6(B[...]X;mex[...]tT=}[...]P:mk[...]SY"\\j[...]USGd[...]e.H,[...]Frg[76[[...])aXP[...]dua}[...]wJwo[...]m(e9&c;[...]eQoMcv[...]0fG[...]jm;<>l[...]5i5S[...]T)]y|[...].la}[...]\\]5-c[...]g|vu[...]$jh[...]T=MZo[...]j-V[...],K?9[...]:h?5|[...]LFwJ[...]\'^tC[...]5.f>f[...]b{x%[...]6A_I[...]^ i`[...]2s<G+[...]1Zf=[...]d8PI^[...]S k~[...]~NUzkX4[...]4`T[...]);d8[...]ip7XlQ%[...]]I&J2;[...]epxg?[...]@RDd[...]d6;2[[...]@W6_[...]!\'_}Q[...]hs]_[...]ODKi[...][r\'.[...]e#=xi[...]h -l[...]&s4j;[...])A=Osr[...]c3gK[...]QiyLq[...]~+3A1[...]<01u@K[...]HTTP/1.1 200 OK[...]Access-Control-Allow-Origin: *[...]Date: Mon, 12 Jun 2017 21:59:05 GMT[...]Pragma: no-cache[...]Expires: Fri, 01 Jan 1990 00:00:00 GMT[...]Cache-Control: no-cache, no-store, must-revalidate[...]Last-Modified: Sun, 17 May 1998 03:00:00 GMT[...]X-Content-Type-Options: nosniff[...]Content-Type: image/gif[...]Server: Golfe2[...]Content-Length: 35[...]GIF89a[...];HTTP/1.1 200 OK[...]Access-Control-Allow-Origin: *[...]Date: Mon, 12 Jun 2017 21:59:05 GMT[...]Pragma: no-cache[...]Expires: Fri, 01 Jan 1990 00:00:00 GMT[...]Cache-Control: no-cache, no-store, must-revalidate[...]Last-Modified: Sun, 17 May 1998 03:00:00 GMT[...]X-Content-Type-Options: nosniff[...]Content-Type: image/gif[...]Server: Golfe2[...]Content-Length: 35[...]GIF89a

• tcp 192.168.133.219:49200 ---> 52.70.201.36 (installstat.manycam.com) :80

GET /installStarted.php HTTP/1.1[...]Accept: */*[...]Accept-Encoding: gzip, deflate[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: installstat.manycam.com[...]Connection: Keep-Alive

• tcp 66.115.160.33 (geoip.vmn.net) :80 ---> 192.168.133.219:49197

HTTP/1.1 200 OK[...]Date: Mon, 12 Jun 2017 21:59:05 GMT[...]Server: Microsoft-IIS/5.0[...]Access-Control-Allow-Origin: *[...]Connection: close[...]Transfer-Encoding: chunked[...]Content-Type: application/json[...]jQuery17103634811085565 42_1497304644082({"country":"ES","countryYahoo":"ES","countryYahoo2":"es","countryName":"Spain","state":"29","city":"Madrid","zipcode":"28004","ip":"46.25.104.49","timestamp":"593F0EA9"})

• tcp 69.50.129.55 (analytics.vmn.net) :443 ---> 192.168.133.219:49199

(AHR9[...]\Vyf|G[...]Greater Manchester1[...]Salford1[...]COMODO CA Limited1604[...]-COMODO RSA Domain Validation Secure Server CA0[...]160113000000Z[...]180112235959Z0V1!0[...]Domain Control Validated1[...]PositiveSSL Wildcard1[...]*.vmn.net0[...]fkf`[...]de"]{[...],bvuh;f[...]K=Qg[...]V8Cr1)[...]b4:M[...]H0F0:[...]0+0)[...]https://secure.comodo.com/CPS0[...]M0K0I[...]Chttp://crl.comodoca.com/COMODORSADomainValidationSecureServerCA.crl0[...]y0w0O[...]Chttp://crt.comodoca.com/COMODORSADomainValidationSecureServerCA.crt0$[...]http://ocsp.comodoca.com0[...]*.vmn.net[...]vmn.net0[...]?2(}`[...]u!{P7[...]gVn0[...]Greater Manchester1[...]Salford1[...]COMODO CA Limited1+0)[...]"COMODO RSA Certification Authority0[...]140212000000Z[...]290211235959Z0[...]Greater Manchester1[...]Salford1[...]COMODO CA Limited1604[...]-COMODO RSA Domain Validation Secure Server CA0[...]E^R/4[...]CP?Y[...]uPx>L[...]E0C0A[...];http://crl.comodoca.com/COMODORSACertificationAuthority.crl0q[...]e0c0;[...]/http://crt.comodoca.com/COMODORSAAddTrustCA.crt0$[...]http://ocsp.comodoca.com0[...]N+vO[...]K4{\';[...]o$;r[...]ctX<[...]f5s2`N[...]a,nR[...]]G\`[...]8;lr[...]7[(;1[...](jDp&#

• tcp 52.70.201.36 (installstat.manycam.com) :80 ---> 192.168.133.219:49200

HTTP/1.1 200 OK[...]Content-Encoding: gzip[...]Content-Type: text/html; charset=UTF-8[...]Date: Mon, 12 Jun 2017 21:59:05 GMT[...]Server: nginx[...]X-Frame-Options: SAMEORIGIN[...]X-Powered-By: PHP/5.6.30[...]Content-Length: 20[...]Connection: keep-alive[...]HTTP/1.1 200 OK[...]Content-Encoding: gzip[...]Content-Type: text/html; charset=UTF-8[...]Date: Mon, 12 Jun 2017 21:59:05 GMT[...]Server: nginx[...]X-Frame-Options: SAMEORIGIN[...]X-Powered-By: PHP/5.6.30[...]Content-Length: 20[...]Connection: keep-alive

• tcp 84.53.132.33:80 ---> 192.168.133.219:49203

HTTP/1.1 200 OK[...]Cache-Control: max-age=604800[...]Content-Type: application/vnd.ms-cab-compressed[...]Last-Modified: Wed, 19 Apr 2017 22:43:31 GMT[...]Accept-Ranges: bytes[...]ETag: "80ab755e5eb9d21:0"[...]Server: Microsoft-IIS/8.5[...]X-Powered-By: ASP.NET[...]Content-Length: 52608[...]Date: Mon, 12 Jun 2017 21:59:08 GMT[...]Connection: keep-alive[...]X-CCC: ES[...]X-CID: 2[...]MSCF[...]Je}[...]authroot.stl[...]E)7k[...]~7\'M[...]{fd<[...]jW89[...]$t:$([...]OO?c/;m[...]`*Uk[...]<d:l[...]"+ z([...]n12j[...]fd_$A[...]s=Y9[...]_BB>[...]DwuM[...]\\\t,R[...]OlDp[...]|Xt/n[...]b~W_[...]#\tvS[...]|8yx[...]lm\ton[...]4\tDU[...]Lz\t"[...]&_k5[...]6saC[...]<C7/[...]s*`\tb[...]*X=8zl[...]b#5^:d[...]`?xp[...]]NM)[...]Vo[[...]9k1Z[...]o`H_[...]P3*D[...]lOh9[...]TpQv[...]X0o}[...]V1d/[...]mHr,[...]:c1}[...]gz2v[...]S7oM)[...]yI|m[...]JA a[...]Tl\tr[...]ZMy$[...]t9#k[...]Vt(p[...]gdsN0[...]%x~s[...]e\\;g[...]*;W<T[...]9J%Yc[...]\\[Qy[...]&O;,E|U[...]AZDD[...]Nnjc[...]D?W$[...]->0mp[...]Y@)O[...]~9;E[...]Ml?T[...]z_uP(:[...]~.i*[...]m,2/[...]`[{5[...]_d{7[...]C\\,h[...]Kp;o[...]LFze[...]}7w"O,sD[...]3;*~&[...]Vr-M[...]j\',ox\'[...]\')=7[...]Z6x$O[...]T@>-{W[...]PrCv[...]$+R+[...]V&="[...]B+"Su[...]~=BFu[...]^qqG[...]}oD.[...]s>P;[...]B.`gl[...]sD^>[...]N\tlq[...]hZk:[...]7mIp[...]Qh<kn[...]xf-Ms[...]Hr:[...]x-Mj[...]8G0%uM[...]9e(u[...]!)WC[...]~B[MQ[...]LMP;~bP[...]wb3)[...]a!#s[...]Zb9:[...]y8-$[[...]3yK0*[...]1;|o[...]y}4k[...]^ja,[...]Sd[5[...]g"dw[...]U7k_[...]>s79l[...]y>uR[...]"B(v[...];AQG[...](/u[...]`Wka\';[...]l~|l[...]n{x/[...]4R$yI[...](Wuz[...]L`l2Qq[...]&9~\'[...]eFED[...]\'Y%6[...]]xv&[...]5e61[...]{BBA[...]k_[Z[...]E3-\tt[...]M//f[...]jN`N[...]V6`V[...]sj7P[...].!SM[...]!h[@[...]jK*>&[...]Hv[\\[...]X,;"[...]zafCf[...]xAGk[...]n[-Y[...]vyFgmny[...]#^V)[...]QYO5[...]dIRW[...]}OL&dV;[...]w7>q{[...]mliw[...]!U7Xf[...]*Im][...]d5|;^[...];hIS[...]?!pd[...]t2}I[...]}YhjZ2[...]kQAh[...]<5>8[...]udo[...]g4*s[...]k096[...]{W>\\[...]Br0M[...]g\\W/cb[...]+76*[...]?B%![...]W:c?[...]ME:,s[...]<5-K[...]=m n[...]W8"g[...]?sZ6>[...]"UYs[...]A,fp.[...]y7//[...]x$&_S[...]~>*9sq[...]Hcw[S[...]#EtF[...]-64`]g]n[...]b6G,[...]a/NH[...](co2[...]]y<Uk[...]"d8B[...]0My9[...]9]Xt[...]a\tf7-2p[...]sc8b[...]gGpYMf[...](\'<_[C[...]C\\0w[...]^ng[X[...]JS0`[...]-^yG[...]o"1B,[...]8Mh8sTWF[...]Br_8[...]%Wgoz[...]~vHed[...]vS[...]8\tCd[...]]FV5[...]K!S([...]+0F.S[...]u5n6[...]AhLd[...]N8_H[...]A!}C[...]M<my[...]#Cs\tO[...]`U$>[...]X<t;|[...]5,)n[...]p5M6HO|~[...]T>z?[...]"&gC;[...]SZz"(([...]t6kfL([...]`_Rc[...]V%L8[...]Kk#J[...]Ab{=[...]Sh|9[...]8`kc[...]z{T8j[...]qK\'=I[...]`vtM[...]<7R;;[...]o9h{[...]^AT.[...]H\'/y[...]eoVc[...]\'661[...]iC:pe[...]|9^>[...]eH:_[...]4(<R[[...]]uWB[...]6Y$[[...]PvwN[...]Ig;2[...];r:X:r[...]9r}tw[...]#(ljZ[...]+!Jy[...]+ZCA[...]{#wN[...]^s]dZ[...]Zap4[...]JM*j[...]rB b[...]jY(c[...]{}\'Y[...]Bqr![...]^~ =6[...];>i{[...]xb{H[...]iI[V[...]s 5;R[[...]Y 2~.[...]t(5jgk[...]U|bR<[...]V++:[...]Ut1~[...]$g/`[...]qqc.[...]"w"/:-s[...]Y{R+#[...]jy}^[...]7_@L[...]0= P[...]k`aZ[...]x2\'c[...]=nZj[...]dSHl}T[...]%BCH[...]TX1Ls[...](abu}qo[...]#CIc[...]T-A4[...]c!N#[...]6g%fL^[...]tIiU~J^[...]RD0]EI[...]:<3;[...]I.z[...]9E_9_[...],~Sj8[...]akVu[...]8N%T[...]}\tQU[...]|E{fL[...]Z!=,[...]Fy_T[...]We*k[...]UxS]s[...]ghXW[...]\'l`k[...]oA7m[...]49b([...];s`?[...]i:(,F[...]EL=+:[...]OM@l3[...]Hr~Hx=-[...]-fF\t%[...]Ttl}[...]R_8c[...]:OFe[...])=m:[...]<3}e[...]5/E|[...]erP"[...]wN(>[...]c?=y[...]5$ohl[...]*VeA[...]oB8Hj*R"[...]tALn[...]Nn}M=[...]#yPj[...]d}f>[...]n,q;[...]j83s"[...]Pl:][...]5[#S[...]ygp`aP"[...]}7nP[...]KY:z}Z[...]}rYJq[...]vCJMU[...]yP,LI[...]!/]9[...]^HxgU[...]MNA:[...]Oo=E[...]bTt}[...]csJ}[...]HNV]b[...]98;p0[...]zn$v[...]=RB^[...]5\t<6[...]@$5[u[...]h<`;[...]Y*~12[...]mV/1[...]]y8Uk[...]XEB2T(c[...]~X]{Z[...]hX{;7[...]QKOH[...]?2%([...]s8FB[...]Fa6Z[...]"l`3[...]QW+[[...]{Y_qz[...]_{:b([...]fx)([...]Nh/:[...]Ws_ka[...]0K2</d[...]Tcn($[...]&W;8wch9[...]U-?i*[...]cf1h[...]P.%:X[...]HVs&[...]){J\\[...]Y$Qh[...]t?So[...]8Cl:[...]+)-fOv[...]f7om[...]X=}\'[...]zB2r[...]C3F1"T[...]8h^$[...]H~t7[...]*%PmO[...]XFwi[...]c2KV/f[...][n9][...]j"]I[...]Pypg[...]to[[...]Gf*r&[...]<\t;^s[...]z(%[[...]TeK)[...]6(Ai[...]-n9.[...]Qmc/[...]zKMq[...]t597[...]7gZQ[...]+wTS-[...]mp]_[...]uCRy[...]S!G.[...]VggRw[...]<B#z@Z[...]-LmA[...]V{@!y[...]Z71|0xn[...]6>Oj[...]_\tK.c[...]Jx\'Sw[...]GIvQ[...]22"B[...]I+=(UdAT7[...]o)CV[...]}WIA[...]\\mkZn[...]1C)O8I[...]v,j7[...]BaIn[...]K*.=[...]k[>;0[...]++k[...]8Esd[...]mCf[...]/lVc[...]BIEA[...]jN~O[...]"!mx[...]b1NU%[...]hrh2[...]jmkb;[...]r] &[...]_|%<H[...]WlJ#Xp[...]jyuz[...]P?{i[...]Hb6:g:[...]h)0H[...]vd|]|[...]&3J6([...]FOg`[...]ASSe[...]o622J[...]"65\\c[...]IBa>][...]C,LUy[...]Vu[...]>ra\\[...]E~Z\\[...]y2Z~[...]7{vT[...]j#I@D[...]*PZ1[...]Amr:[...]XlN@\\[...]M`t4{b[...]ELe([...]P68F{-[...]1Y>g[...][H<H[...]l"Zw[...]Vxx.4[...]!cQ$[...]4|,rq:[...]%QFLe[...]lgDn[...]`;ZxSK_[...]&!{H[...]zB\to[...]oeb1[...]5V_q[...]lYde[...]$wd;[2A[...]RQ:H^[...]gk/m,[...]KYkz[...]J(([[...]V-$>PV0[.

..]\\By[...]5=-B[...]l\\+R[...]N:C&[...]Fqe^X[...]d?6j[...]${LT[...]7=C1[...]7pN9[...]Gg5Gw[...]AWswM[...]q7H6M#[...]s<$:[...]%GhZo[...]`4Jl[...]WU`Q[...]&;f7[...]SQs
b[...]Eq>7[...]~*hB[...]/.^([...]@Y^![...]l9pI[...]a4=/[...]2fiCK[...]6n$d[...]Hf$iHVdo[...]eA\'K[...]G_PH[...]cK_Z[...]f?WQpl[...]he(<[...]aqic[...]}C[_[...]E;"#[...]#8$C[...],
Pus*[...]j:Im[...]M(e^[...]$qoo[...]emP\t[[...]_{R=[...]BQsd[...]5(jq[...]>HD$?[...]g%)g[...]-f;G[...]]cU/[...]g\t.F!w5[...]{u0*[...]|roVS-[...]gJl8[...]6~Rf[...]OGj;[...]yA"5t[...
]\'qkzU[...]|< <.c[...]i[20=[...]~+P1[...]}uM{[...]7_U8YK[...]xD([...]7Q9^[...]er,4[...]2943[...]3\\\\<[...]lR@"[...]&+]b[...]f*\t~%[...]B;Eq[...])tJ_[...]VrCq[...]RWS{[...]ILp2[
...]43*}[...]3x?}[...]B$#7[...]\'v$T[...]SUy|[...]c|\tfDU[...]QQkS[...]TYJV[...]\\sakM[...]+{201[...]Rg<f[...]JhG&[...]=&V1;[...]hK/2[...]|+EG[...]cY02[...]"^7][...]{8x[[...]?n
p:[...]4ZRZ[...]HZ0<[...]~vD^[...]]\t8T[...]+n3T[...]Q\tN/[...]]$8-[...]8TEe[...]?Lkp?([...]^3!=@[...]Taum[...]FwQHk[...]=P^B+q[...]3GSY[...]Q+3`[...](qj&[...]n#U=[...]X
TP#[...]"z3w^[...]6Z~0[...]#wLp[...]P\\&<[...]&OP1;[...]r\\Bu[...]aZo[[...]?<z=[...]D1>KL.[...]1{-p[...]i)-O2;n[...]N<!#[...]]X[B[...]$Q{i[...]+?rQ[...]Kb_z[...];9I"ZbB][...]z7
P[...]hxNO:[...]Aob:^H[...]7[7[[...]d*vS[...]?W$w[...]w1V5[...]CUCg[...]@hP2Q[...][{99[...]%lDbbo[...];L<aQ1[...]*k!N[...]($PK*[...]Edd$[...]dKS7YeE[...]{CfT@[...]>
o`fR[...]-vpv[...]R(!=[...]k9 h[...]Jl@t[...]DgUs[...]2[XAI<[...]=!.\'[...]OcSD[...]p$`r[...]?L(F[...]zJ!}mJ[...]Lhxfh[...]quOv[...]NSd#[...]&Db;![...]?egy/[...]/ON;[...]a\'O;[...]
H\\W{([...]=<y~[...]_K#g[...]J*y|[...](%_JV[...]$5!C[...]\\I21[...]s\trj[...]J<P.[...]!B\'-l[...]Iz@S[...]bmJ"[...]6L48[...]BfRu[...]p1Y>Y[...]N\t8p5[...]#
b?<[...]ofe7fS[...]7/Iz[...]drQW[...]gVAi[...]H{uc.[...]I$F:[...]JLZV[...]esi+[...]|(Dk[...]Y\\Vs[...]f&\'[...]6L48[...]BfRu[...]p1Y>Y[...]N\t8p5[...]#
b?<[...]ofe7fS[...]7/Iz[...]drQW[...]gVAi[...]H{uc.[...]I$F:[...]JLZV[...]esi+[...]|(Dk[...]Y\\Vs[...]f&\'[...]HTTP/1.1 200 OK[...]Content-Type:
application/x-x509-ca-cert[...]Last-Modified: Thu, 23 Jul 2015 23:16:35 GMT[...]Accept-Ranges: bytes[...]ETag: "80b4b9e9dc5d01:0"[...]Server:
Microsoft-IIS/7.5[...]X-Powered-By: ASP.NET[...]Content-Length: 1082[...]Date: Mon, 12 Jun 2017 21:59:10 GMT[...]Connection: keep-alive[...]X-CCC:
ES[...]X-CID: 2[...]AddTrust AB1&0$[...]AddTrust External TTP Network1"0[...]AddTrust External CA
Root0[...]000530104838Z[...]200530104838Z0o1[...]AddTrust AB1&0$[...]AddTrust External TTP Network1"0[...]AddTrust External CA
Root0[...]mA_rZq[...]ijX#[...]q0o1[...]AddTrust AB1&0$[...]AddTrust External TTP Network1"0[...]AddTrust External CA
Root[...]AlG`[...]c~y{[...]sIv`[...]HTTP/1.1 200 OK[...]Content-Type: application/x-x509-ca-cert[...]Last-Modified: Thu, 23 Jul 2015 23:16:35
GMT[...]Accept-Ranges: bytes[...]ETag: "80b4b9e9dc5d01:0"[...]Server: Microsoft-IIS/7.5[...]X-Powered-By: ASP.NET[...]Content-Length: 1082[...]Date: Mon,
12 Jun 2017 21:59:10 GMT[...]Connection: keep-alive[...]X-CCC: ES[...]X-CID: 2[...]AddTrust AB1&0$[...]AddTrust External TTP Network1"0[...]AddTrust
External CA Root0[...]000530104838Z[...]200530104838Z0o1[...]AddTrust AB1&0$[...]AddTrust External TTP Network1"0[...]AddTrust External CA
Root0[...]mA_rZq[...]ijX#[...]q0o1[...]AddTrust AB1&0$[...]AddTrust External TTP Network1"0[...]AddTrust External CA Root[...]AlG`[...]c~y{[...]sIv`

• tcp 192.168.133.219:49208 ---> 178.255.83.1 (ocsp.usertrust.com) :80

GET
/MFEwTzBNMEswSTAJBgUrDgMCGgUABBR8sWZUnKvbRO5iJhat9GV793rVlAQUrb2YejS0Jvf6xCZU7wO94CTLVBoCECDm7lbrSfOOq9dwovyE3il%3D
HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.usertrust.com

• tcp 178.255.83.1 (ocsp.usertrust.com) :80 ---> 192.168.133.219:49208

HTTP/1.1 200 OK[...]Date: Mon, 12 Jun 2017 21:59:12 GMT[...]Server: Apache[...]Last-Modified: Sat, 10 Jun 2017 02:10:49 GMT[...]Expires: Sat, 17 Jun
2017 02:10:49 GMT[...]ETag: A38718DBB3F7D373ABA689AF702E4BC5162389D2[...]Cache-Control:
max-age=360096,public,no-transform,must-revalidate[...]X-OCSP-Reponder-ID: rmdccaocsp27[...]Content-Length: 471[...]Connection:
close[...]Content-Type: application/ocsp-response[...]20170610021049Z0s0q0I0[...]20170610021049Z[...]20170617021049Z0[...]wBC@tU

• tcp 192.168.133.219:49211 ---> 178.255.83.1 (ocsp.usertrust.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBReAhtobFzTvhaRmVeJ38QUchY9AwQUu69%2BAj36pvE8hI6t7jiY7NkyMtQCECsuburZdTZsFIpu26N8jA
c%3D HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.comodoca.com

• tcp 178.255.83.1 (ocsp.usertrust.com) :80 ---> 192.168.133.219:49211

HTTP/1.1 200 OK[...]Date: Mon, 12 Jun 2017 21:59:14 GMT[...]Server: Apache[...]Last-Modified: Sat, 10 Jun 2017 02:10:49 GMT[...]Expires: Sat, 17 Jun
2017 02:10:49 GMT[...]ETag: D0AFDC457E34ADEBA968B6A095386165E1D8B763[...]Cache-Control:
max-age=360094,public,no-transform,must-revalidate[...]X-OCSP-Reponder-ID: rmdccaocsp27[...]Content-Length: 727[...]Connection:
close[...]Content-Type:
application/ocsp-response[...]20170610021049Z0s0q0I0[...]20170610021049Z[...]20170617021049Z0[...]f2d4yx[...]'JF37[...]t:Y-[...]V(*[...](pq]]^

• tcp 192.168.133.219:49214 ---> 178.255.83.1 (ocsp.usertrust.com) :80

GET /MFIwUDBOMEwwSjAJBgUrDgMCGgUABBR64T7ooMQqLLQoy%2BemBUYZQOKh6QQUkK9qOpRaC9iQ6hJWc99DtDoo2ucCEQClygCAnZRE3cIfd
JU6Zsv1 HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.comodoca.com

• tcp 178.255.83.1 (ocsp.usertrust.com) :80 ---> 192.168.133.219:49214

HTTP/1.1 200 OK[...]Date: Mon, 12 Jun 2017 21:59:16 GMT[...]Server: Apache[...]Last-Modified: Fri, 09 Jun 2017 19:10:26 GMT[...]Expires: Fri, 16 Jun 2017 19:10:26 GMT[...]ETag: 47B371AC00ECE4A3D1101C57DF8D063B331E34F7[...]Cache-Control: max-age=334869,public,no-transform,must-revalidate[...]X-OCSP-Reponder-ID: rmdccaocsp27[...]Content-Length: 472[...]Connection: close[...]Content-Type: application/ocsp-response[...]20170609191026Z0t0r0J0[...]20170609191026Z[...]20170616191026Z0[...],|)T%.Dl[...]E`0S[...]t S_*3f1

• tcp 192.168.133.219:49217 ---> 77.209.227.8 (crl.microsoft.com) :80

GET /pki/crl/products/MicrosoftTimeStampPCA.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Tue, 17 Jan 2017 06:01:36 GMT[...]If-None-Match: "df568298770d21:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com[...]GET /pki/crl/products/microsoftrootcert.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 05 Feb 2017 06:01:25 GMT[...]If-None-Match: "45949148757fd21:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com[...]GET /pki/crl/products/tspca.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 24 May 2014 05:04:54 GMT[...]If-None-Match: "8ab194b3d77cf1:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com

• tcp 77.209.227.8 (crl.microsoft.com) :80 ---> 192.168.133.219:49217

HTTP/1.1 200 OK[...]Content-Length: 550[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:27 GMT[...]ETag: 0x8D491A9FE8C17D1[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 755f7bdf-0001-0030-7352-c41d5a000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Mon, 12 Jun 2017 21:59:48 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1!0[...]Microsoft Time-Stamp PCA[...]170402211719Z[...]170702093719Z[...]_0]0[...]170701212719Z0[...]:XDz|[...]WoYg[...]U2xm[...]HTTP/1.1 200 OK[...]Content-Length: 550[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:27 GMT[...]ETag: 0x8D491A9FE8C17D1[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 755f7bdf-0001-0030-7352-c41d5a000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Mon, 12 Jun 2017 21:59:48 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1!0[...]Microsoft Time-Stamp PCA[...]170402211719Z[...]170702093719Z[...]_0]0[...]170701212719Z0[...]:XDz|[...]WoYg[...]U2xm[...]HTTP/1.1 200 OK[...]Content-Length: 813[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:24 GMT[...]ETag: 0x8D491A9FD112A27[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 755f7cca-0001-0030-4a52-c41d5a000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Mon, 12 Jun 2017 22:00:08 GMT[...]Connection: keep-alive[...]com1[...]microsoft1-0+[...]$Microsoft Root Certificate Authority[...]170421204855Z[...]170721090855Z0[...]100208014912Z[...]_0]0[...]`@V'[...]170720205855Z0[...]L.8g[...]\\5.[zW[...]K66L[...])(ne[...]60cj[...]pD4W[...]Z*Vjz,5[...].&$t+[...]4-)o*[...]HTTP/1.1 200 OK[...]Content-Length: 813[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:24 GMT[...]ETag: 0x8D491A9FD112A27[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 755f7cca-0001-0030-4a52-c41d5a000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Mon, 12 Jun 2017 22:00:08 GMT[...]Connection: keep-alive[...]com1[...]microsoft1-0+[...]$Microsoft Root Certificate Authority[...]170421204855Z[...]170721090855Z0[...]100208014912Z[...]_0]0[...]`@V'[...]170720205855Z0[...]L.8g[...]\\5.[zW[...]K66L[...])(ne[...]60cj[...]pD4W[...]Z*Vjz,5[...].&$t+[...]4-)o*[...]HTTP/1.1 200 OK[...]Content-Length: 521[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:30 GMT[...]ETag: 0x8D491AA007CEE58[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 63cb6e51-0001-006a-5854-c41bdb000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Mon, 12 Jun 2017 22:00:12 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1#0![...]Microsoft Timestamping PCA[...]140514201017Z[...]440513202154Z[...]A0?0[...]rE/^[...][IeO![...]HTTP/1.1 200 OK[...]Content-Length: 521[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:30 GMT[...]ETag: 0x8D491AA007CEE58[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 63cb6e51-0001-006a-5854-c41bdb000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Mon, 12 Jun 2017 22:00:12 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1#0![...]Microsoft Timestamping PCA[...]140514201017Z[...]440513202154Z[...]A0?0[...]rE/^[...][IeO!

• tcp 192.168.133.219:49220 ---> 23.43.75.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBR0JBRnBp%2F14Jg%2FXj4aa6BlKlQVdQQUAVmr5906C1mmZGPWzyAHV9WR52oCEDd6YdE47j7vbT5gAcQZSFA%3D HTTP/1.1[...]Cache-Control: max-age = 401813[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 05:45:46 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: sr.symcd.com

• tcp 23.43.75.27 (sr.symcd.com) :80 ---> 192.168.133.219:49220

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1595[...]content-transfer-encoding: binary[...]Cache-Control: max-age=514790, public, no-transform, must-revalidate[...]Last-Modified: Sun, 11 Jun 2017 20:58:04 GMT[...]Expires: Sun, 18 Jun 2017 20:58:04 GMT[...]Date: Mon, 12 Jun 2017 21:59:51 GMT[...]Connection: keep-alive[...]20170611205804Z0s0q0I0[...]20170611205804Z[...]20170618205804Z0[...]o8jbK3|[...]l9Zu[...]]fs*A[...]bs9)[...]dvjWO[...]C%A;fj[...]Symantec Corporation1[...]Symantec Trust Network1(0&[...]Symantec Class 3 EV SSL CA - G30[...]170428000000Z[...]170727235959Z091705[...].Symantec Class 3 EV SSL CA - G3 OCSP Responder0[...]F<5}[...](fcn\t>[...]TGV-E-10100[...]g0e0c[...]0T0&[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]O_arYS;F[...]uZ}z

• tcp 192.168.133.219:49223 ---> 23.43.75.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBTRsWSLjJ8N0Wujis0rUBfV%2Bc%2FAZAQUX2DPYZBV34RDFIpgKrL1evRDGO8CEGdEfYU2M8%2BE10sRdr%2BgwuU%3D HTTP/1.1[...]Cache-Control: max-age = 474953[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Fri, 24 Mar 2017 01:25:34 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ss.symcd.com

• tcp 23.43.75.27 (sr.symcd.com) :80 ---> 192.168.133.219:49223

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1608[...]content-transfer-encoding: binary[...]Cache-Control: max-age=324422, public, no-transform, must-revalidate[...]Last-Modified: Fri, 9 Jun 2017 16:03:18 GMT[...]Expires: Fri, 16 Jun 2017 16:03:18 GMT[...]Date: Mon, 12 Jun 2017 21:59:53 GMT[...]Connection: keep-alive[...]20170609160318Z0s0q0I0[...]20170609160318Z[...]20170616160318Z0[...]+(}~[...]|6dC[...]*X3`~[...]Symantec Corporation1[...]Symantec Trust Network1/0-[...]&Symantec; Class 3 Secure Server CA - G40[...]170426000000Z[...]170725235959Z0@1>0<[...]5Symantec Class 3 Secure Server CA - G4 OCSP Responder0[...]:,**[...]HS\t1"1[...]$NMI9[...]m0$:[...]TGV-E-9770[...]g0e0c[...]0T0&[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]^3N{[...]@\\r>[...]*c?zE$[...]{+R9:[...]8o4w

• tcp 192.168.133.219:49226 ---> 93.184.220.29 (ocsp.digicert.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBSAUQYBMq2awn1Rh6Doh%2FsBYgFV7gQUA95QNVbRTLtm8KPiGxvDl7I90VUCEAH9o%2BtuynXIiEOLckvPvJE%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 06:23:55 GMT[...]If-None-Match: "58d60cfb-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBQQX6Z6gAidtSefNc6DC0OInqPHDQQUD4BhHIIxYdUvKOeNRji0LOHG2eICEArSm9l2JWanyBwh%2B8dqML8%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 10:51:58 GMT[...]If-None-Match: "58d64bce-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBQQX6Z6gAidtSefNc6DC0OInqPHDQQUD4BhHIIxYdUvKOeNRji0LOHG2eICEA%2F5JtXAPNylfCcqNAWMBfI%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 08:10:19 GMT[...]If-None-Match: "58d625eb-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com

• tcp 93.184.220.29 (ocsp.digicert.com) :80 ---> 192.168.133.219:49226

HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 21:59:55 GMT[...]Etag: "593edb5b-1d7"[...]Expires: Mon, 19 Jun 2017 09:59:55 GMT[...]Last-Modified: Mon, 12 Jun 2017 18:20:11 GMT[...]Server: ECS (fcn/4196)[...]X-Cache: HIT[...]Content-Length: 471[...]20170611220000Z0s0q0I0[...]20170611220000Z[...]20170618220000Z0[...]\'=qpJ[...][X_h[...]v(!A[...]X]Gq[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 21:59:55 GMT[...]Etag: "593edb5b-1d7"[...]Expires: Mon, 19 Jun 2017 09:59:55 GMT[...]Last-Modified: Mon, 12 Jun 2017 18:20:11 GMT[...]Server: ECS (fcn/4196)[...]X-Cache: HIT[...]Content-Length: 471[...]20170611220000Z0s0q0I0[...]20170611220000Z[...]20170618220000Z0[...]\'=qpJ[...][X_h[...]v(!A[...]X]Gq[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 21:59:57 GMT[...]Etag: "593ec644-1d7"[...]Expires: Mon, 19 Jun 2017 09:59:57 GMT[...]Last-Modified: Mon, 12 Jun 2017 16:50:12 GMT[...]Server: ECS (fcn/41AF)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612162500Z0s0q0I0[...]20170612162500Z[...]20170619154000Z0[...]9\\D[...]f)\'+[...]6Av3[...]^AL=[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 21:59:57 GMT[...]Etag: "593ec644-1d7"[...]Expires: Mon, 19 Jun 2017 09:59:57 GMT[...]Last-Modified: Mon, 12 Jun 2017 16:50:12 GMT[...]Server: ECS (fcn/41AF)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612162500Z0s0q0I0[...]20170612162500Z[...]20170619154000Z0[...]9\\D[...]f)\'+[...]6Av3[...]^AL=[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 22:00:04 GMT[...]Etag: "593e4eb2-1d7"[...]Expires: Mon, 19 Jun 2017 10:00:04 GMT[...]Last-Modified: Mon, 12 Jun 2017 08:20:02 GMT[...]Server: ECS (fcn/9F9E)[...]X-Cache: HIT[...]Content-Length:

471[...]20170612074600Z0s0q0I0[...]|*4[...]20170612074600Z[...]20170619070100Z0[...]\\yA&~[...].Ofq[...],,qs[...]?svR[...]GHTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 22:00:04 GMT[...]Etag: "593e4eb2-1d7"[...]Expires: Mon, 19 Jun 2017 10:00:04 GMT[...]Last-Modified: Mon, 12 Jun 2017 08:20:02 GMT[...]Server: ECS (fcn/9F9E)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612074600Z0s0q0I0[...]|*4[...]20170612074600Z[...]20170619070100Z0[...]\\yA&~[...].Ofq[...],,qs[...]?svR

• tcp 192.168.133.219:49231 ---> 23.43.75.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBRIt2RJ89X%2B%2BhEzqoBeQg8PymQ2UQQUANhaTCXBIuWLMe9tuvPMXynxDWECECUM6OAwYS6fK4n3BU18%2BP0%3D HTTP/1.1[...]Cache-Control: max-age = 446935[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 17:35:31 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.verisign.com

• tcp 23.43.75.27 (sr.symcd.com) :80 ---> 192.168.133.219:49231

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1454[...]content-transfer-encoding: binary[...]Cache-Control: max-age=317714, public, no-transform, must-revalidate[...]Last-Modified: Fri, 9 Jun 2017 14:13:32 GMT[...]Expires: Fri, 16 Jun 2017 14:13:32 GMT[...]Date: Mon, 12 Jun 2017 21:59:59 GMT[...]Connection: keep-alive[...]20170609141332Z0s0q0I0[...]20170609141332Z[...]20170616141332Z0[...]S:q>eq[...]EkH-mQ[...].8P0[...]My_e[...]VeriSign, Inc.1705[...].Class 3 Public Primary Certification Authority0[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G1 OCSP Responder Certificate 50[...]T+aH:[...]8lH^[...]K=sZf[...]T\\w\t:[...]Ca14[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-470[...]b4"8v

• tcp 192.168.133.219:49234 ---> 23.43.75.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEH7hSm9v7%2FLTfz%2BtZU062rQ%3D HTTP/1.1[...]Cache-Control: max-age = 567347[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 03:02:48 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEFE%2FuXQ4cLc0QEGNMJMGmf8%3D HTTP/1.1[...]Cache-Control: max-age = 461255[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 21:35:48 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com

• tcp 23.43.75.27 (sr.symcd.com) :80 ---> 192.168.133.219:49234

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=408505, public, no-transform, must-revalidate[...]Last-Modified: Sat, 10 Jun 2017 15:27:47 GMT[...]Expires: Sat, 17 Jun 2017 15:27:47 GMT[...]Date: Mon, 12 Jun 2017 22:00:01 GMT[...]Connection: keep-alive[...]20170610152747Z0s0q0I0[...]20170610152747Z[...]20170617152747Z0[...]c%'M][...](Yt)[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]1rUZN[...]+S^0<6[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500[...]3130[...]NK&<[...];^p.D[...]VZpo[...]4q$/<[...]HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=319521, public, no-transform, must-revalidate[...]Last-Modified: Fri, 9 Jun 2017 14:43:34 GMT[...]Expires: Fri, 16 Jun 2017 14:43:34 GMT[...]Date: Mon, 12 Jun 2017 22:00:06 GMT[...]Connection: keep-alive[...]20170609144334Z0s0q0I0[...]20170609144334Z[...]20170616144334Z0[...]KyV@\\[...]N!@B[...]cUa)D[...]xo3Z[...]_WL`J[...]j~mh$_[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]1rUZN[...]+S^0<6[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500[...]3130[...]NK&<[...];^p.D[...]VZpo[...]4q$/<

• tcp 192.168.133.219:49243 ---> 23.43.75.27 (sr.symcd.com) :80

GET /MEQwQjBAMD4wPDAJBgUrDgMCGgUABBSxtDkXkBa3l3lQEfFgudSiPNvt7gQUAPkqw0GRtsnCuD5V8sCXEROgByACAwI6bw%3D%3D HTTP/1.1[...]Cache-Control: max-age = 332546[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Wed, 22 Mar 2017 09:49:26 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: g2.symcb.com

• tcp 23.43.75.27 (sr.symcd.com) :80 ---> 192.168.133.219:49243

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1377[...]content-transfer-encoding: binary[...]Cache-Control: max-age=486323, public, no-transform, must-revalidate[...]Last-Modified: Sun, 11 Jun 2017 13:03:29 GMT[...]Expires: Sun, 18 Jun 2017 13:03:29 GMT[...]Date: Mon, 12 Jun 2017 22:00:10 GMT[...]Connection: keep-alive[...]20170611130329Z0f0d0<0[...]20170611130329Z[...]20170618130329Z0[...]kN{hh[...]'h\\0[...]?HhGg[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]161208112535Z[...]171214112535Z02100.[...]'GeoTrust Global CA TGV OCSP Responder 50[...]{/rD[...]TGV-OFF-570[...]N*Au[...]PO47[...]<;IA[...]K@7z

• tcp 192.168.133.219:49248 ---> 216.58.210.142 (www.google-analytics.com) :80

GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCD6el2oOVZgt HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: clients1.google.com[...]GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCE2eldOiK%2FSH HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: clients1.google.com[...]GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCCheIn0e3sL1 HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: clients1.google.com

• tcp 216.58.210.142 (www.google-analytics.com) :80 ---> 192.168.133.219:49248

HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 11 Jun 2017 14:38:10 GMT[...]Expires: Thu, 15 Jun 2017 14:38:10 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 112924[...]20170611012236Z0k0i0A0[...]20170611012236Z[...]20170618012236Z0[...].fm$[...]s$YJ#[...]3,0lD[...]qE#BW[...]KHTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 11 Jun 2017 14:38:10 GMT[...]Expires: Thu, 15 Jun 2017 14:38:10 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 112924[...]20170611012236Z0k0i0A0[...]20170611012236Z[...]20170618012236Z0[...].fm$[...]s$YJ#[...]3,0lD[...]qE#BW[...]KHTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 11 Jun 2017 01:13:42 GMT[...]Expires: Thu, 15 Jun 2017 01:13:42 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 161194[...]20170610191103Z0k0i0A0[...]20170610191103Z[...]20170617191103Z0[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 11 Jun 2017 01:13:42 GMT[...]Expires: Thu, 15 Jun 2017 01:13:42 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 161194[...]20170610191103Z0k0i0A0[...]20170610191103Z[...]20170617191103Z0[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sat, 10 Jun 2017 23:30:17 GMT[...]Expires: Wed, 14 Jun 2017 23:30:17 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 167401[...]20170610130443Z0k0i0A0[...](^"}[...]20170610130443Z[...]20170617130443Z0[...]4&Li;[...]t5g0x[...]cWLa[...]|m"8[...]?,ykb`E[...]v=qN[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sat, 10 Jun 2017 23:30:17 GMT[...]Expires: Wed, 14 Jun 2017 23:30:17 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 167401[...]20170610130443Z0k0i0A0[...](^"}[...]20170610130443Z[...]20170617130443Z0[...]4&Li;[...]t5g0x[...]cWLa[...]|m"8[...]?,ykb`E[...]v=qN

• tcp 192.168.133.219:49255 ---> 23.43.75.27 (sr.symcd.com) :80

GET /MEQwQjBAMD4wPDAJBgUrDgMCGgUABBSxtDkXkBa3l3lQEfFgudSiPNvt7gQUAPkqw0GRtsnCuD5V8sCXEROgByACAwI6kg%3D%3D HTTP/1.1[...]Cache-Control: max-age = 552307[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 14 May 2017 01:48:44 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: g.symcd.com

• tcp 23.43.75.27 (sr.symcd.com) :80 ---> 192.168.133.219:49255

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1377[...]content-transfer-encoding: binary[...]Cache-Control: max-age=458245, public, no-transform, must-revalidate[...]Last-Modified: Sun, 11 Jun 2017 05:13:37 GMT[...]Expires: Sun, 18 Jun 2017 05:13:37 GMT[...]Date: Mon, 12 Jun 2017 22:00:21 GMT[...]Connection: keep-alive[...]20170611051337Z0f0d0<0[...]20170611051337Z[...]20170618051337Z0[...]iK'A&[...]h~z#[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]161208112535Z[...]171214112535Z02100.[...]'GeoTrust Global CA TGV OCSP Responder 50[...]{/rD[...]TGV-OFF-570[...]N*Au[...]PO47[...]<;IA[...]K@7z

• tcp 192.168.133.219:49258 ---> 23.43.69.163 (crl.geotrust.com) :80

GET /crls/secureca.crl HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 14 May 2017 16:15:24 GMT[...]If-None-Match: "21ef18f1b96eec9a159bd5f47d18d381:1494778524"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.geotrust.com

• tcp 23.43.69.163 (crl.geotrust.com) :80 ---> 192.168.133.219:49258

HTTP/1.1 200 OK[...]Server: Apache[...]ETag: "6d003fbe0ecb42e18339999fc27afcb3:1497303023"[...]Last-Modified: Mon, 12 Jun 2017 21:30:23 GMT[...]Date: Mon, 12 Jun 2017 22:00:23 GMT[...]Content-Length: 325[...]Connection: keep-alive[...]Content-Type: application/pkix-crl[...]Equifax1-0+[...]$Equifax Secure Certificate Authority[...]170612212300Z[...]170622212300Z0,0[...]020514181157Z0[...]020515130611Z0[...]`+s4[...]G8a`[...]HTTP/1.1 200 OK[...]Server: Apache[...]ETag: "6d003fbe0ecb42e18339999fc27afcb3:1497303023"[...]Last-Modified: Mon, 12 Jun 2017 21:30:23 GMT[...]Date: Mon, 12 Jun 2017 22:00:23 GMT[...]Content-Length: 325[...]Connection: keep-alive[...]Content-Type: application/pkix-crl[...]Equifax1-0+[...]$Equifax Secure Certificate Authority[...]170612212300Z[...]170622212300Z0,0[...]020514181157Z0[...]020515130611Z0[...]`+s4[...]G8a`

• tcp 192.168.133.219:49261 ---> 93.184.220.20 (ocsp.omniroot.com) :80

GET /baltimoreroot/MEUwQzBBMD8wPTAJBgUrDgMCGgUABBTBL0V27RVZ7LBduom%2FnYB45SPUEwQU5Z1ZMIJHWMys%2BghUNoZ7OrUETfACBAcnqkc%3D HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 19 Mar 2017 01:20:03 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.omniroot.com

• tcp 93.184.220.20 (ocsp.omniroot.com) :80 ---> 192.168.133.219:49261

HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 22:00:25 GMT[...]Last-Modified: Fri, 09 Jun 2017 07:35:23 GMT[...]Server: ECS (fcn/9F91)[...]X-Cache: HIT[...]Content-Length: 2920[...]20170609065544Z0[...]p0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0[...]MVvT[...]@gDMZ[...]3u;~^n[...]<3vAX[...]Baltimore1[...]CyberTrust1"0[...]Baltimore CyberTrust Root0[...]150909174603Z[...]170909174536Z0%1#0![...]Cybertrust Validation 20150[...]h8GM[...]/D4n[...]=ZTeH[...]B=kOT[...]ZP}O[...]<nHO[...]CI/M{

• udp 192.168.133.254:67 ---> 192.168.133.219:68

localdomain[...]localdomain

• udp 192.168.133.219:53195 ---> 192.168.133.2:53

inst

• udp 192.168.133.219:54483 ---> 192.168.133.2:53

downloa

• udp 192.168.133.1:5355 ---> 192.168.133.219:55882

in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.219:56161**

arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T4 (in process P0, cebo.exe)
• Thread T5 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• Thread Create (Thread ID: T2)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• Thread Create (Thread ID: T4)
• Thread Create (Thread ID: TUNKALIAS)

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T5)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613 Desired Access: Query Value, Set Value, Create Sub Key, Enumerate Sub Keys, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CachePath Type: REG_EXPAND_SZ, Length: 182, Data: %USERPROFILE%\\AppData\\Local\\Microsoft\\Windows\\History\\History.IE5\\MSHist012017061220170613)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CachePrefix Type: REG_SZ, Length: 40, Data: :2017061220170613:)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CacheLimit Type: REG_DWORD, Length: 4, Data: 8192)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CacheOptions Type: REG_DWORD, Length: 4, Data: 11)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CachePath Type: REG_EXPAND_SZ, Length: 182, Data: %USERPROFILE%\\AppData\\Local\\Microsoft\\Windows\\History\\History.IE5\\MSHist012017061220170613)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\5.0\\Cache\\Extensible Cache\\MSHist012017061220170613\\CacheRepair Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows Script\\Settings Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

- Thread T3 (in process P0, cebo.exe)

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T3)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

- Thread T6 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T6)

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

• Thread T5 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread T6 (in process P0, cebo.exe) description

• Thread's childs

- Thread T7 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T7)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\My Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\AuthRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Connect (javi-PC.localdomain:dynport-> 52.222.157.129:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (331))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (641))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (331))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (585))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (380))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1229))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (379))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Connect (javi-PC.localdomain:dynport-> 52.222.157.129:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (378))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (453))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (380))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))

- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (691))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (383))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))

- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (192))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))

- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))

- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (529))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (383))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (395))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (505))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))

- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1190))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (393))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (915))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (389))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (122))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (379))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1238))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (376))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (553))

- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (376))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (575))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (380))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (643))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> 52.222.157.129:http (385))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (505))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))

- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1403))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 52.222.157.129:http (72))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Connect (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (386))

- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (126))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (738))
- TCP Receive (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (373))
- TCP Connect (javi-PC.localdomain:dynport-> nat276.national-net.com:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> nat276.national-net.com:http (453))
- TCP Connect (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (130))
- TCP Connect (javi-PC.localdomain:dynport-> ec2-52-70-201-36.compute-1.amazonaws.com:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> ec2-52-70-201-36.compute-1.amazonaws.com:http (321))
- TCP Receive (javi-PC.localdomain:dynport-> nat276.national-net.com:http (416))
- TCP Disconnect (javi-PC.localdomain:dynport-> nat276.national-net.com:http (0))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1296))
- TCP Receive (javi-PC.localdomain:dynport-> ec2-52-70-201-36.compute-1.amazonaws.com:http (254))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (319))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (326))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (59))
- TCP Connect (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (0))
- TCP Send (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (303))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1157))
- TCP Send (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (214))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (1391))
- TCP Connect (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (0))
- TCP Send (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (232))
- TCP Receive (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (859))
- TCP Disconnect (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (0))
- TCP Send (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (233))
- TCP Receive (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (1115))
- TCP Disconnect (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (0))
- TCP Send (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (231))
- TCP Receive (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (860))
- TCP Disconnect (javi-PC.localdomain:dynport-> ocsp.comodoca.com:http (0))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (405))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))

- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (658))
- UDP Send (javi-PC:dynport-> javi-PC:60047 (1))
- UDP Receive (javi-PC:dynport-> javi-PC:60047 (1))
- TCP Send (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (661))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (261))
- TCP Receive (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (37))
- TCP Disconnect (javi-PC.localdomain:dynport-> visicom-82.nationalnet.com:https (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> ec2-52-70-201-36.compute-1.amazonaws.com:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> mad06s09-in-f14.1e100.net:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 52.222.157.129:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 52.222.157.129:http (0))
- TCP Receive (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> a84-53-132-33.deploy.akamaitechnologies.com:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097895001300000097884002c000000097883005d000000097893001500000000000100d500000009788a00090000001e5294000100000009789100

• Module 1 yara matches

• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• Str_Win32_Internet_API (Match Windows Inet API call)
• Str_Win32_Http_API (Match Windows Http API call)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• anti_dbg (Checks if being debugged)
• network_http (Communications over HTTP)
• screenshot (Take screenshot)
• win_registry (Affect system registries)
• win_token (Affect system token)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• with_urls (Rule to detect the presence of an or several urls)
• contentis_base64 (This rule finds for base64 strings)
• CRC32_table (Look for CRC32 table)
• VC8_Random (Look for Random function)
• CRC32_poly_Constant (Look for CRC32 [poly])

• Module 1 strings

• Module 1 most interesting strings

• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: IsDebuggerPresent
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: Sleep
• api | frequently used by malware: InternetCloseHandle
• api | frequently used by malware: InternetReadFile
• api | frequently used by malware: OleInitialize
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: GetWindowThreadProcessId
• api | frequently used by malware: SetCapture
• api | frequently used by malware: GetDC
• api | frequently used by malware: TranslateMessage

- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteFile
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateThread
- registry: Software\\Classes\\http\\shell\\open\\command
- registry: Software\\Microsoft\\Windows\\Shell\\Associations\\UrlAssociations\\http\\UserChoice
- api | wininet: FindCloseUrlCache
- api | wininet: FindFirstUrlCacheEntryW
- api | wininet: HttpOpenRequestW
- api | wininet: HttpQueryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetConnectW
- api | wininet: FindNextUrlCacheEntryW
- api | wininet: InternetCrackUrlW
- api | wininet: DeleteUrlCacheEntryW
- api | wininet: InternetOpenW
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: VirtualAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsAlloc
- api | kernel32: TlsGetValue
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: RtlUnwind
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | urlmon: CoInternetSetFeatureEnabled
- api | kernel32: RegOpenKeyExW
- api | advapi32: DuplicateTokenEx

- api | kernel32: RegQueryValueExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetSidSubAuthority
- api | user32: GetDesktopWindow
- api | user32: wsprintfW
- api | user32: LoadImageW
- api | user32: SetClassLongW
- api | user32: GetSystemMenu
- api | user32: PostMessageW
- api | user32: EnableMenuItem
- api | user32: SendMessageW
- api | user32: SetWindowTextW
- api | user32: GetClientRect
- api | user32: FindWindowW
- api | user32: ClientToScreen
- api | user32: DestroyWindow
- api | user32: GetWindowRect
- api | user32: GetMessageW
- api | user32: GetWindowLongW
- api | user32: ReleaseDC
- api | user32: SetWindowLongW
- api | user32: SetWindowPos
- api | user32: ShowWindow
- api | user32: CreateDialogParamW
- api | user32: AdjustWindowRectEx
- api | user32: MessageBoxW
- api | user32: ReleaseCapture
- api | user32: GetSystemMetrics
- api | user32: UpdateWindow
- api | user32: CallWindowProcW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: HeapDestroy
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: RaiseException
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetLocalTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: GetFileAttributesW
- api | kernel32: SystemTimeToFileTime
- api | kernel32: SetFilePointer
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: ReadFile
- api | kernel32: CopyFileW
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileSize

- api | kernel32: LockResource
- api | kernel32: CreateFileW
- api | kernel32: GetExitCodeProcess
- api | kernel32: SizeofResource
- api | kernel32: FindResourceW
- api | kernel32: FindResourceExW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCommandLineW
- api | kernel32: UnmapViewOfFile
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: LocalFree
- api | kernel32: GetCurrentProcessId
- api | kernel32: CloseHandle
- api | kernel32: LoadLibraryA
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: GetProcessHeap
- api | kernel32: WaitForSingleObject
- api | kernel32: HeapFree
- api | kernel32: GetCurrentProcess
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: FreeLibrary
- api | kernel32: DeleteFileW
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetSystemDefaultLCID
- api | kernel32: CreateDirectoryW
- api | kernel32: GetTempFileNameW
- api | kernel32: GetProductInfo
- api | advapi32: CreateProcessWithTokenW
- api | kernel32: GetProductInfo
- api | user32: ChangeWindowMessageFilter
- api | kernel32: IsWow64Process
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer

• Module 1 other strings

- Translation
- VarFileInfo
- 1.0.3.2
- ProductVersion
- ManyCam virtual Webcam
- ProductName

- 2006-2014 Visicom Media Inc, All Rights Reserved
- LegalTrademarks
- 2006-2014 Visicom Media Inc.
- LegalCopyright
- 1.0.3.2
- FileVersion
- ManyCam Virtual Webcam Web Installer
- FileDescription
- CompanyName
- ManyCam Web Installer
- Comments
- 000004e4
- StringFileInfo
- VS_VERSION_INFO
- MAINICON
- C:\\Users\\javi\\AppData\\Local\\Temp\\dis9A0B.tmp\\
- http://installer.manycam.com/0.html
- dtDTXWebInstallerExe_Default_Popup_ID
- dtDTXWebInstallerExe_Default_Popup_ID
- HTTP/1.0
- Visicom Web Installer
- Kernel32
- WARNING: Using development files
- /zip
- border
- height
- width
- //window
- manifest.xml
- cplusplusnoscroll
- TEXTAREA
- LABEL
- BUTTON
- SELECT
- INPUT
- \\uidev\\
- TypeLib
- Software
- SECURITY
- Mime
- Hardware
- Interface
- FileType
- Component Categories
- CLSID
- AppID
- Delete
- NoRemove
- ForceRemove
- ieframe.dll
- open
- WS-1-16-4096
- Progman
- CLSID\\{0002DF01-0000-0000-C000-000000000046}\\LocalServer32
- SOFTWARE\\Classes\\Applications\\iexplore.exe\\shell\\open\\command
- Kernel32
- \\shell\\open\\command

- Progid
- _MTX_SingleInstance
- _MMF_SingleInstance
- user32.dll
- default
- The program will now exit.
- Please check your Internet connection and try again.
- Unable to display the page.
- Error
- open
- open
- HKCU
- Select Destination Folder
- kernel32
- getcmdline
- getenv
- readtextfile
- regread
- navigate
- shellExecuteParams
- shellExecute
- runprogram
- getspecialfolder
- selectdestinationfolder
- xmlhttprequest
- getdownloaderrorcode
- isdownloadfinished
- getdownloadprogress
- downloadinstaller
- getinstallerexitcode
- getinstallertempfolder
- isinstallerfinished
- install
- params
- hide
- minimize
- newwindow
- quit
- wSetup.exe
- Setup.exe
- AppID
- CLSID
- Component Categories
- FileType
- Interface
- Hardware
- Mime
- SECURITY
- Software
- TypeLib
- Delete
- NoRemove
- ForceRemove
- AppID
- CLSID
- Component Categories
- FileType

- Interface
- Hardware
- Mime
- SECURITY
- Software
- TypeLib
- Delete
- NoRemove
- ForceRemove
- install.ico
- Setup.exe
- .new
- \\ui.zip
- Zip-bug: an internal error during flation
- Zip-bug: tried to change mind, but not allowed
- Zip-bug: the anticipated size turned out wrong
- Zip-bug: trying to seek the unseekable
- Zip-bug: internal initialisation not completed
- Caller: mixing creation and opening of zip
- Caller: additions to the zip have already been ended
- Caller: there was a previous error
- \\temp.exe
- Caller: not enough space allocated for memory zipfile
- Caller: can only get memory of a memory zipfile
- Caller: the file had already been partially unzipped
- Caller: faulty arguments
- Correct password required
- Error reading file
- Zipfile is corrupt or not a zipfile
- Still more data to unzip
- File not found in the zipfile
- Error writing to file
- Failed to allocate memory
- Couldn't create/open file
- Culdn't duplicate handle
- Success
- unknown zip result code
- .arj
- .arc
- .zoo
- .zip
- KERNEL32.DLL
- mscoree.dll
- 7(7L7X7\\7`7d7h7p7t7
- 0,000D0L0T0\\0d0l0t0|0
- 9 9(9<9D9H9L9T9\\9d9x9
- 8(808L8\\8d8x8
- 7H7P7T7l7p7
- 6(6D6H6h6
- 5 5,5H5h5
- 4,40484<4X4x4
- 2 2$2(202H2X2\\2l2p2t2x2
- 1 10141D1H1X1\\1l1p1t1x1|1
- 0,00040<0T0X0p0t0
- p9t9x9|9
- 3 3$3@4D4H4L4P4T4X4\\4`4d4h4l4
- 0(0-070C0M0X0\\0c0g0l0

- 9%949V9
- 8-8k8}8
- 7'7,7^7~7
- 6*646;6@6J6R6]6b6i6t6
- 5=5B5X5_5
- 3+313=3V3_3f3
- 2&2/2=2C2M2[2}2
- 1)1<1O1f1l1v1
- 0 0C0]0c0
- <7=a=
- <#<)<7<?<E<U<a<f<n<
- 9?9L9U9[9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8v8
- 1#21282?2F2M2j2t2
- 1 1.1
- 0#0*0n0
- ;2<k<
- ;B;a;
- 8O9e9
- 778_8
- 5J5V5
- 3-4j4
- 252@2h2t2
- 1"1>1F1O1g1p1v1
- P0`0
- 9Q:a:}:
- 9&9?9I9\\9n9
- 5Y5a5
- 4)5E5
- a0e0i0m0q0u0y0}0
- 6M7Q7U7Y7]7a7e7i7m7q7
- 171E1
- x0}0
- 637j7
- 6!636E6W6i6{6
- 2<3k3
- >8?S?
- =%=3=
- 5H6m6f7
- 3V3r4
- 020
- <E=W=o=N?
- ;2<@<
- 5:s:
- 1E2_2h2
- 9q:~<
- 9,939c9
- 5&50585C5s5
- 4+4H4
- 3(3.3>3C3[3a3p3v3
- 2??2H2T2
- 1*1q1
- @0F0
- >)>5>A?j?
- 8 9-9+;U=
- 9!9<9C9H9L9P9q9
- 81888<8@8D8H8L8P8T8

• 6+6K6P6Z7
• 4m5|5
• 4H4M4T4Y4`4e4
• 3B3M3[3`3e3j3z3
• 2=2Q2W2
• '121:1T1
• 9"9/9:9L9_9j9p9v9{9
• 5)5/5R5Y5r5
• 2E3\\3m3
• 0!0*0/0>0e0
• 9$9,949@9I9N9T9^9g9r9~9
• 8%848W8d8p8x8
• 7,7B7M7R7]7b7m7r7
• 5!6)6s6z6
• 474L4r4
• 3.353M3Y3_3k3z3
• 2<2A2f2l2w2
• 9H9`9k9
• 8>8C8Z8
• 7[7w7
• 4 5}5
• 1&4F4
• 7[8m8?9I9V9q9x9
• 6#7B7
• 6'646H6
• 3+3k3x3
• 1W2_2r2}2
• 0o1x1
• 929O9^9m9}9
• 708@8
• 090D0a3
• =o=|=
• 9p:z:
• 879E9Y9
• 808y8
• 1-191M1X1y1
• 0$0*050H0d0
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0" xmlns:asmv3="urn:schemas-microsoft-com:asm.v3"><trustInfo xmlns="urn:schemas-microsoft-com:asm.v3"><security><requestedPrivileges><requestedExecutionLevel level="requireAdministrator" uiAccess="false"></requestedExecutionLevel></requestedPrivileges></security></trustInfo><asmv3:application><asmv3:windowsSettings xmlns="http://schemas.microsoft.com/SMI/2005/WindowsSettings"><dpiAware>true</dpiAware></asmv3:windowsSettings></asmv3:application><ms_compatibility:compatibility xmlns:ms_compatibility="urn:schemas-microsoft-com:compatibility.v1" xmlns="urn:schemas-microsoft-com:compatibility.v1"><ms_compatibility:application xmlns:ms_compatibility="urn:schemas-microsoft-com:compatibility.v1"><ms_compatibility:supportedOS xmlns:ms_compatibility="urn:schemas-microsoft-com:compatibility.v1" Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"></ms_compatibility:supportedOS><ms_compatibility:supportedOS xmlns:ms_compatibility="urn:schemas-microsoft-com:compatibility.v1" Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"></ms_compatibility:supportedOS></ms_compatibility:application></ms_compatibility:compatibility></assembly>
• manifest.xmlUT
• f}0E
• install.icoUT
• 3q+s
• Y0gF
• manifest.xmlUT
• f}0E
• rD8 0
• 6h3d

- @o}JJ
- RY<U
- Zi^0N
- DGGa
- bOsq
- ASYA
- Oe>I
- ^R3?
- yZyo
- |56h7
- >=[6a
- 0l>%
- VRAA
- W_}i
- bE!z
- gNOK
- 1eUi1
- ?.U*
- n0&Lc;
- 9}2.9
- O~a/
- uMeE
- =AW[[
- ce*%
- z1?6
- e.K
- 7S<7
- |6B>1
- bEQ{
- U~+UA
- 9dw2
- I[k3ij
- jjjhioo5
- }z27
- ihhh
- install.icoUT
- FFEe
- FFEeFFE
- FFE7
- FFE7FFE
- FFEe
- FFEeFFE
- FFE<
- FFE<FFE
- FFEj
- FFEkFFE
- FFEA
- FFEAFFE
- FFEp
- FFEpFFE
- mkhoomk
- PNLsQOO
- LJIONKJ
- LJI,
- LJIvLJI
- LJIQLJI
- FFE0

- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFEqFFEPFFEPFFEPFFEPFFEPFFE@
- FFE@FFEPFFEPFFEPFFEPFFEPFFEqFFE
- FFEL
- FFELFFE
- FFE}
- FFE}FFE
- FFE$
- FFE$FFE
- FFEI
- FFEIFFE
- FFEz
- FFEzFFE
- FFE$
- FFE$FFE
- FFEIFFE
- ecaA
- QOO?
- LJIaLJI
- LJI=
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp

- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFE0
- FFE0FFE
- FFEX
- FFEXFFE
- gec]kif
- ^\\[5
- LJI*
- FFEPFFEPFFEE
- FFEEFFEPFFEPFFE
- FFES
- FFESFFE
- LJIWLJI
- FFE
- FFE FFE
- FFE:
- FFE:FFE
- FFEe
- FFEeFFE
- FFE7
- FFE7FFE
- FFEe
- FFEeFFE
- FFE<
- FFE<FFE
- FFEj
- FFEkFFE
- FFEA
- FFEAFFE
- FFEp
- FFEpFFE
- mkhoomk
- PNLsQOO
- LJIONKJ
- LJI,
- LJIvLJI
- LJIQLJI
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE

- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFE0
- FFE0FFE
- FFEqFFEPFFEPFFEPFFEPFFEPFFE@
- FFE@FFEPFFEPFFEPFFEPFFEPFFEqFFE
- FFEL
- FFELFFE
- FFE}
- FFE}FFE
- FFE$
- FFE$FFE
- FFEI
- FFEIFFE
- FFEz
- FFEzFFE
- FFE$
- FFE$FFE
- FFEIFFE
- ecaA
- QOO?
- LJIaLJI
- LJI=
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFEp
- FFEpFFE
- FFE0
- FFE0FFE
- FFEX
- FFEXFFE
- gec]kif
- ^\\[5
- LJI*
- FFEPFFEPFFEE
- FFEEFFEPFFEPFFE
- FFES

- FFESFFE
- LJIWLJI
- FFE
- FFE FFE
- FFE:
- FFE:FFE
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVDownloadProgress@@
- .?AUIBindStatusCallback@@
- .?AVInstallerViewControl@@
- .PAX
- .PAD
- .?AVWebControl@@
- .?AUIDispatch@@
- .?AUIUnknown@@
- .?AUIOleClientSite@@
- .?AUIOleInPlaceSite@@
- .?AUIOleWindow@@
- .?AUIDocHostUIHandler@@
- .?AUIZoomEvents@@
- .?AVbad_alloc@std@@
- .?AVexception@std@@
- .?AVCAtlException@ATL@@
- .?AVbad_exception@std@@
- A*.m
- .?AVtype_info@@
- m^0t
- urlmon.dll
- WININET.dll
- PathIsDirectoryEmptyW
- PathFileExistsW
- PathIsURLW
- PathAddBackslashW
- PathRemoveFileSpecW
- OLEAUT32.dll
- SHELL32.dll
- CommandLineToArgvW
- SHGetSpecialFolderPathW
- SHGetPathFromIDListW
- ShellExecuteExW
- SHBrowseForFolderW
- ShellExecuteW
- ole32.dll
- CoTaskMemFree
- OleUninitialize
- CoDisconnectObject
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- UpdateResourceW
- BeginUpdateResourceW
- EndUpdateResourceW
- GetBinaryTypeW
- GDI32.dll
- GetDeviceCaps
- invalid map/set<T> iterator

- map/set<T> too long
- 3)6{
- 3)6{
- bad allocation
- IELaunchURL
- AdvApi32
- bad allocation
- Error initializing WebControl
- bad allocation
- bad allocation
- unzip 0.15 Copyright 1998 Gilles Vollant
- incorrect data check
- need dictionary
- incorrect header check
- invalid window size
- 1.1.3
- 1.1.3
- -1.1.3
- +o*7
- MGiI
- 9a&g;
- i]Wb
- unknown compression method
- invalid literal/length code
- invalid distance code
- empty distance tree with lengths
- incomplete distance tree
- oversubscribed distance tree
- incomplete literal/length tree
- oversubscribed dynamic bit lengths tree
- oversubscribed literal/length tree
- incomplete dynamic bit lengths tree
- inflate 1.1.3 Copyright 1995-1998 Mark Adler
- invalid bit length repeat
- too many length or distance symbols
- invalid stored block lengths
- invalid distance code
- invalid block type
- invalid literal/length code
- incompatible version
- buffer error
- insufficient memory
- data error
- stream error
- file error
- stream end
- need dictionary
- Zip-bug: an internal error during flation
- Zip-bug: tried to change mind, but not allowed
- Zip-bug: the anticipated size turned out wrong
- Zip-bug: trying to seek the unseekable
- Zip-bug: internal initialisation not completed
- Caller: mixing creation and opening of zip
- Caller: additions to the zip have already been ended
- Caller: there was a previous error
- Caller: not enough space allocated for memory zipfile
- Caller: can only get memory of a memory zipfile

- Caller: the file had already been partially unzipped
- Caller: faulty arguments
- Error reading file
- Zipfile is corrupt or not a zipfile
- Still more data to unzip
- File not found in the zipfile
- Error writing to file
- Failed to allocate memory
- Couldn't create/open file
- Culdn't duplicate handle
- Success
- unknown zip result code
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Call UPDATE_HASH() MIN_MATCH-3 more times
- more < 2
- wild scan
- no future
- insufficient lookahead
- Code too clever
- bad pack level
- output buffer too small for in-memory compression
- invalid length
- bad d_code
- bad compressed size
- opt %lu(%lu) stat %lu(%lu) stored %lu lit %u dist %u
- dist tree: sent %ld
- lit tree: sent %ld
- bl code %2d
- bl counts:
- too many codes
- not enough codes
- 3_6?
- gen_codes: max_code %d
- inconsistent bit counts
- bit length overflow
- ct_init: dist != 256
- ct_init: length != 256
- ct_init: 256+dist != 512
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- __based(
- __pascal
- __thiscall
- __fastcall
- __ptr64
- __restrict
- __unaligned
- new
- delete
- operator
- `vftable'
- `vbtable'
- `typeof'
- `local static guard'

- `vbase destructor'
- `vector deleting destructor'
- `default constructor closure'
- `scalar deleting destructor'
- `vector constructor iterator'
- `vector destructor iterator'
- `vector vbase constructor iterator'
- `virtual displacement map'
- `eh vector constructor iterator'
- `eh vector destructor iterator'
- `eh vector vbase constructor iterator'
- `copy constructor closure'
- `udt returning'
- `RTTI
- `local vftable'
- `local vftable constructor closure'
- new[]
- delete[]
- `omni callsig'
- `placement delete closure'
- `placement delete[] closure'
- `managed vector constructor iterator'
- `managed vector destructor iterator'
- `eh vector copy constructor iterator'
- `eh vector vbase copy constructor iterator'
- `dynamic initializer for '
- `dynamic atexit destructor for '
- `vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `managed vector copy constructor iterator'
- `local static thread guard'
- Type Descriptor'
- Base Class Descriptor at (
- Base Class Array'
- Class Hierarchy Descriptor'
- Complete Object Locator'
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- USER32.DLL
- bad exception

- Program:
- Runtime Error!
- <program name unknown>
- Microsoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- Please contact the application's support team for more information.
- This application has requested the Runtime to terminate it in an unusual way.
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- Please contact the application's support team for more information.
- An application has made an attempt to load the C runtime library incorrectly.
- R6034
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- Unknown exception
- CorExitProcess
- =L9o<
- invalid string position
- string too long
- bad allocation
- %D,3
- H2>v
- =.v8
- 3.vF

- 5.vp
- 9.v.
- .v99.v
- 3.v\\9.v|
- WVS3
- dSVW3
- _^[3
- t095
- u2VW
- ?:ueGGf
- t6h4
- tIh0
- Q,9]
- Ht5Hu
- QUVW3
- F W3
- ~j83
- L$03
- Yt:;E
- u5Sj&
- _^[3
- 9_|t
- ~(9~$u
- 9~ u
- /9o@t
- F9o\\u
- QSUVW
- v!9]
- F49E
- S,9U
- S,+U
- K,9M
- v6j
- K4VW
- V4Y9V0t$
- F0Y;
- ;F,u
- F0Y;
- v2j
- 9F4u
- F,9E
- HN#u
- G4X^[
- t68H
- tx9;ut
- xV4;
- X9;t
- @@f98u
- 9~Hu&h;
- W8^,u
- 8;^(r
- ^<9^<u
- 9~@s
- ^t9]
- HOOf
- KYYu
- 899u

- H49M
- SVW3
- SV}5
- ;F$u
- ;F u
- QQSW3
- 0@@f
- u?8^,u:Sh
- uD9^
- uN9^ uI9^
- uS9^
- 89P t
- ^_[3
- u+9u
- SVWUj
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- Af#E
- t\tAA
- v$;5\\
- 9] SS
- 9] u
- t)9]
- 9]$SS
- 9] u
- u8SS3
- u,9E
- wIVSP
- UVWS
- L$,3
- r,9Y
- tR99u2
- 9>u&
- >MOC
- Hu4j
- taSV
- j,h0
- 9csm
- 8csm
- =MOC
- uL9=
- uaVj
- t&:a
- ueSj
- to=8
- 0A@@Ju
- teh?e
- @@f9
- @@f9
- t$9U
- 8"u8
- "u\t3
- S99t

- <v8V
- 8csm
- 9csm
- tH;E
- 1SSj
- t!F9]
- uH9]
- tG9}
- AAFFf;
- SVW3
- AAFFf;
- AAKu
- f99t
- SVW3
- Yh8s
- uBh8b
- AAf9
- t&Ku;
- Ar\tf
- Ar\tf
- W950
- t8f;
- Ar\tf
- Ar\tf
- 1AAf
-);9u
- t4;y
- SUVW3
- u%AABBNu
- 9%tBAAHu
- tR8_
- 0@@f;
- t@9U
- tE9U
- SUVW
- @.reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- MS Shell Dlg
- //start
- 1.html
- SYSTEM
- S:(ML;;NW;;;LW)
- HKLM
- SYSTEM
- SYSTEM
- %s%s%s
- %s%s
- /..\\
- /../
- \\../
- \\..\\
- .tgz
- .lzh

- H
- h((((H
- (((((H
- jjjjj
- ?(?8?\\?
- >4>P>p>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=
- ; ;0;8;<;@;D;H;L;P;T;X;\\;h;0<4<
- : :$:(:,:0:@:D:p:t:x:|:
- ><>H>h>t>
- =,=D=X=d=l=
- < <h<x<
- ; ;,;L;X;x;
- : :,:L:T:\\:h:
- ? ?8?<?T?X?p?
- > >$>(>,>0>4>8>@>X>\\>t>
- =$=(=8=<=@=H=`=p=t=|=
- ;d<h<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:
- d:h:l:p:t:x:|:
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ?!?D?g?
- >;>`>
- <&<K<
- 9&:D:M:U:n:v:
- >4?H?n?
- ;$;F;Y;c;i;
- >B>y>
- >l>R?z?
- <+===P=b=i=
- <K<t<
- :?;b;u;
- =&=g=
- ?@?w?
- <*<h>q>y>
- :;;N;d;
- =?=Q=c=u=
- ;#<8<l<Z<k<|<
- ===D=H=L=P=T=X=\\=`=
- ;';,;0;4;];
- 9::@:D:H:L:
- :p>|>
- :':-:G:X:^:o:
- >j?v?
- >">j>
- <;<H<R<`<i<s<
- 9):f:}:
- >J?Q?f?
- <'=2=<=M=X=
- ;?<J<
- :r;x;
- :::_:r:
- <@=F=f=
- <#<.<
- =^>c>

- ;B<T<
- :,;L;R;_;y;
- /-BY
- c,_M
- =~wK
- _\\Xg
- }tW~H
- kW/S
-)K R
- ~?q
- -;TTT
- ,l]H
- ~+W
- z)BC
- Vxy`|
- HckK
- ^[p\\G
- V\\$'Q
- xy,'+Wx
- S;/$
- }-inj -
- p.q\\
-]{PTW
- J[[Z
- hfdJjgg
- db`'
- ^\\[q`^\\
- ZXWM\\ZX
- VTS)
- kihfmkh
- _]\\
- XVUcZXW
- SPPxVTS
- LJIQNKJ
- ffd&
- hfflnlj
- ^\\ZAb`^
- hhhr
- HGH]FFE
- mkj}
- \\ZXMb`^
- J[[Z
- hfdJjgg
- db`'
- ^\\[q`^\\
- ZXWM\\ZX
- VTS)
- kihfmkh
- _]\\
- XVUcZXW
- SPPxVTS
- LJIQNKJ
- ffd&
- hfflnlj
- ^\\ZAb`^
- hhhr
- HGH]FFE

- mkj}
- \\ZXMb`^
- .?AVlength_error@std@@
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- SHLWAPI.dll
- #.zf
- wn>Jj
- Qkkbal
- n;^
- #.zf
- wn>Jj
- Qkkbal
- n;^
- last_lit %u, last_dist %u, in %ld, out ~%ld(%ld%%)
- ct_tally: bad match
- dist data: dyn %ld, stat %ld
- lit data: dyn %ld, stat %ld
- bl tree: sent %ld
- dyn trees: dyn %ld, stat %ld
- code %d bits %d->%d
- __cdecl
- __stdcall
- __clrcall
- `vcall'
- `string'
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- ,ktv
- Pvu\\NvBJNv0
- Mv,INv
- .v1#-vO!.vF
- }-v%9-v
- ,v+E.v&<.vM7.v
- -v]7.vb
- wM)v
- #-vQ
- Y-vh
- .vTs,v`
- d.v:
- .vjX,ve
- N/v)
- >-vb
- G-va>-vM
- SSSSS
- tQh(
- |mht
- _[t

- QPSSS
- PSSSS
- PSSSS
- PSShT
- VjgV
- @@f;
- @@f;
- upSSVhXR
- t\tVP
- t#hH
- t\\h$
- Rh@s
- _^]Y
- *SSS
- WPWj
- Rhps
- QSVW
- Phps
- _^[]
- HtJHt
- Y_^[
- L$Hd
- D$(s
- D$Hd
- D$0SVW
- SSWh
- VhPs
- Rh@s
- Y_^[t
- SVWjz[3
- @@f;
- u?Wh`,
- QQSV
- j\tXf
- Xh`,
- SVWP
- SVWj
- D$<P
- D$<P
- tCVP
- D$ Pj
- D$ Pj
- Vh`,
- /t%f
- F(PV
- G\\t>
-)w\\)w
-)G\\+
- _<)_X
- k|_]Y
- GP;GTt
- X_^][Y
- ;pHt
- ;FDt
- ;F@t
- ;F<t
- W$YY

- VWj@
- W$YY
- W$YY
- ttHt;Ht*H
- Y_^[
- ;F(r
- W$YY
- W$YY
- V$YY
- P$YY
- v$)M
- SWh`,
- Xj\tf
- j/Yf
- YY_^
- QQVW
- YY^[
- QQSV
- YY_^
- _^[]
- QWRP
- _^[]
- DSSj
- SSSW
- FLPW
- XPVf
- Yj\t^f
- |\t+M
- QBWf
- tJ;}
- @_^[
- QQSV
- BBFB
- v>SSP
- SSj$
- SSSW
- PSVW
- SVWj
- SVWj
- ;p(r
- t\t;Ftt
- <Xt
- WWWWW
- v\tN+D$
- t+WWVPV
- t<Vj
- WWWWV
- UQPXY]Y[
- ;t$,v-
-]_^[
- PPPPPPPP
- PPPPPPPP
- t"SS9]
- VVVVV
- WWWWW
- FVSj
- _^[]

- SVWj
- [_^]
- URPQQh
- @_^[]
- s[S;7|G;w
- t)SV
- YYPV
- >csm
- ~@;H
- ~SSV
- =csm
- @_^]
- WWWWW
- PPPPP
- t+Ht
- Y_^[
- Y_^[
- _^[]
- j?^;
- VW}
- @_^[
- Fpt"
- _^[]
- Y_^[]
- Fh=`
- Y;=h
- [j@j
- j@j ^V
- QQSVWh
- j\\Yf
- @@Bf
- j"@@
- Y[_^
- PPPPP
- tPVWP
- >=Yt1j
- w\tf
- VVVVV
- VVVVV
- VVVVV
- PPPPP
- VVVVV
- QSVW
- Y__^[
- Y__^[
- QSVW
- QQSVWd
- 0SSSSS
- _^[]
- _^[]
- 0SSSSS
- _^[]
- 0SSSSS
- j"^SSSSS
- ^SSSSS
- SSSSS
- PPPPP

- X_^]
- 0WWWWW
- _^[]
- 0WWWWW
- _^[]
- 0WWWWW
- _^[]
- 0WWWWW
- t\tVP
- @@BBf;
- @@BBf;
- 0WWWWW
- _^[]
- GGBB
- VVVVV
- QCPC
- CCGG
- VVVVV
- VVVVV
- YQPVh
- ~\tWV
- [_^]
- ^@[_]
- _^][
- SVWj
- PQRQ
- SSSSV
- jP^SSSSh`
- j<^V
- _^[]
- SVWj
- H;D$
- SRQP
- PWWj
- SVhL
- .rsrc