Analysis report for sample: 091a2ddaa69c928786bf5173d86757d7

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 6279 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 091a2ddaa69c928786bf5173d86757d7

AV detections

- Microsoft: Trojan:Win32/Dynamer!ac
- Kaspersky: Trojan.Win32.Yakes.tggl
- Symantec: Trojan.Gen.2
- Malwarebytes:

Original source url

- hxxp://malekanjewelry.com/gg.exe

Virustotal url

- https://virustotal.com/es/file/311d5e08c28b15822a368873f32b82ade48b15e301c0ce4ddd5110081c962546/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Http_API (Match Windows Http API call)
- Armadillo_v4x ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- DebuggerCheck__QueryInfo ()
- anti_dbg (Checks if being debugged)
- network_udp_sock (Communications over UDP network)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- with_images (Rule to detect the presence of an or several images)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- BASE64_table (Look for Base64 table)

Snapshot


Decryption Instructions
English
Deutsch
Italiano
Français
Español
Norsk
Português
Nederlands
한국어
Bahasa Melayu
中文
Türkçe
Tiếng Việt
हिन्दी
Basa Jawa
فارسی
العربية
File recovery instructions
You probably noticed that you can not open your files and that some software stopped working correctly.
This is expected. Your files content is still there, but it was encrypted by "SAGE 2.2 Ransomware".
Your files are not lost, it is possible to revert them back to normal state by decrypting.
The only way you can do that is by getting "SAGE Decrypter" software and your personal decryption key.
Using any other software which claims to be able to restore your files will result in files being damaged or destroyed.
You can purchase "SAGE Decrypter" software and your decryption key at your personal page you can access by following links:
http://7gie6ffnkrjykggd.eho23d.net/
http://7gie6ffnkrjykggd.je9mlz.com/
Start
1:36 PM
Sunday
5/14/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name schtasks.exe Alias P2
- Name vssadmin.exe Alias P3
- Name cmd.exe Alias P4
- Name cmd.exe Alias P5
- Name bcdedit.exe Alias P6
- Name bcdedit.exe Alias P7
- Name vssadmin.exe Alias P8
- Name cmd.exe Alias P9
- Name cmd.exe Alias P10
- Name bcdedit.exe Alias P11
- Name bcdedit.exe Alias P12
- Name mshta.exe Alias P13
- Name wscript.exe Alias P14
- Name schtasks.exe Alias P15
- Name vssadmin.exe Alias P16
- Name cmd.exe Alias P17
- Name cmd.exe Alias P18
- Name bcdedit.exe Alias P19
- Name bcdedit.exe Alias P20
- Name wscript.exe Alias P21

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe

- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name VSSVC.exe
- Name svchost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name dllhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe

- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\System32\\cmd.exe PID: P4, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P9, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P17, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P6, Command line: bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P12, Command line: bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P20, Command line: bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P3, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /quiet)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P5, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P8, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /quiet)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P10, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P16, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /quiet)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P18, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P7, Command line: bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P11, Command line: bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P19, Command line: bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- RegSetValue (HKCU\\Control Panel\\Desktop\\Wallpaper Type: REG_SZ, Length: 82, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\mL2.bmp)
- RegSetValue (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command\\(Default) Type: REG_SZ, Length: 108, Data: mshta.exe "C:\\Users\\javi\\AppData\\Roaming\\f1.hta" "%1")
- RegSetValue (HKLM\\System\\CurrentControlSet\\Control\\Session Manager\\PendingFileRenameOperations Type: REG_MULTI_SZ, Length: 192, Data: \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\E7D8.tmp, , \\??\\C:\\Users\\javi\\AppData\\Roaming\\JNkUZs6P.exe,)
- RegSetValue (HKLM\\System\\CurrentControlSet\\Control\\Session Manager\\PendingFileRenameOperations Type: REG_MULTI_SZ, Length: 268, Data: \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\E7D8.tmp, , \\??\\C:\\Users\\javi\\AppData\\Roaming\\JNkUZs6P.exe, , \\??\\C:\\Users\\javi\\Downloads\\cebo.exe,)
- RegSetValue (HKLM\\System\\CurrentControlSet\\Control\\Session Manager\\PendingFileRenameOperations Type: REG_MULTI_SZ, Length: 376, Data: \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\E7D8.tmp, , \\??\\C:\\Users\\javi\\AppData\\Roaming\\JNkUZs6P.exe, , \\??\\C:\\Users\\javi\\Downloads\\cebo.exe, , \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\f3980114478.vbs,)
- Process Create (C:\\Windows\\System32\\schtasks.exe PID: P2, Command line: "C:\\Windows\\System32\\schtasks.exe" /CREATE /TN "4rkC7Ty6" /TR "C:\\Users\\javi\\Downloads\\cebo.exe" /SC ONLOGON /RL HIGHEST /F)
- Process Create (C:\\Windows\\System32\\mshta.exe PID: P13, Command line: "C:\\Windows\\System32\\mshta.exe" "C:\\Users\\javi\\Desktop\\!HELP_SOS.hta")
- Process Create (C:\\Windows\\System32\\WScript.exe PID: P14, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\f1.vbs")
- Process Create (C:\\Windows\\System32\\schtasks.exe PID: P15, Command line: "C:\\Windows\\System32\\schtasks.exe" /DELETE /TN /F "4rkC7Ty6")
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@C:\\Windows\\system32\\ntshrui.dll,-103 Type: REG_SZ, Length: 24, Data: S&hare; with)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@C:\\Windows\\System32\\wshext.dll,-4511 Type: REG_SZ, Length: 52, Data: Open &with; Command Prompt)
- Process Create (C:\\Windows\\System32\\WScript.exe PID: P21, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\f3980114478.vbs")
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" g)
- RegCreateKey (HKCU\\Software\\Microsoft\\GDIPlus Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Control Panel\\Desktop Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Control Panel\\Desktop\\Wallpaper Type: REG_SZ, Length: 0)
- RegCreateKey (HKCU\\Software\\Classes\\.sage Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Classes\\.sage\\(Default) Type: REG_SZ, Length: 24, Data: sage.notice)

• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,47)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName\\(Default) Type: REG_SZ, Length: 30, Data: encrypted file)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command Desired Access: Set Value)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\htafile\\DefaultIcon Desired Access: Set Value)
• RegCreateKey (HKCU\\Software\\Classes\\htafile Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\htafile\\DefaultIcon Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\htafile\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,44)
• RegCreateKey (HKCU\\Software\\Classes\\.sage Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\htafile\\DefaultIcon Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\GlobalAssocChangedCounter Type: REG_DWORD, Length: 4, Data: 29)
• RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
• RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)
• RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)
• RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows Script Host Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\Voices\\DefaultTokenId Type: REG_SZ, Length: 158, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\Voices\\Tokens\\MS-Anna-1033-20-DSK)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\CurrentUserLexicon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\CLSID Type: REG_SZ, Length: 78, Data: {C9E37C15-DF92-4727-85D6-72E5EEB6995A})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\(Default) Type: REG_SZ, Length: 42, Data: Current User Lexicon)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files\\Datafile Type: REG_SZ, Length: 162, Data: %1a%\\Microsoft\\Speech\\Files\\UserLexicons\\SP_82198F87F6574D32BBD85F983B0AF744.dat)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\Generation Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\PhoneConverters\\DefaultTokenId Type: REG_SZ, Length: 152, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters\\Tokens\\English)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write)
• RegCreateKey (HKCU\\SOFTWARE Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\DefaultTokenId Type: REG_SZ, Length: 160, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\)

• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- suspicious event or string: /C bcdedit.exe /set {default} recoveryenabled no
- suspicious event or string: /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures
- suspicious event or string: vssadmin.exe
- url | valid domains | tlds: -v&<.vA
- url | valid domains | tlds: maps.googleapis.com
- path | frequently modified by malware: AppData
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: CreateThread
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: f.DeleteFile Wscript.ScriptFullName, True
- api | frequently used by malware: WScript.Sleep(1000)
- api | frequently used by malware: f.DeleteFile p, True
- api | frequently used by malware: NtQueryInformationProcess
- registry: Software\\Microsoft\\Cryptography
- registry: Software\\Classes
- registry: Software\\Classes\\mscfile
- registry: Software\\Classes\\mscfile\\shell\\open\\command
- path | path unit: n:\\8
- api | ws2_32: shutdown
- api | ws2_32: ioctlsocket
- api | ws2_32: getsockopt
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSAGetLastError
- api | ntdll: |thumbs.db|desktop.ini|ntuser.dat|ntuser.ini|ntuser.dat.log|autoexec.bat|boot.ini|index.dat|BOOTSECT.BAK|system.ini|
- api | user32: SystemParametersInfoW
- api | user32: ShowWindow
- api | user32: GetSystemMetrics
- api | user32: GetKeyboardLayoutList
- api | user32: CharLowerBuffW
- api | user32: CharLowerBuffA
- api | kernel32: lstrlenW

- api | kernel32: lstrlenA
- api | kernel32: lstrcmpiW
- api | kernel32: lstrcmpW
- api | kernel32: lstrcmpA
- api | kernel32: WaitForSingleObject
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: TerminateThread
- api | kernel32: TerminateProcess
- api | kernel32: SleepEx
- api | kernel32: SetFilePointerEx
- api | kernel32: SetFileAttributesW
- api | kernel32: ReleaseMutex
- api | kernel32: ReadFile
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: MultiByteToWideChar
- api | kernel32: MoveFileExW
- api | kernel32: LoadLibraryA
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: GetVersionExW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetTempPathW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetSystemDirectoryW
- api | kernel32: GetStdHandle
- api | kernel32: GetShortPathNameW
- api | kernel32: GetProcessHeap
- api | kernel32: GetModuleHandleA
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetLastError
- api | kernel32: GetFileTime
- api | kernel32: GetFileSizeEx
- api | kernel32: GetFileSize
- api | kernel32: GetExitCodeThread
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetDriveTypeW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: GetConsoleWindow
- api | kernel32: GetComputerNameW
- api | kernel32: GetCommandLineW
- api | kernel32: FlushFileBuffers
- api | kernel32: FileTimeToSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteFileW
- api | kernel32: CreateProcessW
- api | kernel32: CreateMutexA
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: AttachConsole
- api | advapi32: SystemFunction036

- api | advapi32: RegSetValueW
- api | kernel32: RegSetValueExW
- api | kernel32: RegSetValueExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExW
- api | advapi32: RegDeleteKeyA
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: GetUserNameW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetSidSubAuthority
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: IsWow64Process

Involved hosts

- 46.173.219.33:http
- 192.168.133.183:49192
- 192.168.133.183:49193
- 192.168.133.183:49195
- 192.168.133.183:49196
- 192.168.133.183:49197
- 192.168.133.183:49198
- 192.168.133.183:49199
- 192.168.133.183:49200
- 192.168.133.183:49201
- 192.168.133.183:53179
- 192.168.133.183:55927
- 192.168.133.183:56099
- 192.168.133.183:56824
- 192.168.133.183:60640
- 192.168.133.183:64176
- 192.168.133.1:5355
- 192.168.133.2:53
- 46.173.219.33:80 (mbfce24rgn65bx3g.eho23d.net)

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- mbfce24rgn65bx3g.eho23d.net ---> 46.173.219.33
- 33.219.173.46.in-addr.arpa ---> no answers
- 8.227.209.77.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.183:49192 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80

POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 164[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]NNQ*sIl$[...];Q7h

• tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49192

HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:00 GMT[...]Content-Length: 1[...]Connection: close

• tcp 192.168.133.183:49193 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80

POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 164[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]NNQ*sIl$[...];Q7h

• tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49193

HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:01 GMT[...]Content-Length: 1[...]Connection: close

• tcp 192.168.133.183:49195 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80

POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 124[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$

• tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49195

HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:10 GMT[...]Content-Length: 1[...]Connection: close

• tcp 192.168.133.183:49196 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80

POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 89[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]9VcgD

• tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49196

HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:13 GMT[...]Content-Length: 1[...]Connection: close

• tcp 192.168.133.183:49197 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80

POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 89[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]9VcaD

• tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49197

HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:14 GMT[...]Content-Length: 1[...]Connection: close

- **tcp 192.168.133.183:49198 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80**

  POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 89[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]HVcgD

- **tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49198**

  HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:16 GMT[...]Content-Length: 1[...]Connection: close

- **tcp 192.168.133.183:49199 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80**

  POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 89[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]HVcgD

- **tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49199**

  HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:18 GMT[...]Content-Length: 1[...]Connection: close

- **tcp 192.168.133.183:49200 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80**

  POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 73[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$

- **tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49200**

  HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:52 GMT[...]Content-Length: 1[...]Connection: close

- **tcp 192.168.133.183:49201 ---> 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80**

  POST / HTTP/1.1[...]Connection: close[...]User-Agent: User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36[...]Content-Length: 952[...]Host: mbfce24rgn65bx3g.eho23d.net[...]Op>X[...]1O}$[...]xxF:[...]#\t'@k[...]R0EX[...];!N1[...]0\\Fnq[...]qM7/[...]7<NIP[...]i5_[...]II,h[...]E,k$[...]P>nnO[...]%:$)D[...]|Y/z

- **tcp 46.173.219.33 (mbfce24rgn65bx3g.eho23d.net) :80 ---> 192.168.133.183:49201**

  HTTP/1.1 200 OK[...]Server: nginx[...]Date: Sun, 14 May 2017 20:35:54 GMT[...]Content-Length: 1[...]Connection: close

- **udp 192.168.133.1:5355 ---> 192.168.133.183:56824**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.183:64176**

  arpa

- **udp 192.168.133.183:53179 ---> 192.168.133.2:53**

  mbfce24r

- **udp 192.168.133.183:56099 ---> 192.168.133.2:53**

mbfce24r

- **udp 192.168.133.183:55927 ---> 192.168.133.2:53**

mbfce24r

- **udp 192.168.133.183:60640 ---> 192.168.133.2:53**

mbfce24r

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T3 (in process P0, cebo.exe)
• Thread T6 (in process P0, cebo.exe)
• Thread T14 (in process P3, vssadmin.exe)
• Thread T16 (in process P4, cmd.exe)
• Thread T18 (in process P5, cmd.exe)
• Thread T25 (in process P8, vssadmin.exe)
• Thread T27 (in process P9, cmd.exe)
• Thread T29 (in process P10, cmd.exe)
• Thread T36 (in process P0, cebo.exe)
• Thread T39 (in process P0, cebo.exe)
• Thread T42 (in process P0, cebo.exe)
• Thread T49 (in process P16, vssadmin.exe)
• Thread T51 (in process P17, cmd.exe)
• Thread T53 (in process P18, cmd.exe)
• Thread T55 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T2)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T3)
• Thread Create (Thread ID: T6)
• Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P3, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /quiet)
• Process Create (C:\\Windows\\System32\\cmd.exe PID: P4, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} recoveryenabled no)
• Process Create (C:\\Windows\\System32\\cmd.exe PID: P5, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P8, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /quiet)
• Process Create (C:\\Windows\\System32\\cmd.exe PID: P9, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} recoveryenabled no)
• Process Create (C:\\Windows\\System32\\cmd.exe PID: P10, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)

• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\GDIPlus Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Control Panel\\Desktop Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Control Panel\\Desktop\\Wallpaper Type: REG_SZ, Length: 0)
• RegSetValue (HKCU\\Control Panel\\Desktop\\Wallpaper Type: REG_SZ, Length: 82, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\mL2.bmp)
• RegCreateKey (HKCU\\Software\\Classes\\.sage Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\.sage\\(Default) Type: REG_SZ, Length: 24, Data: sage.notice)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,47)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName\\(Default) Type: REG_SZ, Length: 30, Data: encrypted file)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command Desired Access: Set Value)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command\\(Default) Type: REG_SZ, Length: 108, Data: mshta.exe "C:\\Users\\javi\\AppData\\Roaming\\f1.hta" "%1")
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,47)
• RegCreateKey (HKCU\\Software\\Classes\\htafile\\DefaultIcon Desired Access: Set Value)
• RegCreateKey (HKCU\\Software\\Classes\\htafile Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Classes\\htafile\\DefaultIcon Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Classes\\htafile\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,44)
• RegCreateKey (HKCU\\Software\\Classes\\.sage Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\.sage\\(Default) Type: REG_SZ, Length: 24, Data: sage.notice)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,47)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\FriendlyTypeName\\(Default) Type: REG_SZ, Length: 30, Data: encrypted file)
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\shell\\open\\command\\(Default) Type: REG_SZ, Length: 108, Data: mshta.exe "C:\\Users\\javi\\AppData\\Roaming\\f1.hta" "%1")
• RegCreateKey (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\sage.notice\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,47)
• RegCreateKey (HKCU\\Software\\Classes\\htafile\\DefaultIcon Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\htafile\\DefaultIcon\\(Default) Type: REG_SZ, Length: 66, Data: %WinDir%\\system32\\shell32.dll,44)
• RegCreateKey (HKLM\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\GlobalAssocChangedCounter Type: REG_DWORD, Length: 4, Data: 29)
• Thread Create (Thread ID: T36)
• Thread Create (Thread ID: T39)
• Thread Create (Thread ID: T42)
• RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
• RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
• RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\System\\CurrentControlSet\\Control\\Session Manager\\PendingFileRenameOperations Type: REG_MULTI_SZ, Length: 192, Data: \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\E7D8.tmp, , \\??\\C:\\Users\\javi\\AppData\\Roaming\\JNkUZs6P.exe,)
• Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P16, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /quiet)

- Process Create (C:\\Windows\\System32\\cmd.exe PID: P17, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P18, Command line: "C:\\Windows\\System32\\cmd.exe" /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- Thread Create (Thread ID: T55)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\System\\CurrentControlSet\\Control\\Session Manager\\PendingFileRenameOperations Type: REG_MULTI_SZ, Length: 268, Data: \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\E7D8.tmp, , \\??\\C:\\Users\\javi\\AppData\\Roaming\\JNkUZs6P.exe, , \\??\\C:\\Users\\javi\\Downloads\\cebo.exe,)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write)
- RegCreateKey (HKLM\\System\\CurrentControlSet\\Control\\Session Manager Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\System\\CurrentControlSet\\Control\\Session Manager\\PendingFileRenameOperations Type: REG_MULTI_SZ, Length: 376, Data: \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\E7D8.tmp, , \\??\\C:\\Users\\javi\\AppData\\Roaming\\JNkUZs6P.exe, , \\??\\C:\\Users\\javi\\Downloads\\cebo.exe, , \\??\\C:\\Users\\javi\\AppData\\Local\\Temp\\f3980114478.vbs,)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

- Thread T4 (in process P1, cebo.exe)

• Thread' events

- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" g)

• Thread T4 (in process P1, cebo.exe) description

• Thread's childs

- Thread T5 (in process P1, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T5)

• Thread T5 (in process P1, cebo.exe) description

• Thread's childs

- Thread T12 (in process P1, cebo.exe)
- Thread T13 (in process P1, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T12)
- Thread Create (Thread ID: T13)

• Thread T6 (in process P0, cebo.exe) description

• Thread's childs

- Thread T7 (in process P0, cebo.exe)
- Thread T8 (in process P2, schtasks.exe)

• Thread' events

- Thread Create (Thread ID: T7)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\System32\\schtasks.exe PID: P2, Command line: "C:\\Windows\\System32\\schtasks.exe" /CREATE /TN "4rkC7Ty6" /TR "C:\\Users\\javi\\Downloads\\cebo.exe" /SC ONLOGON /RL HIGHEST /F)

• Thread T7 (in process P0, cebo.exe) description

• Thread's childs

- Thread T10 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T10)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T8 (in process P2, schtasks.exe) description

• Thread's childs

- Thread T9 (in process P2, schtasks.exe)

• Thread' events

- Thread Create (Thread ID: T9)

- **Thread T9 (in process P2, schtasks.exe) description**
  - **Thread's childs**
    - Thread T11 (in process P2, schtasks.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T11)
- **Thread T10 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T11 (in process P2, schtasks.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T12 (in process P1, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T13 (in process P1, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T14 (in process P3, vssadmin.exe) description**

- **Thread's childs**
  - Thread T15 (in process P3, vssadmin.exe)
- **Thread' events**
  - Thread Create (Thread ID: T15)

• Thread T15 (in process P3, vssadmin.exe) description

- **Thread's childs**
  - Thread T22 (in process P3, vssadmin.exe)
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T22)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T16 (in process P4, cmd.exe) description

- **Thread's childs**
  - Thread T17 (in process P4, cmd.exe)
- **Thread' events**
  - Thread Create (Thread ID: T17)

• Thread T17 (in process P4, cmd.exe) description

- **Thread's childs**
  - Thread T20 (in process P6, bcdedit.exe)
- **Thread' events**
  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P6, Command line: bcdedit.exe /set {default} recoveryenabled no)

• Thread T18 (in process P5, cmd.exe) description

- **Thread's childs**
  - Thread T19 (in process P5, cmd.exe)
- **Thread' events**
  - Thread Create (Thread ID: T19)

• Thread T19 (in process P5, cmd.exe) description

- **Thread's childs**
  - Thread T23 (in process P7, bcdedit.exe)
- **Thread' events**
  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P7, Command line: bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)

• Thread T20 (in process P6, bcdedit.exe) description

- **Thread's childs**
  - Thread T21 (in process P6, bcdedit.exe)
- **Thread' events**
  - Thread Create (Thread ID: T21)

• Thread T21 (in process P6, bcdedit.exe) description

- **Thread's childs**
- **Thread' events**
  - RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T22 (in process P3, vssadmin.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T23 (in process P7, bcdedit.exe) description

- **Thread's childs**
  - Thread T24 (in process P7, bcdedit.exe)
- **Thread' events**
  - Thread Create (Thread ID: T24)

• Thread T24 (in process P7, bcdedit.exe) description

- **Thread's childs**

- **Thread' events**

  - RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
  - RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

• Thread T25 (in process P8, vssadmin.exe) description

- **Thread's childs**

  - Thread T26 (in process P8, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: T26)

• Thread T26 (in process P8, vssadmin.exe) description

- **Thread's childs**

  - Thread T35 (in process P8, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T35)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T27 (in process P9, cmd.exe) description

- **Thread's childs**

  - Thread T28 (in process P9, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T28)

• Thread T28 (in process P9, cmd.exe) description

- **Thread's childs**

  - Thread T33 (in process P12, bcdedit.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P12, Command line: bcdedit.exe /set {default} recoveryenabled no)

- **Thread T29 (in process P10, cmd.exe) description**
  - **Thread's childs**
    - Thread T30 (in process P10, cmd.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T30)
- **Thread T30 (in process P10, cmd.exe) description**
  - **Thread's childs**
    - Thread T31 (in process P11, bcdedit.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P11, Command line: bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)
- **Thread T31 (in process P11, bcdedit.exe) description**
  - **Thread's childs**
    - Thread T32 (in process P11, bcdedit.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T32)
- **Thread T32 (in process P11, bcdedit.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)
- **Thread T33 (in process P12, bcdedit.exe) description**
  - **Thread's childs**
    - Thread T34 (in process P12, bcdedit.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T34)

- **Thread T34 (in process P12, bcdedit.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)

- **Thread T35 (in process P8, vssadmin.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T36 (in process P0, cebo.exe) description**

  - **Thread's childs**

    - Thread T37 (in process P13, mshta.exe)

  - **Thread' events**

    - Process Create (C:\\Windows\\System32\\mshta.exe PID: P13, Command line: "C:\\Windows\\System32\\mshta.exe" "C:\\Users\\javi\\Desktop\\!HELP_SOS.hta")

- **Thread T37 (in process P13, mshta.exe) description**

  - **Thread's childs**

    - Thread T38 (in process P13, mshta.exe)

  - **Thread' events**

    - Thread Create (Thread ID: T38)

- **Thread T38 (in process P13, mshta.exe) description**

  - **Thread's childs**

    - Thread T44 (in process P13, mshta.exe)
    - Thread T46 (in process P13, mshta.exe)

  - **Thread' events**

- Thread Create (Thread ID: T44)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T46)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• Thread T39 (in process P0, cebo.exe) description

• Thread's childs

- Thread T40 (in process P14, WScript.exe)

• Thread' events

- Process Create (C:\\Windows\\System32\\WScript.exe PID: P14, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\f1.vbs")

• Thread T40 (in process P14, WScript.exe) description

• Thread's childs

- Thread T41 (in process P14, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T41)

• Thread T41 (in process P14, WScript.exe) description

• Thread's childs

- Thread T45 (in process P14, WScript.exe)
- Thread T48 (in process P14, WScript.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows Script Host Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• Thread Create (Thread ID: T45)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\Voices\\DefaultTokenId Type: REG_SZ, Length: 158, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\Voices\\Tokens\\MS-Anna-1033-20-DSK)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\CurrentUserLexicon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\CLSID Type: REG_SZ, Length: 78, Data: {C9E37C15-DF92-4727-85D6-72E5EEB6995A})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\(Default) Type: REG_SZ, Length: 42, Data: Current User Lexicon)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files\\Datafile Type: REG_SZ, Length: 162, Data: %1a%\\Microsoft\\Speech\\Files\\UserLexicons\\SP_82198F87F6574D32BBD85F983B0AF744.dat)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\Generation Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\PhoneConverters\\DefaultTokenId Type: REG_SZ, Length: 152, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters\\Tokens\\English)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write)
• RegCreateKey (HKCU\\SOFTWARE Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})

• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey
(HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\DefaultTokenId Type: REG_SZ, Length: 160, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• Thread Create (Thread ID: T48)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)

• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)

• Thread T42 (in process P0, cebo.exe) description

• Thread's childs

- Thread T43 (in process P15, schtasks.exe)

• Thread' events

- Process Create (C:\\Windows\\System32\\schtasks.exe PID: P15, Command line: "C:\\Windows\\System32\\schtasks.exe" /DELETE /TN /F "4rkC7Ty6")

• Thread T43 (in process P15, schtasks.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T44 (in process P13, mshta.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T45 (in process P14, WScript.exe) description

- **Thread's childs**
  - Thread T47 (in process P14, WScript.exe)
- **Thread' events**
  - Thread Create (Thread ID: T47)

• Thread T46 (in process P13, mshta.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T47 (in process P14, WScript.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T48 (in process P14, WScript.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T49 (in process P16, vssadmin.exe) description

- **Thread's childs**
  - Thread T50 (in process P16, vssadmin.exe)
- **Thread' events**
  - Thread Create (Thread ID: T50)

• Thread T50 (in process P16, vssadmin.exe) description

- **Thread's childs**

- Thread T61 (in process P16, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T61)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T51 (in process P17, cmd.exe) description

- **Thread's childs**

  - Thread T52 (in process P17, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T52)

• Thread T52 (in process P17, cmd.exe) description

- **Thread's childs**

  - Thread T59 (in process P20, bcdedit.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P20, Command line: bcdedit.exe /set {default} recoveryenabled no)

• Thread T53 (in process P18, cmd.exe) description

- **Thread's childs**

  - Thread T54 (in process P18, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T54)

• Thread T54 (in process P18, cmd.exe) description

- **Thread's childs**

  - Thread T57 (in process P19, bcdedit.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P19, Command line: bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures)

• Thread T55 (in process P0, cebo.exe) description

- **Thread's childs**

- Thread T56 (in process P0, cebo.exe)
- Thread T62 (in process P21, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T56)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@C:\\Windows\\system32\\ntshrui.dll,-103 Type: REG_SZ, Length: 24, Data: S&hare; with)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@C:\\Windows\\System32\\wshext.dll,-4511 Type: REG_SZ, Length: 52, Data: Open &with; Command Prompt)
- Process Create (C:\\Windows\\System32\\WScript.exe PID: P21, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\f3980114478.vbs")

• Thread T56 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T57 (in process P19, bcdedit.exe) description

• Thread's childs

- Thread T58 (in process P19, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T58)

• Thread T58 (in process P19, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

• Thread T59 (in process P20, bcdedit.exe) description

• Thread's childs

- Thread T60 (in process P20, bcdedit.exe)

- **Thread' events**

  - Thread Create (Thread ID: T60)

• Thread T60 (in process P20, bcdedit.exe) description

- **Thread's childs**

- **Thread' events**

  - RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T61 (in process P16, vssadmin.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T62 (in process P21, WScript.exe) description

- **Thread's childs**

  - Thread T63 (in process P21, WScript.exe)

- **Thread' events**

  - Thread Create (Thread ID: T63)

• Thread T63 (in process P21, WScript.exe) description

- **Thread's childs**

  - Thread T64 (in process P21, WScript.exe)

- **Thread' events**

  - Thread Create (Thread ID: T64)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T64 (in process P21, WScript.exe) description

- **Thread's childs**
  - Thread T65 (in process P21, WScript.exe)
- **Thread' events**
  - Thread Create (Thread ID: T65)

• Thread T65 (in process P21, WScript.exe) description

- **Thread's childs**
  - Thread T66 (in process P21, WScript.exe)
- **Thread' events**
  - Thread Create (Thread ID: T66)

• Thread T66 (in process P21, WScript.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (229))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (164))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (229))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (164))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (229))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (124))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (228))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (89))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (228))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (89))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (228))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (89))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (228))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (89))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (228))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (73))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (229))
- TCP Send (javi-PC.localdomain:dynport-> 46.173.219.33:http (952))
- TCP Receive (javi-PC.localdomain:dynport-> 46.173.219.33:http (110))
- TCP Disconnect (javi-PC.localdomain:dynport-> 46.173.219.33:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Http_API (Match Windows Http API call)
- Armadillo_v4x ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- DebuggerCheck__QueryInfo ()
- anti_dbg (Checks if being debugged)
- network_udp_sock (Communications over UDP network)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- with_images (Rule to detect the presence of an or several images)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- BASE64_table (Look for Base64 table)

• Module 1 strings

• Module 1 most interesting strings

- suspicious event or string: /C bcdedit.exe /set {default} recoveryenabled no
- suspicious event or string: /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures
- suspicious event or string: vssadmin.exe
- url | valid domains | tlds: -v&<.vA
- url | valid domains | tlds: maps.googleapis.com
- path | frequently modified by malware: AppData
- path | frequently modified by malware: AppData
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: htons
- api | frequently used by malware: connect

- api | frequently used by malware: closesocket
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: CreateThread
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: f.DeleteFile Wscript.ScriptFullName, True
- api | frequently used by malware: WScript.Sleep(1000)
- api | frequently used by malware: f.DeleteFile p, True
- api | frequently used by malware: NtQueryInformationProcess
- registry: Software\\Microsoft\\Cryptography
- registry: Software\\Classes
- registry: Software\\Classes\\mscfile
- registry: Software\\Classes\\mscfile\\shell\\open\\command
- path | path unit: n:\\8
- api | ws2_32: shutdown
- api | ws2_32: ioctlsocket
- api | ws2_32: getsockopt
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSAGetLastError
- api | ntdll: |thumbs.db|desktop.ini|ntuser.dat|ntuser.ini|ntuser.dat.log|autoexec.bat|boot.ini|index.dat|BOOTSECT.BAK|system.ini|
- api | user32: SystemParametersInfoW
- api | user32: ShowWindow
- api | user32: GetSystemMetrics
- api | user32: GetKeyboardLayoutList
- api | user32: CharLowerBuffW
- api | user32: CharLowerBuffA
- api | kernel32: lstrlenW
- api | kernel32: lstrlenA
- api | kernel32: lstrcmpiW
- api | kernel32: lstrcmpW
- api | kernel32: lstrcmpA
- api | kernel32: WaitForSingleObject
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: TerminateThread
- api | kernel32: TerminateProcess
- api | kernel32: SleepEx
- api | kernel32: SetFilePointerEx
- api | kernel32: SetFileAttributesW
- api | kernel32: ReleaseMutex
- api | kernel32: ReadFile
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: MultiByteToWideChar
- api | kernel32: MoveFileExW

- api | kernel32: LoadLibraryA
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: GetVersionExW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetTempPathW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetSystemDirectoryW
- api | kernel32: GetStdHandle
- api | kernel32: GetShortPathNameW
- api | kernel32: GetProcessHeap
- api | kernel32: GetModuleHandleA
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetLastError
- api | kernel32: GetFileTime
- api | kernel32: GetFileSizeEx
- api | kernel32: GetFileSize
- api | kernel32: GetExitCodeThread
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetDriveTypeW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: GetConsoleWindow
- api | kernel32: GetComputerNameW
- api | kernel32: GetCommandLineW
- api | kernel32: FlushFileBuffers
- api | kernel32: FileTimeToSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteFileW
- api | kernel32: CreateProcessW
- api | kernel32: CreateMutexA
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: AttachConsole
- api | advapi32: SystemFunction036
- api | advapi32: RegSetValueW
- api | kernel32: RegSetValueExW
- api | kernel32: RegSetValueExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExW
- api | advapi32: RegDeleteKeyA
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: GetUserNameW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetSidSubAuthority
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: IsWow64Process

• Module 1 other strings

• !1Aa
• Connection: close
• POST
• \\\\.\\System\\System Up Time
• open
• open
• virus
• sampel
• malw
• sample
• open
• htafile\\DefaultIcon
• %WinDir%\\system32\\shell32.dll,44
• sage.notice\\shell\\open\\command
• sage.notice\\FriendlyTypeName
• encrypted file
• sage.notice\\DefaultIcon
• %WinDir%\\system32\\shell32.dll,47
• .sage
• sage.notice
• .eft
• siwpa
• svchost.exe
• Arial
• Control Panel\\Desktop
• Wallpaper
• etdari
• open
• dWINDIR
• cmd.exe
• delete shadows /all /quiet
• runas
• 4L4P4
• 0'1/1
• 1.1g1
• 050E0a0q0
• 8W9o9
• 858\\8
• 576s6
• 4P4]4f4
• 30:0"393?3
• :1Z1
• 9[<i=R?
• 919=9J9
• 768n8
• 3/373U3|3
• 1N2k2
• 0\t1b1
• 9$9.989A9T9^9h9q9
• 6%7Q8d8n8x8
• 556Y6a6
• 4C5T5
• 1(1I1f1

- A0Z0
- 8l839K9c9{9
- ;N;a;o;x;
- 7E7t7
- 5F6d6
- 011P1
- 0"0.0:0F0R0
- 9*9/9B9V9x9
- 8 8/8:8K8X8c8j8y8
- 6'7<7H7n7
- (0c2
- =3=E=k=
- 828U8
- 7'7E7g7
- 2'2I2
- 1,1D1
- 92979K9u9
- 7/7D7'888O8\\8m8
- 6$6*6:6O6
- 3W4i4{4
- 203D3j3r3
- 051Q2|2
- 0-0e0}0
- 7&8N8h9
- 5&5.565>5F5N5V5^5f5n5v5~5
- 0(0-0
- WS2_32.dll
- USER32.dll
- SHELL32.dll
- ole32.dll
- KERNEL32.dll
- ADVAPI32.dll
- WinHttpSendRequest
- WinHttpReceiveResponse
- WinHttpReadData
- WinHttpQueryHeaders
- WinHttpQueryDataAvailable
- WinHttpOpenRequest
- WinHttpOpen
- WinHttpConnect
- WinHttpCloseHandle
- WinHttpAddRequestHeaders
- ShellExecuteW
- ShellExecuteExW
- SHGetFolderPathW
- SHChangeNotify
- CommandLineToArgvW
- CoInitialize
- GdiplusStartup
- GdipSetStringFormatLineAlign
- GdipSetStringFormatAlign
- GdipSaveImageToFile
- GdipGraphicsClear
- GdipGetImageGraphicsContext
- GdipFree
- GdipDrawString
- GdipDisposeImage

- GdipDeleteStringFormat
- GdipDeleteGraphics
- GdipDeleteFontFamily
- GdipDeleteFont
- GdipDeleteBrush
- GdipCreateStringFormat
- GdipCreateLineBrushFromRectI
- GdipCreateFontFamilyFromName
- GdipCreateFont
- GdipCreateBitmapFromScan0
- GdipCloneImage
- GdipCloneBrush
- GdipAlloc
- Y-v5
- w\\9.v
- /.v3
- Y-vo
- e.vb
- wO!.v
- 5.vM)v]7.v1
- sample.exe
- /maps/api/browserlocation/json?browser=firefox&sensor;=true
- kernel32
- MachineGuid
- Loop
- Do While (f.FileExists(p))
- Set f=CreateObject("Scripting.FileSystemObject")
- On Error Resume Next
- 0123456789abcdefghijklmnopqrstuvwxyz
- Templates
- Sample Media
- Sample Videos
- Sample Pictures
- Sample Music
- System32
- Microsoft
- intel
- nvidia
- ApplicationData
- All Users
- node_modules
- Content.IE5
- History.IE5
- Cookies
- My Games
- Games
- GOG Games
- GAC_32
- GAC_MSIL
- httpcache
- cache2
- steamapps
- League of Legends
- DriverStore
- Windows
- Boot
- System Volume Information

- DRIVERS
- DRIVER
- Windows.old
- $RECYCLE.BIN
- $Recycle.Bin
- Program Files
- Program Files (x86)
- ProgramData
- Application Data
- winnt
- Temp
- sqbcoreservice.exe
- dbeng50.exe
- mysqld-opt.exe
- mysqld.exe
- ocomm.exe
- tbirdconfig.exe
- firefoxconfig.exe
- encsvc.exe
- agntsvc.exe
- ocautoupds.exe
- mydesktopservice.exe
- xfssvccon.exe
- isqlplussvc.exe
- agntsvc.exe
- mydesktopqos.exe
- synctime.exe
- dbsnmp.exe
- ocssd.exe
- oracle.exe
- sqlwriter.exe
- sqlservr.exe
- sqlbrowser.exe
- sqlagent.exe
- msftesql.exe
- %s\\f%u.hta
- mshta.exe "%s" "%%1"
- %S.sage
- proxies
- lang
- !HELP_SOS
- filename
- userkey
- onion
- mbfce24rgn65bx3g
- %S\\System32\\eventvwr.exe
- %s\\%s.exe
- %S\\win32k.sys
- 7gie6ffnkrjykggd
- kernel32.dll
- advapi32.dll
- iphlpapi.dll
- wlanapi.dll
- wi1 P
- i$6rdP
- 1DlG54k
- *0,

- |q)7}
- 6vj;
- B|r`i
- ;aq{=
- VW9'
- 03!;
- $+&l4;
- n7`oE
- \\9S3
- e.YD
- mEo1\\L
- YDEQM4
- 6t6]Aw
- <mz?O
- _1zk"
- [3at
- ,lO[
- }6zU
- !s5*V
- aRl_
- nRK8
- nG0V
- j#$L5
- (..#E5
- g9Bl
- q08:
- *ikS
- Z}5Fr
- 7!&g;
- 3eById\\
- (L>`0
- 9{7b
- 6SvZZ
- -,f7\\
- _s?U
- W_]_U}U
- neliL1\\
- iG6(
- /2Sp
-)1^kN7w-
- Usf:[
- qBzU
- -2>7mo
- %i~:
- *333
- p:qFi
- JzA?
- 1fJi
- uri2
- Wp?8
- 3wI#
- q9GI=
- byE6
- Bt\\78
- 6_VvY+6*o
- ~5N[
- jQ"u

- *R>0
- #1nW3
- <7L|
- 9dWYe
- 6]9!B
- iN8R
- 2(C
-]00h
- ,bNu
- /VRE
- 5LxS
- 0zM+:
- i}lR
- n4?To
- 5b!|
-)1udys2SW
- 0Ip@
- >L11
- d3$38P
- OG%x
- q1\\]1t'
- <lSe
- 2Aw2@,
- @EF?>
- 1N$d
- 44rW8@
- L2\\KP
- $1LOtwT
- b$#4
- uh@<.
- 1_wRv
- iAs)
- wy2aw
- c/)5
- O:E;
- 9C=e
- h#a\\
- $bA?
- -A~"
- xFT4
- 93C3%
- 4SZ(
- xy|0O
- 8i~I*
- %S8&
- ZF8q
-]L[p5
- t:^>7
- E3~b
- SI?G
- |3VY"
- OU@n
- =UK8jm
- iWVm
- o47
- Wu,4]
- >eZx

- TPP0I
- ,2Oq
- {\t|TE
- tX8B
- wgO{
- b,uj
- y&r0;
- (rR8i
- 'geV33k
- LK5S
- c,3W
- OAu!+
- -ia=
- Og!|oRG
- xTaY1
-)29M
- 8B(/8s
- XO=c_
- #P}qO
- 0*$8
- T_5}
- 6"?\'
- nMuP
- t2u\\
- H9yl
- 9cA6
- pal
- "c8T
-)1o3w
- 8V7,[hc;
- v4b<?
- nK6:
- e#7kJ
- ![Oi
- p293
- \\kO<
- EOyl_
- 2~y$
- eK,w
- !XHoEM
- ai`8
- uK(<
- g>L3
- o0K*
- AR`l
- :4.;G
- EK(_
- ti^_
- ~`A.
- o`.OC
- meNy
- y2Qn
- 7uwAx
- t\tYE
- =|SA
- UEt3AK
- 1]_"

- <|@D4
- 65$o
- QuCS
- wuyMx
-]TEwaG
- 81Ww.W
- nooW
- CJ]oo+
- p(qE
- 4{&.
- req@8t
- #x^u
- DA~}
- E?//a*
- +5U9~
- 0s_G
- ZoFf
- 4<D?
- D/!#A
- p 3>
- IPVJ
- Et8vbT
- 4CI/
- 52)w
- R{r7
- _7e+r
- 4~#Y#
- 8a+4e
- dLe%
- 7Bz<
- 9<Lo
- fuY.
- o]sj
- @4qk
- L`o(
- zS,9
- sX9C
- 3hT_x
- Mo(3
- =4TE
- \\b0\t_
- 5 V.
- L9Yu4
- +NO|V
- ora@
- P#$5
- 0y{M
- |UJ>
- eV/t
- s,4}
- de~w9
- bx0;
- igK9
- Db&a;
- zVdi
- lkg
- D-9G

- ,H,a
- $EO0
- 1Tvt
- @yy;u
- 6`Yq
- hl#A
- {2dR
- NCZ2
- R+u|
- 8&)
- PlY~5
- |3<|*
- Tq7<
- ohlB
- Iw)Y
- <>c0
- *-1$
- uL/[
- T57"
- ~s1L
- 5+yq
- UzV)
- ^Y1Q
- ?\\[8+
- nA+o
- ac:F!o|
- TsNi
- f9(Bg
- 1J8,u
- [e>h
- 6/at
- x8>fz
- H-iM
- E<0<G
- EE=vA
- b=4HA
- 7BITR
- T&2U
- o/wm3
- I\\\\(3
- se}VOl9
- J2qe
- =\t@5
- uHqUA
- ^oMA@D
- 5[:0[Z9[V8[Z>[
- 6EJc
- Or[m
- |\tRo
- 7Hg9&
- 1tya
- 05wq
- 0Tx&
- +uW:a
- -e>WJ
- Vpue
- qt4[[

- w5"y
- W`A=
- &+9@
- 6pVJ
- $0/gr
- $bx{8U
- ,VO8B>2y4
- oaPn
- ;k5jJ
- 6i;H
- <>Me
- %3>{
- J\tJ9
- ^(>A
- 8gAj
- -X8]
- #iG\\
- P65(IP&
- up&S;
- nH9e
- L9\tv
- TT2&
- qV+c4
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- 7[^_]
- UWVS
- |$,`u
- D$L1
- T$<u5
- UWVS
- UWVS
- 9\\$<w
- 9\\$<v7
- |$,1
- |$89
- UWVS
- UWVS
- C<9C@
- C0tL
- S<9S@
- UWVS
- D$0t7
- UWVS
- UWVS
- UWVS
- |$$1
- UWVS
- UWVS1
- D$4=
- TDHi
- UWVS1
- D$.0
- L$,9

- D$0ty
- D$(uY9
- \\$09t$$}A
- \\$$1
- T$`u$9
- D,H0
- D$$1
- <\twZ1
- UWVS
- <A|u
- UWVS
- T$@1
- T$@u~
- T$41
- |$4f
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS1
- UWVS
- D$0Z
- UWVS
- UWVS
- UWVS
- UWVS
- L$@1
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVSd
- D$p1
- T$i9
- D$t89AB
- D$p4567
- D$l0123
- UWVS
- 0[^_
- 0[^_
- UWVS
- UWVS
- UWVS1
- UWVS
- UWVS
- 9D$,
- |$,Hu
- UWVS
- 9l$Pw
- t$@1
- 9l$D
- ;t$,u
- D$P1
- UWVS
-)Vi?

- 9D$(
- L$,9
- UWVS
- Ft/1
- D$\t9
- UWVS
- UWVS
- 8gtC
- UWVS
- UTtA
- UWVS
- D$,9G
- D$$u$
- ;l$4
- ;l$0
- UWVS
- UWVS
- UWVS
- UWVS
- D$8w
- UWVS
- UWVS
- UWVS
- T$*1
- T$(1
- UWVS
- 0^_]
- te k
- 2-by
- nd 3
- expa
- 0[^_
- UWVS
- UWVS
- 9\\$$s
- UWVS
- UWVS
- D$p9
- A43A
- UWVS
- 2D")
- .reloc
- 0@.idata
- .edata
- .rdata
- P`.data
- .text
- !This program cannot be run in DOS mode.
- #+3;CScs
- User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36
- svupwcmk
- schtasks
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- >G>\\>
- ?!?)?4?[?`?
- 9,:L:s:

- ?9?N?v?
- : ;4;V;\\>e>
- :':V:g:y:
- :(;V;
- =(=H=h=
- :$:5:M:^:w:
- :N:c:
- :R:b:
- WINHTTP.dll
- SHLWAPI.dll
- gdiplus.dll
- StrCmpW
- StrStrIW
- StrStrA
- StrRChrW
- StrChrA
- -v1#-v
- J-v+E.v
- >-v`w
- m,vs
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- &wifi;=mac:%s|ssid:%s|ss:%d
- %s\\f%u.vbs
- p="%s"
- Dim f, p
- %s\\f%u.vbs
- <NULL>
- 0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ
- WinSxS
- $WINDOWS.~BT
- mysqld-nt.exe
- %S...
- %s\\%s.bmp
- %s\\!HELP_SOS.hta
- %s.%s
- %s\\%s.tmp
- /C "%S"
- "%s"
- /CREATE /TN "%s" /TR "%s" /SC ONLOGON /RL HIGHEST /F
- /DELETE /TN /F "%s"
- %s\\%s.lnk
- NTDLL.DLL
- {"b":"%#.*s"}
- pdh.dll
- mpr.dll
- ntdll.dll
- "%s" g
- NP^X
- HJ{{R
- ("*'
- *,\t\'*"
- X&ZB;]V
- '*!
- ("!\'*
- =`,L
- *B=h
- V;+:

- RBZ(
- /-$_m-`.
- V[s-*
- *$-n
- 6n`hSw
- 'mY1kmD
- }'TG\t#
- sF<b
- !jyM
- z,gw
- 5cT<mm
- P"+T"
- >i*=X%
- @P[;`Q=a
- @kMC
- Y \\C
- %;SD
- ?GhQ
- Lv|lu!
- rPXg
- Z|Z}
- QP-G
- Z&gb;
- N[l_
- H$.$
- S\t-Q
- n}m
- :ccm(`
- VLdYXr
- SD\t]~P
- /hY)q1
-)mD+_
- X.`b+_
- *`b
- q<kN
- Wpy|)3
- x@q
- k%\\+
- H}FD
- ?z n
- y:~i$;
- r=My
- {mdZ"c2
- <KqY
- tK[K#n
- B%?x
- *,:]
- lDZ\\
- h%*w
- cy~b
- j@P,d
- a$/"Sd
- xgDN
- /JVr
- z#t%
- uXwbmX
- s,wQV

- M>/)
- {`sJQ
- }#Hl\\
- *|cL
- SC_wR
- zLRt
- >/!{
- +PTs
- J[l/s
- d@NJ/
- jcz
- jX6${rj
- j/Kb
- yDzn\\M2
- By<?
- \\(_'
- [C6fln~
- ,c'N
- *_/h
- x\t;g
- zVsN
- /_qvX
- &{s##
- bp|^
- Kgpv
- b\\Lc
- f@.R
- /KgZ
- CS-X
- *P+<Y
- 'tX{
- +^)"B_
- Dd|R
- 0y$r G
- zVDv[+r
- .!Ck
- =~\\R
- lt>`t
- ;md'
- rKV"OP
- Wz&W;
- h\\`S
- gT`^bU
- *DFc
- }JT j$
- T>|>
- V%~z
- T^*0?p
- \\@g~%
- t`Sf8ZB
- TFTF^
- V\\ZD
-]Db!
- :Rz*
- *gnQ
- -&@:
- ~$Dw

- VgqW
- 4?mY\tt
- jF..
- /yZ@
- *b=lL
- lT)!T
- ;NPdc
-]'W*
- zCs\\~
- 'f{~
- xLTVN
- csObvY
- *).P
- vV+]_
- :{qXP
- z\t"B
- DwWL
- |FzkC
- BG?(
- h\tJbB-
- K%Bv.
- hy|b)T!w#
- htR@
- fSHB
- !j_;?
- l@+*
- y-gL
- l|y$
- |rW?'V
- JTCT
- ZZcs
- ,{.F
- .&kF;%\tj
- Jr!HJ
- !:\\wS
- V(w#
-)&oPP;|
- !px$
- <zYx
- ^v#Z
- @\\qPHk
- M)t
- ~tJmW
- J$\\1yF
- GB]k
- @^*EgR
- "Cl(qe
- Dq<Q
- kZL*
- nv)!n
- gLF`
- &gSU..;
- LnX&X;
- h#\\k
- P_t
- bSkv
- #s Y

- =.Dn
- ~k/M
- *?:_
- d$lw
- |G M
- gHzK
- {SbZh
- Q-zK
- ' I.\\
- ~xg>q
-)Bfx
- tMKx.
- ^F[c
- ~Y$W
- <-b~
-)q@?
- l@NG
- rc[B
- $_\t:
- wV&L;
- sx|*l4
- -]|y
- @rz k
- RG+F
- qh~q
- K"Qg
- G:*:
- b~zJb
- }?|
- nXfs
- ^}FG
- FNn+
- H"JG
- >|`m
- vqywubW
- X?XP
- Wq^#'
- vq-d
- |~@Y
- Z5}:RJ
- lH>B
- V+$T
- M%)C
- RPyXK
- n{{[
- L+-:s1
- MGVt
- d(#vp
- S(W([
- BQ_r
- l@J?
- VQ-S
- z_{.=s
- "JYP
- L*nw
- >|,p
- D`=ZSG

- PJ<x+
- r"]B
- [config----------]
- %#*N
- ,[^_]
- ,[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- L[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- $[^_]
- \\x f
- [^_]
- [^_]
- L[^_]
- [^_]
- L[^_]
- $9l$<w
- D$(t^
- L[^_]
- D$$=
- [^_]
- l[^_]
- +D$,
- t$Nf
- T$Hf
- L[^_]
- [^_]
- D$`
- ;t$$
- |$`)
- \\$<)
- D$`
- D$$u};t$$
- gfff
- D$`%t!
- |$(l
- D$`
- ;t$(
- D$`

- D$`
- D$` ~7
- D$` u;
- |$`)
- gfff
- |$(l
- <\twG
- [^_]
- <%tk
- ,[^_]
- ,[^_]
- l[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- [^_]
- \\[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- ,[^_]
- [^_]
- [^_]
- [^_]
- t*;n
- t&;s
- [^_
- [^_
- <[^_]
- ,[^_]
- ,[^_]
- [^_]
- [^_]
- [^_]
- D$xCDEF
- D$,h
- [^_]
- L[^_]
- [^_
- [^_
- [^_]
- [^_]
- l[^_]
- ,[^_]
- <[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- ;\\$,t+

- [^_]
- D$,Fs
- D$(s
- D$!
- [^_]
- [^_]
- [^_]
- D$LD
- L[^_]
- [^_]
- \\$&f;
- [^_]
- .[^_]
- @[^_
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- <[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- C<[^]
- L[^_]
- T$&f;
- \\[^_]
- \\[^_]
- XZ[^_]
- D$$<
- D$(@
- [^_]
- [^_
- [^_
- <[^_]
-)\\$,
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- P[^_]
- QZ^&
- `@.bss

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- **Module 2 yara matches**

  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Http_API (Match Windows Http API call)
  - Armadillo_v4x ()
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - DebuggerCheck__QueryInfo ()
  - anti_dbg (Checks if being debugged)
  - network_udp_sock (Communications over UDP network)
  - network_tcp_socket (Communications over RAW socket)
  - network_dns (Communications use DNS)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - with_images (Rule to detect the presence of an or several images)
  - without_urls (Rule to detect the no presence of any url)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - MD5_Constants (Look for MD5 constants)
  - RIPEMD160_Constants (Look for RIPEMD-160 constants)
  - SHA1_Constants (Look for SHA1 constants)
  - BASE64_table (Look for Base64 table)

- **Module 2 strings**

  - **Module 2 most interesting strings**

  - suspicious event or string: /C bcdedit.exe /set {default} recoveryenabled no
  - suspicious event or string: /C bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures
  - suspicious event or string: vssadmin.exe
  - url | valid domains | tlds: -v&<.vA
  - url | valid domains | tlds: maps.googleapis.com
  - path | frequently modified by malware: AppData
  - path | frequently modified by malware: AppData
  - api | frequently used by malware: socket
  - api | frequently used by malware: sendto
  - api | frequently used by malware: send
  - api | frequently used by malware: recv
  - api | frequently used by malware: htons
  - api | frequently used by malware: connect
  - api | frequently used by malware: closesocket
  - api | frequently used by malware: WSAStartup
  - api | frequently used by malware: GetForegroundWindow
  - api | frequently used by malware: CoCreateInstance
  - api | frequently used by malware: WriteFile
  - api | frequently used by malware: WideCharToMultiByte
  - api | frequently used by malware: OpenProcess
  - api | frequently used by malware: IsDebuggerPresent
  - api | frequently used by malware: GetTickCount
  - api | frequently used by malware: GetProcAddress
  - api | frequently used by malware: ExitThread

- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: CreateThread
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: f.DeleteFile Wscript.ScriptFullName, True
- api | frequently used by malware: WScript.Sleep(1000)
- api | frequently used by malware: f.DeleteFile p, True
- api | frequently used by malware: NtQueryInformationProcess
- registry: Software\\Microsoft\\Cryptography
- registry: Software\\Classes
- registry: Software\\Classes\\mscfile
- registry: Software\\Classes\\mscfile\\shell\\open\\command
- path | path unit: n:\\8
- api | ws2_32: shutdown
- api | ws2_32: ioctlsocket
- api | ws2_32: getsockopt
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSAGetLastError
- api | ntdll: |thumbs.db|desktop.ini|ntuser.dat|ntuser.ini|ntuser.dat.log|autoexec.bat|boot.ini|index.dat|BOOTSECT.BAK|system.ini|
- api | user32: SystemParametersInfoW
- api | user32: ShowWindow
- api | user32: GetSystemMetrics
- api | user32: GetKeyboardLayoutList
- api | user32: CharLowerBuffW
- api | user32: CharLowerBuffA
- api | kernel32: lstrlenW
- api | kernel32: lstrlenA
- api | kernel32: lstrcmpiW
- api | kernel32: lstrcmpW
- api | kernel32: lstrcmpA
- api | kernel32: WaitForSingleObject
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: TerminateThread
- api | kernel32: TerminateProcess
- api | kernel32: SleepEx
- api | kernel32: SetFilePointerEx
- api | kernel32: SetFileAttributesW
- api | kernel32: ReleaseMutex
- api | kernel32: ReadFile
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: MultiByteToWideChar
- api | kernel32: MoveFileExW
- api | kernel32: LoadLibraryA
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: GetVersionExW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetTempPathW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetSystemDirectoryW

- api | kernel32: GetStdHandle
- api | kernel32: GetShortPathNameW
- api | kernel32: GetProcessHeap
- api | kernel32: GetModuleHandleA
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetLastError
- api | kernel32: GetFileTime
- api | kernel32: GetFileSizeEx
- api | kernel32: GetFileSize
- api | kernel32: GetExitCodeThread
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetDriveTypeW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: GetConsoleWindow
- api | kernel32: GetComputerNameW
- api | kernel32: GetCommandLineW
- api | kernel32: FlushFileBuffers
- api | kernel32: FileTimeToSystemTime
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteFileW
- api | kernel32: CreateProcessW
- api | kernel32: CreateMutexA
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: AttachConsole
- api | advapi32: SystemFunction036
- api | advapi32: RegSetValueW
- api | kernel32: RegSetValueExW
- api | kernel32: RegSetValueExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExW
- api | advapi32: RegDeleteKeyA
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegCreateKeyA
- api | advapi32: GetUserNameW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetSidSubAuthority
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: IsWow64Process

• Module 2 other strings

- !1Aa
- Connection: close
- POST
- \\\\.\\System\\System Up Time
- open
- open
- virus

- sampel
- malw
- sample
- open
- htafile\\DefaultIcon
- %WinDir%\\system32\\shell32.dll,44
- sage.notice\\shell\\open\\command
- sage.notice\\FriendlyTypeName
- encrypted file
- sage.notice\\DefaultIcon
- %WinDir%\\system32\\shell32.dll,47
- .sage
- sage.notice
- .eft
- siwpa
- svchost.exe
- Arial
- Control Panel\\Desktop
- Wallpaper
- etdari
- open
- dWINDIR
- cmd.exe
- delete shadows /all /quiet
- runas
- 4L4P4
- 0'1/1
- 1.1g1
- 050E0a0q0
- 8W9o9
- 858\\8
- 576s6
- 4P4]4f4
- 30:0"393?3
- :1Z1
- 9[<i=R?
- 919=9J9
- 768n8
- 3/373U3|3
- 1N2k2
- 0\t1b1
- 9$9.989A9T9^9h9q9
- 6%7Q8d8n8x8
- 556Y6a6
- 4C5T5
- 1(1I1f1
- A0Z0
- 8l839K9c9{9
- ;N;a;o;x;
- 7E7t7
- 5F6d6
- 011P1
- 0"0.0:0F0R0
- 9*9/9B9V9x9
- 8 8/8:8K8X8c8j8y8
- 6'7<7H7n7
- (0c2

- =3=E=k=
- 828U8
- 7'7E7g7
- 2'2I2
- 1,1D1
- 92979K9u9
- 7/7D7'888O8\\8m8
- 6$6*6:6O6
- 3W4i4{4
- 203D3j3r3
- 051Q2|2
- 0-0e0}0
- 7&8N8h9
- 5&5.565>5F5N5V5^5f5n5v5~5
- 0(0-0
- WS2_32.dll
- USER32.dll
- SHELL32.dll
- ole32.dll
- KERNEL32.dll
- ADVAPI32.dll
- WinHttpSendRequest
- WinHttpReceiveResponse
- WinHttpReadData
- WinHttpQueryHeaders
- WinHttpQueryDataAvailable
- WinHttpOpenRequest
- WinHttpOpen
- WinHttpConnect
- WinHttpCloseHandle
- WinHttpAddRequestHeaders
- ShellExecuteW
- ShellExecuteExW
- SHGetFolderPathW
- SHChangeNotify
- CommandLineToArgvW
- CoInitialize
- GdiplusStartup
- GdipSetStringFormatLineAlign
- GdipSetStringFormatAlign
- GdipSaveImageToFile
- GdipGraphicsClear
- GdipGetImageGraphicsContext
- GdipFree
- GdipDrawString
- GdipDisposeImage
- GdipDeleteStringFormat
- GdipDeleteGraphics
- GdipDeleteFontFamily
- GdipDeleteFont
- GdipDeleteBrush
- GdipCreateStringFormat
- GdipCreateLineBrushFromRectI
- GdipCreateFontFamilyFromName
- GdipCreateFont
- GdipCreateBitmapFromScan0
- GdipCloneImage

- GdipCloneBrush
- GdipAlloc
- Y-v5
- w\\9.v
- /.v3
- Y-vo
- e.vb
- wO!.v
- 5.vM)v]7.v1
- sample.exe
- W3.v
- /maps/api/browserlocation/json?browser=firefox&sensor;=true
- kernel32
- MachineGuid
- Loop
- Do While (f.FileExists(p))
- Set f=CreateObject("Scripting.FileSystemObject")
- On Error Resume Next
- 0123456789abcdefghijklmnopqrstuvwxyz
- Templates
- Sample Media
- Sample Videos
- Sample Pictures
- Sample Music
- System32
- Microsoft
- intel
- nvidia
- ApplicationData
- All Users
- node_modules
- Content.IE5
- History.IE5
- Cookies
- My Games
- Games
- GOG Games
- GAC_32
- GAC_MSIL
- httpcache
- cache2
- steamapps
- League of Legends
- DriverStore
- Windows
- Boot
- System Volume Information
- DRIVERS
- DRIVER
- Windows.old
- $RECYCLE.BIN
- $Recycle.Bin
- Program Files
- Program Files (x86)
- ProgramData
- Application Data
- winnt

- Temp
- sqbcoreservice.exe
- dbeng50.exe
- mysqld-opt.exe
- mysqld.exe
- ocomm.exe
- tbirdconfig.exe
- firefoxconfig.exe
- encsvc.exe
- agntsvc.exe
- ocautoupds.exe
- mydesktopservice.exe
- xfssvccon.exe
- isqlplussvc.exe
- agntsvc.exe
- mydesktopqos.exe
- synctime.exe
- dbsnmp.exe
- ocssd.exe
- oracle.exe
- sqlwriter.exe
- sqlservr.exe
- sqlbrowser.exe
- sqlagent.exe
- msftesql.exe
- %s\\f%u.hta
- mshta.exe "%s" "%%1"
- %S.sage
- proxies
- lang
- !HELP_SOS
- filename
- userkey
- onion
- mbfce24rgn65bx3g
- %S\\System32\\eventvwr.exe
- %s\\%s.exe
- %S\\win32k.sys
- 7gie6ffnkrjykggd
- kernel32.dll
- advapi32.dll
- iphlpapi.dll
- wlanapi.dll
- wi1 P
- i$6rdP
- 1DlG54k
- *0,
- |q)7}
- 6vj;
- B|r`i
- ;aq{=
- VW9'
- 03!;
- $+&l4;
- n7`oE
- \\9S3
- e.YD

- mEo1\\L
- YDEQM4
- 6t6]Aw
- <mz?O
- _1zk"
- [3at
- ,lO[
- }6zU
- !s5*V
- aRl_
- nRK8
- nG0V
- j#$L5
- (..#E5
- g9Bl
- q08:
- *ikS
- Z}5Fr
- 7!&g;
- 3eById\\
- (L>`0
- 9{7b
- 6SvZZ
- -,f7\\
- _s?U
- W_]_U}U
- neliL1\\
- iG6(
- /2Sp
-)1^kN7w-
- Usf:[
- qBzU
- -2>7mo
- %i~:
- *333
- p:qFi
- JzA?
- 1fJi
- uri2
- Wp?8
- 3wI#
- q9GI=
- byE6
- Bt\\78
- 6_VvY+6*o
- ~5N[
- jQ"u
- *R>0
- #1nW3
- <7L|
- 9dWYe
- 6]9!B
- iN8R
- 2(C
-]00h
- ,bNu
- /VRE

- 5LxS
- 0zM+:
- i}lR
- n4?To
- 5b!|
-)1udys2SW
- 0Ip@
- >L11
- d3$38P
- OG%x
- q1\\]1t'
- <lSe
- 2Aw2@,
- @EF?>
- 1N$d
- 44rW8@
- L2\\KP
- $1LOtwT
- b$#4
- uh@<.
- 1_wRv
- iAs)
- wy2aw
- c/)5
- O:E;
- 9C=e
- h#a\\
- $bA?
- -A~"
- xFT4
- 93C3%
- 4SZ(
- xy|0O
- 8i~I*
- %S8&
- ZF8q
-]L[p5
- t:^>7
- E3~b
- SI?G
- |3VY"
- OU@n
- =UK8jm
- iWVm
- o47
- Wu,4]
- >eZx
- TPP0I
- ,2Oq
- {\t|TE
- tX8B
- wgO{
- b,uj
- y&r0;
- (rR8i
- 'geV33k
- LK5S

- c,3W
- OAu!+
- -ia=
- Og!|oRG
- xTaY1
-)29M
- 8B(/8s
- XO=c_
- #P}qO
- 0*$8
- T_5}
- 6"?\'
- nMuP
- t2u\\
- H9yl
- 9cA6
- pal
- "c8T
-)1o3w
- 8V7,[hc;
- v4b<?
- nK6:
- e#7kJ
- ![Oi
- p293
- \\kO<
- EOyl_
- 2~y$
- eK,w
- !XHoEM
- ai`8
- uK(<
- g>L3
- o0K*
- AR`l
- :4.;G
- EK(_
- ti^_
- ~`A.
- o`.OC
- meNy
- y2Qn
- 7uwAx
- t\tYE
- =|SA
- UEt3AK
- 1]_"
- <|@D4
- 65$o
- QuCS
- wuyMx
-]TEwaG
- 81Ww.W
- nooW
- CJ]oo+
- p(qE
- 4{&.

- req@8t
- #x^u
- DA~}
- E?//a*
- +5U9~
- 0s_G
- ZoFf
- 4<D?
- D/!#A
- p 3>
- IPVJ
- Et8vbT
- 4CI/
- 52)w
- R{r7
- _7e+r
- 4~#Y#
- 8a+4e
- dLe%
- 7Bz<
- 9<Lo
- fuY.
- o]sj
- @4qk
- L`o(
- zS,9
- sX9C
- 3hT_x
- Mo(3
- =4TE
- \\b0\t_
- 5 V.
- L9Yu4
- +NO|V
- ora@
- P#$5
- 0y{M
- |UJ>
- eV/t
- s,4}
- de~w9
- bx0;
- igK9
- Db&a;
- zVdi
- Ikg
- D-9G
- ,H,a
- $EO0
- 1Tvt
- @yy;u
- 6`Yq
- hI#A
- {2dR
- NCZ2
- R+u|
- 8&)

- PIY~5
- |3<|*
- Tq7<
- ohlB
- Iw)Y
- <>c0
- *-1$
- uL/[
- T57"
- ~s1L
- 5+yq
- UzV)
- ^Y1Q
- ?\\[8+
- nA+o
- ac:F!o|
- TsNi
- f9(Bg
- 1J8,u
- [e>h
- 6/at
- x8>fz
- H-iM
- E<0<G
- EE=vA
- b=4HA
- 7BITR
- T&2U
- o/wm3
- I\\\\(3
- se}VOl9
- J2qe
- =\t@5
- uHqUA
- ^oMA@D
- 5[:0[Z9[V8[Z>[
- 6EJc
- Or[m
- |\tRo
- 7Hg9&
- 1tya
- 05wq
- 0Tx&
- +uW:a
- -e>WJ
- Vpue
- qt4[[
- w5"y
- W`A=
- &+9@
- 6pVJ
- $0/gr
- $bx{8U
- ,VO8B>2y4
- oaPn
- ;k5jJ
- 6i;H

- <>Me
- %3>{
- J\tJ9
- ^(>A
- 8gAj
- -X8]
- #iG\\
- P65(IP&
- up&S;
- nH9e
- L9\tv
- TT2&
- qV+c4
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- 7[^_]
- UWVS
- |$,`u
- D$L1
- T$<u5
- UWVS
- UWVS
- 9\\$<w
- 9\\$<v7
- |$,1
- |$89
- UWVS
- UWVS
- C<9C@
- C0tL
- S<9S@
- UWVS
- D$0t7
- UWVS
- UWVS
- UWVS
- |$$1
- UWVS
- UWVS1
- D$4=
- TDHi
- UWVS1
- D$.0
- L$,9
- D$0ty
- D$(uY9
- \\$09t$$}A
- \\$$1
- T$`u$9
- D,H0
- D$$1
- <\twZ1
- UWVS
- <A|u

- UWVS
- T$@1
- T$@u~
- T$41
- |$4f
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS1
- UWVS
- D$0Z
- UWVS
- UWVS
- UWVS
- UWVS
- L$@1
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVSd
- D$p1
- T$i9
- D$t89AB
- D$p4567
- D$l0123
- UWVS
- 0[^_
- 0[^_
- UWVS
- UWVS
- UWVS1
- UWVS
- UWVS
- 9D$,
- |$,Hu
- UWVS
- 9l$Pw
- t$@1
- 9l$D
- ;t$,u
- D$P1
- UWVS
-)Vi?
- 9D$(
- L$,9
- UWVS
- Ft/1
- D$\t9
- UWVS
- UWVS
- 8gtC
- UWVS
- UTtA

- UWVS
- D$,9G
- D$$u$
- ;l$4
- ;l$0
- UWVS
- UWVS
- UWVS
- UWVS
- D$8w
- UWVS
- UWVS
- UWVS
- T$*1
- T$(1
- UWVS
- 0^_]
- te k
- 2-by
- nd 3
- expa
- 0[^_
- UWVS
- UWVS
- 9\\$$s
- UWVS
- UWVS
- D$p9
- A43A
- UWVS
- 2D")
- .reloc
- 0@.idata
- .edata
- .rdata
- P`.data
- .text
- !This program cannot be run in DOS mode.
- #+3;CScs
- User-Agent:Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36
- svupwcmk
- schtasks
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- >G>\\>
- ?!?)?4?[?`?
- 9,:L:s:
- ?9?N?v?
- : ;4;V;\\>e>
- :':V:g:y:
- :(;V;
- =(=H=h=
- :$:5:M:^:w:
- :N:c:
- :R:b:
- WINHTTP.dll
- SHLWAPI.dll

- gdiplus.dll
- StrCmpW
- StrStrIW
- StrStrA
- StrRChrW
- StrChrA
- -v1#-v
- J-v+E.v
- >-v`w
- m,vs
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- &wifi;=mac:%s|ssid:%s|ss:%d
- %s\\f%u.vbs
- p="%s"
- Dim f, p
- %s\\f%u.vbs
- <NULL>
- 0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ
- WinSxS
- $WINDOWS.~BT
- mysqld-nt.exe
- %S...
- %s\\%s.bmp
- %s\\!HELP_SOS.hta
- %s.%s
- %s\\%s.tmp
- /C "%S"
- "%s"
- /CREATE /TN "%s" /TR "%s" /SC ONLOGON /RL HIGHEST /F
- /DELETE /TN /F "%s"
- %s\\%s.lnk
- NTDLL.DLL
- {"b":"%#.*s"}
- pdh.dll
- mpr.dll
- ntdll.dll
- "%s" g
- NP^X
- HJ{{R
- ("*'
- *,\t\'*"
- X&ZB;]V
- '*!
- ("!\'*
- =`,L
- *B=h
- V;+:
- RBZ(
- /-$_m-`.
- V[s-*
- *$-n
- 6n`hSw
- 'mY1kmD
- }'TG\t#
- sF<b
- !jyM
- z,gw

- 5cT<mm
- P"+T"
- >i*=X%
- @P[;`Q=a
- @kMC
- Y \\C
- %;SD
- ?GhQ
- Lv|lu!
- rPXg
- Z|Z}
- QP-G
- Z&gb;
- N[l_
- H$.$
- S\t-Q
- n}m
- :ccm(`
- VLdYXr
- SD\t]~P
- /hY)q1
-)mD+_
- X.`b+_
- *`b
- q<kN
- Wpy|)3
- x@q
- k%\\+
- H}FD
- ?z n
- y:~i$;
- r=My
- {mdZ"c2
- <KqY
- tK[K#n
- B%?x
- *,:]
- lDZ\\
- h%*w
- cy~b
- j@P,d
- a$/"Sd
- xgDN
- /JVr
- z#t%
- uXwbmX
- s,wQV
- M>/)
- {`sJQ
- }#Hl\\
- *|cL
- SC_wR
- zLRt
- >/!{
- +PTs
- J[l/s
- d@NJ/

- jcz
- jX6${rj
- j/Kb
- yDzn\\M2
- By<?
- \\(_'
- [C6fIn~
- ,c'N
- *_/h
- x\t;g
- zVsN
- /_qvX
- &{s##
- bp|^
- Kgpv
- b\\Lc
- f@.R
- /KgZ
- CS-X
- *P+<Y
- 'tX{
- +^)"B_
- Dd|R
- 0y$r G
- zVDv[+r
- .!Ck
- =~\\R
- lt>`t
- ;md'
- rKV"OP
- Wz&W;
- h\\`S
- gT`^bU
- *DFc
- }JT j$
- T>|>
- V%~z
- T^*0?p
- \\@g~%
- t`Sf8ZB
- TFTF^
- V\\ZD
-]Db!
- :Rz*
- *gnQ
- -&@:
- ~$Dw
- VgqW
- 4?mY\tt
- jF..
- /yZ@
- *b=lL
- lT)!T
- ;NPdc
-]'W*
- zCs\\~
- 'f{~

- xLTVN
- csObvY
- *).P
- vV+]_
- :{qXP
- z\t"B
- DwWL
- |FzkC
- BG?(
- h\tJbB-
- K%Bv.
- hy|b)T!w#
- htR@
- fSHB
- !j_;?
- l@+*
- y-gL
- l|y$
- |rW?'V
- JTCT
- ZZcs
- ,{.F
- .&kF;%\tj
- Jr!HJ
- !:\\wS
- V(w#
-)&oPP;|
- !px$
- <zYx
- ^v#Z
- @\\qPHk
- M)t
- ~tJmW
- J$\\1yF
- GB]k
- @^*EgR
- "Cl(qe
- Dq<Q
- kZL*
- nv)!n
- gLF`
- &gSU..;
- LnX&X;
- h#\\k
- P_t
- bSkv
- #s Y
- =.Dn
- ~k/M
- *?:_
- d$lw
- |G M
- gHzK
- {SbZh
- Q-zK
- ' I.\\
- ~xg>q

-)Bfx
- tMKx.
- ^F[c
- ~Y$W
- <-b~
-)q@?
- l@NG
- rc[B
- $_\t:
- wV&L;
- sx|*l4
- -]|y
- @rz k
- RG+F
- qh~q
- K"Qg
- G:*:
- b~zJb
- }?|
- nXfs
- ^}FG
- FNn+
- H"JG
- >|`m
- vqywubW
- X?XP
- Wq^#'
- vq-d
- |~@Y
- Z5}:RJ
- lH>B
- V+$T
- M%)C
- RPyXK
- n{{[
- L+-:s1
- MGVt
- d(#vp
- S(W([
- BQ_r
- l@J?
- VQ-S
- z_{.=s
- "JYP
- L*nw
- >|,p
- D`=ZSG
- PJ<x+
- r"]B
- [config----------

---]

- %#*N
- .[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- L[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- $[^_]
- \\x f
- [^_]
- [^_]
- L[^_]
- [^_]
- L[^_]
- $9l$<w
- D$(t^
- L[^_]
- D$$=
- [^_]
- l[^_]
- +D$,
- t$Nf
- T$Hf
- L[^_]
- [^_]
- D$`
- ;t$$
- |$`)
- \\$<)
- D$`
- D$$u};t$$
- gfff
- D$`%t!
- |$(l
- D$`
- ;t$(
- D$`
- D$`
- D$` ~7
- D$` u;
- |$`)
- gfff
- |$(l
- <\twG
- [^_]
- <%tk
- .[^_]

- .[^_]
- l[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- [^_]
- \\[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- t*;n
- t&;s
- [^_
- [^_
- <[^_]
- .[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- D$xCDEF
- D$,h
- [^_]
- L[^_]
- [^_
- [^_
- [^_]
- [^_]
- l[^_]
- .[^_]
- <[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- ;\\$,t+
- [^_]
- D$,Fs
- D$(s
- D$!
- [^_]
- [^_]
- [^_]
- D$LD
- L[^_]
- [^_]

- \\$&f;
- [^_]
- .[^_]
- @[^_
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- <[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- C<[^]
- L[^_]
- T$&f;
- \\[^_]
- \\[^_]
- XZ[^_]
- D$$<
- D$(@
- [^_]
- [^_
- [^_
- <[^_]
-)\\$,
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- P[^_]
- QZ^&
- `@.bss