Analysis report for sample: bc09a38b81d68c71a3bb7ee1e972e255

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 7740 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: bc09a38b81d68c71a3bb7ee1e972e255

AV detections

- Microsoft: TrojanSpy:Win32/Banker
- Kaspersky: HEUR:Trojan.Script.Generic
- Symantec: Trojan Horse
- Malwarebytes: Trojan.Downloader

Original source url

- hxxp://eiainteriors.com/wp-content/plugins/jetpack/08-07-homer.exe

Virustotal url

- https://virustotal.com/es/file/e36a18644ddb0207ebe16af3e70b62d44a5890b470f4e3dfab81e613fecbe972/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Random (Look for Random function)
- Delphi_CompareCall (Look for Compare string function)

Snapshot


Computer
C:\Windows
Recycle Bin
Start
4:17 PM
Saturday
5/20/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe

- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name taskeng.exe
- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Microsoft Run Type: REG_EXPAND_SZ, Length: 78, Data: "C:\\Users\\javi\\AppData\\Local\\javi.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\ExtendedUIHoverTime Type: REG_DWORD, Length: 4, Data: 20000)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: h.gi
- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: This is a compiled AutoIt script. AV researchers please email avsupport@autoitscript.com for support.
- url | valid domains | tlds: Gt.Ht$
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: WSASend
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: Connect
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Bind
- api | frequently used by malware: Send|
- api | frequently used by malware: Send
- api | frequently used by malware: Accept
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetCapture
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetAsyncKeyState
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetMenu
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: DeviceIoControl

- api | frequently used by malware: LoadResource
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: DllGetClassObject
- api | frequently used by malware: GetNativeSystemInfo
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStreamVCL.pas
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- path | path unit: C:\\Builds\\TP\\rtl\\common\\SyncObjs.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\TypInfo.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- path | path unit: Y:/(A6>
- api | ws2_32: FreeAddrInfoExW
- api | ws2_32: SetAddrInfoExW
- api | ws2_32: GetAddrInfoExW
- api | ws2_32: InetNtopW
- api | ws2_32: InetPtonW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: GetNameInfoW
- api | ws2_32: GetAddrInfoW
- api | ws2_32: WSAPoll
- api | ws2_32: WSASendMsg
- api | ws2_32: WSAProviderConfigChange
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceA
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdA
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersA
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoA
- api | ws2_32: WSARemoveServiceClass
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassA
- api | ws2_32: WSANSPIoctl

- api | ws2_32: WSALookupServiceEnd
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextA
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginA
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressA
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketA
- api | ws2_32: WSASetEvent
- api | ws2_32: WSASendTo
- api | ws2_32: WSASendDisconnect
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSARecvFrom
- api | ws2_32: WSARecvDisconnect
- api | ws2_32: WSARecv
- api | ws2_32: WSANtohs
- api | ws2_32: WSANtohl
- api | ws2_32: WSAJoinLeaf
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAHtons
- api | ws2_32: WSAHtonl
- api | ws2_32: WSAGetQOSByName
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsA
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketA
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAConnect
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSAAccept
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSASetLastError
- api | ws2_32: getprotobyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getservbyname
- api | ws2_32: getservbyport
- api | ws2_32: gethostbyaddr

- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: ioctlsocket
- api | ws2_32: WSACleanup
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | user32: SetLayeredWindowAttributes
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | urlmon: Extract
- api | user32: EnumChildWindows
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus
- api | user32: DrawEdge
- api | user32: DrawIcon
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect

- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages
- api | ntdll: sqrt
- api | ntdll: atan
- api | ntdll: ?pow
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEndOfFile
- api | kernel32: WriteConsoleW
- api | kernel32: HeapReAlloc
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: LCMapStringW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetDateFormatW
- api | kernel32: SetFilePointer
- api | kernel32: ReadConsoleW
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: GetStartupInfoW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetCommandLineW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetModuleHandleExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: InitiateSystemShutdownExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation

- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: ReleaseCapture
- api | user32: CallWindowProcW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu
- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: DrawMenuBar
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: DrawFrameControl
- api | user32: DrawTextW
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage

- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput
- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible

- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: SendMessageTimeoutW
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: GetUserObjectSecurity
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: PostQuitMessage
- api | user32: KillTimer
- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Beep
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreateEventW
- api | kernel32: GetShortPathNameW

- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDriveTypeW
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange
- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: CopyFileW
- api | kernel32: MoveFileW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW

- api | kernel32: lstrcpyW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetSystemInfo
- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapFree
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThread
- api | kernel32: CloseHandle
- api | kernel32: GetLastError
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: lstrcmpiW
- api | kernel32: RaiseException
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | psapi: GetProcessMemoryInfo
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetProcessId
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: IsWow64Process
- api | kernel32: CreateFile2
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers

- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc

Involved hosts

- dacsilva.com:82
- 192.168.133.220:49195
- 192.168.133.220:68
- 192.168.133.254:67
- 216.58.211.238:443 (tools.google.com)

Dns queries

- tools.google.com ---> 216.58.211.238
- 2.133.168.192.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- 238.211.58.216.in-addr.arpa ---> no answers
- 232.148.98.200.in-addr.arpa ---> no answers
- dns.msftncsi.com ---> 131.107.255.255

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.220:49195 ---> 216.58.211.238 (tools.google.com) :443

zBc`[...]tools.google.com[...]N\tT<[...]$ekp[...]Av+.\\[...]HGDgL[...]}Ixbx[...]$"b,f[...]2BR.[hr[...]?_ W[...]a}r3W[...]?Kf)[...]P\'W[[...][H]p[...]|%.a[...]]S>\'_O

• tcp 216.58.211.238 (tools.google.com) :443 ---> 192.168.133.220:49195

TeY@c[...]Google Inc1%0#[...]Google Internet Authority G20[...]170516141712Z[...]170808134100Z0f1[...]California1[...]Mountain View1[...]Google Inc1[...]*.google.com0Y0[...]*.google.com[...]*.android.com[...]*.appengine.google.com[...]*.cloud.google.com[...]*.gcp.gvt2.com[...]*.google-analytics.com[...]*.google.ca[...]*.google.cl[...]*.google.co.in[...]*.google.co.jp[...]*.google.co.uk[...]*.google.com.ar[...]*.google.com.au[...]*.google.com.br[...]*.google.com.co[...]*.google.com.mx[...]*.google.com.tr[...]*.google.com.vn[...]*.google.de[...]*.google.es[...]*.google.fr[...]*.google.hu[...]*.google.it[...]*.google.nl[...]*.google.pl[...]*.google.pt[...]*.googleadapis.com[...]*.googleapis.cn[...]*.googlecommerce.com[...]*.googlevideo.com[...]*.gstatic.cn[...]*.gstatic.com[...]*.gvt1.com[...]*.gvt2.com[...]*.metric.gstatic.com[...]*.urchin.com[...]*.url.google.com[...]*.youtube-nocookie.com[...]*.youtube.com[...]*.youtubeeducation.com[...]*.ytimg.com[...]android.clients.google.com[...]android.com[...]developer.android.google.cn[...]developers.android.google.cn[...]g.co[...]goo.gl[...]google-analytics.com[...]google.com[...]googlecommerce.com[...]source.android.google.cn[...]urchin.com[...]www.goo.gl[...]youtu.be[...]youtube.com[...]youtubeeducation.com0h[...]\\0Z0+[...]http://pki.google.com/GIAG2.crt0+[...]http://clients1.google.com/ocsp0[...])0\'0%[...]http://pki.google.com/GIAG2.crl0[...]XOCJ[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]150401000000Z[...]171231235959Z0I1[...]Google Inc1%0#[...]Google Internet Authority G20[...]"0 0[...]http://g.symcd.com0[...].0,0*[...]$http://g.symcb.com/crls/gtglobal.crl0[...]LHcI[...]AP?.W[...]fX__d[...]L)Z:[...]Equifax1-0+[...]$Equifax Secure Certificate Authority0[...]020521040000Z[...]180821040000Z0B1[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]X/f9)[...]3010/[...])http://crl.geotrust.com/crls/secureca.crl0N[...]G0E0C[...]0;09[...]-https://www.geotrust.com/resources/repository0[...]hA?A^[...]VpaX6[...]bwHE[...]%\\`[...]#LU"[...]:$su[...]NX>dm[...]`u6\'O=)

• udp 192.168.133.254:67 ---> 192.168.133.220:68

localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, cebo.exe)
    - Thread T6 (in process P1, cebo.exe)

- **Thread' events**

  - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Microsoft Run Type: REG_EXPAND_SZ, Length: 78, Data: "C:\\Users\\javi\\AppData\\Local\\javi.exe")
  - Thread Create (Thread ID: T5)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\ExtendedUIHoverTime Type: REG_DWORD, Length: 4, Data: 20000)
  - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T6)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P1 (cebo.exe)'s network events

- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: h.gi
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: WSASend
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Bind
- api | frequently used by malware: Bind
- api | frequently used by malware: Bind
- api | frequently used by malware: Connect
- api | frequently used by malware: Send|
- api | frequently used by malware: Send
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Accept
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Send
- api | frequently used by malware: Connect
- api | frequently used by malware: Sleep
- api | frequently used by malware: Send
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Accept

- api | frequently used by malware: Accept
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Accept
- api | frequently used by malware: Send
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Sleep
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStreamVCL.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStreamVCL.pas
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- path | path unit: C:\\Builds\\TP\\rtl\\common\\SyncObjs.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\TypInfo.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- api | ws2_32: FreeAddrInfoExW
- api | ws2_32: SetAddrInfoExW
- api | ws2_32: GetAddrInfoExW
- api | ws2_32: InetNtopW
- api | ws2_32: InetPtonW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: GetNameInfoW
- api | ws2_32: GetAddrInfoW
- api | ws2_32: WSAPoll
- api | ws2_32: WSASendMsg
- api | ws2_32: WSAProviderConfigChange
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceA

- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdA
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersA
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoA
- api | ws2_32: WSARemoveServiceClass
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassA
- api | ws2_32: WSANSPIoctl
- api | ws2_32: WSALookupServiceEnd
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextA
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginA
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressA
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketA
- api | ws2_32: WSASetEvent
- api | ws2_32: WSASendTo
- api | ws2_32: WSASendDisconnect
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSARecvFrom
- api | ws2_32: WSARecvDisconnect
- api | ws2_32: WSARecv
- api | ws2_32: WSANtohs
- api | ws2_32: WSANtohl
- api | ws2_32: WSAJoinLeaf
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAHtons
- api | ws2_32: WSAHtonl
- api | ws2_32: WSAGetQOSByName
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsA
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketA
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAConnect
- api | ws2_32: WSACloseEvent

- api | ws2_32: WSAAccept
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSASetLastError
- api | ws2_32: getprotobyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getservbyname
- api | ws2_32: getservbyport
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: ioctlsocket
- api | ws2_32: WSACleanup
- api | user32: SetLayeredWindowAttributes
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | urlmon: Extract
- api | user32: EnumChildWindows
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus

• api | user32: DrawEdge
• api | user32: DrawIcon
• api | user32: DrawEdge
• api | user32: SetFocus
• api | user32: ScreenToClient
• api | user32: ClientToScreen
• api | user32: DragObject
• api | user32: DragObject
• api | user32: DragObject
• api | user32: DragObject
• api | urlmon: Extract
• api | urlmon: Extract
• api | kernel32: FreeResource
• api | user32: FrameRect
• api | user32: FillRect
• api | user32: DrawFocusRect
• api | user32: CopyRect
• api | user32: FrameRect
• api | user32: FillRect
• api | user32: DrawFocusRect
• api | kernel32: ResetEvent
• api | kernel32: SetEvent
• api | urlmon: Extract
• api | kernel32: GetLongPathNameW
• api | kernel32: GetThreadUILanguage
• api | kernel32: SetThreadPreferredUILanguages
• api | kernel32: GetThreadPreferredUILanguages

• Module 1 other strings

• 08275980AD40CA66E00336D60652E1112FE60F24CE033AED34518AC372
• 4EDE7BA250
• 52F86AA050EF0FD30B778E43E7
• 70FC29DE092EC3B125D619BE91CF69DF1D3BFC22CE72B2DBEA69CA046698DF509230DA12C0ED37FE32F450E41825DE0020D172D10735D719D
D15B59B5285EA0D2FF50B38F30925031AD3114EFE45E81A1B6BFD518ABD6C829B5AE91EC26095A04CE9192F92F15537D96E83A42AD7A5A0
• 2635B046DB
• Content-Type: application/x-www-form-urlencoded
• C04CAF44D24CCB41B84997
• ACB93DD160F51A3886
• D06E80AB59ED18D37290A344F9669D55934D95AA45FD31E203023992BC
• 2C39BC51E178968E39
• 758BD80538CA699F37E7
• 4CEB070A1C6F93AA3CE40636EA6B80B744CE44D643D9698AAD
• 53DF6083B9
• 2AC53938CAB95E91C67BB8619F3EF3030F1300120E2CF323D9
• 393FB0B4
• 18374AC95C2FD36BFC25C677A928C5719DA1B6A8B457E80F20
• 1F22A040F20F2B
• D5718C8FA390B4489946E71030AE4CFB080A190B1735C569
• F2057E888C9CA0928EE075839DD3A7BE7DB44BF10333FA2F2AAF5CF428CA6C
• 5FF573FD
• 719E3ADF003FF7359A41
• A589C867CD12
• root
• 0C20B65E8A8EA1469D40E614CD0C6E97BE649C5AFE28D97ABB18C9
• 1C2C45D358C84D3F5B35293FC1360215D30D2329CA7BA257F25686DE1638FF

- 30C4222C
- 84B31738D8162ECF71AB
- 50369DBBA146
- root
- 67FD54FB2828DB1CB76688B56BEB4EF71FC47FBC5186BB5C85C779
- SecurityCenter2
- SecurityCenter
- FirewallProduct
- AntiSpywareProduct
- AntiVirusProduct
- 170B097E
- A397FD73
- %1.2x
- 0.0.0.0
- 0.0.0.1
- Assertion failure
- Assertion failure
- 0.0.0.0
- 255.255.255.255
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Index out of bounds.
- No bytes in buffer.
- Capacity cannot be smaller than Size
- 10.5.7
- Assertion failure
- Assertion failure
- 127.0.0.1
- LOCALHOST
- WSARevertImpersonation
- WSAQuerySocketSecurity
- WSAImpersonateSocketPeer
- WSADeleteSocketPeerTargetName
- WSASetSocketPeerTargetName
- Wship6.dll
- TransmitPackets
- WSARecvMsg
- DisconnectEx
- ConnectEx
- WSARecvEx
- AcceptEx
- GetAcceptExSockaddrs
- TransmitFile
- WS2_32.DLL
- Invalid ACharPos
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure

- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- Neutral
- Both
- Free
- Apartment
- B09D35D900
- B5A032E80F
- 200.98.148.232
- C4BASPR2NRDO9TVPEUPXFRAU3
- commdlg_FindReplace
- Close
- Help
- YesToAll
- NoToAll
- Ignore
- Retry
- Abort
- Cancel
- user32.dll
- MAINICON
- TApplication
- Default
- layout text
- MDICLIENT
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- msctls_progress32

- explorer
- SysTreeView32
- NodeData
- Data
- comctl32.dll
- clWebBlack
- clWebDarkGray
- clWebGainsboro
- clWebDarkSlategray
- clWebDarkSlateBlue
- clWebMistyRose
- clWebDimGray
- clWebSilver
- clWebWhiteSmoke
- clWebSlateGray
- clWebSlateBlue
- clWebSteelBlue
- clWebGray
- clWebLightgrey
- clWebWhite
- clWebLightSlateGray
- clWebMediumSlateBlue
- clWebLightSteelBlue
- clWebPink
- clWebHotPink
- clWebThistle
- clWebPlum
- clWebOrchid
- clWebViolet
- clWebLightPink
- clWebDeepPink
- clWebPurple
- clWebMediumPurple
- clWebMediumOrchid
- clWebBlueViolet
- clWebPaleVioletRed
- clWebMediumVioletRed
- clWebDarkMagenta
- clWebMagenta
- clWebDarkOrchid
- clWebDarkViolet
- clWebNavy
- clWebBlue
- clWebDodgerBlue
- clWebDeepskyBlue
- clWebTeal
- clWebDarkCyan
- clWebCadetBlue
- clWebDarkTurquoise
- clWebMidnightBlue
- clWebMediumBlue
- clWebRoyalBlue
- clWebSkyBlue
- clWebPowderBlue
- clWebCyan
- clWebTurquoise
- clWebMediumTurquoise

- clWebIndigo
- clWebDarkBlue
- clWebCornFlowerBlue
- clWebLightSkyBlue
- clWebLightBlue
- clWebLightCyan
- clWebPaleTurquoise
- clWebLightSeaGreen
- clWebDarkSeaGreen
- clWebMediumSpringGreen
- clWebSpringGreen
- clWebLime
- clWebLimeGreen
- clWebDarkgreen
- clWebDarkOliveGreen
- clWebDarkKhaki
- clWebDarkGoldenRod
- clWebMediumSeaGreen
- clWebMediumAquamarine
- clWebPaleGreen
- clWebLawnGreen
- clWebYellowGreen
- clWebGreen
- clWebOliveDrab
- clWebKhaki
- clWebGoldenRod
- clWebSeaGreen
- clWebAquamarine
- clWebLightGreen
- clWebChartreuse
- clWebGreenYellow
- clWebForestGreen
- clWebOlive
- clWebLightGoldenrodYellow
- clWebPaleGoldenrod
- clWebRosyBrown
- clWebDarkSalmon
- clWebPeru
- clWebSienna
- clWebSaddleBrown
- clWebFirebrick
- clWebOrangeRed
- clWebOrange
- clWebLightCoral
- clWebLightSalmon
- clWebSandyBrown
- clWebChocolate
- clWebBrown
- clWebCrimson
- clWebTomato
- clWebGold
- clWebCoral
- clWebSalmon
- clWebIndianRed
- clWebMaroon
- clWebDarkRed
- clWebRed

- clWebDarkOrange
- clWebYellow
- clWebTan
- clWebPeachPuff
- clWebBisque
- clWebBlanchedAlmond
- clWebLemonChiffon
- clWebLinen
- clWebHoneydew
- clWebMintcream
- clWebAzure
- clWebBurlywood
- clWebMoccasin
- clWebNavajoWhite
- clWebPapayaWhip
- clWebLightYellow
- clWebSeashell
- clWebLavender
- clWebGhostWhite
- clWebAliceBlue
- clWebWheat
- clWebAntiqueWhite
- clWebBeige
- clWebCornSilk
- clWebIvory
- clWebOldLace
- clWebLavenderBlush
- clWebFloralWhite
- clWebSnow
- Invalid ZStream operation!
- Invalid ZStream operation!
- 1.2.3
- incompatible version
- buffer error
- insufficient memory
- data error
- stream error
- file error
- stream end
- need dictionary
- BUTTON
- EDIT
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- KbdLayerDescriptor
- Layout File
- ShortCutText
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap
- comctl32.dll
- BDSUnthemedDesigner
- window

- treeview
- traynotify
- trackbar
- tooltip
- toolbar
- taskbar
- taskband
- status
- startpanel
- spin
- scrollbar
- rebar
- progress
- page
- menu
- listview
- header
- explorerbar
- edit
- combobox
- clock
- button
- 2001-2006 Mike Lischke
- Theme manager
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringW
- ImmSetCompositionFontW
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- imm32.dll
- USER32
- DesignSize
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- IsControl
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE

- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- 9-+,
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties
- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString
- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin
- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition
- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundExtent
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- Tahoma
- Data
- tiff

- Data
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight
- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime

- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- hex:
- HKEY_DYN_DATA
- HKEY_CURRENT_CONFIG
- HKEY_PERFORMANCE_DATA
- HKEY_USERS
- HKEY_LOCAL_MACHINE
- HKEY_CURRENT_USER
- HKEY_CLASSES_ROOT
- kernel32.dll
- Assertion failure
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass
- .%4:.7d
- %0:d.
- %1:.2d:%2:.2d:%3:.2d
- InitCommonControlsEx
- comctl32.dll
- TPUtilWindow
- Left
- ClassName:
- Component already destroyed:
- Component reference name should always be non blank
- .Owner
- Owner
- Null
- True
- False
- Null
- True
- False
- Owner
- Assertion failure
- True
- False
- ByRef
- Array
- UnicodeString
- UInt64
- Int64
- LongWord
- Word
- Byte
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Error
- Dispatch

- OleStr
- Date
- Currency
- Double
- Single
- Integer
- Smallint
- Null
- Empty
- oleaut32.dll
- 1201 (Unicode - Big-Endian)
- 1200 (Unicode)
- StartIndex
- Value
- Count
- StartIndex
- Count
- StartIndex
- RemLength
- StartIndex
- CharCount
- StartIndex
- Index
- Index
- Index
- DestinationIndex
- Count
- Assertion failure
- kernel32.dll
- Assertion failure
- Assertion failure
- eeee
- AMPM
- AMPM
- AAAA
- AMPM
- AM/PM
- aINFNAN
- False
- True
- 0@P
- 111QQQ
- 0@P`
- 0@P`p
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- Software\\Embarcadero\\Locales
- kernel32.dll
- kernel32.dll
- SVW3
- uInf
- TLoginsD

- _Senha
- _Login
- _Site
- Self
- Create
- TLoginsU
- Senha
- Login
- Site
- uInf
- TInfect
- TInfect
- uSplit\\
- TStringArray
- pathToSignedProductExe
- _NewEnum
- ExecQuery
- ConnectServer
- displayName
- _NewEnum
- ExecQuery
- ConnectServer
- SVW3
- FEnviandoStream
- FRecebendoString
- FEnviandoString
- uNewIdClient
- TIdTCPClientNew
- Self
- ReceberString
- Stream
- Self
- EnviarStream
- Salva
- Self
- EnviarString
- AOwner
- Self
- Create
- TIdTCPClientNew6
- EnviandoStream
- RecebendoString
- EnviandoString
- SVW3
- OnSocketAllocated
- OnAfterBindp-c
- OnBeforeBindp-c
- UseNaglep-c
- ReuseSocket
- ReadTimeoutHSm
- Port
- IPVersion
- Host
- ConnectTimeout\\
- BoundPort
- BoundIP
- IdTCPClient

- TIdTCPClient
- TIdTCPClient
- OnSocketAllocated
- OnAfterBindp-c
- OnBeforeBindp-c
- UseNaglep-c
- ReuseSocket
- ReadTimeoutHSm
- ConnectTimeout
- BoundPortMin
- BoundPortMax
- BoundPort
- BoundIP
- OnConnected
- IdTCPClient
- TIdTCPClientCustomD
- Self
- ConnectAndGetAll
- APort
- AHost
- Self
- AHost
- Self
- Self
- TIdTCPClientCustom'
- FOnSocketAllocated
- FOnAfterBind
- FOnBeforeBind
- FUseNagle
- FReuseSocket
- FUsername
- FReadTimeout
- FPort
- FPassword
- FOnConnected
- FIPVersion
- FHost
- FDestination
- FConnectTimeout
- FBoundPortMin
- FBoundPortMax
- FBoundPort
- FBoundIP
- SVW3
- f;:u
- |:C3
- SVW3
- Socket
- ManagedIOHandler
- LastCmdResult
- Greeting
- OnWorkEnd
- OnWorkBegin
- OnWork@
- OnDisconnectedX
- IOHandlerp-c
- Intercept

- IdTCPConnection
- TIdTCPConnection
- AStrings
- Self
- WriteRFCStrings
- AHeader
- Self
- WriteHeader
- AEncoding
- AResponse
- AOut
- Self
- AEncoding
- AResponse
- AOut
- Self
- AException
- Self
- RaiseExceptionForLastCmdResult
- Self
- RaiseExceptionForLastCmdResult
- AEncoding
- AAllowedResponse
- Self
- GetResponse
- GetResponsec
- AEncoding
- AAllowedResponse
- Self
- GetResponse
- AEncoding
- Self
- GetInternalResponse
- Self
- DisconnectNotifyPeer
- ANotifyPeer
- Self
- Disconnect
- Self
- Disconnect
- Self
- Destroy
- Self
- Connected
- AAllowedResponse
- AResponse
- Self
- CheckResponse
- CheckResponsee
- ARaiseExceptionIfDisconnected
- Self
- CheckForGracefulDisconnect
- ABaseType
- Self
- CreateIOHandler
- TIdTCPConnectionB
- FSocket

- FOnDisconnected
- FManagedIOHandler
- FLastCmdResult
- FIOHandler
- FIntercept
- FGreeting
- ErrorCodeSVW
- IdReplyRFC
- EIdReplyRFCErrorD
- AReplyMessage
- AErrorCode
- Self
- CreateError
- EIdReplyRFCErrorV
- FErrorCode
- IdReplyRFC
- Self
- ReplyExists
- Self
- RaiseReplyError
- ALine
- Self
- IsEndMarker
- |9G3
- SVWU
- SVW3
- IdReply
- EIdReplyError
- EIdReplyError
- IdReply
- TIdReplies
- AReply
- Self
- UpdateText
- AIgnore
- ACode
- Self
- Find
- AReplyClass
- AOwner
- Self
- Create
- AText
- ACode
- Self
- AText
- ACode
- Self
- Self
- TIdReplies#
- TIdReplyClass
- NumericCode
- FormattedReply
- Text
- Code
- IdReply
- TIdReply

- Self
- UpdateText
- AText
- ACode
- Self
- SetReply
- AText
- ACode
- Self
- SetReply
- Self
- ReplyExists
- Self
- RaiseReplyError
- ALine
- Self
- IsEndMarker
- Self
- Destroy
- AReplyTexts
- ACollection
- Self
- CreateWithReplyTexts
- ACollection
- Self
- Create
- Self
- Clear
- TIdReply%
- FText
- FFormattedReply
- FCode
- OnSocketAllocated
- OnAfterBindp-c
- OnBeforeBindp-c
- BoundPortMinp-c
- BoundPortMax
- Binding
- UseNagle
- TransparentProxy
- ReuseSocketd;o
- IPVersionHSm
- DefaultPort
- BoundPort
- BoundIP
- IdIOHandlerSocket
- TIdIOHandlerSocket
- AEnableTransferFile
- AFile
- Self
- Self
- Open
- Self
- Connected
- Self
- Close
- Self

- BindingAllocated
- Self
- Destroy
- TIdIOHandlerSocket'
- FIPVersion
- FReuseSocket
- FUseNagle
- FTransparentProxy
- FOnSocketAllocated
- FOnAfterBind
- FOnBeforeBind
- FDefaultPort
- FBoundPortMin
- FBoundPortMax
- FBoundPort
- FBoundIP
- FBinding
- hs~o
- Uhl~o
- hZ|o
- UhS|o
- hM{o
- Uh5xo
- UhF{o
- hqpo
- h3po
- Uh,po
- Uhjpo
- h:ko
- Uh3ko
- UhTgo
- h>`o
- Uh7`o
- hT_o
- UhM_o
- UhX]o
- ChainedProxy
- Versiond;o
- UsernameDUo
- IPVersion\\
- Port
- Password
- Host\\
- Authentication\\
- IdSocks
- TIdSocksInfoDVo
- AHandle
- Self
- CloseUDP
- SendToUDP9
- RecvFromUDP
- AIPVersion
- APort
- AHost
- AHandle
- Self
- OpenUDP

- ATimeOut
- AIOHandler
- Self
- Listen
- AIPVersion
- APort
- AHost
- AIOHandler
- Self
- Self
- Destroy
- ASource
- Self
- Assign
- TIdSocksInfo7
- FUDPSocksAssociation
- FVersion
- FAuthentication
- IdSocks
- saUsernamePassword
- saNoAuthentication
- TSocksAuthentication
- IdSocks
- svSocks5
- svSocks4\tsvSocks4A
- svNoSocks
- TSocksVersion
- IdSocks
- %EIdSocksUDPNotSupportedBySOCKSVersion
- %EIdSocksUDPNotSupportedBySOCKSVersion
- SVW3
- Terminated
- IdIOHandlerStack
- TIdConnectThread
- ABinding
- Self
- Create
- TIdConnectThread8
- FExceptionMessage
- FLastSocketError
- FBinding
- ReadTimeout
- IdIOHandlerStack
- TIdIOHandlerStackLIo
- AMSec
- Self
- Readable
- Self
- Connected
- AIgnoreBuffer
- ARaiseExceptionIfDisconnected
- Self
- CheckForDisconnect
- TIdIOHandlerStackp
- hiGo
- 6h|Go
- UhbGo

- f;TA
- IPAsString
- AddrType\\
- IPv6AsString
- IPv4AsString\\
- IPv4\\
- IdIPAddress
- TIdIPAddressLAo
- HToNBytes
- VErr
- Self
- CompareAddress
- AIPVersion
- Self
- MakeAddressObject
- Self
- MakeAddressObject
- Self
- Create
- TIdIPAddress&
- IPv6
- FAddrType
- FIPv4
- h:@o
- Uh3@o
- hv>o
- Uho>o
- ChainedProxy
- Usernamed;o
- IPVersion\\
- Port
- Password
- Host\\
- Enabled\\
- IdCustomTransparentProxy
- TIdCustomTransparentProxy
- ATimeOut
- AIOHandler
- Self
- Listen
- APort
- AIOHandler
- Self
- AIPVersion
- APort
- AHost
- AIOHandler
- Self
- AIPVersion
- APort
- AHost
- AIOHandler
- Self
- SendToUDPm
- RecvFromUDP
- AHandle
- Self

- CloseUDP
- AIPVersion
- APort
- AHost
- AHandle
- Self
- OpenUDP
- ASource
- Self
- Assign
- TIdCustomTransparentProxy7
- FChainedProxy
- FUsername
- FIPVersion
- FPort
- FPassword
- FHost
- IdCustomTransparentProxy
- "EIdTransparentProxyUDPNotSupported
- "EIdTransparentProxyUDPNotSupported
- IdCustomTransparentProxy
- EIdTransparentProxyCircularLink
- EIdTransparentProxyCircularLink
- :P5t
- SVWU
- Uh&3o
- Uh}1o
- :P4t
- h%/o
- h|.o
- Uhu.o
- hi,o
- Uhb,o
- hb*o
- Uh[*o
- SocketType
- PeerPort
- PeerIP
- OverLapped\\
- Handle
- HandleAllocated
- UseNagle
- Port
- IPVersion
- ClientPortMax\\
- ClientPortMin
- BroadcastEnabled
- IdSocketHandle
- TIdSocketHandle(
- AEnabled
- Self
- SetNagleOpt
- AValue
- Self
- AValue
- Self
- SetMulticastTTL

- AValue
- Self
- SetLoopBack
- AGroupIP
- Self
- DropMulticastMembership
- AGroupIP
- Self
- AddMulticastMembership
- Self
- UpdateBindingPeer
- Self
- UpdateBindingLocal
- ATimeout
- Self
- Select
- AOptVal
- AOptName
- ALevel
- Self
- SetSockOpt
- VOptVal
- AOptName
- ALevel
- Self
- GetSockOpt
- AIPVersion
- APort
- Self
- SetBinding
- AIPVersion
- APort
- Self
- SetPeer
- SendToW
- SendTo
- AByteEncoding
- AIPVersion
- AData
- APort
- Self
- SendTo
- AByteEncoding
- AData
- Self
- AResetLocal
- Self
- Reset
- RecvFrom:
- Receive
- AMSec
- Self
- Readable
- AQueueCount
- Self
- Listen
- Self

- Destroy
- ACollection
- Self
- Create
- Self
- Self
- CloseSocket
- Broadcast+
- AByteEncoding
- APort
- AData
- Self
- Broadcast
- Self
- Source
- Self
- Assign
- AProtocol
- ASocketType
- Self
- AllocateSocket
- ASocket
- Self
- TIdSocketHandle7
- FUseNagle
- FBroadcastEnabled
- FConnectionHandle
- FIPVersion
- FOverLapped
- FSocketType
- FReadSocketList
- FPeerPort
- FPort
- FPeerIP
- FHandleAllocated
- FHandle
- FClientPortMax
- FClientPortMin
- SVW3
- |%C3
- SVW3
- SVW3
- SVWU
- SVW3
- SVW3
- SVW3
- SVWU
- SVW3
- ~I;u
- ~0;}
- SVW3
- Q8Ku
- SVW3
- |%C3
- SVW3
- SVW3
- OnWorkEnd

- OnWorkBegin
- OnWork@
- DefStringEncodingX
- WriteBufferThresholdP
- ReadLnTimedout
- ReadTimeout
- Opened
- MaxCapturedLines
- LargeStream
- InputBuffer
- ClosedGracefully|
- ConnectTimeout
- SendBufferSize
- RecvBufferSize
- Port
- MaxLineAction
- MaxLineLength
- Intercept
- Host(
- Destination\\
- IdIOHandler
- TIdIOHandler
- AByteEncoding
- Self
- InputBufferAsString
- AByteCount
- AStream
- Self
- InputBufferToStream
- Self
- InputBufferIsEmpty
- Self
- WriteBufferingActive
- AThreshold
- Self
- WriteBufferOpen
- Self
- WriteBufferOpen
- AByteCount
- Self
- WriteBufferFlush
- Self
- WriteBufferFlush
- Self
- WriteBufferClose
- Self
- WriteBufferClear
- Self
- WriteBufferCancel
- Self
- DiscardAll
- AByteCount
- Self
- Discard
- AByteEncoding
- AReadLinesCount
- ADest

- Self
- ReadStrings
- AReadUntilDisconnect
- AByteCount
- AStream
- Self
- ReadStream
- AConvert
- Self
- ReadSmallInt
- AConvert
- Self
- ReadWord
- AConvert
- Self
- ReadInt64
- AConvert
- Self
- ReadLongInt
- AConvert
- Self
- ReadLongWord
- AByteEncoding
- ABytes
- Self
- ReadString
- Self
- ReadByte
- AByteEncoding
- Self
- ReadChar
- AByteEncoding
- AMaxLineLength
- ATimeout
- ATerminator
- AWasSplit
- Self
- ReadLnSplit
- AByteEncoding
- AFailCount
- Self
- ReadLnWait
- AByteEncoding
- ADelim
- ALineTerminator
- Self
- ReadLnRFC
- AByteEncoding
- Self
- ReadLnRFC
- AByteEncoding
- AMaxLineLength
- ATimeout
- ATerminator
- Self
- ReadLn
- AByteEncoding

- ATerminator
- Self
- ReadLn
- AByteEncoding
- Self
- ReadLn
- ReadBytesH
- AByteEncoding
- AUsesDotTransparency
- ADelim
- VLineCount
- ADest
- Self
- Capture
- AByteEncoding
- AUsesDotTransparency
- ADelim
- ADest
- Self
- Capture
- AByteEncoding
- ADest
- Self
- Capture
- AByteEncoding
- AUsesDotTransparency
- ADelim
- VLineCount
- ADest
- Self
- Capture
- AByteEncoding
- AUsesDotTransparency
- ADelim
- ADest
- Self
- Capture
- AByteEncoding
- ADest
- Self
- Capture
- AByteEncoding
- AMaxLineLength
- ATabWidth
- AEcho
- AMask
- Self
- InputLn
- AByteEncoding
- Self
- AllData
- AEnableTransferFile
- AFile
- Self
- AByteEncoding
- AWriteTerminator
- AStrings

- Self
- WriteRFCStrings
- AWriteByteCount
- ASize
- AStream
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AByteEncoding
- AValue
- Self
- Write
- AValue
- Self
- Write
- AByteEncoding
- AWriteLinesCount
- AValue
- Self
- Write
- AByteEncoding
- AOut
- Self
- WriteLnRFC
- AByteEncoding
- AOut
- Self
- WriteLn
- AEncoding
- Self
- WriteLn
- AByteEncoding
- AOut
- Self
- Write
- AMSec
- Self
- Readable

- Self
- Open
- WriteDirect$
- Write
- ATimeout
- AByteEncoding
- AInclusive
- ARemoveFromBuffer
- AString
- Self
- WaitFor
- Self
- SetDefaultClass
- Self
- RegisterIOHandler
- AOwner
- ABaseType
- Self
- MakeIOHandler
- AOwner
- Self
- MakeDefaultIOHandler
- Self
- CloseGracefully
- Self
- Close
- ATimeout
- Self
- CheckForDataOnSource
- AIgnoreBuffer
- ARaiseExceptionIfDisconnected
- Self
- CheckForDisconnect
- Self
- Destroy
- Self
- Connected
- Self
- AfterAccept
- TIdIOHandler+
- FDefStringEncoding
- FWriteBufferThreshold
- FWriteBuffer
- FSendBufferSize
- FRecvBufferSize
- FReadTimeOut
- FReadLnTimedOut
- FReadLnSplit
- FPort
- FOpened
- FMaxLineLength
- FMaxLineAction
- FMaxCapturedLines
- FIntercept
- FInputBuffer
- FHost
- FDestination

- FConnectTimeout
- FClosedGracefully
- FLargeStream
- TIdIOHandlerClass
- IdIOHandler
- EIdIOHandlerStreamDataTooLarge
- EIdIOHandlerStreamDataTooLarge
- IdIOHandler
- EIdIOHandlerRequiresLargeStreamD
- EIdIOHandlerRequiresLargeStreamt
- IdIOHandler
- EIdIOHandler
- EIdIOHandler
- G8_^[
- ;w8u
- Q8^[
- Data
- IsClientD
- Connection
- OnSend
- OnReceive
- OnDisconnect
- OnConnectL
- InterceptL
- IdIntercept
- TIdConnectionInterceptp
- Receive
- Self
- Disconnect
- AConnection
- Self
- TIdConnectionIntercept<
- FOnSend
- FOnReceive
- FOnDisconnect
- FOnConnect
- FData
- FIsClient
- FIntercept
- FConnection
- TArray<System.Byte>
- ABuffer
- TIdConnectionIntercept
- ASender
- TIdInterceptStreamEvent
- ASender
- TIdConnectionIntercept
- ASender
- TIdInterceptNotifyEvent
- IdIntercept
- EIdInterceptCircularLink
- EIdInterceptCircularLink
- SVW3
- WorkTargetSV
- OnStatus
- IdComponent
- TIdComponentH

- AWorkMode
- Self
- EndWork
- ACount
- AWorkMode
- Self
- DoWork
- Self
- Destroy
- ASize
- AWorkMode
- Self
- BeginWork
- TIdComponentK
- FWorkTarget
- FWorkInfos
- FOnWorkEnd
- FOnWorkBegin
- FOnWork
- FOnStatus
- AWorkCount
- AWorkMode
- ASender
- Int64
- AWorkCount
- AWorkMode\tTWorkMode
- TObject
- ASender
- TWorkEvent
- AWorkMode
- ASender
- AWorkMode\tTWorkMode
- TObject
- ASender
- TWorkEndEvent
- AWorkCountMax
- AWorkMode
- ASender
- Int64
- AWorkCountMax
- AWorkMode\tTWorkMode
- TObject
- ASender
- TWorkBeginEvent
- IdComponent
- wmWrite
- wmRead
- TWorkMode
- AStatusText
- AStatus
- ASender
- AStatusText
- AStatus\tTIdStatus
- TObject
- ASender
- TIdStatusEvent
- IdComponent

- ftpAborted
- ftpReady
- hsStatusText
- hsDisconnected
- hsDisconnecting
- hsConnected
- hsConnecting
- hsResolving
- TIdStatus
- SVW3
- 0;w |
- SVWU
- SVW3
- |'B3
- SVW3
- SVWU
- SVW3
- SVW3
- AsString
- Size\\
- GrowthFactor
- Encoding
- CapacityP
- IdBuffer
- TIdBuffer
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write
- AByteCount
- AStream
- Self
- Write
- WriteJ
- Write
- ADestIndex
- AByteEncoding
- AString
- Self
- Write
- AStream

- Self
- SaveToStream
- AByteCount
- Self
- Remove
- AIndex
- Self
- PeekByte
- AByteEncoding
- AStartPos
- AString
- Self
- IndexOf
- IndexOfb
- AStartPos
- AByte
- Self
- IndexOf
- VAddress
- AIndex
- Self
- ExtractToIPv6
- AIndex
- Self
- ExtractToInt64
- AIndex
- Self
- ExtractToLongWord
- AIndex
- Self
- ExtractToWord
- AIndex
- Self
- ExtractToByte
- ExtractToBytes=
- AIndex
- AByteCount
- ABuffer
- Self
- ExtractToIdBuffer
- AIndex
- AByteCount
- AStream
- Self
- ExtractToStream
- AByteEncoding
- AByteCount
- Self
- ExtractToString
- AByteEncoding
- AByteCount
- Self
- Self
- Destroy
- ACanShrink
- Self
- CompactHead

- Create?
- AGrowthFactor
- Self
- Create
- AOnBytesRemoved
- Self
- Create
- Self
- Create
- Self
- Clear
- TIdBuffer%
- FSize
- FOnBytesRemoved
- FHeadIndex
- FGrowthFactor
- FByteEncoding
- ABytes
- ASender
- Integer
- ABytes
- TObject
- ASender
- TIdBufferBytesRemoved
- IdBuffer
- EIdTooMuchDataInBuffer
- EIdTooMuchDataInBuffer
- IdBuffer
- EIdNotEnoughDataInBuffer0
- EIdNotEnoughDataInBuffer
- +X83
- SVWU
- R8Z^[
- OnlyWhenIdle
- IdleTimeOut
- ApplicationHasPriority
- Active
- IdAntiFreezeBase
- TIdAntiFreezeBase@
- ATimeout
- Self
- Self
- ShouldUse
- AOverride
- AIdle
- Self
- DoProcess
- Self
- Process
- Self
- Destroy
- TIdAntiFreezeBase'
- FOnlyWhenIdle
- FIdleTimeOut
- FApplicationHasPriority
- FActive
- Version

- IdBaseComponent
- TIdBaseComponent
- AOwner
- Self
- Create
- TIdBaseComponent6
- IdBaseComponent
- TIdInitializerComponent
- AOwner
- Self
- Create
- Self
- Create
- TIdInitializerComponent&
- IdExceptionCore
- EIdMaxCaptureLineExceeded
- EIdMaxCaptureLineExceeded
- IdExceptionCore
- EIdSocksServerAddressError4
- EIdSocksServerAddressError
- IdExceptionCore
- EIdSocksServerCommandErrort
- EIdSocksServerCommandError
- IdExceptionCore
- EIdSocksServerTTLExpiredError
- EIdSocksServerTTLExpiredError
- IdExceptionCore
- $EIdSocksServerConnectionRefusedError
- $EIdSocksServerConnectionRefusedError
- IdExceptionCore
- "EIdSocksServerHostUnreachableError
- "EIdSocksServerHostUnreachableError
- IdExceptionCore
- !EIdSocksServerNetUnreachableError4
- !EIdSocksServerNetUnreachableError
- IdExceptionCore
- EIdSocksServerPermissionErrorl
- EIdSocksServerPermissionError
- IdExceptionCore
- EIdSocksServerGeneralError
- EIdSocksServerGeneralError
- IdExceptionCore
- EIdSocksAuthError
- EIdSocksAuthError
- IdExceptionCore
- EIdSocksAuthMethodError@
- EIdSocksAuthMethodErrorh
- IdExceptionCore
- EIdSocksServerRespondError
- EIdSocksServerRespondError
- IdExceptionCore
- EIdSocksUnknownError
- EIdSocksUnknownError
- IdExceptionCore
- EIdSocksRequestIdentFailed
- EIdSocksRequestIdentFailed
- IdExceptionCore

- EIdSocksRequestServerFailedD
- EIdSocksRequestServerFailedp
- IdExceptionCore
- EIdSocksRequestFailed
- EIdSocksRequestFailed
- IdExceptionCore
- EIdSocksError
- EIdSocksError
- IdExceptionCore
- EIdTransparentProxyCantBind
- EIdTransparentProxyCantBindL
- IdExceptionCore
- EIdConnectExceptionl
- EIdConnectException
- IdExceptionCore
- EIdConnectTimeout
- EIdConnectTimeout
- IdExceptionCore
- EIdNotConnected
- EIdNotConnected0
- IdExceptionCore
- EIdFileNotFoundd
- EIdFileNotFound
- IdExceptionCore
- EIdNoDataToRead
- EIdNoDataToRead
- IdExceptionCore
- EIdObjectTypeNotSupported
- EIdObjectTypeNotSupported
- IdExceptionCore
- EIdTCPConnectionError@
- EIdTCPConnectionError
- IdExceptionCore
- EIdHostRequired
- EIdHostRequired
- IdExceptionCore
- EIdPortRequired
- EIdPortRequired
- IdExceptionCore
- EIdReadLnWaitMaxAttemptsExceeded
- EIdReadLnWaitMaxAttemptsExceeded
- IdExceptionCore
- EIdReadLnMaxLineLengthExceededP
- EIdReadLnMaxLineLengthExceeded
- IdExceptionCore
- EIdReadTimeout
- EIdReadTimeout
- IdExceptionCore
- EIdClosedSocket
- EIdClosedSocket
- IdExceptionCore
- EIdAlreadyConnectedH
- EIdAlreadyConnectedl
- UhSyn
- hown
- UhFwn
- Uhhwn

- Uh#qn
- LocalAddresses
- LocalAddress
- HostName\\
- IdStack
- TIdStack
- AAddresses
- Self
- AddLocalAddressesToList
- WriteChecksumK
- CalcCheckSum
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- AddMulticastMembership
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- DropMulticastMembership
- AIPVersion
- AValue
- AHandle
- Self
- SetLoopBack
- AIPVersion
- AValue
- AHandle
- Self
- SetMulticastTTL
- Value
- Self
- IsValidIPv6MulticastGroup
- Value
- Self
- IsValidIPv4MulticastGroup
- Self
- SupportsIPv6
- ReceiveMsg,
- SendTo
- SendTo
- ReceiveFrom
- Receive
- AIPVersion
- AHost
- Self
- ResolveHost
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- SetSocketOption
- AOptVal

- AOptName
- ALevel
- ASocket
- Self
- GetSocketOption
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- AOverlapped
- AIPVersion
- AProtocol
- ASocketType
- Self
- NewSocketHandle
- AErr
- Self
- RaiseSocketError
- Self
- RaiseLastSocketError
- CheckForSocketError4
- AResult
- Self
- CheckForSocketError
- AErr
- Self
- WSTranslateSocketErrorMsg
- AErr
- Self
- WSSetLastError
- Self
- WSGetLastError
- ABackLog
- ASocket
- Self
- Listen
- Self
- IsIP
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- AValue
- Self

- HostToNetwork
- AIPVersion
- AAddress
- Self
- HostByAddress
- VIPVersion
- VPort
- ASocket
- Self
- GetSocketName
- VPort
- ASocket
- Self
- GetSocketName
- VIPVersion
- VPort
- ASocket
- Self
- GetPeerName
- VPort
- ASocket
- Self
- GetPeerName
- Self
- DecUsage
- Self
- IncUsage
- Self
- IOControl
- ASocket
- Self
- Disconnect
- Self
- Destroy
- Self
- Create
- AIPVersion
- APort
- ASocket
- Self
- AIPVersion
- APort
- ASocket
- Self
- VIPVersion
- VPort
- ASocket
- Self
- VPort
- ASocket
- Self
- TIdStackS
- FLocalAddresses
- IdStack
- TIdSocketListHXn
- Self
- Unlock

- ATimeout
- VSocketList
- Self
- SelectReadList
- ATimeout
- Self
- SelectRead
- ATimeout
- AExceptList
- AWriteList
- AReadList
- Self
- Select
- Self
- Lock
- AHandle
- Self
- ContainsSocket
- Self
- Clear
- AHandle
- Self
- Remove
- Self
- CreateSocketList
- Self
- Count
- Self
- Clone
- AHandle
- Self
- Self
- Destroy
- Self
- Create
- TIdSocketList&
- FLock
- IdStack
- EIdNotASocket
- EIdNotASocket
- IdStack
- EIdIPVersionUnsupported
- EIdIPVersionUnsupported
- IdStack
- EIdStackErrorPVn
- EIdStackError
- LastError
- IdStack
- EIdSocketError
- AMsg
- AErr
- Self
- CreateError
- EIdSocketErrorG
- FLastError
- UhQSn
- SVW3

- SVW3
- h9Nn
- Uh2Nn
- SVW3
- hOKn
- Uh#Kn
- UhHKn
- SVW3
- h2In
- Uh+In
- Uh<In
- Uh7Hn
- SVW3
- |;B3
- Uh~En
- Uh6Dn
- h3Cn
- Uh,Cn
- UhICn
- heBn
- Uh^Bn
- SVW3
- haAn
- h/An
- Uh(An
- h/An
- UhI@n
- UhZAn
- UhW>n
- UhF=n
- SVW3
- R@=8'
- Uh<<n
- SVW3
- SVW3
- hr9n
- Uhk9n
- SVW3
- h=6n
- Uh66n
- SVW3
- IdStackWindows
- TIdStackWindows
- AAddresses
- Self
- AddLocalAddressesToList
- WriteChecksumK
- AIPVersion
- Self
- CheckIPVersionSupport
- Self
- SupportsIPv6
- Self
- IOControl
- Aoptlen
- Aoptval
- Aoptname

- Alevel
- ASocket
- Self
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- GetSocketOption
- VIPVersion
- VPort
- ASocket
- Self
- GetSocketName
- VIPVersion
- VPort
- ASocket
- Self
- GetPeerName
- ASocket
- Self
- Disconnect
- Self
- Destroy
- Self
- Create
- AIPVersion
- APort
- ASocket
- Self
- AIPVersion
- APort
- ASocket
- Self
- AOptlen
- AOptval
- AOptname
- Alevel
- ASocket
- Self
- WSGetSockOpt
- AErr
- Self
- WSSetLastError
- Self
- WSGetLastError
- AErr
- Self
- WSTranslateSocketErrorMsg
- AOverlapped

- AProtocol
- AStruct
- AFamily
- Self
- WSSocket
- AIPVersion
- APort
- AFlags
- ABufferLength
- ABuffer
- ASocket
- Self
- WSSendTo
- ReceiveMsg
- VIPVersion
- VPort
- AFlags
- ALength
- VBuffer
- ASocket
- Self
- RecvFrom
- APortNumber
- Self
- WSGetServByPort
- AServiceName
- Self
- WSGetServByName
- AIPVersion
- AAddress
- Self
- HostByAddress
- AResult
- Self
- WouldBlock
- ABlocking
- ASocket
- Self
- SetBlocking
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- ABackLog
- ASocket
- Self
- Listen
- AValue
- Self
- HostToNetwork
- AValue
- Self

- HostToNetwork
- AValue
- Self
- HostToNetwork
- VIPVersion
- VPort
- ASocket
- Self
- TIdStackWindowsg
- IdStackWindows
- TIdSocketListWindows
- ATimeout
- VSocketList
- Self
- SelectReadList
- ATimeout
- Self
- SelectRead
- ATimeout
- AExceptList
- AWriteList
- AReadList
- Self
- Select
- VSet
- Self
- SetFDSet
- VSet
- Self
- GetFDSet
- AHandle
- Self
- ContainsSocket
- Self
- Clone
- Self
- Clear
- Self
- Count
- AHandle
- Self
- Remove
- AHandle
- Self
- TIdSocketListWindows4
- IdStackWindows
- EIdIPv6Unavailabled"n
- EIdIPv6Unavailable
- SVW3
- IdStackBSDBase
- EIdStackSetSizeExceeded
- EIdStackSetSizeExceeded
- IdStackBSDBase
- EIdStackInitializationFailed
- EIdStackInitializationFailed
- IdStackBSDBase
- EIdInvalidServiceName

- EIdInvalidServiceName
- IdStackBSDBase
- TIdStackBSDBase
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- AddMulticastMembership
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- DropMulticastMembership
- AIPVersion
- AValue
- AHandle
- Self
- SetLoopBack
- AIPVersion
- AValue
- AHandle
- Self
- SetMulticastTTL
- AOverlapped
- AIPVersion
- AProtocol
- ASocketType
- Self
- NewSocketHandle
- AResult
- Self
- WouldBlock
- ABlocking
- ASocket
- Self
- SetBlocking
- AOptlen
- AOptval
- AOptname
- Alevel
- ASocket
- Self
- WSGetSockOpt
- AOverlapped
- AProtocol
- AStruct
- AFamily
- Self
- WSSocket
- AIPVersion
- APort
- AFlags
- ABufferLength
- ABuffer
- ASocket

- Self
- WSSendTo
- VIPVersion
- VPort
- AFlags
- ALength
- ABuffer
- ASocket
- Self
- RecvFrom
- APortNumber
- Self
- WSGetServByPort
- AServiceName
- Self
- WSGetServByName
- AIPVersion
- AInAddr
- Self
- TranslateStringToTInAddr
- AIPVersion
- AInAddr
- Self
- TranslateTInAddrToString
- Aoptlen
- Aoptval
- Aoptname
- Alevel
- ASocket
- Self
- SetSocketOption
- SendTo
- ReceiveFrom
- Receive
- AIPVersion
- Self
- CheckIPVersionSupport
- Self
- Create
- TIdStackBSDBase&
- fd_array
- fd_count
- Title
- Win32ErrorMessage\\
- Win32Error\\
- IdWinsock2
- EIdWinsockStubErrort}m
- Build
- EIdWinsockStubError
- FTitle
- FWin32ErrorMessage
- FWin32Error
- SVWU
- SUSWj
- SVWU
- Uh|zm
- hzom

- Uhsom
- Uh\\jm
- h,am
- h,am
- h,am
- h,am
- 7h,\\m
- SVW3
- UhX[m
- SVW3
- SVW3
- IdGlobal
- rsFalse
- rsTrue
- rsOSDependent
- TIdReuseSocket
- IdGlobal
- Id_IPv6
- Id_IPv4
- TIdIPVersion
- IdGlobal
- maSplit
- maException
- TIdMaxLineAction
- TIdIPv6Address
- IdGlobal
- EIdInvalidIPv6AddressHRm
- EIdInvalidIPv6Address
- IdGlobal
- TIdCriticalSection
- TIdCriticalSection
- IdGlobal
- TIdReadFileExclusiveStream
- AFile
- Self
- Create
- TIdReadFileExclusiveStream5
- IdStreamVCL
- TIdStreamHelperVCL
- AOrigin
- AOffset
- AStream
- Self
- Seek
- WriteW
- ReadBytes
- TIdStreamHelperVCL
- IdException
- "EIdCannotSetIPVersionWhenConnected
- "EIdCannotSetIPVersionWhenConnected
- IdException
- EIdInvalidPortRange
- EIdInvalidPortRange4Im
- IdException
- EIdCanNotBindPortInRangeTHm
- EIdCanNotBindPortInRange
- IdException

- EIdCouldNotBindSocket
- EIdCouldNotBindSocket
- IdException
- EIdNotAllBytesSent
- EIdNotAllBytesSent
- IdException
- EIdPackageSizeTooBig@Fm
- EIdPackageSizeTooBig
- IdException
- EIdSocketHandleError
- EIdSocketHandleError
- IdException
- EIdConnClosedGracefully
- EIdConnClosedGracefully
- IdException
- EIdSilentException(Dm
- EIdSilentException
- TClassIdException
- IdException
- EIdException
- AMsg
- Self
- Toss
- AMsg
- Self
- Create
- EIdException4
- uListChild
- TWindowList0?m
- handle
- Self
- TWindowList@
- UserCrypt
- UserCaption
- hV9m
- h39m
- Uh,9m
- UhO9m
- hh4m
- h<4m
- hR3m
- Ph\\3m
- UhK3m
- Uh;1m
- SVW3
- SVW3
- Ph4/m
- Uh$/m
- SVW3
- Uh\t.m
- hE-m
- Uh>-m
- SVW3
- Source
- HelpFile\\
- ComObj
- EOleException

- HelpContext
- HelpFile
- Source
- ErrorCode
- Message
- Self
- Create
- EOleException
- FHelpFile
- FSource
- ErrorCode
- ComObj
- EOleSysErrorX(m
- HelpContext
- ErrorCode
- Message
- Self
- Create
- EOleSysError_
- FErrorCode
- ComObj
- EOleError
- EOleError
- h7'm
- Uh0'm
- uRegEdit
- UhK%m
- h3$m
- Uh,$m
- Uh'!m
- Handle
- OnShow
- OnClosep-c
- HelpContextp-c
- Ctl3D
- Dialogs
- TCommonDialog
- Message
- Self
- DefaultHandler
- ParentWnd
- Self
- Execute
- Self
- Execute
- Self
- Destroy
- AOwner
- Self
- Create
- TCommonDialog6
- FTemplate
- FObjectInstance
- FOnShow
- FOnClose
- FTemplateModule
- FRedirector

- FHandle
- FHelpContext
- SVW3
- SVW3
- |>G3
- SVW3
- Uhs\tm
- SVW3
- Printers
- TPrinterCanvas
- Self
- UpdateFont
- Self
- Changing
- Self
- CreateHandle
- APrinter
- Self
- Create
- TPrinterCanvas
- UpdateFont
- Changing
- CreateHandle
- Printer
- Printer
- Printers
- TPrinterDevice
- APort
- ADevice
- ADriver
- Self
- IsEqual
- APort
- ADevice
- ADriver
- Self
- Create
- TPrinterDeviceW
- Port
- Device
- Driver
- Title
- Printers\\
- Printing
- PrinterIndex
- PageNumber
- PageWidth
- PageHeight
- Orientation
- Handle8
- Copies
- Capabilities
- Canvas
- AbortedIMe
- Printers
- TPrinterP
- ADeviceMode

- APort
- ADriver
- ADevice
- Self
- SetPrinter
- ADeviceMode
- APort
- ADriver
- ADevice
- Self
- GetPrinter
- Self
- Refresh
- Self
- NewPage
- Self
- EndDoc
- Self
- BeginDoc
- Self
- Abort
- Self
- Destroy
- Self
- Create
- TPrinter&
- DeviceMode
- DevMode
- FPrinterHandle
- State
- FCapabilities
- FAborted
- FPrinting
- FTitle
- FPrinterIndex
- FPrinters
- FPageNumber
- FCanvas
- TPrinterCapabilities
- Printers
- pcCollation
- pcOrientation
- pcCopies
- TPrinterCapability
- Printers
- poLandscape
- poPortrait
- TPrinterOrientation
- Printers
- psHandleDC
- psHandleIC
- psNoHandle
- TPrinterState
- Printers
- EPrinter
- EPrinter
- =dbu

- =Pbu
- 8_^[
- SVWU
- SVWU
- SVWUQ
- SVW3
- SVW3
- |RF3
- |"C3
- =pbu
- =tbu
- =pbu
- SVW3
- =Pbu
- |LF3
- SVW3
- SVW3
- SVW3
- SVWU
- |<G3
- SVWUQ
- SVWUQ
- SVWU
- SVWU
- |!C3
- SV:P5t5
- |HC3
- |2C3
- @5H,
- u^;u
- |1B3
- =Pbu
- ;Stu
- ;Sdu
- ;S`u
- ;PDu
- |.F3
- SVW3
- hlbu
- =hbu
- =lbu
- =dbu
- =hbu
- =Pbu
- =Pbu
- @4Phl
- C]:E
- @]:E
- SL;U
- u\t+u
- =Pbu
- =Pbu
- =Pbu
- SVWU
- =Pbu
- ;s|u/
- ;B@u

- |0F3
- SVW3
- SVWU
- =8<u
- SVWU
- SVWU
- |&G3;
- SVWU
- SVWU
- |PF3
- |YF3
- RDGNu
- @L;E
- t"GNu
- ;XDu
- @h;E
- t=;u
- SVW3
- 3^[]
- hU~l
- UhN~l
- ;XDu
- ;XDu
- CU u
- Uhwyl
- |MF3
- SVWU
- SVWU
- Uhxrl
- SVWU
- ;ADti
- SVWU
- @U t
- @U t
- SVW3
- |-G3
- ;XDu
- CU t
- ;XDu
- ;XDu
- SVWU
- SVWU
- ;Clu'
- t9j7j
- SVW3
- WVh0
- SVWU
- |(F3
- GCNu
- |(F3
- SVWU
- |!C3
- GFKu
- SVW3
- SVWUQ
- |-G3
- |!C3

- @D;E
- |7C3
- SVWU
- SVWU
- Uhm:l
- h?5l
- Uh85l
- QDj2
- h\\1l
- h$1l
- UhU1l
- Uhk.l
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t1
- ;S$t1
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- SVW3
- PopupControlWnd
- Handle
- OnSettingChange
- OnShortCuth
- OnShowHint0
- OnRestore
- OnModalEndp-c
- OnModalBeginp-c
- OnMinimizep-c
- OnMessagep-c
- OnHint
- OnHelpp-c
- OnIdle
- OnGetMainFormHandle
- OnGetActiveFormHandle
- OnException
- OnDeactivatex
- OnActivatep-c
- OnActionUpdatep-c
- OnActionExecute
- UpdateMetricSettings
- UpdateFormatSettings
- Title
- Terminated\\
- ShowMainForm
- ShowHint
- NonBiDiKeyboard
- BiDiKeyboard\\
- BiDiMode\\

- ModalPopupMode
- ModalLevel(
- MainFormOnTaskBar
- MainFormHandle
- MainForm
- Icon
- HintShortPause
- HintShortCuts
- HintPause
- HintHidePause
- HintColor
- Hint
- HelpFile\\
- ExeName\\
- EnumAllWindowsOnActivateHint\\
- DialogHandle
- DefaultFont
- CurrentHelpFileT+e
- AutoDragDocking
- AllowTesting
- ActiveFormHandle
- ActionUpdateDelay
- Active
- Forms
- TApplication
- Flags
- Caption
- Text
- Self
- MessageBox
- Self
- UseRightToLeftScrollBar
- Self
- UseRightToLeftReading
- Self
- UseRightToLeftAlignment
- Action
- Self
- UpdateAction
- Self
- UnhookSynchronizeWakeup
- Hook
- Self
- UnhookMainWindow
- Self
- Terminate
- Self
- ShowException
- Self
- Self
- RestoreTopMosts
- Self
- Restore
- APopupForm
- Self
- RemovePopupForm
- Self

- ProcessMessages
- Self
- NormalizeTopMosts
- Self
- NormalizeAllTopMosts
- Self
- ModalFinished
- Self
- ModalStarted
- Self
- Minimize
- Self
- IsRightToLeft
- Self
- Initialize
- Self
- HookSynchronizeWakeup
- Hook
- Self
- HookMainWindow
- Message
- Control
- Self
- HintMouseMessage
- Self
- HideHint
- Self
- HelpShowTableOfContents
- Keyword
- Self
- HelpKeyword
- JumpID
- Self
- HelpJump
- Context
- Self
- HelpContext
- Data
- Command
- Self
- HelpCommand
- Self
- HandleMessage
- Sender
- Self
- HandleException
- Action
- Self
- ExecuteAction
- Self
- DoApplicationIdle
- Self
- CreateHandle
- Reference
- InstanceClass
- Self
- CreateForm

- Self
- CancelHint
- Control
- Self
- ControlDestroyed
- Self
- BringToFront
- APopupForm
- Self
- AddPopupForm
- CursorPos
- Self
- ActivateHint
- Self
- Destroy
- AOwner
- Self
- Create
- TApplication6
- FNeedToUninitialize
- FPopupControlWnd
- FObjectInstance
- FHandle
- FOnSettingChange
- FOnShowHint
- FOnShortCut
- FOnRestore
- FOnMinimize
- FOnActivate
- FOnDeactivate
- FOnIdle
- FOnHint
- FOnHelp
- FOnModalEnd
- FOnModalBegin
- FOnMessage
- FOnGetMainFormHandle
- FOnGetActiveFormHandle
- FOnException
- FOnActionUpdate
- FOnActionExecute
- FInitialMainFormState
- FOwnedAppWnds
- FLastActivePopup
- FMainFormOnTaskBar
- FEnumAllWindowsOnActivateHint
- FCreatingMainForm
- FModalPopupMode
- FPopupForms
- FCurrentPopupID
- FModalLevel
- FActionUpdateDelay
- FAutoDragDocking
- FDialogHandle
- FWindowList
- FWindowHooks
- FRunning

- FHandleCreated
- FTestLib
- FAllowTesting
- FActive
- FTerminate
- FIcon
- FPopupLevel
- FPopupOwners
- FTopMostLevel
- FTopMostList
- FTitle
- FTimerHandle
- FTimerMode
- FShowHint
- FHintWindow
- FHintShortPause
- FHintShortCuts
- FHintPause
- FHintHidePause
- FHintCursorRect
- FHintControl
- FHintColor
- FShowMainForm
- FUpdateMetricSettings
- FUpdateFormatSettings
- FHintActive
- FHint
- FHelpFile
- FMouseControl
- FMainForm
- FNonBiDiKeyboard
- FDefaultFont
- FBiDiKeyboard
- FBiDiMode
- FAppIconic
- Forms
- :TApplication.:1
- Result
- Section
- Flag
- Sender
- Integer
- Result
- Section
- Integer
- Flag
- TObject
- Sender
- TSettingChangeEvent
- Message
- Boolean
- TMessage
- Message
- TWindowHook
- HintInfo
- CanShow
- HintInfo\tTHintInfo

- Boolean
- CanShow
- TShowHintEvent
- Done
- Sender
- Boolean
- Done
- TObject
- Sender
- TIdleEvent
- Handle
- Handle
- TGetHandleEvent
- Sender
- E\tException
- TObject
- Sender
- TExceptionEvent
- Handled
- Boolean
- Handled
- TMessageEvent
- Forms
- TPopupFormArray
- WasPopup
- Form
- FormID
- TPopupForm
- Forms
- tmHide
- TTimerMode
- OnActiveFormChangeX
- OnActiveControlChangep-c
- PrimaryMonitor
- PixelsPerInch
- Height
- DefaultKbLayout
- DefaultIme
- Imes\\
- FormCount
- Fonts
- CaptionFont
- MessageFontT+e
- MenuFontT+e
- IconFontT+e
- HintFontT+e
- WorkAreaWidthT+e
- WorkAreaTop
- WorkAreaLeft
- WorkAreaHeight
- WorkAreaRect
- DesktopWidth
- DesktopTop
- DesktopLeft
- DesktopHeight
- DesktopRect
- MonitorCount

- SaveFocusedList
- FocusedForm
- DataModuleCount
- Cursor
- CursorCount
- CustomFormCount
- ActiveForm
- ActiveCustomForm
- ActiveControl
- Forms
- TScreen`
- Self
- ResetFonts
- Self
- Realign
- MonitorDefault
- Handle
- Self
- MonitorDefault
- Rect
- Self
- MonitorDefault
- Point
- Self
- Self
- EnableAlign
- Self
- DisableAlign
- Self
- Destroy
- AOwner
- Self
- Create
- TScreen6
- FDefaultCursor
- FCursorList
- FOnActiveFormChange
- FOnActiveControlChange
- FControlState
- FAlignLevel
- FCaptionFont
- FMessageFont
- FMenuFont
- FIconFont
- FHintFont
- FSaveFocusedList
- FFocusedForm
- FLastActiveCustomForm
- FLastActiveControl
- FActiveForm
- FActiveCustomForm
- FActiveControl
- FMonitors
- FDataModules
- FCustomForms
- FCursorCount
- FCursor

- FPixelsPerInch
- FDefaultKbLayout
- FDefaultIme
- FImes
- Forms
- mdNearest
- TMonitorDefaultTo
- Handle
- Index
- Next
- TCursorRec
- PCursorRecl
- Primary
- WorkareaRect
- BoundsRect
- Width
- Height
- Left
- MonitorNum
- Handle
- Forms
- TMonitor
- TMonitor
- FMonitorNum
- FHandle
- FormStyle
- BorderStyle
- AutoScroll
- PixelsPerInch
- Forms
- TCustomDockForm
- AOwner
- Self
- Create
- TCustomDockForm6
- TileMode
- MDIChildCountT
- DockManager
- ClientHandle
- ActiveMDIChild
- OnUnDockf
- OnStartDock
- OnShow
- OnShortCutp-c
- OnResize0
- OnPaintp-c
- OnMouseWheelUpp-c
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress

- OnKeyDown
- OnHelp
- OnHide
- OnGetSiteInfop-c
- OnGesture8
- OnEndDock`
- OnDragOver
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnDeactivate
- OnDestroyp-c
- OnCreatep-c
- OnContextPopupp-c
- OnConstrainedResized
- OnCloseQuery
- OnCloseD
- OnClick
- OnCanResizep-c
- OnAlignPosition$
- OnAlignInsertBeforel
- OnActivate
- WindowMenup-c
- WindowState\\ i
- Width
- Visible
- VertScrollBar
- Touchh
- SnapBufferh
- ShowHint
- ScreenSnap
- Scaled
- PrintScale
- Position
- PopupParent
- PopupMode
- PopupMenu(
- PixelsPerInch
- ParentBiDiMode
- ObjectMenuItem
- OldCreateOrder\\ i
- Menu
- Padding
- KeyPreview
- Icon
- HorzScrollBar
- HelpFileh
- Height\\
- GlassFrame
- FormStyle
- Font
- ParentFontT+e
- Enabled
- DragMode
- DragKind
- DoubleBuffered
- DockSite

- DefaultMonitor
- UseDockManager`
- Ctl3D
- Constraints
- TransparentColorValueD
- TransparentColor
- Color
- ClientWidth
- ClientHeight
- Caption
- BorderWidth
- BorderStylep
- BorderIcons
- BiDiMode
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlend
- Align
- ActiveControl@
- Action
- Formsa
- TForm
- Self
- Tile
- Self
- Previous
- Self
- Next
- Self
- Cascade
- Self
- ArrangeIcons
- PopupParent
- WindowState
- SnapBuffer
- ScreenSnap
- PopupMode
- OleFormObject(
- Monitor`
- ModalResult
- Menu
- KeyPreview
- HelpFile
- GlassFrame\\
- FormState
- Font
- DropTargetT+e
- Designer
- Color,
- Caption
- Canvas
- BorderStylelMe
- ActiveOleControl
- Action
- ActiveControlx

- Active
- Left
- Forms
- TCustomForm
- Self
- BeforeDestruction
- Self
- AfterConstruction
- Value
- Self
- set_PopupParent
- Message
- Child
- Self
- WantChildKey
- Self
- ShowModal
- Self
- Show
- Control
- Self
- SetFocusedControl
- Self
- Sender
- Self
- SendCancelMode
- Self
- Release
- AWindowHandle
- Self
- RecreateAsPopup
- Self
- Print
- Message
- Self
- MouseWheelHandler
- AMonitor
- Self
- MakeFullyVisible
- Message
- Self
- IsShortCut
- Self
- Hide
- Self
- GetFormImage
- Root
- Proc
- Self
- GetChildren
- Control
- Self
- FocusControl
- ARect
- NewDockSite
- Self
- Dock

- Removing
- Control
- Self
- DefocusControl
- Message
- Self
- DefaultHandler
- Self
- CloseQuery
- Self
- Close
- Self
- Destroy
- Dummy
- AOwner
- Self
- CreateNew
- AOwner
- Self
- Create
- TCustomForm6
- FFormState
- FClientInstance
- FClientHandle
- FOldCreateOrder
- FRefreshGlassFrame
- FGlassFrame
- FCreatingMainForm
- FTransparentColorValue
- FTransparentColor
- FSnapBuffer
- FScreenSnap
- FInternalPopupParentWnd
- FInternalPopupParent
- FPopupWnds
- FRecreateChildren
- FPopupParent
- FPopupMode
- FPopupChildren
- FAlphaBlendValue
- FAlphaBlend
- FOnDestroy
- FOnCreate
- FOnShow
- FOnShortCut
- FOnPaint
- FOnHide
- FOnHelp
- FOnDeactivate
- FOnCloseQuery
- FOnClose
- FOnActivate
- FSavedBorderStyle
- FActiveOleControl
- FDefClientProc
- FTextHeight
- FClientHeight

- FClientWidth
- FOleForm
- FObjectMenuItem
- FPixelsPerInch
- FWindowMenu
- FDesigner
- FModalResult
- FMenu
- FInCMParentBiDiModeChanged
- FIcon
- FHelpFile
- FCanvas
- FPrintScale
- FDropTarget
- FTileMode
- FDefaultMonitor
- FPosition
- FFormStyle
- FActive
- FKeyPreview
- FShowAction
- FWindowState
- FBorderStyle
- FBorderIcons
- FFocusedControl
- FActiveControl
- OnChange
- SheetOfGlass
- Bottom
- Right
- Left
- Enabled
- Forms
- TGlassFrame
- Control
- Self
- IntersectsControl
- Self
- FrameExtended
- Source
- Self
- Assign
- Client
- Self
- Create
- TGlassFrame6
- FSheetOfGlass
- FOnChange
- FBottom
- FTop
- FLeft
- FEnabled
- FClient
- Forms
- pmExplicit
- pmAuto
- pmNone

- TPopupMode
- CallHelp
- Data
- Command
- Boolean
- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Handled
- Boolean
- Handled
- TShortCutEvent
- TFormState
- Forms
- fsActivated
- fsCreatedMDIChild
- fsModal
- fsCreating\tfsVisible\tfsShowing
- CanClose
- Sender
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- Action
- Sender
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- Forms
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction
- Forms
- tbVertical
- tbHorizontal
- TTileMode
- Forms
- saMaximize
- saMinimize
- saIgnore\tsaRestore
- TShowAction
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- Forms

- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor
- Forms
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop
- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle
- Forms
- TPopupWndArray
- ControlWnd
- TPopupWnd
- Forms
- IOleFormh
- Forms
- IDesignerHook
- Forms
- TBorderStyle
- Forms
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBarh
- OnAlignPositionh
- OnAlignInsertBeforel
- Forms
- TScrollingWinControl
- AControl
- Self
- ScrollInView
- Self
- EnableAutoRange
- Self
- DisableAutoRange
- Self

- Destroy
- AOwner
- Self
- Create
- TScrollingWinControl6
- FVertScrollBar
- FUpdatingScrollBars
- FPanPoint
- FHorzScrollBar
- FAutoScroll
- FAutoRangeCount
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- ScrollPos
- Kind
- Visible
- Tracking
- ThumbSize
- Style
- Size(
- Smooth
- Range
- Position
- ParentColor
- Margin
- Increment
- Color
- ButtonSize
- Forms
- TControlScrollBar
- Self
- IsScrollBarVisible
- Self
- ChangeBiDiPosition
- Source
- Self
- Assign
- TControlScrollBar6
- FUpdateNeeded
- FLineDiv
- FPageDiv
- FThumbSize
- FSize
- FParentColor
- FColor
- FButtonSize
- FDelay
- FSmooth
- FScaled
- FTracking
- FVisible
- FMargin
- FKind
- FCalcRange

- FRange
- FPosition
- FPageIncrement
- FIncrement
- FControl
- Forms
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- Forms
- sbVertical
- sbHorizontal
- TScrollBarKind
- Hint
- THintAction
- AOwner
- Self
- Create
- THintAction6
- =Lbu
- =Hbu
- SVW3
- SVWU
- SVWU
- |-F3
- SVW3
- SVW3
- hiyk
- SVW3
- |,C3
- |7C3
- Uh"`k
- SVW3
- SVW3
- Owner
- TTreeStringsDXk
- Encoding
- Stream
- Self
- SaveTreeToStream
- Encoding
- Stream
- Self
- LoadTreeFromStream
- Index
- Self
- Insert
- Index
- Self
- Delete
- Self
- Clear
- Self
- AOwner
- Self
- Create

- TTreeStrings6
- FOwner
- ;4$}
- |/G3
- |3G3
- UhqRk
- UhDPk
- SVW3
- SVW3
- |1G3
- SVW3
- SVW3
- SVW3
- SVWU
- SVW3
- Uh[;k
- SVWU
- u?;P
- uM;P
- u3;P(t.
- uM;P
- ud;S
- @U u
- SVWU
- SVWU
- =@bu
- Extension
- ConversionClass
- TConversionFormat
- TConversionClasst1k
- TConversion
- ConvertWriteStream
- ConvertReadStream
- Self
- Create
- TConversion&
- OnStartDrag.
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnGesture
- OnExit`
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- Visibled
- Touch
- TabStoph
- TabOrder
- ShowHint

- State
- Step
- SmoothReverse
- BackgroundColor
- BarColor
- MarqueeInterval
- Style
- Smooth
- Position
- PopupMenu
- ParentShowHint
- ParentDoubleBuffered
- Orientation
- Constraints
- HintD
- Enabled\\
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- BorderWidth
- Anchorsp
- Align
- TProgressBar
- Delta
- Self
- Self
- StepIt
- AOwner
- Self
- Create
- TProgressBar6
- FState
- FBackgroundColor
- FBarColor
- FMarqueeInterval
- FSmoothReverse
- FSmooth
- FOrientation
- FStep
- FSavedPosition
- FPosition
- FMax
- FMin
- F32BitMode
- pbsError\tpbsPaused
- pbsNormal
- TProgressBarState
- pbstMarquee
- pbstNormal
- TProgressBarStyle
- pbVertical
- pbHorizontal
- TProgressBarOrientation
- ItemsZ
- OnStartDrag
- OnStartDockp

- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnHint
- OnGetSelectedIndexD
- OnGetImageIndex
- OnGesture
- OnExpanded`
- OnExpanding
- OnExit
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnEditing
- OnEdited
- OnDragOverT
- OnDragDrop
- OnDeletion
- OnDblClick
- OnCustomDrawItemp-c
- OnCustomDrawd
- OnCreateNodeClass
- OnContextPopup(
- OnCompared
- OnCollapsingt
- OnCollapsedp
- OnClick
- OnChangingp-c
- OnChange
- OnCancelEdit\\
- OnAdvancedCustomDrawItem\\
- OnAdvancedCustomDraw
- OnAddition0
- Visible
- Touch
- ToolTipsh
- TabStop
- TabOrder
- StateImages
- SortType\\
- ShowRootX
- ShowLines
- ShowHint
- ShowButtons
- RowSelect
- RightClickSelect
- ReadOnly
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered

- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MultiSelectStyle
- MultiSelect
- Indent
- Images
- HotTrack\\
- HideSelection
- Font
- EnabledT+e
- DragMode
- DragCursor
- DragKind
- DoubleBuffered
- Constraints
- Color
- ChangeDelay
- BorderWidth
- BorderStylep
- BiDiMode
- BevelWidth
- BevelKind
- BevelOuter<
- BevelInner
- BevelEdges
- AutoExpand$
- Anchors
- Align
- TTreeView
- TTreeView
- SelectionCount
- TopItem
- Selected
- DropTarget
- Canvas
- TCustomTreeView
- ARecurse
- Data
- SortProc
- Self
- CustomSort
- Self
- FindNextToSelect
- AList
- Self
- GetSelections
- KeepPrimary
- Self
- ClearSelection
- Validate
- Node
- Self
- Subselect
- Node
- Self
- Deselect

- Nodes
- Self
- Select
- Select5
- ShiftState
- Node
- Self
- Select
- Encoding
- Stream
- Self
- SaveToStream
- Stream
- Self
- SaveToStream
- Encoding
- FileName
- Self
- SaveToFile
- FileName
- Self
- SaveToFile
- Encoding
- Stream
- Self
- LoadFromStream
- Stream
- Self
- LoadFromStream
- Encoding
- FileName
- Self
- LoadFromFile
- FileName
- Self
- LoadFromFile
- Self
- IsEditing
- Self
- GetDragImages
- Self
- GetNodeAt
- Self
- GetHitTestInfoAt
- Self
- FullExpand
- Self
- FullCollapse
- ARecurse
- Self
- AlphaSort
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomTreeView6

- FChangeTimer
- FOnCreateNodeClass
- FOnHint
- FOnGetSelectedIndex
- FOnGetImageIndex
- FOnExpanding
- FOnExpanded
- FOnEdited
- FOnEditing
- FOnAddition
- FOnDeletion
- FOnCustomDrawItem
- FOnCustomDraw
- FOnCompare
- FOnCollapsing
- FOnCollapsed
- FOnChanging
- FOnChange
- FOnCancelEdit
- FOnAdvancedCustomDrawItem
- FOnAdvancedCustomDraw
- FReading
- FCreateWndRestores
- FStockFont
- FOurFont
- FSelectChanged
- FSelecting
- FShiftAnchor
- FSaveIndexes
- FSelections
- FMultiSelectStyle
- FMultiSelect
- FWideText
- FTreeNodes
- FToolTips
- FStateChangeLink
- FStateImages
- FStateChanging
- FSortType
- FShowRoot
- FShowLines
- FShowButtons
- FSaveTopIndex
- FSaveItems
- FSaveIndent
- FSaveIndex
- FRowSelect
- FReadOnly
- FManualNotify
- FRightClickSelect
- FRClickNode
- FMemStream
- FLastDropTarget
- FInBufferedPrintClient
- FImages
- FImageChangeLink
- FHotTrack

- FHideSelection
- FEditHandle
- FDragNode
- FDragImage
- FDragged
- FEditInstance
- FDefEditProc
- FCanvasChanged
- FCanvas
- FBorderStyle
- FAutoExpand
- NodeClass
- Sender
- TTreeNodeClass
- NodeClass
- TCustomTreeView
- Sender
- TTVCreateNodeClassEvent
- DefaultDraw
- PaintImages
- Stage
- State
- Node
- Sender
- Boolean
- DefaultDraw
- Boolean
- PaintImages
- TCustomDrawStage
- Stage
- TCustomDrawState
- State
- Node\tTTreeNode
- TCustomTreeView
- Sender
- TTVAdvancedCustomDrawItemEvent
- DefaultDraw
- Stage
- ARect
- Sender
- Boolean
- DefaultDraw
- TCustomDrawStage
- Stage
- TRect
- ARect
- TCustomTreeView
- Sender
- TTVAdvancedCustomDrawEvent
- DefaultDraw
- State
- Node
- Sender
- Boolean
- DefaultDraw
- TCustomDrawState
- State

- Node\tTTreeNode
- TCustomTreeView
- Sender
- TTVCustomDrawItemEvent
- DefaultDraw
- ARect
- Sender
- Boolean
- DefaultDraw
- TRect
- ARect
- TCustomTreeView
- Sender
- TTVCustomDrawEvent
- Hint
- Node
- Sender
- Hint
- Node\tTTreeNode
- TObject
- Sender
- TTVHintEvent
- Compare
- Data
- Node2
- Node1
- Sender
- Integer
- Compare
- Integer
- Data
- Node2\tTTreeNode
- Node1\tTTreeNode
- TObject
- Sender
- TTVCompareEvent
- Node
- Sender
- Node\tTTreeNode
- TObject
- Sender
- TTVExpandedEvent
- AllowCollapse
- Node
- Sender
- Boolean
- AllowCollapse
- Node\tTTreeNode
- TObject
- Sender
- TTVCollapsingEvent
- AllowExpansion
- Node
- Sender
- Boolean
- AllowExpansion
- Node\tTTreeNode

- TObject
- Sender
- TTVExpandingEvent
- Node
- Sender
- Node\tTTreeNode
- TObject
- Sender
- TTVEditedEvent
- AllowEdit
- Node
- Sender
- Boolean
- AllowEdit
- Node\tTTreeNode
- TObject
- Sender
- TTVEditingEvent
- Node
- Sender
- Node\tTTreeNode
- TObject
- Sender
- TTVChangedEvent
- AllowChange
- Node
- Sender
- Boolean
- AllowChange
- Node\tTTreeNode
- TObject
- Sender
- TTVChangingEvent
- ETreeViewError
- ETreeViewError
- TMultiSelectStyle
- msSiblingOnly
- msVisibleOnly
- msShiftSelect
- msControlSelect
- TMultiSelectStyles
- stData
- stNone
- TSortType
- Owner
- Handle<
- Count
- TTreeNodesH
- ARecurse
- Data
- SortProc
- Self
- CustomSort
- Sibling
- Node
- Self
- InsertNode

- Sibling
- Self
- InsertObject
- Sibling
- Self
- Insert
- ItemId
- Self
- GetNode
- Self
- GetEnumerator
- Self
- GetFirstNode
- Self
- EndUpdate
- Node
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- ARecurse
- Self
- AlphaSort
- Sibling
- Self
- Sibling
- Self
- AddFirst
- Method
- Relative
- Node
- Self
- AddNode
- Sibling
- Self
- AddObject
- Sibling
- Self
- AddObjectFirst
- Parent
- Self
- AddChildObject
- Parent
- Self
- AddChildObjectFirst
- Parent
- Self
- AddChild
- Parent
- Self
- AddChildFirst
- Self

- Destroy
- AOwner
- Self
- Create
- TTreeNodes6
- FReading
- FNodeCache
- FUpdateCount
- FOwner
- CacheIndex
- CacheNode
- TNodeCache
- Current
- TTreeNodesEnumeratorX
- Self
- MoveNext
- Self
- GetCurrent
- ATreeNodes
- Self
- Create
- TTreeNodesEnumerator:
- FTreeNodes
- FIndex
- TreeView
- Text<
- StateIndex\\
- Enabled
- SelectedIndex
- Parent
- Owner
- OverlayIndex
- Level
- ItemId
- IsVisible
- Index
- ImageIndex
- HasChildren
- Handle
- ExpandedImageIndex
- Expanded
- Selected
- DropTarget
- Focused
- Deleting
- Data
- Count
- AbsoluteIndex
- TTreeNode
- ARecurse
- Data
- SortProc
- Self
- CustomSort
- Self
- IsFirstNode
- Mode

- Destination
- Self
- MoveTo
- Self
- MakeVisible
- Value
- Self
- IndexOf
- Value
- Self
- HasAsParent
- Self
- GetPrevVisible
- Self
- getPrevSibling
- Value
- Self
- GetPrevChild
- Self
- GetPrev
- Self
- GetNextVisible
- Self
- getNextSibling
- Value
- Self
- GetNextChild
- Self
- GetNext
- Self
- GetLastChild
- Self
- GetHandle
- Self
- getFirstChild
- Recurse
- Self
- Expand
- Cancel
- Self
- EndEdit
- Self
- EditText
- TextOnly
- Self
- DisplayRect
- Self
- DeleteChildren
- Self
- Delete
- Recurse
- Self
- Collapse
- Source
- Self
- Assign
- ARecurse

- Self
- AlphaSort
- Self
- Destroy
- AOwner
- Self
- Create
- TTreeNode6
- FExpandedImageIndex
- FEnabled
- FInTree
- FDeleting
- FStateIndex
- FOverlayIndex
- FSelectedIndex
- FImageIndex
- FItemId
- FData
- FText
- FOwner
- TTreeNodeClass
- naInsert
- naAddChildFirst
- naAddChild
- naAddFirst
- naAdd
- TNodeAttachMode
- TCustomDrawState
- cdsDropHilited
- cdsOtherSideHot
- cdsNearHot
- cdsShowKeyboardCues
- cdsIndeterminate
- cdsDefault
- cdsFocused
- cdsChecked
- cdsDisabled
- cdsSelected\tcdsGrayed
- cdPostErase
- cdPreErase
- cdPostPaint
- cdPrePaint
- TCustomDrawStage
- THitTests
- htToLeft\thtToRight
- htOnStateIcon
- htOnIndent\thtOnLabel\thtOnRight
- htOnIcon
- htOnButton
- htOnItem
- htBelow\thtNowhere
- htAbove
- THitTest
- SVW3
- SVW3
- ;P4t
- SVWU

- SVWU
- @LP3
- ;4$~
- SVWU
- DockManager
- OnUnDockF
- OnStartDrag
- OnStartDockp
- OnResize
- OnMouseUpp-c
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnGetSiteInfo
- OnGesture8
- OnExit`
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnDockOverp-c
- OnDockDrop
- OnContextPopup
- OnConstrainedResized
- OnClick
- OnCanResizep-c
- OnAlignPosition$
- OnAlignInsertBeforel
- Visible
- VerticalAlignment
- Touch ,c
- TabStoph
- TabOrder
- ShowHint
- ShowCaption
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBackground
- ParentBiDiMode
- Padding
- Locked
- Font
- FullRepaintT+e
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- DockSite

- UseDockManager
- Ctl3D
- Constraints
- ColorD
- Caption
- BorderStyle
- BorderWidth
- BiDiModep
- BevelWidth
- BevelOuter
- BevelKind
- BevelInner<
- BevelEdges
- AutoSize$
- Anchors
- Alignment
- Align8+c
- ExtCtrlsE
- TPanel
- TPanel
- ParentBackground
- TCustomPanel
- Self
- GetControlsAlignment
- AOwner
- Self
- Create
- TCustomPanel6
- FVerticalAlignment
- FShowCaption
- FParentBackgroundSet
- FLocked
- FFullRepaint
- FBorderStyle
- FBorderWidth
- FBevelWidth
- FBevelOuter
- FBevelInner
- FAutoSizeDocking
- FAlignment
- OnTimer
- Intervalp-c
- Enabled
- TTimer
- Self
- Destroy
- AOwner
- Self
- Create
- TTimer6
- FEnabled
- FOnTimer
- FWindowHandle
- FInterval
- Canvas
- OnStartDrag%
- OnStartDockp

- OnProgress
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnGesture
- OnEndDrag`
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopupp-c
- OnClickd
- Visiblep-c
- Transparent
- Touch
- ShowHint
- Proportional
- PopupMenu
- Picture
- ParentShowHint
- IncrementalDisplay
- Enabled
- DragMode
- DragKind
- DragCursor
- Constraints
- CenterD
- AutoSize
- Anchors
- Align
- TImage4
- Self
- Destroy
- AOwner
- Self
- Create
- TImage6
- FProportional
- FDrawing
- FTransparent
- FIncrementalDisplay
- FCenter
- FOnProgress
- FPicture
- =(bu
- =,bu
- SVWU
- SVWU
- B@;U
- SVWU
- SVWU
- T$ 3
- SVWU
- S4RU

- SVWUQ
-)S<3
- SVWUQ
- SVWU
- SVWU
- 4]_^[
- C0;D$
- L$!3
- L$%3
- T$ 3
- T$$3
- D$ 3
- L$!3
- L$%3
- T$ 3
- T$$3
- D$ 3
- D$!3
- D$!3
- D$!3
- D$!3
- D$ 3
- L$0Q
- SVWU
- K0;K(u
- Kl#K4
- Kl#K4
- u$AF
- u,AF
- u4AF
- u<AF
- u$AF
- u,AF
- u4AF
- u<AF
- SVWUQ
- ;S u
- SVWU
- SVWUQ
- SVWU
- SVWUQ
- UhA+j
- UhM)j
- ZLib
- EZCompressionErrorT'j
- EZCompressionError
- ZLib
- EZLibError
- EZLibError
- OnProgress
- CompressionRatep-c
- ZLib
- TZCompressionStream
- origin
- offset
- Self
- Seek

- count
- buffer
- Self
- Write
- count
- buffer
- Self
- Read
- Self
- Destroy
- dest
- compressionLevel
- Self
- Create
- compressionLevel
- dest
- Self
- Create
- TZCompressionStreamN
- ZLib
- TCustomZStream
- TCustomZStream
- FBuffer
- FZStream
- FOnProgress
- FStreamPos
- FStream
- reserved
- adler
- data_type
- opaque
- zfree
- zalloc
- state
- total_out
- avail_out
- next_out
- total_in
- avail_in
- next_in
- TZStreamRec8
- ZLib
- clMax
- clNone\tclFastest\tclDefault
- TCompressionLevel
- ZLib
- zcMax
- zcNone\tzcFastest\tzcDefault
- TZCompressionLevel
- block
- opaque
- TZFree
- size
- items
- opaque
- TZAlloc
- :Bit

- 0_^[
- @H+E
- hu\tj
- Uhn\tj
- SVW3
- OnStartDrag1
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClickd
- Visible
- TabStop
- TabOrder
- State
- ShowHint
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Font
- EnabledT+e
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- Ctl3D
- Constraints
- ColorD
- Checked
- Caption
- BiDiMode
- Anchors
- AllowGrayed
- Alignment
- Align
- Action@
- TCheckBox
- TCheckBox
- TabStop
- TCustomCheckBoxD

- Self
- GetControlsAlignment
- AOwner
- Self
- Create
- TCustomCheckBox6
- FState
- FAllowGrayed
- FAlignment
- cbGrayed
- cbUnchecked\tcbChecked
- TCheckBoxState
- TButtonControl
- AOwner
- Self
- Create
- TButtonControl6
- FWordWrap
- FClicksDisabled
- TButtonActionLink
- TButtonActionLink
- FClient
- OnStartDragB
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnGesture
- OnExit`
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopupp-c
- OnClickd
- OnChangep-c
- Visiblep-c
- Touch
- TextHinth
- Text\\
- TabStop
- TabOrder
- ShowHint
- ReadOnly
- PopupMenu
- PasswordChar
- ParentShowHintL
- ParentFont
- ParentDoubleBuffered

- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- NumbersOnly
- MaxLength
- ImeName
- ImeMode
- HideSelection`
- Font
- EnabledT+e
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- Ctl3D
- Constraints
- ColorD
- CharCase
- BorderStyle
- BiDiMode
- BevelWidth
- BevelOuter
- BevelKind
- BevelInner<
- BevelEdges
- AutoSize$
- AutoSelect
- Anchors
- Alignment
- Align8+c
- TEdit
- TEdit
- TextHint
- Text\\
- SelText
- SelStart\\
- SelLength
- ReadOnly
- Modified
- CanUndo
- Alignment
- TabStop
- TCustomEditL
- Buffer
- Self
- SetSelTextBuf
- BufSize
- Buffer
- Self
- GetSelTextBuf
- Self
- SelectAll
- Value
- Self
- SetSelText
- Self

- ClearUndo
- Self
- Undo
- Self
- PasteFromClipboard
- Self
- GetControlsAlignment
- Message
- Self
- DefaultHandler
- Self
- CutToClipboard
- Self
- CopyToClipboard
- Self
- ClearSelection
- Self
- Clear
- AOwner
- Self
- Create
- TCustomEdit6
- FTextHint
- FNumbersOnly
- FOldSelStart
- FOldSelLength
- FOnChange
- FInBufferedPrintClient
- FModified
- FCreating
- FCharCase
- FOEMConvert
- FHideSelection
- FAutoSelect
- FAutoSize
- FReadOnly
- FPasswordChar
- FBorderStyle
- FMaxLength
- FAlignment
- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- OnStartDrag,
- OnStartDockp
- OnMouseLeave
- OnMouseEnterp-c
- OnMouseUpp-c
- OnMouseMove
- OnMouseDownX
- OnMouseActivate
- OnGesture
- OnEndDrag`
- OnEndDock
- OnDragOver
- OnDragDrop

- OnDblClick
- OnContextPopupp-c
- OnClickd
- Visible
- Layout
- Transparent
- Touch
- ShowHinth
- ShowAccelChar
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- ParentBiDiMode
- GlowSize
- Font
- FocusControlT+e
- Enabled
- EllipsisPosition
- DragMode
- DragKind
- DragCursor
- Constraints
- ColorD
- Caption
- BiDiMode
- AutoSize
- Anchors
- Alignment
- Align8+c
- TLabelX
- TLabel
- GlowSize
- Canvas
- CaptionIMe
- TCustomLabelD
- AOwner
- Self
- Create
- TCustomLabel6
- FEllipsisPosition
- FTransparentSet
- FShowAccelChar
- FWordWrap
- FLayout
- FGlowSize
- FDrawTextProc
- FAutoSize
- FAlignment
- FFocusControl
- TextFlags
- TextRect
- Text
- Cardinal
- TextFlags
- TRect
- TextRect

- Text
- epWordEllipsis
- epEndEllipsis
- epPathEllipsis
- epNone
- TEllipsisPosition
- tlBottom
- tlCenter
- tlTop
- TTextLayout
- SVWU
- |[C3
- |[@3
- d0KU
- |m@3
- d0KU
- d0KU
- IufU
- Ail^
- |HC3
- W<FKu
- |cC3
- |GC3
- SVW3
- SVW3
- |JC3
- SVW3
- R(FKu
- 8^SVW
- SVW3
- SVWU
- ViewerID
- Viewer
- HelpIntfs
- THelpViewerNode(
- Viewer
- Self
- Create
- THelpViewerNode6
- FViewerID
- FViewer
- HelpFile
- Handle\\
- HelpIntfs
- THelpManager,
- ViewerID
- Self
- Release
- Self
- GetHelpFile
- Self
- GetHandle
- Filter
- Self
- SetFilter
- Self
- GetFilter

- HelpFileName
- Anchor
- Topic
- Self
- ShowTopicHelp
- HelpFileName
- Topic
- Self
- ShowSearch
- HelpFileName
- Topic
- Self
- ShowIndex
- HelpFileName
- HelpKeyword
- Self
- UnderstandsKeyword
- Data
- Command
- HelpFile
- Handle
- Self
- Hook
- Selector
- Self
- AssignHelpSelector
- HelpFileName
- Topic
- Self
- ShowTopicHelp
- Self
- ShowTableOfContents
- HelpFileName
- ContextID
- Self
- ShowContextHelp
- HelpFileName
- HelpKeyword
- Self
- ShowHelp
- newViewer
- Self
- RegisterViewer
- Self
- Destroy
- Self
- Create
- THelpManager&
- FHelpFile
- FHandle
- FMinCookie
- FExtendedViewerList
- FViewerList
- FHelpSelector
- 3\\\tHelpIntfs
- IInternalHelpManagerh
- HelpIntfs

- EHelpSystemException\\
- EHelpSystemException
- 8^\tHelpIntfs
- IHelpManagerh
- ICustomHelpViewerh
- HelpIntfs
- IHelpSystem3
- HelpIntfs
- IHelpSystem2
- IHelpSystemh
- IHelpSelectorh
- SVWUQ
- SVWU
- S4_^[
- |#F3
- SVWU
- SVWU
- R8;F
- |>C3
- |uC3
- SVW3
- YGKu
- Ih;J8u
- :PAt
- :P4t
- ;wHu
- ;PHu
- S4^[]
- @d;E
- SVWUQ
- |$F3
- SVWU
- ;udt
- SVWU
- |CF3
- SVW3
- WxFKu
- |2C3
- SVW3
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3
- ;~|u
- RDFKu
- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tf
- :^8tA
- @8;E
- @4;E
- SVW3
- hfai
- Uh_ai
- SVW3

- R$;E
- R0;E
- SVW3
- h@Mi
- Uh9Mi
- SVW3
- hPKi
- UhIKi
- SVW3
- X?ENu
- |@F3
- SVWUQ
- SVWU
- SVW3
- :Bit
- @?:E
- @?:E
- hj<i
- Uhc<i
- SVW3
- Menus
- TMenuItemStack<7i
- AItem
- Self
- ClearItem
- TMenuItemStack8
- Window
- Menus
- TPopupList
- Popup
- Self
- Remove
- Popup
- Self
- TPopupList2
- FWindow
- PopupPoint
- PopupComponent
- OnPopup
- OnChangep-c
- TrackButton
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Imagesh0i
- HelpContext\\
- BiDiMode
- AutoPopup
- AutoLineReduction
- AutoHotkeys
- Alignment
- Menus
- TPopupMenu
- Self
- Popup
- Self
- CloseMenu

- Self
- Destroy
- AOwner
- Self
- Create
- TPopupMenu6
- FOnPopup
- FMenuAnimation
- FTrackButton
- FPopupComponent
- FAutoPopup
- FAlignment
- FPopupPoint
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiMode\\
- AutoMerge
- AutoLineReduction
- AutoHotkeys
- Menus
- TMainMenud,i
- Handle
- Self
- SetOle2MenuHandle
- GetOle2AcceleratorTableA
- PopulateOle2Menu
- Menu
- Self
- Unmerge
- Menu
- Self
- Merge
- TMainMenu3
- FAutoMerge
- FOle2Menu
- WindowHandle
- ParentBiDiMode
- OwnerDraw

- Handle
- BiDiMode
- AutoLineReduction
- AutoHotkeys
- Images
- Items
- Menus
- TMenu
- Message
- Self
- ProcessMenuChar
- AControl
- Self
- ParentBiDiModeChanged
- Self
- ParentBiDiModeChanged
- Message
- Self
- IsShortCut
- Self
- IsRightToLeft
- ByCommand
- Value
- Self
- GetHelpContext
- Root
- Proc
- Self
- GetChildren
- Kind
- Value
- Self
- FindItem
- AHandle
- Self
- DispatchPopup
- ACommand
- Self
- DispatchCommand
- Self
- Destroy
- Self
- CreateMenuItem
- AOwner
- Self
- Create
- TMenu6
- FMenuImage
- FOnChange
- FImages
- FImageChangeLink
- FParentBiDiMode
- FOwnerDraw
- FWindowHandle
- FItems
- FBiDiMode
- Menus

- fkShortCut
- fkHandle
- fkCommand
- TFindItemKind
- Parent
- MenuIndex\\ i
- Count
- Handle
- Command
- OnMeasureItem
- OnAdvancedDrawItem
- OnDrawItem4
- OnClick
- Visiblep-c
- ShortCut
- RadioItemT-c
- ImageIndex
- Hint
- HelpContext\\
- GroupIndex
- Enabled
- Default
- SubMenuImages
- Checked\\
- Caption
- Break\\
- Bitmap
- AutoLineReductiondpe
- AutoHotkeys
- AutoCheck
- Action
- Menus
- TMenuItem8
- Value
- Self
- SetParentComponent
- Self
- RethinkLines
- Self
- RethinkHotkeys
- Item
- Self
- Remove
- Add4
- Item
- Self
- AItem
- Self
- InsertNewLineAfter
- AItem
- Self
- InsertNewLineBefore
- Self
- NewBottomLine
- Self
- NewTopLine
- Self

- HasParent
- Self
- GetParentMenu
- Self
- GetParentComponent
- Self
- GetImageList
- Self
- GetEnumerator
- Root
- Proc
- Self
- GetChildren
- Self
- IsLine
- Item
- Self
- IndexOf
- ACaption
- Self
- Find
- Self
- Click
- Self
- Clear
- Index
- Self
- Delete
- Item
- Index
- Self
- Insert
- Self
- InitiateAction
- Self
- Destroy
- AOwner
- Self
- Create
- TMenuItem6
- FHandle
- FAutoCheck
- FOnMeasureItem
- FOnAdvancedDrawItem
- FOnDrawItem
- FOnClick
- FOnChange
- FSubMenuImages
- FImageChangeLink
- FStreamedRebuild
- FMenu
- FMergedWith
- FMerged
- FParent
- FShortCut
- FItems
- FHint

- FHelpContext
- FCommand
- FBitmap
- FBreak
- FActionLink
- FImageIndex
- FGroupIndex
- FVisible
- FRadioItem
- FAutoLineReduction
- FAutoHotkeys
- FDefault
- FEnabled
- FChecked
- FCaption
- Current8
- Menus
- TMenuItemEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AMenuItem
- Self
- Create
- TMenuItemEnumerator9
- FMenuItem
- FIndex
- Menus
- TMenuActionLinkp
- TMenuActionLink
- FClient
- Menus
- TMenuAutoFlag
- Menus
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Height
- Width
- ACanvas
- Sender
- Integer
- Height
- Integer
- Width
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- State
- ARect
- ACanvas
- Sender
- TOwnerDrawState

- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Selected
- ARect
- ACanvas
- Sender
- Boolean
- Selected
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Rebuild
- Source
- Sender
- Boolean
- Rebuild
- Source\tTMenuItem
- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- Menus
- EMenuErrort
- EMenuError
- @@PU
- $ZXu
- |&G3;
- SVWU
- SVWU
- R0;C8}!
- SVWU
- SVWU
- SVW3
- SVW3
- |xF3
- V4RQP
- ;V8t3
- ;N4u
- SVWU
- V8RP
- ;V4t0
- V4RQP
- ;V8t0

- OnChange
- ShareImages
- Masked
- ImageType
- Height`
- DrawingStyle
- BkColor
- BlendColor
- AllocBy
- Handle
- Count
- ColorDepth
- ImgList
- TCustomImageListl
- Value
- Self
- UnRegisterChanges
- AHeight
- AWidth
- Self
- SetSize
- MaskColor
- NewImage
- Index
- Self
- ReplaceMasked
- Image
- Index
- Self
- ReplaceIcon
- Mask
- Image
- Index
- Self
- Replace
- MaskColor
- Name
- ResType
- Instance
- Self
- ResInstLoad
- MaskColor
- Name
- ResType
- Self
- ResourceLoad
- Value
- Self
- RegisterChanges
- Overlay
- ImageIndex
- Self
- Overlay
- NewIndex
- CurIndex
- Self
- Move

- MaskColor
- Image
- Index
- Self
- InsertMasked
- Image
- Index
- Self
- InsertIcon
- Mask
- Image
- Index
- Self
- Insert
- Self
- HandleAllocated
- MaskColor
- LoadFlags
- Width
- ResID
- ResType
- Instance
- Self
- GetInstRes
- MaskColor
- LoadFlags
- Width
- Name
- ResType
- Instance
- Self
- GetInstRes
- MaskColor
- LoadFlags
- Width
- Name
- ResType
- Self
- GetResource
- Self
- GetMaskBitmap
- Self
- GetImageBitmap
- AImageType
- ADrawingStyle
- Image
- Index
- Self
- GetIcon
- Image
- Index
- Self
- GetIcon
- Self
- GetHotSpot
- Image
- Index

- Self
- GetBitmap
- MaskColor
- Name
- ResType
- Self
- FileLoad
- Self
- EndUpdate
- Enabled
- AImageType
- ADrawingStyle
- Overlay
- ImageIndex
- Canvas
- Self
- DrawOverlay
- Enabled
- Overlay
- ImageIndex
- Canvas
- Self
- DrawOverlay
- Enabled
- AImageType
- ADrawingStyle
- Index
- Canvas
- Self
- Draw
- Enabled
- Index
- Canvas
- Self
- Draw
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- MaskColor
- Image
- Self
- AddMasked
- Value
- Self
- AddImages
- Index
- Value
- Self
- AddImage
- Image
- Self
- AddIcon
- Mask

- Image
- Self
- Source
- Self
- Assign
- Self
- Destroy
- AHeight
- AWidth
- Self
- CreateSize
- AOwner
- Self
- Create
- TCustomImageList6
- FColorDepth
- FOnChange
- FUpdateCount
- FChanged
- FMonoBitmap
- FBitmap
- FClients
- FBlendColor
- FBkColor
- FImageType
- FShareImages
- FMasked
- FDrawingStyle
- FHandle
- FAllocBy
- FHeight
- ImgList
- cd32Bit
- cd24Bit
- cd16Bit
- cd8Bit
- cd4Bit
- cdDeviceDependent
- cdDefault
- TColorDepth
- TImageIndex
- TLoadResources
- ImgList
- lrMonoChrome
- lrTransparent
- lrMap3DColors
- lrFromFile
- lrDefaultSize
- lrDefaultColor
- TLoadResource
- TOverlay
- ImgList
- rtIcon
- rtCursor
- rtBitmap
- TResType
- ImgList

- itMask
- itImage
- TImageType
- ImgList
- dsTransparent
- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- Sender
- OnChange\\
- ImgList
- TChangeLink
- Self
- Change
- Self
- Destroy
- TChangeLink'
- FOnChange
- FSender
- OnThemeChange
- ThemesEnabledp-c
- ThemesAvailable
- Themes
- TThemeServices
- Self
- UpdateThemes
- EraseLRCorner
- Control
- Self
- PaintBorder
- Details
- Self
- HasTransparentParts
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self

- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- Self
- DrawParentBackground
- Bounds

- OnlyIfTransparent
- Details
- Target
- Window
- Self
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- Self
- DrawParentBackground
- ClipRect
- Details
- Self
- DrawElement
- ContentRect
- Flags
- Edge
- Details
- Self
- Details
- Color
- Self
- ColorToRGB
- Flags2
- Flags
- Details
- Self
- DrawText
- Index
- himl
- Details
- Self
- ClipRect
- Details
- Self
- DrawElement
- Details
- Self
- DrawElement
- Flags
- Edge
- Details
- Self
- BoundingRect
- Details
- Self
- ContentRect
- Color
- Self
- ColorToRGB
- Self
- ApplyThemeChange
- Self
- Destroy

- Self
- Create
- TThemeServices&
- FOnThemeChange
- FThemeData
- FUseThemes
- FThemesAvailable
- State
- Part
- Element
- TThemedElementDetails
- PThemedElementDetails0
- TThemeData`
- Themes
- twFrameBottomSizingTemplate twSmallFrameBottomSizingTemplate
- twSmallFrameRightSizingTemplate
- twFrameRightSizingTemplate
- twSmallFrameLeftSizingTemplate
- twFrameLeftSizingTemplate
- twSmallCaptionSizingTemplate
- twCaptionSizingTemplate
- twDialog
- twVertThumbDisabled
- twVertThumbPushed
- twVertThumbHot
- twVertThumbNormal
- twVertScrollDisabled
- twVertScrollPushed
- twVertScrollHot
- twVertScrollNormal
- twHorzThumbDisabled
- twHorzThumbPushed
- twHorzThumbHot
- twHorzThumbNormal
- twHorzScrollDisabled
- twHorzScrollPushed
- twHorzScrollHot
- twHorzScrollNormal
- twMDIHelpButtonDisabled
- twMDIHelpButtonPushed
- twMDIHelpButtonHot
- twMDIHelpButtonNormal
- twHelpButtonDisabled
- twHelpButtonPushed
- twHelpButtonHot
- twHelpButtonNormal
- twMDIRestoreButtonDisabled
- twMDIRestoreButtonPushed
- twMDIRestoreButtonHot
- twMDIRestoreButtonNormal
- twRestoreButtonDisabled
- twRestoreButtonPushed
- twRestoreButtonHot
- twRestoreButtonNormal
- twMDICloseButtonDisabled
- twMDICloseButtonPushed
- twMDICloseButtonHot

- twMDICloseButtonNormal
- twSmallCloseButtonDisabled
- twSmallCloseButtonPushed
- twSmallCloseButtonHot
- twSmallCloseButtonNormal
- twCloseButtonDisabled
- twCloseButtonPushed
- twCloseButtonHot
- twCloseButtonNormal
- twMaxButtonDisabled
- twMaxButtonPushed
- twMaxButtonHot
- twMaxButtonNormal
- twMDIMinButtonDisabled
- twMDIMinButtonPushed
- twMDIMinButtonHot
- twMDIMinButtonNormal
- twMinButtonDisabled
- twMinButtonPushed
- twMinButtonHot
- twMinButtonNormal
- twMDISysButtonDisabled
- twMDISysButtonPushed
- twMDISysButtonHot
- twMDISysButtonNormal
- twSysButtonDisabled
- twSysButtonPushed
- twSysButtonHot
- twSysButtonNormal
- twSmallFrameBottomInactive
- twSmallFrameBottomActive
- twSmallFrameRightInactive
- twSmallFrameRightActive
- twSmallFrameLeftInactive
- twSmallFrameLeftActive
- twFrameBottomInactive
- twFrameBottomActive
- twFrameRightInactive
- twFrameRightActive
- twFrameLeftInactive
- twFrameLeftActive
- twSmallMaxCaptionDisabled
- twSmallMaxCaptionInactive
- twSmallMaxCaptionActive
- twMaxCaptionDisabled
- twMaxCaptionInactive
- twMaxCaptionActive
- twSmallMinCaptionDisabled
- twSmallMinCaptionInactive
- twSmallMinCaptionActive
- twMinCaptionDisabled
- twMinCaptionInactive
- twMinCaptionActive
- twSmallCaptionDisabled
- twSmallCaptionInactive
- twSmallCaptionActive
- twCaptionDisabled

- twCaptionInactive
- twCaptionActive
- twWindowRoot
- twWindowDontCare
- TThemedWindow
- Themes
- ttGlyphOpened
- ttItemSelectedNotFocus
- ttItemDisabled
- ttItemSelected
- ttItemNormal\tttItemHot
- ttTreeviewRoot
- ttTreeviewDontCare
- TThemedTreeview
- Themes
- ttnAnimBackground
- ttnBackground
- ttnTrayNotifyRoot
- ttnTrayNotifyDontCare
- TThemedTrayNotify
- Themes
- ttbThumbRightDisabled
- ttbThumbRightFocused
- ttbThumbRightPressed
- ttbThumbRightNormal
- ttbThumbLeftDisabled
- ttbThumbLeftFocused
- ttbThumbLeftPressed
- ttbThumbLeftHot
- ttbThumbLeftNormal
- ttbThumbVertDisabled
- ttbThumbVertFocused
- ttbThumbVertPressed
- ttbThumbVertHot
- ttbThumbVertNormal
- ttbThumbTopDisabled
- ttbThumbTopFocused
- ttbThumbTopPressed
- ttbThumbTopHot
- ttbThumbTopNormal
- ttbThumbBottomDisabled
- ttbThumbBottomFocused
- ttbThumbBottomPressed
- ttbThumbBottomHot
- ttbThumbBottomNormal
- ttbThumbDisabled
- ttbThumbFocused
- ttbThumbPressed
- ttbThumbNormal
- ttbTrackBarRoot
- ttbTrackBarDontCare
- TThemedTrackBar
- Themes
- tttClosePressed
- tttCloseHot
- tttCloseNormal
- tttBaloonStemDownLeft

- tttBaloonStemUpLeft
- tttBaloonTitleLink
- tttBaloonTitleNormal
- tttBaloonLink
- tttBaloonNormal
- tttStandardTitleLink
- tttStandardTitleNormal
- tttStandardLink
- tttStandardNormal
- tttToolTipRoot
- tttToolTipDontCare
- TThemedToolTip
- Themes
- ttbSeparatorVertCheckedHot
- ttbSeparatorVertChecked
- ttbSeparatorVertDisabled
- ttbSeparatorVertPressed
- ttbSeparatorVertHot
- ttbSeparatorVertNormal
- ttbSeparatorCheckedHot
- ttbSeparatorChecked
- ttbSeparatorDisabled
- ttbSeparatorPressed
- ttbSeparatorHot
- ttbSeparatorNormal
- ttbSplitButtonDropDownChecked ttbSplitButtonDropDownCheckedHot
- ttbSplitButtonDropDownDisabled
- ttbSplitButtonDropDownPressed
- ttbSplitButtonDropDownHot
- ttbSplitButtonDropDownNormal
- ttbSplitButtonCheckedHot
- ttbSplitButtonChecked
- ttbSplitButtonDisabled
- ttbSplitButtonPressed
- ttbSplitButtonHot
- ttbSplitButtonNormal
- ttbDropDownButtonCheckedHot
- ttbDropDownButtonChecked
- ttbDropDownButtonDisabled
- ttbDropDownButtonPressed
- ttbDropDownButtonHot
- ttbDropDownButtonNormal
- ttbButtonCheckedHot
- ttbButtonChecked
- ttbButtonDisabled
- ttbButtonPressed
- ttbButtonHot
- ttbButtonNormal
- ttbToolBarRoot
- ttbToolBarDontCare
- TThemedToolBar
- Themes
- ttbTimeNormal
- ttTaskBarRoot
- ttTaskBarDontCare
- TThemedTaskBar
- Themes

- ttpFlashButtonGroupMenu
- ttbFlashButton
- ttbGroupCount
- ttbTaskBandRoot
- ttbTaskBandDontCare
- TThemedTaskBand
- Themes
- ttPane
- ttTopTabItemBothEdgeFocused
- ttTopTabItemBothEdgeDisabled
- ttTopTabItemBothEdgeSelected
- ttTopTabItemBothEdgeHot
- ttTopTabItemBothEdgeNormal
- ttTopTabItemRightEdgeFocused
- ttTopTabItemRightEdgeDisabled
- ttTopTabItemRightEdgeSelected
- ttTopTabItemRightEdgeHot
- ttTopTabItemRightEdgeNormal
- ttTopTabItemLeftEdgeFocused
- ttTopTabItemLeftEdgeDisabled
- ttTopTabItemLeftEdgeSelected
- ttTopTabItemLeftEdgeHot
- ttTopTabItemLeftEdgeNormal
- ttTopTabItemFocused
- ttTopTabItemDisabled
- ttTopTabItemSelected
- ttTopTabItemHot
- ttTopTabItemNormal
- ttTabItemBothEdgeFocused
- ttTabItemBothEdgeDisabled
- ttTabItemBothEdgeSelected
- ttTabItemBothEdgeHot
- ttTabItemBothEdgeNormal
- ttTabItemRightEdgeFocused
- ttTabItemRightEdgeDisabled
- ttTabItemRightEdgeSelected
- ttTabItemRightEdgeHot
- ttTabItemRightEdgeNormal
- ttTabItemLeftEdgeFocused
- ttTabItemLeftEdgeDisabled
- ttTabItemLeftEdgeSelected
- ttTabItemLeftEdgeHot
- ttTabItemLeftEdgeNormal
- ttTabItemFocused
- ttTabItemDisabled
- ttTabItemSelected
- ttTabItemHot
- ttTabItemNormal
- ttTabDontCare\tttTabRoot
- TThemedTab
- Themes
- tsGripperPane\ttsGripper
- tsPane
- tsStatusRoot
- tsStatusDontCare
- TThemedStatus
- Themes

- tspPreview
- tspUserPicture
- tspLogOffButtonsPressed
- tspLogOffButtonsHot
- tspLogOffButtonsNormal
- tspPlacesListSeparator\ttspLogOff
- tspPlacesList
- tspProgListSeparator
- tspMoreProgramsArrowPressed
- tspMoreProgramsArrowHot
- tspMoreProgramsArrowNormal
- tspMorePrograms
- tspUserPane
- tspStartPanelRoot
- tspStartPanelDontCare
- TThemedStartPanel
- Themes
- tsDownHorzDisabled
- tsDownHorzPressed
- tsDownHorzHot
- tsDownHorzNormal
- tsUpHorzDisabled
- tsUpHorzPressed
- tsUpHorzHot
- tsUpHorzNormal
- tsDownDisabled
- tsDownPressed
- tsDownNormal\ttsDownHot
- tsUpDisabled
- tsUpPressed
- tsUpHot
- tsUpNormal
- tsSpinRoot
- tsSpinDontCare
- TThemedSpin
- Themes
- tsSizeBoxLeftAlign
- tsSizeBoxRightAlign
- tsGripperVertDisabled
- tsGripperVertPressed
- tsGripperVertHot
- tsGripperVertNormal
- tsGripperHorzDisabled
- tsGripperHorzPressed
- tsGripperHorzHot
- tsGripperHorzNormal
- tsUpperTrackVertDisabled
- tsUpperTrackVertPressed
- tsUpperTrackVertHot
- tsUpperTrackVertNormal
- tsLowerTrackVertDisabled
- tsLowerTrackVertPressed
- tsLowerTrackVertHot
- tsLowerTrackVertNormal
- tsUpperTrackHorzDisabled
- tsUpperTrackHorzPressed
- tsUpperTrackHorzHot

- tsUpperTrackHorzNormal
- tsLowerTrackHorzDisabled
- tsLowerTrackHorzPressed
- tsLowerTrackHorzHot
- tsLowerTrackHorzNormal
- tsThumbBtnVertDisabled
- tsThumbBtnVertNormal
- tsThumbBtnHorzDisabled
- tsThumbBtnHorzNormal
- tsArrowBtnRightDisabled
- tsArrowBtnRightPressed
- tsArrowBtnRightHot
- tsArrowBtnRightNormal
- tsArrowBtnLeftDisabled
- tsArrowBtnLeftPressed
- tsArrowBtnLeftHot
- tsArrowBtnLeftNormal
- tsArrowBtnDownDisabled
- tsArrowBtnDownPressed
- tsArrowBtnDownHot
- tsArrowBtnDownNormal
- tsArrowBtnUpDisabled
- tsArrowBtnUpPressed
- tsArrowBtnUpHot
- tsArrowBtnUpNormal
- tsScrollBarRoot
- tsScrollBarDontCare
- TThemedScrollBar
- Themes
- trChevronVertDisabled
- trChevronVertPressed
- trChevronVertHot
- trChevronVertNormal
- trChevronDisabled
- trChevronPressed
- trChevronHot
- trChevronNormal
- trBandHotChecked
- trBandChecked
- trBandDisabled
- trBandPressed
- trBandNormal\ttrBandHot
- trGripperVert
- trRebarRoot\ttrGripper
- trRebarDontCare
- TThemedRebar
- Themes
- tpBar\ttpBarVert
- tpProgressRoot
- tpProgressDontCare
- TThemedProgress
- Themes
- tpDownHorzDisabled
- tpDownHorzPressed
- tpDownHorzHot
- tpDownHorzNormal
- tpUpHorzDisabled

- tpUpHorzPressed
- tpUpHorzHot
- tpUpHorzNormal
- tpDownDisabled
- tpDownPressed
- tpDownNormal\ttpDownHot
- tpUpDisabled
- tpUpPressed
- tpUpHot
- tpUpNormal
- tpPageRoot
- tpPageDontCare
- TThemedPage
- Themes
- tmSeparator
- tmMenuBarDropDown\ttmChevron
- tmMenuBarItem
- tmMenuDropDown
- tmMenuItemDemoted
- tmMenuItemSelected
- tmMenuItemNormal
- tmMenuRoot
- tmMenuDontCare
- TThemedMenu
- Themes
- tlListSortDetail
- tlListDetail
- tlListGroup
- tlListItemSelectedNotFocus
- tlListItemDisabled
- tlListItemSelected
- tlListItemHot
- tlListItemNormal
- tlListviewRoot
- tlListviewDontCare
- TThemedListview
- Themes
- thHeaderSortArrowSortedDown
- thHeaderSortArrowSortedUp
- thHeaderItemRightPressed
- thHeaderItemRightHot
- thHeaderItemRightNormal
- thHeaderItemLeftPressed
- thHeaderItemLeftHot
- thHeaderItemLeftNormal
- thHeaderItemPressed
- thHeaderItemHot
- thHeaderItemNormal
- thHeaderRoot
- thHeaderDontCare
- TThemedHeader
- Themes
- tebSpecialGroupHead
- tebSpecialGroupExpandPressed
- tebSpecialGroupExpandHot
- tebSpecialGroupExpandSpecial
- tebSpecialGroupCollapsePressed

- tebSpecialGroupCollapseHot
- tebSpecialGroupCollapseSpecial
- tebSpecialGroupBackground
- tebNormalGroupHead
- tebNormalGroupExpandPressed
- tebNormalGroupExpandHot
- tebNormalGroupExpandNormal
- tebNormalGroupCollapsePressed
- tebNormalGroupCollapseHot
- tebNormalGroupCollapseNormal
- tebNormalGroupBackground
- tebIEBarMenuPressed
- tebIEBarMenuHot
- tebIEBarMenuNormal
- tebHeaderPinSelectedPressed
- tebHeaderPinSelectedHot
- tebHeaderPinSelectedNormal
- tebHeaderPinPressed
- tebHeaderPinHot
- tebHeaderPinNormal
- tebHeaderClosePressed
- tebHeaderCloseHot
- tebHeaderCloseNormal
- tebHeaderBackgroundPressed
- tebHeaderBackgroundHot
- tebHeaderBackgroundNormal
- tebExplorerBarRoot
- tebExplorerBarDontCare
- TThemedExplorerBar
- Themes
- teEditCaret
- teEditTextAssist
- teEditTextReadOnly
- teEditTextFocused
- teEditTextDisabled
- teEditTextSelected
- teEditTextHot
- teEditTextNormal
- teEditRoot
- teEditDontCare
- TThemedEdit
- Themes
- tcDropDownButtonDisabled
- tcDropDownButtonPressed
- tcDropDownButtonHot
- tcDropDownButtonNormal
- tcComboBoxRoot
- tcComboBoxDontCare
- TThemedComboBox
- Themes
- tcTimeNormal
- tcClockRoot
- tcClockDontCare
- TThemedClock
- Themes
- tbUserButton
- tbGroupBoxDisabled

- tbGroupBoxNormal
- tbCheckBoxMixedDisabled
- tbCheckBoxMixedPressed
- tbCheckBoxMixedHot
- tbCheckBoxMixedNormal
- tbCheckBoxCheckedDisabled
- tbCheckBoxCheckedPressed
- tbCheckBoxCheckedHot
- tbCheckBoxCheckedNormal
- tbCheckBoxUncheckedDisabled
- tbCheckBoxUncheckedPressed
- tbCheckBoxUncheckedHot
- tbCheckBoxUncheckedNormal
- tbRadioButtonCheckedDisabled
- tbRadioButtonCheckedPressed
- tbRadioButtonCheckedHot
- tbRadioButtonCheckedNormal
- tbRadioButtonUncheckedDisabled
- tbRadioButtonUncheckedPressed
- tbRadioButtonUncheckedHot
- tbRadioButtonUncheckedNormal
- tbPushButtonDefaulted
- tbPushButtonDisabled
- tbPushButtonPressed
- tbPushButtonHot
- tbPushButtonNormal
- tbButtonRoot
- tbButtonDontCare
- TThemedButton
- Themes
- teWindow
- teTreeview
- teTrayNotify
- teTrackBar
- teTaskBand\tteTaskBar\tteToolBar\tteToolTip
- teTab
- teStatus
- teStartPanel
- teSpin
- teScrollBar
- teRebar
- teProgress
- tePage
- teMenu
- teListView
- teHeader
- teExplorerBar
- teEdit
- teComboBox
- teClock
- teButton
- TThemedElement
- Uh7~h
- S4_^[
- Uhcyh
- Uhfxh
- Uhpwh

- Uhkyh
- hHuh
- |"C3
- |9C3
- UhAuh
- SVW3
- SVW3
- ;~<u\t3
- ;PXu
- SVWU
- S8^[
- hUgh
- UhNgh
- h@eh
- h0eh
- hlah
- h8ah
- h0`h
- =pau
- SVW3
- SVWU
- +G$;E
- +W$;U
- :FHu
- C8^[
- ;Xdt8
- UhRNh
- UhcLh
- UhPKh
- Controls
- :TDockTree.:1
- :FHu
- h}Ih
- ;Fdu;
- UhvIh
- t';C8u
- ;^du
- hUDh
- UhNDh
- UhkDh
- @p;E
- Uha@h
- SVW3
- UhK=h
- SVWU
- @8hPh
- ;Bh|4
- Uh%/h
- ;pdu
- SVWU
- ;Xdu
- SVWU
- ;Bdu
- ;Bdu
- ;Bdu
- t9;w|t4
- UhK#h

- UhA"h
- SVW3
- =8au
- @U t
- SVWU
- SVW3
- Controls
- :TWinControl.:2
- T$(3
- SVWU
- |4G3
- SVWUQ
- |!C3
- G4;E
- SVWU
- SVWU
- SVWU
- SVWU
- |'G3
- |9F3
- SVWU
- SVWU
- ||F3
- SVWU
- SVWU
- t4VS
- SVWU
- | C3
- SVWU
- ;CHu
- ;{Du
- ;s@u
- SVWU
- SVWU
- t)j7j
- SVWUQ
- SVWU
- |tF3
- SVWUQ
- SVWU
- SVWU
- SVWUQ
- @R@u
- |,C3
- |fC3
- .;=Lau
- SVWU
- @4;E
- ;X4u
- :Gcu
- |.C3
- :GcuQFKu
- |.C3
- SVW3
- |!C3
- SVWUQ
- SVWU

- SVWU
- C4^[
- s4^[
- |5G3
- |/G3
- |BC3
- @L;E
- :Pcu
- :X]u
- Controls
- :TWinControl.:1
- |0C3
- @U@u*
- 8]_^[
- D$ 3
- SVWU
- SVWU
- 8]_^[
- SVWU
- @P@u
- SVWU
- ;BLu
- ;BHu
- ;BDu
- ;B@u
- r9=
- =Xau
- SVWU
- SVWU
- SVWU
- =Pau
- =Pau
- @aH,
- @P@u
- :Pat
- h og
- SVW3
- SVWU
- =Tau
- SVWU
- SVWU
- Uhyhg
- ;s4t
- UhUfg
- SVWU
- ;FHu
- ;~Du
- u^;~|u
- ;FHu
- ;FDu
- ;F@u!
- :FcuR
- SVWU
- ;s4t
- ;Btu(
- UhVXg
- SVW3

- h,Ug
- Uh%Ug
- Uh=Tg
- UheSg
- SVWU
- SVWU
- =Tau
- =tau
- ;S@u
- =pau
- =pau
- =pau
- =pau
- =Tau
- =pau
- =Pau
- =Pau
- =Pau
- =pau
- =tau
- =lau
- h`au
- 5Tau
- =Tau
- =pau
- FQ u
- =tau
- =Tau
- =Tau
- =pau
- =tau
- =pau
- =pau
- QSVW3
- tOTV
- =pau
- =xau
- =xau
- Uh~>g
- =Pau
- tMHu
- SVWU
- Controls
- TSiteList
- Self
- Clear
- Self
- GetTopSite
- Index
- ParentWnd
- Self
- Find
- ASite
- Self
- AddSite
- TSiteList6
- ;B4u

- =2au
- tITS
- ImageIndex
- Description
- Title\\
- ShowingHint\\
- HideAfter
- Delay
- Style
- Images|%g
- Controls
- TCustomHint
- HintWindow
- Self
- SetHintSize
- HintWindow
- Self
- NCPaintHint
- HintWindow
- Self
- PaintHint
- HidingControl
- Self
- HideHint
- Self
- HideHint
- Control
- Self
- ShowHint
- Rect
- Self
- ShowHint
- Point
- Self
- ShowHint
- Self
- ShowHint
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomHint6
- FWorkComplete
- FLatestHintControl
- FHideAfter
- FShow
- FShowDelay
- FAnimateThread
- FImageIndex
- FImages
- FDescription
- FTitle
- Controls
- TCustomHintShowHideThreadX*g
- Self
- HideHint

- Self
- Execute
- Self
- ResumeWork
- Self
- Destroy
- HintObject
- Hint
- Self
- Create
- TCustomHintShowHideThreadH
- FWaitEvent
- FDisplayTime
- FActive
- FHideHint
- FHintObject
- FHintWindowQueue
- ImageIndex
- Description
- Title\\
- PopAbove\\
- HintParent
- Controls
- TCustomHintWindow
- Self
- PositionAtCursor
- Rect
- Self
- PositionAt
- Point
- Self
- PositionAt
- Self
- AutoSize
- AOwner
- Self
- Create
- TCustomHintWindow6
- FImageIndex
- FDescription
- FTitle
- FPopAbove
- FHintParent
- Controls
- bhsBalloon
- TBalloonHintStyle
- WheelScrollLines
- WheelPresent
- RegWheelMessage
- PanningWindowClass
- PanningWindow
- IsPanningP g
- IsDragging
- MousePresent
- DragThreshold
- DragImmediate
- CursorPos

• Capture
• Controls
• TMouse
• Self
• CreatePanningWindow
• Setting
• Self
• SettingChanged
• Self
• Destroy
• Self
• Create
• TMouse&
• FPanningWindowClass
• FPanningWindow
• FWheelSupportMessage
• FWheelPresent
• FWheelMessage
• FWheelHwnd
• FScrollLinesMessage
• FScrollLines
• FNativeWheelSupport
• FMousePresent
• FDragThreshold
• FDragImmediate
• Controls
• TCustomPanningWindowD
• Self
• StopPanning
• AControl
• AHandle
• Self
• StartPanning
• Self
• GetIsPanning
• TCustomPanningWindow,
• StopPanning
• StartPanning
• GetIsPanning
• TPanningWindowClassP g
• Controls
• TDockTree
• Self
• PaintSite
• Self
• Destroy
• DockSite
• Self
• Create
• TDockTree8
• FRelativeSizes
• FVersion
• FUpdateCount
• FTopXYLimit
• FTopZone
• FSizingZone
• FSizingWnd

- FSizingDC
- FSizePos
- FShiftScaleOrient
- FScaleBy
- FReplacementZone
- FOldRect
- FGrabbersOnTop
- FGrabberSize
- FDockSite
- FBorderWidth
- ZoneLimit
- Width
- VisibleChildCount
- Visible
- LimitSize
- LimitBegin
- Left
- Height
- ChildControl
- ChildCount`
- Controls
- TDockZone
- Self
- Update
- Self
- ResetZoneLimits
- Self
- ResetChildren
- Self
- PrevVisible
- Self
- NextVisible
- Self
- FirstVisibleChild
- NewLimit
- Self
- ExpandZoneLimit
- Tree
- Self
- Create
- TDockZone4
- FOldSize
- FZoneLimit
- FTree
- FPrevSibling
- FParentZone
- FOrientation
- FNextSibling
- FChildZones
- FChildControl
- Width
- ShareImages
- OnChange
- Maskedp-c
- ImageType
- Height`
- DrawingStyle

- ColorDepth
- AllocBy
- BkColor
- BlendColor
- Controls
- TImageList<
- TImageList
- Dragging<
- DragHotspot
- DragCursor
- Controls
- TDragImageList
- Self
- ShowDragImage
- HotSpotY
- HotSpotX
- Index
- Self
- SetDragImage
- Self
- HideDragImage
- Self
- GetHotSpot
- Self
- EndDrag
- Self
- DragUnlock
- Self
- DragMove
- YPos
- XPos
- Window
- Self
- DragLock
- Window
- Self
- BeginDrag
- TDragImageListO
- FOldCursor
- FDragIndex
- FDragHotspot
- FDragHandle
- FDragging
- FDragCursor
- Font
- CanvasT+e
- ColorlMe
- Caption
- BiDiMode
- Controls
- THintWindow \tg
- AData
- AHint
- MaxWidth
- Self
- CalcHintRect
- AData

- AHint
- Rect
- Self
- ActivateHintData
- Self
- ReleaseHandle
- Self
- ShouldHideHint
- Self
- IsHintMsg
- AHint
- Rect
- Self
- ActivateHint
- AOwner
- Self
- Create
- THintWindow6
- FLastActive
- FActivating
- Controls
- TCustomControl
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomControl6
- FCanvas
- Controls
- TGraphicControl4
- Self
- Destroy
- AOwner
- Self
- Create
- TGraphicControl6
- FCanvas
- UseDockManager
- TabStop
- TabOrder
- Showing
- ParentWindow
- ParentDoubleBuffered
- Padding
- Handle
- ControlCount
- Brush
- VisibleDockClientCount
- MouseInClient
- AlignDisabled
- DoubleBuffered
- DockManager
- DockSite
- DockClientCount
- Controls
- TWinControl

- Self
- UpdateControlState
- Self
- Update
- Self
- Value
- Self
- SetDesignVisible
- AHeight
- AWidth
- ATop
- ALeft
- Self
- SetBounds
- DeltaY
- DeltaX
- Self
- Self
- ScaleBy
- Self
- Repaint
- Self
- Realign
- AControl
- Self
- RemoveControl
- Self
- PreProcessMessage
- Canvas
- Self
- PaintTo
- Self
- PaintTo
- Self
- Invalidate
- AControl
- Self
- InsertControl
- Self
- HandleNeeded
- Self
- HandleAllocated
- List
- Self
- GetTabOrderList
- List
- Self
- GetTabControlList
- Root
- Proc
- Self
- GetChildren
- Self
- Focused
- AllLevels
- Self
- FlipChildren

- ControlName
- Self
- FindChildControl
- Self
- EnableAlign
- Source
- Self
- DockDrop
- Self
- DisableAlign
- Message
- Self
- DefaultHandler
- AllLevels
- AllowWinControls
- AllowDisabled
- Self
- ControlAtPos
- Control
- Self
- ContainsControl
- Self
- CanFocus
- Message
- Self
- Broadcast
- Self
- Destroy
- ParentWindow
- Self
- CreateParentedControl
- ParentWindow
- Self
- CreateParented
- AOwner
- Self
- Create
- TWinControl6
- FDesignSize
- FInImeComposition
- FDoubleBuffered
- FObjectInstance
- FHandle
- FTouchControl
- FMouseControl
- FMouseInClient
- FOnAlignPosition
- FOnAlignInsertBefore
- FOnUnDock
- FOnKeyUp
- FOnKeyPress
- FOnKeyDown
- FOnGetSiteInfo
- FOnExit
- FOnEnter
- FOnDockOver
- FOnDockDrop

- FPerformingShowingChanged
- FParentDoubleBuffered
- FParentCtl3D
- FDockSite
- FUseDockManager
- FShowing
- FTabStop
- FTabOrder
- FWinControls
- FControls
- FTabList
- FParentWindow
- FImeName
- FImeMode
- FDockManager
- FDockClients
- FPadding
- FBorderWidth
- FBevelWidth
- FBevelKind
- FBevelOuter
- FBevelInner
- FBevelEdges
- FAlignLevel
- FAlignControlList
- AlignInfo
- AlignRect
- NewHeight
- NewWidth
- NewTop
- NewLeft
- Control
- Sender
- TAlignInfo
- AlignInfo
- TRect
- AlignRect
- Integer
- NewHeight
- Integer
- NewWidth
- Integer
- NewTop
- Integer
- NewLeft
- TControl
- Control
- TWinControl
- Sender
- TAlignPositionEvent
- Sender
- Boolean
- TControl
- TControl
- TWinControl
- Sender
- TAlignInsertBeforeEvent

- Controls
- IDockManagerh
- TBevelWidth
- Controls
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- Controls
- beBottom
- beRight
- beTop
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvNone\tbvLowered
- TBevelCut
- TBorderWidth
- Align
- ControlIndex
- AlignList
- TAlignInfo
- TImeName
- Controls
- imSHanguel\timHanguel
- imKata\timChinese
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- Controls
- TWinControlActionLinkd
- TWinControlActionLink
- FClient
- OnGesture
- Parent`
- WindowProc
- VisibleX
- UndockWidth
- UndockHeight
- Touch
- TBDockHeighth
- ShowHint
- HostDockSite
- FloatingDockSiteClass
- Floating
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft

- DockOrientation
- ControlStyle
- ControlStateL
- Constraints
- ClientWidthD
- ClientRect
- ClientOrigin
- ClientHeight
- BoundsRect
- BiDiMode
- Anchors
- Align
- Action@
- Enabledx
- ParentCustomHint,
- CustomHint
- Margins
- HelpContext
- HelpKeyword
- HelpType\\
- Hint
- Cursor\\
- Height
- Width
- Left
- AlignWithMargins
- Controls
- TControl
- Buffer
- Self
- SetTextBuf
- LParam
- WParam
- Self
- Perform
- LParam
- WParam
- Self
- Perform
- Self
- GetTextLen
- BufSize
- Buffer
- Self
- GetTextBuf
- Message
- Self
- DefaultHandler
- Self
- UseRightToLeftScrollBar
- Self
- UseRightToLeftReading
- Self
- UseRightToLeftAlignment
- Self
- Update
- Self

- Show
- Value
- Self
- SetParentComponent
- Value
- Self
- SetDesignVisible
- AHeight
- AWidth
- ATop
- ALeft
- Self
- SetBounds
- Self
- SendToBack
- AParent
- Point
- Self
- ParentToClient
- Point
- Self
- ControlSide
- DropControl
- NewDockSite
- Control
- Self
- ReplaceDockedControl
- Self
- Repaint
- Self
- Refresh
- LParam
- WParam
- Self
- Perform
- ScreenPos
- Self
- ManualFloat
- ControlSide
- DropControl
- NewDockSite
- Self
- ManualDock
- Self
- IsRightToLeft
- Message
- Self
- MouseWheelHandler
- Self
- Invalidate
- Self
- InitiateAction
- Self
- Hide
- Self
- HasParent
- Self

- GetParentComponent
- Self
- GetControlsAlignment
- Drop
- Self
- EndDrag
- Self
- DrawTextBiDiModeFlagsReadingOnly
- Flags
- Self
- DrawTextBiDiModeFlags
- Source
- Self
- DragDrop
- Self
- Dragging
- ARect
- NewDockSite
- Self
- Dock
- AParent
- Point
- Self
- ClientToParent
- Point
- Self
- Self
- BringToFront
- Threshold
- Immediate
- Self
- BeginDrag
- Self
- Destroy
- AOwner
- Self
- Create
- TControl6
- FReserved
- FExplicitHeight
- FExplicitWidth
- FExplicitTop
- FExplicitLeft
- FOriginalParentSize
- FAnchorOrigin
- FAnchorRules
- FAnchorMove
- FText
- FParentCustomHint
- FCustomHint
- FHelpContext
- FHelpKeyword
- FHelpType
- FOnGesture
- FOnMouseWheelUp
- FOnMouseWheelDown
- FOnMouseWheel

- FOnMouseEnter
- FOnMouseLeave
- FOnMouseActivate
- FOnContextPopup
- FOnClick
- FOnEndDrag
- FOnStartDrag
- FOnEndDock
- FOnStartDock
- FOnResize
- FOnDragOver
- FOnDragDrop
- FOnMouseUp
- FOnMouseMove
- FOnMouseDown
- FOnConstrainedResize
- FOnCanResize
- FTouchManager
- FFloatingDockSiteClass
- FTBDockHeight
- FUndockHeight
- FUndockWidth
- FWheelAccumulator
- FHostDockSite
- FDockOrientation
- FDragKind
- FParentShowHint
- FShowHint
- FScalingFlags
- FFontHeight
- FHint
- FPopupMenu
- FDragCursor
- FCursor
- FMargins
- FConstraints
- FColor
- FActionLink
- FFont
- FAnchors
- FParentBiDiMode
- FBiDiMode
- FIsControl
- FDragMode
- FAutoSize
- FAlign
- FParentColor
- FParentFont
- FEnabled
- FVisible
- FDesktopFont
- FControlState
- FControlStyle
- FHeight
- FTop
- FLeft
- FWindowProc

- FParent
- Controls
- doVertical
- doHorizontal
- doNoOrient
- TDockOrientation
- Handled
- MousePos
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Handled
- MousePos
- Shift
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelUpDownEvent
- Handled
- MousePos
- WheelDelta
- Shift
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelEvent
- MaxHeight
- MaxWidth
- MinHeight
- MinWidth
- Sender
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer

- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Resize
- NewHeight
- NewWidth
- Sender
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- CanDock
- MousePos
- InfluenceRect
- DockClient
- Sender
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- Sender
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Allow
- NewTarget
- Client
- Sender
- Boolean
- Allow
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- State
- Source
- Sender
- Boolean
- TDragState
- State

- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Source
- Sender
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Target
- Sender
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- Sender
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Source
- Sender
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- State
- Source
- Sender
- Boolean
- TDragState
- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Sender
- Char
- TObject
- Sender
- TKeyPressEvent

- Shift
- Sender
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent
- MouseActivate
- HitTest
- Shift
- Button
- Sender
- TMouseActivate
- MouseActivate
- Integer
- HitTest
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseActivateEvent
- Shift
- Sender
- Integer
- Integer
- TShiftState
- Shift
- TObject
- Sender
- TMouseMoveEvent
- Shift
- Button
- Sender
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- TabletOptions
- ParentTabletOptions
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- Controls
- TTouchManagerL
- TTouchManager
- TabletOptionsL
- StandardGestures

- ParentTabletOptions
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- GestureList<
- GestureEngine
- Controls
- TCustomTouchManager
- AGestureID
- Self
- UnselectGesture
- AName
- Self
- SelectGesture
- AGestureID
- Self
- SelectGesture
- AControl
- Self
- RemoveChangeNotification
- AName
- Self
- FindGesture
- AGestureID
- Self
- FindGesture
- AControl
- Self
- ChangeNotification
- Self
- Destroy
- AControl
- Self
- Create
- TCustomTouchManager8
- FTabletOptions
- FStandardGestures
- FParentTabletOptions
- FNotifyList
- FInteractiveGestureOptions
- FInteractiveGestures
- FGestureManager
- FGestureEngine
- FControl
- Flags
- Active4
- Controls
- TCustomGestureEngine
- Self
- Supported
- Message
- Self
- Notification
- AControl
- Self
- Create
- TCustomGestureEngine8

- (TCustomGestureEngine.TGestureEngineFlags
- Controls
- efTouchEvents
- efMouseEvents
- 'TCustomGestureEngine.TGestureEngineFlag
- Controls
- TCustomGestureManager
- AGestureID
- AControl
- Self
- UnselectGesture
- AControl
- Self
- UnregisterControl
- AName
- AControl
- Self
- SelectGesture
- AGestureID
- AControl
- Self
- SelectGesture
- AGesture
- Self
- RemoveRecordedGesture
- AGestureID
- Self
- RemoveRecordedGesture
- AControl
- Self
- RegisterControl
- AName
- AControl
- Self
- FindGesture
- AGestureID
- AControl
- Self
- FindGesture
- AName
- Self
- FindCustomGesture
- AGestureID
- Self
- FindCustomGesture
- Item
- Self
- AddRecordedGesture
- TCustomGestureManager@
- Action
- Pointsx
- Name
- Options\\
- GestureType
- GestureID
- ErrorMargin
- Deviation

- Controls
- TCustomGestureCollectionItem
- TCustomGestureCollectionItem
- Controls
- TGesturePointArray
- Controls
- TGestureArray
- TGestureOptions
- Controls
- goRotate
- goEndpoint
- goSkew
- goUniDirectional
- TGestureOption
- Controls
- gtNone
- gtRegistered
- gtRecorded
- gtStandard
- TGestureType
- TTabletOptions
- Controls
- toFlickFallbackKeys
- toSmoothScrolling
- toFlicks
- toTouchSwitch
- toTouchUIForceOff
- toTouchUIForceOn
- toPenBarrelFeedback
- toPenTapFeedback
- toPressAndHold
- TTabletOption
- TStandardGestures
- Handled
- EventInfo
- Sender
- Boolean
- Handled
- TGestureEventInfo
- EventInfo
- TObject
- Sender
- TGestureEvent
- TapLocation
- Distance
- InertiaVector
- Angle
- Flags
- Location
- GestureID
- TGestureEventInfo
- TGestureID
- Bottom
- TopH
- LeftH
- Controls
- TPadding

- TPadding
- OnChange
- ExplicitHeightp-c
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- ControlHeight
- ControlWidth
- ControlTop
- ControlLeft
- Bottom
- TopH
- LeftH
- Controls
- TMargins
- ABottom
- ARight
- ATop
- ALeft
- Self
- SetBounds
- Aligning
- ARect
- Self
- SetControlBounds
- Aligning
- AHeight
- AWidth
- ATop
- ALeft
- Self
- SetControlBounds
- Control
- Self
- Create
- TMargins7
- FOnChange
- FBottom
- FTop
- FLeft
- FControl
- TMarginSize
- OnChange
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraintsT
- Control
- Self
- Create
- TSizeConstraints7
- FOnChange
- FMinWidth
- FMinHeight
- FMaxWidth

- FMaxHeight
- FControl
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop
- akLeft
- TAnchorKind
- TScalingFlags
- Controls
- sfDesignSize
- sfHeight
- sfTop
- TCaption
- TTabOrder
- Controls
- TDragKind
- Controls
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- Controls
- dmAutomatic
- dmManual
- TDragMode
- Controls
- maNoActivateAndEat
- maNoActivate
- maActivateAndEat
- maActivate
- maDefault
- TMouseActivate
- Controls
- mbMiddle
- TMouseButton
- TControlStyle
- Controls
- csPaintBlackOpaqueOnGlass
- csGestures
- csAlignWithMargins
- csPannable
- csParentBackground
- csNeedsBorderPaint
- csMenuEvents
- csActionClient
- csReflector
- csDisplayDragImage
- csNoStdEvents
- csReplicatable
- csNoDesignVisible
- csFixedHeight
- csFixedWidth
- csDoubleClicks
- csOpaque

- csSetCaption
- csFramed
- csClickEvents
- csDesignInteractive
- csCaptureMouse
- csAcceptsControls
- TControlState
- Controls
- csPrintClient
- csGlassPaint
- csAligning
- csRecreating
- csDesignerHide\tcsPanning
- csDestroyingHandle\tcsDocking
- csCustomPaint
- csPaintCopy
- csCreating
- csFocusing
- csAlignmentNeeded
- csReadingState
- csLButtonDown\tcsClicked\tcsPalette
- Controls
- TControlActionLink
- TControlActionLink
- FClient
- Control
- Controls
- TControlCanvasl
- Self
- UpdateTextFlags
- Self
- FreeHandle
- Self
- Destroy
- TControlCanvas'
- FWindowHandle
- FDeviceContext
- FControl
- Controls
- TDragDockObjectExT
- Self
- BeforeDestruction
- TDragDockObjectEx1
- FrameWidth
- Floating
- EraseWhenMoving
- EraseDockRect
- DropOnControl
- DropAlign`
- DockRect@
- Brush
- Controls
- TDragDockObject
- Source
- Self
- Assign
- Self

- Destroy
- AControl
- Self
- Create
- TDragDockObject8
- FFloating
- FEraseDockRect
- FDropOnControl
- FDropAlign
- FDockRect
- Controls
- TDragControlObjectEx
- Self
- BeforeDestruction
- TDragControlObjectEx1
- Controls
- TDragControlObject
- Self
- ShowDragImage
- Self
- HideDragImage
- TDragControlObject-
- Control
- Controls
- TBaseDragControlObject
- Source
- Self
- Assign
- AControl
- Self
- Create
- TBaseDragControlObject8
- FControl
- RightClickCancels
- MouseDeltaY
- MouseDeltaX
- Dropped
- DragTargetPos
- DragTarget
- DragPos
- DragHandle
- Cancelling
- AlwaysShowDragImages
- Controls
- TDragObject
- Self
- BeforeDestruction
- Self
- AfterConstruction
- Self
- ShowDragImage
- Self
- Instance
- Self
- HideDragImage
- Self
- GetName

- Source
- Self
- Assign
- TDragObject6
- FRightClickCancels
- FMouseDeltaY
- FMouseDeltaX
- FDropped
- FDragTargetPos
- FDragTarget
- FDragPos
- FDragHandle
- FCancelling
- FAlwaysShowDragImages
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone
- TAlign
- HintData
- HideTimeout
- ReshowTimeout
- CursorPos
- CursorRect
- HintColor
- HintMaxWidth
- HintPos
- HintWindowClass
- HintControl
- THintInfo@
- THintWindowClass
- TWinControlClass
- TInteractiveGestureOptions
- Controls
- igoParentPassthrough
- igoPanGutter
- igoPanInertia
- igoPanSingleFingerVertical
- igoPanSingleFingerHorizontal
- TInteractiveGestureOption
- TInteractiveGestures
- Controls
- igPressAndTap
- igTwoFingerTap
- igRotate
- igPan
- igZoom
- TInteractiveGesture
- TInteractiveGestureFlags
- Controls
- gfEnd
- gfBegin\tgfInertia
- TInteractiveGestureFlag

- TCursor
- TModalResult
- SVWUQ
- QtGNu
- |(F3
- QpGNu
- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QdFOu
- |1G3
- SVWU
- QXGNu
- |'F3
- QTGNu
- |(F3
- ;Blu\t3
- |@G3
- QPFOu
- |)G3
- QLGNu
- |'F3
- QHFOu
- |1G3
- SVWU
- []F3
- SVWUQ
- t0f;
- |TF3
- SVWU
- R4GNu
- u0;~<u
- ;P<u
- |#C3
- R4^[
- ActnList
- TActionLinkhuf
- TActionLink
- OnHint
- Visibletnf
- SecondaryShortCuts
- ImageIndexT-c
- Hint
- HelpType\\
- HelpKeyword
- HelpContext\\
- GroupIndex
- Enabled
- DisableIfNoHandler
- Checked

- Caption
- AutoCheck\\
- ActnList
- TCustomAction4of
- Self
- Execute
- Self
- DoHint
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomAction6
- FMask
- FImage
- FAutoCheck
- FSavedEnabledState
- FSecondaryShortCuts
- FOnHint
- FVisible
- FShortCut
- FImageIndex
- FHint
- FHelpKeyword
- FHelpContext
- FHelpType
- FGroupIndex
- FEnabled
- FChecked
- FChecking
- FCaption
- FDisableIfNoHandler
- CanShow
- Boolean
- CanShow
- THintEvent
- ActnList
- TShortCutList
- Shortcut
- Self
- IndexOfShortCut
- Self
- TShortCutList.
- OnStateChange
- Statep-c
- ImagesHhf
- ActionCount\\
- ActnList
- TCustomActionList
- Action
- Self
- UpdateAction
- Message
- Self
- IsShortCut
- Self

- GetEnumerator
- Root
- Proc
- Self
- GetChildren
- Action
- Self
- ExecuteAction
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomActionList6
- FOnStateChange
- FState
- FOnUpdate
- FOnExecute
- FOnChange
- FImages
- FImageChangeLink
- FActions
- ActnList
- asSuspendedEnabled
- asSuspended
- asNormal
- TActionListState
- Handled
- Action
- Boolean
- Handled
- TBasicAction
- Action
- TActionEvent
- Current
- ActnList
- TActionListEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AActionList
- Self
- Create
- TActionListEnumerator;
- FActionList
- FIndex
- Index
- ActionList
- Category
- ActnList
- TContainedAction
- Self
- Update
- AParent
- Self
- SetParentComponent

- Self
- HasParent
- Self
- GetParentComponent
- Self
- Execute
- Self
- Destroy
- TContainedAction'
- FActionList
- FCategory
- HMONITOR
- hLaf
- h0]f
- Uho[f
- SVWU
- OnFreeNotify
- TComponentListNexus
- TComponentListNexus
- FOnFreeNotify
- AComponent
- Sender
- TComponent
- AComponent
- TObject
- Sender
- TComponentListNexusEvent
- TOrderedList
- Self
- Peek
- Self
- AItem
- Self
- Push
- ACount
- Self
- AtLeast
- Self
- Count
- Self
- Destroy
- Self
- Create
- TOrderedList&
- FList
- TComponentList
- AComponent
- Index
- Self
- Insert
- Self
- Last
- Self
- First
- ADirection
- AComponent
- Self

- IndexOfItem
- AComponent
- Self
- IndexOf
- ADirection
- AComponent
- Self
- RemoveItem
- AComponent
- Self
- Remove
- Direction
- Item
- Self
- ExtractItem
- Item
- Self
- AComponent
- Self
- Self
- Destroy
- TComponentList'
- FNexus
- OwnsObjects
- TObjectList
- Self
- Last
- Self
- First
- AObject
- Index
- Self
- Insert
- AStartAt
- AExact
- AClass
- Self
- FindInstanceOf
- ADirection
- AObject
- Self
- IndexOfItem
- AObject
- Self
- IndexOf
- ADirection
- AObject
- Self
- RemoveItem
- AObject
- Self
- Remove
- Direction
- Item
- Self
- ExtractItem
- Item

- Self
- AObject
- Self
- AOwnsObjects
- Self
- Create
- Self
- Create
- TObjectList&
- FOwnsObjects
- h2Ef
- h,`u
- Uh+Ef
- =T`u
- Uh|Cf
- Graphics
- TPatternManager
- Self
- Unlock
- Self
- Lock
- Self
- FreePatterns
- Self
- Destroy
- Self
- Create
- FgColor
- BkColor
- Self
- AllocPattern
- TPatternManagerN
- FLock
- List
- FgColorRef
- BkColorRef
- Bitmap
- Next
- TPattern
- PPattern
- \\$8Vj
- UhI<f
- SVW3
- Graphics
- :TWICImage.:2
- Uh68f
- SVWU
- h-4f
- Uh&4f
- SVW3
- Graphics
- :TWICImage.:1
- PhH2f
- UhA/f
- UhT.f
- UhZ&f;
- x> u

- SVWU
- :S8t"
- ;V4tA
- UhX f
- SVWU
- x> u
- SVWU
- :^9tl
- SVWU
- SVWU
- @9H,
- z> u
- SVWU
- t'It
- ~> uQ
- @8Pj
- @8Pj
- Uh#\tf
- @qPV3
- @ ;E
- Graphics
- TBitmapCanvas
- Self
- Destroy
- ABitmap
- Self
- Create
- TBitmapCanvas7
- FOldPalette
- FOldBitmap
- FBitmap
- EMFt
- 3TjdP
- 3TjdP
- SVWU
- SVW3
- SVW3
- SVW3
- SVWU
- Graphics
- TClipboardFormats
- AClass
- Self
- Remove
- Self
- FindFormat
- AClass
- Self
- Self
- Destroy
- Self
- Create
- TClipboardFormats&
- FFormats
- FClasses
- SVWU
- SVW3

- SVW3
- SVW3
- SVWU
- Graphics
- TFileFormatsList
- Filters
- Descriptions
- AGraphicClass
- Self
- BuildFilterStrings
- AClass
- Self
- Remove
- Classname
- Self
- FindClassName
- Self
- FindExt
- AClass
- DescID
- Desc
- Self
- Self
- Destroy
- Self
- Create
- TFileFormatsList&
- DescResID
- Description
- Extension
- GraphicClass
- TFileFormat
- Q8^[
- $ZXu
- @HPU
- t6Tj
- SVWU
- K4h,`u
- h,`u
- h,`u
- h,`u
- C4h,`u
- h,`u
- SVW3
- Graphics
- TBrushResourceManager
- TBrushResourceManager
- Graphics
- TResourceManager
- Self
- Unlock
- Self
- Lock
- AResource
- GraphicsObject
- Self
- AssignResource

- ResData
- GraphicsObject
- Self
- ChangeResource
- Resource
- Self
- ResData
- Self
- AllocResource
- Self
- Destroy
- AResDataSize
- Self
- Create
- TResourceManager<
- ResDataSize
- FLock
- ResList
- EncoderContainerFormat
- ImageFormat
- Handledxe
- Graphics
- TWICImage$ye
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Stream
- Self
- SaveToStream
- Stream
- Self
- LoadFromStream
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TWICImage&
- FFormatChanged
- FEncoderContainerFormat
- FImageFormat
- FWicBitmap
- FData
- FBitmap
- FHeight
- Graphics
- wifOther
- wifWMPhoto

- wifTiff
- wifGif
- wifJpeg
- TWICImageFormat
- Handlehxe
- Graphics
- TIcon
- ResID
- Instance
- Self
- LoadFromResourceID
- ResName
- Instance
- Self
- LoadFromResourceName
- AHeight
- AWidth
- Self
- SetSize
- Stream
- Self
- SaveToStream
- APalette
- Data
- Format
- Self
- SaveToClipboardFormat
- Self
- ReleaseHandle
- Stream
- Self
- LoadFromStream
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Self
- HandleAllocated
- Dest
- Self
- AssignTo
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TIcon&
- FRequestedSize
- FImage
- Graphics
- TIconImage
- Self
- Destroy
- TIconImage'

- FHandle
- FSize
- FMemoryImage
- AlphaFormat
- TransparentMode
- TransparentColor
- PixelFormat
- Monochrome(ie
- MaskHandle
- IgnorePalette
- HandleType
- Handle
- Canvas
- Graphics
- TBitmap
- ResID
- Instance
- Self
- LoadFromResourceID
- ResName
- Instance
- Self
- LoadFromResourceName
- AHeight
- AWidth
- Self
- SetSize
- Stream
- Self
- SaveToStream
- APalette
- Data
- Format
- Self
- SaveToClipboardFormat
- Self
- ReleasePalette
- Self
- ReleaseMaskHandle
- Self
- ReleaseHandle
- TransparentColor
- Self
- Mask
- Stream
- Self
- LoadFromStream
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Self
- HandleAllocated
- Self
- FreeImage
- Self

- Dormant
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TBitmap&
- FAlphaFormat
- FTransparentMode
- FTransparentColor
- FMaskValid
- FMaskBitsValid
- FIgnorePalette
- FCanvas
- FImage
- Graphics
- tmFixed
- tmAuto
- TTransparentMode
- Graphics
- afPremultiplied
- afIgnored\tafDefined
- TAlphaFormat
- Graphics
- pfCustom
- pf32bit
- pf24bit
- pf16bit
- pf15bit
- pf8bit
- pf4bit
- pf1bit
- pfDevice
- TPixelFormat
- Graphics
- bmDIB
- TBitmapHandleType
- Graphics
- TBitmapImage
- Self
- Destroy
- TBitmapImage'
- FOS2Format
- FHalftone
- FSaveStream
- FDIB
- FDIBHandle
- FPalette
- FMaskHandle
- FHandle
- Inch
- MMHeight
- Handle
- Enhanced
- Description

- CreatedBy\\
- Graphics
- TMetafileHbe
- AHeight
- AWidth
- Self
- SetSize
- Self
- ReleaseHandle
- Source
- Self
- Assign
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Stream
- Self
- SaveToStream
- Filename
- Self
- SaveToFile
- Stream
- Self
- LoadFromStream
- Self
- HandleAllocated
- Self
- Clear
- Self
- Destroy
- Self
- Create
- TMetafile&
- FEnhanced
- FImage
- Graphics
- TMetafileImage
- Self
- Destroy
- TMetafileImage'
- FTempHeight
- FTempWidth
- FInch
- FPalette
- FHeight
- FHandle
- Graphics
- TSharedImage
- Self
- Destroy

- TSharedImage'
- FRefCount
- Graphics
- TMetafileCanvas
- Self
- Destroy
- Description
- CreatedBy
- ReferenceDevice
- AMetafile
- Self
- CreateWithComment
- ReferenceDevice
- AMetafile
- Self
- Create
- TMetafileCanvasR
- FMetafile
- OnProgress
- OnChange
- Metafile
- Icon(fe
- Height
- PictureAdapter
- Graphic
- Bitmap
- Graphics
- TPicture
- AGraphicClass
- ADescriptionResID
- AExtension
- Self
- RegisterFileFormatRes
- AClass
- Self
- UnregisterGraphicClass
- AGraphicClass
- AFormat
- Self
- RegisterClipboardFormat
- AGraphicClass
- ADescription
- AExtension
- Self
- RegisterFileFormat
- Source
- Self
- Assign
- AFormat
- Self
- SupportsClipboardFormat
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette

- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Filename
- Self
- SaveToFile
- Filename
- Self
- LoadFromFile
- Self
- Destroy
- Self
- Create
- TPicture&
- FOnProgress
- FNotify
- FOnChange
- FGraphic
- TGraphicClass
- SupportsPartialTransparency
- OnProgress
- OnChange
- Transparent
- PaletteModified
- Palette
- Modified
- Height
- Empty
- Graphics
- TGraphicdPe
- AHeight
- AWidth
- Self
- SetSize
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Stream
- Self
- SaveToStream
- Stream
- Self
- LoadFromStream
- Filename
- Self
- SaveToFile
- Filename
- Self
- LoadFromFile

- Self
- Equals
- Self
- Create
- TGraphic&
- FPaletteModified
- FTransparent
- FModified
- FOnProgress
- FOnChange
- RedrawNow
- PercentDone
- Stage
- Sender
- TRect
- Boolean
- RedrawNow
- Byte
- PercentDone
- TProgressStage
- Stage
- TObject
- Sender
- TProgressEvent
- Graphics
- psEnding
- psStarting\tpsRunning
- TProgressStage
- Handle
- Font
- CopyModeT+e
- Brush
- Graphics
- TCanvasHBe
- Text
- Rect
- Self
- TextRect
- TextFormat
- Text
- Rect
- Self
- TextRect
- Text
- Self
- TextOut
- Text
- Self
- TextExtent
- Graphic
- Rect
- Self
- Self
- RoundRect
- Self
- Refresh
- Self

- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- Self
- Self
- MoveTo
- Self
- LineTo
- Self
- HandleAllocated
- Rect
- Self
- FillStyle
- Color
- Self
- FloodFill
- Rect
- Self
- Self
- Ellipse
- Rect
- Self
- Opacity
- Graphic
- Self
- Draw
- Graphic
- Self
- Draw
- Source
- Canvas
- Dest
- Self
- Self
- Chord
- Color
- Source
- Bitmap
- Dest
- Self
- BrushCopy
- SweepAngle
- StartAngle
- Radius
- Self
- AngleArc
- Self
- ArcTo
- Self
- Self
- Destroy
- Self
- Create
- TCanvas&
- FCopyMode

- FPenPos
- FPen
- FFont
- State
- FHandle
- OnChanging
- OnChangep-c
- PenPos
- CanvasOrientation
- LockCount
- ClipRect
- Graphics
- TCustomCanvas
- Self
- Unlock
- Self
- Text
- Self
- TextWidth
- Text
- Rect
- Self
- TextRect
- TextFormat
- Text
- Rect
- Self
- TextRect
- Text
- Self
- TextOut
- Text
- Self
- TextHeight
- Text
- Self
- TextExtent
- Graphic
- Rect
- Self
- Rect
- Self
- RoundRect
- Self
- RoundRect
- Self
- Refresh
- Rect
- Self
- Rectangle
- Self
- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- Self

- Self
- MoveTo
- Self
- Lock
- Self
- LineTo
- Rect
- Self
- FillStyle
- Color
- Self
- FloodFill
- Rect
- Self
- Rect
- Self
- Ellipse
- Self
- Ellipse
- Rect
- Self
- Opacity
- Graphic
- Self
- Draw
- Graphic
- Self
- Draw
- Self
- Chord
- Color
- Source
- Bitmap
- Dest
- Self
- BrushCopy
- SweepAngle
- StartAngle
- Radius
- Self
- AngleArc
- Self
- ArcTo
- Self
- TCustomCanvas
- FLockCount
- FLock
- FTextFlags
- FOnChanging
- FOnChange
- TTextFormat
- Graphics
- tfWordBreak
- tfVerticalCenter
- tfTop
- tfSingleLine
- tfRtlReading

- tfNoPrefix
- tfNoClip
- tfModifyString
- tfExternalLeading
- tfExpandTabs
- tfPathEllipsis
- tfEndEllipsis
- tfEditControl
- tfCenter
- tfCalcRect
- tfBottom
- TTextFormats
- Graphics
- coRightToLeft
- coLeftToRight
- TCanvasOrientation
- TCanvasState
- Graphics
- csBrushValid
- csPenValid
- csFontValid
- csHandleValid
- TCanvasStates
- Graphics
- fsBorder
- fsSurface
- TFillStyle
- Handle
- Bitmap8
- Style
- ColorT&e;
- Graphics
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- Handle
- Width
- Style
- Mode
- Color4%e
- Graphics
- TPen
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TPen&
- FMode
- PixelsPerInch
- Handle

- FontAdapterd
- Quality
- Style
- Size
- Pitch
- Orientation`"e
- Name
- Height
- Color
- Charset
- Graphics
- TFontD*e
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- FNotify
- FPixelsPerInch
- FColor
- Graphics
- IChangeNotifierh
- OnChange
- OwnerCriticalSectionp-c
- Graphics
- TGraphicsObject|(e
- Self
- HandleAllocated
- TGraphicsObject/
- FOwnerLock
- FResource
- FOnChange
- Brush
- Font
- Data
- Owner
- HashCode
- Handle
- RefCount
- Next
- TResource
- PResourceh'e
- OwnsBitmap
- Style
- Bitmap
- Color
- Handle
- TBrushData
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear

- bsSolid
- Style
- Width
- Color
- Handle
- TPenData
- Graphics
- pmNotXor
- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics
- psAlternate
- psUserStyle
- psInsideFrame
- psClear
- psDashDotDot
- psDot\tpsDashDot
- psSolid
- TPenStyle
- Quality
- Name
- Charset
- Style
- Pitch
- Orientation
- Height
- Handle
- TFontData
- TFontStylesBase
- TFontDataName|
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- Graphics
- fqClearTypeNatural
- fqClearType
- fqAntialiased
- fqNonAntialiased
- fqProof
- fqDefault
- TFontQuality
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable

- fpDefault
- TFontPitch
- Handle
- TResData
- Graphics
- EInvalidGraphicOperation
- EInvalidGraphicOperation
- Graphics
- EInvalidGraphic4!e
- EInvalidGraphicP!e
- TColor
- YGKu
- |_C3
- SVW3
- SVW3
- Registry
- :TRegistry.:2
- SVWUQ
- SVWU
- SVWU
- Q8FKu
- |JC3
- SVW3
- Q8FKu
- |JC3
- SVW3
- SVW3
- SVW3
- SVW3
- Access
- RootKeyName
- RootKey\\
- LastErrorMsg
- LastError\\
- LazyWrite
- CurrentPath
- CurrentKey\\
- Registry
- TRegistry
- Value
- Name
- Self
- WriteTime
- Value
- Name
- Self
- WriteExpandString
- Value
- Name
- Self
- WriteString
- Value
- Name
- Self
- WriteInteger
- Value
- Name

- Self
- WriteFloat
- Value
- Name
- Self
- WriteDateTime
- Value
- Name
- Self
- WriteDate
- Value
- Name
- Self
- WriteBool
- BufSize
- Buffer
- Name
- Self
- WriteBinaryData
- Value
- Name
- Self
- WriteCurrency
- Name
- Self
- ValueExists
- Self
- UnLoadKey
- FileName
- Self
- SaveKey
- FileName
- Self
- RestoreKey
- BackUpFileName
- FileName
- Self
- ReplaceKey
- NewName
- OldName
- Self
- RenameValue
- UNCName
- Self
- RegistryConnect
- Name
- Self
- ReadTime
- Name
- Self
- ReadString
- Name
- Self
- ReadInteger
- Name
- Self
- ReadFloat

- Name
- Self
- ReadDateTime
- Name
- Self
- ReadDate
- Name
- Self
- ReadBool
- BufSize
- Buffer
- Name
- Self
- ReadBinaryData
- Name
- Self
- ReadCurrency
- Self
- OpenKeyReadOnly
- CanCreate
- Self
- OpenKey
- Delete
- NewName
- OldName
- Self
- MoveKey
- FileName
- Self
- LoadKey
- Self
- KeyExists
- Self
- HasSubKeys
- Self
- GetValueNames
- Self
- GetKeyNames
- Value
- Self
- GetKeyInfo
- ValueName
- Self
- GetDataType
- ValueName
- Self
- GetDataSize
- Value
- ValueName
- Self
- GetDataInfo
- PrefixType
- ValueName
- Self
- GetDataAsString
- Name
- Self

- DeleteValue
- Self
- DeleteKey
- Self
- CreateKey
- Self
- CloseKey
- Self
- Destroy
- AAccess
- Self
- Create
- Self
- Create
- TRegistry&
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- Registry
- rdBinary
- rdExpandString\trdInteger
- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen
- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- Registry
- ERegistryException
- ERegistryException
- SVWUQ
- SVW3
- :THandleObject.:1
- TCriticalSection@
- Self
- Leave
- Self
- Enter
- Self
- TryEnter
- Self
- Release
- Self
- Acquire
- Self
- Destroy
- Self

- Create
- TCriticalSection&
- FSection
- TEventp
- Self
- Self
- UseCOMWait
- Self
- Create
- UseCOMWait
- Name
- InitialState
- ManualReset
- EventAttributes
- Self
- Create
- TEvent
- Handle
- LastError
- THandleObject
- UseCOMWait
- SignaledObj
- AAll
- Timeout
- HandleObjs
- Self
- WaitForMultiple
- Timeout
- Self
- WaitFor
- Self
- Destroy
- UseCOMWait
- Self
- Create
- THandleObject:
- FUseCOMWait
- FLastError
- FHandle
- THandleObjectArray
- TSynchroObject
- Timeout
- Self
- WaitFor
- Timeout
- Self
- WaitFor
- Self
- Release
- Self
- Acquire
- TSynchroObject'
- wrIOCompletion
- wrError
- wrAbandoned
- wrSignaled\twrTimeout
- TWaitResult

- SVW3
- TTimeSpan
- Wincodec
- IWICBitmap
- Wincodec
- IWICBitmapSourceh
- u-hp
- lParamSort
- lParam2
- lParam1
- _TREEITEM
- HTREEITEM
- SVW3
- SVWU
- VWU3
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G4_^[
- ;w4u
- SVWUQ
- SVWU
- SVW3
- Classes
- $TComponent.FindComponent$1499$ActRec4
- $TComponent.FindComponent$1499$ActRec
- Classes
- $TComponent.FindComponent$1499$0$Intfh
- SVWUQ
- SVWU
- SVWU
- ;8u%
- uTVj
- =l_u
- =l_u
- Classes
- TAnonymousThread$
- AProc
- Self
- Create
- TAnonymousThread5
- FProc
- Classes
- TExternalThreadP
- Self
- Create
- TExternalThread&
- SVW3
- QQQQ3
- |,F3
- R4;P
- @4;C
- |&F3;
- |&F3;
- |(C3
- |*C3

- Uh3{d
- UhGzd
- hgud
- hBud
- Uh;ud
- Uh`ud
- SVW3
- Uhqqd
- Uh&qd;
- h\\id
- UhUid
- huhd
- Uhnhd
- SVW3
- Uhxed
- hSed
- h0ed
- Uh)ed
- UhLed
- SVW3
- Uhqbd
- Uh;^d
- QQQQ3
- UhU]d
- SVW3
- UhJVd
- UhsUd
- SVW3
- SVW3
- SVW3
- Uh>Qd
- UhjQd
- SVW3
- |AF3
- |\\F3
- Classes
- :TReader.:1
- SVWU
- C0_^[
- h1Kd
- Uh*Kd
- SVW3
- hIHd
- UhBHd
- h}Ed
- UhvEd
- |*C3
- Uh4Dd
- Uh]Bd
- SVW3
- SVWU
- Classes
- TPropIntfFixup
- Reference
- Self
- ResolveReference
- TPropIntfFixupC

- Classes
- TPropFixup
- Reference
- Self
- ResolveReference
- Self
- MakeGlobalReference
- Name
- RootName
- PropInfo
- InstanceRoot
- Instance
- Self
- Create
- TPropFixup
- FName
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- SVWU
- SVW3
- hY3d
- UhR3d
- hk0d
- Uhd0d
- he-d
- Uh^-d
- K0l3
- S4_^[
- ^8^[
- :^8t
- s4^[
- ;s4t
- ;s0|
- ;s0r
- ;s0r
- C0;C4u
- ;s0~
- ;s0r
- ;s0r
- SVWU
- ;{0|
- ;s0|
- ;s0|
- C8^[
- SVWUQ
- SVW3
- SVWU
- |$F3
- SVW3
- hE d
- Uh! d
- Uh> d
- SVW3
- SVW3
- SVWU

- SVW3
- SVWU
- SVW3
- SVW3
- SVW3
- |0F3
- SVW3
- W<CNu
- Q8FKu
- W<CNu
- |-F3
- SVW3
- |JF3
- SVW3
- SVWU
- | C3
- SVW3
- @< u
- SVWUQ
- Classes
- TList.Sort876ActRecX
- TList.Sort876ActRec
- Compare
- Classes
- TList.Sort$876$0$Intfh
- SVWU
- SVWU
- $ZXu
- =h_u
- =|_u
- =|_u
- =|_u
- Classes
- TIntConst
- AIntToIdent
- AIdentToInt
- AIntegerType
- Self
- Create
- TIntConstf
- IntToIdent
- IdentToInt
- IntegerType
- -FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWU
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU
- | F3

- SVWUQ
- SVWU
- SVW3
- SVWUQ
- |8F3
- SVWU
- ActiveClass
- Classes
- TRegGroups
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- Self
- Unlock
- AClass
- Self
- StartGroup
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- Self
- Lock
- AGroupClass
- AClass
- Self
- GroupWith
- AClass
- Self
- GroupedWith
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Self
- Activate
- Self
- Destroy
- Self
- Create
- TRegGroups&
- FActiveClass
- FLock
- FGroups
- Active

- Classes
- TRegGroup
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- AClass
- Self
- InGroup
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Group2
- Group1
- Self
- BestGroup
- Self
- Destroy
- AClass
- Self
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- Message
- TMessage
- Message
- TWndMethod
- Ident
- TIntToIdent
- Ident
- TIdentToInt
- Name
- Value
- TIdentMapEntry
- TArray<System.TObject>

- OnUpdate,
- OnExecutep-c
- ActionComponentp-c
- Classes
- TBasicActiont
- Self
- Update
- Value
- Self
- UnRegisterChanges
- Value
- Self
- RegisterChanges
- Self
- Execute
- Target
- Self
- ExecuteTarget
- Target
- Self
- UpdateTarget
- Target
- Self
- HandlesTarget
- Self
- Destroy
- AOwner
- Self
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChanget
- Actionp-c
- Classes
- TBasicActionLinkX
- Self
- Update
- AComponent
- Self
- Execute
- Self
- Destroy
- AClient
- Self
- Create
- TBasicActionLink7
- FAction
- FOnChange
- VCLComObject
- Owner
- DesignInfo
- ComponentStyle
- ComponentStateT

- ComponentIndex
- ComponentCount
- ComObject
- Name
- Classes
- TComponent
- Operation
- Self
- ReferenceInterface
- Self
- IsImplementorOf
- Action
- Self
- UpdateAction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException
- IsSubComponent
- Self
- SetSubComponent
- AComponent
- Self
- RemoveComponent
- AComponent
- Self
- InsertComponent
- Self
- HasParent
- Self
- GetNamePath
- Self
- GetParentComponent
- Self
- GetEnumerator
- Self
- FreeOnRelease
- AComponent
- Self
- RemoveFreeNotification
- AComponent
- Self
- FreeNotification
- AName
- Self
- FindComponent
- Action
- Self
- ExecuteAction
- Self
- Destroying
- Self
- DestroyComponents
- Self
- BeforeDestruction
- Self
- Destroy

- AOwner
- Self
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FTag
- FName
- FOwner
- Classes
- IDesignerNotifyh
- TComponentName
- Child
- TComponent
- Child
- TGetChildProc
- TComponentStyle
- Classes
- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- Classes
- csDesignInstance
- csInline
- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying
- csLoading\tcsReading\tcsWriting
- Classes
- opRemove
- opInsert
- TOperation
- Current
- Classes
- TComponentEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AComponent
- Self
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- OnTerminate
- ThreadIDp-c
- Suspended

- Priority
- Handle<
- Finished
- FreeOnTerminate
- FatalException
- ExternalThreadD
- Classes
- TThread
- Yield
- Timeout
- Iterations
- SpinWait
- AThreadID
- AThreadName
- NameThreadForDebugging
- AMethod
- RemoveQueuedEvents
- AThread
- RemoveQueuedEvents
- AThreadProc
- AThread
- Synchronize
- AThreadProc
- AThread
- Queue
- AMethod
- AThread
- StaticSynchronize
- AMethod
- AThread
- Synchronize
- AMethod
- AThread
- StaticQueue
- AMethod
- AThread
- RemoveQueuedEvents
- AMethod
- AThread
- Queue
- Value
- SetReturnValue
- CheckTerminated
- Self
- WaitFor
- Self
- Terminate
- Self
- Suspend
- Self
- Start
- Self
- Resume
- Self
- AfterConstruction
- ThreadProc
- CreateAnonymousThread

- Self
- Destroy
- CreateSuspended
- Self
- Create
- Self
- Create
- TThread&
- FExternalThread
- FFatalException
- FSynchronize
- FOnTerminate
- FReturnValue
- FFinished
- FFreeOnTerminate
- FSuspended
- FTerminated
- FCreateSuspended
- FThreadID
- FHandle
- FSynchronizeException
- FProcedure
- FMethod
- FThread
- TThread.TSynchronizeRecord
- Classes
- tpTimeCritical
- tpHigher\ttpHighest
- tpNormal
- tpLower
- tpLowest
- tpIdle
- TThreadPriority
- Classes
- TThreadProcedureh
- TThreadMethod
- Classes
- EThreadExternalException
- EThreadExternalException
- Classes
- EThread
- EThread
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor
- RootAncestor
- Position
- Classes
- TWriter
- Value
- Self
- WriteVariant
- Value
- Self
- WriteWideString
- Value
- Self

- WriteString
- Value
- Self
- WriteUTF8Str
- Value
- Self
- WriteStr
- Self
- WriteSignature
- Root
- Self
- WriteRootComponent
- Instance
- Self
- WriteProperties
- Self
- WriteListEnd
- Self
- WriteListBegin
- Value
- Self
- WriteInteger
- Value
- Self
- WriteInteger
- Ident
- Self
- WriteIdent
- Value
- Self
- WriteDate
- Value
- Self
- WriteCurrency
- Value
- Self
- WriteDouble
- Value
- Self
- WriteSingle
- Value
- Self
- WriteFloat
- AAncestor
- Root
- Self
- WriteDescendent
- Value
- Self
- WriteWideChar
- Value
- Self
- WriteChar
- Component
- Self
- WriteComponent
- Value

- Self
- WriteCollection
- Value
- Self
- WriteBoolean
- Count
- Self
- Write
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList
- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- Ancestor
- Name
- Component
- Writer
- TComponent
- RootAncestor
- TComponent
- Ancestor
- Name
- TComponent
- Component
- TWriter
- Writer
- TFindAncestorEvent

- OnFindComponentInstance
- OnFindComponentClass
- OnCreateComponentx
- OnAncestorNotFound,
- OnReferenceName
- OnSetNameL
- OnFindMethodInstance
- OnFindMethod
- OnError
- Position
- Parent
- Owner
- Classes
- TReader
- Self
- SkipValue
- Writer
- Self
- CopyValue
- Self
- ReadVariant
- Self
- ReadValue
- Self
- ReadWideString
- Self
- ReadString
- Self
- ReadStr
- Self
- ReadSignature
- Root
- Self
- ReadRootComponent
- AChildPos
- Flags
- Self
- ReadPrefix
- Self
- ReadListEnd
- Self
- ReadListBegin
- Self
- ReadInt64
- Self
- ReadInteger
- Self
- ReadIdent
- Self
- ReadDate
- Self
- ReadCurrency
- Self
- ReadDouble
- Self
- ReadSingle
- Self

- ReadFloat
- Proc
- AParent
- AOwner
- Self
- ReadComponents
- Component
- Self
- ReadComponent
- Collection
- Self
- ReadCollection
- Self
- ReadWideChar
- Self
- ReadChar
- Self
- ReadBoolean
- Count
- Self
- Read
- Self
- NextValue
- Self
- FlushBuffer
- Self
- FixupReferences
- Self
- EndReferences
- Self
- EndOfList
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Value
- Self
- CheckValue
- Self
- BeginReferences
- Self
- Destroy
- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance
- FOnCreateComponent
- FOnFindComponentClass

- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Name
- Reader
- Pointer
- Instance
- Name
- TReader
- Reader
- TFindComponentInstanceEvent
- Error
- AMethod
- MethodName
- Reader
- Boolean
- Error
- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- ComponentClass
- Reader
- TComponent
- TComponentClass\t\t\tComponent
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader
- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean
- Handled
- Message
- TReader
- Reader

- TReaderError
- Component
- TComponent
- Component
- TReadComponentsProc
- Component
- ComponentClass
- ComponentName
- Reader
- TComponent
- TPersistentClass\t\tComponent
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Name
- Reader
- Name
- TReader
- Reader
- TReferenceNameEvent
- Name
- Component
- Reader
- Name
- TComponent
- Component
- TReader
- Reader
- TSetNameEvent
- Error
- Address
- MethodName
- Reader
- Boolean
- Error
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClass
- IgnoreChildren
- Ancestor
- LookupRootIGc
- Root
- Classes
- TFilerx
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self

- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- BufSize
- Stream
- Self
- Create
- TFilerG
- FIgnoreChildren
- FAncestor
- FLookupRoot
- FRoot
- FBufEnd
- FBufPos
- FBufSize
- FBuffer
- FStream
- Classes
- IInterfaceComponentReferenceh
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags
- Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaDate\tvaWString
- vaCurrency
- vaSingle
- vaCollection
- vaNil
- vaSet\tvaLString
- vaBinary
- vaTrue
- vaFalse
- vaIdent

- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- Classes
- TClassFinder\\
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- Self
- Destroy
- AIncludeActiveGroups
- AClass
- Self
- Create
- TClassFinderT
- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- StreamOwnership
- Stream
- Classes
- TStreamAdapter
- Self
- Clone
- Self
- Stat
- dwLockType
- libOffset
- Self
- UnlockRegion
- dwLockType
- libOffset
- Self
- LockRegion
- Self
- Revert
- grfCommitFlags
- Self
- Commit
- cbWritten
- cbRead
- Self
- CopyTo
- libNewSize
- Self
- SetSize
- libNewPosition

- dwOrigin
- dlibMove
- Self
- Seek
- pcbWritten
- Self
- Write
- pcbRead
- Self
- Read
- Self
- Destroy
- Ownership
- Stream
- Self
- Create
- TStreamAdapterI
- FOwnership
- FStream
- Classes
- soOwned
- soReference
- TStreamOwnership
- Classes
- TResourceStream,zc
- Count
- Buffer
- Self
- Write
- Self
- Destroy
- ResType
- ResID
- Instance
- Self
- CreateFromID
- ResType
- ResName
- Instance
- Self
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- Classes
- TMemoryStream
- Count
- Buffer
- Self
- Write
- NewSize
- Self
- SetSize
- FileName
- Self
- LoadFromFile
- Stream

- Self
- LoadFromStream
- Self
- Clear
- Self
- Destroy
- TMemoryStream'
- FCapacity
- Memory
- Classes
- TCustomMemoryStream
- FileName
- Self
- SaveToFile
- Stream
- Self
- SaveToStream
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Read
- TCustomMemoryStreamC
- FPosition
- FSize
- FMemory
- FileName
- Classes
- TFileStream
- Self
- Destroy
- Mode
- AFileName
- Self
- Create
- Mode
- AFileName
- Self
- Create
- TFileStreamG
- FFileName
- Handle
- Classes
- THandleStream
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write
- Count
- Buffer

- Self
- Read
- AHandle
- Self
- Create
- THandleStream7
- FHandle
- Classes
- IStreamPersisth
- Size
- Position
- Classes
- TStream\\kc
- Self
- ReadResHeader
- FixupInfo
- Self
- FixupResourceHeader
- FixupInfo
- ResName
- Self
- WriteResourceHeader
- Ancestor
- Instance
- ResName
- Self
- WriteDescendentRes
- Ancestor
- Instance
- Self
- WriteDescendent
- Instance
- ResName
- Self
- WriteComponentRes
- Instance
- Self
- WriteComponent
- Instance
- Self
- ReadComponentRes
- Instance
- Self
- ReadComponent
- Count
- Source
- Self
- CopyFrom
- Count
- Buffer
- Self
- WriteBuffer
- Count
- Buffer
- Self
- ReadBuffer
- Origin

- Offset
- Self
- Seek
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write
- Count
- Buffer
- Self
- Read
- TStreamC
- OwnsObjects
- OnChanging
- OnChangep-c
- CaseSensitivep-c
- Sorted
- Duplicates
- Classes
- Compare
- Self
- CustomSort
- Self
- Sort
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- Self
- IndexOf
- Index
- Self
- Find
- Index2
- Index1
- Self
- Exchange
- Index
- Self
- Delete
- Self
- Clear
- Source
- Self
- Assign
- AObject
- Self
- AddObject
- Self
- Self

- Destroy
- OwnsObjects
- Self
- Create
- Self
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted
- FCapacity
- FCount
- FList
- Index2
- Index1
- List
- TStringListSortCompare"
- TStringItemList
- PStringItemList
- FObject
- TStringItem
- WriteBOM
- StringsAdapter
- StrictDelimiter\\
- NameValueSeparator
- QuoteCharL
- LineBreakL
- Encoding\\
- DelimitedTextP
- Delimiter\\
- DefaultEncodingL
- CountP
- CommaText
- Capacity\\
- Classes
- Self
- ToObjectArray
- Self
- ToStringArray
- Text
- Self
- SetText
- Encoding
- Stream
- Self
- SaveToStream
- Stream
- Self
- SaveToStream
- Encoding
- FileName
- Self
- SaveToFile
- FileName
- Self

- SaveToFile
- NewIndex
- CurIndex
- Self
- Move
- Encoding
- Stream
- Self
- LoadFromStream
- Stream
- Self
- LoadFromStream
- Encoding
- FileName
- Self
- LoadFromFile
- FileName
- Self
- LoadFromFile
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- AObject
- Self
- IndexOfObject
- Name
- Self
- IndexOfName
- Self
- IndexOf
- Self
- GetText
- Self
- GetEnumerator
- Index2
- Index1
- Self
- Exchange
- Self
- Equals
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Objects

- Self
- AddStrings
- Self
- AddStrings
- Self
- AddStrings
- Self
- Append
- AObject
- Self
- AddObject
- Self
- Self
- Destroy
- Self
- Create
- FWriteBOM
- FAdapter
- FUpdateCount
- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefaultEncoding
- FDefined
- FEncoding
- Current
- Classes
- TStringsEnumeratortTc
- Self
- MoveNext
- Self
- GetCurrent
- AStrings
- Self
- Create
- TStringsEnumerator8
- FIndex
- TStringsDefined
- Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- Classes
- IStringsAdapterh
- Classes
- TOwnedCollection|Rc
- ItemClass
- AOwner
- Self
- Create
- TOwnedCollectionI
- FOwner
- ItemClass

- Count
- Capacity
- Classes
- TCollection
- Index
- Self
- Insert
- Self
- GetNamePath
- Self
- GetEnumerator
- Self
- FindItemID
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Self
- Self
- Owner
- Self
- Destroy
- ItemClass
- Self
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current
- Classes
- TCollectionEnumerator@Lc
- Self
- MoveNext
- Self
- GetCurrent
- ACollection
- Self
- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClass
- DisplayName
- Index\\
- Collection
- Classes

- TCollectionItem
- Self
- GetNamePath
- Self
- Destroy
- Collection
- Self
- Create
- TCollectionItem:
- FCollection
- Classes
- TInterfacedPersistent`Hc
- Self
- AfterConstruction
- Self
- QueryInterface
- TInterfacedPersistentH
- FOwnerInterface
- TPersistentClasslGc
- Classes
- TPersistent
- Self
- GetNamePath
- Source
- Self
- Assign
- Self
- Destroy
- TPersistent'
- Size
- Classes
- TBits\\Ec
- Self
- OpenBit
- Self
- Destroy
- FBits
- FSize
- Duplicates
- Classes
- TThreadList
- Self
- UnlockList
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- Self
- LockList
- Self
- Clear
- Item
- Self
- Self

- Destroy
- Self
- Create
- TThreadList&
- FDuplicates
- FLock
- FList
- List
- CountH8c
- Capacity
- Classes
- TList
- ListB
- AOperator
- ListA
- Self
- Assign
- Compare
- Self
- SortList
- Compare
- Self
- Sort
- Self
- Pack
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- NewIndex
- CurIndex
- Self
- Move
- Self
- Last
- Item
- Index
- Self
- Insert
- Direction
- Item
- Self
- IndexOfItem
- Item
- Self
- IndexOf
- Self
- GetEnumerator
- Self
- First
- Direction
- Item
- Self
- ExtractItem

- Item
- Self
- Self
- Expand
- Index2
- Index1
- Self
- Exchange
- Data
- Self
- Error
- Data
- Self
- Error
- Index
- Self
- Delete
- Self
- Clear
- Item
- Self
- Self
- Destroy
- FCapacity
- FCount
- FList
- Classes
- FromEnd
- FromBeginning
- TList.TDirection
- Current
- Classes
- TListEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AList
- Self
- Create
- TListEnumerator5
- FList
- FIndex
- Classes
- laDestUnique
- laSrcUnique
- laXor
- laOr
- laAnd
- laCopy
- TListAssignOp
- Classes
- TListSortCompareFunch
- Item2
- Item1
- TListSortCompare
- TPointerList

- PPointerList`8c
- Classes
- dupError
- dupIgnore\tdupAccept
- TDuplicates
- Classes
- EInvalidOperation
- EInvalidOperation
- Classes
- EOutOfResources
- EOutOfResources07c
- Classes
- EComponentErrort6c
- EComponentError
- Classes
- EStringListError
- EStringListError
- Classes
- EBitsError<5c
- EBitsError
- Classes
- EListError
- EListError
- Classes
- EResNotFound
- EResNotFound
- Classes
- EInvalidImagep3c
- EInvalidImage
- Classes
- EClassNotFound
- EClassNotFound
- Classes
- EWriteError<2c
- EWriteErrorT2c
- Classes
- EReadError
- EReadError
- Classes
- EFilerError
- EFilerError(1c
- Classes
- EFOpenErrorx0c
- EFOpenError
- Classes
- EFCreateError
- EFCreateError
- Classes
- EFileStreamError
- FileName
- ResStringRec
- Self
- Create
- EFileStreamErrorN
- Classes
- EStreamErrorD.c
- EStreamError

- Sender
- TObject
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htKeyword\thtContext
- THelpType
- THelpContext
- TShiftState
- Classes
- ssPen
- ssTouch
- ssDouble
- ssMiddle
- ssAlt
- Classes
- taVerticalCenter
- taAlignBottom
- taAlignTop
- TVerticalAlignment
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- TLeftRight
- Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- Classes
- soEnd
- soBeginning\tsoCurrent
- TSeekOrigin
- 5D&c;
- 5D&c;
- SVW3
- SVW3
- SVW3
- SVW1
- Name
- NameIndex
- Default
- Index
- StoredProc
- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfop
- Name
- Kind
- TTypeInfo

- PTypeInfo
- PPTypeInfo
- TypInfo
- tkProcedure
- tkClassRef\ttkPointer
- tkDynArray\ttkUString
- tkInt64
- tkInterface
- tkRecord
- tkArray
- tkMethod
- tkSet
- tkFloat
- tkEnumeration
- tkUnknown\ttkInteger
- TTypeKind
- h@_u
- h@_u
- |?F3
- h@_u
- SVW3
- h@_u
- =<_u
- h@_u
- h@_u
- h@_u
- h@_u
- SVW3
- SVWUQ
- h@_u
- h@_u
- Variants
- Ur~t
- Ur~t
- Ur~t
- Ur~t
- Ur~t
- Ur~t
- SVWU
- SVW3
- Eh~t
- t0f-
- SVWUQ
- |kC3
- =(_u
- Variants
- EVariantInvalidNullOpError
- EVariantInvalidNullOpError
- Variants
- EVariantDispatchError
- EVariantDispatchError
- Variants
- EVariantUnexpectedError\\
- EVariantUnexpectedError
- Variants
- EVariantOutOfMemoryError
- EVariantOutOfMemoryError

- Variants
- EVariantNotImplError
- EVariantNotImplError
- Variants
- EVariantArrayCreateErrorH
- EVariantArrayCreateError
- Variants
- EVariantArrayLockedError
- EVariantArrayLockedError
- Variants
- EVariantBadIndexError
- EVariantBadIndexError
- Variants
- EVariantBadVarTypeError8
- EVariantBadVarTypeError\\
- Variants
- EVariantInvalidArgError
- EVariantInvalidArgError
- Variants
- EVariantOverflowError
- EVariantOverflowError
- Variants
- EVariantTypeCastError0
- EVariantTypeCastError
- Variants
- EVariantInvalidOpError
- EVariantInvalidOpError
- VarType
- Variants
- TCustomVariantTypep
- Relationship
- Right
- Left
- Self
- Compare
- Operator
- Right
- Left
- Self
- CompareOp
- Operator
- Right
- Self
- UnaryOp
- Operator
- Right
- Left
- Self
- BinaryOp
- Indirect
- Source
- Dest
- Self
- Copy
- Self
- Clear
- Source

- Dest
- Self
- CastToOle
- AVarType
- Source
- Dest
- Self
- CastTo
- Source
- Dest
- Self
- Cast
- Self
- IsClear
- Self
- Destroy
- RequestedVarType
- Self
- Create
- Self
- Create
- TCustomVariantType&
- FVarType
- Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarOr
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- h4~b
- Uh-~b
- Uhtxb
- Uhgtb
- SVWU
- SVWU
- uXTh
- SVW3
- Uh$fb
- SVWU

- hO`b
- UhH`b
- UhX]b
- UhcZb
- Uh\tZb
- SVWU
- Uh]Xb
- UhgRb
- UhlQb
- UhgPb
- hGOb
- Uh@Ob
- Uh?Nb
- SVWU
- hoKb
- UhhKb
- SVWU
- UhTJb
- UhrJb
- SVWU
- ;C$t4
- SVWU
- SVWUQ
- SVWUQ
- hHAb
- Sh,Ab
- 5(~t
- SVWU
- SVWU
- TArray<SysUtils.TUnitHashEntry>
- UnitHashArray
- Validated
- TModuleInfo
- FullHash
- DupsAllowed
- UnitName
- LibModule
- Prev
- Next
- TUnitHashEntry
- PUnitHashEntry
- =K=u
- UhS;b
- SVWUQ
- SVWUQ
- SVW3
- Ident
- Code
- TErrorRec
- r3t7
- Uh7*b
- SVW3
- =p<u
- =t<u
- =x<u
- Uhv&b;
- UhD$b

- Uhj"b
- SysUtils0
- Uh@ b
- SVW3
- SVW3
- SVWU
- =K=u
- 8gu4
- SVW3
- =C=u
- SVWUQ
- SVWU
- SVWU
- SVW3
- SVW3
- 80u'
- =G=u
- -0}t
- r@f=9
- t&f;=0
- Sh|<u
- h|<u
- Sh|<u
- Sh|<u
- Sh|<u
- |.G3
- SVWUQ
- SVWU
- SVW3
- SVWU
- SVWUQ
- @w6j
- @w2j
- Ident
- TStrData
- .u:EOu
- SVWUQ
- f;8u<
- f;8u
- SVWU
- SVW3
- SVWU
- SVWU
- SVWU
- tgf9
- maccroatian
- macturkish
- maciceland
- maccentraleurope
- macthai
- macukraine
- macromania
- maccyrillic
- macgreek
- machebrew
- macarabic
- macroman

- macintosh
- johab
- cp1361
- tis620.2533-1
- tis620.2533-0
- tis620.2529-1
- tis620-0
- tis620
- tis-620
- iso-ir-166
- windows-874
- cp874
- csibm869
- ibm869
- cp869
- csibm866
- ibm866
- cp866
- csibm865
- ibm865
- cp865
- csibm864
- ibm864
- cp864
- csibm863
- ibm863
- cp863
- cspc862latinhebrew
- ibm862
- cp862
- csibm861
- ibm861
- cp861
- cp-is
- csibm860
- ibm860
- cp860
- cp858
- csibm857
- ibm857
- cp857
- csibm855
- ibm855
- cp855
- cp853
- cspcp852
- ibm852
- cp852
- cspc850multilingual
- ibm850
- cp850
- cspc775baltic
- ibm775
- cp775
- cp737
- cspc8codepage437
- ibm437

- cp437
- gb18030
- hz-gb-2312
- cseuctw
- euctw
- euc-tw
- euckr
- euc-kr
- euccn
- euc-cn
- cseucpkdfmtjapanese
- eucjp
- euc-jp
- iso-2022-cn
- csiso2022kr
- iso-2022-kr
- csiso2022jp
- iso-2022-jp
- koi8-u
- csiso58gb231280
- iso-ir-58
- gb_2312-80
- chinese
- koi8-r
- windows-1258
- cp1258
- windows-1257
- cp1257
- windows-1256
- cp1256
- windows-1255
- cp1255
- windows-1254
- cp1254
- windows-1253
- cp1253
- windows-1252
- cp1252
- windows-1251
- cp1251
- windows-1250
- cp1250
- utf-16be
- utf-16le
- utf-16
- csunicode
- ucs-2
- csbig5
- cn-big5
- bigfive
- big5
- big-five
- big-5
- cp950
- csksc56011987
- ks_c_5601-1989
- ks_c_5601-1987

- ksc_5601
- korean
- iso-ir-149
- cp949
- csgb2312
- gb2312
- windows-936
- cp936
- csshiftjis
- sjis
- shift_jis
- shift-jis
- cp932
- iso_8859-16:2001
- iso_8859-16
- iso8859-16
- iso-ir-226
- iso-8859-16
- iso_8859-15:1998
- iso_8859-15
- iso8859-15
- iso-ir-203
- iso-8859-15
- iso_8859-14:1998
- iso_8859-14
- iso8859-14
- iso-ir-199
- iso-celtic
- iso-8859-14
- iso_8859-13
- iso8859-13
- iso-ir-179
- iso-8859-13
- iso_8859-11
- iso8859-11
- iso-8859-11
- csisolatin6
- iso_8859-10:1992
- iso_8859-10
- iso8859-10
- iso-ir-157
- iso-8859-10
- csisolatin5
- iso_8859-9:1989
- iso_8859-9
- iso8859-9
- iso-ir-148
- iso-8859-9
- csisolatinhebrew
- iso_8859-8:1988
- iso_8859-8
- iso8859-8
- iso-ir-138
- iso-8859-8
- hebrew
- iso_8859-7:2003
- iso_8859-7:1987

- iso_8859-7
- iso8859-7
- iso-8859-7
- greek8
- greek
- csisolatinarabic
- iso_8859-6:1987
- iso_8859-6
- iso8859-6
- iso-ir-127
- iso-8859-6
- ecma-114
- asmo-708
- arabic
- csisolatincyrillic
- iso_8859-5:1988
- iso_8859-5
- iso8859-5
- iso-ir-144
- iso-8859-5
- cyrillic
- csisolatin4
- iso_8859-4:1988
- iso_8859-4
- iso8859-4
- iso-ir-110
- iso-8859-4
- csisolatin3
- iso_8859-3:1988
- iso_8859-3
- iso8859-3
- iso-ir-109
- iso-8859-3
- csisolatin2
- iso_8859-2:1987
- iso_8859-2
- iso8859-2
- iso-ir-101
- iso-8859-2
- csisolatin1
- iso_8859-1:1987
- iso_8859-1
- iso8859-1
- iso-ir-100
- iso-8859-1
- ibm819
- cp819
- utf8
- utf-8
- csunicode11utf7
- utf-7
- csascii
- us-ascii
- ascii
- K\t}2
- @2
- \\RUb

- VcAs
- vcAs
- rrEb
- bAs6?
- bAsV?
- bAsv?
- rRIb
- 6bAs
- VbAs
- SysUtils
- SysUtils
- TBigEndianUnicodeEncoding
- GetPreamble
- Self
- Clone
- TBigEndianUnicodeEncoding%
- SysUtils
- TUnicodeEncoding
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- Self
- Create
- TUnicodeEncoding&
- SysUtils
- TUTF8Encoding
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- Self
- Create
- TUTF8Encoding&
- SysUtils
- TUTF7EncodingH
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- Self
- Create
- TUTF7Encoding&

- SysUtils
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Self
- Create
- CodePage
- Self
- Create
- Self
- Create
- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- EncodingName
- CodePage\\
- SysUtils
- TEncoding
- GetStringT
- GetString
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- EncodingName
- GetEncoding
- CodePage
- GetEncoding
- GetChars/
- GetChars
- GetChars
- GetCharCount
- GetCharCount
- GetBytes
- GetBytes
- GetBytes
- GetBytes
- GetBytes
- CharCount
- CharIndex
- Self
- GetByteCount
- Self
- GetByteCount

- GetByteCount7
- GetByteCount
- GetBufferEncoding
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- Self
- FreeEncodings
- Convert-
- Convert
- Self
- Clone
- TEncoding%
- FMaxCharSize
- FIsSingleByte
- SysUtils
- EEncodingError
- EEncodingError
- MaxCapacity
- Capacity
- SysUtils
- TStringBuilder(
- StartIndex
- Self
- ToString
- Self
- ToString
- Count
- StartIndex
- NewValue
- OldValue
- Self
- Replace
- Count
- StartIndex
- NewChar
- OldChar
- Self
- Replace
- NewValue
- OldValue
- Self
- Replace
- NewChar
- OldChar
- Self
- Replace
- RemLength
- StartIndex
- Self
- Remove
- InsertM
- count
- Value
- Index
- Self
- Insert

- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- InsertD
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert

- Value
- Index
- Self
- Insert
- StringBuilder
- Self
- Equals
- aCapacity
- Self
- EnsureCapacity
- CopyToA
- Self
- Clear
- Value
- Self
- AppendLine
- Self
- AppendLine
- AppendFormat*
- Count
- StartIndex
- Value
- Self
- Append
- AppendX
- RepeatCount
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Append5
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append

- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- aCapacity
- StartIndex
- Value
- Self
- Create
- aCapacity
- Value
- Self
- Create
- aMaxCapacity
- aCapacity
- Self
- Create
- Value
- Self
- Create
- aCapacity
- Self
- Create
- Self
- Create
- TStringBuilder&
- FMaxCapacity
- FData
- TArray<System.Char>
- RevisionLevel
- SysUtils
- $TMultiReadExclusiveWriteSynchronizer
- Self
- EndWrite
- Self
- BeginWrite
- Self

- EndRead
- Self
- BeginRead
- Self
- Destroy
- Self
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- SysUtils
- TThreadLocalCounter
- Thread
- Self
- Close
- Thread
- Self
- Delete
- Thread
- Self
- Open
- Self
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- Next
- TThreadInfo
- PThreadInfo(
- SysUtils
- IReadWriteSynch
- SysUtils\\
- SysUtils\\
- NegCurrFormat
- TwoDigitYearCenturyWindow
- DecimalSeparator
- ThousandSeparator
- LongDayNames
- ShortDayNames
- LongMonthNames
- ShortMonthNames
- LongTimeFormat
- ShortTimeFormat
- TimePMString
- TimeAMString
- LongDateFormat
- ShortDateFormat
- ListSeparator
- TimeSeparator
- DateSeparator

- CurrencyDecimals
- CurrencyFormat
- CurrencyString
- TFormatSettings
- :TFormatSettings.:4
- :TFormatSettings.:3
- :TFormatSettings.:20
- :TFormatSettings.:10
- System0sa
- TArray<SysUtils.TLangRec>
- SysUtils
- ENotImplemented
- ENotImplemented
- SysUtils
- ENoMonitorSupportException
- ENoMonitorSupportException
- SysUtils
- EMonitorLockExceptionP
- EMonitorLockException
- SysUtils
- EMonitor
- EMonitor
- SysUtils
- ESafecallException
- ESafecallException
- SysUtils
- EOSErrord
- EOSError
- ErrorCode
- SysUtils
- EIntfCastError
- EIntfCastError
- SysUtils
- EAbstractError$
- EAbstractError
- SysUtils
- EAssertionFailed
- EAssertionFailed
- SysUtils
- EVariantError
- EVariantError
- SysUtils
- EControlCP
- EControlC
- SysUtils
- EStackOverflow
- EStackOverflow
- SysUtils
- EPrivilege
- EPrivilege
- SysUtils
- EAccessViolationt
- EAccessViolation
- SysUtils
- EConvertError
- EConvertError
- SysUtils

- EInvalidCast<
- EInvalidCast
- SysUtils
- EInvalidPointer
- EInvalidPointer
- SysUtils
- EUnderflow
- EUnderflow
- SysUtils
- EOverflowp
- EOverflow
- SysUtils
- EZeroDivide
- EZeroDivide
- SysUtils
- EInvalidOp@
- EInvalidOp
- SysUtils
- EMathError
- EMathError
- SysUtils
- EIntOverflow
- EIntOverflow
- SysUtils
- ERangeErrort
- ERangeError
- SysUtils
- EDivByZero
- EDivByZero
- SysUtils
- EIntErrorH
- EIntError
- SysUtils
- EExternalException
- EExternalException
- SysUtils
- EExternal
- EExternal
- ExceptionRecord
- SysUtils
- EInOutError0
- EInOutError
- ErrorCode
- SysUtils
- EOutOfMemory
- EOutOfMemory
- SysUtils
- EHeapException
- Self
- FreeInstance
- EHeapException,
- AllowFree
- SysUtils
- EAbort
- EAbort
- ExceptClass
- SysUtils

- EArgumentOutOfRangeException<|a
- EArgumentOutOfRangeException
- SysUtils
- EArgumentException
- EArgumentException
- StackInfo
- StackTrace
- Message\\
- InnerException\\
- HelpContext
- BaseException
- SysUtils
- Exception
- ThrowOuterException
- RaiseOuterException
- Self
- ToString
- Self
- GetBaseException
- Self
- Destroy
- CreateResFmtHelp'
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- Self
- CreateResHelp
- AHelpContext
- Ident
- Self
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- Self
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- Self
- CreateRes
- Ident
- Self
- CreateRes
- CreateFmt8
- Self
- Create
- Exception3
- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- Count
- SysUtils
- TLanguages
- LocaleName
- Self

- IndexOf
- Self
- IndexOf
- Self
- Destroy
- Self
- Create
- TLanguages&
- FLocaleName
- FExt
- FLCID
- FName
- TLangRec
- TArray<System.Byte>
- EIdent
- EClass
- TExceptRec
- ExcUtils
- etNotImplemented
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege
- etAccessViolation
- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- ?tE)!XU
- ?tE)!XU
- ?333333
- 0\t@\tP\t`\t1
- =T<u
- =T<u
- =T<u
- ActiveX
- @Qm6t
- IServiceProviderh
- ActiveX
- IPictureh
- ActiveX
- k7E8
- IPerPropertyBrowsingh
- ActiveX
- IConnectionPointh
- ActiveX

- IPropertyNotifySinkh
- ActiveX
- IPersistStreamInit
- ActiveX
- ISimpleFrameSiteh
- ActiveX
- IOleControlSiteh
- ActiveX
- IOleControlh
- ActiveX
- IOleInPlaceSite
- ActiveX
- IOleInPlaceObject
- ActiveX
- IOleInPlaceFrame
- ActiveX
- IOleInPlaceActiveObject
- ActiveX
- IOleInPlaceUIWindow
- ActiveX
- IOleWindowh
- ActiveX
- IOleObjecth
- ActiveX
- IOleClientSiteh
- ActiveX
- ITypeInfoh
- scode
- pfnDeferredFillIn
- pvReserved
- dwHelpContext
- bstrHelpFile
- bstrDescription
- bstrSource
- wReserved
- wCode
- tagEXCEPINFO
- ExInfo
- TFNDeferredFillIn
- PExcepInfo
- TDispIDList
- PDispIDListp
- ActiveX
- IStream
- ActiveX
- ISequentialStreamh
- reserved
- grfStateBits
- clsid
- grfLocksSupported
- grfMode
- atime
- ctime
- mtime
- cbSize
- pwcsName
- ActiveX

- IPersisth
- cAccel
- hAccel
- tagCONTROLINFO
- tagMULTI_QI
- Result
- Menu
- MenuFlag
- User
- TWMMenuChar
- Result
- KeyData
- Unused
- CharCode
- ResultHi
- ResultLo
- LParamHi
- LParamLo
- WParamHi
- WParamLo
- Result
- LParam
- WParam
- TMessage
- =D<u
- % |u
- %$|u
- %(|u
- %,|u
- %0|u
- %4|u
- %8|u
- %<|u
- %@|u
- %D|u
- %H|u
- %H|u
- %H|u
- %L|u
- %P|u
- %T|u
- %X|u
- %\\|u
- %`|u
- %d|u
- %h|u
- %l|u
- %l|u
- %p|u
- %t|u
- %x|u
- %||u
- % }u
- %$}u
- %{}u
- %,}u
- %0}u

- %4}u
- %8}u
- %<}u
- %@}u
- %H}u
- %D}u
- %L}u
- %P}u
- %P}u
- %T}u
- %X}u
- %\\}u
- %`}u
- %`}u
- %d}u
- %d}u
- %h}u
- %l}u
- %p}u
- %p}u
- %t}u
- %x}u
- %|}u
- % ~u
- %$~u
- %(~u
- %,~u
- %0~u
- %4~u
- %8~u
- %<~u
- %@~u
- %D~u
- %H~u
- %L~u
- %P~u
- %T~u
- %X~u
- %\\~u
- %`~u
- %`~u
- %d~u
- %h~u
- %l~u
- %p~u
- %t~u
- %x~u
- %|~u
- dwID
- GESTURECONFIG
- HKEY
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect

- odInactive\todNoAccel
- odHotLight
- odDisabled\todChecked\todFocused\todDefault
- odGrayed
- odSelected
- time
- lParam
- wParam
- message
- dsOffset
- dshSection
- dsBitfields
- tagDIBSECTIONT
- dmPanningHeight
- dmPanningWidth
- dmICCModel
- dmICCManufacturer
- dmDitherType
- dmMediaType
- dmICMIntent
- dmICMMethod
- dmDisplayFrequency
- dmDisplayFlags
- dmPelsHeight
- dmBitsPerPel
- dmLogPixels
- dmFormName
- dmCollate
- dmTTOption
- dmYResolution
- dmDuplex
- dmColor
- dmPrintQuality
- dmDefaultSource
- dmCopies
- dmScale
- dmPaperWidth
- dmPaperLength
- dmPaperSize
- dmOrientation
- dmFields
- dmDriverExtra
- dmSize
- dmDriverVersion
- dmSpecVersion
- dmDeviceName
- _devicemodeW
- PDeviceModeW
- biClrImportant
- biClrUsed
- biYPelsPerMeter
- biXPelsPerMeter
- biSizeImage
- biCompression
- biBitCount
- biPlanes
- biHeight

- biWidth
- biSize
- tagBITMAPINFOHEADER(
- bmBitsPixel
- bmPlanes
- bmHeight
- tagBITMAP
- dwHighDateTime
- dwLowDateTime
- _FILETIME
- bInheritHandle
- lpSecurityDescriptor
- _SECURITY_ATTRIBUTES
- PSecurityAttributes
- HPEN
- HPALETTE
- HMENU
- HICON
- HFONT
- HBITMAP
- HACCEL
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- Spare
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex
- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- Blink
- Flink
- PListEntry
- SVWUQ
- TSmallPoint
- tagSIZE
- BottomRight
- TopLeft
- Bottom
- Right
- Left
- TRect
- PRect
- TPoint
- u!SW
- ;B4u
- %,{u
- %0{u
- %4{u
- %8{u
- =8pt

- SVWU
- SVW3
- =T;u
- SVW3
- 8\\u;
- hU;u
- Php;u
- hU;u
- =T;u
- hU;u
- hU;u
- hU;u
- !f;4
- rTf;5
- SVW3
- hU;u
- =T;u
- hU;u
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA
- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- SVWU
- USVW1
- SVWU
- SVWU
- SVW3
- t6SVW
- SVWU
- uAJt
- SVWUj
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- It4S
- It2S
- t-P1
- t!P1
- =0pt
- SVWU
- UhCk`
- UhJj`
- r6t0
- d$,1

• SVWU
• VWUUh
• u\t@B
• SVWU
• VWUd
• hia`
• Uhba`
• Uhs``
• SVWU
• SVWU
• SVW1
• 5JY`
• SVW1
• 2;0u
• $ZXu
• UhPV`
• SVW3
• UhFT`
• BkU'9
• E@|o
• @aQY
• C7S`
• C7S`
• YZXt5
• 2_^[
• w+9
• UNM`
• F |l`
• F$xl`
• F xl`
• SVWU
• YZXu
• SVWU
• rAF3
• |&B3;
• wt=0
• SVWU
• SVWU
• SVWU
• Unexpected Memory Leak
• UnicodeString
• AnsiString
• Unknown
• The sizes of unexpected leaked medium and large blocks are:
• The unexpected small block leaks are:
• An unexpected memory leak has occurred.
• FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
• %<{u
• %@{u
• %D{u
• %H{u
• %L{u
• %P{u
• %T{u
• %X{u
• %\\{u
• %`{u

- %d{u
- %h{u
- %l{u
- %p{u
- %t{u
- %x{u
- %|{u
- % {u
- %${u
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress
- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecord
- Identifier
- Module
- TResStringRec
- Reserved
- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- Next
- TLibModule
- PLibModulep#`
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfo
- PTypeTable
- TTypeTable
- RawData
- VUString
- VPointer
- VArray
- VAny
- VUInt64
- VInt64
- VLongWord
- VWord
- VByte
- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch
- VOleStr
- VDate
- VCurrency

- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- VType
- TVarData
- Bounds
- Data
- LockCount
- ElementSize
- Flags
- DimCount
- TVarArray
- PVarArray
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TDateTime
- PLongInt
- RawByteString
- RefCount
- TInterfacedObjectx
- Self
- NewInstance
- Self
- BeforeDestruction
- Self
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IDispatchh
- IInterface
- TObject
- Self
- Destroy
- Self
- FreeInstance
- Self
- NewInstance
- Message
- Self
- DefaultHandler
- Message
- Self
- Dispatch
- Self
- BeforeDestruction
- Self
- AfterConstruction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException

- Self
- ToString
- Self
- GetHashCode
- Self
- Equals
- Self
- UnitName
- Self
- GetInterfaceTable
- Self
- GetInterfaceEntry
- Self
- GetInterface
- Name
- Self
- FieldAddress
- Name
- Self
- FieldAddress
- Address
- Self
- MethodName
- Name
- Self
- MethodAddress
- Name
- Self
- MethodAddress
- AClass
- Self
- InheritsFrom
- Self
- InstanceSize
- Self
- ClassInfo
- Self
- ClassParent
- Name
- Self
- ClassNameIs
- Self
- ClassName
- Self
- ClassType
- Self
- CleanupInstance
- Instance
- Self
- InitInstance
- Self
- Free
- Self
- Create
- TObject&
- Data
- Code

- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTable
- ImplGetter
- IOffset
- VTable
- TInterfaceEntry
- PInterfaceEntryh
- TGUID
- PGUID
- HRESULT
- OleVariant
- Variant
- AnsiString
- WideString
- True
- False
- LongBool
- True
- False
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- NativeUInt
- UInt64
- Int64
- Cardinal
- Pointer
- Word
- Byte
- Integer
- SmallInt
- ShortInt
- Char
- AnsiChar
- True
- False
- Boolean
- @.reloc
- .rdata
- .didata
- .idata
- `.data
- `.itext
- .text
- This program must be run under Win32
- jjjj
- jjjj
- jjjjjjjj
- jjjjj
- jjjjjj

- jjjj
- jjjjj
- jjjjjjjj
- Fwpuclnt.dll
- MSWSOCK.DLL
- h:mm AMPM
- h:mm:ss AMPM
- dddd, MMMM dd, yyyy
- M/d/yyyy
- jjjjj
- jjjj
- %s, ProgID: "%s"
- %s, ClassID: %s
- WndProcPtr%.8X%.8X
- commdlg_help
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- Dhhh
- Dhhh
- Dhhh
- Dhhh
- Dhhh
- jjjj
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- %s (%s)
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- MS Shell Dlg 2
- jjjj
- .wmf

- %s (%s)|%1:s|
- *.%s
- %s (*.%s)|*.%1:s
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- jjjj
- jjjj
- dword:
- jjjj
- jjjj
- jjjj
- \\\\?\\UNC\\
- \\\\?\\
- jjjj
- jjjjjj
- jjjj
- %s_%d
- Strings
- %s[%d]
- jjjj
- String
- jjjj
- jjjjjj
- StrLength
- %s-%s
- jjjj
- jjjjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- yyyy
- jjjjjjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- yyyy
- @P`p
- QQQQ
- MSH_SCROLL_LINES_MSG
- jjjj
- jjjjjj
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QT_^
- QP_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- Sd^[Y]
- SxZ^[
- _^[YY]
- ZYYd
- ZYYd
- _^YY]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- S`_^[]
- ZYYd

- ^[Y]
- ZYYd
- SendCmd
- SendCmdf
- SendCmd
- FReplyClass
- _^[]
- ZYYd
- QQQQQQQSVW
- ZYYd
- ZYYd
- QQQQQQQSVW
- ^[Y]
- ZYYd
- TIdReplyRFC
- TIdReplyRFC:
- YZ]_^[
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- Q,_^
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- FReplyTexts
- ZYYd
- ZYYd
- QQQQSV
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- QQQQQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- _^[]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QQQQSV
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S`^[
- ZYYd
- ZYYd
- SL^[YY]
- ZYYd
- !:P-t*
- C(Z^[
- Sd_^[]
-]_^[
- _^[Y]
- ZYYd
- QSVWf

- C-^[
- _^[Y]
- QSVW
- ZYYd
- ^[YY]
- ZYYd
- S<^[
- Sh^[
- C-_^[]
- C-_^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- St_^[]
- Sx_^[]
- _^[Y]
- ZYYd
- Sh_^[]
- Sp_^[]
- _^[Y]
- ZYYd
- Sl^[
- ZYYd
- ZYYd
- SetTTL
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- SH_^[Y]
- QSVW
- SHZ_^[
- SVWQ
- SH_^[]
- ^[Y]
- ZYYd
- SH_^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
-)|'j
- ZYYd

- $ZXs
- ZYYd
- ZYYd
- ZYYd
- [YY]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ;p ~
- QSVW
- ZYYd
- ZYYd
-]_^[
- ;x |
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]

- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VMsgEnd
- VMsgEnd
- ZYYd
- QD^[
- SX^[
- ZYYd
- h_^[
- V@^[]
- SH^[]
- ZYYd
- string
- ftpTransfer
- _^[YY]
- ZYYd
- ;{ |
- C PV
- ^ _^[
- ;^ |
- ~ _^[
- ;^ |
- ;s |
- w _^[
- s _^[
- ;s |
- YZ^[
-]_^[
- C Pj
- ;s |
- ;s }
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- V J+
- ;~ |
- ZYYd
- ;X |
- _^[YY]
- ZYYd
- ^]_^[
- XZRP
- +F +F
- ;s |
- ZYYd
- ZYYd
- _^[YY]
- _^[YY]
- ZYYd
- _^[]
- _^[Y]

- QSVW
- ZYYd
- ZYYd
- FBytes
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hZyn
- ZYYd
- QLY]
- ZYYd
- hMwn
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h*qn
- ZYYd
- ZYYd
- hXSn
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- h*Kn
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- $Th~f
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- h>Hn
- ZYYd
- QSVW
- _^[YY]
- PQVj
- h&Fn;
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h=Dn
- ZYYd
- [YY]
- ZYYd
- ZYYd
- [YY]
- hPCn
- ZYYd
- ZYYd

- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- hC<n
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- FFDSet
- _^[YY]
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- _^[Y]
- ~$Sj
- QSVW
- ^[Y]
- ^[Y]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- QQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- w h|
- ZYYd
- TFDSet
- ZYYd
-]_^[
- f;TF
-]_^[
- SWSVj
- ZYYd
- ^[Y]
- ZYYd
- YZ^[
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- h$nm
- ZYYd

- ZYYd
- _^[]
- hcjm
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- h_[m
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ZYYd
- ^[Y]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- PPPP
- PQRh$zt
- ZYYd
- PVSj
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h+/m
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- hR%m
- ZYYd
- ZYYd
- QQQQQQ3
- ZYYd
- h.!m
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- FDefWndProc

- FCtl3D
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- F$Pj
- F$Pj
- _^[Y]
- QSVW
- ZYYd
- _^[YY]
- hz\tm
- ZYYd
- s@;F
- ^[YY]
- ZYYd
- _^[]
- FontsP
- FFonts
- :P(t&
- Jt'Jt5
- L$ +N
- D$,P
- D$ P
- D$ P
- Z_^[
- SVWQ
-]_^[
- YZ]_^[
- $Z]_^[
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- SVWj
- <_^[
- ;~`t
- Y_^[Y]
- QSVW
- ^[Y]
- ZYYd

- _^[Y]
- QSVW
- ZYYd
- ZYYd
- _^[]
- ZYYd
- CHYZ[
- ;CHt
- ;P\\t
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[]
- Z]_^[
- $Z]_^[
-]_^[
- YZ]_^[
- $;D$
- @_^[
- tLj@j
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- QSVW
- YZ^[
- _^[]
- st;P`u
- XD;PHu
- ZYYd
- _^[]
- PSjH
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- _^[YY]
- ZYYd
-]_^[
- PWj W
- f;sH
- ZYYd
- ZYYd
- YYY]
- _^[]
-]_^[
-]_^[
- C`;Clt
- Cd;Cpt
-]_^[
- ^[Y]
- CDVj
- ^[YY]
- ZYYd
- (_^[
- (_^[
- ^[YY]
- ZYYd
- _^[YY]
-]_^[
- ZYYd
- ^[Y]
- YYY]
-]_^[
- CLZ;
- CHZ;
- _^[]
- _^[YY]
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- Rh^[
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- PWVj
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- $Z_^[
- SVWQ

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @L;C
- @H;C
- Z_^[
- SVWQ
- ZYYd
- Rh^[
- _^[Y]
- h~yl
- ZYYd
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- D$ P
-]_^[
- $]_^[
- T$ +
- T$ +
- $;D$
- ZYYd
-]_^[
- [YY]
- ZYYd
-]_^[
- Z]_^[
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- [YY]
- ZYYd
- ZYYd
- :^Yt
- :Sbt

-]_^[
- _^[YY]
- CH+F
- CL+F
-]_^[
- Shh;l
- ^[Y]
- ht:l
- ZYYd
- ;BDt.
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- hr.l
- ZYYd
- h#.l
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- :P,t
- ;P(t
- C$^[
- ;p s
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- Z_^[
- $"D$
- SVWQ
- HelpSystem\\
- FHelpSystem
- string
- HintStr
- string
- HintStr
- HWND

- tagMSG
- tmShow
- Widthp-c
- FForms
- FFonts
- mdNull\tmdPrimary
- OnDblClickp-c
- TForm,
- FRight
- TWMKey
- FStyle
- ssFlat
- StdActns
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- [YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- SVQf
- _^[Y]
- QSVWf
- ^[YY]
- ZYYd
- ^[YY]
- $Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- VWh
- _^[YY]
- ZYYd
- R _^[Y]
- QSVW
- YZ_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- h&jk;
- ZYYd
- ^[Y]
- hHhk
- ZYYd
- ^[Y]
- ShDjk
- ZYYd
- ZYYd
- h)`k
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ComCtrls
- YZ^[
- YZ_^[
- ZX}J
- $ZXsP
- YZ_^[
- ZYYd
- ZYYd
- [YY]
- _^[Y]
- QSVW
- ^[Y]
- ZYYd
- hxRk
- ZYYd
- hKPk
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ^[Y]
- hb;k
- ZYYd
-]_^[
- uB;P t=
- uC:P&t;>
-]_^[
- ^[Y]
-]_^[

- ComCtrls
- ComCtrls.
- StepBy
- FStyle
- ComCtrls
- ComCtrls
- ComCtrls
- Ctl3DD
- ComCtrlsZ
- ComCtrls
- string
- string
- ComCtrls
- ComCtrls
- ComCtrls
- stBoth
- stText
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- cdsHot\tcdsMarked
- ComCtrls
- ComCtrls
- ZYYd
- RHRP
- ZYYd
- ZYYd
- :PHt
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
-]_^[
- ;CL|
- ;CH|
- ZYYd
- ZYYd
- _^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- Sp^[
- ExtCtrls
- ExtCtrls
- Stretchh
- ExtCtrls$
- FStretch
- ZYYd
-]_^[
- _^[]
-]_^[

- _^[YY]
- ^[YY]
- ()_^[
- L$ f
- t$$C
-]_^[
- (_^[
- ;<$~
- ()_^[
- L$$t^
- D$ f
- Z]_^[
- Z]_^[
-]_^[
-]_^[
- S@+CD
- S@;T$
- C(+D$
- KD+L$
- SD;T$
- ;CDs
- J#T$
- ;sHr
- D$ @t
- D$!+
- T$%+
- L$%#T$
- T$!;
- H#D$
- J#T$
- ;sHr
- D$ @t
- D$ t
- D$!+
- T$%+
- L$%#T$
- T$!;
- H#D$
- Kd;Kh
- D$(f
- T$"f
- D$!;
- T$!;
- H#D$
- Sh;S\\r
- t^;|$
- P(;S@v
- P ;S@v
- +D$(
- D$(;C$v
- Z_^[
- S,;S(s
- SVWQ
- ^[Y]
- D_^[
- !T$(
-)D$,

- J#T$(
- J#T$(
- L$ +
- t$ +
- T$$J;D$ v0
- +t$;
- L$ +
- `;t$ v?
- T$$J
- l$()t$,
- #T$(
- ;t$,v
- ;t$,v:
- l$()t$,
- L$(#L$<
- l$()t$,
- J#T$(
- t:;t$,v
- l$()t$,
- D$(#D$8
- YZ_^[
- Kl+K\\
- Kl+K\\
- Kl+K\\
- Kl;L$
- SxJ)St
- f+Cd
- Kl+Kp
- Sl#S4f
- Z_^[
- Kl+K\\
- Kl+K\\
- S`)St
- f+Cp
- Sl#S4f
- SVWQ
- Kl+K\\
- Kl+K\\
- Kl+K\\
- Z]_^[
- $;4$w\tf
- $;4$w\tf
-)sp)sl)k\\
- ;ClwpV
- {<+{t+{l
- $;\\$
- $#\\$
- >:\\$
- Xt;\\$
- Z]_^[
-]_^[
- ;S w
- Z]_^[
- YZ]_^[
- Z]_^[
-]_^[
- hH+j

- ZYYd
- ^[Y]
- hT)j
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- C(^[
- D$ P
- D$ P
- D$ P
- ZYYd
- *t j
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- YZ^[
- $YZ[
- _^[Y]
- ZYYd
- ZYYd
- _^[
- CL+D$
- CL+D$
- ZYYd
- ZYYd
- _^[]
- WordWrapp-c
- StdCtrls1
- StdCtrls
- StdCtrls
- StdCtrls
- StdCtrls
- StdCtrlsB
- StdCtrls
- StdCtrls
- WordWrapp-c
- StdCtrls,
- StdCtrls
- string
- TFNDrawText
- StdCtrls
- StdCtrls
- SVh|
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]

- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- :SVW
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- ZYYd
- ZYYd
- Z]_^[
-]_^[
-]_^[
- PdYZ_^
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- _^[]
- F`f%
- _^[Y]
- QSVW
- :Pdt
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- :P@t
- }\t;]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[

- _^[Y]
- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
-]_^[
- ZYYd
- :P;t
- ZYYd
- ZYYd
- QSVW
- ZYYd
- _^[]
- :S=t
- Q@^[
- Q@_^[
- Q@]_^[
- @?:F?v
- C\\;h
- Q@]_^[
- :]:tJ
- ^[Y]
- ;P@t
- :P>t
- f;P`t
- Q@_^[
- P?:S?u
- Q@^[
- :PHt
- ZYYd
- ZYYd
- Y_^[
- _^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q@]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- GPPSj
- ^[Y]
- pT^[
- ;B@t
- ;Blt
- ;Btt

- :Bjt
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- r hl
- QSVW
- $;D$
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
-]_^[
- Sh]_^[
- _^[YY]
- _^[]
- :VDt
- ^[Y]
- ZYYd
- R$;C4|
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
-]_^[
-]_^[
- |KCj
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S4_^[Y]
- QSVW
- S4_^[]
- :^pt
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- RpPS
- ZYYd
- ZYYd

- ZYYd
- _^[]
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- s<VV
- Rp]_^[
- :PFt
- ZYYd
- ZYYd
- _^[]
- Widthp-c
- FWidth
- ZYYd
- ZYYd
- !"#$%
-
- r.t:
- ^[YY]
- FNewComCtrls
- ttBranch
- ttGlyphClosed
- ttbThumbTicsVert
- ttbThumbTics
- ttbThumbRightHot
- ttbThumbHot
- ttbTrackVert
- ttbTrack
- ttBody
- tspProgList
- tsThumbBtnVertPressed
- tsThumbBtnVertHot
- tsThumbBtnHorzPressed
- tsThumbBtnHorzHot
- tpChunkVert
- tpChunk
- tlEmptyText
- h>~h
- ZYYd
- Sl^[
- S<^[
- @R t
- YZ_^[
- _^[Y]
- QSVW
- hjyh
- ZYYd
- hryh
- ZYYd
- ZYYd
- hmxh
- ZYYd

- ;BTv
- hwwh
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ;P<t
-]_^[
- ZYYd
- VD+VL
- ND+H
- N@+H
- _^[YY]
- ZYYd
- JtJt5
- ZYYd
- YZ_^[
- ZYYd
- hT`h
- s(^[
- C Z[
- ZYYd
- BP_^[]
- ;BP|
- ;BT|
- YZ^[
- YZ^[
-]_^[
- PhXPh
- ;pdt
- PhXPh
- ^[YY]
- Y_^[]
- Q<_^
- ShXPh
- ShXPh
- YZ_^[
- G _^[
- t ;^dt
- Y^[]
- hYNh
- ZYYd
- ZYYd
- hjLh
- ZYYd
- ;Xdt
- [YY]
- hWKh
- ZYYd
- G Z_^[
- SVWQ

- WhXPh
- ZYYd
- VhXPh
- VhXPh
- VhXPh
- QQQQQSVW
- ZYYd
- hrDh
- ZYYd
- ZYYd
- Y[YY]
- @]H,
- S`_^[Y]
- QSVW
- ZYYd
- hh@h
- ZYYd
- hR=h
- ZYYd
- Y^[]
-]_^[
- tf;{
- _^[YY]
- VhXPh
- G VhXPh
- FLVh(Oh
- ^dVhdJh
- ^dVhdJh
- Y^[]
- @]H,
- ZYYd
- WhXPh
- Rd:B
- Rd:B
- ;Bdt+
- h,/h
- ZYYd
-]_^[
- Pd:J
- pd;s
- ;Xdt
-]_^[
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- _^[Y]
- QSVW
- f;Pxt
- _^[]
- _^[Y]
- QSVW
- ZYYd
- ;BL}
- ;BH}
- [YY]
- hR#h

- ZYYd
- hH"h
- ZYYd
- h%!h
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- [YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ()_^[
- $Z]_^[
- ZYYd
- ZYYd
- QL^[
- _^[]
- ZYYd
- S<_^[]
- ^[YY]
- ZYYd
- YZ]_^[
-]_^[
- D_^[
- ^[Y]
- ZYYd
-]_^[
- FHPj
- YZ]_^[
- $Z^[
-]_^[
-]_^[
-]_^[
-]_^[
- ^[Y]
- ZYYd
-]_^[
- YZ]_^[
- Rh_^[
- PWVj
- YZ]_^[
- YZ]_^[
- Z]_^[
-]_^[
- ^[Y]
- ;XDt%
- _^[YY]
- Z]_^[
- YZ]_^[
- ;,$t
- YZ]_^[
- ;,$t
- ^YY]

- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- $Z_^[
- SVWQ
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- QRPV
- ZYYd
- ZYYd
- ZYYd
- @HPj
- @HPj
- @HPj
- ZYYd
- ^[Y]
- ZYYd
- CL@P
- ZYYd
- @HPj
- ZYYd
- ZYYd
- HDQR
- @P@t%
-]_^[
- ZYYd
- $+C@
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ^YY]
- ZYYd
- YZ_^[
- ZYYd
- [YY]
- _^[Y]
- QSVW
- ZYYd
- GR t

- @t!j
- _^[Y]
- ZYYd
- C$_^[
- C$PV
- C$PVj
- C$PV
- C$PV
- Z]_^[
-]_^[
- YZ]_^[
- YZ_^[
- ZYYd
- ZYYd
- +WH+W@
- ZYYd
- ZYYd
- ZYYd
- @HPj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ^[YY]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ^[Y]
- ^[YY]
- ZYYd
- C ^[
- ZYYd
- PD)S
- @D)C
- ZYYd
- YZ_^[
-]_^[
- ^[Y]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- +BLP
- Z_^[
- SVWQ
- ;Blt'
- ;SL~
- ;SL}
- ;SH~
- ;SH}
- YZ_^
-]_^[
- ^[YY]

- C`^[
- tPHt
- @]H,
- YZ^[
- Z_^[
- SVWQ
- ZYYd
- $_^[
- ZYYd
-]_^[
- ZYYd
- PSWV
-]_^[
-]_^[
- [YY]
- ZYYd
- KHQRP
- CP@t-
- ZYYd
- FHPj
- F@PS
- f;Pxt
- :Pbt
- :P\\t
- ;Slt@
- :P[t
- ^[Y]
- ZYYd
- :PZt
- Rh_^[
- :_Yt&
- ;s4t=;
- CL+D$
- CH+D$
- _^[YY]
- ZYYd
- GP t;
- V:P^t
-]_^[
- YZ_^[
-]_^[
-]_^[
- YZ_^[
- ZYYd
- YZ^[
- YZ^[
- Qx_^[
- h\\fg
- ZYYd
- FHPR
- YZ]_^[
- _^[]
- ;FLt_3
- ty;^@u
- RhZ_^[
- SVWQ
- ;FLt&

- $:Fc
- YZ]_^[
- Qx^[
- ^[Y]
- :Bpt
- Qt^[
- :Bjt
- h]Xg
- ZYYd
- ZYYd
- t%Jt?Jt[
- sX^[
- ;sXt
- ZYYd
- hDTg
- ZYYd
- ZYYd
- ZYYd
- hlSg
- ZYYd
- YZ_^[
-]_^[
- YZ]_^[
- ZYYd
- h"Qg
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- _^[Y]
- ;B@t@
- ^[Y]
- S$_^[]
- _^Y]
- C@^[
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- SPhT>g
- Z_^[
- SVWQ
- _^[YY]
-]_^[
- ZYYd
- ZYYd
- YZ^[
- F@PS
- @tgj
- FStyle
- bhsStandard
- FShiftBy
- FOldWndProc
- FBrush
- ScrollBy

- FDefWndProc
- FCtl3D
- FBrush
- bkFlat
- bkSoft
- Scratch
- LRDockWidth
- FOnDblClick
- FLRDockWidth
- FWidth
- RightH
- RightH
- FRight
- sfFont
- sfWidth
- sfLeft
- dkDock
- dkDrag
- mbRight
- mbLeft
- FBrush
- HintStr
- PRQh
- PRQh
- $Z]_^[
- R4Z_^[
- SVWQ
- R4Z_^[
- SVWQf
- R4Z_^[
- SVWQ
- R4Z_^[
- SVWQ
- R4Z_^[
- $;Ctt?
- SVWQ
- R4]_^[
- R4]_^[
- :]ptF
- R4Z_^[
- $;Clt?
- SVWQ
- R4Z_^[
- $:Cjtc
- SVWQ
- _^[Y]
- ZYYd
- QSVW
- R4Z_^[
- SVWQ
- R4]_^[
- S`Z]_^[
- YZ]_^[
- F\\^[
- ^[YY]
- ^[Y]
- ShortCutHnf

- HintStr
- HintStr
- string
- HintStr
- hv[f
- ZYYd
- htbf
- h@bf
- h``f
- h@`f
- h `f
- h_f
- h<_f
- hh^f
- hH^f
- h(^f
- h[]f
- h`]f
- hT\\f
- ZYYd
- PRQh
- PRQh
- PRQh
- PRQh
-]_^[
- Contnrs
- ^[Y]
- Contnrs
- TStack
- TStack
- Contnrs
- Contnrs
- Contnrs
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hP<f
- ZYYd
- ZYYd
- @,Pj
- VW:P<
- C=PV
- Sh_^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- QSVW
- ZYYd
- XZRP
- ZYYd
-]_^[

- ZYYd
- C,PV
- C,Pj
- _^[Y]
- ZYYd
- QSVW
- hH/f
- ZYYd
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- h)*f
- ZYYd
- ZYYd
- ZYYd
- R$Pj
- R$Pj
- R$Pj
- T_^[
- |$ T
- ;x t9VW
- C(;p
- ZYYd
-]_^[
- T$$f
- D$*Ph
- ZYYd
- ZYYd
- FqPj
- C(;x
- T_^[
- D$&f;
- D$$f
- H(;Q
- T]_^[
- WqRj
- WqRj
- t\t;G
- ZYYd
- PjTW
- s(;~
- d_^[
- <$BMt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]

- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- PjTS
-]_^[
- ZYYd
- @qPj
- ZYYd
- R$HP
-]_^[
-]_^[
-]_^[
- C,^[
- C,^[
- t%;C
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- T_^[
- ZYYd
- @qPj
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- PjTS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- d_^[
- D$LPkD$XdPW
- D$HPkD$TdPV
- sTjdR
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV

- ?TjdR
- P ;p
- C(f;p
- D$LPkD$XdPV
- ?TjdR
- T$$+T$
- T$ +T$
- TjdV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- ZYYd
- ZYYd
- t#Sht
- _^[YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- S []
- Q`^[
- Q_^
- Sh_^[]
- _^[YY]
- ZYYd
- QX_^
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
-]_^[
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
-]_^[
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- QQQQQQSV
- :P!t
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $Z_^[
- SVWQ
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- E$PVSj
- PVSj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^<Z^[
- YZ^[
- C<^[
- R$_^[]
- Q,WV
- SdYZ_^[
-]_^[
- R$_^[
- R$_^[YY]
- YZ^[
- R$_^[
- R$_^[]
- R$_^[]
- R$_^[
- Q,GWV
- R$_^[
- Q,GWV
- R$_^[
- Q,GWV
- R$_^[
- Q,GWV
- R$_^[]
- R$_^[
- Q,WV
- R$^[

- R$_^[]
- R$^[
- R$_^[]
- R$^[
- R$_^[
- R$_^[
- R$_^[Y]
- QSVW
- R$_^[]
- ZYYd
- ZYYd
- ZYYd
- R$_^[]
- R$_^[]
- R$_^[]
- ZYYd
- $YZ^[
- YZ^[
- :X t
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- tdTj
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- Pj\\V
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- FWidth
- wifPng
- wifBmp
- bmDDB
- MMWidth
- FWidth
- Widthp-c
- Widthp-c
- string

- StretchDraw
- FBrush
- TextFlagsp-c
- TryLock
- StretchDraw
- tfRight
- tfLeft
- TBrush
- TBrush&
- TFont&
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- fqDraft
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- $YZ[
- ZYYd
- Z]_^[
-]_^[
-]_^[
- YZ^[
- YZ^[
- Z_^[
- SVWQ
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Strings
- Strings
- rdString
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- Z]_^[
- ZYYd
- _^[]
- ZYYd
- @r\tt%
- SyncObjs
- ^[Y]
- ZYYd
- _^[]
- PWVS
- tGWh
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- ZYYd
- FTicks
- PRQh
- Vj\th
- PFNTVCOMPARE
- ZYYd
- ZYYd
-]_^[
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd

- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R4_^[]
- ;CDt:
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[]
- ZYYd
- Z]_^[
- YZ_^[
-]_^[
- ZYYd
- S _^[
- _^[Y]
- QSVW
- Z]_^[
-]_^[
-]_^[
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd

- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ^[YY]
- ZYYd
- ZYYd
- YZ^[
- ^[Y]
- ZYYd
- B^*L
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQS3
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;B t
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- h:{d
- ZYYd

- ^[Y]
- ZYYd
- ^[Y]
- hNzd
- ZYYd
- [YY]
- ZYYd
- YZ_^[
- ZYYd
- QQQQQQQS
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- hxqd
- ZYYd
- h-qd
- ZYYd
- Y[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hxbd
- ZYYd
- ZYYd
- hB^d
- ZYYd
- _^[]
- _^[YY]
- h\\]d
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- $YZ[
- ZYYd
- hQVd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ;-<Fc
- ZYYd
- ZYYd
- _^[]
- ZYYd
- $YZ_^[
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h;Dd
- ZYYd
- YF;w
- hdBd
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
- _^[]
-]_^[

- ~,;{
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- $+D$
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- YZ_^[
- ^[YY]
- ZYYd
- :S:t
- ^[Y]
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- _^[Y]
- ZYYd
- $Z]_^[
- S<^[
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- h(d
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW

-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- _^Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[Y]
- ZYYd
- ZYYd
- YZ_^[
- tq;s
-]_^[

-]_^[
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
-]_^[
- S<_^[
- ZYYd
- $Z]_^[
- _^[Y]
- ZYYd
- ^[Y]
- _^[Y]
- QSVW
- _^[Y]

- QSVW
- YZ]_^[
- _^[]
- SystemD
- System\\
- TArray<System.string>
- FVCLComObject
- string
- string
- string
- string
- string
- string
- string
- string
- string
- string
- grfStatFlag
- statstg
- Rights
- TStringList
- TStringList&
- FString
- Text\\Sc
- TStrings
- Strings
- Strings
- Strings
- Strings
- TStrings&
- FStrings
- TBits'
- TList'
- string
- TGetStrProc
- ssRight
- ssLeft
- ssCtrl
- ssShift
- ZYYd
- $YZ^[
- _^[YY]
- h&%c
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]

- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- __^[
- SVWj
- ^[Y]
- ZYYd
- __^[
- SVWj
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- tkWChar\ttkLString\ttkWString\ttkVariant
- tkClass
- tkString
- tkChar
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- t~h@_u
- QSVW
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- $Z^[
- $Z^[
- $YZ[
- _^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- [YY]
- ZYYd
- MV~t
- Jt[J
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- =B~t

- r!t2Ht[
- ZYYd
- ^[Y]
- ZYYd
- =@~t
- FSVW
- =:~t
- FSVQ
- =:~t
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- =:~t
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- =:~t
- =:~t
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- =:~t
- ZYYd
- =:~t
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t

- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[YY]
- ZYYd
- =:~t
- ZYYd
- ZYYd
- =:~t
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- --\t@
- _^[YY]
- @[YY]
- ZYYd
- ZYYd
- t?Htb
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]

- ZYYd
- ZYYd
- ^[Y]
- _^[Y]
- h{xb
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- hntb
- ZYYd
-]_^[
-]_^[
- _^[Y]
- QSVW
- ZYYd
- _^[Y]
- QSVW
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- YZ^[
- SVWf
- YZ]_^[
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- h_]b
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- YZ_^[
- ^[Y]
- ZYYd
- YZ_^[
- _^[Y]
- hjZb
- ZYYd
- _^[Y]
- ZYYd
- YZ]_^[
- ^[Y]
- ZYYd

- ^[Y]
- hdXb
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- _^[Y]
- ZYYd
- _^[]
- _^[Y]
- ZYYd
- ^[Y]
- hnRb
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- hsQb
- ZYYd
- h Qb
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hnPb
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hFNb
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- ZYYd
- ZYYd
-]_^[
- hyJb
- ZYYd
- h[Jb
- ZYYd
-]_^[
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- ;G$t@
- SVWQ
- ;C$t

- YZ]_^[
- H;D$
- (Z]_^[
- Z]_^[
- ZYYd
-]_^[
-]_^[
- System
- ZYYd
- hZ;b
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- $Z]_^[
- r&f;=
- $YZ^[
- $YZ_^[
- _^[YY]
- $Z]_^[
- ZYYd
- ZYYd
- =X|t
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- h>*b
- ZYYd
- YZ^[
- _^[YY]
- ZYYd
- _^[YY]
- h}&b;
- ZYYd
- _^[]
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- _^[YY]
- hK$b
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- hq"b
- ZYYd
- ZYYd
- hG b
- ZYYd
- ZYYd
- ^[Y]

- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ht}t
- $hD}t
- ZYYd
- ^[YY]
- ZYYd
- =\\|t
- ZYYd
- Z_^[
- SVWQ
- ^[Y]
- ZYYd
- (]_^[
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- ZYYd
- $Z]_^[
-]_^[
-]_^[
- f;lF
- ZYYd
- ZYYd
- t,HtYH
- ZYYd
- ZYYd
- @YY]
- _^[YY]
- f;\\F
- 'w~f
- <sJf
- <sPf
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[[
- _^[YY]
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[YY]
- WVS
- YZ_^[
- YZ_^
- $Z]_^[
-]_^[
- _^[YY]
- ZYYd
-]_^[
- J~!f
- Z]_^[
- ^[YY]

- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
- ^[YY]
- ZYYd
- Z]_^[
- YZ]_^[
- ZYYd
-]_^[
- SWSVj
-]_^[
-]_^[
- cp-gr
- '9\t!'D\t%'O\t-'W\t_'h\ta's\tb'~
- "`j-
- Cw@8^\t#@
- #C>=
- #c>=
- ##>=
- nL,hn
- NL,hN
- rrYb
- rrLb
- rRHb
- rrHb
- TProch
- TMBCSEncodingp
- TMBCSEncoding&
- Length
- StrLength
- Length
- FLength
- SystemL
- FSysLangs
- System
- ZYYd
- ?]QJ
- ?F]k
- ?]QJ
- @F]k
- ?]QJ
- ?F]k
- ?]QJ
- ?]QJ
- ?F]k
-
-
-
-
-
-
-
-
-

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
- dwType
- tagSTATSTGH
- dwFlags
- SQRP
- _^[]
- ZYYd
- PWVS
- TWMKey
- PRQh
- PRQh
- PRQh
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- PRQh
- PRQh
- ^[Y]
- ZYYd
- dwBlock
- dwWant
- hwnd
- tagMSG
- dsBmih
- dsBm
- dmPelsWidth
- bmBits
- bmWidthBytes
- bmWidth
- bmType
- nLength

- HBRUSH
- HWND
- PRTLCriticalSectionDebug\\
- PRTLCriticalSection<
- _LIST_ENTRY
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ZYYd
- _^[]
- %<pt
- SQRP
- SQRP
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- t@hp
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- PjZS
- ZYYd
- ,tdBHu
- QQQQSV
- ZYYd
- tNh\\
- sr-Cyrl-ME
- sr-Cyrl-RS
- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh

- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb
- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- t ;s
-]_^[
- _^[]
-]_^[
-]_^[
-]_^[
- Y]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- ZYYd
- ~\tKf
- Jx f
-]_^[
- Z_^[
- SVWQ
- Z_^[XX
- SVWRPj
- ;_^[
- t f;J
- t-Rf;
- t!R:
- Z_^[
- SVWQ
- t f;J
- t-Rf;
- t!R:
- ;Z]_^[
- t f;J
- t-Rf;
- t!R:
- t f;H
- @@@Y)
- _^[YY]
- ;_^[]
- ;_^[
- SPRj
- _^[YY]
- =,pt
-]_^[
- =(pt
- ^[Y]

- hJk`
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- =&pt;
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPR
- =&pt;
- ='pt
- =&pt;
- ='pt
-]_^[
-]_^[
- ZYYd
- SPRQ
- SPRQ
- YZXtm1
- =&pt;
- ='pt
- =&pt;
- ='pt
-]_^[
- Ph|c`
- T$(j
- SPRQ
- YZXtp
- =&pt;
- ='pt
- =&pt;
- ='pt
- =&pt;
- =&pt;
- YYZX
- =&pt;
- =&pt;
- =&pt;
- PPRTj
- =&pt;
- =&pt;
- ZYYd
- hz``
- ZYYd
- ZYYd
-]_^[
-]_^[
- ZYYd
- _^[Y]
- QSVW
- R@Pj
- _^[YY]

- hWV`
- ZYYd
- ^[Y]
- hMT`
- ZYYd
- -$pt
- @v:k
- SkQ`
- SkQ`
- _^[Y]
- ZYYd
-
- YX_^
- ~]x[])
- XtPf
- xtVf
- Xthf
- xtnf
- $ttf
- +trf
- -tvf
- w)f%
- r/f=
- Ht Ht.
- ,$YXZ
- -$pt
-]_^[
-]_^[
- t!Ht:
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- L\t W
-]_^[
- $]_^[
-]_^[
- bytes:
- PResStringRec@$`
- VBytes
- VWords
- VLongs
- VString
- PShortString
- System
- System
- System
- System
- TClassD
- string
- System
- System
- ShortString
- System
- B.rsrc

- .tls
- .bss

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Random (Look for Random function)
- Delphi_CompareCall (Look for Compare string function)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: t.Ht
- api | frequently used by malware: Sleep
- path | path unit: C:\\Builds\\TP\\rtl\\common\\SyncObjs.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\TypInfo.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | urlmon: Extract
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages

• Module 2 other strings

- kernel32.dll
- Assertion failure
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass

- .%4:.7d
- %0:d.
- %1:.2d:%2:.2d:%3:.2d
- InitCommonControlsEx
- comctl32.dll
- TPUtilWindow
- Left
- ClassName:
- Component already destroyed:
- Component reference name should always be non blank
- .Owner
- Owner
- Null
- True
- False
- Null
- True
- False
- Owner
- Assertion failure
- True
- False
- ByRef
- Array
- UnicodeString
- UInt64
- Int64
- LongWord
- Word
- Byte
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Error
- Dispatch
- OleStr
- Date
- Currency
- Double
- Single
- Integer
- Smallint
- Null
- Empty
- oleaut32.dll
- 1201 (Unicode - Big-Endian)
- 1200 (Unicode)
- StartIndex
- Value
- Count
- StartIndex
- Count
- StartIndex
- RemLength
- StartIndex

- CharCount
- StartIndex
- Index
- Index
- Index
- DestinationIndex
- Count
- Assertion failure
- kernel32.dll
- Assertion failure
- Assertion failure
- eeee
- AMPM
- AMPM
- AAAA
- AMPM
- AM/PM
- aINFNAN
- False
- True
- 0@P
- 111QQQ
- 0@P`
- 0@P`p
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- Software\\Embarcadero\\Locales
- kernel32.dll
- kernel32.dll
- LastErrorMsg
- LastError\\
- LazyWrite
- CurrentPath
- CurrentKey\\
- Registry
- TRegistry
- Value
- Name
- Self
- WriteTime
- Value
- Name
- Self
- WriteExpandString
- Value
- Name
- Self
- WriteString
- Value
- Name
- Self
- WriteInteger

- Value
- Name
- Self
- WriteFloat
- Value
- Name
- Self
- WriteDateTime
- Value
- Name
- Self
- WriteDate
- Value
- Name
- Self
- WriteBool
- BufSize
- Buffer
- Name
- Self
- WriteBinaryData
- Value
- Name
- Self
- WriteCurrency
- Name
- Self
- ValueExists
- Self
- UnLoadKey
- FileName
- Self
- SaveKey
- FileName
- Self
- RestoreKey
- BackUpFileName
- FileName
- Self
- ReplaceKey
- NewName
- OldName
- Self
- RenameValue
- UNCName
- Self
- RegistryConnect
- Name
- Self
- ReadTime
- Name
- Self
- ReadString
- Name
- Self
- ReadInteger
- Name

- Self
- ReadFloat
- Name
- Self
- ReadDateTime
- Name
- Self
- ReadDate
- Name
- Self
- ReadBool
- BufSize
- Buffer
- Name
- Self
- ReadBinaryData
- Name
- Self
- ReadCurrency
- Self
- OpenKeyReadOnly
- CanCreate
- Self
- OpenKey
- Delete
- NewName
- OldName
- Self
- MoveKey
- FileName
- Self
- LoadKey
- Self
- KeyExists
- Self
- HasSubKeys
- Self
- GetValueNames
- Self
- GetKeyNames
- Value
- Self
- GetKeyInfo
- ValueName
- Self
- GetDataType
- ValueName
- Self
- GetDataSize
- Value
- ValueName
- Self
- GetDataInfo
- PrefixType
- ValueName
- Self
- GetDataAsString

- Name
- Self
- DeleteValue
- Self
- DeleteKey
- Self
- CreateKey
- Self
- CloseKey
- Self
- Destroy
- AAccess
- Self
- Create
- Self
- Create
- TRegistry&
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- Registry
- rdBinary
- rdExpandString\trdInteger
- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen
- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- Registry
- ERegistryException
- ERegistryException
- SVWUQ
- SVW3
- :THandleObject.:1
- TCriticalSection@
- Self
- Leave
- Self
- Enter
- Self
- TryEnter
- Self
- Release
- Self
- Acquire
- Self

- Destroy
- Self
- Create
- TCriticalSection&
- FSection
- TEventp
- Self
- Self
- UseCOMWait
- Self
- Create
- UseCOMWait
- Name
- InitialState
- ManualReset
- EventAttributes
- Self
- Create
- TEvent
- Handle
- LastError
- THandleObject
- UseCOMWait
- SignaledObj
- AAll
- Timeout
- HandleObjs
- Self
- WaitForMultiple
- Timeout
- Self
- WaitFor
- Self
- Destroy
- UseCOMWait
- Self
- Create
- THandleObject:
- FUseCOMWait
- FLastError
- FHandle
- THandleObjectArray
- TSynchroObject
- Timeout
- Self
- WaitFor
- Timeout
- Self
- WaitFor
- Self
- Release
- Self
- Acquire
- TSynchroObject'
- wrIOCompletion
- wrError
- wrAbandoned

- wrSignaled\twrTimeout
- TWaitResult
- SVW3
- TTimeSpan
- Wincodec
- IWICBitmap
- Wincodec
- IWICBitmapSourceh
- u-hp
- lParamSort
- lParam2
- lParam1
- _TREEITEM
- HTREEITEM
- SVW3
- SVWU
- VWU3
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G4_^[
- ;w4u
- SVWUQ
- SVWU
- SVW3
- Classes
- $TComponent.FindComponent$1499$ActRec4
- $TComponent.FindComponent$1499$ActRec
- Classes
- $TComponent.FindComponent$1499$0$Intfh
- SVWUQ
- SVWU
- SVWU
- ;8u%
- uTVj
- =l_u
- =l_u
- Classes
- TAnonymousThread$
- AProc
- Self
- Create
- TAnonymousThread5
- FProc
- Classes
- TExternalThreadP
- Self
- Create
- TExternalThread&
- SVW3
- QQQQ3
- |,F3
- R4;P
- @4;C
- |&F3;
- |&F3;

- |(C3
- |*C3
- Uh3{d
- UhGzd
- hgud
- hBud
- Uh;ud
- Uh`ud
- SVW3
- Uhqqd
- Uh&qd;
- h\\id
- UhUid
- huhd
- Uhnhd
- SVW3
- Uhxed
- hSed
- h0ed
- Uh)ed
- UhLed
- SVW3
- Uhqbd
- Uh;^d
- QQQQ3
- UhU]d
- SVW3
- UhJVd
- UhsUd
- SVW3
- SVW3
- SVW3
- Uh>Qd
- UhjQd
- SVW3
- |AF3
- |\\F3
- Classes
- :TReader.:1
- SVWU
- C0_^[
- h1Kd
- Uh*Kd
- SVW3
- hIHd
- UhBHd
- h}Ed
- UhvEd
- |*C3
- Uh4Dd
- Uh]Bd
- SVW3
- SVWU
- Classes
- TPropIntfFixup
- Reference
- Self

- ResolveReference
- TPropIntfFixupC
- Classes
- TPropFixup
- Reference
- Self
- ResolveReference
- Self
- MakeGlobalReference
- Name
- RootName
- PropInfo
- InstanceRoot
- Instance
- Self
- Create
- TPropFixup
- FName
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- SVWU
- SVW3
- hY3d
- UhR3d
- hk0d
- Uhd0d
- he-d
- Uh^-d
- K0l3
- S4_^[
- ^8^[
- :^8t
- s4^[
- ;s4t
- ;s0|
- ;s0r
- ;s0r
- C0;C4u
- ;s0~
- ;s0r
- ;s0r
- SVWU
- ;{0|
- ;s0|
- ;s0|
- C8^[
- SVWUQ
- SVW3
- SVWU
- |$F3
- SVW3
- hE d
- Uh! d
- Uh> d
- SVW3

- SVW3
- SVWU
- SVW3
- SVWU
- SVW3
- SVW3
- SVW3
- |0F3
- SVW3
- W<CNu
- Q8FKu
- W<CNu
- |-F3
- SVW3
- |JF3
- SVW3
- SVWU
- | C3
- SVW3
- @< u
- SVWUQ
- Classes
- TList.Sort876ActRecX
- TList.Sort876ActRec
- Compare
- Classes
- TList.Sort$876$0$Intfh
- SVWU
- SVWU
- $ZXu
- =h_u
- =|_u
- =|_u
- =|_u
- Classes
- TIntConst
- AIntToIdent
- AIdentToInt
- AIntegerType
- Self
- Create
- TIntConstf
- IntToIdent
- IdentToInt
- IntegerType
- -FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWU
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ

- SVWU
- | F3
- SVWUQ
- SVWU
- SVW3
- SVWUQ
- |8F3
- SVWU
- ActiveClass
- Classes
- TRegGroups
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- Self
- Unlock
- AClass
- Self
- StartGroup
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- Self
- Lock
- AGroupClass
- AClass
- Self
- GroupWith
- AClass
- Self
- GroupedWith
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Self
- Activate
- Self
- Destroy
- Self
- Create
- TRegGroups&
- FActiveClass
- FLock

- FGroups
- Active
- Classes
- TRegGroup
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- AClass
- Self
- InGroup
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Group2
- Group1
- Self
- BestGroup
- Self
- Destroy
- AClass
- Self
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- Message
- TMessage
- Message
- TWndMethod
- Ident
- TIntToIdent
- Ident
- TIdentToInt
- Name
- Value

- TIdentMapEntry
- TArray<System.TObject>
- OnUpdate,
- OnExecutep-c
- ActionComponentp-c
- Classes
- TBasicActiont
- Self
- Update
- Value
- Self
- UnRegisterChanges
- Value
- Self
- RegisterChanges
- Self
- Execute
- Target
- Self
- ExecuteTarget
- Target
- Self
- UpdateTarget
- Target
- Self
- HandlesTarget
- Self
- Destroy
- AOwner
- Self
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChanget
- Actionp-c
- Classes
- TBasicActionLinkX
- Self
- Update
- AComponent
- Self
- Execute
- Self
- Destroy
- AClient
- Self
- Create
- TBasicActionLink7
- FAction
- FOnChange
- VCLComObject
- Owner
- DesignInfo

- ComponentStyle
- ComponentStateT
- ComponentIndex
- ComponentCount
- ComObject
- Name
- Classes
- TComponent
- Operation
- Self
- ReferenceInterface
- Self
- IsImplementorOf
- Action
- Self
- UpdateAction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException
- IsSubComponent
- Self
- SetSubComponent
- AComponent
- Self
- RemoveComponent
- AComponent
- Self
- InsertComponent
- Self
- HasParent
- Self
- GetNamePath
- Self
- GetParentComponent
- Self
- GetEnumerator
- Self
- FreeOnRelease
- AComponent
- Self
- RemoveFreeNotification
- AComponent
- Self
- FreeNotification
- AName
- Self
- FindComponent
- Action
- Self
- ExecuteAction
- Self
- Destroying
- Self
- DestroyComponents
- Self
- BeforeDestruction

- Self
- Destroy
- AOwner
- Self
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FTag
- FName
- FOwner
- Classes
- IDesignerNotifyh
- TComponentName
- Child
- TComponent
- Child
- TGetChildProc
- TComponentStyle
- Classes
- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- Classes
- csDesignInstance
- csInline
- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying
- csLoading\tcsReading\tcsWriting
- Classes
- opRemove
- opInsert
- TOperation
- Current
- Classes
- TComponentEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AComponent
- Self
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- OnTerminate

- ThreadIDp-c
- Suspended
- Priority
- Handle<
- Finished
- FreeOnTerminate
- FatalException
- ExternalThreadD
- Classes
- TThread
- Yield
- Timeout
- Iterations
- SpinWait
- AThreadID
- AThreadName
- NameThreadForDebugging
- AMethod
- RemoveQueuedEvents
- AThread
- RemoveQueuedEvents
- AThreadProc
- AThread
- Synchronize
- AThreadProc
- AThread
- Queue
- AMethod
- AThread
- StaticSynchronize
- AMethod
- AThread
- Synchronize
- AMethod
- AThread
- StaticQueue
- AMethod
- AThread
- RemoveQueuedEvents
- AMethod
- AThread
- Queue
- Value
- SetReturnValue
- CheckTerminated
- Self
- WaitFor
- Self
- Terminate
- Self
- Suspend
- Self
- Start
- Self
- Resume
- Self
- AfterConstruction

- ThreadProc
- CreateAnonymousThread
- Self
- Destroy
- CreateSuspended
- Self
- Create
- Self
- Create
- TThread&
- FExternalThread
- FFatalException
- FSynchronize
- FOnTerminate
- FReturnValue
- FFinished
- FFreeOnTerminate
- FSuspended
- FTerminated
- FCreateSuspended
- FThreadID
- FHandle
- FSynchronizeException
- FProcedure
- FMethod
- FThread
- TThread.TSynchronizeRecord
- Classes
- tpTimeCritical
- tpHigher\ttpHighest
- tpNormal
- tpLower
- tpLowest
- tpIdle
- TThreadPriority
- Classes
- TThreadProcedureh
- TThreadMethod
- Classes
- EThreadExternalException
- EThreadExternalException
- Classes
- EThread
- EThread
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor
- RootAncestor
- Position
- Classes
- TWriter
- Value
- Self
- WriteVariant
- Value
- Self
- WriteWideString

- Value
- Self
- WriteString
- Value
- Self
- WriteUTF8Str
- Value
- Self
- WriteStr
- Self
- WriteSignature
- Root
- Self
- WriteRootComponent
- Instance
- Self
- WriteProperties
- Self
- WriteListEnd
- Self
- WriteListBegin
- Value
- Self
- WriteInteger
- Value
- Self
- WriteInteger
- Ident
- Self
- WriteIdent
- Value
- Self
- WriteDate
- Value
- Self
- WriteCurrency
- Value
- Self
- WriteDouble
- Value
- Self
- WriteSingle
- Value
- Self
- WriteFloat
- AAncestor
- Root
- Self
- WriteDescendent
- Value
- Self
- WriteWideChar
- Value
- Self
- WriteChar
- Component
- Self

- WriteComponent
- Value
- Self
- WriteCollection
- Value
- Self
- WriteBoolean
- Count
- Self
- Write
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList
- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- Ancestor
- Name
- Component
- Writer
- TComponent
- RootAncestor
- TComponent
- Ancestor
- Name
- TComponent
- Component
- TWriter

- Writer
- TFindAncestorEvent
- OnFindComponentInstance
- OnFindComponentClass
- OnCreateComponentx
- OnAncestorNotFound,
- OnReferenceName
- OnSetNameL
- OnFindMethodInstance
- OnFindMethod
- OnError
- Position
- Parent
- Owner
- Classes
- TReader
- Self
- SkipValue
- Writer
- Self
- CopyValue
- Self
- ReadVariant
- Self
- ReadValue
- Self
- ReadWideString
- Self
- ReadString
- Self
- ReadStr
- Self
- ReadSignature
- Root
- Self
- ReadRootComponent
- AChildPos
- Flags
- Self
- ReadPrefix
- Self
- ReadListEnd
- Self
- ReadListBegin
- Self
- ReadInt64
- Self
- ReadInteger
- Self
- ReadIdent
- Self
- ReadDate
- Self
- ReadCurrency
- Self
- ReadDouble
- Self

- ReadSingle
- Self
- ReadFloat
- Proc
- AParent
- AOwner
- Self
- ReadComponents
- Component
- Self
- ReadComponent
- Collection
- Self
- ReadCollection
- Self
- ReadWideChar
- Self
- ReadChar
- Self
- ReadBoolean
- Count
- Self
- Read
- Self
- NextValue
- Self
- FlushBuffer
- Self
- FixupReferences
- Self
- EndReferences
- Self
- EndOfList
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Value
- Self
- CheckValue
- Self
- BeginReferences
- Self
- Destroy
- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance

- FOnCreateComponent
- FOnFindComponentClass
- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Name
- Reader
- Pointer
- Instance
- Name
- TReader
- Reader
- TFindComponentInstanceEvent
- Error
- AMethod
- MethodName
- Reader
- Boolean
- Error
- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- ComponentClass
- Reader
- TComponent
- TComponentClass\t\tComponent
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader
- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean
- Handled
- Message

- TReader
- Reader
- TReaderError
- Component
- TComponent
- Component
- TReadComponentsProc
- Component
- ComponentClass
- ComponentName
- Reader
- TComponent
- TPersistentClass\t\tComponent
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Name
- Reader
- Name
- TReader
- Reader
- TReferenceNameEvent
- Name
- Component
- Reader
- Name
- TComponent
- Component
- TReader
- Reader
- TSetNameEvent
- Error
- Address
- MethodName
- Reader
- Boolean
- Error
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClass
- IgnoreChildren
- Ancestor
- LookupRootIGc
- Root
- Classes
- TFilerx
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData

- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- BufSize
- Stream
- Self
- Create
- TFilerG
- FIgnoreChildren
- FAncestor
- FLookupRoot
- FRoot
- FBufEnd
- FBufPos
- FBufSize
- FBuffer
- FStream
- Classes
- IInterfaceComponentReferenceh
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags
- Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaDate\tvaWString
- vaCurrency
- vaSingle
- vaCollection
- vaNil
- vaSet\tvaLString
- vaBinary
- vaTrue

- vaFalse
- vaIdent
- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- Classes
- TClassFinder\\
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- Self
- Destroy
- AIncludeActiveGroups
- AClass
- Self
- Create
- TClassFinderT
- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- StreamOwnership
- Stream
- Classes
- TStreamAdapter
- Self
- Clone
- Self
- Stat
- dwLockType
- libOffset
- Self
- UnlockRegion
- dwLockType
- libOffset
- Self
- LockRegion
- Self
- Revert
- grfCommitFlags
- Self
- Commit
- cbWritten
- cbRead
- Self
- CopyTo
- libNewSize
- Self

- SetSize
- libNewPosition
- dwOrigin
- dlibMove
- Self
- Seek
- pcbWritten
- Self
- Write
- pcbRead
- Self
- Read
- Self
- Destroy
- Ownership
- Stream
- Self
- Create
- TStreamAdapterI
- FOwnership
- FStream
- Classes
- soOwned
- soReference
- TStreamOwnership
- Classes
- TResourceStream,zc
- Count
- Buffer
- Self
- Write
- Self
- Destroy
- ResType
- ResID
- Instance
- Self
- CreateFromID
- ResType
- ResName
- Instance
- Self
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- Classes
- TMemoryStream
- Count
- Buffer
- Self
- Write
- NewSize
- Self
- SetSize
- FileName
- Self

- LoadFromFile
- Stream
- Self
- LoadFromStream
- Self
- Clear
- Self
- Destroy
- TMemoryStream'
- FCapacity
- Memory
- Classes
- TCustomMemoryStream
- FileName
- Self
- SaveToFile
- Stream
- Self
- SaveToStream
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Read
- TCustomMemoryStreamC
- FPosition
- FSize
- FMemory
- FileName
- Classes
- TFileStream
- Self
- Destroy
- Mode
- AFileName
- Self
- Create
- Mode
- AFileName
- Self
- Create
- TFileStreamG
- FFileName
- Handle
- Classes
- THandleStream
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write

- Count
- Buffer
- Self
- Read
- AHandle
- Self
- Create
- THandleStream7
- FHandle
- Classes
- IStreamPersisth
- Size
- Position
- Classes
- TStream\\kc
- Self
- ReadResHeader
- FixupInfo
- Self
- FixupResourceHeader
- FixupInfo
- ResName
- Self
- WriteResourceHeader
- Ancestor
- Instance
- ResName
- Self
- WriteDescendentRes
- Ancestor
- Instance
- Self
- WriteDescendent
- Instance
- ResName
- Self
- WriteComponentRes
- Instance
- Self
- WriteComponent
- Instance
- Self
- ReadComponentRes
- Instance
- Self
- ReadComponent
- Count
- Source
- Self
- CopyFrom
- Count
- Buffer
- Self
- WriteBuffer
- Count
- Buffer
- Self

- ReadBuffer
- Origin
- Offset
- Self
- Seek
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write
- Count
- Buffer
- Self
- Read
- TStreamC
- OwnsObjects
- OnChanging
- OnChangep-c
- CaseSensitivep-c
- Sorted
- Duplicates
- Classes
- Compare
- Self
- CustomSort
- Self
- Sort
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- Self
- IndexOf
- Index
- Self
- Find
- Index2
- Index1
- Self
- Exchange
- Index
- Self
- Delete
- Self
- Clear
- Source
- Self
- Assign
- AObject
- Self
- AddObject

- Self
- Self
- Destroy
- OwnsObjects
- Self
- Create
- Self
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted
- FCapacity
- FCount
- FList
- Index2
- Index1
- List
- TStringListSortCompare"
- TStringItemList
- PStringItemList
- FObject
- TStringItem
- WriteBOM
- StringsAdapter
- StrictDelimiter\\
- NameValueSeparator
- QuoteCharL
- LineBreakL
- Encoding\\
- DelimitedTextP
- Delimiter\\
- DefaultEncodingL
- CountP
- CommaText
- Capacity\\
- Classes
- Self
- ToObjectArray
- Self
- ToStringArray
- Text
- Self
- SetText
- Encoding
- Stream
- Self
- SaveToStream
- Stream
- Self
- SaveToStream
- Encoding
- FileName
- Self
- SaveToFile

- FileName
- Self
- SaveToFile
- NewIndex
- CurIndex
- Self
- Move
- Encoding
- Stream
- Self
- LoadFromStream
- Stream
- Self
- LoadFromStream
- Encoding
- FileName
- Self
- LoadFromFile
- FileName
- Self
- LoadFromFile
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- AObject
- Self
- IndexOfObject
- Name
- Self
- IndexOfName
- Self
- IndexOf
- Self
- GetText
- Self
- GetEnumerator
- Index2
- Index1
- Self
- Exchange
- Self
- Equals
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self

- Assign
- Objects
- Self
- AddStrings
- Self
- AddStrings
- Self
- AddStrings
- Self
- Append
- AObject
- Self
- AddObject
- Self
- Self
- Destroy
- Self
- Create
- FWriteBOM
- FAdapter
- FUpdateCount
- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefaultEncoding
- FDefined
- FEncoding
- Current
- Classes
- TStringsEnumeratortTc
- Self
- MoveNext
- Self
- GetCurrent
- AStrings
- Self
- Create
- TStringsEnumerator8
- FIndex
- TStringsDefined
- Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- Classes
- IStringsAdapterh
- Classes
- TOwnedCollection|Rc
- ItemClass
- AOwner
- Self
- Create
- TOwnedCollectionI

- FOwner
- ItemClass
- Count
- Capacity
- Classes
- TCollection
- Index
- Self
- Insert
- Self
- GetNamePath
- Self
- GetEnumerator
- Self
- FindItemID
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Self
- Self
- Owner
- Self
- Destroy
- ItemClass
- Self
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current
- Classes
- TCollectionEnumerator@Lc
- Self
- MoveNext
- Self
- GetCurrent
- ACollection
- Self
- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClass
- DisplayName
- Index\\

- Collection
- Classes
- TCollectionItem
- Self
- GetNamePath
- Self
- Destroy
- Collection
- Self
- Create
- TCollectionItem:
- FCollection
- Classes
- TInterfacedPersistent`Hc
- Self
- AfterConstruction
- Self
- QueryInterface
- TInterfacedPersistentH
- FOwnerInterface
- TPersistentClasslGc
- Classes
- TPersistent
- Self
- GetNamePath
- Source
- Self
- Assign
- Self
- Destroy
- TPersistent'
- Size
- Classes
- TBits\\Ec
- Self
- OpenBit
- Self
- Destroy
- FBits
- FSize
- Duplicates
- Classes
- TThreadList
- Self
- UnlockList
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- Self
- LockList
- Self
- Clear
- Item

- Self
- Self
- Destroy
- Self
- Create
- TThreadList&
- FDuplicates
- FLock
- FList
- List
- CountH8c
- Capacity
- Classes
- TList
- ListB
- AOperator
- ListA
- Self
- Assign
- Compare
- Self
- SortList
- Compare
- Self
- Sort
- Self
- Pack
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- NewIndex
- CurIndex
- Self
- Move
- Self
- Last
- Item
- Index
- Self
- Insert
- Direction
- Item
- Self
- IndexOfItem
- Item
- Self
- IndexOf
- Self
- GetEnumerator
- Self
- First
- Direction
- Item

- Self
- ExtractItem
- Item
- Self
- Self
- Expand
- Index2
- Index1
- Self
- Exchange
- Data
- Self
- Error
- Data
- Self
- Error
- Index
- Self
- Delete
- Self
- Clear
- Item
- Self
- Self
- Destroy
- FCapacity
- FCount
- FList
- Classes
- FromEnd
- FromBeginning
- TList.TDirection
- Current
- Classes
- TListEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AList
- Self
- Create
- TListEnumerator5
- FList
- FIndex
- Classes
- laDestUnique
- laSrcUnique
- laXor
- laOr
- laAnd
- laCopy
- TListAssignOp
- Classes
- TListSortCompareFunch
- Item2
- Item1

- TListSortCompare
- TPointerList
- PPointerList`8c
- Classes
- dupError
- dupIgnore\tdupAccept
- TDuplicates
- Classes
- EInvalidOperation
- EInvalidOperation
- Classes
- EOutOfResources
- EOutOfResources07c
- Classes
- EComponentErrort6c
- EComponentError
- Classes
- EStringListError
- EStringListError
- Classes
- EBitsError<5c
- EBitsError
- Classes
- EListError
- EListError
- Classes
- EResNotFound
- EResNotFound
- Classes
- EInvalidImagep3c
- EInvalidImage
- Classes
- EClassNotFound
- EClassNotFound
- Classes
- EWriteError<2c
- EWriteErrorT2c
- Classes
- EReadError
- EReadError
- Classes
- EFilerError
- EFilerError(1c
- Classes
- EFOpenErrorx0c
- EFOpenError
- Classes
- EFCreateError
- EFCreateError
- Classes
- EFileStreamError
- FileName
- ResStringRec
- Self
- Create
- EFileStreamErrorN
- Classes

- EStreamErrorD.c
- EStreamError
- Sender
- TObject
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htKeyword\thtContext
- THelpType
- THelpContext
- TShiftState
- Classes
- ssPen
- ssTouch
- ssDouble
- ssMiddle
- ssAlt
- Classes
- taVerticalCenter
- taAlignBottom
- taAlignTop
- TVerticalAlignment
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- TLeftRight
- Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- Classes
- soEnd
- soBeginning\tsoCurrent
- TSeekOrigin
- 5D&c;
- 5D&c;
- SVW3
- SVW3
- SVW3
- SVW1
- Name
- NameIndex
- Default
- Index
- StoredProc
- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfop
- Name

- Kind
- TTypeInfo
- PTypeInfo
- PPTypeInfo
- TypInfo
- tkProcedure
- tkClassRef\ttkPointer
- tkDynArray\ttkUString
- tkInt64
- tkInterface
- tkRecord
- tkArray
- tkMethod
- tkSet
- tkFloat
- tkEnumeration
- tkUnknown\ttkInteger
- TTypeKind
- h@_u
- h@_u
- |?F3
- h@_u
- SVW3
- h@_u
- =<_u
- h@_u
- h@_u
- h@_u
- h@_u
- SVW3
- SVWUQ
- h@_u
- h@_u
- Variants
- Ur~t
- Ur~t
- Ur~t
- Ur~t
- Ur~t
- Ur~t
- SVWU
- SVW3
- Eh~t
- t0f-
- SVWUQ
- |kC3
- =(_u
- Variants
- EVariantInvalidNullOpError
- EVariantInvalidNullOpError
- Variants
- EVariantDispatchError
- EVariantDispatchError
- Variants
- EVariantUnexpectedError\\
- EVariantUnexpectedError
- Variants

- EVariantOutOfMemoryError
- EVariantOutOfMemoryError
- Variants
- EVariantNotImplError
- EVariantNotImplError
- Variants
- EVariantArrayCreateErrorH
- EVariantArrayCreateError
- Variants
- EVariantArrayLockedError
- EVariantArrayLockedError
- Variants
- EVariantBadIndexError
- EVariantBadIndexError
- Variants
- EVariantBadVarTypeError8
- EVariantBadVarTypeError\\
- Variants
- EVariantInvalidArgError
- EVariantInvalidArgError
- Variants
- EVariantOverflowError
- EVariantOverflowError
- Variants
- EVariantTypeCastError0
- EVariantTypeCastError
- Variants
- EVariantInvalidOpError
- EVariantInvalidOpError
- VarType
- Variants
- TCustomVariantTypep
- Relationship
- Right
- Left
- Self
- Compare
- Operator
- Right
- Left
- Self
- CompareOp
- Operator
- Right
- Self
- UnaryOp
- Operator
- Right
- Left
- Self
- BinaryOp
- Indirect
- Source
- Dest
- Self
- Copy
- Self

- Clear
- Source
- Dest
- Self
- CastToOle
- AVarType
- Source
- Dest
- Self
- CastTo
- Source
- Dest
- Self
- Cast
- Self
- IsClear
- Self
- Destroy
- RequestedVarType
- Self
- Create
- Self
- Create
- TCustomVariantType&
- FVarType
- Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarOr
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- h4~b
- Uh-~b
- Uhtxb
- Uhgtb
- SVWU
- SVWU
- uXTh
- SVW3

- Uh$fb
- SVWU
- hO`b
- UhH`b
- UhX]b
- UhcZb
- Uh\tZb
- SVWU
- Uh]Xb
- UhgRb
- UhlQb
- UhgPb
- hGOb
- Uh@Ob
- Uh?Nb
- SVWU
- hoKb
- UhhKb
- SVWU
- UhTJb
- UhrJb
- SVWU
- ;C$t4
- SVWU
- SVWUQ
- SVWUQ
- hHAb
- Sh,Ab
- 5(~t
- SVWU
- SVWU
- TArray<SysUtils.TUnitHashEntry>
- UnitHashArray
- Validated
- TModuleInfo
- FullHash
- DupsAllowed
- UnitName
- LibModule
- Prev
- Next
- TUnitHashEntry
- PUnitHashEntry
- =K=u
- UhS;b
- SVWUQ
- SVWUQ
- SVW3
- Ident
- Code
- TErrorRec
- r3t7
- Uh7*b
- SVW3
- =p<u
- =t<u
- =x<u

- Uhv&b;
- UhD$b
- Uhj"b
- SysUtils0
- Uh@ b
- SVW3
- SVW3
- SVWU
- =K=u
- 8gu4
- SVW3
- =C=u
- SVWUQ
- SVWU
- SVWU
- SVW3
- SVW3
- 80u'
- =G=u
- -0}t
- r@f=9
- t&f;=0
- Sh|<u
- h|<u
- Sh|<u
- Sh|<u
- Sh|<u
- |.G3
- SVWUQ
- SVWU
- SVW3
- SVWU
- SVWUQ
- @w6j
- @w2j
- Ident
- TStrData
- .u:EOu
- SVWUQ
- f;8u<
- f;8u
- SVWU
- SVW3
- SVWU
- SVWU
- SVWU
- tgf9
- maccroatian
- macturkish
- maciceland
- maccentraleurope
- macthai
- macukraine
- macromania
- maccyrillic
- macgreek
- machebrew

- macarabic
- macroman
- macintosh
- johab
- cp1361
- tis620.2533-1
- tis620.2533-0
- tis620.2529-1
- tis620-0
- tis620
- tis-620
- iso-ir-166
- windows-874
- cp874
- csibm869
- ibm869
- cp869
- csibm866
- ibm866
- cp866
- csibm865
- ibm865
- cp865
- csibm864
- ibm864
- cp864
- csibm863
- ibm863
- cp863
- cspc862latinhebrew
- ibm862
- cp862
- csibm861
- ibm861
- cp861
- cp-is
- csibm860
- ibm860
- cp860
- cp858
- csibm857
- ibm857
- cp857
- csibm855
- ibm855
- cp855
- cp853
- cspcp852
- ibm852
- cp852
- cspc850multilingual
- ibm850
- cp850
- cspc775baltic
- ibm775
- cp775
- cp737

- cspc8codepage437
- ibm437
- cp437
- gb18030
- hz-gb-2312
- cseuctw
- euctw
- euc-tw
- euckr
- euc-kr
- euccn
- euc-cn
- cseucpkdfmtjapanese
- eucjp
- euc-jp
- iso-2022-cn
- csiso2022kr
- iso-2022-kr
- csiso2022jp
- iso-2022-jp
- koi8-u
- csiso58gb231280
- iso-ir-58
- gb_2312-80
- chinese
- koi8-r
- windows-1258
- cp1258
- windows-1257
- cp1257
- windows-1256
- cp1256
- windows-1255
- cp1255
- windows-1254
- cp1254
- windows-1253
- cp1253
- windows-1252
- cp1252
- windows-1251
- cp1251
- windows-1250
- cp1250
- utf-16be
- utf-16le
- utf-16
- csunicode
- ucs-2
- csbig5
- cn-big5
- bigfive
- big5
- big-five
- big-5
- cp950
- csksc56011987

- ks_c_5601-1989
- ks_c_5601-1987
- ksc_5601
- korean
- iso-ir-149
- cp949
- csgb2312
- gb2312
- windows-936
- cp936
- csshiftjis
- sjis
- shift_jis
- shift-jis
- cp932
- iso_8859-16:2001
- iso_8859-16
- iso8859-16
- iso-ir-226
- iso-8859-16
- iso_8859-15:1998
- iso_8859-15
- iso8859-15
- iso-ir-203
- iso-8859-15
- iso_8859-14:1998
- iso_8859-14
- iso8859-14
- iso-ir-199
- iso-celtic
- iso-8859-14
- iso_8859-13
- iso8859-13
- iso-ir-179
- iso-8859-13
- iso_8859-11
- iso8859-11
- iso-8859-11
- csisolatin6
- iso_8859-10:1992
- iso_8859-10
- iso8859-10
- iso-ir-157
- iso-8859-10
- csisolatin5
- iso_8859-9:1989
- iso_8859-9
- iso8859-9
- iso-ir-148
- iso-8859-9
- csisolatinhebrew
- iso_8859-8:1988
- iso_8859-8
- iso8859-8
- iso-ir-138
- iso-8859-8
- hebrew

- iso_8859-7:2003
- iso_8859-7:1987
- iso_8859-7
- iso8859-7
- iso-8859-7
- greek8
- greek
- csisolatinarabic
- iso_8859-6:1987
- iso_8859-6
- iso8859-6
- iso-ir-127
- iso-8859-6
- ecma-114
- asmo-708
- arabic
- csisolatincyrillic
- iso_8859-5:1988
- iso_8859-5
- iso8859-5
- iso-ir-144
- iso-8859-5
- cyrillic
- csisolatin4
- iso_8859-4:1988
- iso_8859-4
- iso8859-4
- iso-ir-110
- iso-8859-4
- csisolatin3
- iso_8859-3:1988
- iso_8859-3
- iso8859-3
- iso-ir-109
- iso-8859-3
- csisolatin2
- iso_8859-2:1987
- iso_8859-2
- iso8859-2
- iso-ir-101
- iso-8859-2
- csisolatin1
- iso_8859-1:1987
- iso_8859-1
- iso8859-1
- iso-ir-100
- iso-8859-1
- ibm819
- cp819
- utf8
- utf-8
- csunicode11utf7
- utf-7
- csascii
- us-ascii
- ascii
- K\t}2

- @2
- \\RUb
- VcAs
- vcAs
- rrEb
- bAs6?
- bAsV?
- bAsv?
- rRIb
- 6bAs
- VbAs
- SysUtils
- SysUtils
- TBigEndianUnicodeEncoding
- GetPreamble
- Self
- Clone
- TBigEndianUnicodeEncoding%
- SysUtils
- TUnicodeEncoding
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- Self
- Create
- TUnicodeEncoding&
- SysUtils
- TUTF8Encoding
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- Self
- Create
- TUTF8Encoding&
- SysUtils
- TUTF7EncodingH
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- Self

- Create
- TUTF7Encoding&
- SysUtils
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Clone
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Self
- Create
- CodePage
- Self
- Create
- Self
- Create
- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- EncodingName
- CodePage\\
- SysUtils
- TEncoding
- GetStringT
- GetString
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- EncodingName
- GetEncoding
- CodePage
- GetEncoding
- GetChars/
- GetChars
- GetChars
- GetCharCount
- GetCharCount
- GetBytes
- GetBytes
- GetBytes
- GetBytes
- GetBytes
- CharCount
- CharIndex
- Self
- GetByteCount

- Self
- GetByteCount
- GetByteCount7
- GetByteCount
- GetBufferEncoding
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- Self
- FreeEncodings
- Convert-
- Convert
- Self
- Clone
- TEncoding%
- FMaxCharSize
- FIsSingleByte
- SysUtils
- EEncodingError
- EEncodingError
- MaxCapacity
- Capacity
- SysUtils
- TStringBuilder(
- StartIndex
- Self
- ToString
- Self
- ToString
- Count
- StartIndex
- NewValue
- OldValue
- Self
- Replace
- Count
- StartIndex
- NewChar
- OldChar
- Self
- Replace
- NewValue
- OldValue
- Self
- Replace
- NewChar
- OldChar
- Self
- Replace
- RemLength
- StartIndex
- Self
- Remove
- InsertM
- count
- Value
- Index

- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- InsertD
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index
- Self
- Insert
- Value
- Index

- Self
- Insert
- Value
- Index
- Self
- Insert
- StringBuilder
- Self
- Equals
- aCapacity
- Self
- EnsureCapacity
- CopyToA
- Self
- Clear
- Value
- Self
- AppendLine
- Self
- AppendLine
- AppendFormat*
- Count
- StartIndex
- Value
- Self
- Append
- AppendX
- RepeatCount
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Append5
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value

- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- Value
- Self
- Append
- aCapacity
- StartIndex
- Value
- Self
- Create
- aCapacity
- Value
- Self
- Create
- aMaxCapacity
- aCapacity
- Self
- Create
- Value
- Self
- Create
- aCapacity
- Self
- Create
- Self
- Create
- TStringBuilder&
- FMaxCapacity
- FData
- TArray<System.Char>
- RevisionLevel
- SysUtils
- $TMultiReadExclusiveWriteSynchronizer
- Self
- EndWrite
- Self

- BeginWrite
- Self
- EndRead
- Self
- BeginRead
- Self
- Destroy
- Self
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- SysUtils
- TThreadLocalCounter
- Thread
- Self
- Close
- Thread
- Self
- Delete
- Thread
- Self
- Open
- Self
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- Next
- TThreadInfo
- PThreadInfo(
- SysUtils
- IReadWriteSynch
- SysUtils\\
- SysUtils\\
- NegCurrFormat
- TwoDigitYearCenturyWindow
- DecimalSeparator
- ThousandSeparator
- LongDayNames
- ShortDayNames
- LongMonthNames
- ShortMonthNames
- LongTimeFormat
- ShortTimeFormat
- TimePMString
- TimeAMString
- LongDateFormat
- ShortDateFormat
- ListSeparator

- TimeSeparator
- DateSeparator
- CurrencyDecimals
- CurrencyFormat
- CurrencyString
- TFormatSettings
- :TFormatSettings.:4
- :TFormatSettings.:3
- :TFormatSettings.:20
- :TFormatSettings.:10
- System0sa
- TArray<SysUtils.TLangRec>
- SysUtils
- ENotImplemented
- ENotImplemented
- SysUtils
- ENoMonitorSupportException
- ENoMonitorSupportException
- SysUtils
- EMonitorLockExceptionP
- EMonitorLockException
- SysUtils
- EMonitor
- EMonitor
- SysUtils
- ESafecallException
- ESafecallException
- SysUtils
- EOSErrord
- EOSError
- ErrorCode
- SysUtils
- EIntfCastError
- EIntfCastError
- SysUtils
- EAbstractError$
- EAbstractError
- SysUtils
- EAssertionFailed
- EAssertionFailed
- SysUtils
- EVariantError
- EVariantError
- SysUtils
- EControlCP
- EControlC
- SysUtils
- EStackOverflow
- EStackOverflow
- SysUtils
- EPrivilege
- EPrivilege
- SysUtils
- EAccessViolationt
- EAccessViolation
- SysUtils
- EConvertError

- EConvertError
- SysUtils
- EInvalidCast<
- EInvalidCast
- SysUtils
- EInvalidPointer
- EInvalidPointer
- SysUtils
- EUnderflow
- EUnderflow
- SysUtils
- EOverflowp
- EOverflow
- SysUtils
- EZeroDivide
- EZeroDivide
- SysUtils
- EInvalidOp@
- EInvalidOp
- SysUtils
- EMathError
- EMathError
- SysUtils
- EIntOverflow
- EIntOverflow
- SysUtils
- ERangeErrort
- ERangeError
- SysUtils
- EDivByZero
- EDivByZero
- SysUtils
- EIntErrorH
- EIntError
- SysUtils
- EExternalException
- EExternalException
- SysUtils
- EExternal
- EExternal
- ExceptionRecord
- SysUtils
- EInOutError0
- EInOutError
- ErrorCode
- SysUtils
- EOutOfMemory
- EOutOfMemory
- SysUtils
- EHeapException
- Self
- FreeInstance
- EHeapException,
- AllowFree
- SysUtils
- EAbort
- EAbort

- ExceptClass
- SysUtils
- EArgumentOutOfRangeException<|a
- EArgumentOutOfRangeException
- SysUtils
- EArgumentException
- EArgumentException
- StackInfo
- StackTrace
- Message\\
- InnerException\\
- HelpContext
- BaseException
- SysUtils
- Exception
- ThrowOuterException
- RaiseOuterException
- Self
- ToString
- Self
- GetBaseException
- Self
- Destroy
- CreateResFmtHelp'
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- Self
- CreateResHelp
- AHelpContext
- Ident
- Self
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- Self
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- Self
- CreateRes
- Ident
- Self
- CreateRes
- CreateFmt8
- Self
- Create
- Exception3
- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- Count
- SysUtils
- TLanguages

- LocaleName
- Self
- IndexOf
- Self
- IndexOf
- Self
- Destroy
- Self
- Create
- TLanguages&
- FLocaleName
- FExt
- FLCID
- FName
- TLangRec
- TArray<System.Byte>
- EIdent
- EClass
- TExceptRec
- ExcUtils
- etNotImplemented
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege
- etAccessViolation
- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- ?tE)!XU
- ?tE)!XU
- ?333333
- 0\t@\tP\t`\t1
- =T<u
- =T<u
- =T<u
- ActiveX
- @Qm6t
- IServiceProviderh
- ActiveX
- IPictureh
- ActiveX
- k7E8
- IPerPropertyBrowsingh
- ActiveX

- IConnectionPointh
- ActiveX
- IPropertyNotifySinkh
- ActiveX
- IPersistStreamInit
- ActiveX
- ISimpleFrameSiteh
- ActiveX
- IOleControlSiteh
- ActiveX
- IOleControlh
- ActiveX
- IOleInPlaceSite
- ActiveX
- IOleInPlaceObject
- ActiveX
- IOleInPlaceFrame
- ActiveX
- IOleInPlaceActiveObject
- ActiveX
- IOleInPlaceUIWindow
- ActiveX
- IOleWindowh
- ActiveX
- IOleObjecth
- ActiveX
- IOleClientSiteh
- ActiveX
- ITypeInfoh
- scode
- pfnDeferredFillIn
- pvReserved
- dwHelpContext
- bstrHelpFile
- bstrDescription
- bstrSource
- wReserved
- wCode
- tagEXCEPINFO
- ExInfo
- TFNDeferredFillIn
- PExcepInfo
- TDispIDList
- PDispIDListp
- ActiveX
- IStream
- ActiveX
- ISequentialStreamh
- reserved
- grfStateBits
- clsid
- grfLocksSupported
- grfMode
- atime
- ctime
- mtime
- cbSize

- pwcsName
- ActiveX
- IPersisth
- cAccel
- hAccel
- tagCONTROLINFO
- tagMULTI_QI
- Result
- Menu
- MenuFlag
- User
- TWMMenuChar
- Result
- KeyData
- Unused
- CharCode
- ResultHi
- ResultLo
- LParamHi
- LParamLo
- WParamHi
- WParamLo
- Result
- LParam
- WParam
- TMessage
- =D<u
- % |u
- %$|u
- %(|u
- %,|u
- %0|u
- %4|u
- %8|u
- %<|u
- %@|u
- %D|u
- %H|u
- %H|u
- %H|u
- %L|u
- %P|u
- %T|u
- %X|u
- %\\|u
- %`|u
- %d|u
- %h|u
- %l|u
- %l|u
- %p|u
- %t|u
- %x|u
- %||u
- % }u
- %$}u
- %(}u

- %,}u
- %0}u
- %4}u
- %8}u
- %<}u
- %@}u
- %H}u
- %D}u
- %L}u
- %P}u
- %P}u
- %T}u
- %X}u
- %\\}u
- %`}u
- %`}u
- %d}u
- %d}u
- %h}u
- %l}u
- %p}u
- %p}u
- %t}u
- %x}u
- %|}u
- % ~u
- %$~u
- %(~u
- %,~u
- %0~u
- %4~u
- %8~u
- %<~u
- %@~u
- %D~u
- %H~u
- %L~u
- %P~u
- %T~u
- %X~u
- %\\~u
- %`~u
- %`~u
- %d~u
- %h~u
- %l~u
- %p~u
- %t~u
- %x~u
- %|~u
- dwID
- GESTURECONFIG
- HKEY
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2

- odReserved1
- odNoFocusRect
- odInactive\todNoAccel
- odHotLight
- odDisabled\todChecked\todFocused\todDefault
- odGrayed
- odSelected
- time
- lParam
- wParam
- message
- dsOffset
- dshSection
- dsBitfields
- tagDIBSECTIONT
- dmPanningHeight
- dmPanningWidth
- dmICCModel
- dmICCManufacturer
- dmDitherType
- dmMediaType
- dmICMIntent
- dmICMMethod
- dmDisplayFrequency
- dmDisplayFlags
- dmPelsHeight
- dmBitsPerPel
- dmLogPixels
- dmFormName
- dmCollate
- dmTTOption
- dmYResolution
- dmDuplex
- dmColor
- dmPrintQuality
- dmDefaultSource
- dmCopies
- dmScale
- dmPaperWidth
- dmPaperLength
- dmPaperSize
- dmOrientation
- dmFields
- dmDriverExtra
- dmSize
- dmDriverVersion
- dmSpecVersion
- dmDeviceName
- _devicemodeW
- PDeviceModeW
- biClrImportant
- biClrUsed
- biYPelsPerMeter
- biXPelsPerMeter
- biSizeImage
- biCompression
- biBitCount

- biPlanes
- biHeight
- biWidth
- biSize
- tagBITMAPINFOHEADER(
- bmBitsPixel
- bmPlanes
- bmHeight
- tagBITMAP
- dwHighDateTime
- dwLowDateTime
- _FILETIME
- bInheritHandle
- lpSecurityDescriptor
- _SECURITY_ATTRIBUTES
- PSecurityAttributes
- HPEN
- HPALETTE
- HMENU
- HICON
- HFONT
- HBITMAP
- HACCEL
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- Spare
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex
- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- Blink
- Flink
- PListEntry
- SVWUQ
- TSmallPoint
- tagSIZE
- BottomRight
- TopLeft
- Bottom
- Right
- Left
- TRect
- PRect
- TPoint
- u!SW
- ;B4u
- %,{u
- %0{u
- %4{u

- %8{u
- =8pt
- SVWU
- SVW3
- =T;u
- SVW3
- 8\\u;
- hU;u
- Php;u
- hU;u
- =T;u
- hU;u
- hU;u
- hU;u
- !f;4
- rTf;5
- SVW3
- hU;u
- =T;u
- hU;u
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA
- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- SVWU
- USVW1
- SVWU
- SVWU
- SVW3
- t6SVW
- SVWU
- uAJt
- SVWUj
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- It4S
- It2S
- t-P1
- t!P1
- =0pt
- SVWU
- UhCk`
- UhJj`

• r6t0
• d$,1
• SVWU
• VWUUh
• u\t@B
• SVWU
• VWUd
• hia`
• Uhba`
• Uhs``
• SVWU
• SVWU
• SVW1
• 5JY`
• SVW1
• 2;0u
• $ZXu
• UhPV`
• SVW3
• UhFT`
• BkU'9
• E@|o
• @aQY
• C7S`
• C7S`
• YZXt5
• 2_^[
• w+9
• UNM`
• F |l`
• F$xl`
• F xl`
• SVWU
• YZXu
• SVWU
• rAF3
• |&B3;
• wt=0
• SVWU
• SVWU
• SVWU
• Unexpected Memory Leak
• UnicodeString
• AnsiString
• Unknown
• The sizes of unexpected leaked medium and large blocks are:
• The unexpected small block leaks are:
• An unexpected memory leak has occurred.
• FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
• %<{u
• %@{u
• %D{u
• %H{u
• %L{u
• %P{u
• %T{u
• %X{u

- %\\{u
- %`{u
- %d{u
- %h{u
- %l{u
- %p{u
- %t{u
- %x{u
- %|{u
- % {u
- %$${u
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress
- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecord
- Identifier
- Module
- TResStringRec
- Reserved
- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- Next
- TLibModule
- PLibModulep#`
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfo
- PTypeTable
- TTypeTable
- RawData
- VUString
- VPointer
- VArray
- VAny
- VUInt64
- VInt64
- VLongWord
- VWord
- VByte
- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch
- VOleStr

- VDate
- VCurrency
- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- VType
- TVarData
- Bounds
- Data
- LockCount
- ElementSize
- Flags
- DimCount
- TVarArray
- PVarArray
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TDateTime
- PLongInt
- RawByteString
- RefCount
- TInterfacedObjectx
- Self
- NewInstance
- Self
- BeforeDestruction
- Self
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IDispatchh
- IInterface
- TObject
- Self
- Destroy
- Self
- FreeInstance
- Self
- NewInstance
- Message
- Self
- DefaultHandler
- Message
- Self
- Dispatch
- Self
- BeforeDestruction
- Self
- AfterConstruction
- ExceptAddr
- ExceptObject

- Self
- SafeCallException
- Self
- ToString
- Self
- GetHashCode
- Self
- Equals
- Self
- UnitName
- Self
- GetInterfaceTable
- Self
- GetInterfaceEntry
- Self
- GetInterface
- Name
- Self
- FieldAddress
- Name
- Self
- FieldAddress
- Address
- Self
- MethodName
- Name
- Self
- MethodAddress
- Name
- Self
- MethodAddress
- AClass
- Self
- InheritsFrom
- Self
- InstanceSize
- Self
- ClassInfo
- Self
- ClassParent
- Name
- Self
- ClassNameIs
- Self
- ClassName
- Self
- ClassType
- Self
- CleanupInstance
- Instance
- Self
- InitInstance
- Self
- Free
- Self
- Create
- TObject&

- Data
- Code
- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTable
- ImplGetter
- IOffset
- VTable
- TInterfaceEntry
- PInterfaceEntryh
- TGUID
- PGUID
- HRESULT
- OleVariant
- Variant
- AnsiString
- WideString
- True
- False
- LongBool
- True
- False
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- NativeUInt
- UInt64
- Int64
- Cardinal
- Pointer
- Word
- Byte
- Integer
- SmallInt
- ShortInt
- Char
- AnsiChar
- True
- False
- Boolean
- @.reloc
- .rdata
- .didata
- .idata
- `.data
- `.itext
- .text
- This program must be run under Win32
- \\\\?\\UNC\\
- \\\\?\\
- jjjj

- jjjjjj
- jjjj
- %s_%d
- Strings
- %s[%d]
- jjjj
- String
- jjjj
- jjjjjj
- StrLength
- %s-%s
- jjjj
- jjjjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- yyyy
- jjjjjjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- yyyy
- @P`p
- QQQQ
- MSH_SCROLL_LINES_MSG
- jjjj
- jjjjjj
- Strings
- Strings
- rdString
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- Z]_^[
- ZYYd
- _^[]
- ZYYd
- @r\tt%
- SyncObjs
- ^[Y]
- ZYYd
- _^[]
- PWVS
- tGWh
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs

- ZYYd
- FTicks
- PRQh
- Vj\th
- PFNTVCOMPARE
- ZYYd
- ZYYd
-]_^[
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R4_^[]
- ;CDt:
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[]
- ZYYd
- Z]_^[
- YZ_^[
-]_^[
- ZYYd
- S _^[
- _^[Y]
- QSVW
- Z]_^[
-]_^[
-]_^[
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[]
- ZYYd

- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ^[YY]
- ZYYd
- ZYYd
- YZ^[
- ^[Y]
- ZYYd
- B^*L
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQS3
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd

- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;B t
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- h:{d
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hNzd
- ZYYd
- [YY]
- ZYYd
- YZ_^[
- ZYYd
- QQQQQQQS
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- hxqd
- ZYYd
- h-qd
- ZYYd
- Y[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hxbd
- ZYYd
- ZYYd
- hB^d
- ZYYd
- _^[]
- _^[YY]
- h\\]d
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- ZYYd
- hQVd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ;-<Fc
- ZYYd
- ZYYd
- _^[]
- ZYYd
- $YZ_^[
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]

- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h;Dd
- ZYYd
- YF;w
- hdBd
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
- _^[]
-]_^[
- ~,;{
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- $+D$
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- YZ_^[
- ^[YY]
- ZYYd
- :S:t
- ^[Y]
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- _^[Y]
- ZYYd
- $Z]_^[
- S<^[
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- h(d
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- QQQQQQQSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- _^Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- QSVW

- _^[Y]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[Y]
- ZYYd
- ZYYd
- YZ_^[
- tq;s
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]

- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
-]_^[
- S<_^[
- ZYYd
- $Z]_^[
- _^[Y]
- ZYYd
- ^[Y]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- _^[]
- SystemD
- System\\
- TArray<System.string>
- FVCLComObject
- string
- string
- string
- string
- string
- string
- string
- string
- string
- string
- grfStatFlag
- statstg
- Rights
- TStringList
- TStringList&
- FString
- Text\\Sc
- TStrings
- Strings
- Strings
- Strings
- Strings
- TStrings&
- FStrings
- TBits'
- TList'
- string
- TGetStrProc

- ssRight
- ssLeft
- ssCtrl
- ssShift
- ZYYd
- $YZ^[
- _^[YY]
- h&%c
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- __^[
- SVWj
- ^[Y]
- ZYYd
- __^[
- SVWj
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- tkWChar\ttkLString\ttkWString\ttkVariant
- tkClass
- tkString
- tkChar
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- t~h@_u
- QSVW
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[YY]
- Z_^[
- SVWQ

- ZYYd
- ZYYd
- $Z^[
- $Z^[
- $YZ[
- _^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- [YY]
- ZYYd
- MV~t
- Jt[J
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- =B~t
- r!t2Ht[
- ZYYd
- ^[Y]
- ZYYd
- =@~t
- FSVW
- =:~t
- FSVQ
- =:~t
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- =:~t
- ZYYd
- ZYYd
- =:~t
- ZYYd

- ZYYd
- ZYYd
- =:~t
- =:~t
- ZYYd
- ZYYd
- =:~t
- ZYYd
- ZYYd
- ZYYd
- =:~t
- ZYYd
- =:~t
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[Y]
- ZYYd
- =:~t
- QSVW
- _^[YY]
- ZYYd
- =:~t
- ZYYd
- ZYYd
- =:~t
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- --\t@
- _^[YY]
- @[YY]
- ZYYd
- ZYYd
- t?Htb

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- _^[Y]
- h{xb
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- hntb
- ZYYd
-]_^[
-]_^[
- _^[Y]
- QSVW
- ZYYd
- _^[Y]
- QSVW
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- YZ^[
- SVWf
- YZ]_^[
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- QSVW
- _^[Y]

- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- h_]b
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- YZ_^[
- ^[Y]
- ZYYd
- YZ_^[
- _^[Y]
- hjZb
- ZYYd
- _^[Y]
- ZYYd
- YZ]_^[
- ^[Y]
- ZYYd
- ^[Y]
- hdXb
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- _^[Y]
- ZYYd
- _^[]
- _^[Y]
- ZYYd
- ^[Y]
- hnRb
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- hsQb
- ZYYd
- h Qb
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hnPb
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]

- ZYYd
- ^[Y]
- hFNb
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- ZYYd
- ZYYd
-]_^[
- hyJb
- ZYYd
- h[Jb
- ZYYd
-]_^[
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- ;G$t@
- SVWQ
- ;C$t
- YZ]_^[
- H;D$
- (Z]_^[
- Z]_^[
- ZYYd
-]_^[
-]_^[
- System
- ZYYd
- hZ;b
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- $Z]_^[
- r&f;=
- $YZ^[
- $YZ_^[
- _^[YY]
- $Z]_^[
- ZYYd
- ZYYd
- =X|t
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- h>*b
- ZYYd
- YZ^[
- _^[YY]
- ZYYd
- _^[YY]
- h}&b;

- ZYYd
- _^[]
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- _^[YY]
- hK$b
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- hq"b
- ZYYd
- ZYYd
- hG b
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ht}t
- $hD}t
- ZYYd
- ^[YY]
- ZYYd
- =\\|t
- ZYYd
- Z_^[
- SVWQ
- ^[Y]
- ZYYd
- (]_^[
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- ZYYd
- $Z]_^[
-]_^[
-]_^[
- f;lF
- ZYYd
- ZYYd
- t,HtYH
- ZYYd
- ZYYd
- @YY]
- _^[YY]
- f;\\F
- 'w~f

- <sJf
- <sPf
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[[
- _^[YY]
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[YY]
- WVS
- YZ_^[
- YZ_^
- $Z]_^[
-]_^[
- _^[YY]
- ZYYd
-]_^[
- J~!f
- Z]_^[
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
- ^[YY]
- ZYYd
- Z]_^[
- YZ]_^[
- ZYYd
-]_^[
- SWSVj
-]_^[
-]_^[
- cp-gr
- '9\t!'D\t%'O\t-'W\t_'h\ta's\tb'~
- "`j-
- Cw@8^\t#@
- #C>=
- #c>=
- ##>=
- nL,hn
- NL,hN
- rrYb
- rrLb
- rRHb
- rrHb
- TProch
- TMBCSEncodingp
- TMBCSEncoding&
- Length
- StrLength
- Length
- FLength

- SystemL
- FSysLangs
- System
- ZYYd
- ?]QJ
- ?F]k
- ?]QJ
- @F]k
- ?]QJ
- ?F]k
- ?]QJ
- ?]QJ
- ?F]k
-
-
-

- PRQh
- PRQh
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- PRQh
- PRQh
- ^[Y]
- ZYYd
- dwBlock
- dwWant
- hwnd
- tagMSG
- dsBmih
- dsBm
- dmPelsWidth
- bmBits
- bmWidthBytes
- bmWidth
- bmType
- nLength
- HBRUSH
- HWND
- PRTLCriticalSectionDebug\\
- PRTLCriticalSection<
- _LIST_ENTRY
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ZYYd
- _^[]
- %<pt
- SQRP
- SQRP
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd

- t@hp
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- PjZS
- ZYYd
- ,tdBHu
- QQQQSV
- ZYYd
- tNh\\
- sr-Cyrl-ME
- sr-Cyrl-RS
- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh
- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb
- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- t ;s
-]_^[
- _^[]
-]_^[
-]_^[
-]_^[
- Y]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- ZYYd
- ~\tKf
- Jx f
-]_^[
- Z_^[
- SVWQ
- Z_^[XX
- SVWRPj
- ;_^[
- t f;J

- t-Rf;
- t!R:
- Z_^[
- SVWQ
- t f;J
- t-Rf;
- t!R:
- ;Z]_^[
- t f;J
- t-Rf;
- t!R:
- t f;H
- @@@Y)
- _^[YY]
- ;_^[]
- ;_^[
- SPRj
- _^[YY]
- =,pt
-]_^[
- =(pt
- ^[Y]
- hJk`
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- =&pt;
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPR
- =&pt;
- ='pt
- =&pt;
- ='pt
-]_^[
-]_^[
- ZYYd
- SPRQ
- SPRQ
- YZXtm1
- =&pt;
- ='pt
- =&pt;
- ='pt
-]_^[
- Ph|c`
- T$(j
- SPRQ
- YZXtp
- =&pt;
- ='pt

- =&pt;
- ='pt
- =&pt;
- =&pt;
- YYZX
- =&pt;
- =&pt;
- =&pt;
- PPRTj
- =&pt;
- =&pt;
- ZYYd
- hz``
- ZYYd
- ZYYd
-]_^[
-]_^[
- ZYYd
- _^[Y]
- QSVW
- R@Pj
- _^[YY]
- hWV`
- ZYYd
- ^[Y]
- hMT`
- ZYYd
- -$pt
- @v:k
- SkQ`
- SkQ`
- _^[Y]
- ZYYd
-
- YX_^
- ~]x[])
- XtPf
- xtVf
- Xthf
- xtnf
- $ttf
- +trf
- -tvf
- w)f%
- r/f=
- Ht Ht.
- ,$YXZ
- -$pt
-]_^[
-]_^[
- t!Ht:
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[

- L\t W
-]_^[
- $]_^[
-]_^[
- bytes:
- PResStringRec@$`
- VBytes
- VWords
- VLongs
- VString
- PShortString
- System
- System
- System
- System
- TClassD
- string
- System
- System
- ShortString
- System
- B.rsrc
- .tls
- .bss

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000009ea0c70001000000f1c6cd0033000000f1c6ce00b1000000f1c6cf0032000000009788300090000000978930025000000000001001202000066eed8004d00000066eecd000200000066eec900010000000000097000100000066eecc00

• Module 3 yara matches

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: This is a compiled AutoIt script. AV researchers please email avsupport@autoitscript.com for support.
- url | valid domains | tlds: Gt.Ht$
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetCapture
- api | frequently used by malware: RegisterHotKey

- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetAsyncKeyState
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetMenu
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: DeviceIoControl
- api | frequently used by malware: LoadResource
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateThread
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: DllGetClassObject
- api | frequently used by malware: GetNativeSystemInfo
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- path | path unit: Y:/(A6>
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | ntdll: sqrt
- api | ntdll: atan
- api | ntdll: ?pow
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEndOfFile
- api | kernel32: WriteConsoleW
- api | kernel32: HeapReAlloc
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW

- api | kernel32: LCMapStringW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetDateFormatW
- api | kernel32: SetFilePointer
- api | kernel32: ReadConsoleW
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: GetStartupInfoW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetCommandLineW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetModuleHandleExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: InitiateSystemShutdownExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegQueryValueExW

- api | kernel32: RegOpenKeyExW
- api | user32: ReleaseCapture
- api | user32: CallWindowProcW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu
- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: DrawMenuBar
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: FillRect
- api | user32: DrawFrameControl
- api | user32: FrameRect
- api | user32: DrawTextW
- api | user32: DrawFocusRect
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetLayeredWindowAttributes
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: ClientToScreen
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage
- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput

- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: MonitorFromRect
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: CopyRect
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: ScreenToClient
- api | user32: SendMessageTimeoutW

- api | user32: EnumChildWindows
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: GetUserObjectSecurity
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: SetFocus
- api | user32: PostQuitMessage
- api | user32: KillTimer
- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Beep
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: SetEvent
- api | kernel32: CreateEventW
- api | kernel32: GetShortPathNameW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW

- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange
- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: CopyFileW
- api | kernel32: MoveFileW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: SetErrorMode

- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetSystemInfo
- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapFree
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThread
- api | kernel32: CloseHandle
- api | kernel32: GetLastError
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: lstrcmpiW
- api | kernel32: RaiseException
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | psapi: GetProcessMemoryInfo
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetProcessId
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: GetModuleHandleExW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: IsWow64Process
- api | kernel32: CreateFile2
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | ntdll: sqrt
- api | ntdll: atan
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW

• api | kernel32: GetLogicalProcessorInformation
• api | kernel32: GetCurrentProcessorNumber
• api | kernel32: FreeLibraryWhenCallbackReturns
• api | kernel32: FlushProcessWriteBuffers
• api | kernel32: CloseThreadpoolWait
• api | kernel32: SetThreadpoolWait
• api | kernel32: CreateThreadpoolWait
• api | kernel32: CloseThreadpoolTimer
• api | kernel32: WaitForThreadpoolTimerCallbacks
• api | kernel32: SetThreadpoolTimer
• api | kernel32: CreateThreadpoolTimer
• api | kernel32: SetThreadStackGuarantee
• api | kernel32: CreateSemaphoreExW
• api | kernel32: InitializeCriticalSectionEx
• api | kernel32: FlsSetValue
• api | kernel32: FlsGetValue
• api | kernel32: FlsFree
• api | kernel32: FlsAlloc

• Module 3 other strings

• Translation
• VarFileInfo
• 080904B0
• StringFileInfo
• VS_VERSION_INFO
• String missing closing quote.!Badly formated variable or macro.*Missing separator character after keyword.
• Unable to open the script file.
• Unable to parse line.
• Func reassign not allowed.*Func reassign on global level not allowed.
• Obsolete function/parameter.4Invalid Exitcode (reserved for AutoIt internal use).+Variable cannot be accessed in this manner.
• Assert Failed!
• Can not redeclare a constant.5Can not redeclare a parameter inside a user function.HCan pass constants by reference only to parameters with "Const" keyword.*Can not initialize a variable with itself.$Incorrect way to use this parameter.:"EndSwitch" statement with no matching "Switch" statement.>"Switch" statement is missing "EndSwitch" or "Case" statement.H"ContinueCase" statement with no matching "Select"or "Switch" statement.
• 3This keyword cannot be used after a "Then" keyword.>"Select" statement is missing "EndSelect" or "Case" statement.+"If" statements must have a "Then" keyword. Badly formated Struct statement."Cannot assign values to constants..Cannot make existing variables into constants.9Only Object-type variables allowed in a "With" statement.v"long_ptr", "int_ptr" and "short_ptr" DllCall() types have been deprecated. Use "long*", "int*" and "short*" instead.-Object referenced outside a "With" statement.)Nested "With" statements are not allowed."Variable must be of type "Object".1The requested action with this object has failed.8Variable appears more than once in function declaration.2ReDim array can not be initialized in this manner.1An array variable can not be used in this manner.
• Badly formated Enum statement
• Invalid file filter given.*Expected a variable in user function call.1"Do" statement has no matching "Until" statement.2"Until" statement with no matching "Do" statement.#"For" statement is badly formatted.2"Next" statement with no matching "For" statement.N"ExitLoop/ContinueLoop" statements only valid from inside a For/Do/While loop.1"For" statement has no matching "Next" statement.@"Case" statement with no matching "Select"or "Switch" statement.:"EndSelect" statement with no matching "Select" statement.ORecursion level has been exceeded - AutoIt will quit to prevent stack overflow.&Cannot; make existing variables static.4Cannot make static variables into regular variables.
• Invalid element in a DllStruct.*Unknown option or bad parameter specified.&Unable; to load the internet libraries./"Struct" statement has no matching "EndStruct".HUnable to open file, the maximum number of open files has been exceeded.K"ContinueLoop" statement with no matching "While", "Do" or "For" statement.
• *Unable to get a list of running processes.
• Unknown macro.
• Unknown function name.
• Duplicate function name.
• Array maximum size exceeded.+"Func" statement has no matching "EndFunc".
• 0Expected a "=" operator in assignment statement.*Invalid keyword at the start of this line.

• Error parsing function call.0Incorrect number of parameters in function call.\"'ReDim" used without an array variable.>Illegal text at the end of statement (one statement per line).1"If" statement has no matching "EndIf" statement.1"Else" statement with no matching "If" statement.2"EndIf" statement with no matching "If" statement.7Too many "Else" statements for matching "If" statement.3"While" statement has no matching "Wend" statement.4"Wend" statement with no matching "While" statement.%Variable used without being declared.XArray variable has incorrect number of subscripts or subscript dimension range exceeded.#Variable subscript badly formatted.*Subscript used on non-accessible variable.&Too; many subscripts used for an array.0Missing subscript dimensions in "Dim" statement.NNo variable given for "Dim", "Local", "Global", "Struct" or "Const" statement.
• Error in expression.
• Missing operator in expression."Unbalanced brackets in expression.
• "With" missing "EndWith".(Missing right bracket \')\' in expression.
• "EndWith" missing "With".!Badly formatted "Func" statement.
• AutoIt supports the __stdcall (WINAPI) and __cdecl calling conventions. The __stdcall (WINAPI) convention is used by default but __cdecl can be used instead. See the DllCall() documentation for details on changing the calling convention.
• Stack corruption typically occurs when either the wrong calling convention is used or when the function is called with the wrong number of arguments.
• AutoIt has detected the stack has become corrupt.
• AutoIt Error
• (Paused)
• E&xit;
• Script &Paused;
• Context1
• 3f333
• fff3f
• wparam
• lparam
• lresult
• ulong_ptr
• uint_ptr
• double
• float
• handle
• uint64
• int64
• uint
• bool
• ulong
• long
• word
• dword
• ushort
• short
• wchar
• char
• boolean
• ubyte
• byte
• endstruct
• align
• @GUI_DRAGFILE
• @GUI_DROPID
• @GUI_DRAGID
• SysListView32
• SysTreeView32
• SysTabControl32
• msctls_updown32
• SysAnimate32
• msctls_trackbar32
• Msctls_Progress32
• .exe

- .icl
- SysMonthCal32
- SysDateTimePick32
- Listbox
- Combobox
- button
- %d/%02d/%02d
- tooltips_class32
- msctls_statusbar321
- EXPAND
- EXISTS
- COLLAPSE
- GETTOTALCOUNT
- VIEWCHANGE
- FINDITEM
- DESELECT
- SELECTINVERT
- SELECTCLEAR
- SELECTALL
- ISSELECTED
- GETSELECTEDCOUNT
- GETTEXT
- GETSUBITEMCOUNT
- GETITEMCOUNT
- SENDCOMMANDID
- GETLINE
- EDITPASTE
- GETCURRENTCOL
- GETCURRENTLINE
- GETLINECOUNT
- GETSELECTED
- UNCHECK
- CHECK
- ISCHECKED
- GETCURRENTSELECTION
- SETCURRENTSELECTION
- DELSTRING
- HIDEDROPDOWN
- SHOWDROPDOWN
- CURRENTTAB
- TABRIGHT
- TABLEFT
- ISENABLED
- ISVISIBLE
- REG_BINARY
- REG_QWORD
- REG_DWORD
- REG_MULTI_SZ
- REG_EXPAND_SZ
- HKEY_USERS
- HKCU
- HKEY_CURRENT_USER
- HKEY_CURRENT_CONFIG
- HKEY_CLASSES_ROOT
- HKEY_LOCAL_MACHINE
- ubyte
- winapi

- SeDebugPrivilege
- USERDOMAIN
- USERPROFILE
- 3, 3, 10, 2
- Control Panel\\Appearance
- SchemeLangID
- InstallLanguage
- WIN_XPe
- WIN_2003
- WIN_VISTA
- WIN_2008
- WIN_7
- WIN_2008R2
- WIN_8
- WIN_2012
- WIN_2012R2
- WIN_81
- WIN32_NT
- IA64
- %.3d
- Incorrect parameters to object property !
- Variable is not of type 'Object'.
- Invalid characters behind Object assignment!
- Variable must be of type 'Object'.
- CALLARGARRAY
- Invalid parameter
- Failed to create object
- Not an Object type
- get__NewEnum
- _NewEnum
- AUTOIT.ERROR
- Incorrect Parameter format
- NULL Pointer assignment
- Table
- UserFunction
- Function
- Binary
- Keyword
- Bool
- Object
- Reference
- Array
- Double
- Int64
- Int32
- 255.255.255.255
- AUTOITCALLVARIABLE%d
- msctls_progress32
- DISPLAY
- Environment
- <local>
- GUI_RUNDEFMSG
- UNKNOWN
- READONLY
- NOTREADY
- INVALID
- READY

- FileBackedVirtual
- Virtual
- SATA
- iSCSI
- RAID
- Fibre
- 1394
- ATAPI
- SCSI
- Unknown
- RAMDisk
- CDROM
- Network
- Fixed
- Removable
- PhysicalDrive
- close cd wait
- wait
- set cd door
- type cdaudio alias cd wait
- open
- closed
- close
- unknown
- ramdisk
- network
- fixed
- removable
- cdrom
- %02d
- ^ ERROR
- Default
- %4d%02d%02d%02d%02d%02d
- False
- True
- 0x%p
- SECONDARY
- MENU
- PRIMARY
- MAIN
- MIDDLE
- SeShutdownPrivilege
- play PlayMe
- play PlayMe wait
- close PlayMe
- status PlayMe mode
- alias PlayMe
- open
- 0.0.0.0
- %u.%u.%u.%u
- DefaultLangCodepage
- 04090000
- \\VarFileInfo\\Translation
- StringFileInfo\\
- #32770
- BUTTON
- Line:

- warning
- stop
- question
- info
- blank
- REMOVE
- THIS
- Unterminated group of comments
- Cannot parse #include
- Unterminated string
- Bad directive syntax error
- >>>AUTOIT SCRIPT<<<
- Error opening the file
- #include depth exceeded. Make sure there are no recursive includes
- All files (*.*)
- *.au3;*.a3x
- AutoIt script files (*.au3, *.a3x)
- Error:
- ^ ERROR
- Error:
- Line %d:
- Release
- AddRef
- QueryInterface
- InterfaceDispatch
- clsid
- object
- idispatch
- wparam
- ulong_ptr
- uint_ptr
- lparam
- lresult
- handle
- hresult
- double
- float
- uint64
- int64
- variant
- long
- uint
- ulong
- dword
- word
- ushort
- short
- bool
- boolean
- byte
- none
- cdecl
- @COM_EVENTOBJ
- STOP
- CLEAR
- RAISE
- RETCODE

- SCRIPTLINE
- HELPCONTEXT
- HELPFILE
- SOURCE
- DESCRIPTION
- WINDESCRIPTION
- Container
- AutoIt3GUI
- ThumbnailClass
- TITLE
- REGEXPTITLE
- HANDLE
- [ALL
- CLASSNAME=
- [REGEXPTITLE:
- REGEXP=
- [HANDLE:
- HANDLE=
- [ACTIVE
- ACTIVE
- [LAST
- LAST
- %s%u
- TEXT
- INSTANCE
- NAME
- REGEXPCLASS
- CLASS
- list
- smallicons
- details
- largeicons
- ListBox
- ComboBox
- winsta0\\default
- default
- winsta0
- SeRestorePrivilege
- SeBackupPrivilege
- SeIncreaseQuotaPrivilege
- SeAssignPrimaryTokenPrivilege
- Error allocating memory.
- runas
- \\IPC$
- AutoIt v3 GUI
- MUILANG
- UNICODE
- AUTOITX64
- AUTOITUNICODE
- AUTOITPID
- HOTKEYPRESSED
- NUMPARAMS
- INETGETACTIVE
- INETGETBYTESREAD
- LOGONDOMAIN
- LOGONSERVER
- HOMESHARE

- HOMEPATH
- HOMEDRIVE
- USERPROFILEDIR
- TEMPDIR
- USERNAME
- COMSPEC
- COMPILED
- DESKTOPREFRESH
- DESKTOPDEPTH
- DESKTOPHEIGHT
- DESKTOPWIDTH
- IPADDRESS4
- IPADDRESS3
- IPADDRESS2
- IPADDRESS1
- AUTOITEXE
- AUTOITVERSION
- KBLAYOUT
- CPUARCH
- OSARCH
- PROCESSORARCH
- OSLANG
- OSSERVICEPACK
- OSBUILD
- OSVERSION
- OSTYPE
- WORKINGDIR
- SCRIPTLINENUMBER
- SCRIPTDIR
- SCRIPTNAME
- SCRIPTFULLPATH
- TRAYICONFLASHING
- TRAYICONVISIBLE
- SW_UNLOCK
- SW_SHOWNORMAL
- SW_SHOWNOACTIVATE
- SW_SHOWNA
- SW_SHOWMINNOACTIVE
- SW_SHOWMINIMIZED
- SW_SHOWMAXIMIZED
- SW_DISABLE
- SW_ENABLE
- SW_SHOWDEFAULT
- SW_RESTORE
- SW_MAXIMIZE
- SW_MINIMIZE
- SW_HIDE
- SYSTEMDIR
- WINDOWSDIR
- COMPUTERNAME
- STARTUPDIR
- STARTMENUDIR
- PROGRAMSDIR
- FAVORITESDIR
- DESKTOPDIR
- APPDATADIR
- LOCALAPPDATADIR

- STARTUPCOMMONDIR
- STARTMENUCOMMONDIR
- PROGRAMSCOMMONDIR
- FAVORITESCOMMONDIR
- DOCUMENTSCOMMONDIR
- DESKTOPCOMMONDIR
- APPDATACOMMONDIR
- MYDOCUMENTSDIR
- COMMONFILESDIR
- PROGRAMFILESDIR
- YDAY
- WDAY
- YEAR
- MDAY
- HOUR
- MSEC
- EXTENDED
- ERROR
- WinWaitDelay
- d1#3
- WinTitleMatchMode
- d1r1,2
- WinTextMatchMode
- WinSearchChildren
- WinDetectHiddenText
- TrayOnEventMode
- d0#2
- TrayMenuMode
- d0#1
- TrayIconHide
- TrayIconDebug
- TrayAutoPause
- d100m0
- TCPTimeout
- SetExitCode
- SendKeyDownDelay
- d5m0
- SendKeyDelay
- SendCapsLockMode
- SendAttachMode
- PixelCoordMode
- MustDeclareVars
- MouseCoordMode
- d250m0
- MouseClickDragDelay
- MouseClickDownDelay
- d10m0
- MouseClickDelay
- d0r0,1023
- GUIResizeMode
- GUIOnEventMode
- d0r0,3
- GUIEventOptions
- d124c
- GUIDataSeparatorChar
- GUICoordMode
- GUICloseOnESC

- ExpandVarStrings
- ExpandEnvStrings
- d1r0,2
- CaretCoordMode
- static
- WINWAITNOTACTIVE
- WINWAITCLOSE
- WINWAITACTIVE
- WINWAIT
- WINSETTRANS
- WINSETTITLE
- WINSETSTATE
- WINSETONTOP
- WINMOVE
- WINMINIMIZEALLUNDO
- WINMINIMIZEALL
- WINMENUSELECTITEM
- WINLIST
- WINKILL
- WINGETTITLE
- WINGETTEXT
- WINGETSTATE
- WINGETPROCESS
- WINGETPOS
- WINGETHANDLE
- WINGETCLIENTSIZE
- WINGETCLASSLIST
- WINGETCARETPOS
- WINFLASH
- WINEXISTS
- WINCLOSE
- WINACTIVE
- WINACTIVATE
- VARGETTYPE
- UDPSTARTUP
- UDPSHUTDOWN
- UDPSEND
- UDPRECV
- UDPOPEN
- UDPCLOSESOCKET
- UDPBIND
- UBOUND
- TRAYTIP
- TRAYSETTOOLTIP
- TRAYSETSTATE
- TRAYSETPAUSEICON
- TRAYSETONEVENT
- TRAYSETICON
- TRAYSETCLICK
- TRAYITEMSETTEXT
- TRAYITEMSETSTATE
- TRAYITEMSETONEVENT
- TRAYITEMGETTEXT
- TRAYITEMGETSTATE
- TRAYITEMGETHANDLE
- TRAYITEMDELETE
- TRAYGETMSG

- TRAYCREATEMENU
- TRAYCREATEITEM
- TOOLTIP
- TIMERINIT
- TIMERDIFF
- TCPNAMETOIP
- TCPLISTEN
- TCPCONNECT
- TCPACCEPT
- STRINGUPPER
- STRINGTRIMRIGHT
- STRINGTRIMLEFT
- STRINGTOBINARY
- STRINGTOASCIIARRAY
- STRINGREVERSE
- STRINGREPLACE
- STRINGREGEXPREPLACE
- STRINGREGEXP
- STRINGMID
- STRINGLOWER
- STRINGLEN
- STRINGLEFT
- STRINGISXDIGIT
- STRINGISUPPER
- STRINGISSPACE
- STRINGISLOWER
- STRINGISINT
- STRINGISFLOAT
- STRINGISDIGIT
- STRINGISASCII
- STRINGISALPHA
- STRINGISALNUM
- STRINGFROMASCIIARRAY
- STRINGFORMAT
- STRINGCOMPARE
- STDOUTREAD
- STDIOCLOSE
- STDINWRITE
- STDERRREAD
- STATUSBARGETTEXT
- SRANDOM
- SPLASHTEXTON
- SPLASHOFF
- SPLASHIMAGEON
- SOUNDSETWAVEVOLUME
- SOUNDPLAY
- SHUTDOWN
- SHELLEXECUTEWAIT
- SHELLEXECUTE
- SETEXTENDED
- SETERROR
- SENDKEEPACTIVE
- SEND
- RUNWAIT
- RUNASWAIT
- RUNAS
- ROUND

- REGWRITE
- REGREAD
- REGENUMVAL
- REGENUMKEY
- REGDELETE
- RANDOM
- PROGRESSSET
- PROGRESSON
- PROGRESSOFF
- PROCESSWAITCLOSE
- PROCESSWAIT
- PROCESSSETPRIORITY
- PROCESSLIST
- PROCESSGETSTATS
- PROCESSEXISTS
- PROCESSCLOSE
- PIXELSEARCH
- PIXELGETCOLOR
- PIXELCHECKSUM
- PING
- ONAUTOITEXITUNREGISTER
- ONAUTOITEXITREGISTER
- OBJNAME
- OBJGET
- OBJEVENT
- OBJCREATEINTERFACE
- OBJCREATE
- MOUSEWHEEL
- MOUSEUP
- MOUSEMOVE
- MOUSEGETPOS
- MOUSEGETCURSOR
- MOUSEDOWN
- MOUSECLICKDRAG
- MOUSECLICK
- MEMGETSTATS
- ISTABLE
- ISSTRING
- ISPTR
- ISOBJ
- ISNUMBER
- ISKEYWORD
- ISINT
- ISFUNC
- ISFLOAT
- ISDECLARED
- ISBOOL
- ISBINARY
- ISARRAY
- ISADMIN
- INPUTBOX
- INIWRITESECTION
- INIWRITE
- INIRENAMESECTION
- INIREADSECTIONNAMES
- INIREADSECTION
- INIREAD

- INIDELETE
- INETREAD
- INETGETSIZE
- INETGETINFO
- INETGET
- INETCLOSE
- HOTKEYSET
- GUISWITCH
- GUISTARTGROUP
- GUISETSTATE
- GUISETONEVENT
- GUISETICON
- GUISETHELP
- GUISETFONT
- GUISETCURSOR
- GUISETCOORD
- GUISETBKCOLOR
- GUISETACCELERATORS
- GUIREGISTERMSG
- GUIGETMSG
- GUIGETCURSORINFO
- GUIDELETE
- GUICREATE
- FUNCNAME
- FLOOR
- FILEWRITELINE
- FILEWRITE
- FILESETTIME
- FILESETPOS
- FILESETATTRIB
- FILESELECTFOLDER
- FILESAVEDIALOG
- FILERECYCLEEMPTY
- FILERECYCLE
- FILEREADTOARRAY
- FILEREADLINE
- FILEREAD
- FILEOPENDIALOG
- FILEOPEN
- FILEMOVE
- FILEINSTALL
- FILEGETVERSION
- FILEGETTIME
- FILEGETSIZE
- FILEGETSHORTNAME
- FILEGETSHORTCUT
- FILEGETPOS
- FILEGETLONGNAME
- FILEGETENCODING
- FILEGETATTRIB
- FILEFLUSH
- FILEFINDNEXTFILE
- FILEFINDFIRSTFILE
- FILEEXISTS
- FILEDELETE
- FILECREATESHORTCUT
- FILECOPY

- FILECLOSE
- FILECHANGEDIR
- EXECUTE
- EVAL
- ENVUPDATE
- ENVSET
- ENVGET
- DRIVESTATUS
- DRIVESPACETOTAL
- DRIVESPACEFREE
- DRIVESETLABEL
- DRIVEMAPGET
- DRIVEMAPDEL
- DRIVEMAPADD
- DRIVEGETTYPE
- DRIVEGETSERIAL
- DRIVEGETLABEL
- DRIVEGETFILESYSTEM
- DRIVEGETDRIVE
- DLLOPEN
- DLLCALLBACKREGISTER
- DLLCALLBACKFREE
- DLLCALLADDRESS
- DIRREMOVE
- DIRMOVE
- DIRGETSIZE
- DIRCREATE
- DIRCOPY
- CONTROLTREEVIEW
- CONTROLSHOW
- CONTROLSETTEXT
- CONTROLSEND
- CONTROLMOVE
- CONTROLLISTVIEW
- CONTROLHIDE
- CONTROLGETTEXT
- CONTROLGETPOS
- CONTROLGETHANDLE
- CONTROLGETFOCUS
- CONTROLFOCUS
- CONTROLENABLE
- CONTROLDISABLE
- CONTROLCOMMAND
- CONTROLCLICK
- CONSOLEWRITEERROR
- CONSOLEWRITE
- CONSOLEREAD
- CLIPPUT
- CLIPGET
- CEILING
- CALL
- BLOCKINPUT
- BITXOR
- BITSHIFT
- BITROTATE
- BITOR
- BITNOT

- BITAND
- BINARYTOSTRING
- BINARYMID
- BINARYLEN
- BINARY
- BEEP
- AUTOITWINSETTITLE
- AUTOITWINGETTITLE
- AUTOITSETOPTION
- ATAN
- ASSIGN
- ASIN
- ASCW
- ADLIBUNREGISTER
- ADLIBREGISTER
- ACOS
- @TRAY_ID
- @GUI_WINHANDLE
- @GUI_CTRLID
- @EXITMETHOD
- @EXITCODE
- close all
- %.15g
- ENUM
- VOLATILE
- NULL
- DEFAULT
- FALSE
- TRUE
- ENDWITH
- WITH
- BYREF
- EXIT
- RETURN
- ENDFUNC
- FUNC
- STATIC
- CONST
- GLOBAL
- LOCAL
- REDIM
- CONTINUECASE
- ENDSWITCH
- ENDSELECT
- CASE
- SELECT
- CONTINUELOOP
- EXITLOOP
- STEP
- NEXT
- UNTIL
- WEND
- WHILE
- ENDIF
- ELSEIF
- ELSE
- THEN

- 0123456789ABCDEF
- Control Panel\\Mouse
- SwapMouseButtons
- !!!!!ee
- meeeeeeeeeeeeemmm
- !!!!!!!!!!!!!!!!!!!!!!!!!!!!eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeenhhh

- NUMPADMULT
- NUMPAD9
- NUMPAD8
- NUMPAD7
- NUMPAD6
- NUMPAD5
- NUMPAD4
- NUMPAD3
- NUMPAD2
- NUMPAD1
- NUMPAD0
- CAPSLOCK
- PAUSE
- BREAK
- NUMLOCK
- SCROLLLOCK
- RWIN
- LWIN
- SPACE
- RIGHT
- PGUP
- LEFT
- INSERT
- HOME
- ESCAPE
- ENTER
- DOWN
- DELETE
- BACKSPACE
- #comments-end
- #comments-start
- #include-once
- #OnAutoItStartRegister
- #requireadmin
- #notrayicon
- #pragma compile
- #include
- Software\\AutoIt v3\\AutoIt
- Include
- NUMBER
- WM_GETCONTROLNAME
- AutoIt
- TaskbarCreated
- /AutoIt3ExecuteScript
- /AutoIt3ExecuteLine
- /AutoIt3OutputDebug
- /ErrorStdOut
- CMDLINE
- CMDLINERAW
- >>>AUTOIT NO CMDEXECUTE<<<
- edit
- AutoIt v3
- CONOUT$
- USER32.DLL
- zu-za
- zh-mo
- xh-za

- vi-vn
- uz-uz-latn
- uz-uz-cyrl
- ur-pk
- uk-ua
- tt-ru
- tn-za
- te-in
- ta-in
- sw-ke
- sv-se
- sv-fi
- sr-ba-latn
- sq-al
- sma-se
- sma-no
- sl-si
- se-se
- se-no
- se-fi
- sa-in
- ru-ru
- ro-ro
- quz-pe
- quz-ec
- quz-bo
- pa-in
- ns-za
- nn-no
- nl-be
- nb-no
- mr-in
- ml-in
- mi-nz
- ko-kr
- kok-in
- kn-in
- ka-ge
- ja-jp
- it-it
- it-ch
- is-is
- id-id
- hy-am
- hu-hu
- hr-ba
- hi-in
- he-il
- gu-in
- gl-es
- fr-lu
- fr-ca
- fr-be
- fo-fo
- fi-fi
- fa-ir
- eu-es

- et-ee
- es-ve
- es-uy
- es-sv
- es-py
- es-pr
- es-pe
- es-pa
- es-ni
- es-mx
- es-hn
- es-gt
- es-es
- es-ec
- es-do
- es-cr
- es-co
- es-cl
- es-bo
- es-ar
- en-zw
- en-za
- en-us
- en-tt
- en-ph
- en-nz
- en-jm
- en-ie
- en-gb
- en-cb
- en-ca
- en-bz
- en-au
- el-gr
- de-lu
- de-li
- de-de
- de-ch
- de-at
- da-dk
- ca-es
- bs-ba-latn
- bn-in
- be-by
- az-az-latn
- az-az-cyrl
- ar-ye
- ar-tn
- ar-sy
- ar-sa
- ar-qa
- ar-om
- ar-ma
- ar-ly
- ar-lb
- ar-kw
- ar-jo

- ar-iq
- ar-eg
- ar-dz
- ar-bh
- ar-ae
- af-za
- es-PR
- es-NI
- es-HN
- es-SV
- es-BO
- ar-QA
- es-PY
- ar-BH
- es-UY
- ar-AE
- es-CL
- en-PH
- ar-KW
- es-EC
- en-ZW
- ar-LB
- es-AR
- en-TT
- ar-JO
- es-PE
- en-BZ
- ar-SY
- es-CO
- en-CB
- ar-YE
- es-VE
- en-JM
- ar-OM
- sma-SE
- es-DO
- en-ZA
- ar-TN
- sma-NO
- sr-BA-Latn
- es-PA
- en-IE
- ar-MA
- bs-BA-Latn
- fr-LU
- es-CR
- en-NZ
- de-LI
- zh-MO
- ar-DZ
- hr-BA
- es-GT
- en-CA
- de-LU
- ar-LY
- quz-PE
- se-FI

- fr-CA
- es-ES
- en-AU
- de-AT
- ar-EG
- quz-EC
- uz-UZ-Cyrl
- se-SE
- az-AZ-Cyrl
- sv-FI
- nn-NO
- nl-BE
- it-CH
- fr-BE
- es-MX
- en-GB
- de-CH
- ar-IQ
- mi-NZ
- ns-ZA
- quz-BO
- kok-IN
- gl-ES
- sa-IN
- mr-IN
- ml-IN
- kn-IN
- te-IN
- ta-IN
- gu-IN
- pa-IN
- bn-IN
- tt-RU
- uz-UZ-Latn
- sw-KE
- se-NO
- hi-IN
- fo-FO
- ka-GE
- af-ZA
- zu-ZA
- xh-ZA
- tn-ZA
- eu-ES
- az-AZ-Latn
- hy-AM
- vi-VN
- fa-IR
- et-EE
- sl-SI
- be-BY
- uk-UA
- id-ID
- ur-PK
- sv-SE
- sq-AL
- ru-RU

- ro-RO
- nb-NO
- it-IT
- is-IS
- hu-HU
- he-IL
- fi-FI
- el-GR
- de-DE
- da-DK
- ca-ES
- ar-SA
- UNICODE
- UTF-16LE
- UTF-8
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:
- Runtime Error!
- - floating point support not loaded
- R6002
- runtime error
- TLOSS error
- SING error
- DOMAIN error
- - inconsistent onexit begin-end variables
- R6034
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- - not enough space for locale information
- R6032
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - CRT not initialized
- R6030
- - unable to initialize heap
- R6028
- - not enough space for lowio initialization
- R6027
- - not enough space for stdio initialization
- R6026
- - pure virtual function call
- R6025
- - not enough space for _onexit/atexit table
- R6024
- - unable to open console device
- R6019
- - unexpected heap error
- R6018
- - unexpected multithread lock error
- R6017
- - not enough space for thread data
- R6016
- - abort() has been called
- R6010

- - not enough space for environment
- R6009
- - not enough space for arguments
- R6008
- kernel32.dll
- en-US
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- ko-KR
- ja-JP
- am/pm
- combase.dll
- mscoree.dll
- 0 0$0p0t0x0|0
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 1 1$1(1,1014181<1H1L1P1T1X1\\1`1d1l1p1
- 9 9@9`9l9
- 808P8p8|8
- 707P7p7
- 6(6H6d6h6
- d5h5
- 80<0@0D0H0L0P0
- 8 888H8L8\\8`8p8t8|8
- (8,80848@8D8H8
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 83<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 9 9(90989@9H9P9X9`9h9p9x9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- \\8`8d8h8l8p8t8x8|8
- 7 8:8B8
- 4#4'4+4/43474;4?4C4G4K4O4S4W4[4_4c4g4k4o4s4w4{4
- 3#3'3+3/33373;3?3C3G3K3O3S3W3[3_3c3g3k3o3s3w3{3
- 7)717
- 4R5Y5

- 3a4|4
- 0T1n1v1}1N2i2q2x2U3p3x3
- 8S9o9w9
- g5v6
- 2"2*212
- 0&1A1I1P1
- V0p0x0
- >6>>>E>
- 5$6?6I6w<O=i=q=
- R1p1w1?4Z4d4
- 7-747v7}7
-]6r6
- ~364
- 3#3'3
- 2#2G2K2O2S2W2[2_2c2g2k2o2s2w2{2
- 1Z2i2
- ;1;8;U<\\<c<
- 474Q4k4
- Z0X2r2
- 415x5
- 2N4[4a4
- 2<2G2S2e2k2w2
- 1L1W1^1
- 9'949<9O9t9
- 8#858C8S8e8
- 5,585G5_5
- 2F3Y3
- 0!0F0
- 6663;m;~;
- 2"2&2*2.22262:2>2B2F2J2N2R2V2Z2^2b2f2j2n2r2v2z2~2
- 8"8&8*8.82868:8>8B8F8J8N8R8V8Z8^8b8f8j8n8r8v8z8~8
- 2W3i3
- 121Z1d1
- R0t0{0
- :2;a;
- 9Z:g:
- 9"9&9*9.92969:9>9B9F9J9N9R9V9Z9^9b9f9j9n9r9v9z9~9
- 3?4T4Y4c4
- 2\\3|3
- 8j9V:g:&;8;
- 7<8I8\\8
- 2!2%2)2-2125292=2A2E2I2M2.5
- 9c<u<
- 7"7&7*7.72767:7>7B7F7J7N7R7V7Z7^7b7f7j7n7r7v7z7E9U9Z9d9
- 5f6j6n6r6v6z6~6
- 768v8
- 5#5'5+5/53575;5?5C5G5K5O5S5W5[5_5c5g5k5o5s5w5{5
- 313B3
- 071H1
- 8@<l>1?
- 346w6
- D0K1
- 889_9
- 3b5i5
- s3}3
- :2:Q:
- 8 8W8c8

- 7"7;7G7Y7e7
- 4(5J5P5[5f5y5
- 4F4L4
- =1=7=5>>>G>
- 6:9?9
- 6:6u6
- 4(5I5x5
- 0N1T1Z1/3G3M3W3\\3f3n4v4
- 708D8b8|8
- 7@7n7
- 6*6Z6{6
- 3*515
- 3$3<3H3f3v3
- 24292M2X2
- 1<1D1J1P1e1
- ?$?0?:?a?
- 2#40484C4f4s4z485>5w5
- 7#7'7+7>7b7<8
- 6(626;6Q6X6
- 2)3T3E4
- 2$262_2
- :<:I:a:
- 9"929B9R9X9c9i9r9~9
- 797^7o7
- 585Z5r5
- 4,4R4a4
- 3L3o3
- 2+2D2[2}2
- 151M1i1
- 0C0H0y0
- 7b8o8u8
- 6F6n6
- 5\t5f5}5
- 223R3u3
- 1 1H1W1j1p1
- 0E0Z0{0
- ???b?i?x?
- 9 9k9}9
- 8$8,8:8G8W8e8}8
- 606I6T6
- 5$505@5W5a5
- 4*4V4m4
- 3%343@3U3_3j3u3
- 2 2K2u2
- 1*151D1S1~1
- ?0F0Q0U0Y0]0a0e0i0m0q0u0y0}0
- =^=i=
- <&<U<
- 91:K:
- 8'9K9Q9m9x9
- 8B8z8
- 787T7`7
- 5P6k6}6
- 5+5D5
- 4B4H4x4
- 040?0i0{0
- :a;x;

- 8+8o8
- 6 7O7
- 324\\4i4
- 383i3
- 2<2{2
- 1_1w1
- 0=0y0
- ???O?
- 72797f7
- 5!6U6
- 5.5c5
- 3&4A4
- 2!3&3O3y3
- 1S2q2
- 111r1
- 010i0p0
- >7?U?
- <!=7=A=r=
- 8(9<9V9k9z9
- 838V8t8
- 6S7w7
- 6Y6_6
- 4*5H5Q5
- 2\t303D3
- 172]2x2
- 161<1
- 90?0
- =P=a=
- 0\\1p1g2?3v3
- 6/7U7o7
- 636T6\\6b6
- 1\t2"383Y3c3
- 0(0F0e0
- ;9<~<
- 9T:Y:
- 5!5X5
- 4#4V4
- 333f3
- 1G2R2
- 7q8}8
- 11i1
- n1s1x1
- 0.0k0
- 6"626b7
- 2"313
- 6H7S7
- 4 4$4(4,4044484<4@4D4H4L4P4T4z4
- 191b1
- 0.0a0
- <1=Y=
- 757[7i8
- 031d1
- ?6?\\?
- 8G8^8
- 2 2m2)4
- 60T0
- <5=_=

- ;7<\\<
- :%:4:
- 6<7^7y7
- 3I3x3
- =4=q=
- 7)999N9[9x9
- 6D6J6U6h6
- 4)5;5W5o5x5
- 3!4,424
- 2%262W2
- &0-0_0
- 8E9X9
- 6?7b7
- 465Y5
- 4<4T4
- 172F2b2q2
- 0b1q1
- :6=|=
- 7Q8W8
- 6<7H7V7y7
- 0v0|0
- 687;9o:s:w:{:
- 4!5d5
- 30363<3B3K3w3
- 1%2F2g2
- 1"171D1x1
- /0Y0
- 959=9
- 6:7L7
- 405l5
- 2K3>4N4w4
- 94:b:
- 7W8\\9i9
- 4&626
- 1"2J2O2b2j2
- 0B1U1f1
- 4(555P5
- 2(2>2M2d2{2
- 151f1v1
- R0u0
- 7>8W8
- &0W1
- 8=9G9Q9Y9
- 3I4;7U8
- 5I6\\6o6
- ,0>0O0Y0b0h0
- =4=4?Z?
- 859f9
- 6#6*61686?6F6M6T6[6b6i6p6w6~6
- 4/5M5l5v5
- 4?4`4h4
- 283R3u3
- 1.1A1:2
- 0d0i0
- 8F9n9
- 6A7S7C8j8z8
- 626K6X6r6

- 4/5N5c5
- 434W4d4~4
- 0 00070k1G3f3{3
- 8-8#9
- Q0`2
- ;5;s;
- 9 9$9(9,9094989<9@9
- 6)787R7t7
- 4W4o4x4
- 91R1Y1d1
- 7)8-8185898*>>?B?F?J?N?R?V?Z?^?b?
- 323C3P3]3p3w387A7M7
- 2#2G2S2
- 0:1k1
- #0d0
- :9:H:i:
- 5+5:5D5K5
- 4'4;4Q4t4~4
- 3/3A3s3
- 1)1/1=1C1V1\\1g1m1s1~1
- ?0l0w0
- ;0;:;\\;i;
- 9%929S9x9
- 758>8h8
- 7<7G7]7h7
- 5#6K6R6b6s6z6
- 2$3)3X4{4W5
- 2 2_2k2x2
- 1 1^1
- $0N0
- =3>y>
- =#=9=U=c=
- 9-:d:
- 2%2Y2x2
- >3?]?
- 9!9K9
- 7-757@7L7T8^8y8
- 5-6^6
- 2(2/2:2?2E2P2g2{5
- <8=m=
- ;$;,;2;A;
- 5:6O6
- ?2C2G2K2O2S2W2[2_2c2g2k2o2s2w2
- 6\\8i8
- 6I6v6
- 4'4=4J4
- 3&3<3d3|3
- 202=2W2h2
- 0-1?1I1
- 9#:u:
- 9U9`9
- 8,8{8
- @0Y0
- >9?K?
- 9>9h9r9
- 888Y8b8|8
- 6-7_7}7

- 4F5h5
- 4!4v4
- \\0r0
- 767S7
- 0+1e1{1
- *0L0h0
- 838<8G8M8S8
- 6K7h7~7
- 546|6
- 424B4Y4i4~4
- P0}0
- 9$:J:
- 7 8*8X8
- 5%575C5V5_5r5
- 4$4D4
- 2*2L2c2t2
- ,0f0Z1a1h1z1
- ;:;i;
- 7F8g8n8
- 6B6U6\\6c6|6
- 23304e4w4
- 1Z2u2
- 0)171
- >(>I>R>u>
- =8=w=
- 9*9D9^9}9
- 7)8]8v8
- 7@7w7
- 5/5d5
- 4`4~4
- 2C3b3
- 2 2O2n2
- 091X1
- 0'0B0T0\\0s0
- 9%9<9Y9`9p9
- 8!8(8>8Y8`8
- 6#7I7]7
- 5-6>6{6
- 4(5N5b5
- 324C4
- 273@3J3O3U3`3e3m3
- 5K5=6
- 2\t3)3l3
- 212H2R2
- 80g0
- 6I7(8b8u8H9
- 5,696I6V6
- 7A8Z8i8
- 3I7M7Q7U7Y7]7a7e7i7m7q7u7
- 3e4l4
- 0 171]1
- 8Z9d9
- 2k396H6g6K7g7
- 8Z9q9
- 2;3A3O3^3
- _0g0
- 8Z8r8

- 7 7,7:7@7O7V7f7l7r7z7
- 6!616:6
- 5.5f5l5r5x5~5
- 898E8K8Q8W8
- 6B6h6v6|6
- 1%181>1D1
- [0f0
- 789?9
- 7;7e7
- 434<4E4
- 3 3N3Z3f3|3
- I0U0e0q0
- ?c?o?
- 758A8a8q8}8
- 7!7M7U7x7
- 6A6I6
- 3W4_4g4s4
- 3 3,353
- 0B1J1V1
- 0(040@0L0
- </<7<
- 8(9T9
- 7+7O7[7
- 6"6:6
- 4"5?5^5
- 2"2G2U2c2
- 0'0D0Z0
- 6E6Q6\\7
- 3;5t5
- 3%32373D3I3
- 1T1_1
- 0,0=0E0U0f0
- 8+838T8
- 6(7g7
- 4D4h4q4|4
- 242T2
- 0D1~1
- 0'000;0C0a0m0
- 4h5{7
- 9*919}9
- 8O8U8]8
- 7/7r7
- 5"5(5,52565<5@5
- 5<8@8D8H8L8P8T8X899E9
- 2)21272C2H2M2R2[2
- 9%9G9L9g9l9
- 858N8_8t8
- 7'767[7w7
- 6"6k6
- 4+535
- 3<3v3
- 2+2>2X2`2k2
- 011>1H1V1_1i1
- =c=u=
- 8O91:o:z:
- 7\\8d8{8
- 7#717Q7n7

- 656>6L6h6
- 0Y2g2
- 0?0q0x0|0
- ;3<[<i<
- ;B;o;
- 8Z8s8
- 6*7C7
- 5`6r6
- 5i5w5
- 394G4Y4d4
- 3+363e3p3
- 2.292K2b2
- >I?S?e?
- 7!8~8
- 616@6 7
- 738:8\\8c8
- 5[5w5
- 3^4w4
- 60>0J0P0W0b0g0m0w0}0
- >Z?a?i?u?{?
- 8W9b9j<+=
- 3090D0K0_0e0
- ;i;p;
- 1:1D1O1a1s6
- 8%8*8
- 5.6@6E6J6O6T6Y6_6d6i6
- 4J4|5
- 808r8
- 7 7@7E7L7X7]7h7u7
- 3I4l4q4
- 3#3'3+3/33373;3?3C3G3K3O3S3W3[3_3c3g3k3o3s3w3{3
- 2#2'2+2/23272;2?2C2G2K2O2S2W2[2_2c2g2k2o2s2w2{2
- 1;1B1I1
- 4)438l8$;D;N;
- 3"3-383C3N3Y3d3o3z3
- 1#1+131;1G1R1]1h1s1~1
- 7+7X8q859:9{9
- 4J4p5u5:6Y6m6w6
- 3"3&3*3.32363:3>3B3F3J3N3R3V3Z3^3b3f3j3n3r3v3z3~3
- ?2?A?
- 8(939>9g9|9
- 8!8=8L8f8r8
- 6K7h7
- 6=6T6
- 5(525D5I5W5]5c5j5p5w5
- 2'2D2U2
- 1!1%1)1-11151h1
- 0C0S0i0
- 9-9I9T9\\9g9o9{9
- 7;8C8n8v8
- 5(5:5E5
- 4'41454;4?4E4O4Y4c4m4q4w4{4
- 3#3-373A3E3K3O3U3_3i3s3}3
- 2#2)232=2G2Q2U2[2_2e2o2y2
- 1%1)1/13191C1M1W1a1e1k1o1u1
- 0!0+05090?0C0I0S0]0g0q0u0{0
- 9#9-91979;9A9K9U9_9i9m9s9w9}9

- 8)838=8A8G8K8Q8[8e8o8y8}8
- 7%7/797C7M7Q7W7[7a7k7u7
- 6!6%6+6/656?6I6S6]6a6g6k6q6{6
- 5'51555;5?5E5O5Y5c5m5q5w5{5
- 4#4-474A4E4K4O4U4_4i4s4}4
- 3#3)333=3G3Q3U3[3_3e3o3y3
- 2%2)2/23292C2M2W2a2e2k2o2u2
- 1!1+15191?1C1I1S1]1g1q1u1{1
- 0'010;0E0I0O0S0Y0c0m0w0
- 9)939=9A9G9K9Q9[9e9o9y9}9
- 8%8/898C8M8Q8W8[8a8k8u8
- 7!7%7+7/757?7I7S7]7a7g7k7q7{7
- 6'61656;6?6E6O6Y6c6m6q6w6{6
- 5#5-575A5E5K5O5U5_5i5s5}5
- 4#4)434=4G4Q4U4[4_4e4o4y4
- 3%3)3/33393C3M3W3a3e3k3o3u3
- 2!2+25292?2C2I2S2]2g2q2u2{2
- 1'111;1E1I1O1S1Y1c1m1w1
- 0#0'0-070A0K0U0Y0_0c0i0s0}0
- 9%9/999C9M9Q9W9[9a9k9u9
- 8!8%8+8/858?8I8S8]8a8g8k8q8{8
- 7'71757;7?7E7O7Y7c7m7q7w7{7
- 6#6-676A6E6K6O6U6_6i6s6}6
- 5#5)535=5G5Q5U5[5_5e5o5y5
- 4%4)4/43494C4M4W4a4e4k4o4u4
- 3!3+35393?3C3I3S3]3g3q3u3{3
- 2'212;2E2I2O2S2Y2c2m2w2
- 1#1'1-171A1K1U1Y1_1c1i1s1}1
- 0)0-03070=0G0Q0[0e0i0o0s0y0
- 9!9%9+9/959?9I9S9]9a9g9k9q9{9
- 8'81858;8?8E8O8Y8c8m8q8w8{8
- 7#7-777A7E7K7O7U7_7i7s7}7
- 6#6)636=6G6Q6U6[6_6e6o6y6
- 5%5)5/53595C5M5W5a5e5k5o5u5
- 4!4+45494?4C4I4S4]4g4q4u4{4
- 3'313;3E3I3O3S3Y3c3m3w3
- 2#2'2-272A2K2U2Y2_2c2i2s2}2
- 1)1-13171=1G1Q1[1e1i1o1s1y1
- 0%0/090=0C0G0M0W0a0k0u0y0
- 9'91959;9?9E9O9Y9c9m9q9w9{9
- 8#8-878A8E8K8O8U8_8i8s8}8
- 7#7)737=7G7Q7U7[7_7e7o7y7
- 6%6)6/63696C6M6W6a6e6k6o6u6
- 5!5+55595?5C5I5S5]5g5q5u5{5
- 4'414;4E4I4O4S4Y4c4m4w4
- 3#3'3-373A3K3U3Y3_3c3i3s3}3
- 2)2-23272=2G2Q2[2e2i2o2s2y2
- 1%1/191=1C1G1M1W1a1k1u1y1
- 0!0+050?0I0M0S0W0]0g0q0{0
- 9#9-979A9E9K9O9U9_9i9s9}9
- 8#8)838=8G8Q8U8[8_8e8o8y8
- 7)7/73797C7M7W7a7e7k7o7u7
- 4'595I6
- 3$4&7K7
- 7!909
- 6j7r7~7
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2

- 6J7;8
- 3\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3l3p3t3x3|3
- 1<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- S0z0
- 5$6N6`6
- 030=0I0Q0
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5:5Y5
- 3'3<3H3
- 8T9X9\\9`9d9h9l9p9t9x9|9
- 5!646H6S6
- 3R4i4
- 3&3@3
- 1<2T2a2
- 5R7W7a7(;[;
- 5'515<5C5
- 2 3(393@3
- 8A:r;
- 5)6a6<7T7l7
- R2c2
- 186<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- =3>:>
- 7-7;7U7`7q7
- 0S1\\1b1.5
- 77:R:j:q:
- 7]7z7
- l5l6p6t6x6|6
- 252L2c2z2
- 4%5\\5k566K7
- 7+858?8I8S8]8g8q8{8
- 2L3a3v3
- 60A0U0
- 929M9k9
- 7$8*898D8b8o8x8
- 7(7.7o7
- 6V6i6o6
- 3,585E5l5y5
- 1#151Y1c1i1o1u1{1
- ?_?i?
- 9!:5:_:d:
- 8!8%8)8-818G9Q9[9e9o9y9
- 2$3\t8
- 6K7S718k8T9
- 6)676;6A6G6M6R6\\6a6k6
- 5.575T5Z5`5f5l5r5x5~5
- 4$4*40464:4@4F4L4R4V4\\4b4h4n4r4x4~4
- 0^1i1n1y1~1(31353E3N3R3W3f3k3u3
- </compatibility>
- </application>
- <supportedOS Id="{1f676c76-80e1-4239-95bb-83d0f6d0da78}"/>
- <supportedOS Id="{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}"/>
- <supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/>
- <supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"/>
- <application>
- <compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1">
- </trustInfo>

- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- <assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" language="*" processorArchitecture="*" publicKeyToken="6595b64144ccf1df"/>
- <dependentAssembly>
- <dependency>
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- JAU3!EA06
- '0H@
- asHY
- dE:*77
- $n1)
- E3D\\
- Z(5h
- 8-yI
- _4;V
- ,,,a
- `3k4
- hZm>2
-]iY%H
- HUy
- 13Sg
- OZ:)
- t3$lp
- E?'
- W0qx
- Q5}Q
- 4|E0Q
- s72S>
- gUi'
- ZyAl
- MRP:A
- X5hon
- [YE}?
- 9\tGFb
- OY3Q
- I<HpE1
- 6ALt+
- o[kx
- $q.4
- ;f:i
- :V28S
- Q4rf)
- h"qU
- Ev=+s
- kkD7
- mh7A-
- S7IY
- g%a:
- A{8u
- ;oBb

- 6x+n
- Cv;1
- lOs=
- 4:eVY
- =KmO
- `KxU
- bTQ:4A
- `?n9
- }pi<
- SZ2&
- `ap
- J\\:00T
- P5LH-
- Oo;$
- <LEA
- w)2gu
- i>8/
- Af]E
- ;G3A
- #oEU
- Ia_f
- J#4Fn
- [<5U/
- >PewR2
- 4B#A
- 6e*Q
- 89=,
- 5<tL
- <<y5s
- 4.W
- 4\\81
- ibtA
- 45o
- z~'o
- nE'm
- e9O)xr
- YEq|
- 4QbU/D1
- YgO
- $Q4!
- URxQ
- J_2(
-]C2]
- }7FK
- 33$V`
- 1:jZy
- 9@2(
- eoA%F6!
- uZ#i
- EsJ9
- =a',8
- 1G)?
- fsh3a4|
- o^IcGa
- OR{+
- rN6p
- o3=5%

- l8(d
- r,-9g
- twuW
- 1d|/
- ,5;BU
- wfmec
- 4})qF
- 4DA\\
- 5*42
- 5n#oKu
- fO*Z
- [f9po\\
-]K\t}U
- k*=Ie
- yA/
- 6I3u
- !1GV8aQc
- *\\1&
- 5$Y|
- <Z5f
- l6t87=^
- pX60
- 8ST|
- v1Wy
- nRr3
- O6"1
- ;(.5
- O?jZE
-]%eb
- Dh7\\
- ai&[
- :B,+2
- !)L$E
- T6C
- \\B<O
- [qUzi
- b}A[
- T~T0
- $u,<8
- |V0K
- U,Pl
- +'2<
- Rk3u)@
- a.X,
- !5Rgw
- 7&1]
- 1XuKy
- Uo{H
- 9xe7y>
- _>o0
- H}AU3!EA06M
- 11111
- 11111111111
- 1111111111
- 11111111
- [111111
- [11111

- [11111
- [1111
- [1111
- [111
- [111
- [1111
- [111
- [1111
- [1111
- [11111
- 1111
- 1111
- 8**6[
- +o*7
- MGiI
- 9a&g;
- i]Wb
- AU3!
- `abcdefghijkmno]
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- .?AVtype_info@@
- asin
- acos
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- OLEAUT32.dll
- ole32.dll
- CoSetProxyBlanket
- CoCreateInstanceEx
- CoInitializeSecurity
- CoGetObject
- CoGetInstanceFromFile
- GetRunningObjectTable
- CoUninitialize
- CoInitialize
- CreateStreamOnHGlobal
- StringFromGUID2
- IIDFromString
- OleSetContainedObject
- MkParseDisplayName
- OleSetMenuDescriptor
- CLSIDFromProgID
- ProgIDFromCLSID
- CLSIDFromString
- CoTaskMemFree
- CoTaskMemAlloc
- SHELL32.dll
- DragFinish
- DragQueryPoint
- ShellExecuteExW

- DragQueryFileW
- SHEmptyRecycleBinW
- SHBrowseForFolderW
- SHGetFolderPathW
- SHFileOperationW
- SHGetPathFromIDListW
- SHGetDesktopFolder
- SHGetMalloc
- ExtractIconExW
- Shell_NotifyIconW
- ShellExecuteW
- ADVAPI32.dll
- COMDLG32.dll
- GetSaveFileNameW
- GetOpenFileNameW
- GDI32.dll
- ExtCreatePen
- StrokeAndFillPath
- StrokePath
- EndPath
- SetPixel
- CloseFigure
- LineTo
- AngleArc
- MoveToEx
- Ellipse
- PolyDraw
- BeginPath
- Rectangle
- SetViewportOrgEx
- GetObjectW
- SetBkMode
- RoundRect
- SetBkColor
- CreatePen
- CreateSolidBrush
- SetTextColor
- CreateFontW
- GetTextFaceW
- GetStockObject
- CreateDCW
- GetPixel
- DeleteDC
- GetDIBits
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- GetTextExtentPoint32W
- DeleteObject
- GetDeviceCaps
- USER32.dll
- KERNEL32.dll
- UxTheme.dll
- IsThemeActive
- USERENV.dll
- DestroyEnvironmentBlock
- UnloadUserProfile

- CreateEnvironmentBlock
- LoadUserProfileW
- IPHLPAPI.DLL
- PSAPI.DLL
- WININET.dll
- WNetGetConnectionW
- WNetCancelConnection2W
- WNetUseConnectionW
- WNetAddConnection2W
- COMCTL32.dll
- ImageList_DragMove
- ImageList_EndDrag
- ImageList_DragLeave
- ImageList_DragEnter
- ImageList_BeginDrag
- ImageList_SetDragCursorImage
- ImageList_Remove
- ImageList_Destroy
- ImageList_ReplaceIcon
- ImageList_Create
- InitCommonControlsEx
- waveOutSetVolume
- mciSendStringW
- VERSION.dll
- VerQueryValueW
- GetFileVersionInfoW
- GetFileVersionInfoSizeW
- WSOCK32.dll
- Ugaritic
- Tifinagh
- Tibetan
- Thai
- Thaana
- Telugu
- Tamil
- Takri
- Tai_Viet
- Tai_Tham
- Tai_Le
- Tagbanwa
- Tagalog
- Syriac
- Syloti_Nagri
- Sundanese
- Sora_Sompeng
- Sinhala
- Shavian
- Sharada
- Saurashtra
- Samaritan
- Runic
- Rejang
- Phoenician
- Phags_Pa
- Osmanya
- Oriya
- Old_Turkic

- Old_South_Arabian
- Old_Persian
- Old_Italic
- Ol_Chiki
- Ogham
- New_Tai_Lue
- Myanmar
- Mongolian
- Miao
- Meroitic_Hieroglyphs
- Meroitic_Cursive
- Meetei_Mayek
- Mandaic
- Malayalam
- Lydian
- Lycian
- Lisu
- Linear_B
- Limbu
- Lepcha
- Latin
- Khmer
- Kharoshthi
- Kayah_Li
- Katakana
- Kannada
- Kaithi
- Javanese
- Inscriptional_Parthian
- Inscriptional_Pahlavi
- Inherited
- Imperial_Aramaic
- Hiragana
- Hebrew
- Hanunoo
- Hangul
- Gurmukhi
- Gujarati
- Greek
- Gothic
- Glagolitic
- Georgian
- Ethiopic
- Egyptian_Hieroglyphs
- Devanagari
- Deseret
- Cyrillic
- Cypriot
- Cuneiform
- Coptic
- Common
- Cherokee
- Cham
- Chakma
- Carian
- Canadian_Aboriginal
- Buhid

- Buginese
- Braille
- Brahmi
- Bopomofo
- Bengali
- Batak
- Bamum
- Balinese
- Avestan
- Armenian
- Arabic
- setting UTF is disabled by the application
- invalid UTF-32 string
- character value in \\u.... sequence is too large
- name is too long in (*MARK), (*PRUNE), (*SKIP), or (*THEN)
- invalid UTF-16 string
- disallowed Unicode code point (>= 0xd800 && <= 0xdfff)
- too many forward references
- \\N is not supported in a class
- internal error: unknown opcode in find_fixedlength()
- \\k is not followed by a braced, angle-bracketed, or quoted name
- \\c must be followed by an ASCII character
- this version of PCRE is not compiled with Unicode property support
- (*MARK) must have an argument
- different names for subpatterns of the same number are not allowed
-] is an invalid data character in JavaScript compatibility mode
- digit expected after (?+
- subpattern name expected
- number is too big
- (*VERB) not recognized or malformed
- an argument is not allowed for (*ACCEPT), (*FAIL), or (*COMMIT)
- a numbered reference must not be zero
- \\g is not followed by a braced, angle-bracketed, or quoted name/number or by a plain number
- inconsistent NEWLINE options
- repeating a DEFINE group is not allowed
- DEFINE group contains more than one branch
- internal error: previously-checked referenced subpattern not found
- internal error: overran compiling workspace
- octal value is greater than \\377 in 8-bit non-UTF-8 mode
- repeated subpattern is too long
- too many named subpatterns (maximum 10000)
- subpattern name is too long (maximum 32 characters)
- unknown property name after \\P or \\p
- malformed \\P or \\p sequence
- support for \\P, \\p, and \\X has not been compiled
- invalid UTF-8 string
- two named subpatterns have the same name
- syntax error in subpattern name (missing terminator)
- unrecognized character after (?P
- recursive call could loop indefinitely
- closing) for (?C expected
- number after (?C is > 255
- PCRE does not support \\L, \\l, \\N{name}, \\U, or \\u
- \\C not allowed in lookbehind assertion
- invalid condition (?(0)
- character value in \\x{...} sequence is too large
- spare error

- this version of PCRE is compiled without UTF support
- POSIX collating elements are not supported
- unknown POSIX class name
- assertion expected after (?(
- conditional group contains more than two branches
- malformed number or name after (?(
- lookbehind assertion is not fixed length
- unrecognized character after (?<
- internal error: code overflow
- unmatched parentheses
- failed to get memory
- regular expression is too large
- parentheses nested too deeply
- missing) after comment
- unknown option bit(s) set
- erroffset passed as NULL
- reference to non-existent subpattern
- missing)
- POSIX named classes are supported only within a class
- unrecognized character after (? or (?-
- internal error: unexpected repeat
- operand of unlimited repeat could match the empty string
- nothing to repeat
- range out of order in character class
- invalid escape sequence in character class
- missing terminating] for character class
- number too big in {} quantifier
- numbers out of order in {} quantifier
- unrecognized character follows \\
- \\c at end of pattern
- \\ at end of pattern
- no error
- xdigit
- word
- space
- punct
- print
- graph
- digit
- blank
- ascii
- alnum
- upper
- lower
- alpha
- THEN
- SKIP
- PRUNE
- FAIL
- COMMIT
- ACCEPT
- MARK
- BSR_UNICODE)
- DEFINE
- Error text not found (please report)
- advapi32.dll
- Ping

- FILE
- EA06
- oleaut32.dll
- RegisterTypeLibForUser
- UnRegisterTypeLibForUser
- kernel32.dll
- UGP,
- ANY)
- LIMIT_RECURSION=
- LIMIT_MATCH=
- NO_START_OPT)
- UCP)
- UTF)
- UTF16)
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- OOOO

OOOO

- `dynamic atexit destructor for '
- `dynamic initializer for '
- `eh vector vbase copy constructor iterator'
- `eh vector copy constructor iterator'
- `managed vector destructor iterator'
- `managed vector constructor iterator'
- `placement delete[] closure'
- `placement delete closure'
- `omni callsig'
- delete[]
- new[]
- `local vftable constructor closure'
- `local vftable'
- `RTTI
- `udt returning'
- `copy constructor closure'
- `eh vector vbase constructor iterator'
- `eh vector destructor iterator'
- `eh vector constructor iterator'
- `virtual displacement map'
- `vector vbase constructor iterator'
- `vector destructor iterator'
- `vector constructor iterator'
- `scalar deleting destructor'
- `default constructor closure'
- `vector deleting destructor'
- `vbase destructor'
- `local static guard'
- `typeof'
- `vbtable'
- `vftable'
- operator
- delete
- new
- restrict(
- __unaligned
- __restrict
- __ptr64
- __eabi
- __fastcall
- __thiscall
- __pascal
- __based(
- ?P`E5
- ?43-s
- DcI>
- 0)LK>
- 30}->
- in]D>
- f7O>
- ?A%My
- ?Ly5
- F\\IE>
- #O#`
- +oF>
- ?5L$.
- 09C>

- ?6FID
- O,ib
- ?x(3
- 2G<>
- ?B6)
- ?RE\\
- ?edf
- 0H<>
- 2n{a
- 700PP
- ('8PW
- e+000
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- exp10
- m0_$@
- ?UUUUUU
- ?UUUUUU
- ?1mm
- ?uZEeu
- uZEeu
- uZEeu
- ?uZEeu
- ?1mm
- m0_$@
- ?UUUUUU
- ?UUUUUU
- ?1mm
- ?uZEeu
- uZEeu
- uZEeu
- ?uZEeu
- ?1mm
- :Esp
- F=J4
- m0_$@
- m0_$@
- ?X1U
- X2CQ
- e-CS
- 5DKB
- U&X;>
- n}in
- u+E6
- &2@UUUUUU
- A]?VJ
- $9t?
- ?m|1
- 3{9=
- O?>>
- ?c3y?
- 0vB-
- >o3fW
- f6\tn
- UUUUUU
- jVa?

- f6\tn
- o3fW
- 0vB-
- ?c3y
- #wi#:
- $9t?
- u+E6
- &2@UUUUUU
- n}in
- U&X;>
- 5DKB
- ? ,6
- ?X1U
- X2CQ
- e-CS
- |u?!u$
- u+E6
- ?UUUUUU
- ?UUUUUU
- ?333333
- ?333333
- UUUUUU
- ?PV3
- ZyrI
- 6 d!
- yx|o
- ?* A
- 7Z8>
- }6lw
- ^\\sY0
- ?$*2
- D<xZu
- H|As
- ?765@Z
- ?)Ao
- ?i|e
- fSOs
- ?>6)}
- ?m}l
- }Tw5
- *+xi(
- 5SmT4
- ?o.x
- o]2'
- ?4Td
- ?V:e:
- PO79
- 4{#s
- V-Ai
- ?ju!4
- w7H-
- ?iT
- ibzP
- n@4`
- 4lkQg
- ?)0>
- ?UUUUUU

- ?333333
- 333333
- UUUUUU
- ?PV3
- ZyrI
- 6 d!
- yx|o
- ?* A
- 7Z8>
- }6lw
- ^\\sY0
- ?$*2
- D<xZu
- H|As
- ?765@Z
- ?)Ao
- ?i|e
- fSOs
- ?>6)}
- ?m}I
- }Tw5
- *+xi(
- 5SmT4
- ?o.x
- o]2'
- ?4Td
- ?V:e:
- PO79
- 4{#s
- V-Ai
- ?ju!4
- w7H-
- ?iT
- ibzP
- n@4`
- 4lkQg
- ?)0>
- TUUUU
- RUUUUU
- ?#60
- 5s3R6=
- ?4j<=
- M_8=
- 5M[g
- ?C;0=
- UUUUU
- <'Za
- {<6w
- e<bN
- <$"U
- v<'*6
- <8bunz8
- fUUU
- k7+%
- zyC7
- T~OXu
- $x<e

- m1WY$
- ?3xj
- <'*6
- <8bunz8
- hl{L[
- ?5a1
- AiFC.
- Bfe9
- UY =
- k:UG
- 6(`J
- !|.4
- (+E
- :]=O>
- 4g%6
- sU0&?W
- %?\\9
- %?uY
- F0$?3=1
- r7Yr7=
- Ax#?uN}*
- @H#?43
- 98"?
- 4P!?
- 2 !?
- -8 ?
- ?lT$7
- u!K=
- aDJ=
- ?|l7Z#
- 3<L=
- ?PiB
- ls1=
- P'E=
- p4"%
- Ai0T
- {4Wf
- La8i
- #D5p
- 4';=
- V%A+=
- w}?0
- E\tM=
- 6K{?
- Pex?0
- !9v?
- u?^p?o4
- |W8A=
- 2ieO=
- 0h?[
- Le?2
- c?e2
- H`3=
- hb?O2
- f#I=
- Eb2]A=
- 9&\\?

- ??7;
- +34?
- |)P!?Ua0
- X4I+
- z1}B
- >'eH
- 1w<=
- uXO=
- $O1=
- =\\uI=
- ?7Tf(
- 37.=
- ?h6_~
- ?X&eB;
- _nextafter
- _logb
- frexp
- fmod
- _cabs
- ldexp
- modf
- atan2
- acos
- asin
- tanh
- cosh
- sinh
- log10
- 700WP
- (8PX
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- Unknown exception
- fmod
- RoUninitialize
- RoInitialize
- CorExitProcess
- bad allocation
- NvAwMv0
- o>BuN
- 5.vp

- wQ3.vO!.v9>-v
- ,v99.v
- 1vM)v2
- 1vsn2v
- u.v4
- ,v05,v
- k,v3
- ,v1#-v1
- i$vm
- t9;U
- VUUU
- -PCRE
- 2;s|
- f;C6
- f;C4u
- 2;s|
- f;C6
- f;C4
- t\t9M
- f;C4u
- f;C4u
- w=tE
- f;C6
- f;C4
- f;C4u
- f;C6
- f;C4
- f;C4u
- f;C4u
- f;C6
- f;C4u
- 3=_
- 7=_
- f;C6
- f;C4
- f;C4u
- |1;s|
- C|+E
- C|+E
- C|+E
- C|+E
- f;C4u
- f;C6
- f;C4u
- 9SXtY
- f;C6
- f;C4
- 9S\\t
- f;C6
- f;C4u
- f;C4
- f;C6
- f;C4
- 8qu@
- ;K0v
- ;K0vH
- A;S |

- 9C ~
- ;K0v
- ;K0vW
- A;S |
- 9C ~
- tO=
- PCRE
- u-j$
- j)Zf9
- j)Zf9
- 4Ff9
- ;O@~
- T$@3
-],9~8
- 9G$r
- 0r&f;
- f9D^
- A8f@f
- 9Q,~1;
- u?f9D^
- M(+A
- 0r f
- 9RuN3
- }(;O,
- G(9O,~>
- Ru+f
- ?)uL3
- ?:uJ
- B9A$w
- B9A$vL
- B9A$w
- B9A$vL
- 4Rj
- U(+z
- f;Art
- f;qpu
- E(+x
- 9M,u
- [r0f9E
- j-Yf9O
- [f;U
- j0Yj9Xj
- 9}uJ
- wtj0Y
- r3j9Xf9E
- j0Y;
- ttNtUNt7Nt
- f;Cru
- f;spu
- j#Xf9
- ;Qd}0
- 7t;Ht5Ht"H
- j@Y3
- u VW
- ;G4u7
- D$L0
- xOf;

- 9{`t
- Cd9}
- 9{dt
- PPj1
- {|Uu!
- 9Cpu'
- D$8P
- D$8P
- tAWW
- D$8P
- 9|$(t
- D$0;
- D$0@
- D$8P
- u'SV
- F8\\$
- t5HHt
- Ph8$
- 8X u
- 8X"u
- 8X$u
- 8X&u;
- 8X(u
- 8X*u
- 8X.u
- C8X,u
- PhL6
- um8D$
- Yf9H
- D$0P
- L$0Q
- Yf9H
- Ot$f
- Nt3f
- j3Zf9P
- Zf9P
- Yf9H
- Zf9P
- D$0P
- tH9P
- D$@3
- t4DV
- L4H@
- D$43
- D$0P
- Huqlyx
- Hu+Iy2
- Au"G3
- D$8P
- D$8P
- D$dh4
- D$8P
- EA06t
- HHu7
- HHu%
- u"RQ
- WhT6

- j0Yf
- j0Yf
- YYOy
- Ph@5
- D$0h
- D$0;D$4
- D$0@
- |$0f
- Ph@5
- EA06
- YVhh5
- t4f;
- 8$tvW
- F(9E
- ^f9u
- 1j 3
- K-8M
- K%8M
- K!8M
- D$8P
- 9\\$<t
- D$0P
- t4HHt
- Zf9U
- xS;E
- r(f;E
- j0[3
- j}[f9
- r3f;E
- SVWj0[3
- rEj9_f;
- {uHf
- f;Ppu
- [f9N
- ^u\tG
- j\\Z3
- u\t;E
- 4Ff9
- 4Ff9
- 4Ff9
- 4Ff9
- 4Ff9
- CXf9
- 4Ff9
- >jq3
- sAW3
- w4hi
- @t0f
- D$0Ft6
- ~t8\\$
- D$0F
- D$(P3
- D$@P3
- D$0P
- G4;G\\
- D$4P
- D$4P

- D$4P
- D$Xu
- D$40
- D$4P
- $SVW3
- u@j
- tf9Q
- te9Q
- uQQR
- ~^9E
- t/93t
- |/;E
- |>;E
- D$0PS
- D$8P
- D$4PS
- D$4Pj
- D$4j
- D$4Pj
- 9t$$t
- D$4PS
- D$8PS
- D$8P
- D$4PS
- D$8P
- D$0S
- D$ u
- 9~Pt
- D$(0
- D$0WP
- t5Vj
- w4hi
- ;G4t
- 9t$(t
- D$80
- 9t$(
- 8Y:u
- 9q4u
- u\t9E
- HtZHtEHt2
- u\t9}
- 9{ht
- 9{dt
- 9{ht
- 9{dt
- uS9q4uN
- f91t
- tDf91t?
- tCHt8HuO
- E(SV2
- 8^8t
- 8^8t
- #E(S
- #M,3
- E,Vj
- #M,3
- #E(WP

- E$95
- #M,3
- #u Q
- #E(VW
- 8SVWj,3
- PGWha
- E(SV
- f91t%QV
- E(SV
- #E(VW
- j _3
- E(SVW
- #E(SV
- VWu=
- E(SVW
- #E(VW
- E(S2
- #u(C
- SVWu
- u0Phg
- t8WS
- u\tF;5
- u\t9E
- E$u1
- Wj0V
- >_^3
- ;D$4}
- D$8+
- ;T$0}
- D$4P
- t$0h!
- t$8Vh
- D$0P
- D$t3
- D$P0
- D$0P
- D$8P
- D$0P
- 4SVW
- D$4PV
- D$0W
- D$8P
- Y_^3
- Iu/R
- D$0P
- D$0PV
- D$0P
- D$8P
- D$8P
- D$8P
- f90u;j
- j\\^f90uJj
- uE9E
- tIVP
- D$$3
- f9\\N
- f9TF

- t2VP
- 9t$<t0
- D$0P
- L$0Q
- L$PQ3
- D$4P
- t4SP
- t$8V
- t$8j
- D$8P
- f90t'
- D$ hE
- >_^3
- j;Yf9
- SVWu\t3
- u 8]
- t3jA
- j;Yf9
- f98t
- 9t$|
- D$@dE
- Yf9H
- Zf9P
- DSV3
- YGf9H
- 0h$B
- 'f;E
- 0f;E
- =f;E
- [f9X
- t'f;E
- ;f;E
- [f9X
- [f9X
- jAXf;
- Yf9H
- Yf9H
- Yf9H
- j5Zf;
- Yf9H
- Zf9P
- Yf9H
- j5Yf9H
- Yf9H
- pSV3
- Yf9H
- j3Zf9P
- t7f;E
- t3f;E
- t0f;E
- t6f;E
- t?f;E
- tEf;E
- tUf;E
- [f9X
- [f9X
- ^f9p

- Zf9P
- Yf9H
- Zf9P
- LSV3
- @uOAj3
- Zf9P
- @SV3
- $SV3
- Nu j
- @Ph8?
- L$4Qj
- D$8P
- Ph8?
- D$ 3
- u\tQQ
- Pj0W
- D$$i
- L$4@
- L$0i
- >_^3
- Y_^3
- D$8Ph
- D$83
- D$83
- 0SVW
- >_^3
- L$0
- L$0@
- D$8P
- D$8P
- u;8M
- D$83
- t8HHt0
- SVW3
- Y_^3
- LVj83
- t6Ht
- t<9]
- tA9]
- Qj2V
- QQS3
- 38\\$
- t?95D
- D$8P
- \\$D9Y
- D$8@
- <SV3
- <SV3
- Y_^3
- D$0P
- >_^3
- t1HP
- t[j8
- t6hh:
- t6hh:
- F9t$
- D$8P

- D$0P
- f94Xu=
- t$8f
- D$0P
- L$0P
- f9\\w
- f9\\w
- D$4P
- D$0P
- D$8VP
- D$0P
- D$4P
- D$0P
- D$4P
- f90t\\
- t\\j8
- D$0h
- D$4P
- D$4P
- D$4P
- D$8h
- D$4P
- D$4P
- D$0P
- D$0P
- D$8P
- D$6P
- D$6P
- D$4P
- D$2P
- D$0P
- Ot1Ot
- \\$,3
- t{j8
- SVW3
- 7_^3
- D$0P
- 8\\u'
- 8:u7j
- 0SVW3
- 0SVW3
- YY_^3
- j*Xf9
- 6hd<
- Yh4<
- D$4P
- \\$83
- D$4j
- D$0P
- D$4P
- 9\\$L
- uchL;
- D$0P
- 4SVW
- u\t8E
- PVu
- Rh03

- t1h8:
- Rh03
- SVW3
- <6Wj
- <6Wj
- SVW3
- >F;u
- t7Ht
- ;GLu
- Y9^ t
- Y9^ t
- t 9^
- Y9^ t
- t!9^
- uKP^P
- 1^[_
- u$9G
- Ut\tf
- At!f
- 9N0u
- uc+}
- D$0P
- j[Yf9
- f90u
- j[Yf9
- j_Yf9
- j;Yf9
- j;Yf9
- 6j Z
- 9>~#
- t-V3
- j0Xf9
- Wf;E
- QQVW3
- 8SSj
- YYhl7
- Ph$7
- SVW3
- xf;U
- YYf9
- SVW3
- tDW3
- <SVW3
- uJ8]
- t.8]
- u:8E
- 3_^[
- A,Ht
- D$(P3
- T$43
- D$(P3
- D$40
- D$4P
- Hu/f9
- D$$0
- t'HuF
- Gf9}

- u-8M
- 92t\t@
- 92t\t@
- bu>j
- j0Yf9
- 8XuSj
- j0Yf9
- f98t
- u!Sj
- u$Sj
- u\tj[
- 9F t}
- 9w u2
- t;V3
- j0Yf;
- 9A t
- 9A t
- SVh03
- ~\tf1
- f98t
- 9~$tU
- ;A4|
- Hf9;u
- _u83
- Jf98u
- ^f90u
- t3j;
- ^f9u
- Z9N$t
- Aj X
- j XAf9
- +f;E
- XACX
- Of;U
- 0SVW
- u>!E
- 9\\$$
- 9|$Pt
- t$0VS
- t$0V
- T$0@
- T$,9<
- D$4P
- t$4f9D$<uM
- u-jHX
- D$0Y3
- D$(3
- 0Xf9
- f9t
- Qf90u
- f98u
- dSV3
- G$9]
- u h(0
- u h(0
- D$0F
- D$8C

- D$0B
- 8f;D$8u
- |$<9D$T~e
- {f;D$luilyq
- D$0j
- L$4F
- &f;D$8u
- |$<9T$4}+
- 9f;D$lu'Iy/
- D$0;H
- D$8@
- t3Ht
- FX_3
- 9^(v
- ^09^(t
- ^,9^0t
- ^<9^4t
- 8^<t
- 8^=t
- 8^<t1
- Q,8^=u
- t5j@
- t<9\\$
- f98u
- f98t
- j#_f98u
- j|Yf9
- j|Yf9
- SVW3
- |S9E
- u3SVh+
- (SVW3
- SVW3
- 2hT+
- ra;}
- 0SVW
- 0SVW
- Yf9M
- B6@tt
- O@f;
- 0SVW3
- 0SVW
- ^_[3
- t5QVW
- t$9=(
- ul9}
- <5|C
- u\t9Y
- u\t9Y
- HAO8
- 9] t"
- 9E$u
- <Xu
- WVU3
- <8=u
- SVWUj
- uJSSR

- Huzj
- <et
- |+;E
- Wj0V
- y&8]
- 80t-
- v6j0
- j0Yf
- u'j0X
- j0Yf;
- tO95X
- 9E WW
- SVW3
- "u\t3
- tGS3
- tAVSP
- t"f;E
- j\\Xu;
- j"Xf9
- j"Xf9
- f9>u
- 8csm
- SVW3
- u(9u
- WVS3
- f-00f=
- f-00f=
- (H0f
- X-`8
- X-p8
- X- 8
- X-08
- X-@8
- (-P8
- X-`8
- X-p8
- Xf9E
- Xf9E
- Zf9W
- t3f;
- xy;5
- UVWS
- L$,3
- u]9u
- u-9u
- uB9u
- u:9u
- PP9E u
- 9E(j
- >0t-N
- @ucP
- VVhU
- u\t9Y
- HAN8
- j0Xf;
- HHu'
- 9] t

- j0Xf;
- j0Xf;
- 9E$u
- t?f9
- t%Ou
- Wj0XP
- >0t<Nj0X
- jiY;
- Zv2j
- uWjAXf;
- uHjAXf;
- s\t9q
- j$h(i
- Ot\tA
- <v5h
- 8csm
- u,9E
- u,9E
- nteIuM3
- ineIuV
- Genuu_
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
-)1_[
- Ht[Hu
- t`Ht1
- SW3
- |%=2
- |!=2
- <$t6f
- woSW
- t&:a
- t19}
- YYHtIHt8
- @uqW
- _^[u
- D1$$
- D1$$
- SW3
- 9u v
- 9u(v?VSj
- 9E v\\PWj
- >:u
- 9](t
- 9](u
- 9]$u
- 9] t
- 9] u

- ItDf
- SW3
- f;1u
- uBjAYjZ+
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- 0^_]
- uUWS
- 8N:t
- ZCf9P
- t7VP
- SVW3
- D$0P
- _8C0tN
- K)8M
- u)Wj
- 0|\tf
- F4_^]
- F4_^[
- ;~4|
- ~89~4~)
- 9~$tW
- 9X<v
- Yj\t3
- j\\Yf9
- j%Yf9
- j%Yf9
- D$4PV
- D$0<
- D$0P
- j*Xf9
- D$0P
- D$4P
- D$0P
- D$4P
- L$8f
- 9^Xt99^\\tA
- Pj0V
- t$8]4t
- uaSVW
- 99u1
- #E(VW
- 98u#h
- !\\$43
- 9w?f;
- ~Fj0Z
- s'W3
- Iu-W

- Gtuf
- \\$0;X
- D$4;A
- |$L9D$4
- \\$$3
- 9t$X
- D$X3
- 9|$|
- D$0;
- L$0P
- Ot f
- 3t8f
- 4SVW
- L$89
- D$<I
- 9t$xv7
- T$8F
- D$xA
- 9D$xu;
- 9L$H
- D$H3
- D$@I
- D$@u
- T$8f
- \\$8f
- L$8f;
- \\$8f
- L$Hu
- D$`;A
- L$Hu
- D$Du
- L$<u
- :0t'R
- :0tDR
- At-f
- u@9E
- ?~4W
- ?~Af
- u _^[
- Yf9H
- Yf9H
- HHtA
- x0~a
- t@Hu39
- 98u[
- D{'3
- 9w v
- AQPV
- AU3!
- f9TO
- jAYf;
- r9f;
- PYf;E
- j0Z3
- 0}+f
- 7_^[
- 0}u3

- arIf
- 0}(f
- j"Yf9
- VUUU
- VUUU
- VUUU
- =ERCP
- \\$43
- t$8H
- D$83
- F8PRQ
- D$8P
- H0^]
- E(QSP
- u(PV
- u+9E
- M(9A$
- 9T$,u
- D$`3
- jqYf9
- D$49G8
- D$4P
- L$0X
- L$@3
- ERCP
- ^$9^,u
- ERCP
- w0VQ
- s'W3
- uFf;E
- trf;E
- Yf9H
- _f9x
- 0}3V
- t>f;E
- Yf9H
- Yf9H
- Zf9P
- tCHu
- uGVj(
- tA^3
- 9_,u
- tPHu
- R$A;N
- 9w w7
- QSW3
- 4SVWj
- OH_^[
- 9_ v
- 95$#
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- Yf9H

- Yf9H
- Yf9H
- Zf9P
- Xf9E
- >_^3
- <SV3
- 8VWjX
- @.reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- SCRIPT
- $H
- dword_ptr
- long_ptr
- int_ptr
- hwnd
- struct
- \\p{Ll}
- \\p{Lu}
- \\P{Ll}
- t\\p{Nd}
- \\p{Xan}
- \\P{Xsp}
- \\p{Xwd}
- \\p{Xsp}
- \\p{L}
- \\P{Xwd}
- \\P{Xps}
- \\p{Xps}
- \\P{Xan}
- \\P{L}
- \\P{Nd}
- \\P{Lu}
- -----
- .dll
- SELECTSTRING
- FINDSTRING
- ADDSTRING
- (*UCP)\\X
- REG_SZ
- HKCC
- HKCR
- HKLM
- stdcall
- USERDNSDOMAIN
- WIN_XP
- DLLStruct
- String
- .lnk
- \\??\\%s
- \\\\.\\
- "%s" (%d) : ==> %s:
- "%s" (%d) : ==> %s:
- *.*

- Shell_TrayWnd
- Run Script:
- %s (%d) : ==> %s:
- Line %d (File "%s"):
- %s (%d) : ==> %s.:
- struct
- dword_ptr
- long_ptr
- int_ptr
- hwnd
- bstr
- wstr
- LASTDLLERROR
- [CLASS:
- %s%d
- CLASSNN
- SHELLDLL_DefView
- \\CLSID
- \\\\[\\\\nrt]|%%|%[-+ 0#]?([0-9]*|*)?(\\.[0-9]*|\\.*)?[hlL]?[diouxXeEfgGs]
- LOGONDNSDOMAIN
- CRLF
- SW_LOCK
- SW_SHOW
- TCPSTARTUP
- TCPSHUTDOWN
- TCPSEND
- TCPRECV
- TCPCLOSESOCKET
- STRINGSTRIPWS
- STRINGSTRIPCR
- STRINGSPLIT
- STRINGRIGHT
- STRINGINSTR
- STRINGADDCR
- STRING
- SQRT
- MSGBOX
- ISHWND
- ISDLLSTRUCT
- HWND
- HTTPSETUSERAGENT
- HTTPSETPROXY
- GUISETSTYLE
- GUIGETSTYLE
- GUICTRLSETTIP
- GUICTRLSETSTYLE
- GUICTRLSETSTATE
- GUICTRLSETRESIZING
- GUICTRLSETPOS
- GUICTRLSETONEVENT
- GUICTRLSETLIMIT
- GUICTRLSETIMAGE
- GUICTRLSETGRAPHIC
- GUICTRLSETFONT
- GUICTRLSETDEFCOLOR
- GUICTRLSETDEFBKCOLOR
- GUICTRLSETDATA

- GUICTRLSETCURSOR
- GUICTRLSETCOLOR
- GUICTRLSETBKCOLOR
- GUICTRLSENDTODUMMY
- GUICTRLSENDMSG
- GUICTRLREGISTERLISTVIEWSORT
- GUICTRLRECVMSG
- GUICTRLREAD
- GUICTRLGETSTATE
- GUICTRLGETHANDLE
- GUICTRLDELETE
- GUICTRLCREATEUPDOWN
- GUICTRLCREATETREEVIEWITEM
- GUICTRLCREATETREEVIEW
- GUICTRLCREATETABITEM
- GUICTRLCREATETAB
- GUICTRLCREATESLIDER
- GUICTRLCREATERADIO
- GUICTRLCREATEPROGRESS
- GUICTRLCREATEPIC
- GUICTRLCREATEOBJ
- GUICTRLCREATEMONTHCAL
- GUICTRLCREATEMENUITEM
- GUICTRLCREATEMENU
- GUICTRLCREATELISTVIEWITEM
- GUICTRLCREATELISTVIEW
- GUICTRLCREATELIST
- GUICTRLCREATELABEL
- GUICTRLCREATEINPUT
- GUICTRLCREATEICON
- GUICTRLCREATEGROUP
- GUICTRLCREATEGRAPHIC
- GUICTRLCREATEEDIT
- GUICTRLCREATEDUMMY
- GUICTRLCREATEDATE
- GUICTRLCREATECONTEXTMENU
- GUICTRLCREATECOMBO
- GUICTRLCREATECHECKBOX
- GUICTRLCREATEBUTTON
- GUICTRLCREATEAVI
- FTPSETPROXY
- FILECREATENTFSLINK
- DUMMYSPEEDTEST
- DLLSTRUCTSETDATA
- DLLSTRUCTGETSIZE
- DLLSTRUCTGETPTR
- DLLSTRUCTGETDATA
- DLLSTRUCTCREATE
- DLLCLOSE
- DLLCALLBACKGETPTR
- DLLCALL
- CHRW
- CDTRAY
- @GUI_CTRLHANDLE
- SCRIPT
- SWITCH

- hhhh

- mmmmmmmm
- mmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmmmmmmmm

- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmee!
- mmmmmmmmmmmmm
- e!!!!!!!!
- fffffffff
- mmmmmmmmm
- mmmmmmmm
- mmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmm
- mmmmmmmmmmmmm
- mmmmm
- mmmmm
- mmhh
- fffff
- hhhh
- mmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmm

- mmmm
- mmmmmmmmmmm
- mmmmm
- mmmmmmmm
- mmmmmmm
- mmmmmmm
- mmmmmmm
- mmmmmmmmmmmmm
- mmmmmmmmmmmmm
- mmmmmmmmmm
- mmmmmmmmmmmm
- mmmmmmmmmmmmmmmm
- mmmmmmmmmmmmm
- mmmmmmm
- mmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmm
- mmmmmmmmm
- mmmmmmmmmmmmmmmmm
- mmmmmmmm
- mmmmmmmm
- mmmmmmmmm
- mmmmmmm
- mmmmmmmm
- mmmmmmm
- mmmmmmmmmmmmmmmm
- mmmmmmm
- mmmm
- mmmmmmmmmmm
- mmmm
- mmmmmmmmm
- mmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmm
- mmmmmmmm
- mmmmmmmm
- mmmm
- mmmm
- mmmmmm
- mmmm
- mmmmmmmmm
- mmmmmmmmmmmmmmmmmmmm

- mmmm
- mmmmmmmmm
- jkjkjkjkjk
- mmmmml
- hhhh

- div-mv
- cy-gb
- cs-cz
- bg-bg
- zh-CHT
- smn-FI
- sms-FI
- sr-BA-Cyrl
- fr-MC
- smj-SE
- smj-NO
- fr-CH
- zh-SG
- sr-SP-Cyrl
- zh-HK
- ms-BN
- sr-SP-Latn
- pt-PT
- div-MV
- syr-SY
- cy-GB
- mn-MN
- ky-KG
- kk-KZ
- ms-MY
- mt-MT
- mk-MK
- lt-LT
- lv-LV
- tr-TR
- th-TH
- sk-SK
- hr-HR
- pt-BR
- pl-PL
- nl-NL
- fr-FR
- cs-CZ
- bg-BG
- zh-CHS
- (null)
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- zh-TW
- zh-CN
- jjjj
- jjjjj
- 7h;p?t?x?|?
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?h?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- >D>L>T>\\>d>l>t>|>
- <(<,<0<4<P<T<`<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- 30:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ;(;H;h;
- :(:H:h:

- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>
- 8P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<<<@<
- (:,:
- ? ?(?0?8?@?H?P?X?`?h?p?x?
- > >(>0>8>@>H>P>X>`>h>p>x>
- = =(=0=8=@=H=P=X=`=h=p=x=
- < <(<0<8<@<H<P<X<`<h<p<x<
- ; ;(;0;8;@;H;P;X;`;h;p;x;
- : :(:0:8:@:H:P:X:`:h:p:x:
- <$<,<L=
- <L<P<T<X<\\<`<
- : ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;
- =??Y?a?
- :.:6:=:
- >0?K?R?
- 8&;-;:;A;Y=t={=
- ? ?(?/?
- =3=;=B=
- ;d;v;};*</=
- <!=.=5=
- 9M:Z:b:
- <\t="=;=[=f=
- ;\t<4<K<W<f<x<
- :\t;=;W;
- :":?:K:Q:
- ;K<y?
- =D>q>^?
- ?&?5?H?X?b?{?
- =+>5>O>Y>c>m>
- ;L<c<u<
- :c;r;
- >&>2>C>:?I?
- ;C;T;p;
- :^:e:z:
- ;(;^;g;
- :R:}:P<U<
- >)>V>b>
- 9C:G<S<
- < =)=
- <!<3<`<k<}<
- ;$;D;H;L;P;T;X;\\;`;d;h;%<b<y<
- ?!?1?;?F?
- >/>Y>
- =,=>=Y=^=
- <B<g<y<
- >.?f?
- <<<J<|<
- ;=;L;Z;
- :(:6:<:F:V:c:
- =\t>!>E>`>
- <&=D=X=d=w=
- ;";\';=;J;R;`;
- >T>Z>
- ;5;F;S;
- >*?D?R?`?{?
- =->]>n>{>

- <,=@=T=e=
- <.<4<R<q<
- : :$:(:,:0:4:8:<:@:
- =4=\\=~=
- >3>Y>q>
- ;D;v;1<
- :?:T:j:p:
- >E?_?r?
- >)>B>^>l>z>
- >_?m?z?
- >!>+>
- <,<1<R=X=]={=
- <<>[?
- =-=P=s=
- ;(;M;^;s;
- =!>'>h>
- ;}<)=|=
- ;&;^<}=
- :-:E:M:U:h:
- >&?D?O?
- >)>V>
- ?_?e?p?w?
- >X?c?n?
- ;(;1;;;C;S;\\;f;5<@<F<S<Y<b<
- :(:/:::L:U:b:r:
- ?"?&?*?.?2?6?:?>?B?F?J?N?R?V?
- <S<>>a>
- ::;G;q;
- 9#:/:j:
- :0;G<G?
- <<<B=C>]>
- ;.;X;
- < =g=
- <&=]=0?
- >Y>~>
- :/=s=
- ;>:];
- :Q:x:
- :(;-;;;N;u;
- ;&<<<M<_<
- > ?,?6?j?v?
- <==E=L=
- ;.<F<R<i<
- ;\\;j;s;
- =&>1>G>c>
- =*=?=U=j={=
- <9<\\<g<n<
- ?$???
- >2?:?d?
- ;<<j<
- <Y=k>
- :*;d;
- >n?r?v?z?~?
- <`<n<
- :A:X:l:
- <D=j=
- < <x<

- ;s<y<
- :*:M:
- ;M;[;
- ?>?K?
- >\\>s>
- <+=?=
- <.<A<L<Z<c<{<
- ?,?S?
- :*<Y<l<
- =T?Z?g?q?
- >\t>?>o>
- <[=b=
- =.=s=
- =F>|>
- <'<6<W<
- ?&?8?J?\\?n?
- <%<4<}<
- ;$;/;M;i;q;v;
- =/=N=_=d=j=|=
- <(<?<
- ;&;.;7;@;H;V;^;
- =#>+>;>
- ;=<M<Y<e<s<
- :G:v;~;
- ?$?0?<?H?T?`?
- =Z>b>v>
- <(=R=Z=w=
- >->T>
- <(=?=T=n=
- ?>?s?{?
- ='>2>B>t>
- ;l=r=
- >!?0?N?
- =J=d=
- :;;Z;
- :T:`:i:
- ;J<l=
- ?9?@?F?T?Z?o?
- >!>/>6>C>L>m>
- =!=)=.=4=<=A=G=O=T=Z=b=g=m=u=z=
- <$<*<2<7<=<E<J<P<X<]<c<k<p<v<~<
- ;%;4;>;D;S;];c;u;
- :?:r:
- >$?^?y?
- >)>:>d>k>r>y>
- ;;<n<
- >B?H?L?P?T?
- >3>L>S>[>`>d>h>
- :";\';1;t;
- :):6:B:R:a:h:y:
- >$>T>x>
- <8=B=R=
- ;T<c<
- >J?W?g?t?
- ?%?+?<?[?q?{?
- >(>>>_>
- ;<=D=M=V=v=

- : :7:|:
- ? ?$?n?t?x?|?
- =J>U>p>w>|>
- <!=G=e=l=p=t=x=|=
- <$<:<K<w<
- :):;:d:
- ;K>Q>
- ='>,>1>7>=>C>H>N>X>^>d>j>p>v>|>
- <\t=&=5=J=q=
- <"<*<0<6<<<B<H<N<T<Z<_<
- 9::';.;7;<;B;H;S;Y;`;j;t;y;
- ?'?1?;?E?!?O?S?Y?c?m?w?
- >#>'>->7>A>K>U>Y>_>c>i>s>}>
- =)=-=3=7===G=Q=[=e=i=o=s=y=
- <%</<9<=<C<G<M<W<a<k<u<y<
- :!;+;5;?;I;M;S;W;];g;q;{;
- :!:':+:1:;:E:O:Y:]:c:g:m:w:
- ?#?'?-?7?A?K?U?Y?_?c?i?s?}?
- >)>->3>7>=>G>Q>[>e>i>o>s>y>
- =%=/=9===C=G=M=W=a=k=u=y=
- <!<+<5<?<I<M<S<W<]<g<q<{<
- :!;';+;1;;;E;O;Y;];c;g;m;w;
- :#:-:1:7:;:A:K:U:_:i:m:s:w:}:
- ?)?-?3?7?=?G?Q?[?e?i?o?s?y?
- >%>/>9>=>C>G>M>W>a>k>u>y>
- =!=+=5=?=I=M=S=W=]=g=q={=
- <!<'<+<1<;<E<O<Y<]<c<g<m<w<
- ;#;-;1;7;;;A;K;U;_;i;m;s;w;};
- :):3:=:A:G:K:Q:[:e:o:y:}:
- ?%?/?9?=?C?G?M?W?a?k?u?y?
- >!>+>5>?>I>M>S>W>]>g>q>{>
- =!='=+=1=;=E=O=Y=]=c=g=m=w=
- <#<-<1<7<;<A<K<U<_<i<m<s<w<}<
- ;);3;=;A;G;K;Q;[;e;o;y;};
- :%:/:9:C:M:Q:W:[:a:k:u:
- ?!?+?5???I?M?S?W?]?g?q?{?
- >!>'>+>1>;>E>O>Y>]>c>g>m>w>
- =#=-=1=7=;=A=K=U=_=i=m=s=w=}=
- <)<3<=<A<G<K<Q<[<e<o<y<}<
- ;%;/;9;C;M;Q;W;[;a;k;u;
- :!:%:+:/:5:?:I:S:]:a:g:k:q:{:
- ?!?'?+?1?;?E?O?Y?]?c?g?m?w?
- >#>->1>7>;>A>K>U>_>i>m>s>w>}>
- =)=3===A=G=K=Q=[=e=o=y=}=
- <%</<9<C<M<Q<W<[<a<k<u<
- ;!;%;+;/;5;?;I;S;];a;g;k;q;{;
- :':1:5:;:?:E:O:Y:c:m:q:w:{:
- =0>=>J>X>j>t>
- ;t<M>
- =/>z>
- ;$<+<Q<Y<p<
- :Z:r:g;
- ;(<P<
- : :$:(:,:0:4:8:M:
- <g=v={=
- ; ;';.;
- <D<|<

- >0>R>Y>
- ?l?u?{?
- :/;E;];
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- ;M=T=r=y=
- ?<?B?M?T?
- <#<3<;<F<P<Z<i<Y=Y>
- </assembly>
- ?DY\t*
- ,SYY
- P:.&d;
- HK)t
- Xb+>/
- -.`F
- jG.[
- L;qS
- FG+m
- Hmy*"
- CZ\t!
-]7-m(|Ff
- qVNG q
- lmH#G4
- =<.d
- hNVJM
- TSQ~
- -QSq
- /p=*
- j[[vwz
- Y|%@
- X,Tp
- kyZ.
- +Fh#
- .@/g*
- gz/j
- y`LD
- #Jgb
- p!@L|^
- d'ph
- @FT
- mv%=
- hScQ-
- (?.}
- "bQp
- BR{xC
- gVFD
- CjWL
- CJ%V
- +&v;_k
- <C/EGF
- W&}q
- ?*P+
- xM W
-]-^.
- };NtP
- *Xnj
- j$rR
- Q`\\T

- (jF%
- !/D;Q
- H<B`
- k.xZw
- q.%y+=T
- HR|.
- W/T&
- @NbM
- nC.v
- kw%r
- x&Hd;
- qF.@
- hxJ:
- ZR<\tf
- bY:W
- fp!C
- $(sRm
- X:g+
- *R>@
- MSX,{
- NDcO~G
- !::Q
- &:L+
- PmD>
- RgTV
- SXtql
- qdL>
- D?)y
- vMG.
- T'<W
- _pN;
- SZ_S
- :::::
- dddd
- #.zf
- wn>Jj
- Qkkbal
- n;^
- pqrstuvwxyz{$--%"!\' \t&,[\\
- ..(#
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- StretchBlt
- MPR.dll
- WINMM.dll
- (?R or (?[+-]digits must be followed by)
- cntrl

- BSR_ANYCRLF)
- ANYCRLF)
- CRLF)
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- {{{{

- g\\>{
- F?cf
- +*tsJ
- s{c|H
- "Q??
- s{c|H
- +*tsJ
- g\\>{
- >Xzv
- ."S-
- =m=@
- f*"!
- ?P),
- ?(F_
- d? cf>
- Nu?-HF
- =mm?
- ?$rxxx
- ?zD@
- ?e')lW
- ?:Rp
- >|.~
- ?l$G~
- ?KYC
- ?KB
- ?)]G
- ?`\\@
- ?B?}
- ?}>v
- ?{yK+;
- ?VV&
- ?ZEM-'^
- ?dDR
- ?FnH
- ?y]h
- ?M]-
- @g\t=
- ?Zxg
- %X
- cb~q
- 'HR%
- ?|}}
- ?$rxxx
- ?zD@
- ?e')lW
- ?:Rp
- >|.~
- ?l$G~
- ?KYC
- ?KB
- ?)]G
- ?`\\@
- ?B?}
- ?}>v
- ?{yK+;
- ?VV&
- ?ZEM-'^

- ?dDR
- ?FnH
- ?y]h
- ?M]-
- @g\t=
- ?Zxg
- %X
- cb~q
- 'HR%
- ?|}}
- ?{fHn
- Xg+=
- Nl,"=
- /r(=
- Lyc>=
- ?Dj0Q:W$=
- <@En[vP
- l,kg<i
- <\\%>
- <)TH
- cC<-
- _/:>
- <zQ}<
- ?RbSQ
- <@En[vP
- ?.)T
- <]%>
- F||<##
- ?#%X.y
- K<<H!
- <)TH
- ?(FN\\
- <V/>
- <{Q}<
- CqTR;
- G"jm
- V~|_
- #w_j
- VX&?
- &?~YK|
- Px%?
- NH%?
- H`$?h|
- .K="=
- ? #?
- :h"?bC
- !y##
- .h ?
- ~*L=
- ?|[{
- ?g)([|X>=
- +NB=
- >,'1D=
- n{;=
- {^C=
- @VNQ
- q\t!

- y1~?|"
- X-F=
- GYM=
- t?,&
- }~:f
-)(q?
- np?z
- R_V?
- MkK?
- !=
-]vQ<)8
- Ht=c
- pnJ=
- g:"(
- tLVv
- ?Ltm
- _hypot
- xpxxxx
- `h```
- (null)
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- Sv,INv]^Nv
- vTv\\
- ~MvBJNv
- Pvu\\Nv
- #-v:
- $.vp
- =-v.
- >-v:
- -v&<.vCE.vcv.v
- ;.v@
- -vTs,v
- ,v`g,vyy1v
- .v2},v
- T-vb
- ".vuG-v
- w]7.v`w
- m,v)
- >-v)~/v
- "-va>-vM
- g,v%9-vjX,v
- S.vb
- -vM7.v
- 3.vQJ.v
- -v\\9.v
- ;-v(7.v
- -v+E.v
- $vfd'v
- vIkv
- &v;<j$v
- vhuv
- l'v]c'v@f$vg
- h$v!
- QQQQQ3

- ;s|sk
- }u;C|sB
- ;C|r)
- f;C6tM
- ;s|s'f
- t.;S|r)
- ;s|s'f
- t.;S|r)
- ;s|s
- ;s|sP
- -;s|s5f
- ;C|r(
- ;s|s$f
- ;s|s$f
- w!t*=
- w(tY=
- (;s|s-f
- ;s|s$f
- ;s|s'f
- t.;S|r)
- ;C|s`
- ;C|s#
- ;C|s`
- ;C|s#
- t$;C|r
- ;C|sc
- 9SHt\t;Cx
- 9SHt\t;Cx
- C|+Cx
- ;S }
- ;S }F
- C|+Cx
- C(;C,
- jF^S
- x&;M
- jrYf
- j{Xf
- D$Df
- t$Df
- jvXf
- GH;OD~
- ;Q,|
- 4F;y,}#
- C;q,|
- tCf;
- t!Ht
- }(+G
- tBj9[j-_f;E
- j?_f;
- Ht&Ht;
- HtHHt
- HtmH
- w$tJ
- HtnHtWHt@Ht$Ht
- @PRj\tZ
- j Zj
- j?Zf;

- j*Zf;
- 9PltJf
- f;Hp
- f;Crt
- t:;K
- ;V$r
- ;V$r
- ;F$s*
- QQVW
- t&HHt;
- PQWV
- PQWV
- PQWj
- t$Pj
- t$Qj
- D$(P
- L$$F;
- D$@Pj
- D$Hj
- D$@P
- ~JHf
- f;D$
- t'Ht
- s|PVS
- QPQWVS
- QPQWVS
- QPQWVS
- QPQWVS
- D$ P
- D$ P
- T$4+|$
- D$`P
- D$\\P
- D$\\VP
- D$\\P
- D$XV
- D$<S
- D$LVP
- D$PP
- D$HP
- D$`P
- D$dP
- D$PPS
- D$(P
- D$(PW
- D$Lj
- D$(P
- D$(PW
- t$Lf
- t$Xh
- j_+
- Yj.Y;
- ~Bj _j.Y
- D$XP
- D$ P
- D$hP
- L$$j

- D$LPS
- D$dP
- D$TP
- D$ P
- D$`P
- D$ PS
- L$(j
- D$,P
- L$<Q
- C PW
- Gt-f
- j@Yf;
- t jHYf;
- t-jOYf;
- t5jGYf;
- jNYf;
- HthHt
- ;L$ |
- D$ P
- ;L$$
- ;L$ |
- D$$P
- D$ P
- HtmH
- D$$YH
- D$ P
- 't#P
- T$,j
- D$HhL6
- T$,!
- D$(P
- D$PP
- D$DPQ
- D$|P
- D$$PV
- D$$P
- D$ PV
- D$tP
- D$t=
- D$Pht
- D$TP
- D$PP
- D$hhT
- D$Ph
- D$TP
- RRRRP
- t/Ht%H
- HtsHt
- PVSShD
- PSSShD
- ^jch
- _WhH
- _WhL
- _WhP
- PPPj
- PPPj
- t\tj\tS

- j#Yf;
- C;_Pr
- t\tf;
- t-f;
- CYY;X<
- \\$X+
- D$XP
- D$XP
- D$,P
- D$<S
- D$,P
- j"Yf;
- t-j'Zf;
- j"Zf;
- L$(QP
- D$ h
- |D"\\Yt
- D$ P
- D$ P
- D$$P
- D$(P
- D$(P
- D$$PV
- j"XFf
- <$Xf
- _^[]
- SVWj
- _^[]
- SVWj
- X_^[
- [|J;
- J;s|s
- j}[f;
- SVWj0Zf;
- t4j|Yf;
- f;Grt>
- t";w
- j]Yj
- Yj\\Z
- jQYf;
- j)Y;w
- j<Yf;
- j)Yf9F
- j(^f;
- j)Yj
- (SVWj)
- X_^[
- jqXf;
- QQSV
- jHX_^[
- F$+F
-
-
-
-
-
-

•
• @_^[
• YYjqY
• ;S$r
• ;S$s
• @_^[]
• t?f;
• tXj]Zf
• QQSVW
• t]HPS
• QQSV
• QQSV
• QQSV
• uLPPRj
• D$(P
• t$$h
• D$<S
• D$(P
• D$TPSh>
• D$(PSh
• t$$SQ
• D$<S
• D$(P
• D$|PShK
• D$@PSh
• t$4j\tS
• D$TPSh>
• D$|PShK
• D$LP
• D$(PV
• D$TPSh>
• Sj\th
• D$TPSh>
• Sj\th
• ty=
• t$<;
• +G<+W@
• D$ P
• D$XP
• D$ P
• D$ P
• t$Dh
• G;|$D
• D$XPh
• D$XPj
• ;|$<}+
• D$\\PWV
• D$<h
• L$DQh
• L$PQ
• t$LP
• D$HPV
• _^[]
• QQSVW
• L$$h
• D$(Pj
• T$L;t$

- D$(Pj
- D$ x,
- F;t$
- D$(PVS
- D$$PS
- D$ PW
- LSVW
- D$<P
- D$(P
- D$<P
- D$(P
- D$ P
- tySVj
- QVPW
- PPj PPP
- SVjDj
- @_^[]
- PPPPP
-)GHjG3
- @_^[
- t$,S
- t$ S
- t$(S
- t$(S
- t$(S
- GHPS
- SVWt
- _^[]
- CpPV
- t$ j
- D$(Pj
- D$(Pj
- D$(Pj
- SVWP
- PPPPP
- HHt,Ht,
- @t\tj
- t$ V
- L$$t
- D$ V
- HHtPHt,H
- \\$ph+
- D$\\P
- D$\\PVhL
- D$$;
- D$,Pj
- VVhf
- VVhg
- D$,PV
- D$,PV
- D$,PV
- PVh?
- VVVVV
- D$(t
- D$(P
- SVWP
- @_^[

- PWhL
- PWhK
- Wj!j j
- Wj!j
- PWh?
- PWh>
- u<@PPj!j
- PQh=
- @PPj!j
- @_^[
- PVh?
- PVh`
- PVh`
- @_^[
- SVWP
- @_^[
- SVWP
- PWhK
- PWhK
- PWhK
- WWtGj
- PWh>
- PWh>
- PWh>
- PWh>
- Wj\th
- QPh<
- VShH
- WWhG
- tlHt
- SVWP
- _^[]
- SSSSPSh,L
- SVWP
- _^[]
- QQQQQP
- _[^]
- Pj W
- _^[]
- SVWP
- [_^]
- SCSh
- _^[]
- PVhL
- #}$WV
- }$Fj
- 4SVWj,
- SSSSS
- @_^[]
- PVhTK
- PRhL
- _^[]
- SShN
- PShC
- VSh@K
- #M,Q
- _^[]

- _^[Y]
- _[^]
- t^SQ
- _^[Y]
- VVVP
- QQSVWj$
- t^Vj$
- SVWj
- WWWW;
- WSQR
- |$,+|$$
- \\$(+\\$
- D$ t
- $SVW
- SVWh
- D$(PV
- D$$S
- D$(PV
- D$$S
- D$(PV
- D$$S
- D$(PV
- D$ WS
- $SVW
- D$,+D$$S
- D$4+D$,
- L$ Q
- $SVW
- $SVW
- QSVW
- QSVW
- L$<+L$
- D$L+D$Dj
- t$H+t$@
- D$@P
- D$PPj
- L$PQVh9
- L$PQVh2
- QQQQPVh
- XVVVV
- \\$$j
- D$@P
- D$@PW
- D$ P
- L$,h
- D$(P
- D$(P
- D$,P
- <SVW
- D$ P
- D$(PV
- D$$W
- D$(PV
- D$$W
- D$(PV
- D$$W
- $SVW

- D$(P
- D$(P
- D$(P
- D$ PV
- _^[]
- t"h$G
- _^[]
- Yj.Y
- tGj.
- HtEHt#Ht
- t<Vj
- D$$P
- L$ V
- t]Sj
- SVWh
- D$ P
- D$(P
- D$ +
- L$ +
- wtVj
- HthHtSHt?H
- D$$P
- D$ P
- L$ V
- D$ P
- L$ Vj
- SVW
- _^[]
- PQQQ
- PQQQ
- L$$Qj
- L$$Qj
- t$lQ
- D$,P
- D$,P
- D$,P
- D$XP
- D$DP
- D$`P
- D$$P
- D$$P
- L$$QV
- t$TQ
- D$,P
- D$PP
- D$<P
- D$XP
- LSVW
- D$(P
- L$,QV
- t$\\Q
- D$,P
- D$,P
- D$XP
- D$DP
- D$`P
- SVWh

- D$XP
- L$lQ
- L$(Q
- t$LQ
- D$$P
- D$,P
- D$HP
- D$PP
- t$@V
- t$DV
- D$,P
- D$$P
- D$`P
- D$<P
- D$HP
- D$HP
- t$(Q
- D$tPV
- D$(vK
- SVWjD^V3
- _^[]
- j<[S
- j@XPV
- t/Ht%Ht
- QSVW
- D$hPW
- D$(P
- D$XP
- D$hPW
- D$p,
- Nx,;
- L$;
- D$,P
- j;YFf9
- D$<P
- D$HVP
- D$XP
- L$$;
- \\SVW
- NxJ;
- D$ P
- Y_^[
- j\tXf
- SVWj
- ;t$|
- D$tP
- D$pP
- X+D$$PW
- D$0;D$|
- \\$,N
- L$;
- D$x+
- D$TP
- X+D$
- D$dP
- D$pP
- t%j)

- j$Yj@FZf;
- wtrf
- j%YFf;
- QQSV
- _^[]
- jHXf;
- +jHXf;
- RtMHt0Ht
- |SVW
- j@Zf;
- jHZf;
- t&jOZf;
- t.jGZf;
- jNZf;
- jNXj
- t"HHt
- Ht#Ht
- tKHt:HuQ
- jG^f9p
- _^Y]
- Vt\tj
- VVVW
- VVVj
- j\tXS
- VVVP
- Wh@@
- D$@P
- SSSP
- SSSh
- D$@f
- SSSh
- D$$V
- D$$Ph
- L$`#
- D$(P
- t$0;t$$t"F
- D$ P
- D$(S
- SSSh
- SSSP
- L$,Q
- @9D$ v=
- D$@P
- D$(P
- D$(P
- Whh?
- D$HP
- WWWV
- Whh?
- j\tXf
- D$(P
- LSVW
- D$(P
- D$(P
- j\tXf
- D$(P
- L$LQV

- D$HP
- D$HP
- LSVW
- D$ P
- D$ P
- L$ S
- HtlH
- D$ P
- Y^_[]
- PPPPGW
- Y^_[]
- PPGW
- tlW
- QQQj
- QQQP
- Pj@V
- PSSSV
- QVPS
- PWhL
- PQWWh
- PPPjH
- PPPhX
- Pj@V
- VVVh
- PQhL
- jdh,
- PQQQ
- +>+^
- t$ h
- Pj V
- D$ P
- u&VVWSh;
- D$(P
- ,SVW
- Yht>
- `hd>
- ghX>
- D$(P
- D$TP
- D$(P
- D$PP
- |$(WS
- D$DPj
- D$ P
- D$`PS
- D$lPQ
- D$8PQQ
- @PPSW
- Pj h
- QQSVW
- @PPSW
- jdY;
- t$$j
- t$$Vj
- D$(P
- SVW
- D$ P

- D$TP
- T$,Q
- tSVW
- QQVWh
- D$<PQW
- D$<PSW
- D$(P
- Qh >
- smWh
- D$$P
- PSWV
- VWRP
- QQSV
- QQSV
- QQSV
- HtyHtvHusj
- BtFHHt>
- CtHt
- t!@P
- QQSVW3
- t"Wj
- PVj&S;
- PSj&S;
- HtQHtL
- VVVP
- tfHtYHt8Ht,Ht
- SSSSV
- t\tSV
- s`QP
- QVQQQ
- Nt,NNt
- |SVW
- SSSSW
- FTS%
- $SVW
- _[^]
- >WWj
- _^[]
- v=Wj
- D$0hl=
- D$LP
- t7Ht"Ht
- D$<PhP
- D$HP
- t@Ht'Ht
- D$(@
- PPWPj
- QSVW
- L$(f
- D$ f
- D$<P
- @PPj
- HtJH
- QQSV
- _^[]
- BF;w
- Ph`:

- Ph`:
- D$hP
- D$$h
- F;t$
- D$xP
- NV@P
- j=Xj
- $SVW
- D$PP
- D$(P
- L$(P
- D$<P
- \\$ j
- LSVW
- T$$S
- D$xj
- D$hj
- D$@P
- L$@P
- D$LP
- t$ SSj
- F;t$
- D$LP
- L$ V
- D$@h`:
- D$@P
- D$LP
- D$DP
- t-Pj
- D$0h`:
- D$<P
- T$,r
- RVVP
- D$ P
- D$ P
- D$@P
- D$(P
- Yj\\Yf9
- D$<P
- j\\XP
- T$\\j
- D$`P
- D$dWP
- D$`P
- D$dWP
- D$.P
- D$`P
- D$dWP
- D$,P
- D$`P
- D$dWP
- D$*P
- D$`P
- D$dWP
- D$&P;
- D$`P
- D$phL:

- D$`P
- D$xh(9
- D$PP
- D$$P
- D$LPP
- D$$P
- D$TPP
- D$$P
- D$DPP
- D$$P
- D$PP
- T$XRP
- D$PP
- T$TRP
- D$PP
- T$TRP
- D$PP
- T$TRP
- D$PP
- T$\\RP
- D$$S
- t-hh=
- D$<P
- D$Dh
- D$Dhh:
- t$$P
- D$DP
- D$,P
- t$$j
- D$(P
- D$ P
- D$,P
- SVWj
- SVWj
- PVQQ
- j*Zf
- (h|<
- /hp<
- =h\\<
- DhP<
- KhH<
- Rh<<
- `h(<
- HHt@Ht3Ht&Ht;
- D$(P
- ,SVWj
- WWWW
- SVWj
- WWWWWh
- SVWj
- PWWWWW
- SVWj
- D$(P
- \\$HS
- D$L[
- D$@PW
- D$Hj

- D$@XP
- D$@PW
- D$@j
- D$,j
- D$@PW
- D$@j
- D$$S
- v?Wj
- Sj(P
- CSj@
- X_^[
- jDj$X+
- _^[]
- FLWP
- QQVj
- v Pj
- w Pj
- u+Sj)^j
- X_^[
- SVWh
- QQVW
- j*[S
- (SVW
- j\tYf
- HtYHt!
- _^[]
- QSVW
- Ht^Ht)Ht
- t[f;
- |\tf
- PQVh
- t$Vj
- _^[]
- _^[]
- _^[]
- SVW
- JtsJJt8
- QPWVS
- _^[]
- t$ V
- D$,;
- D$,P
- D$$=
- D$(=
- D$,Yu)
- j\tYf;
- tFj_^
- j\tYf;
- j\tYf;
- QQSPVWQQ
- PPPPVWPP
- QSVW
- jxXf
- ,SVWj
- YSPVWj
- PPVWj
- WWWh 8

- PPPh 8
- @VPQj
- [_^]
- QQQQP
- QQQQP
- PPPQ
- _^[]
- t,WV
- PPQP
- Y_^[
- YY_^
- VWPh
- YY_^[
- G PS
- _^[]
- SPQj
- YY_^
- SVWj*X3
- YY_^
- (j.^f9
- VWj*
- tzSV
- PRPh,
- j(Yj
- [SVSh
- SVWj
- D$,P
- D$$P
- D$(P
- YYSS
- YYj\\[
- Y^_[]
- PPGW
- Y^_[]
- PPPPGW
- QSVW
- QQSV
- j@^j
- ^t_j
- j ^j
- Ht'Ht
- <SVWj,
- t@j,
- D$ j
- QSWP
- DSVWj,3
- _^[]
- QSVWj
- QSVWj
- [_^]
- G)QSPj[
- G%QSPj
- G$QSPj
- G(QSPh
- G'QSPh
- Pj[h
- G)QSPj[

- G%QSPj
- G$QSPj
- G(QSPh
- G'QSPh
- Pj[h
- j XP
- D$ P
- D$$P
- HHty
- tP<_tL<
- <"t|<%tx<\'tt<$tp<&tl;<!th<otd<]t`<[t\\<\\tX<
- _^[]
- _^[]
- t$j'Zf;
- j"[f;
- @_^[]
- QSVW
- RVVP
- _^[]
- "SWf
- _^[]
- _^[]
- QQVj
- SVWj
- j;_f9;j
- ~%j;[f9
- Hf;]
- @j ;
- j;XCf9
- j;_f
- Oj;_f;
- Xj CX
- j;Zf
- Xj CX
- Oj XCf;
- r(RP
- D$HP
- D$ Y
- C;\\$$
- D$ P
- t$<f
- D$HPV
- D$LP
- jHZ;
- D$PP
- t$HV
- jH^f;
- D$HP
- D$<;D$$
- t:Ht(
- ttHtb
- t$0QVPR
- f;D$D
- DD@
- t$<^f;
- t$,j$
- t$(C

- |$<9D$$
- D$XP
- |$dC;
- D$XP
- T$XRW
- D$XP
- L$;T
- \\SVW
- _[^]
- f91t,SWj,[j.
- Y_^[]
- GY;x
- SVWh
- S(Rj
- C(Pj
- QQSV
- D$XP
- D$ P
- D$pP
- D$ P
- D$@@
- SS@P
- #D$ j
- T$T;P
- D$(P
- D$XP
- D$$P
- f;D$hu
- D$ P
- f;D$hu
- D$lH
- D$hG
- \\$h^
- D$\\@
- D$XP
- t%Ht"
- SVWjc
- ^(^[
- v(Sj
- QQSV
- SVWj
- _^Y]
- _^[]
- VSSSP
- QQQP
- @_^[
- QSVW
- @_^[
- D$ P
- D$$P
- D$ Ph
- D$$P
- D$ P
- D$$P
- D$ Ph
- D$$P
- D$$P

- D$$P
- D$$P
- Ht,Ht
- D$$P
- D$ P
- D$$P
- D$ P
- D$$P
- GY;~
- @_^[
- D$$+D$
- D$ +D$
- D$,P
- D$,PV
- D$,P
- D$,P
- Dt(P
- D$(P
- D$,PV
- ,SVW
- @_^[
- _^[]
- j;Zf;
- j]Yf;
- j;Yf;
- j:Zf;
- t)j]Yf;
- t1j;Yf;
- j:Yf;
- _[Y]
- Sj\th
- t;Wj
- _^[]
- t\tF;
- @QPh
- QQVW
- (j'h
- }*j%h
- QSVW
- SVWj
- SVh+
- Ph+p
- Ph*p
- Ph,p
- LhD+
- Ph)p
- tbSPW
- SVW
- tf;}
- WHPh
- QQSVWh
- PPShf
- QQSV
- PQSWQ
- PSSSSSSh
- \\SVWQQ
- PSSS

- tLj
- t$j\\Xf9
- QSVW
- Gf;x,r
- f;H,s
- Gf;x,r
- f;H,sC
- Cj$Xj(f
- &j;$Xj(f
- Mj$Xj(f
- j$Xj(f
- PPPPP
- ~"VP
- PRPQh
- VPRQ
- <=t
- PPPPP
- tPSS
- ?snj
- t\\j=S
- j@%@
- SSSSS
- +t"HHt
- PRPQh
- bWWWWj
- v\tN+D$
- PPPPP
- SSSSV
- SSSSV
- [_^]
- @PSV
- UQPXY]Y[
- ;t$,v-
-]_^[
- SSSSS
- tHHt*Ht#
- Ht+Ht$Ht
- QVWSj
- VVVVV
- PSVW
- WWWWW
- -jd[;
- PjdSQ
- PRSQ
- Wj0XPV
- ,SVWj0X
- j X+
- j X+
- WVj
- ;_tr.
- wtVj
- ~';_t|%3
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;

- Qvf;
- Qvf;
- [_^]
- Vj ^
- PPPPP
- Y_^[
- j=Yf
- j"_f9y
- PWWV
- QQSVWh
- jA[jZZ+
- _^[]
- VSj
- WVSj
- ?:uBGW
- PSj?
- PSj?
- SSSSS
- SSSSS
- @_^[
- PPSW
- PPPj
- RPQj
- SSPQSW
- QQSV
- QQSV
- tfHtWHtHHt/
- (H@f
- (Hpf
- X`Pf
- XH f
- (``f
- f- 8f=
- T=Ph
- T=`h
- (- *
- _[^]
- HtRj
- XP_f
- Ht#j
- X_^]
- t$VW
- _^[]
- SVWj
- [_^]
- URPQQh
- VhD)
- t;Ht+
- tRHtC
- QQSV
- t/Ht
- t@WV
- [_^]
- PWj?
- _^[t
- RPWQ
- HHtp

- HHtVHHt
- t/HHt
- } j@W
- j@j _W
- j@j
- +t"HHt
- j\tYf;
- -t*j0X;
- VVVVQ
- _^[]
- j\\^f;
- t:B;
- j:Xf
- [_^]
- PWj?
- Wj XP
- j Yf
- j-Xf
- RPWQ
- YYjgXf9
- jgXf;
- nt'joY;
- HHtXHHt
- htHjlY;
- j*Xf;
- j*Xf;
- t/HHt
- j Y+
- [_^]
- jXYf;
- jxYf;
- jXYf;
- jxYf;
- Zv&j;
- jXYf;
- jxYf;
- jXYf;
- jxYf;
- v\tN+D$
- t#Ht
- Y_^[
- Y_^[
- _^[]
- SSSSS
- VWhp
- ~pjCXf
- _^[]
- Npt"
- Y_^[]
- _^[]
- PPPPP
- Y__^[
- VWj
- t#=`
- j'X;
- sBHS
- VVVVV

- _^[]
- HthHt3
- HHtPHHt-H
- SSSSS
- j<SV
- j<VS
- j<VS
- _[^]
- j-Xf
- <$tPf
- <$tPf
- <$tTf
- <$tmf
- <$tmf
- <$tL
- _^[]
- WhhL
- YYWj
- YY_^
- VHt
- YYHt
- tWPV
- _^[]
- ^_[]
- _^[]
- q?xD
- t?f;
- jAZjZ^+
- SVjA[jZ^+
- _^[]
- j-Xf
- j-Xf
- uPVWhd
- t:f;
- SVWjA_jZ+
- r>PS
- j Y+
- tCWj
- @^[_]
- tB~'
- Y^_[]
- PPPPGW
- QQSVW
- QQSV
- QQVW
- L$XQP
- D$PP
- D$$PS
- _^[Y]
- QSVW
- Ht;Ht.H
- __^[]
- <uGj>Y
- j YB
- Wj"Y
- Yj!Z
- j+Yj^f;

- D$ P
- D$LHP
- ;D$@
- D$@;s
- D$ P
- +t\\HHtT
- QQVW
- L$ Q
- t$$j)
- D$@\\
- D$$P
- D$ P
- PVSS
- SVtp
- _^[]
- t$PS
- t$<V
- \\$$W
- ^j|Xf
- _^[Y]
- Gt,Ht
- _^[]
- _^[]
- QQSVW
- tZHH
- D$(P
- \\SVW
- ;Gxs
- ;Gds
- SVPW
- QSVW
- _^[]
- (SVWh
- F;t$ r
- 9t$ v-
- D$$P
- ,SVW
- Ht.H
- F;t$Xr
- ;|$|r
- D$,C
- D$`P
- L$,@
- D$Dj
- D$DP
- D$;C
- L$(S
- D$t<
- D$P@
- PWRS
- tFs'
- tXF;s
- @tZf
- Gt f
- Nt,f
- _^[]
- _^[]

- t$djn
- t$djm
- t$@jp
- |$$j
- F;t$xr
- D$p@
- D$tP
- t$l;
- t$tj
- D$p@
- D$XP
- D$ P
- D$@tQ
- D$XP
- D$ P
- D$@;D$Dr
- L$@;
- T$<f
- D$`;
- \\$<f
- D$,f
- Ntsf
- St!f
- Rt'f
- D$`P
- D$PP
- D$PP
- D$PP
- D$PP
- D$$PVj
- D$$P
- D$KP
- D$ PVj
- D$ P
- D$Xf
- D$`P
- \\$L=<
- _[^]
- twSVW
- Ht8HtRHt
- tZSW
- DSVW
- D{fS
- (SVW
- F;w r
- X_^[
- [_^]
- [_^]
- D$@P
- D$ P
- D$XP
- L$Xf
- D$,P
- SV@W
- _^[Y]
- QQSVW
- Yj?Yj0Z

- |,f;
- SVj?
- t_jB
- Zvcf
- ZvGf
- tF;=
- j\tYf;
- j Yf;
- t4j"Yf;
- t<j\tYf;
- j Yf;
- j\tYf;
- j Yf;
- _^[]
- !"#$%%%%%%%&&\'()*+%%%%%%%&&\'()*+,,,,,,--./012QQQQQQQQ334556789999:;<;<=>=?@AB=?@ABQQQQQCDEFGHIJKLMN
- !"#$
- t$ R
- T$@t-
- L$D;t$8
- L$DF
- D$<9D$ tZj
- L$D;
- HtJH
- D$$;D$0
- D$LVP
- t$ R
- D$,+
- t$ R
- _^[]
- _^[]
- D$ P
- D$ P
- lSVW
- _^[]
- QSVW
- wtX=
- QSVW
-)t/f
- jqXf
- \\$Hf
- @_^[
- L$LjrXf
- \\$ f
- D$DP
- D$XP
- D$PP
- D$<P
- D$tP
- D$\\f
- t$lf
- D$hj
- C f;C
- PVVVV
- C"j}
- PQQQQ
- jH[f;
- jH[f;

- hSVW
- _^[]
- t`C;_
- Ht!H
- QQVW
- QSVW
- _^[]
- @_^[
- D$;F
- D$ PV
- SSSh
- QSVW
- ~+FVSj
- TSVW
- (SVWh
- F;w r
- G H_^
- RVVP
- SVWP
- D$(P
- PQh$
- L$$9N@
- SVWh
- ^VVj
- PWWWWh
- WWjdh,
- FY;w r
- FY;5$#
- Ht#H
- ;=h#
- QPRS
- <SVW
- \\$PPV
- D$lPV
- \\$dj
- SVWj
- G%_^[
- Y_^]
- .rsrc