Analysis report for sample: f7d45793226820996c9b3642f644bebb

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 3730 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: f7d45793226820996c9b3642f644bebb

AV detections

- Microsoft: Worm:Win32/Gamarue.AU
- Kaspersky: Trojan-PSW.Win32.Fareit.citg
- Symantec: Infostealer.Limitail
- Malwarebytes: Backdoor.Andromeda

Original source url

- hxxp://rigpriv.com/upload/z5EPFjbF.exe

Virustotal url

- https://virustotal.com/es/file/08f927981aac73a942b8dee00d6718933fc9096afb52724a32ca87708dbd7dbf/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- CRC32_poly_Constant (Look for CRC32 [poly])
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- contentis_base64 (This rule finds for base64 strings)

Snapshot


C:\Windows\s...
Recycle Bin
Turn on Windows Security Center service
The Windows Security Center service is turned off. Click to turn on.
Start
11:01 PM
Thursday
5/18/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name msiexec.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\msiexec.exe PID: P2, Command line: "C:\\Windows\\system32\\msiexec.exe")
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\explorer\\advanced Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\ShowSuperHidden Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\Hidden Type: REG_DWORD, Length: 4, Data: 2)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\Policies\\Explorer\\Run Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run\\687948213 Type: REG_SZ, Length: 52, Data: C:\\PROGRA~2\\msnunrubc.exe)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows\\Load Type: REG_SZ, Length: 2, Data:)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\687948213)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\TaskbarNoNotification Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\TaskbarNoNotification Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\HideSCAHealth Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\HideSCAHealth Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\policies\\system Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System\\EnableLUA Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\software\\microsoft\\windows nt\\currentversion\\Windows Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: hJ.om
- url | valid domains | tlds: 3.vc
- url | valid domains | tlds: ,va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: e.vI
- api | frequently used by malware: Cannot drag a form"An error returned from DDE ($0%x)/DDE Error - conversation not established ($0%x)0Error occurred when DDE ran out of memory ($0%x)"Unable to connect DDE conversation\tMetafiles
- api | frequently used by malware: Connection Closed Gracefully.;Could not bind socket. Address and port are already in use.
- api | frequently used by malware: Cannot allocate socket.
- api | frequently used by malware: Socket type not supported."Operation not supported on socket.
- api | frequently used by malware: Protocol wrong type for socket.
- api | frequently used by malware: Socket operation on non-socket.
- api | frequently used by malware: Socket is not connected..Cannot send or receive after socket is closed.#Too many references, cannot splice.
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: SuspendThread
- api | frequently used by malware: WinExec
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: Accept
- api | frequently used by malware: StartServiceCtrlDispatcher failed.
- api | frequently used by malware: OpenProcessToken failed with %d
- api | frequently used by malware: DllRegisterServer
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Installer\\RunOnceEntries
- registry: Software\\Classes\\Installer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Installer
- api | ws2_32: __WSAFDIsSet

- api | ws2_32: WSACleanup
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetLastError
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: getservbyport
- api | ws2_32: getservbyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getprotobyname
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | kernel32: GetFileSize
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetLogicalDrives
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetNumberFormatA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetUserDefaultLCID
- api | kernel32: GetVersionExA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalUnlock

- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: GetKeyboardType
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: GetFileType
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LocalFree
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo

- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA
- api | kernel32: ServiceThreadMain: SetWaitableTimer failed.
- api | advapi32: SetServiceStatus failed.
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: HeapSetInformation
- api | kernel32: CreateWaitableTimerW
- api | kernel32: CancelWaitableTimer
- api | kernel32: SetWaitableTimer

Involved hosts

- 104.43.195.251:http
- 166.78.145.90:http
- 23.100.122.175:http
- google-public-dns-b.google.com:domain
- ntp1.sil.at:ntp
- 166.78.145.90:80 (a9ndjs62.xyz)
- 192.168.133.220:49195
- 192.168.133.220:49197

Dns queries

- europe.pool.ntp.org ---> 86.59.13.46, 147.231.100.5, 195.186.1.101, 31.172.83.93
- microsoft.com ---> 23.100.122.175, 23.96.52.53, 191.239.213.197, 104.40.211.35, 104.43.195.251
- sdbfa7as.xyz ---> no answers
- 46.13.59.86.in-addr.arpa ---> no answers
- 4.4.8.8.in-addr.arpa ---> no answers
- 175.122.100.23.in-addr.arpa ---> no answers
- abd87s6bas6.xyz ---> no answers
- s6asfa8asd7as.xyz ---> no answers
- bas7db7asd7as.xyz ---> no answers
- a9ndjs62.xyz ---> 166.78.145.90
- s8bas7sbdd8b8.xyz ---> no answers
- 90.145.78.166.in-addr.arpa ---> no answers
- 251.195.43.104.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.220:49195 ---> 166.78.145.90 (a9ndjs62.xyz) :80

POST /asdb8/gate.php HTTP/1.1[...]Cache-Control: no-cache[...]Connection: close[...]Pragma: no-cache[...]Content-Type: application/octet-stream[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Content-Length: 66[...]Host: a9ndjs62.xyz

• tcp 166.78.145.90 (a9ndjs62.xyz) :80 ---> 192.168.133.220:49195

HTTP/1.1 200 OK[...]Date: Fri, 19 May 2017 06:15:30 GMT[...]Server: Apache/2.2.20 (Ubuntu)[...]X-Powered-By: PHP/5.3.6-13ubuntu3.10[...]X-Sinkhole: malware-sinkhole[...]Vary: Accept-Encoding[...]Content-Length: 0[...]Connection: close[...]Content-Type: text/html

• tcp 192.168.133.220:49197 ---> 166.78.145.90 (a9ndjs62.xyz) :80

POST /asdb8/gate.php HTTP/1.1[...]Cache-Control: no-cache[...]Connection: close[...]Pragma: no-cache[...]Content-Type: application/octet-stream[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Content-Length: 66[...]Host: a9ndjs62.xyz

• tcp 166.78.145.90 (a9ndjs62.xyz) :80 ---> 192.168.133.220:49197

HTTP/1.1 200 OK[...]Date: Fri, 19 May 2017 06:16:40 GMT[...]Server: Apache/2.2.20 (Ubuntu)[...]X-Powered-By: PHP/5.3.6-13ubuntu3.10[...]X-Sinkhole: malware-sinkhole[...]Vary: Accept-Encoding[...]Content-Length: 0[...]Connection: close[...]Content-Type: text/html

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, msiexec.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\msiexec.exe PID: P2, Command line: "C:\\Windows\\system32\\msiexec.exe")
- **Thread T4 (in process P2, msiexec.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P2, msiexec.exe)
  - **Thread' events**

- Thread Create (Thread ID: T5)

• Thread T5 (in process P2, msiexec.exe) description

• Thread's childs

- Thread T6 (in process P2, msiexec.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\TaskbarNoNotification Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\TaskbarNoNotification Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\HideSCAHealth Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\policies\\Explorer Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\HideSCAHealth Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\policies\\system Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System\\EnableLUA Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\explorer\\advanced Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\ShowSuperHidden Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\software\\microsoft\\windows\\currentversion\\explorer\\advanced Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\Hidden Type: REG_DWORD, Length: 4, Data: 2)
- RegCreateKey (HKLM\\software\\microsoft\\windows\\currentversion\\Policies\\Explorer\\Run Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run\\687948213 Type: REG_SZ, Length: 52, Data: C:\\PROGRA~2\\msnunrubc.exe)
- RegCreateKey (HKCU\\software\\microsoft\\windows nt\\currentversion\\Windows Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows\\Load Type: REG_SZ, Length: 2, Data:)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\687948213)
- Thread Create (Thread ID: T6)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, msiexec.exe) description

• Thread's childs

- Thread T7 (in process P2, msiexec.exe)

• Thread' events

- Thread Create (Thread ID: T7)

• Thread T7 (in process P2, msiexec.exe) description

• Thread's childs

- Thread T8 (in process P2, msiexec.exe)

• Thread' events

- Thread Create (Thread ID: T8)

• Thread T8 (in process P2, msiexec.exe) description

• Thread's childs

- Thread T9 (in process P2, msiexec.exe)

• Thread' events

- Thread Create (Thread ID: T9)

• Thread T9 (in process P2, msiexec.exe) description

• Thread's childs

- Thread T10 (in process P2, msiexec.exe)

• Thread' events

- Thread Create (Thread ID: T10)

• Thread T10 (in process P2, msiexec.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P2 (msiexec.exe)'s network events

- UDP Send (javi-PC.localdomain:dynport-> ntp1.sil.at:ntp (48))
- UDP Receive (javi-PC.localdomain:dynport-> ntp1.sil.at:ntp (48))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (31))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (111))
- TCP Connect (javi-PC.localdomain:dynport-> 23.100.122.175:http (0))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (30))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (95))
- TCP Disconnect (javi-PC.localdomain:dynport-> 23.100.122.175:http (0))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (33))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (98))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (35))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (100))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (35))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (100))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (30))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (46))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (30))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (46))
- TCP Connect (javi-PC.localdomain:dynport-> 166.78.145.90:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 166.78.145.90:http (360))
- TCP Send (javi-PC.localdomain:dynport-> 166.78.145.90:http (66))
- TCP Receive (javi-PC.localdomain:dynport-> 166.78.145.90:http (242))
- TCP Disconnect (javi-PC.localdomain:dynport-> 166.78.145.90:http (0))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (35))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (100))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (31))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (111))
- TCP Connect (javi-PC.localdomain:dynport-> 104.43.195.251:http (0))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (30))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (95))
- TCP Disconnect (javi-PC.localdomain:dynport-> 104.43.195.251:http (0))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (33))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (98))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (35))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (100))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (35))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (100))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (30))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (46))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (30))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (46))
- TCP Connect (javi-PC.localdomain:dynport-> 166.78.145.90:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 166.78.145.90:http (360))
- TCP Send (javi-PC.localdomain:dynport-> 166.78.145.90:http (66))
- TCP Receive (javi-PC.localdomain:dynport-> 166.78.145.90:http (242))
- TCP Disconnect (javi-PC.localdomain:dynport-> 166.78.145.90:http (0))
- UDP Send (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (35))
- UDP Receive (javi-PC.localdomain:dynport-> google-public-dns-b.google.com:domain (100))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000978830001000000000000000100000009789100

• Module 1 yara matches

• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• ImportTableIsBad (ImportTable Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• CRC32_poly_Constant (Look for CRC32 [poly])

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: hJ.om

• Module 1 other strings

• \\system32*
• rI>Oi
•)}"O
• 'n`6
• S2z2`
• ADeD
• 9O63]
• 3vL)
• Sr&~I
• 2Dt@
• ~$To1
• DKEm#
• 5fDt
• Av.5
• 2'f3
• ivGU
• IXb/I
• sSHNU
• W"u2
• \'7"e\\z|s
• {hA}

- "}R0R
- DkIWW
- N6'u
- f2Fp
- <0yd
- Z+a>A%T!4/
- "ut5I
- e@}Ve
- 0,px%
- :5Ku\\G
- u:PZ
- @Oa.
- a\t7q
- uN(:T
- Izy0
- um>N
- ae#w
- $Z.4 Ib
- R]DSI
- sA&/l
- 40d|5
- d6@U
- Lj1x
- C#9KLOK
- {5~^
- #$2ezH&
- n ~i
- 0-Cq
- C9fo
- ijS;
- q=wu
- j5|{
- ts0
- o{9z
- zJUw
- u1Ml
- Ue8?w
- n`$i
- "aF#
- T%0
- PX`0
- ECYuHFaL
- 7JdU
- 9uZj
- O..0
- _<u-
- myVAX
- iY,,
- =/~1
- #Val
- *U;i
- j0zZ
- V1B=
- m\tF0
- Iw8v
- Cd1V
- /gj7

- lc<E
- O&$#
- *i!
- ;#!8
- $PMu
- Ulj}
- wV"I
- iBXnN
- FsUZ
- aV]x
- "P0g2
- fO7>5+:h
- UB{R
- KO3,
- K5!$
- 0JUXke
- i:ps
- 6i]k
- JDb4
- \\7qD
- \\eIe
- <E}3
- U@YYj
- %<?3
- 2P?;E
- Ed;EXs\\
- u\t9E
- u\t9E
- E`_^[
- P9Elt&
- ;Ext[
- '9q:
- ;E\\s`
- 5t\td
- u\t9]
- u\t9]
- WWke3
- V<)E
- Rp3f
- Rp0f
- IPNg
- [eU9
- `.rdata
- .text
- RichE
- !This program cannot be run in DOS mode.
- \\\\?\\
- Rvtr
- -/\\vzx
- r>"
- j^yC
- CrMycz{
- >,<Y
- !qps
- 0$:\\q&]'
- w $
- W_pkZ

- >C$=P
- Mn.F
- ++M!CGL
- fp=
- B$&-
- [}(q
- 'kKY
- lG q
- yx->(
- DN'z
- dr/J
- CS|'?f
- wrNc:
- w#%p
- :+#h
- \\"c>
- {|/?
- M>v?
- xC]f
- (,@
- DC$F
- p|$$
- Cl%XbZ
- gP";
- {"Ns
- N?"!
- %D \\
- !w(
- zsbrt
- rdj
- `_5#&sV;
- !V?)
- GLp@
- ZPBf
- BVgz4x
- D,"h
- o-'tW*
- ftx~
- +k&r;
- :P#c
- .Z:3g=
- wroRM#
- C^?7^H
-)N/|aS
- mjU/S&jW;
- MQR&jQ5;
- +_/d
- ?%z~
- "})&
- b,k:
- @tZMHa
- s;?r
- [-(>
- P*fy
- n"^>
- Cb+)
- LZT!

- ~j`Q
- [nr;
- '%H[
- nzq~
- LFCD
- B|YV
- 4|J\'z"|
- (;."#
- EXHHtG
- t$j
- C(Pj
- Q*l"
- VDVj
- QQSV
- DH,f
- /nNK
- VPVj
- x..t
- x,.t
- (TSk
- V<%C
- QQSV
- m]l

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: 3.vc
- url | valid domains | tlds: ,va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: Cannot drag a form"An error returned from DDE ($0%x)/DDE Error - conversation not established ($0%x)0Error occurred when DDE ran out of memory ($0%x)"Unable to connect DDE conversation\tMetafiles
- api | frequently used by malware: Connection Closed Gracefully.;Could not bind socket. Address and port are already in use.
- api | frequently used by malware: Cannot allocate socket.
- api | frequently used by malware: Socket type not supported."Operation not supported on socket.
- api | frequently used by malware: Protocol wrong type for socket.
- api | frequently used by malware: Socket operation on non-socket.
- api | frequently used by malware: Socket is not connected..Cannot send or receive after socket is closed.#Too many references, cannot splice.
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep

- api | frequently used by malware: SuspendThread
- api | frequently used by malware: WinExec
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSACleanup
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetLastError
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: getservbyport
- api | ws2_32: getservbyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getprotobyname
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: inet_ntoa

- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | kernel32: GetFileSize
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetLogicalDrives
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetNumberFormatA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetUserDefaultLCID
- api | kernel32: GetVersionExA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: GetModuleHandleA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | user32: CharNextA
- api | user32: MessageBoxA

- api | user32: LoadStringA
- api | user32: GetKeyboardType
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: GetFileType
- api | kernel32: GetFileSize
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: ReadFile
- api | kernel32: RtlUnwind
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow

- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

• Module 2 other strings

- Floating point overflow
- Floating point division by zero
- Integer overflow Invalid floating point operation
- Range check error
- Division by zero
- Invalid numeric input
- Read beyond end of file\tDisk full
- File access denied
- Too many open files
- Invalid filename
- File not found
- I/O error %d
- Out of memory
- !'%s' is not a valid integer value
- Write
- Read
- Invalid variant operation"Variant method calls not supported
- Invalid variant type conversion
- No argument for format '%s'
- Application Error1Format '%s' invalid or incompatible with argument
- Privileged instruction%Exception %s in module %s at %p.
- Control-C hit
- Stack overflow
- Invalid class typecast0Access violation at address %p. %s of address %p
- Invalid pointer operation
- Floating point underflow
- A call to an OS function failed
- System Error. Code: %d.
- Abstract Error?Access violation at address %p in module '%s'. %s of address %p
- Exception in safecall method
- Interface not supported
- Assertion failed
- External exception %x
- Variant is not an array!Variant array index out of bounds
- Error creating variant array
- August
- July
- June
- April
- March
- February
- January
- Thursday
- Tuesday\tWednesday
- Monday
- Sunday
- December
- November

• October
• September
• Invalid stream format$''%s'' is not a valid component name
• Cannot open file %s
• Cannot create file %s
• A class named %s already exists%List does not allow duplicates ($0%x)#A component named %s already exists%String list does not allow duplicates
• Class %s not found
• Bits index out of range*Can't write to a read-only resource streamECheckSynchronize called from thread $%x, which is NOT the main thread
• Cannot assign a %s to a %s
• Ancestor for '%s' not found
• Saturday
• Friday
• Stream write error
• Property %s does not exist
• %s.Seek not implemented$Operation not allowed on sorted list$%s not in a class registration group
• Resource %s not found
• Property is read-only
• Stream read error
• Error reading %s%s%s: %s
• List index out of bounds (%d)+Out of memory while expanding memory stream
• List count out of bounds (%d)
• Invalid property value List capacity out of bounds (%d)
• Invalid property path
• Invalid property value
• Invalid ImageList Index)Failed to read ImageList data from stream(Failed to write ImageList data to stream$Error creating window device context
• Invalid ImageList
• Invalid image size
• Canvas does not allow drawing
• Out of system resources
• Unsupported clipboard format
• Metafile is not valid!Cannot change the size of an icon Invalid operation on TOleGraphic
• Icon image is not valid
• Bitmap image is not valid
• Thread creation error: %s
• Cancel
• Not enough timers available@GroupIndex cannot be less than a previous menu item's GroupIndex5Cannot create form. No MDI forms are currently active*A control cannot have itself as its parent
• Sub-menu is not in menu
• Menu inserted twice
• Menu index out of range
• %s property out of range
• Cannot hide an MDI Child Form)Cannot change Visible in OnShow or OnHide''Cannot make a visible window modal
• Error creating window class+Cannot focus a disabled or invisible window!Control '%s' has no parent window
• Icons
• Enhanced Metafiles
• &All;
• Abort
• &Ignore;
• &Close;
• &Help;
• &Yes;
• Yes to &All;
• N&o; to All
• &All;
• &Ignore;
• &Abort;
• &Help;

• Cancel
• &Yes;
• Confirm
• Information
• Error
• Warning
• Bitmaps
• Down
• Right
• Left
• Home
• PgUp
• Space
• Enter
• OLE error %.8x
• No help found for %s#No context-sensitive help installed$No topic-based help system installed
• Error setting %s.Count8Listbox (%s) style must be virtual in order to set Count"Unable to find a Table Of Contents
• - Dock zone has no control
• - Dock zone not found
• Docked control must have a name%Error removing control from dock tree
• Unable to insert a line Clipboard does not support Icons/Menu '%s' is already being used by another form
• Alt+
• Set Size Exceeded.
• %s could not be loaded.
• Winsock Initialization Error.
• Not enough data in buffer.
• OLE control activation failed*Could not obtain OLE control window handle%License information for %s is invalidPLicense information for %s not found. You cannot use this control in design modeNUnable to retrieve a pointer to a running object registered with OLE for %s/%s
• DCOM not installed
• .Method '%s' not supported by automation object/Variant does not reference an automation object7Dispatch methods do not support more than 64 parameters
• Access denied.
• Bad file number.
• Interrupted system call.
• Socket Error # %d
• %s is not a valid service.
• Not connected.
• Disconnecting from %s.
• Connected.
• Connecting to %s.
• Resolving hostname %s.
• No data to read.
• No execute handler found.
• Thread Class Not Specified.1Only one TIdAntiFreeze can exist per application.=InterceptEnabled cannot be set to true when Intercept is nil.
• Protocol family not supported.0Address family not supported by protocol family.
• Protocol not supported.
• Bad protocol option.
• Message too long.
• Destination address required.
• Operation already in progress.
• Operation now in progress.
• Operation would block.
• Too many open files.
• Invalid argument.
• Bad address.
• File name too long.
• Connection refused."Too many levels of symbolic links.

- Connection timed out.
- Socket is already connected.
- No buffer space available.
- Connection reset by peer.
- Network is unreachable. Net dropped connection or reset.!Software caused connection abort.
- Network is down.
- Address already in use. Cannot assign requested address.
- Winsock stack
- Goodbye
- command not recognized (%s)
- Directory not empty
- No route to host.
- Host is down.
- MS Sans Serif
- TFORM1
- PACKAGEINFO
- DLGTEMPLATE
- PREVIEWGLYPH
- BBYES
- BBOK
- BBNO
- BBIGNORE
- BBCLOSE
- BBCANCEL
- BBALL
- BBABORT
- 9-+,
- A B(B
- PADL
- [9;1
- K5f:
- M\\0=
- D ce
- 6dw=B
- C0hf
- Q9+?
- X("a
- 8PO(
- a?t[
- %coeq
- 5Ydf"
- YO_8O
- yPAD
- +6a[
- .kPAD
- US.I
- erS>
- |PAD
- PAD=
- %uf`
- e=v1
- sPAD
- EnDi
- 4:T-
- C%Fa
- h4Uo
- }E[Y8C

- udQu
- PAD3
- cK0MUy
- I[@(
- WejFa
- &gE.;
- t&AJL;
- HeRcF
-)kHU*
- sLVPAD7
- #[va;
- 0Tg"O
- :o+gr
- 5^~-
- PAD`;I`
- f [u
- &@og
- zNV5'
- %4#]
- |PAD
- 5yuh
- O(\t0
- ;98$
- yOp#
- e/|-Y
- L"0
- O2A:S
- i'PAD
- /1_bQ
- _rE9V}
- +80>
- 1#b@
- d3+=
- PADT
- g->T8pi"m
- |LPAD
- PAD4
- ,5!+
- /b`cA
- [V~9
- :PADR
- WWd1
- 'I@4
- tZei]
- Gu\tz
- >S5j
- $W{~o
- PADUS
- PAD'
- 4P:@c
- O}uZi
- PADs
- |eZ)
- ~8V
- F(AE
- vt8C
- MpaU

- c3c"
- 3A@K! mC
- OGyIK:
- 21`d5!f
- 0;-3
- J3U}=
- oo|!
- $PAD
- ~8vKO
- I3C+.?
- q97lqg[A
- 5miU
- gza?m
- s9*g
- `9~3
- w=2C
- aPADA
- gR6)
- PADy
- xE?x
- miPAD
- m!!{o
- 1'n'(
- o4_x
- a*/Pp
- iN$g
- WA?J
- FeF?
- }8PAD
- Z1TD
- PAD^
- 1v-
- APAD
- PAD_
- oR&:
- e@sk
- lv)3
- CdeU
- 6PAD
- ,2'k
- aUsr
- Yf#4
- 8t`Y
- i8\tQ^
- J<QE
- "M8p
- YPAD
- U?|[S
- UG3q%]
- rOJO
- 3 s.
- {}<2
- PAD
- 34^
- lPAD[
- PHeV
-)7r*eV

- CdsK3
- ./BVA
- C`eV
- >eeX
- DEL}
- #PAD
- s*4b
- v9Co
-]9/1
- ~PAD
- uF7Rb
- zEx<
- EssU'\\D
- PADS
- bEBE
- #PAD
- u;*1
- U?d[S
- PADV
- l&9eH/
- ;PAs8
- jtPAD
- ,SA;
- 0[ZPAD
- !70G
- >p*HE
- EPAD
- l[PAD
- tw(O
- fw(O
- Left
- IdCoderMD21
- TIdCoderMD2
- Left
- Bindings
- Left
- DdeServerConv1
- TDdeServerConv
- Left
- DdeClientItem1
- TDdeClientItem
- Left
- Timer1
- TTimer
- Left
- DdeClientConv1
- TDdeClientConv
- Left
- AutoQuit
- ckRunningOrNew
- ConnectKind
- AutoConnect
- PowerPointApplication1
- TPowerPointApplication
- Left
- ckRunningOrNew
- ConnectKind

- AutoConnect
- TMailItem\tMailItem1
- Left
- ckRunningOrNew
- ConnectKind
- AutoConnect
- DocumentItem1
- TDocumentItem
- TabOrder
- ItemHeight
- Height
- Width
- Left
- ListBox1
- TListBox
- TabOrder
- RadioButton1
- Caption
- Height
- Width
- Left
- RadioButton1
- TRadioButton
- TabOrder
- CheckBox1
- Caption
- Height
- Width
- Left
- TCheckBox\tCheckBox1
- TabOrder
- Button1
- Caption
- Height
- Width
- Left
- Button1
- TButton
- Edit1
- Text
- TabOrder
- Height
- Width
- Left
- Edit1
- TEdit
- tsAuto
- tmBottomRight\tTickStyle
- TickMarks
- TabOrder
- SelStart
- SelEnd
- Position
- trHorizontal\tFrequency
- Orientation
- Height
- Width

- Left
- TTrackBar\tTrackBar1
- Height
- Width
- Left
- TPaintBox\tPaintBox1
- TextHeight
- PixelsPerInch
- OldCreateOrder
- Font.Style
- MS Sans Serif
- Font.Name
- Font.Height
- clWindowText
- Font.Color
- DEFAULT_CHARSET
- Font.Charset
- clBtnFace
- Color
- Form1
- Caption
- Height
- Width
- Left
- Form1
- TForm1
- TPF0
- Unit1
- 2DDEml
- DdeMan
- ListActns
- ToolWin
- RichEdit
- Buttons
- 0Mapi
- ExtActns
- ;VBIDE2000
- MSPpt2000
- \\Office2000
- OleServer
- MultiMon
- RHelpIntfs
- WinHelpViewer
- UrlMon
- ?WinInet
- 3CommDlg
- IDlgs
- Dialogs
- ImgList
- vMenus
- EActnList
- *ShellAPI
- YStrUtils
- WWinSpool
- Printers
- Math
- Forms

- &Controls;
- OleConst
- OleCtrls
- +Graphics
- qComConst
- FComObj
- Outlook2000
- IdCoder
- IdMIMETypes
- IdCoderMessageDigest
- IdThreadMgrDefault
- %IdThreadMgr
- IdThread
- +IdTCPServer
- IdIntercept
- mIdSocketHandle
- IdComponent
- YIdWinsock
- @IdStackConsts
- "IdStackWinsock
- yIdStack
- IdBaseComponent
- IdException
- EIdURI
- |IdResourceStrings
- IniFiles
- sActiveX
- QTypInfo
- $VarUtils
- CVariants
- SysUtils
- 3Messages
- ^Classes
- UTypes
- KWindows
- SysInit
- 8Registry
- uIdGlobal
- IdAntiFreezeBase
- IdTCPConnection
- 7Project1
- &=O8
- 33333333
- 333333333333333333
- 3333333:3333333383
- #3333333
- 3333333
- 333333:"C3333338
- "C333333
- 333333
- 33333:"$3333338
- "C333333
- 33333
- 3333:"$3333338
- "C333
- :*3:"$3338
- "C3338

- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 33333
- 333333333333
- 333333333333333333
- 333333333333333333
- 333333
- $334B"$3
- :"C333
- :DC33:""$8
- 333333DDD3
- 333333333333333
- 33333
- 333338
- 2""#33:DC8
- 83338
- 2""333:"C8
- "$38
- 2""*
- 2$B"""""C38
- 8333
- 2C4"""D338
- 333DDD33333?
- 333333333333333333
- 3333333:3333333383
- #3333333
- 3333333
- 333333:"C3333338
- "C333333
- 333333
- 33333:"$3333338
- "C333333
- 33333
- 3333:"$3333338
- "C333
- :*3:"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 33333
- 333333333333
- 333333333333333333
- 333333333333333333
- 333333
- 3333

- 3838
- 3333
- 33333?
- 333333333333?
- 3333fc33333338
- ?333
- C3333333
- 3336
- ?333
- C3333333
- 3336
- 3334JC33333338?333
- 3333333
- 3333"
- C33333833?33
- 3332*
- 33333
- D*C33383
- 33j$
- ?8?3
- CjC338
- ?8?3
- CjC338
- 3DDf
- "dc3333833
- 333j
- "$c33333
- F*F333383
- 33338?383
- c333
- 338?3
- c33*C333
- 333*C33
- 4DF334DC33
- 3333333333338
- 33338
- 3333
- 33833
- fff3333
- 33>ffffc338
- fDFfC338
- 33fd3>fC333
- fC333?3
- 334C3
- 3333>fd333338
- fC33333
- 3333
- 333>fd333333
- 333>fC333333
- 3336fC3333338
- 3333
- 3333Dc3333333
- 3333
- 3333333333338
- c333333
- 3333
- 333>fC333333

- 3333
- 3336Dc3333338
- 3333
- 3333f3333333?
- 333333
- 333333
- 333333?
- 33333333333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 33MP
- 333333333333333333
- 3333333333333338
- 3338
- 3333339
- 333838
- 33333
- 33333833
- 333338
- 3339
- 33833
- 33333
- 3331
- 33338
- 3833
- 33?33
- 3333
- 33333333?333333
- 333333333333333333
- 33333333
- 3333333
- 333333:"33333338
- $3333333
- 333333
- 33333:"$3333338
- "J333333
- 33333
- #33338
- 3333:"$
- "J"C3333
- 3333
- "C8338
- :33:"$
- "J"$3

- 3?38
- "*"$33
- "C338
- 3?38
- :*"*"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 333333333333333333
- 3333333333333338
- 3338
- 3333339
- 333838
- 33333
- 33333833
- 333338
- 3339
- 33833
- 33333
- 3331
- 33338
- 3833
- 33?33
- 3333
- 33333333?333333
- 333333333333333333
- H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- d1h1l1p1t1x1|1
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 7$7,747<7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 4,545<5D5L5T5\\5d5l5t5|5
- 2L4P4T4
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- ,00040
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 4j4{4
- 313p3
- 2<2A2
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0b0
- 7"7&7*7.72767:7>7B7F7J7N7R7V7Z7^7b7f7j7i;y;
- 636l6
- 4`5r5
- 3,4W4
- 2\t313Z3
- 292a2
- 1E1o1
- 0J0t0

- =8>|>
- 5!6D6'7_7
- 4,494
- 3(3H3P3T3X3\\3`3d3h3l3p3
- 2"2&2D2L2h2
- 1(1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$080<0\\0|0
- 8+888J8P8p8x8|8
- 6 6.6n6~6
- 102=2M2
- 1<1s1
- s0~0
- 4h4w4
- 3Y3x3
- 2,2L2T2X2\\2`2d2h2l2p2t2
- 141`1
- 0(000L0T0w0
- 838H8h8{8
- 6,6L6T6X6\\6`6d6h6l6p6t6
- 5 5$5(5,5:5B5\\5q5u5
- 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4
- 1%2+232?2v2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1p1
- >)>7>E>S>a>o>}>
- 909P9X9\\9`9d9h9l9p9t9x9
- 8 8$8(8,8084888<8@8D8H8V8h8
- 7 7$7(7,7074787<7@7N7V7^7f7
- 676l6
- 5-5[5|5
- 4$4G4e4
- 2&2F2R2n2
- 1J1W1h1u1
- 0&0E0[0o0
- <P<o<
- 9B:]:
- 9D9M9
- 8 8$8(8,8084888<8@8D8H8L8P8T8
- 7$7D7L7P7T7X7\\7`7d7h7l7p7
- 3 3%32393N3]3t3
- 2$2)262;2H2M2Z2_2l2q2~2
- 1(1-1:1?1L1Q1^1c1p1u1
- 0,010>0C0P0U0b0g0t0y0
- 8!8-898E8Q8]8i8u8
- 6#7J7s7
- 6/6X6
- 5=5d5
- 3 4l4r4
- 3.3W3~3
- 2:2c2
- 1H1q1
- 0-0T0}0
- ?9?b?
- :!:-:9:E:Q:]:i:u:
- 8[9g9n9
- 4O4t4
- 24282j2u2
- 1 1$1(1,1014181<1@1N1V1l1~1

- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9+979D9V9c9o9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$767<7D7L7T7\\7d7l7t7|7
- 6<6D6H6L6P6T6X6\\6`6d6
- 5 5$5(5,5054585<5@5X5x5
- 4,4L4T4X4\\4`4d4h4l4p4t4
- ?3K3X3j3p3
- ;A;l;
- 9(9;9?9S9t9
- 647|7
- 4@4|4
- 3"3G3h3
- 2=2n2
- 0 1,101@1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 00x0
- ;A;q;
- :O:y:
- 4P5l5^8
- 3L4m4
- 0%1D1
- 0@0m0
- >1>5>
- ;U<x=
- 90:Y:
- 9D9M9
- 4L5f5
- ?\\?i?
- 869a9
- 7;7a7
- 696G6
- 2#3X3
- 0%1@1\\1
- 0&0.060>0F0N0l0p0t0x0|0
- 989@9D9H9L9P9T9X9\\9`9
- 8)818D8V8^8h8
- 6B7N7b7r7
- 666R6_6i6o6w6|6
- 4C5V5n5
- 2 494G4a4
- 0 1H1
- '0;0K0
- :5:h:
- 8]9~9
- 6?6f6
- 5&5<5M5Q5p5
- 4(4044484<4@4D4H4L4P4T4X4l4x4|4
- 3 3$3(3,3034383
- 1 1$1(1,101>1F1
- 9&:Z:
- 9 9$9(9,9094989<9J9l9
- 6(7t7
- 4(5x5
- 3,3>3K3W3d3v3|3
- 071W1
- 9+979?9E9O9X9a9k9x9
- 8!8%8)8-8185898=8A8

- 6Z6o6
- 5J5Q5|5
- 4O4V4
- 1)1>1E1
- >P>i>
- :5;s;
- 9 9$9(9,9094989<9@9N9V9+:[:
- 8,8>8D8d8l8p8t8x8|8
- 4k7w7
- 3(4:4
- 0(0G0 1n1
- >9>^>
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8,8X8q8
- 7'727D7V7c7o7|7
- 6?6K6R6]6o6
- 5 5(5,54585@5D5L5P5X5\\5d5h5p5t5|5
- 4(4-484=4O4[4h4z4
- 3<3e3
- 40M0
- 3X4D5
- ;>;a;
- 8A9G9^9
- 7=8n8
- 6U7e7{7
- 2O2c2z2
- U0l0
- ?4?G?o?
- 989H9T9X9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8N8h8|8
- 787@7^7f7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6f6n6v6
- 5"5*525?5K5X5j5p5
- 4#41494D4V4f4n4}4
- N0,2E2h2
- 8_9y9
- 778`8
- 3=4d5
- 0#1{1
- 20l0w0
- 9Z;m;
- 7>7+8e8
- 4 4$4(4,4044484
- 2,292@2_2
- B0X0x0
- >\t?7?
- 9 9*9\\9
- 1*161*222C2O2Y2B3H3S3r44585<5@5D5H5L5m7}7
- 10s0
- 859!:]:f:k:t:
- 0V1V2
- >#>9>
- <1=9=y=
- :);3;
- 8+8P8l8
- 6]6v6
- 4@5\\5x5

- 303M4p4
- 7*8O8,9C9
- 546D6V6j6
- 303P3_3j3
- =0>W>
- =a={=
- 8\t9)949O9m9
- 0<2R2
- 2!3V3a3n3t3
- 0H0n0
- <6=l=
- <M<a<u<
- 4#7h7
- 1S2c2?3
- 0F1\\1
- 6B7K7
- 535^5m5
- 333I3m3
- 1)202[2d2l2u2
- 1D1M1U1\\1d1r1
- 0,0>0B0Q0Y0
- 9=9b9n9
- 8.8\\8
- 7-75797S7[7_7x7
- 676?6C6Z6f6
- 5,585Q5Y5]5p5
- 4#494A4^4f4j4}4
- 3<3D3H3\\3d3
- 2,2024282N2R2V2Z2u2y2}2
- 1-15191O1W1[1t1
- 0 0$0(0,0004080<0@0D0H0L0X0c0g0u0}0
- 949M9
- 8=8`8
- 6\t7*7R7x7
- 606U6z6
- 5%5-515G5m5y5
- 4%4-4K4S4p4x4
- 323U3a3w3
- 232;2X2d2{2
- 161>1B1X1`1}1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9k9w9~9
- 7&8y8
- 515M5w5
- 2#3@3
- 0Z1j1
- <A>n>
- 7.7[7
- 3O4\\4
- 2Z2i3
- #0F0
- 9!9c9
- 1$2A2
- K0q0
- ==>O>
- 9(9Y9
- 6!949

- 293v3
- 000<0H0T0
- ;7;k;
- 97:g:
- 7"838
- 6E7X7p7
- 5&6T6g6z6
- 3 3$3(3,3034383<3L3l3t3x3|3
- 1&2.2J2R2s2
- 1"1&1D1H1L1p1
- 050<0L0\\0d0h0l0p0t0x0|0
- 9$93979E9I9M9f9
- 8 8$8(8,8@8L8P8\\8`8h8l8p8t8x8|8
- 7@7\\7h7
- 5 5$5(5,5054585H5a5
- 0@1U2
- 0W0g0
- ?6?S?
- 5%6B6
- 5)5M5\\5
- 1 1$1(1,10181P1f1j1
- 0$000L0P0X0\\0`0d0h0l0p0t0x0
- 8(8<8P8d8x8
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1z1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- <*<7<
- ;/;8;X;e;o;
- 8#808B9S9g9
- 7(7.7:7D7J7V7[7f7k7p7{7
- 4'515;5E5O5Y5
- 676 7
- 4+4C4T4l4
- 0E1d1
- H0X0y0
- 7T8M;
- 6@7s7
- 1#2o2
- 9D:b:
- 5&5=5b5
- 8T9}9
- G0%191P2}2
- 7i9r:
- 627X7c7z7
- 5n6y6
- 8W:_:r:A;
- 3^4s4E6
- 0&0\\0|0
- ?7?m?
- 647D7
- 2r3v3z3~3
- 0k0o0s0w0{0
- ="?2?
- 0<0d0T2_2m2
- 4+4:4
- 678p8
- 5/6i6

- 3;4+515T5Z5
- 7;7>8\\8z8$9.9B9G9S9g9
- 6T6}6
- 3^4F5q5
- 2 3/3n3s3
- 2'272n2
- 0k1{1
- 0'0-0;0F0Z0k0
- >#>.>7>E>X>u>
- : :*:0:8:
- 9.9:9B9T9{9
- 8(898F8h8u8
- 7'7.7<7G7M7f7o7w7
- 6@6M6V6_6z6
- 5H5~5
- 2'3z3
- 1<2v2
- =E=T=
- 969z9
- 7(717L7]7
- 6-6;6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4\\4t4x4
- 3 30383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2+282<2X2`2d2h2l2p2t2x2|2
- 1 1$1(1,10141
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9,989<9H9L9T9X9\\9`9d9h9l9p9t9x9|9
- 8<8U8
- 787O7
- 626:6>6X6x6
- 5+535J5R5h5p5
- 4"4&4*4.42464:4>4B4F4J4N4R4V4Z4^4b4f4j4n4r4v4z4~4
- 3*323
- 1H2T2X2d2h2p2t2x2|2
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8<8L8\\8d8h8l8p8t8x8|8
- 7(7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6x6
- 5 5$5(5,5054585<5@5D5H5\\5|5
- 3(303:3D3V3k3w3
- 0/1X1
- :A;{;
- 849?9[9
- 8,888<8D8X8`8d8h8l8p8t8x8|8
- 6 6$6(6,6064686<6@6P6a6e6v6~6
- 5)5.595@5s5
- 4 4$4,40484<4D4H4W4c4l4u4
- 3 3@3U3
- 0j0x0
- 9/9S9y9
- 8/878;8Q8]8s8
- 737?7U7]7a7t7|7
- 6+6/6@6H6`6h6l6
- 5.545D5T5\\5`5d5h5l5p5t5x5|5
- 4#4/4<4N4[4g4t4
- 1,2}2

- 8!8<8R8a8{8
- 5'6O6
- k0Y1@4G4
- :Z:i:
- 859P9
- 8$888G8V8e8t8|8
- 2(323<3
- 2$2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1F1l1
- 0(0L0p0
- >1>9>R>V>Z>u>}>
- 9 9$9(9,90949D9R9V9g9o9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7"7N7R7V7Z7^7b7f7j7n7r7v7z7~7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 4$4J4p4
- 3(3l3m3
- 2&2O2t2
- 1-151V1^1z1
- 0/0R0^0t0|0
- ?&?=?A?E?I?_?k?
- :5:=:Y:a:e:|:
- 919=9S9[9_9r9
- 8 8$8(8>8J8`8h8l8
- 7 7$7(7,7074787H7W7[7l7t7
- 6 606@6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 444Q4
- 3.3S3u3
- 252Z2
- 1<1D1`1h1l1
- 0;0^0j0
- 939U9v9
- 818=8S8|8
- 7&7B7J7e7m7q7
- 646]6e6
- 5>5J5`5h5l5
- 4$4,4J4R4m4u4y4
- 3&3K3n3v3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 161:1>1B1F1J1N1R1d1u1y1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- >">0>9>>>o?{?
- 9A9`9
- 758W8
- 50676m6
- 445U5^5
- 4W4^4u4
- 3S3c3
- 1+2=2
- 1d1t1
- 0(0u0
- 9&9F9
- 8G8R8r8
- 7#7/777s7~7
- 4R5Z5`5l5t5
- 4$40464O4m4x4

- 3&3.363>3F3N3V3^3f3n3v3~3
- 2,2>2F2N2V2`2f2n2s2~2
- 0 0$0(0,0004080<0@0D0H0\\0|0
- 8(9<9_9I9{9
- 7H8X8
- 1d3J4
- <3=:=O=
- 97:~:
- 6i7w7
- 5J6{6
- <A=F=
- 8@9-:
- 3U4k6
- 0 121{2
- 50G0
- 6 7D7r8b9
- 0L0z2
- 5.6v6
- 5 5(5,5054585<5@5D5H5u5
- 2 2$2(2,2024282<2@2D2{2
- 0W1i1
- 596^6|6e7
- 0r2%3_3t3
- 9,9=9I9X9g9
- 6H6U6w6
- 1/1@1R1o1
- :A;R;
- 9&:6:H:
- 869S9k9|9
- 1H1R1d1
- 060k0
- 9 9$9(9,9094989<9@9T9t9|9
- 8 808>8B8T8d8t8|8
- 7&7*7r7v7z7~7
- 6#6'6+6/6G6T6X6d6p6t6|6
- 5 5$5(5,505<5I5M5^5f5~5
- 4,44484<4@4D4H4L4P4T4X4\\4`4l4x4|4
- 3,34383<3@3D3H3L3P3T3X3\\3`3l3v3z3
- 2(2,202J2R2j2n2r2
- 1,1A1E1X1m1
- @0Z0
- 8J9c9o9v9
- 8<8b8j8
- 6/7>7n7s7
- 6V7+8
- 5=5H5U5
- 2D3j3
- 1A2M2[2`2
- 1!1-1:1?1d1
- 7!8J8
- 2>3T3
- 0 1Q1
- 3#4}4=5>6q6
- 2;3{3
- 01@1
- 8#8'8+8/83878;8?8C8G8K8O8S8W8[8_8c8g8k8o8j9
- 334A4

- 3?3Z3
- 2 2U2h2
- 1/1<1J1
- <'=I=
- 8=9W9
- 6D7K7]7a7e7i7m7q7
- ?8?j?
- 9L9Q9p9
- 8I8U8d8
- 4.5^5
- 2<3H3\\3d3h3l3p3t3x3|3
- < =0=O=
- 99:@:
- 617I7
- 031Z1
- 0G0Y0v0
- 969_9
- 7\t8[8
- 4@6V6
- 081Q1
- 8:9Z9
- 7)8U8
- 2P2o2
- 8\\9i9
- 8'848E8P8c8
- 3g4~4
- 0 0$0(0,0>1M1\\1
- 949<9@9D9H9L9P9T9X9\\9`9d9h9l9x9
- 8$80848P8X8\\8`8d8h8l8p8t8x8|8
- 6,6L6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5<5\\5d5h5l5p5t5x5|5
- 4,4=4A4T4t4|4
- 313<3L3\\3d3h3l3p3t3x3|3
- 2,24282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1(14181@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0-010D0P0T0`0d0l0p0t0x0|0
- 9 9$9(9,9094989H9h9p9t9x9|9
- 8 8$8(8<8\\8d8h8l8p8t8x8|8
- 6P7l7
- 6"6;6G6T6f6l6
- 5 5D5^5
- 4(484\\4y4
- 3.343M3X3f3
- 6&6n6
- 5 5(575C5P5b5
- 4!40484@4H4P4X4`4h4p4x4
- 3&3.363>3F3N3V3^3f3n3v3~3
- 21292E2Q2[2`2e2j2o2u2z2
- 1!1.1v1{1
- 70D0V0
- 455|6;7
- 00t0
- 8D9o9,:T:o:B;
- 7R7s7
- 3%3)3-3135393=3A3E3I3F4
- 1#1'1+1/13171;1?1C1K1
- 9P9i9

- 5M6Q6U6Y6]6a6e6i6m6
- 3>4j4
- 2!2%2)2-2125292=2A2E2`2r2
- 1\t161
- >-?1?5?9?=?A?E?I?M?Q?U?Y?]?a?e?i?m?q?u?y?}?
- =Q>U>Y>]>a>e>i>m>q>u>y>}>
- 9/:s:
- 9!9%9)9-9195999=9A9E9I9M9Q9U9Y9]9a9
- 6V7v7z7~7
- 2 2<2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 161>1F1N1V1^1f1n1v1~1
- 0#0.080B0L0V0`0j0t0~0
- 91:c:
- 424B4M4S4[4`4
- 2B3X3
- 2"222:2O2W2t2
- 121;1O1]1q1
- 0)0D0M0h0{0
- ;9;M;
- 9#9)909:9?9E9J9P9U9[9b9h9m9s9x9~9
- 7G8s8
- 5D5S5g5
- 4%434:4R4Y4l4
- 2$3^3
- 0a1k1
- 0[0`0h0
- ;2;7;C;f;
- 537r8
- 5%5-555
- 0W2^2
- 98:@:
- 4 4$4(4,40444
- 3 3$3(383X3`3d3h3l3p3t3x3|3
- 2(2H2P2T2X2\\2`2d2h2l2p2
- 141<1@1D1H1L1P1T1X1\\1l1
- 0 0(0,0004080<0@0D0H0`0
- 9'949F9L9X9l9t9x9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6'646F6S6_6l6~6
- 4"4*424:4B4+505<5K5W5
- 3"3*323:3B3J3R3Z3b3j3r3z3
- 2"2*222:2B2J2R2Z2b2j2r2z2
- 1"1*121:1B1J1R1Z1b1j1r1z1
- 0"0*020:0B0J0R0Z0b0j0r0z0
- 9*9T9b9g9
- 7'838:8D8N8e8v8
- 2"2b2i2{2
- =e=u=5?S?q?
- 4"4-4A4R4Z4b4j4r4z4
- 4L4[4/9
- 353l3
- 1$2/2L2V2{2
- 1.1b1f1l1p1u1|1
- 040h0p0{0
- =3>w>
- 5/5M5c5z5

- 2#242P2h2y2
- ;U;[<
- 6Q7W7_7
- 4&515:5@5P5Y5
- 4&4.444:4I4
- 3&3P3V3h3
- 1.2X2r2
- 0>1D1T1]1
- <2=H=
- 8'9v:
- 798m8y8
- 6+7>7
- 4&4.464?4`4h4
- 3"3*323:3B3J3R3Z3b3j3r3z3
- 2 2$2(2,2024282P2m2z2
- 1$111D1t1
- 0(0<0T0h0|0
- kernel32.dll
- advapi32.dll
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- advapi32.dll
- user32.dll
- kernel32.dll
- o$v;
- w]7.v
- -vej/v(7.v
- e.v`
- w]7.v
- E.v+E.v
- MMhI
- MMMU
- MM;F4
- 9|$0
- 9|$4
- osof
- Micr
- MMMMU
- MMMMU
- UbZf
- MMMMU
- Xjef
- Zjuf
- MMMM3
- jaXjv
- Yjif
- D$8P
- sbie
- MMM3
- MMMMU
- MMMMU
- D$B3
- QSW3
- MMMMU

- MMMM3
- pi32
- adva
- teSW
- M^jef
- MMM3
- MMMMU
- jeXf
- shel
- U2jd
- U0jyZf
- MMM3
- U4jb
- D$+0
- MMM3
- MMM9E
- F4h<
- MM9{
- Xjof
- MMMM3
- MMXe
- XenV
- MMM3
- ware
- reVM
- VMwa
- U6jg
- MMMMU
- MMMf9
- MMMU
- copy
- MMji
- user
- MMMM3
- Fai4@~
- 2'5>
- (08
- `&;B4I
- MS Sans Serif
- TPF0
- 0123456789ABCDEF
- Error
- Runtime error at 00000000
- 2uoEoeoBYw0E4YLMcfVkia4IW2epKh6r0q.dll
- SVW3
- QZyzEOl5pv
- Unit1
- TForm1p
- TForm1
- IdCoderMD21
- ListBox1(
- RadioButton1$
- CheckBox1
- Button1
- Edit1
- DdeServerConv1
- DdeClientItem1

- Timer1
- DdeClientConv1
- PaintBox1
- TrackBar1
- PowerPointApplication1
- MailItem1
- DocumentItem1
- 205
- 500
- DefaultPort
- OnCommandOther<
- OnCommandXPat
- OnCommandXGTitle
- OnCommandXThread
- OnCommandListgroup
- OnCommandDate
- OnCommandXHDRt
- OnCommandXOver
- OnCommandTakeThis
- OnCommandSlave
- OnCommandQuitt
- OnCommandPostt
- OnCommandNextt
- OnCommandNewNewst
- OnCommandNewGroups
- OnCommandMode
- OnCommandLast
- OnCommandIHavet
- OnCommandHelp
- OnCommandListt
- OnCommandGroup
- OnCommandStatNo|
- OnCommandStatID8
- OnCommandHeadNo
- OnCommandHeadID8
- OnCommandCheck
- OnCommandBodyNo
- OnCommandBodyID8
- OnCommandArticleNo
- OnCommandArticleID8
- OnCommandAuthInfo
- AParm
- TIdPeerThread
- AThread
- TNewsEvent
- AGroup
- TIdPeerThread
- AThread
- TGroupEvent
- Cardinal
- AActualNumber
- TIdPeerThread
- AThread
- TDoByNoEvent
- AActualID
- TIdPeerThread
- AThread

- TDoByIDEvent
- Boolean
- AHandled
- AParm
- ACommand
- TIdPeerThread
- AThread
- TOtherEvent
- TIdPeerThread
- AThread
- TGetEvent
- XPAT
- XGTITLE
- XTHREAD
- CHECK
- TAKETHIS
- MODE
- LISTGROUP
- DATE
- XOVER
- AUTHINFO
- SLAVE
- QUIT
- POST
- NEXT
- NEWNEWS
- NEWGROUPS
- LAST
- IHAVE
- HELP
- LIST
- GROUP
- STAT
- HEAD
- BODY
- ARTICLE
- SVW3
- Q ENu
- |MF3
- SVWUQ
- ;~pu
- EIdNoExecuteSpecified
- EIdTCPServerError
- ThreadMgr
- TerminateWaitTimep
- OnDisconnect<
- OnExecute
- OnConnect
- Intercept
- DefaultPort
- Bindings<
- Active
- IdTCPServer
- TIdTCPServerT
- TIdTCPServer
- TIdPeerThread
- AThread

- TIdServerThreadEvent
- TIdPeerThread
- Server
- IdTCPServer
- TIdTCPServerConnection\\
- TIdTCPServerConnection
- TIdListenerThread
- EIdThreadClassNotSpecified
- EIdThreadMgrError
- IdThreadMgr
- TIdThreadMgr$
- TIdThreadMgr
- IdThreadMgrDefault
- TIdThreadMgrDefault@
- TIdThreadMgrDefault
- TCriticalSection
- TSynchroObject
- TIdThreadS
- f;0u
- $ZXu
- ;~|u\t3
- S4^[
- -ERR
- EIdNoDataToReadU
- EIdInterceptPropIsNil
- EIdNotEnoughDataInBuffer
- EIdTCPConnectionError
- SendBufferSize
- RecvBufferSize<
- OnWorkEnd<
- OnWorkBeginP
- OnWork
- OnDisconnected
- InterceptEnabled
- Intercept
- ASCIIFilter
- IdTCPConnection
- TIdTCPConnection,
- TIdTCPConnection
- TIdBuffer
- IdIntercept
- TIdServerIntercept
- TIdServerIntercept
- OnConnect
- IdIntercept
- TIdConnectionIntercept
- TIdConnectionIntercept
- EIdCouldNotBindSocket
- EIdSocketHandleError
- Port
- IdSocketHandle
- TIdSocketHandle
- TIdSocketHandle
- IdSocketHandle
- TIdSocketHandlesH
- TIdSocketHandles
- S8^[

- OnStatus
- IdComponent
- TIdComponent$
- TIdComponent
- Integer
- AWorkCount
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkEvent
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkEndEvent
- Integer
- AWorkCountMax
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkBeginEvent
- asStatusText
- axStatus\tTIdStatus
- TObject
- axSender
- TIdStatusEvent
- EIdStackSetSizeExceededj
- EIdStackInitializationFailed
- EIdStackError
- TIdStack
- TIdStackVersion
- SVW3
- SVW3
- IdStackWinsock
- SVW3
- SVW3
- TIdStackWinsockU
- TIdStackVersionWinsock
- wsock32.dll
- GetAcceptExSockaddrs
- AcceptEx
- TransmitFile
- WSARecvEx
- wsock32.dll
- EIdStackCanNotLoadWinsock
- R0Z[
- Uh3~F
- EIdMoreThanOneTIdAntiFreezeU
- OnlyWhenIdle
- IdleTimeOut
- ApplicationHasPriority<
- Active
- IdAntiFreezeBase
- TIdAntiFreezeBase |F
- TIdAntiFreezeBase
- x-rsa-md5
- x-rsa-md4
- x-rsa-md2

- 57edf4a22be3c955ac49da2e2107b67a
- 1234567890123456789012345678901234567890123456789012345678901234567890
- d174ab98d277d9f5a5611c2c9f419d9f
- c3fcd3d76192e4007dfb496cca67e13b
- f96b697d7cb7938d525a2f31aaf161d0
- message digest
- 900150983cd24fb0d6963f7d28e17f72
- 0cc175b9c0f1b6a831c399e269772661
- d41d8cd98f00b204e9800998ecf8427e
- SVWU
- E33B4DDC9C38F2199C3E7B164FCC0536
- 1234567890123456789012345678901234567890123456789012345678901234567890
- 043F8582F241DB351CE627E153E7F0E4
- D79E1C308AA5BBCDEEA8ED63DF412DA9
- D9130A8164549FE818874806E1C7014B
- message digest
- A448017AAF21D8525FC10AE87AA6729D
- 31D6CFE0D16AE931B73C59D7E0C089C0
- SVW3
- D5976F79D83D3A0DC9806C3C66F3EFD8
- 1234567890123456789012345678901234567890123456789012345678901234567890
- DA33DEF2A42DF13975352846C30338CD
- 4E8DDFF3650292AB5A4108C3AA47940B
- AB4F496BFB2A530B219FF33031FE06B0
- message digest
- DA853B0D3F88D99B30283A69E6DED6BB
- 32EC01EC4A6DAC72C0AB96FB34C0B5D1
- 8350E5A3E24C153DF2275C9F80692773
- Uhr`F
- SVW3
- @<0u
- IdCoderMessageDigest
- TIdCoderMD5[]F
- TIdCoderMD5
- IdCoderMessageDigest
- TIdCoderMD4
- TIdCoderMD4
- IdCoderMessageDigest
- TIdCoderMD2
- TIdCoderMD2
- video/
- text/
- multipart/
- message/
- image/
- audio/
- application/
- Uh<ZF
- application/octet-stream
- 80u(3
- 80u*
- h4VF
- Uh\\TF
- IdCoder
- TIdCoderCollection
- TIdCoderCollection
- IdCoder

- TIdCoderItem$QF
- TIdCoderItem
- IdCoder
- TIdCoder8PF
- TIdCoder
- IdBaseComponent
- TIdBaseComponent<OF
- TIdBaseComponent
- UhINF
- 0123456789
- |/F3
- Uh"MF
- UhkKF
- hPIF
- UhIIF
- h0GF
- Uh)GF
- EIdClosedSocketU
- EIdConnClosedGracefullyhFF
- EIdSocketError
- EIdInvalidSocket
- EIdProtocolReplyError
- EIdInvalidServiceName
- EIdSilentException
- EIdException
- Uh]CF
- OnBeforeAttachmentSave
- OnAttachmentRead
- OnAttachmentAdd
- OnBeforeCheckNames|7F
- OnWrite47F
- OnSend
- OnReplyAll
- OnReply`6F
- OnRead
- OnPropertyChange
- OnClose
- OnForward
- OnCustomPropertyChange45F
- OnCustomAction
- OnOpen|4F
- Outlook2000
- TDocumentItem
- TDocumentItem,9F
- OleVariant
- Cancel
- OleVariant
- Attachment
- TObject
- Sender
- !TDocumentItemBeforeAttachmentSave
- OleVariant
- Attachment
- TObject
- Sender
- TDocumentItemAttachmentRead
- OleVariant

- Attachment
- TObject
- Sender
- TDocumentItemAttachmentAdd
- OleVariant
- Cancel
- TObject
- Sender
- TDocumentItemBeforeCheckNames
- OleVariant
- Cancel
- TObject
- Sender
- TDocumentItemWrite
- OleVariant
- Cancel
- TObject
- Sender
- TDocumentItemSend
- OleVariant
- Cancel
- OleVariant
- Response
- TObject
- Sender
- TDocumentItemReplyAll
- OleVariant
- Cancel
- OleVariant
- Response
- TObject
- Sender
- TDocumentItemReply
- OleVariant
- Name
- TObject
- Sender
- TDocumentItemPropertyChange
- OleVariant
- Cancel
- TObject
- Sender
- TDocumentItemClose
- OleVariant
- Cancel
- OleVariant
- Forward
- TObject
- Sender
- TDocumentItemForward
- OleVariant
- Name
- TObject
- Sender
- !TDocumentItemCustomPropertyChange
- OleVariant
- Cancel

• OleVariant
• Response
• OleVariant
• Action
• TObject
• Sender
• TDocumentItemCustomAction
• OleVariant
• Cancel
• TObject
• Sender
• TDocumentItemOpen
• OnBeforeAttachmentSave
• OnAttachmentRead
• OnAttachmentAddx0F
• OnBeforeCheckNames00F
• OnWrite
• OnSend
• OnReplyAllx/F
• OnReply$/F
• OnRead
• OnPropertyChange
• OnClose
• OnForwardX.F
• OnCustomPropertyChange
• OnCustomAction
• OnOpenX-F
• Outlook2000
• TMailItemI1F
• TMailItem
• OleVariant
• Cancel
• OleVariant
• Attachment
• TObject
• Sender
• TMailItemBeforeAttachmentSave
• OleVariant
• Attachment
• TObject
• Sender
• TMailItemAttachmentRead
• OleVariant
• Attachment
• TObject
• Sender
• TMailItemAttachmentAdd
• OleVariant40F
• Cancel
• TObject
• Sender
• TMailItemBeforeCheckNames
• OleVariant
• Cancel
• TObject
• Sender
• TMailItemWrite

- OleVariant
- Cancel
- TObject
- Sender
- TMailItemSend
- OleVariant
- Cancel
- OleVariant
- Response
- TObject
- Sender
- TMailItemReplyAll
- OleVariant
- Cancel
- OleVariant
- Response
- TObject
- Sender
- TMailItemReply
- OleVariant
- Name
- TObject
- Sender
- TMailItemPropertyChange
- OleVariant
- Cancel
- TObject
- Sender
- TMailItemClose
- OleVariant
- Cancel
- OleVariant
- Forward
- TObject
- Sender
- TMailItemForward
- OleVariant
- Name
- TObject
- Sender
- TMailItemCustomPropertyChange
- OleVariant
- Cancel
- OleVariant
- Response
- OleVariant
- Action
- TObject
- Sender
- TMailItemCustomAction
- OleVariant\\-F
- Cancel
- TObject
- Sender
- TMailItemOpen
- Outlook20002
- _DocumentItemt

- Outlook2000u
- _MailItemt
- UhU,F
- UhP+F
- 0_^[
- Uh4!F
- UhQ!F
- UhO F
- SVWU
- tDhA
- NuGW
- t6Nt
- |OF3
- SVW3
- SVW3
- SL;U
- SVWU
- h$6C
- ControlData
- SVW3
- k7E8
- |9G3
- |"G3
- OleCtrls
- TOleControl4
- TOleControl
- TEventDispatch
- OleLoadPicture
- OleCreatePictureIndirect
- OleCreateFontIndirect
- OleCreatePropertyFrame
- olepro32.dll
- 1M]y
- TOleGraphic
- TOleGraphic
- TPictureAdapter
- 1M]y
- TFontAdapter
- TAdapterNotifier
- TCustomAdapter
- OnPresentationPrint
- OnSlideShowEnd`
- OnSlideShowNextSlide
- OnSlideShowNextBuild
- OnSlideShowBegint
- OnWindowDeactivate(
- OnWindowActivate
- OnPresentationNewSlidel
- OnNewPresentation
- OnPresentationOpen
- OnPresentationSavex
- OnPresentationClose(
- OnWindowBeforeDoubleClick
- OnWindowBeforeRightClickp
- OnWindowSelectionChange
- AutoQuit
- MSPpt2000

- TPowerPointApplication
- TPowerPointApplication
- OleVariant
- Pres
- TObject
- Sender
- 'TPowerPointApplicationPresentationPrint
- OleVariant
- Pres
- TObject
- Sender
- "TPowerPointApplicationSlideShowEnd
- OleVariant
- TObject
- Sender
- (TPowerPointApplicationSlideShowNextSlide
- OleVariant
- TObject
- Sender
- (TPowerPointApplicationSlideShowNextBuild
- OleVariant
- TObject
- Sender
- $TPowerPointApplicationSlideShowBegin
- OleVariant
- OleVariant
- Pres
- TObject
- Sender
- &TPowerPointApplicationWindowDeactivate;
- OleVariant
- OleVariant
- Pres
- TObject
- Sender
- $TPowerPointApplicationWindowActivate
- OleVariant
- TObject
- Sender
- *TPowerPointApplicationPresentationNewSlide
- OleVariant
- Pres
- TObject
- Sender
- %TPowerPointApplicationNewPresentation
- OleVariant
- Pres
- TObject
- Sender
- &TPowerPointApplicationPresentationOpen;
- OleVariant
- Pres
- TObject
- Sender
- &TPowerPointApplicationPresentationSave;
- OleVariant,
- Pres

- TObject
- Sender
- 'TPowerPointApplicationPresentationClose
- OleVariant
- Cancel
- OleVariant
- TObject
- Sender
- -TPowerPointApplicationWindowBeforeDoubleClick
- OleVariant
- Cancel
- OleVariant
- TObject
- Sender
- ,TPowerPointApplicationWindowBeforeRightClick
- OleVariant
- TObject
- Sender
- +TPowerPointApplicationWindowSelectionChange
- `&;\tMSPpt20006
- _Applicationt
- |*F3
- |*F3
- RemoteMachineName
- ConnectKind
- AutoConnect
- OleServer
- TOleServer
- TOleServer
- TServerEventDispatch
- ckAttachToInterface\tOleServer
- ckRemote
- ckRunningInstance
- ckNewInstance
- ckRunningOrNew
- TConnectKind
- OleServer
- TVariantArray
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- SVW3
- SVW3
- Neutral
- Both
- Free
- Apartment
- EOleException
- EOleSysError
- EOleError
- SVW3
- msctls_trackbar32
- TConversionFormat

- TConversion,
- OnStartDrag
- OnStartDock
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnChange
- OnContextPopup
- Visible
- TickStyle
- TickMarksX
- TabStop<
- TabOrder
- ShowHint(
- SelStart
- SelEnd<
- SliderVisible<
- Position
- Frequency<
- PopupMenu<
- PageSize
- ParentShowHint<
- ParentCtl3D
- Orientation
- Max<
- LineSize<
- Constraints<
- Enabled@
- DragMode
- DragKind
- DragCursor
- Ctl3D
- BorderWidth
- Anchors
- Align
- TTrackBar
- TTrackBar
- tsManual
- tsAuto
- tsNone
- TTickStyle
- tmBottomRight\ttmTopLeft
- TTickMark
- trVertical
- trHorizontal
- TTrackBarOrientation
- MAPI32.DLL
- C8^[
- C8Pj
- SVW3
- |*F3

- SVWU
- |&F3;
- SVWU
- C4;E
- SVW3
- SVWU
- SVW3
- G4_^[
- ;w4u
- SVW3
- @8Pj
- FOu
- SVW3
- ;w4u
- ;s4tG
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- w0h0
- SVW3
- SVWU
- SVWUQ
- Topic %s
- Service %s
- LinkInfo
- |(F3
- SVWU
- |5F3
- SVW3
- |(F3
- SVWU
- SVW3
- SVWU
- G4PV
- SVW3
- SVWU
- Link
- Item
- DdeMan
- TDdeCliItem
- TDdeCliItem
- DdeMan
- DdeMan
- TDdeSrvrItem,}E
- TDdeSrvrItem
- EDdeError
- DdeMan
- OnPokeData
- OnChange
- Lines
- Text
- ServerConv
- DdeMan
- TDdeServerItem
- TDdeServerItem

- OnExecuteMacro
- OnClose
- OnOpen
- DdeMan
- TDdeServerConv
- TDdeServerConv
- OnChange
- DdeItem
- DdeConv
- Lines
- Text
- DdeMan
- TDdeClientItem
- TDdeClientItem
- OnOpen
- OnClose
- FormatChars
- ConnectMode
- DdeTopicpuE
- DdeService
- ServiceApplication
- DdeMan
- TDdeClientConv,vE
- TDdeClientConv
- TObject
- Sender
- TMacroEvent
- DdeMan
- ddeAutomatic\tddeManual
- TDataMode
- hduE
- Uh]uE
- TaskbarCreated
- hbtE
- Uh[tE
- User32.dll
- SVWU
- hVrE
- UhOrE
- SVW3
- h9nE
- Uh2nE
- ;^`u0
- SVWU
- |RF3
- hyhE
- UhrhE
- SVW3
- ;{Hu
- ;{Hu
- |LF3
- SVWU
- h@cE
- Uh9cE
- h9aE
- Uh2aE
- |<G3

- SVWUQ
- SVWU
- SVWU
- ;s0t
- RegisterAutomation
- 8TDS
- |2C3
- Ph,PE
- ;B0uGj
- ;Sxu
- ;Shu
- ;Sdu
- ;PDu
- ShDSE
- $TaE
- MAINICON
- TApplication
- hXHE
- UhQHE
- C[:E
- @[:E
- SL;U
- u\t+u
- hdCE
- Uh]CE
- SVWU
- layout text
- hF@E
- ;B<u
- Uh?@E
- SVWU
- SVWU
- hI9E
- UhB9E
- |&G3;
- SVWU
- |-C3
- |NF3
- |NF3
- R@GNu
- YGNu
- |CF3
- @H;E
- Uh<,E
- t"GNu
- ;XDu
- @I;E
- SVW3
- hF#E
- Uh?#E
- ;BLu
- ;BHu
- h?"E
- Uh8"E
- ;XDu
- SVWU
- SVWU

- ;ADti
- SVW3
- MDICLIENT
- SVWU
- ;Cpu'
- SVW3
- WVh0
- SVWU
- |%C3
- |(C3
- SVWUQ
- |!C3
- GFKu
- SVW3
- |-G3
- |!C3
- |7C3
- SVWU
- SVWU
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- uz;~
- SVWU
- Q@j2
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t6
- ;S$t6
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- SVW3
- Forms
- TApplication
- TApplication
- THintInfo@
- Forms
- TScreen
- TScreen
- TMonitor
- PixelsPerInch
- Forms
- TCustomDockForm
- TCustomDockForm
- OnUnDock
- OnStartDock4
- OnShow
- OnShortCut

- OnResize
- OnPaint
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp$!C
- OnMouseMove
- OnMouseDown`
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnHelp
- OnHide
- OnGetSiteInfo
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnDeactivateh
- OnDestroy
- OnDblClick
- OnCreate
- OnContextPopup
- OnConstrainedResize
- OnCloseQuery
- OnClose\\
- OnClick$
- OnCanResize
- OnActivateL C
- WindowMenu
- WindowState$ID
- Width
- Visible<
- VertScrollBar
- ShowHint(
- Scaled
- PrintScale
- Position
- PopupMenu
- PixelsPerInch
- ParentBiDiMode<
- ObjectMenuItem
- OldCreateOrder$ID
- Menu
- KeyPreview
- Icon
- HorzScrollBar
- HelpFile(
- Height
- FormStyle<
- Font4
- ParentFont
- Enabled
- DragMode
- DragKind
- DockSite

- DefaultMonitor
- UseDockManager
- Ctl3D
- Constraints
- TransparentColorValue@
- TransparentColorh
- Color
- ClientWidthh
- ClientHeight<
- Caption<
- BorderWidth@
- BorderStyle
- BorderIcons,
- BiDiMode
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlendT
- Align
- ActiveControl
- Action
- TForm
- Forms
- TCustomForm`
- TCustomForm
- Boolean`
- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Boolean
- Handled
- TShortCutEvent
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- TCloseAction`
- Action
- TObject
- Sender
- TCloseEvent
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- Forms
- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor

- Forms
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop
- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle
- Forms
- IOleFormD
- Forms
- IDesignerHookH+A
- OnUnDock
- OnStartDrag4
- OnStartDock
- OnResize
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp$!C
- OnMouseMove
- OnMouseDown`
- OnGetSiteInfo
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnContextPopup
- OnConstrainedResize
- OnClick
- OnCanResize
- VisibleL C
- TabStop
- TabOrder
- ShowHint(
- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor

- ParentBiDiMode
- Font
- Ctl3D
- Color
- Enabledh
- DragMode
- DragKind
- DragCursor
- DockSite
- Constraints
- BorderStyle@
- BiDiMode
- BevelWidth
- BevelKind
- BevelOuter
- BevelInner
- BevelEdges
- AutoSize
- AutoScroll
- Anchors
- Align
- Forms6
- TScrollBox
- TScrollBox
- Forms
- TBorderStyle
- Forms
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar0
- HorzScrollBar(
- Forms
- TScrollingWinControl
- TScrollingWinControl
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- Visible
- Tracking
- ThumbSize
- Sizex
- Smooth<
- Range
- Position<
- ParentColor<
- Margin
- Incrementh
- Color\\
- ButtonSizeh
- Forms

- TControlScrollBar
- TControlScrollBar
- Forms
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- SVWU
- <&uO;
- S0_^[
- |#F3
- SVWU
- SVWU
- R4;F
- |>C3
- |tC3
- SVW3
- Ih;J4u
- :PAt
- :P0t
- ;wHu
- ;PHu
- S0^[]
- @d;E
- SVWUQ
- |$F3
- ;C4t
- SVWU
- SpFOu
- |4G3
- SVW3
- SVW3
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3
- ;~|u
- R@FKu
- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tg
- :^8tB
- SVW3
- hIwD
- UhBwD
- SVW3
- SVW3
- SVW3
- ShortCutText
- ShtaD
- X?ENu
- |@F3
- SVWUQ
- SVWU
- SVW3

- :B9t
- :B8t
- @?:E
- @?:E
- SVW3
- TMenuItemStack
- TPopupList
- OnPopup
- OnChange
- TrackButton
- ParentBiDiModexOD
- OwnerDraw
- MenuAnimation
- Images PD
- HelpContextP1D
- BiDiModeP
- AutoPopup
- AutoLineReduction
- AutoHotkeys@GD
- Alignment@GD
- Menus
- TPopupMenu
- TPopupMenu
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus|OD
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiModeP1D
- AutoMerge
- AutoLineReduction
- AutoHotkeys@GD
- Menus
- TMainMenu
- TMainMenu
- Items
- Menus
- TMenu
- TMenu
- OnMeasureItem
- OnAdvancedDrawItem

- OnDrawItem0FD
- OnClick
- Visible
- ShortCut
- RadioItem
- ImageIndex
- Hint
- HelpContext
- GroupIndexP
- EnabledT
- Default
- SubMenuImages
- CheckedP1D
- Caption
- Break
- BitmapHED
- AutoLineReduction
- AutoHotkeys
- AutoCheck
- Action
- Menus
- TMenuItem
- TMenuItem(ID
- TMenuActionLink
- Menus
- TMenuAutoFlag
- MenusDGD
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Integer
- Height
- Integer
- Width
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Boolean
- Selected
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender

- TMenuDrawItemEvent
- Boolean
- Rebuild
- Source\tTMenuItem
- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- EMenuError
- Uh=DD
- Uh5CD
- UhrBD
- Bitmap
- UhC?D
- Uh`?D
- $ZXu
- |&G3;
- SVWU
- SVWU
- Uh`=D
- |mF3
- Uh7;D
- UhT;D
- hV6D
- h96D
- Uh26D
- UhO6D
- s8VV3
- h(3D
- Uh!3D
- ImgList
- TCustomImageList
- TCustomImageList
- TImageIndex
- TChangeLink
- SVWUQ
- QtFOu
- |0G3
- SVWU
- QpGNu
- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QTGNu
- |'F3
- ;Blu\t3

- |@G3
- QPFOu
- |)G3
- QLGNu
- |'F3
- |PF3
- SVWUQ
- R0GNu
- u*;~8u
- ;P8u
- |#C3
- R0^[
- TActionLinkSV
- ActnList
- TCustomAction
- TCustomAction
- ActnList
- TShortCutList
- TShortCutList
- ActnList
- TCustomActionList$
- TCustomActionList
- Category
- ActnList
- TContainedAction
- TContainedAction
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringA
- ImmSetCompositionFontA
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- IMM32.DLL
- USER32
- SVW3
- +G$;E
- +W$;U
- :FHu
- C8^[
- YFKu
- Q8FKu
- |-C3
- SVW3
- :FHu
- ;Fdu;
- t$;C8u
- ;^du
- SVW3
- ^dVh4
- ^dVh4

- ;Bh|3
- ;pdu
- ;Bdu
- ;Bdu
- ;Bdu
- ;Bdu
- t9;wlt4
- +SL+U
- +CH+E
- |!C3
- G0;E
- SVWU
- SVWU
- |dF3
- SVWU
- SVWU
- |lF3
- SVWU
- t4VS
- | C3
- SVWU
- ;CHu
- ;{Du
- ;s@u
- SVWU
- SVWU
- t&j7j;
- SVWUQ
- |tF3
- SVWUQ
- SVWUQ
- SVWUQ
- SVWU
- |TG3
- SVWU
- ;X0u
- t2HtY
- ;x0u%
- DesignSize
- :Gau
- |,C3
- :GauOFKu
- |,C3
- C4Pj
- SVW3
- |!C3
- SVWUQ
- SVWU
- SVWU
- C0^[
- s0^[
- |5G3
- |.G3
- |BC3
- :Pau
- :_[up
- :X[u

- RL;U
- @H;E
- |0C3
- L$$3
- SVWU
- 8]_^[
- SVWU
- @P@u
- SVWU
- IsControl
- SVWU
- SVWU
- h3nC
- @P@u
- CP@t2
- Uh}hC
- UhvfC
- SVW3
- SVWU
- SVWU
- ;s0t
- ;CHu
- ;{Du
- u$;~|u
- $:Cat
- SVWU
- ;s0t
- u9W3
- Uh%VC
- SVW3
- Uh}SC
- SVWU
- ;S8u
- UhLPC
- CQ tA
- ;B8t=
- SVW3
- ;B0t'
- C8^[
- tPHt8
- Uh>=C
- tMHu
- TSiteList
- ;B0u
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS

- crSizeNESW
- crIBeam
- crArrow
- crDefault
- Controls
- TCustomMultiSelectListControl
- TCustomMultiSelectListControl
- Controls
- TCustomListControl\\3C
- TCustomListControl
- TMouse
- TDockTree
- TDockZone
- Controls
- THintWindow
- THintWindow
- Controls
- TCustomControlh.C
- TCustomControl
- Controls
- TGraphicControlH-C
- TGraphicControl
- Controls
- TWinControlx)C
- TWinControl
- Controls
- IDockManagerD
- TBevelWidth
- Controls
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- Controls
- beBottom
- beRight
- beTop
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvNone\tbvLowered
- TBevelCut
- TBorderWidth
- TImeName
- Controls
- imSHanguel\timHanguel
- imKata\timChinese
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable

- TImeMode
- TWinControlActionLink
- HelpContext
- HelpKeywordP
- HelpType
- Hintl
- Cursor
- Height
- Top<
- Left<
- Controls
- TControl
- TControl
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelUpDownEvent
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelEvent
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth

- TObject
- Sender
- TCanResizeEvent
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Boolean
- Allow
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Integer
- Integer

- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Char$
- TObject
- Sender
- TKeyPressEvent
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent
- Integer
- Integer
- TShiftState
- Shift
- TObject
- Sender
- TMouseMoveEvent
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraints
- TSizeConstraints
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop
- akLeft
- TAnchorKind
- TCaption

- TTabOrder
- Controls
- TDragKind
- Controls
- dmAutomatic
- dmManual
- TDragMode
- TControlActionLink
- Controls
- TControlCanvas
- TControlCanvas
- TDragDockObjectEx
- TDragDockObject
- TDragControlObjectEx
- TDragControlObject
- TBaseDragControlObject
- TDragObjectEx
- TDragObject(
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone
- TAlign
- TCursor
- TModalResult
- #32770
- MS_WINHELP
- SVW3
- t7V3
- SVW3
- ho\tC
- Uhh\tC
- TWinHelpViewer
- Hint
- THintAction
- THintActionT
- Delphi Component
- Delphi Picture
- commdlg_FindReplace
- Help
- YesToAll
- NoToAll
- Ignore
- Retry
- Abort
- Cancel
- OnShowSV
- OnClose
- HelpContext
- Dialogs
- TCommonDialog
- TCommonDialog
- ;P0t

- CLP3
- OnTimerSV
- Interval
- Enabled|
- TTimer
- TTimer
- OnStartDrag
- OnStartDock
- OnPaint
- OnMouseUp
- OnMouseMove
- OnMouseDown`
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup
- OnClick
- Visible
- ShowHint
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- Font
- Enabled
- DragMode
- DragKind
- DragCursor
- Constraints
- Color@
- Anchorsh
- Align
- TPaintBox
- TPaintBox
- SVWU
- SVW3
- }\t;u
- SVWU
- LISTBOX
- SVWU
- t?V3
- |!C3
- SVW3
- SVW3
- SVW3
- SVW3
- SVW3
- SVWU
- SVW3
- SVW3
- BUTTON
- BUTTON
- BUTTON
- SVWU
- Z:Pit

- D$8;
- D$8PS
- EDIT
- TListBoxStrings
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDown`
- OnMeasureItem
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDrawItem
- OnDragOver
- OnDragDrop
- OnDblClick
- OnDataObject
- OnDataFind0
- OnData
- OnContextPopup
- OnClick
- Visible
- TabWidth
- TabStop<
- TabOrder
- Sorted(
- ShowHint
- PopupMenu<
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MultiSelect
- Items
- ItemHeight
- IntegralHeight<
- ImeName
- ImeMode
- Font8'C
- ExtendedSelect
- Enabled
- DragMode
- DragKind
- DragCursor
- Ctl3D
- Constraints
- Columns@
- Color<
- BorderStyleh
- BiDiMode
- BevelOuter

- BevelKind
- BevelInner
- BevelEdges
- Anchors
- Align
- AutoComplete
- Style
- TListBox<
- TListBox
- TabStop
- TCustomListBox
- TCustomListBox
- Integer
- FindString
- TWinControl
- Control
- TLBFindDataEvent
- TObject
- DataObject
- Integer
- Index
- TWinControl
- Control
- TLBGetDataObjectEvent
- String4
- Data
- Integer
- Index
- TWinControl
- Control
- TLBGetDataEvent
- lbVirtualOwnerDraw
- lbOwnerDrawVariable\tlbVirtual
- lbOwnerDrawFixed
- lbStandard
- TListBoxStyle
- OnStartDragt
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDown`
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup
- OnClick
- Visible
- TabStop
- TabOrder
- ShowHint(

- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Font
- Enabled
- DragMode
- DragKind
- DragCursor
- Ctl3D
- Constraints
- Color@
- Checkedh
- Caption
- BiDiMode@
- Anchors
- Alignment
- Action
- TRadioButton
- TRadioButton
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDown`
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick
- Visible
- TabStop
- TabOrder
- State(
- ShowHint4
- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Font
- Enabled
- DragMode
- DragKind
- DragCursor
- Ctl3D
- Constraints
- Color@

- Checkedh
- Caption
- BiDiMode@
- Anchors
- AllowGrayed
- Alignment
- Action
- TCheckBoxl
- TCheckBox
- TabStopl
- TCustomCheckBox
- TCustomCheckBox
- cbGrayed
- cbUnchecked\tcbChecked
- TCheckBoxState
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDown`
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick
- Visible
- TabStop
- TabOrder
- ShowHint(
- PopupMenu
- ParentShowHint
- ParentFont
- ParentBiDiMode
- ModalResult
- Font
- Enabled
- DragMode
- DragKind
- DragCursor
- Default
- Constraints
- Caption@
- Cancel@
- BiDiMode
- Anchors
- Action
- TButton
- TButton
- TButtonControlx
- TButtonControl
- TButtonActionLink

- Integer
- Height
- Integer
- Index
- TWinControl
- Control
- TMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- Rect
- Integer
- Index
- TWinControl
- Control
- TDrawItemEvent
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDown`
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup
- OnClick
- OnChange
- Visible
- Text
- TabStop@
- TabOrder
- ShowHint(
- ReadOnly
- PopupMenu
- PasswordChar
- ParentShowHint(
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- MaxLength
- ImeName<
- ImeMode
- HideSelection8'C
- Font
- Enabled
- DragMode
- DragKind
- DragCursor

- Ctl3D
- Constraints
- Color@
- CharCaseh
- BorderStyle
- BiDiMode
- BevelOuter
- BevelKind
- BevelInner
- BevelEdges
- AutoSize
- AutoSelect
- Anchors
- TEdit
- TEdit
- TabStop
- TCustomEdit@
- TCustomEdit
- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- | F3
- | F3
- | F3
- SVWU
- |XC3
- SVW3
- |~C3
- GFKu
- |'C3
- SVW3
- Hu?3
- R(FKu
- R,GKu
- THelpManager
- THelpViewerNode
- EHelpSystemException
- IHelpManagerD
- ISpecialWinHelpViewer<|B
- IExtendedHelpViewer
- ICustomHelpViewerD
- IHelpSystemD
- IHelpSelectorD
- UhA{B
- USER32.DLL
- DISPLAY
- DISPLAY
- DISPLAY
- GetMonitorInfo
- InitCommonControlsEx
- comctl32.dll

- h8rB
- Uh1rB
- TOrderedList
- TObjectList@pB
- UhyoB
- Uh=nB
- TPatternManagerSV
- \\$4Vj
- UhxhB
- UhYgB
- UhndB
- SVWU
- UhC`B
- SVWU
- Uhw]B
- Uh>[B
- Uho[B
- (u-f
- Uh!\\B
- UhcVB
- SVWU
- F0HNB
- h0QB
- Uh)QB
- @pPV3
- ;50
- UhPMB
- huIB
- @ ;E
- UhxFB
- UhnIB
- hFAB
- Uh?AB
- UhT@B
- UhL?B
- Graphics
- TBitmapCanvas
- TBitmapCanvas
- ho;B
- Uhh;B
- h]7B
- UhV7B
- h_5B
- UhX5B
- EMFt
- 3TjdP
- 3TjdP
- SVWU
- SVW3
- Data
- Uh9*B
- SVW3
- UhP&B;
- TClipboardFormats
- SVW3
- Uh_$B
- SVW3

- SVWU
- Uh9#B
- TFileFormatsList
- TFileFormat
- $ZXu
- Data
- @DPU
- t6Tj
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua

- clFuchsia
- clBlue
- clYellow
- clLime
- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- TResourceManager
- Graphics
- TIcon
- TIcon
- TIconImage
- Graphics
- TBitmap@
- TBitmap
- TBitmapImage
- Graphics
- TMetafile
- TMetafile
- TMetafileImage
- TSharedImage
- Graphics
- TMetafileCanvas
- TMetafileCanvas
- Graphics
- TPicture
- TPicture
- Graphics
- TGraphic
- TGraphic
- Fontl
- CopyMode
- Graphics
- TCanvas
- TCanvas@
- Style
- Color@
- Graphics
- Width
- Mode
- Color
- Graphics
- TPenX
- TPen
- Style
- Size
- NameD
- Height
- Color<
- Charseth
- Graphics
- TFont
- TFont

- Graphics
- IChangeNotifierD
- Graphics
- TGraphicsObject
- TGraphicsObject0
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Graphics
- pmNotXor
- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics
- psInsideFrame
- psClear
- psDashDotDot
- psDot\tpsDashDot
- psSolid
- TPenStyle
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- EInvalidGraphicOperation
- EInvalidGraphic(
- TColor
- TPUtilWindow
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G0_^[
- ;w0u
- SVWUQ
- |"C3

- SVWUQ
- u6;_
- Left
- SVWUQ
- SVW3
- QQQQ3
- .Owner
- Owner
- |,F3
- Null
- True
- False
- R4;P
- @4;C
- |(C3
- |*C3
- SVW3
- SVW3
- SVW3
- SVW3
- Null
- True
- False
- SVW3
- SVW3
- SVW3
- SVW3
- SVWU
- C0_^[
- hV}A
- h9}A
- Uh2}A
- UhO}A
- SVW3
- h;|A
- Uh4|A
- hbyA
- Uh[yA
- h0xA
- |*C3
- Uh)xA
- Owner
- SVW3
- hBuA
- Uh;uA
- SVWU
- TPropIntfFixup
- TPropFixup
- SVWU
- hcmA
- Uh\\mA
- SVWU
- SVWUQ
- SVW3
- h/bA
- Uh(bA
- hnaA

- UhgaA
- h3`A
- Uh,`A
- SVWU
- hL_A
- h/_A
- Uh(_A
- UhE_A
- SVW3
- Uhy^A
- SVWU
- h+]A
- Uh$]A
- hk\\A
- Uhd\\A
- SVW3
- SVW3
- h[ZA
- h9ZA
- Uh2ZA
- UhTZA
- SVW3
- hsYA
- UhlYA
- |0F3
- SVW3
- Ph8bA
- hhWA
- UhWWA
- W<CNu
- |-F3
- SVW3
- h`TA
- |7G3
- UhYTA
- hISA
- hXSA
- UhBSA
- SVW3
- h5RA
- Uh.RA
- SVW3
- Ph,NA
- SVW3
- @< u
- SVWUQ
- hnIA
- UhgIA
- huHA
- UhnHA
- SVWU
- SVWU
- h#EA
- $ZXu
- h-BA
- Uh&BA;
- hmAA

- ;5(,A
- UhfAA
- TIntConst
- hm<A
- Uhf<A
- hu;A
- Uhn;A
- h(;A
- Uh!;A
- hC:A
- Uh<:A
- #FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWUQ
- h*6A
- Uh#6A
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU
- | F3
- SVWUQ
- SVWUQ
- u%CNu
- |!F3
- SVWUQ
- |8F3
- SVWU
- TRegGroups
- TRegGroup
- TIdentMapEntry
- Classes
- TBasicActionT.A
- TBasicAction
- TBasicActionLink
- Name<
- Classes
- TComponentt,A
- TComponent
- Classes
- IDesignerNotifyD
- TComponentNameL+A
- TThread8+A
- EThread$+A
- TWriter
- TReader
- TFiler
- TClassFinder
- TStreamAdapter
- TResourceStream
- TMemoryStream
- TCustomMemoryStreamx&A;
- TFileStream

- THandleStream
- TStream
- Classes
- TStringList0$A
- TStringItem
- Classes
- Classes
- IStringsAdapterD
- Classes
- TOwnedCollectiond!A
- TOwnedCollection
- Classes
- TCollection
- TCollection
- Classes
- TCollectionItem
- TCollectionItem
- Classes
- TInterfacedPersistent$
- TInterfacedPersistent`
- Classes
- TPersistent4
- TPersistent
- TBits
- TThreadList
- TList
- EInvalidOperation
- EOutOfResources
- EComponentErrorh
- EStringListError
- EBitsError
- EListError
- EResNotFound
- EClassNotFound
- EWriteErrorD
- EReadError
- EFilerError
- EFOpenError<
- EFCreateError
- EStreamError
- TObject,
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htKeyword\thtContext
- THelpType
- THelpContext
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- TLeftRight
- Classes

- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- ActiveX
- IPictureD
- ActiveX
- k7E8
- IPerPropertyBrowsingD
- ActiveX
- IPersistStreamInit
- ActiveX
- IOleControlD
- ActiveX
- IOleInPlaceObject(
- ActiveX
- IOleInPlaceActiveObject(
- ActiveX
- IOleWindowD
- ActiveX
- IOleObjectD
- tagEXCEPINFO
- ActiveX
- IPersistStreamX
- ActiveX
- IPersistD
- tagMULTI_QI
- SVW3
- SVW1
- True
- False
- |PF3
- SVW3
- SVWUQ
- Variants
- |&G3;
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWUQ
- t~f;u
- VarOp
- Int64Op
- IntOp
- RealOp
- tIf;]
- tVf;u
- D$ 3
- SVWUQ
- SVWUQ
- |wC3
- Variants
- TCustomVariantTypeh
- TCustomVariantType
- @$;E
- SVWU

- SVWUQ
- SVWU
- kernel32.dll
- AMPM
- AMPM
- WUWSj
- SVWU
- SVWU
- SVWU
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- eeee
- INFNAN
- <*t"<0r=<9w9i
- SVWU
- @w2j
- SVWU
- $TMultiReadExclusiveWriteSynchronizer
- TThreadLocalCounter
- SysUtils
- SysUtils
- ESafecallException
- EOSError
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointer
- EUnderflow
- EOverflow
- EZeroDivide
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError$}@
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutErrord{@
- EOutOfMemory
- EHeapException
- EAbort
- Exception
- Uh9y@
- Uhqv@
- Uh9v@
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG

- MouseZ
- Magellan MSWHEEL
- Uhjh@
- Uhkg@
- F@;u
- u$F;u
- @t7;u
- s\t;E
- B@;u
- Uh?b@
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- hpa@
- Uh\t`@
- hPa@
- h4a@
- h4a@
- kernel32.dll
- 8\\u8
- SVWU
- USVW
- USVW1
- USVW
- USVW1
- SVWU
- SVWU
- uAJt
- SVWUQ
- SVWU
- t1SVW
- N|*9
- It2S
- u:Jt
- uAJt
- uXJt
- SVWU
- SVWU
- UhFA@
- r6t0
- d$,1
- SVWU
- u\t@B
- SVWU
- VWUd
- SVW1
- SVW1
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- hx5@
- Uhq5@
- BkU'9
- E@|o
- @aQY
- Cc4@
- Cc4@

- YZXt5
- 2_^[
- w%9
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- 7CF;
- 7CF;
- Q<"u8S
- C<"u1S
- SVWU
- YZXu
- Uhi'@
- SVWU
- h7#@
- Uh0#@
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TBoundArray
- TInterfacedObject
- IDispatchD
- IInterface
- TObject
- TObject(
- OleVariant
- Variant
- WideString
- Cardinal
- Word
- Byte
- Integer
- Char
- True
- False
- Boolean
- P.reloc
- .rdata
- .idata
- `DATA
- CODE
- This program must be run under Win32
- %s%s
- %s (%s, line %d)

- Thread Error: %s (%d)
- &Retry;
- &Retry;
- Shift+
- PgDn
- BkSp
- Ctrl+
- DVCLAL
- BBRETRY
- BBHELP
- jjjjj
- jjjjjj
- jjjj
- jjjj
- jjjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- @PBXB
- jjjjjjh
- jjjj
- jjjj
- PADPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING
- }.PAD$
- >-r~
- `=GPAD

- $B"p
- cH|S
- G<Z
- Zp%#
- }|#y
- L;Nf
- b\t&d;
- Z}T?
- k/l*
- T Q`
- "tNkM"M
- KVYGpK-
- 'R>q
- #HbR
- ;PADN&T;<
- X;-
- {yZR
- h{t_y~
- @S_'
- -~R-
- \\cysx
- bpH^=
- Cm"\tx
- :}Wl
-))F`
- j_#:
- {<@]L
- L\\x,
- gu* *&
- B$Kv
- `vG~G
- #qk&V;\\
- <p(w
- DwF,z
- {\t]9?*%;Yy
- +DNM
- jfb N
- bw\\/R&
- TK|~
- &t;^Fj
- bq=@
- C`w;
- P\\DT
- S!Vm?
- /zrh/S/
- '~|@D
- %`K$
- GT_B
- xZL*
- ZrV-
- B-0xq!C
- *vG#
- $(js
- WP%h
- RzPADJ
- +F
- [/\\)

- Qtx=
- K*>*
- --`x
- .-.b
- Dhk.
- cvTs
-]F_z$U
- G&}X|
- #N&/*3
- ?#@+
- M.wJ
- -sPADW
- f/"?
- &M;#t
- zszx
- Dsct
- ;D`(.
- J]l|
- M!}a{"Jv
-]v<JnH
- qJ]d
- SS}`
- gt)+
- %~M("
-]dv)S
- dp([\\
- scL\t,
- c~\tC
- CpM(
- `v$G
- %}WZsS
- MJvd
- Ms{&
- {=X>
- v-s=
- R)p x
- t!y,
- <p++
- Hxr)
- L)sb
- IdNNTPServer1
- TIdNNTPServer
- ExtDlgs
- ComStrs
- nComCtrls
- AxCtrls
- RegStr
- (ShlObj
- ExtCtrls
- dStdCtrls
- Contnrs
- Clipbrd
- StdActns
- FlatSB
- CommCtrl
- StdVCL
- Consts

- SyncObjs
- SysConst
- System
- "RTLConsts
- IdNNTPServer
- 3:"""""
- "DDB""$3
- 33DDDDD3333
- "*:"$
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- > >$>(>,>0>4>8><>@>D>H>L>P>
- 9h:T;L<l<|<
- ?$?4?8?D?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- ; ;(;p;
- ? ?0?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >c>o>|>
- =$=(=,=0=4=8=<=@=D=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<p<
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:
- =:>v>
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- =7>C>P>b>h>
- =8=H=X=`=d=h=l=p=t=x=|=
- <.<4<D<T<\\<`<d<h<l<p<t<x<|<
- :$;H;
- :&:2:B:[:z:
- >4?T?w?
- ="=3=D=U=f=w=
- <#<4<E<V<g<x<
- : ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- :#:::c:
- ;*;];q;
- ?$?,?0?4?8?<?@?D?H?L?y?
- >&>f>
- =<=\\=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<h<
- ;%;1;:;F;O;[;d;p;y;
- >G>n>
- =0=@=P=X=\\=`=d=h=l=p=t=x=|=
- <!<%<D<T<d<l<p<t<x<|<
- :d;t;
- :%:7:O:[:c:h:r:w:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?
- >(>2>D>]>i>|>
- =X=p=
- :?:`:
- >$?x?
- < =X=
- ;+<7<><P<g<s<|<
- :!:H:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >2>N>j>

- ="=&=*=.=2=6=:=>=B=F=J=N=R=V=Z=^=b=f=j=n=r=v=z=~=
- >/>R>
- ;Q<m<
- ;L;`;
- <*>.>2>6>:>>>B>F>
- ; <l<y<
- ;?;j;
- = =2=6=:=X=\\=`=~=
- ;/<3<7<O<\\<`<h<l<|<
- :N;R;V;Z;^;b;f;~;
- :+:7:D:V:\\:s:{:
- ?)?.?9?>?I?N?Y?
- <,=P=f=
- <H<U<a<j<q<
- ?2?W?y?
- = =;=C=]=a=e=
- <&<B<J<f<n<
- ;\t;';/;J;R;h;p;
- :.:6:T:\\:`:t:
- :F;z;
- :,:>:n:
- >*>@>R>V>h>t>x>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=f=|=
- < <$<(<,<0<4<8<<<@<D<H<V<h<u<y<
- ;#;+;H;L;P;g;o;
- :>:h:x:
- <"=L=
- :$:::
- =:>R>a>r>x>
- <(=-=9=L=Q=^=
- :F;R;[;`;l;u;
- :%:.:6:C:I:Q:b:k:v:
- ;.;P;`;p;'<3<_<k<w<
- ?#?5?L?V?e?
- :S:c:
- <N=\\=n=
- ;&;C;V;l;
- :):<:w:
- =?=I?g?
- ;[<h<x<
- :Q;a;~;
- >K?z?
- ;1;g;l;
- :^:i:x:
- >=>c>i>!?2?c?
- <'=-=
- ?(?5?9?H?_?h?t?x?
- >8>X>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- <A<d<t<
- ;<;g;
- :::F:^:j:
- ?$?4?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >">&>*>.>2>6>:>>>B>F>J>N>R>V>Z>^>b>f>j>n>r>v>z>~>
- = =$=(=,=0=4=8=<=@=D=H=L=Z=b=j=
- < <$<0<4<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- :$;\\;

- ?,?K?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>
- =+=X=h=t=x=
- <\t<$<,<0<D<e<m<
- ;(;?;C;Q;Y;v;~;
- :(:2:9:C:J:T:\\:x:
- ?+?P?d?
- ;\t=Z=
- >_?q?}?
- ?8?V?x?
- >3>7>;>_>g>
- =#='=5=X=h=x=
- <9<d<p<t<
- ;$;7;?;C;\\;d;
- :%:):?:G:K:a:i:
- =-=<=S=
- ;*;G;
- :G:W:
- ==>??
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?f?j?n?r?
- > >$>(>,>0>4>8><>@>D>R>d>h>l>p>
- =+=7=O=Y=c=n=s=~=
- :#:+:::D:M:Y:b:n:w:
- <f=v=B>_>
- =$>l>k>|>
- <2=G=Y=
- >@?I?j?
- =>>V>n>
- ;C;R;
- ;G<+=k>
- ?!?)???J?_?i?s?|?
- =(=0=>=P=`=i=
- ;!;+;1;9;Z;b;s;
- >C>G?
- : :@:H:L:P:T:X:\\:`:d:h:l:p:t:x:
- ? ?$?(?,?4?H?\\?`?t?
- >,>8><>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- : :$:(:,:0:4:8:F:N:(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- ; ;$;(;@;V;Z;k;s;
- :(:@:P:j:
- =">q>
- ='=b=
- :B:N:X:h:
- ? ?$?8?K?O?_?
- >">*>5>:>K>W>d>v>|>
- <%=d=s=
- ;&;.;h;D<
- :4:D:P:T:\\:`:d:h:l:p:t:x:|:
- =H=S=
- :+;g;
- >'?H?m?
- =*=2=P=X=v=~=
- <)<K<m<u<
- ;4;<;@;T;y;
- :::B:^:f:

- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>n>r>v>z>
- <$=L=\\=h=l=t=x=|=
- <#<G<l<
- ;%;N;s;
- ?#?+?/?E?Q?h?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=J=N=d=x=|=
- <,<<<H<L<T<X<\\<`<d<h<l<p<t<x<|<
- ;P;p;x;|;
- :-:Q:w:
- =&=+=6=;=I=R=W=\\=j=s=x={=
- <,<><K<W<^<p<
- ?"?8?@?H?P?
- =K>O>S>W>[>_>c>g>k>o>s>w>{>
- = =$=(=,=0=4=8=T=`=t=|=
- <<<U<x<
- ;#;/;<;N;c;o;|;
- ? ?%?/?4?9?[?g?t?
- >&>8>J>[>e>v>
- =D=]={=
- :8:X:`:d:h:l:p:t:x:|:
- >=?B?
- >7>G>~>
- :$;X;
- < =T=|>
- <"<9<f<
- :V;v;
- >6>S>k>|>
- =$=D=L=P=T=X=\\=`=d=h=l=9>
- < <$<(<8<H<X<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:p:
- > >$>D>]>
- = =(=7=C=P=b=h=
- < <(<0<8<@<H<P<X<`<h<p<x<
- ; ;(;0;8;@;H;P;X;`;h;p;x;
- :$:.:5:?:F:P:W:a:h:p:x:
- <F=M=
- :@<p<
- =)=W={=
- =*>.>2>6>:>>>B>F>J>N>R>V>Z>^>b>f>j>n>r>v>z>|?
- <.=@=G=u=
- ;=<W<f<v<
- > >$>(>,>0>4>8><>
- :7:\\:j:
- <%=B=">
- ;%<*<U<q<
- ;f;m;
- >$>l>
- 9%:B:|:
- ?&?l?T?{?
- = =?=N=
- < <-<8<E<W<\\<t<
- ;3;@;M;_;d;
- :/:P:]:j:
- >$>(>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- =$=4=8=H=g=

- <(<,<4<8<D<H<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;4;H;];
- :(:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:r:
- ? ?$?(?,?0?>?\\?w?{?
- > >$>(>,>0>4>8><>F>J>\\>m>q>
- = =$=(=,=0=<=\\=d=h=l=p=t=x=|=
- <<<D<H<L<P<T<X<\\<`<d<x<
- ;(;0;4;8;<;@;D;H;L;P;`;
- : :$:(:,:0:4:8:<:@:T:t:|:
- ?`?d?h?l?p?t?
- ?'?:?@?T?Y?
- ;9=J=h=|=
- <.>j>
- ? ?(?,?;?G?R?f?q?{?
- > >$>,>0>8><>D>H>P>T>\\>`>h>l>t>x>
- = =$=(=,=0=4=8=<=@=D=H=L=T=X=`=d=l=p=x=|=
- <*<D<h<l<p<t<x<|<
- :Z;s;
- ?C?a?~?
- >=>l>b>l>v>
- :%:.:7:<:v:
- </=>=X=j=
- ;\t<C<M<s<
- ? ?$?(?,?0?4?H?h?p?t?x?|?
- > >$>(>,><>\\>d>h>l>p>t>x>|>
- = =4=T=\\=`=d=h=l=p=t=x=|=
- <(<H<P<T<X<\\<`<d<h<l<p<
- ;8;@;D;H;L;P;T;X;\\;`;p;
- :(:0:4:8:<:@:D:H:L:P:d:
- ?"?*?2?:?B?J?R?Z?b?j?r?z?
- >">*>2>:>B>J>R>Z>b>j>r>z>
- ="=*=2=:=B=J=R=Z=b=j=r=z=
- <"<*<2<:<B<J<R<Z<b<j<r<z<
- ;";*;2;:;B;J;R;Z;b;j;r;z;
- :":o:{:
- <A=P=Y=
- <5<<<^<
- ;";.;B;L;_;
- :f:z:
- <b=w=
- ???E?^?g?p?{?
- <$</@<F<N<X<o<z<
- ;!;';5;H;R;X;f;l;t;
- vykvF
- s$v<
- nvIkvMt%v
- b$v!
- $v@f$vK
- i$v<j$v
- -vJ^/v4Z/v
- .v%V/v
- h,vF
- -vKj/vl
- -v\\9.v`w
- -v+E.v
- -vQJ.v
- #-vp

- .vO!.v
- -.vb
- G-v<
- -vc3.v
- /.vd
- MMMMMMMMMMMMMMf
- MMMMMMMMMMM3
- MMMMMMMMM
- MMMMMMMMMMMMMMMMX
- MMMM
- MMMMMMM
- MMMMMMMMf
- MMMMMMMMMMMMMMMMMMMMMM
- MMMMW
- MMMY
- MMMMMMMMMMM
- MMMMM
- MMMMMMMMMMMMMMMMMMM[f
- MMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMP
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMMM
- MMMMM
- MMMM
- MMMMMMM
- MMMM
- MMMMMM9}
- MMM[
- MMMMf
- MMMMMMMMMMMM
- MMMMMMMMje
- MMMMM
- MMMMM
- MMMMMMMM
- MMMMMMMMMMM
- MMMMMMMMMMMMMMM3
- MMMMMjsf
- MMMMMMMMMMMf
- MMMX
- MMMMMMMMMh
- MMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMMMMM
- MMZjsf
- MMMP
- MMMMMMBH
- MMMMMM
- MMMMMMMMMMMMMP
- MMMY
- MMMMMMMMMMM
- MMMMMMMMM
- MMMMMMM
- MMMMXjb
- MMMMMMMMMMMMMMMMMMMMMMjof
- MMMMMP
- MMMMMMMMMMM
- MMMMj

- MMMMMMMMMM
- MMMMMMS
- MMMMM
- /b
- MMMMM
- MMMMMMMMP
- MMMMMM
- MMMMMMMMMMMMMMMMM
- MMMMM
- MMMMMMMMMMMMMMX
- MMMMMMMM
- MMMMMMMMMMMMMjd
- MMMMMMMMMMMM
- MMMMMMMMjr
- MMMMMMMMMMMMMVVj VV
- MMMMMMMMMM
- MMMMMMM
- MMMMMMM
- MMMM
- D$LWP
- MMMMM
- MMMMMMMMMM
- MMMMMMMM
- MMMMMP
- MMMMMjef
- MMMMM
- D$<W
- MMMP
- MMMM
- MKVM
- VMKV
- MMMMMMMMMM
- MMMMP
- MMMMMMMMMMMMMMMMMMf
- MMMMMMMMMM
- MMMMMMMMMQ
- MMMMMMMMM
- MMMMMMMMf
- MMMMMMMMM
- MMMMMM@
- MMMMMMMP
- jbXf
- MMMMMMMMMXf
- D$$P
- MM+D$
- MMMMMMMM
- MMMMMMMMMMMMMMX
- MMMMVP
- MMMMMMMMMMM
- MMMMM
- MMMMMMMMMMMMMMMMMMMM
- MMMS
- MMMMMM
- MMMMMMMMMMMMMj
- MMMMMMMMMMM
- MMMMM
- MMMMMMMMMMj

- MMMMMMMM
- MMMMM@
- MMMMM
- MMMMMMMMMMMMM@
- MMMMMMMMM3
- MMMMMMMMM
- MMY_
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMf
- MMMMMMMMM
- MMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMMMMMM
- MMMMMMMM
- MMMMM
- MMMMMMM
- MMMMMMSW
- MMMM
- MMMMMMMMMf
- MMYjg
- MMMMMMMMMf
- MMMMMMMMMMM
- MMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMMM[
- MMMMMM
- MMMMMMMMMMMSV
- MMMM
- MMMMMMMMMMW
- MMMMM
- MMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMM
- Yjvf
- MMMMMMMMf
- MMMQ
- MMMMM3
- MMMMMMMMP
- MMMMMMMMMMMM
- MMMMMh87>
- MMMMMP
- MMM@
- MMMMMMMMW
- MMMMMMMMMMMMYf
- MMMMM
- MMMMMMMW
- MMMMMMMMMMM
- MMMMMMMMMMXje
- jvXjm
- MMMM
- MMMP
- Xjgf
- MMMMMMMMMMMYjv

- jbXjdf
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMM
- MMMMMMMMMMM
- MMMMMM
- MMMV
- MMMM
- D$<X
- joXjpf
- MMMMMMX
- MMMMMMMMMMMMMMMMM
- MMMMMjo
- MMMMMMSS
- MMMMMMMMMMM
- MMMMMMMMMMMMMMMMM
- MMMMf
- MMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMM3
- MMMh
- MMMM
- MMMMMMMMMMM
- MMMMMMMMMMMMM
- MMMMM
- MMMMV
- MMMMMU
- MMMMZ
- h|Qgj
- MMMMMM
- MMMMMMMMMMMMMMMM
- nVMM
- MMMMMMMMMMMM
- MMMM
- MMMMMMMMMMMXf
- MMMMMMMMMMMMM
- MMZj
- MMMMM
- MMMMMMMMMMMMMMMM3
- MMMMMM
- MMMMMMMMMMMMMMMMMMM
- MMMP
- MMMMMMMMZ
- MMMMMMMMMMMMMMMMMMMMMMMMMM
- Zjbf
- MMMMMMMMMMVj
- MMMMMMMMM
- MMMMMMMM
- MMMMP
- Mjrf
- MMMf
- MMMW
- MMMMMMMM
- MMMMMM
- MMMP
- MMMMMMMMMMMMMMMMMMMMMMM
- MMMMMf
- MMMMM

- MMMMMMMjpf
- MMMMMP
- MMMM
- MMMMMjv
- MMMMMMMMMMMM@
- MMMMMMMMMMMMMMMMMY
- MMMMMMMMMhS
- MMMMMMMMMMf
- MMMMM
- MMMMMMMM
- MMMMMMMMMMMP
- MMMMMMM
- MMMMMM
- MMMMMMMMW
- MMMMMMMMMMMMMMM
- MMMMMMMMM
- MMMMMMM
- MMMMMMMM
- MMMMMMM
- MMMMjs
- MMMMM
- MMMMj@
- MMMMMMMMMM
- MMMMMP
- MMMMMMM
- MMMM
- MMMMMMMMf
- MMMMMMMMMMMMMMMM
- MMMMMMMMMMMMM
- MMMMMMMMMf
- MMMM
- MMMMMMMMMMMMMMM
- MMMMMMMMh
- MMMMMMMV
- MMMMMMMMMMMM
- MMMMMMMjn
- MMMMMMMMMM3
- MMMMM
- MMMMMMM
- MMMM
- MMMM
- jdXjwf
- MMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMMM
- MMMMMV
- MMMMMMMMMMM3
- j:XjZf
- MMMM
- MMMMMMMMM
- MMMMW
- MMMMf
- MMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMMf
- MMMMMMMMMMMMMMMMMMMMMja
- MMMMMMMMMMMMMMMMMMMMM

- MMMMMMMMMMM
- MMMMMMMY
- MMMMMMMM
- MMMMM
- MMMMMM3
- MMMMM
- MMMMMMMMMMMMMMMMMMf
- MMMMMMMMf
- MMMMMMMMMMMM
- Yjxf
- MMMMj%
- MMXjp
- MMMM
- MMMMMW
- MMMMMMMV
- MMMMMMMMV
- MMMMMMMMMMV
- MMMM
- MMMMMMMMMMMMMMXjs^f
- MMMMMMMMMM
- MMMMMMMMMMM
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMW
- MMMM
- MMMMM@
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMX
- MMMMMMM
- MMMMMMMMMMM
- MMMMMMMMMMMMPW
- MMMMMMMMMf
- MMMM
- MMMMXjt
- MMMMf
- MMMMMMj.
- " "%
- MMMMMMM
- MMMM
- MMMMMM+
- MMMMMMMMMM
- MMMM
- MMMMMMMMM
- MMMMMMMMMMf94
- MMMh
- MMMMMMYjg
- MMMMMMMMMMMM
- MMMMM
- MMMMMMMf
- MMMMMMMMMMf
- MMMMMMMMMMMMMj
- MMMMMM
- MMMMMMMf
- MMMM
- MMMMMMMMMMMMMMMM[f
- MMMMMMM@_
- MMMMMMMY
- MMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMV

- MMMf
- MMMMMMMMh
- MMMV
- MMMMMMM
- MMMMMMM
- MMMMMMMMMM
- MMMM
- MMMMMMMMMjaf
- MMMMMMMMMW
- MMf;
- MMMMMMMMMM
- MMMM
- MMMMMMMM;M
- MMMMMZf
- MMMMMMM
- MMMMMMMM_f
- MMMMMMMM
- MMMW
- MMMM_
- MMMjtf
- MMMMMMMMMMMMMMM
- MMMMMMM
- MMMMMMMMMf
- [jcf
- MMMMMf
- MMMMMMMM
- MMMMMMMMMMMh`
- MMMMMMMMMMMMMMMMMMMMMMMM
- Yjmf
- MMMjsf
- MMMMM
- MMMMMMM
- MMMMf
- MMMMMMf
- MMMMMMMM
- MMMMMMMP
- MMMMMM
- MMMMMMMM
- MMMMMMMMMM
- MMMMM
- MMMMMMM
- MMMMMMMMf
- MMMMMM3
- U^Zjdf
- MMMMjiZjnf
- MMMMMMMM
- MMMMM
- MMMMMM
- M$Yjr
- MMMMMMMMMMMMf
- MMMM_
- MMMMMMM
- MMMMMMMMMMM
- MMMMMM
- MMMMMMM@
- MMMMMMMMMMMMf
- MMMM

- MMMMMMMMMM
- MMMMMMMU
- MMMMMMM
- MMMMMMMMMMMMjvf
- MMMMMMMMM
- MMMMMMMMM
- MMMMj"
- MMMMMMMMMMMMM
- D$@Xj
- MMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMf
- MMMMMMMMM[
- MMMMMMM]
- MMMMMMMMM
- MMMMMMMMMMMMMMM
- MMMMMMjif
- MMMMMMMMMMM
- MMMMM
- MMMMMM
- MMMMX
- KVMK
- MMMMMMMMMMMMMM
- MMMf
- MMMMMP
- MMMMjI
- MMMMM
- MMMM
- MMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMM
- MMMMMM
- MMMMMMMMMMMMMMMMM3
- MMMMMMMM
- MMMMMMMMMMMMMM
- MMMMM
- MMMMMMMMM
- MMMMMMMMM
- MMMMMMMjrf
- MMMMMMMMMMM
- MMMMMMMMM
- MMMMMf
- MMMMM
- MMMMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMh
- MMMh
- MMMMMMMXjmf
- MMMMMMMMMMMM
- MMMMMMMMM
- MMMP
- MMMMM
- MMMMMM
- MMjh
-]Djr[
- MMMMMf
- MMMMMMM
- MMMMMMMMMMMM

- MMMMMMMMMMMMMMMM
- MMMMM3
- MMMMMMMMM
- MMMMMM
- MMMMMMMMMMMMMMMS
- MMMMMj.
- MMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMf
- xSVjD3
- MMMMM
- MMMMMMMM
- MMMM
- MMMMMMM
- MMMMMMMMMMMMMMSP
- MMMMMM
- MMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMM
- MMMj
- MMMMM
- h'Ah[W
- MMMMMMMMM
- MMMMMMMMMMM
- MMMMMf
- MMMMMMMMMMMM
- MMMMMMMM
- MMMMMMMMMjif
- MMMM
- MMMMM
- MMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMh
- MMMMMMMMMMMMMR
- MMMMMMMMMMMMMX
- MMMMj
- MMMMMMMMf
- MMMMMMMMMMMMMMMP
- MMMMMMMMMMMMMMM
- MMMMMM
- MMMMMMMMU
- MMMMMMMMMMMMMMMMMY
- MMMMMMMMMMMMMMMMMMMMMMMMh
- MMMMM
- MMMM
- MMMMMMMMMMMMi
- MMMM
- MMMMMMMM
- MMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMV
- MMMMMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMjv
- MMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMZ
- MMMMMMMMM
- MMMMMMf
- MMMMM

- MMMMMMMMU
- MMMMMMf
- MMMMMMMMMMMMW
- MMMMMM
- MMMM
- MMj
- MMMd
- MMMMMMMM
- MMMMMMMMMM
- MMMPPPPS
- MMMM
- MMMMMMMMMM3
- MMMXj.Y
- MMMW
- MMMMMMMM
- MMMMMMMMMM
- MMMMMMMMM
- MMMMMMMMMMM
- MMMMMMMf
- MMMMMMMMMMMf
- MMMMMMMMMMMMMMMMSSj SSSS
- MMMMMMMMMMMMMMMMMPV
- MMMMf
- MMMMMM
- MMMMMY
- MMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMMMM
- MMMMMMMMMM3
- MMMMMVW
- MMMMMMMMW
- MMMMMMMMMMMMMMU
- MMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMf
- MM_]
- MMMMM
- MMMMMMMM
- MMMMMMM
- MMMMMV
- MMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMM
- MMMM
- MMMMV
- MMMMM
- MMMM
- MMMMMMXjef
- MMMMMMMMMMMMW
- MMMMM
- MMMM
- MMMM
- MMMP
- MMMMMMMMMMM
- MMMM
- MMMY
- MMMMMMMMMMMM
- MMMMMMMMMMMMf;

- MMMM
- MMMMMMMMMjc
- MMMMMYjwf
- MMMMMMMjgZf
- MMMMM_
- MMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMjx
- MMMMMMM[
- MMMMjn
- jf_f
- MMMMMMMMMf
- MMMMMMMMMMMMMM
- MMMMMMMMMMMMMM
- MMMj
- MMMM
- MMMMMMMXf
- MMMM
- MMMMMMMM
- MMMMMM@
- MMMM
- MMMMMMMMMMM3
- MMMMMMMMM
- MMMMMMMMMMMMMMMMMMMf
- MMMM
- MMMMMMMMMMMM
- MMjn
- MMMMMMMhZ
- MMMMMMMMM
- MMMM
- MMMM
- MMMM
- MMMMMMM
- MMMMj
- MMMMMMMMMMMMMMMMMMMMMM^[
- MMMMMMMMM
- MMMMMMMM
- MMMMMMMM
- MMMMMMMMMMMMMMMMMM
- MMMMMMMM
- MMMMMMM
- SVWjp_jr
- MMMMMM
- MMMMM
- MMMM
- MMMMMM
- MMMMMMG
- MMMM
- D$>Xjn
- MMMMMMSV3
- MMMMMMMMMMM
- MMMMMY
- MMMMMMMM
- MMMP
- MMMMMMMM
- MMMMM
- MMMMMMMMMMMMMMMMPf
- MMMMMMMMMMMMM

- MMMW
- MMMMf
- MMMMf
- MMMM_
- MMMMMMMMMMMMMM
- MMMM[
- MMMMMMMMMMM9]
- MMMMMMMMMMP
- MMMMMMMMMM
- MMMM
- MMMMMM
- VP;T
- MMMMM
- MMMM
- MMMMM
- MMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMM
- MMM^
- MMMMMQ
- MMMMMMM
- MMMMMMMMMMU
- MMMMMMMMM
- MMMMMMMMM
- MMMM
- MMMMMMMMMM
- MMMMW
- MMMMMMMM
- MMMMMPP
- MMMMMMMMMMMM
- MMMMMMMMMMh8
- MMMMM
- MMMMMMMMM
- MMMMMM;
- MMMMMMMMMM
- MMMMMMMMM
- MMMMMMMM
- MMMM
- MMMMMMMf
- MMMMMMMMMMMMMMMMMM
- MMMM
- MMMMMMPh
- MMMMMMMMY
- MMMMMMMMMMMPSSj
- MMMf
- MMMMMM
- MMMMMMMMMj2
- MMMM
- MMMMMXf
- MMMMM
- MMMMMMMMMM
- MMMP
- MMMMMMf
- MMMMMMMM
- MMMMM^
- MMMMMMMMMM
- MMMMMMMf
- MMMMMMMMMMMMMMMMMMMMMM3

- MMMMMMMM9M
- MMMMM3
- MMMMMMMMMMf
- MMMMMMMMMMMMM
- MMMMMMMMMMM;E
- MMMMMMM
- MMMMM
- MMMf
- MMMMMMM
- MMMMMMMMjD3
- MMMM
- MMMMMMMMMM
- dll.
- MMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMf
- MMMMMMMMMMM
- MMMMMM
- MMMMj
- MMMMMMMMM
- MMMSV
- MMMMMMMMf
- MMMMMMMMMW
- MMMMMMMMP
- h&cj;
- MMMS
- MMMMMMMMMMM
- MMMMMMMM
- MMMMMMMM
- MMMMMMMMMMMMM
- MMMMMMMMMMMMM
- MMMMMP
- MMMMMMMM
- MMMMM
- MMMM+
- MMMMMMMMMMMMMf
- MMMMMMMMZf
- MMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMM
- MMMMMjw
- MMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMM
- MMMMMM
- MMMMMMMMMMMMMS
- MMMMMMMMMMM
- MMMMMMM
- MMMMMMMMMMMM
- MMMMMf
- MMMM
- MMMMMMMMMMMMMMf
- MMMMM
- MMMMMMMM
- MMMMMMf
- MMMMM
- MMMMMMMX
- MMMMMMMMMMMMMMMMM
- MMMMMMM

- MMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMM
- MMMMMMMMM
- MMMMMMMMMMM
- MMMMMMMMMMMMMj
- MM_^
- MMMM
- MMMMM
- MMMMMM
- MMMMMMMMMMV
- MMMf;F
- MMMMMM
- MMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMM3
- MMMMMMMMMMMM3
- MMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMM
- MMMMMS
- MMMf
- MMMMMM
- MMMMMMMjxf
- MMMMMMMMQ
- MMMMMMM
- MMMMMMMMMMMMMMMMMj
- MMMMY
- MMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMM
- MMMMMW
- MMMMMMMk
- MMMMMMMMM
- MMMMM
- MMMMMMMMMMMM
- MMMMMMMMMMMMf
- MMMMMW
- MMMMM
- MMMMMMMM
- MMMMMMMMMM
- MMMMMMMf
- MMMMM
- MMMMf
- MMMMMMMMMMMMMMMMMM
- MMMMMMMMM
- MMMMMP
- MMMMMMMMMjB
- MMMMMM
- MMMMMMjxZjG
- MMMM
- MMMMMMMM8]
- MMMMMMMMMMM
- MMMMMMMMMMMMM
- MMMM
- MMMMMMMM
- MMMMM
- MMMMMf
- MMj@h
- MMMMMQP

- MMM^
- MMMMM
- MMMMMf
- MMMMMMM
- MMMMMMMMMMU
- MMMMMMMMMSS
- MMMMMMMMMMMMMM
- MMMMMMMMMMMMMj
- MMMMMjcf
- MMMMMMMMMP
- MMYY
- MMMMMMMMMM
- MMMMMMMMMMMMM_
- MMMMMMMMMMMMMMMMMM
- M;C
- MMMMMMS
- MMMMjr
- MMMMMM
- MMMMMMMMMM
- MMMMMMMMMM
- MMMMMMM
- MMVj\\Xjdf
- MMMMMMMMMMMMM
- MMMf
- MMMMMMMMMMMMf
- MMMMMM3
- MMMMMMMM
- MMMMMM
- MMMMMMMMMMM3
- MMMMMMMMMMMMMMMMMMU
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMM9|$
- MMMMMMY
- MMMMMMM
- MMMM
- MMMMMMMMMMMMMM
- MMMM^
- MMMMMMMMMMMMMMMMMM
- WjsXjaf
- MMMMMMMMM
- MMMMMMMMMMMMMMMM_^
- MMMMMMMMMM
- MMMMMMMMMMMM
- MMMMM
- MMMMMMjp
- MMMMMMMMMMMMMMMMMMMMMM
- MMMMMMh
- MMMMMMMMMM
- MMMh
- MMMMMMMMh
- MMMMMM
- MMMMMf
- MMMMMMMM
- MMMMMMMMh
- MMMMMMMMMMMMMMMMMMYY
- MMMMMMM

- MMM_
- MMMMMMMMMMf
- MMMMMMMMMMMMMMMMMMW3
- Xj.f
- MMMMMM
- MMMMMMM
- MMMM
- MMMMMMMMMMMV
- MMMMMMM
- Yjxf
- Yjtf
- MMMMMMMMS
- MMMMd
- MMMMXjef
- MMMMMMMM
- MMMMMMMMM
- MMMMMMMMMMMMMMMMM
- MMMMMP
- MMMMMMMM
- MMMMMMMMMMQ
- MMMMM
- MMMMMMMMM
- MMMMMMMMMMMMMMMMMMS
- MMMMMMMM
- MMMMMMMM
- MMMMMMMf
- MMMMMMMMMM
- MMjd
- MMMMMMMM
- MMMMMMMMMMP
- MMMWWS
- MMMMMMjoZ
-]H[f
- MMMMMf
- MMMMM
- MMMWW
- MMMMMMMMM
- MMMMYd
- MMMMMMMM
- MMMMMMM
- MMMMMMMMMM
- MMMMMX
- MMMMMMMMMMMM
- MMMMMMMMMMM
- MMMM
- MMMMM
- MMMMMMMMMMMMMMMMMMMMMMM9D$
- MMMMMMMM
- MMMMMMM
- MMMMM
- MMj.f
- MMMMMM;
- MMMf
- MMMMMM
- MMMMf
- MMMMM
- MMMMMMMMMMMMMM

- D$$P
- MMMMMMX
- MMMMMMf;F
- MMMMMMM
- MMMMM
- MMMMMMf
- MMMMMM
- MMMMj
- MMMMMU
- MMMMM
- MMMMMMMMMMMMMMMM
- MMMM
- MMMMMMMMMMMW
- MMMM
- YjXf
- MMMMMMMMMMMM
- MMMMMM
- MMMM
- MMMMMMM
- MMMM
- MMMMMMMMP
- MMMMMMMMMMf
- MMMMMM
- MMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMh
- MMMMMMM
- MMMMMMMMMMMMMMM
- MMMMMM
- MMMMMMMMMMMM
- MMMM
- MMMMMMMMMMMM
- MMMMMMMMMMMMMM
- MMMMMMMMMMMMM
- MMMMMMMMMMh
- MMMMMMMMMMMMMMM
- MMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMM
- MMMMMMMMZf
- XYYYf;
- MMMMMMMM
- MMMf
- MMMMMMMjm
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMP
- MMMMM
- MMMMMS
- MMMMMMMMMMMMMM
- MMMMMMPh
- MMMMMMMM
- MMMMMMMM
- MMMMMMMMMMMP
- MMMMMM3
- MMMMMMMMMMMMjx
- MMMMMMMMMMMMMh
- MMMMMM

- MMMMMMMMM
- MMMMMM
- MMMMMMMM_^[
- MMMMM
- MMMMMMMMMMM
- MMMMMMMMM
- MMMMMMMMMMMMMMM
- MMMMMf
- MMMjoX
- MMMMMMMMMMMMMMMMMMMMMMj%
- MMMMMMj\\
- MMMMMMMMMMMW
- D$#P
- MMMM
- MMMMMMMMMM
- MMMMMMM
- t Hv
- MMMMM
- MMMMMMMMMMf
- MMMMMMMMMMMMMMM
- MMMMMMMM
- MMMMMMMMMMMMMMM
- j"Xj%
- MMMMMMMMMM
- MMMMMM
- MMMMMMMMM
- MMMMM
- "%ls
- MMMMMM3
- MMMMMMM
- MMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMMMMhO
- MMMM
- MMMMMMMS
- MMMQ
- MMMY
- MMMMMMMMh
- MMMMMMMMMMMMMMMMMQPf
- MMMMMM
- MMMf
- MMMMMMMMMMMMMMQSVW
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
- MMMMM
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMQ
- MMMMMMMMMMf
- MMMMM
- MMMMMf
- MMMMMMMMMMZ
- MMMMMMMP
- MMMMMMMMMS
- MMMMMMM
- MMMMMMMMM
- Yj.f
- MMMMMMMMMMMh
- MMMMMMMMMMMMMM

- MMMS
- MM_[
- MMMM
- MMMMMMM
- MMMY
- MMMMMMS
- MMMMMMMU
- MMMMMMMMMMSG
- MMMMMMMMMMMMMMMMMM
- MMMMM
- j\\Xf
- MMMMMM
- MMMMW
- MMMMMMM
- MMMMMMMMM
- MMMMMMMMMMM3
- MMMM
- MMMMMMMMMMM
- MMMf
- MMMMM
- MMMM9|$,
- MMMMMM
- MMMMMSS
- MMMMMMMMMMMMMM;
- MMMMM
- MMMMP
- MMjcf
- MMMMMMMMMMM
- MMMMMMMMj
- MMMM
- MMMM
- MMMMMMM
- MMMMMMMMM
- MMMMMMMM
- MMMMMMM
- MMMM
- MMMMM
- MMMMMMMMMMM;G
- MMMMMMMMM
- MMMMM
- MMMMM
- Zjgf
- MMMMMM
- MMMMMMMMM
- MMMMMMMMMMMMMMMMMf
- MMMMM
- MMYjuf
- MMMW
- MMMMMW
- MMMMMMMMMMMMM3
- MMMMMMMMMMMMM
- MMMMMMMMMMMX
- MMMMMMMh
- MMMMMMMP
- MMMMMMMMM
- MMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMjlf

- MMMMMMMMMMMMMMM
- MMMMMMMMMM
- MMMMMMU
- MMMMf
- MMMMMf
- MMMMMMMM
- MMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMM3
- MMMMMM
- MMMMMM
- MMMMMM
- MMMM
- MMMMMMMMMXjrf
- MMMMMM
- MMMMMM
- MMMMMMMMMMMV
- MMMMMf
- MMMMMMMM
- MMMMMMMMMMM
- MMMM
- MMMf
- MMMMMMMMMMMMMW
- MMMMMMMMf
- MMMMM
- MMMMjrf
- MMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMVVV
- MMMMW
- MMMY
- MMMf
- MMMMMMMMMMW
- MMMS
- MMMMMMM
- MMMMMf
- MMMMMMMM
- MMMMMMjeX
- MMMMM
- MMMMMMj6
- MMMMMMMPSSj
- MMMMMMMMMMMMMMM
- MMMMMMMMMU
- MMMM
- MMMMMMMMf
- MMMMM
- MMMMMMMW
- MMMMMMMMYje
- MMMMMMMMMWP
- MMMM
- MMMMMMMMM3
- MMMMMM
- MMMMMMM
- MMMMMMMMj
- MMMM
- MMMMMM
- MMMMMMMMMMMMMM^[

- MMMMMMMMMM
- MMMMM
- MMMMMMMM;
- MMMMMM
- MMMMMMMMS
- MMMMMMMM
- MMMMMM
- MMMM
- MMMMMMU
- MMMMMMMMMMMMMMMMMY
- MMMMM
- MMMMMMMMMM
- MMMMf
- MMMMMM
- MMMMMMMMM
- MMMM
- MMMMh
- MMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMM
- MMMMMMM
- MMMM
- MMMMMMMMP
- MMMMMM
- MMMMMMMMMMMMMM
- MMMMMMMM
- MMMMMM
- MMMMMMMMMMMMMMMMMMMMW
- MMMMMMMh
- MMMMMMM
- MMMMMMMMMMMMMMM
- MMMMMMMMMMMf
- MMMMMMMMMMMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMM
- MMMM
- MMMMMMMMMMMMMM
- MMMMMM
- MMMMMMMMMMMMWj
- MMMMMMMM
- MMMMM
- MMMMMM
- MMMM
- MMMMM^[
- MMMMMMMMMh
- MMMMMMMMMMMMMMMMh
- MMMMMMMf
- MMMMP
- MMMMMMMMMMMMM
- MMMMMMMMMMMMMMMMMMMMMMSS
- MMMMMM
- MMMMMMMMM
- MMMMMM
- MMMMMW
- MMMMMM^[
- MMMMMMM
- MMMMMMMMMMMMM
- MMM_
- MMMMMMM

- MMMMMMM
- MMMMMMMMMMMMMMMMMMMM
- MMMMMMMMM
- MMMMMMMMMM
- MMMMMMMMMMWj
- MMMMMMf
- MMMMMMMMMMM
- MMMMM
- MMMMM
- MMMMMMMMMMMMMM
- MMMMMMMMY
- MMMMMM
- MMMMMMMMMMj
- MMMMMXj
- MMMMMMMMMMMMM
- MMMf
- MMMMMMMM
- MMMMMMMMMMMMM
- MMMMMU
- MMMMMM
- MMMMMMMMMMMMMMMMMj
- MMMSP
- MMMMMMMMQQS
- Yjlf
- MMMMMMMMf
- MMMM
- MMMMMP
- MMMf
- MMMMMMMMMja
- QZ^&
- pYdq
- @v:k
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- xwDHUSYfd0PXJbmaDBw9FqZ
- [YY]
- IdNNTPServer1,
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- IdNNTPServer
- TIdNNTPServer<
- TIdNNTPServer
- String
- String
- String
- String
- String
- XHDR
- ZYYd
- _^[YY]
- ZYYd

- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ClZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- _^YY]
- _^[Y]
- ZYYd
- XZRP
- ZX~!
- $ZXv'
- ZX~$j
- $ZXv*
- R<YZ^[
- ZYYd
- ZYYd
- ZYYd
- _^Y]
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- ZYYd
- ZYYd
- Sd_^[Y]
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZX~!
- $ZXv'
- S`_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- SpZ[
- StZ[
- C _^[
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- SL[]
- ^[Y]
- ST[]
- SH[]
- ZYYd
- X_^[
- S@^[
- _^[Y]
- ZYYd
- String
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- SxZ_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- h:~F
- ZYYd
- ZYYd

- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
- abcdefghijklmnopqrstuvwxyz
- H]_^[
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
- abcdefghijklmnopqrstuvwxyz
- BDE52CB31DE33E46245E05FBDBD6FB24
- _^[YY]
- ZYYd
- ;CLw
- ;CLvR
- CL+CP
- CP;CLr
- PP_^[
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
- abcdefghijklmnopqrstuvwxyz
- hy`F
- ZYYd
- FPZ_^[
- SVWQ
- ZYYd
- hCZF
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQSVW
- CP^[
- h%VF
- ZYYd
- hLVF
- h@VF
- QQQQS
- Q@^[
- ZYYd
- hcTF
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- hPNF
- ZYYd
- ZYYd
- h)MF
- ZYYd
- _^[Y]
- QSVW
- [YY]
- ZYYd
- hrKF
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]

- hdCF
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h\\,F
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW3
- ZYYd
- QQQQQQQQSVW
- _^[]
- ^[Y]
- D$ T
- hX!F
- ZYYd
- h;!F
- ZYYd
- QQQQQ
- hV F
- ZYYd
- ZYYd
-]_^[
- P_^[
- D$@PVj
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- tRhB
- @@Ph
- @@Ph
- _^[Y]
- ZYYd
- ZYYd
- QSVW
-]_^[
- $t"j
- ZYYd
- w t$
- ZYYd

- ZYYd
- ZYYd
- PVh`
- SVWQ
- CL_^[
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- _^[]
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- SQRP
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- AxCtrls

- ZYYd
- ZYYd
- tbJt}J
- `&;S
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- PPPP
- PQRhX
- ZYYd
- PVSj
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- t`hl
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ThumbLength
- ComCtrls*
- ComCtrls
- ComCtrls\\
- tmBoth
- ComCtrls
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ]_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd

-]_^[
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- QRPj
- $YZ[
- Z_^[
- t@Th
- SVWQ
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- $]_^[
- F<Pj
- ZYYd
- _^[]
- YZ]_^[
- $Z]_^[
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- YZ]_^[
- ZYYd
- YZ]_^[
- ^[Y]
- ZYYd
- ZYYd
- {@Sj
-]_^[
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQS3
- TDdeSrvrConv
- TDdeSrvrConv
- TDdeMgr
- TDdeMgr
- TStrings
- ZYYd
- ZYYd

- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- SVWj
-]_^[
- Y_^[Y]
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ;sHtK
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- !SWV
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ~D_^[Y]
- ZYYd
- QSVW
- _^[]
- Z_^[
- SVWQ
- $Z]_^[
-]_^[
-]_^[
- @_^[
- @_^[
- t<j@j
- vcltest3.dll
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- YZ^[
- _^[]
- sx;P`u
- XD;PHu
- ZYYd
- C@Pj
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]

- R@;P@
- RD;PD
- ZYYd
- Pj<j
- CHYZ]_^[
- PWj W
- f;sDtsf
- ZYYd
- ZYYd
- C_^[
-]_^[
- Cd;Cpt
- Ch;Ctt
-]_^[
- ^[Y]
- C@Vj
- (_^[
- ^[Y]
- ZYYd
- _^[YY]
-]_^[
- ZYYd
- ^[Y]
- _^[]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- $Z_^[
- SVWQ
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f#CTf
-]_^[
- ^[Y]
- ZYYd
- ZYYd
-]_^[
- _^[Y]

- f#PT
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- YZ^[
- F(Z_^[
- SVWQ
-]_^[
- $;D$
- ZYYd
-]_^[
- $Z]_^[
- ZYYd
- Z_^[
- SVWQ
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S._^[]
- ZYYd
- :^Wt
- :S`t
-]_^[
- _^[YY]
- CH+F
- CL+F
-]_^[
- ^[Y]
- ZYYd
- ;B@t/
-]_^[
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@

- :P,t
- ;P(t
- C$^[
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- ;X0t@S
- ZYYd
- ZYYd
- FormsS
- TForm`
- TWMKey
- OnDblClickh
- Style<
- ssFlat
- ZYYd
- ^[YY]
- ZYYd
-]_^[
-]_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- _^[Y]
- QSVW
- :P\\t
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- :P@t
- D$(P
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
- :P;t
- ZYYd
- ZYYd

- ZYYd
- _^[]
- :S=t
- Q<^[
- Q<_^[
- Q<]_^[
- @?:F?v
- C\\;h
- Q<]_^[
- :]:tJ
- ^[Y]
- ;P@t
- :P>t
- f;P`t
- Q<_^[
- P?:S?u
- Q<^[
- :PHt
- ZYYd
- Y_^[
- _^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- h+kD
- ZYYd
- ZYYd
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q<]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- CPPVj
- ^[Y]
- pT^[
- ;B@t
- :B>t
- f;B`t
- ;B@t
- ;BTt
- _^[YY]
- ZYYd
- ZYYd
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- ZYYd
- hDDD
- ZYYd
- $;D$
- h<CD
- ZYYd
- ZYYd
- ZYYd

- hyBD
- ZYYd
- [YY]
- Ph@CD
- hg?D
- ZYYd
- hJ?D
- ZYYd
-]_^[
- S`]_^[
- :V@t
- ^[Y]
- hg=D
- ZYYd
- R,;C4}!
- R ;C0|
- h[;D
- ZYYd
- h>;D
- ZYYd
- h!;D
- ZYYd
- S0_^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- Rd_^[
- ZYYd
- ZYYd
- ZYYd
- $Z]_^[
- R0]_^[
- R0Z_^[
- SVWQf
- R0Z_^[
- SVWQ
- R0Z_^[
- SVWQ
- R0Z_^[
- $;Ctt?
- SVWQ
- R0]_^[
- R0Z_^[
- $:Cjt_
- SVWQ
- _^[Y]
- ZYYd
- QSVW
- R0Z_^[
- SVWQ
- Z]_^[
- t,f;
- F\\^[
- ^[YY]

- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- C Z[
- ZYYd
- ty--
- BP_^[]
- ;BP|
- ;BT|
- _^[Y]
- ;pdt
- QSVW
- ^[YY]
- Y_^[]
- YZ_^[
- t#;^dt
- R|Y]
- Y^[]
- ;Xdt>
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- QQQQSVW
- R|^[
- ZYYd
- ZYYd
- ZYYd
- Y[YY]
- @[H,
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- Y_^[]
- _^[Y]
- FLVh
- QSVW
- R|_^[
- Y^[]
- @[H,
- ZYYd
- Rd:B
- Rd:B
- ;Bdt*
- ZYYd
- Pd:J
- pd;s
- ;Xdt
- ZYYd
- ZYYd

- ^[Y]
- YZ_^[
- _^[Y]
- QSVW
- f;Pht
- _^[]
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ^YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- HD+M
- QH^[
- _^[]
- ZYYd
- S8_^[]
- ^[YY]
- ZYYd
- YZ]_^[
- <_^[
- @t&j;
- ^[Y]
- ZYYd
-]_^[
- CHPj
-]_^[
- PL;S
- PH;S
- ;PD~
- ;P@~
- $Z^[
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ]_^[
- PWVj
- YZ]_^[
- YZ]_^[
- Z]_^[
- ^[Y]
- ;XDt#
- _^[YY]
- Z]_^[
- Z]_^[
- Z]_^[
- ^[YY]
- ZYYd
- ZYYd

- _^[Y]
- ZYYd
- _^[YY]
- $Z_^[
- SVWQ
- _^[Y]
- QSVW
- _^[]
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- CHPj
- CHPj
-]_^[
- CL@P
- G;<$
- CHPj
- $;<$
- ZYYd
- @@PS
- @P@t%
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- [YY]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- C$_^[
- C$PV
- C$PV
- C$PVj
- C$PV
- Z]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- R@;P@
- RD;PD
- ZYYd
- ZYYd

- ^[YY]
- ZYYd
- C ^[
- YZ_^[
- ,]_^[
- ^[Y]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- +BLP
- YZ_^[
- ;SL~
- ;SL}
- ;SH~
- ;SH}
- YZ^[
-]_^[
- _^[YY]
- [YY]
- C^^[
- tJHt
- Ht:Ht
- @[H,
- YZ^[
- Z_^[
- SVWQ
- _^[
- ZYYd
-]_^[
- D$\tP
- D$\tP
- D$\tP
- D$\tP
- ZYYd
- PSWV
-]_^[
- @_H,
- [YY]
- ZYYd
- KHQRP
- ZYYd
- CHPj
- C@PV
- f;Pxt
- :P`t
- :PZt
- ;Ppt
- :PYt
- :P_t
- ^[Y]
- ZYYd
- :PXt
- :_Wt+
- ;s0t=;
- CL+D$

- CH+D$
- _^[YY]
- h}fC
- ZYYd
- GP t;
- V:P\\t
-]_^[
- YZ_^[
- YZ_^[
- ZYYd
- YZ^[
- YZ^[
-]_^[
- Qh_^[
- ZYYd
- FHPR
- _^[]
- ;CLtX3
- tr;s@u
- Z_^[
- SVWQ
- YZ]_^[
- Qh^[
- ^[Y]
- Qd^[
- ;B@t
- :BWt
- Z:Pjt
- ZYYd
- %s (%s)
- h,VC
- ZYYd
- t%Jt?Jt[
- sX^[
- ;sXt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- YZ]_^[
- hSPC
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ^[Y]
- S$_^[]
- _^Y]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- Z_^[

- SVWQ
- _^[YY]
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- bkFlat
- bkSoft
- Width<
- dkDock
- dkDrag
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- JumpID("","%s")
- ZYYd
- _^[Y]
- ZYYd
- IE(AL("%s",4),"AL(\\"%0:s\\",3)","JK(\\"%1:s\\",\\"%0:s\\")")
- ZYYd
- [YY]
- ZYYd
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- StdActns
- ZYYd
- s'hH
- ZYYd
- ZYYd
- WndProcPtr%.8X%.8X
- commdlg_help
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Ctl3DP
- ZYYd
- ZYYd
- :P@t
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd

- QSVW
- ExtCtrls
- ExtCtrls
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ZYYd
- YZ]_^[
- C@Pj
- !G$_^[
- (]_^[
- D$ P
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- YZ_^[
- @YZ^[
- QH^[
- ZYYd
- QQQQQQSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- YZ]_^[
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- _^[YY]
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
-]_^[
- ZYYd
- C(^[
- p_^[
- ZYYd

- _^[YY]
- ZYYd
- ZYYd
- YZ^[
- $YZ[
- ZYYd
- StdCtrls
- TListBoxStringsP
- ScrollWidth
- StdCtrls=
- StdCtrls
- String
- StdCtrls
- StdCtrls)
- StdCtrls*
- StdCtrls
- StdCtrls
- StdCtrls%
- StdCtrls
- StdCtrls6
- StdCtrls
- StdCtrls
- ZYYd
- SVhH
- ZYYd
- ZYYd
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- :SVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- :c~B
- :K~B
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- ZYYd
- hH{B
- ZYYd
- PVhB
- hxyB
- >(r[j

- >(r[j
- >(r[j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- TStack
- ZYYd
- hDnB
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- SVWjH
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
-]_^[
- T$$f
- T$"f
- D$*Ph
- T_^[
- s(;~
- ZYYd
- FpPj
- C(;x
- T_^[
- D$&f;
- D$$f
- T_^[
- |$ T
- s(;~ t8
- T]_^[
- WpRj
- WpRj
- t\t;G
- ZYYd
- PjTW
- s(;~
- d_^[
- <$BMt
- h(\\B
- ZYYd
- ZYYd
- hv[B
- ZYYd
- ZYYd
- hV[B
- ZYYd
- ZYYd

- Z_^[
- SVWQ
- _^[YY]
- ZYYd
- ZYYd
- PjTS
-]_^[
- ZYYd
- R HP
- C,^[
- C,^[
- t%;C
- ZYYd
- ZYYd
- T_^[
- ZYYd
- @pPj
- hWMB
- ZYYd
- ZYYd
- ZYYd
- PjTS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- h[@B
- ZYYd
- ^[Y]
- hS?B
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV
- ?TjdR
- P ;p
- D$LPkD$XdPV
- ?TjdR
- T$$+T$
- T$ +T$
- TjdV
- .wmf
- _^[YY]

- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- ZYYd
- ZYYd
- Vh@/B
- ~#Sh4/B
- _^[YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- S []
- QX_^
- QT^[
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- hf$B
- ZYYd
-]_^[
- h@#B
- ZYYd
- QQQQSV
- :P!t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ~\t;]
- ZYYd
- ZYYd
- ZYYd
- $Z_^[
- SVWQ

- [YY]
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- E$PVSj
- PVSj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ^[
- _^[]
- YZ_^
- KPhd
- ZYYd
- YZ^[
- $YZ^[
- _^[]
- CPhd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- `_^[
- Tj<V
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]

- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Brush<
- TBrushX
- TBrush
- Style<
- Pitch<
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- ZYYd
- ZYYd
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R0_^[]
- ;CDt:
- _^[]
- Z]_^[
- YZ_^[
- Z]_^[
- S _^[
- _^[Y]
- QSVW
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- Z_^[
- SVWQ
- ^[Y]
- ZYYd
- B^*L
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQ3
- [YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQQ3
- @(;C
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;B t
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- [YY]

- ZYYd
- ZYYd
- QQQQQQQSV
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- %s_%d
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ZYYd
- _^[]

- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
-]_^[
- ~.;{
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[YY]
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- $Z]_^[
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW

-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- Strings
- [YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- %s[%d]
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]

- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
- ZYYd
- $Z]_^[
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- _^[]
- _^[]
- TStringList
- TStringsX"A
- TStrings
- ZYYd
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- Z]_^[
- _^[Y]

- QSVW
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
-]_^[
- Z]_^[
- $YZ]_^[
-]_^[]
- CSRP
- ZYYd
- ZYYd
- $Z^[
- $Z^[
- $YZ[
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- FSVQ
- $Z]_^[
- [YY]
- ZYYd
- ZYYd
- txf;]
- ZYYd
- Ht3Ht[
- ZYYd
- ZYYd
- ZYYd
- sBf;
- tLf;]
- ZYYd
- QQQQSV
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- FSVQ
- <-\t@
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd

- SVWf
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ;B$t
- [YY]
- ZYYd
- ;B$t&
- ZYYd
- ZYYd
- YZ]_^[
- ;VLv
- (Z]_^[
-]_^[
- ZYYd
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- ZYYd
- YZ]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$LPj
- D$PPj
- yyyy
- ZYYd
- QQQQQSVW
- ZYYd

- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- QS<$t
- _^[]
- _^[]
- _^[[
- (_^[
- WVS
-]_^[
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
-]_^[
- SWSVj
- h@y@
- ZYYd
- hxv@
- ZYYd
- h@v@
- ZYYd
- MSH_SCROLL_LINES_MSG
- _^[Y]
- QSVW
-]$SQRPj
- ZYYd
- ZYYd
- hqh@
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hrg@
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- FFF;M
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- _^[]
- _^[]
- _^[]
- _^[]

-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- _^[]
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z_^[X
- SVWRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- SPRQ
- YZXtm1
-]_^[
- Ph@<@
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- @v:k
-
- YX_^
- ~ExC[)
- w)f%
- r/f=
- Ht Ht.
- ,$YXZ
-]_^[
- _^[Y]

- hp'@
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
-]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- System
- System
- String
- P.rsrc
- .tls

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000978830001000000000000000100000009789100

• Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 3 strings

- **Module 3 most interesting strings**

- url | valid domains | tlds: hJ.om

• Module 3 other strings

- \\system32*
- rI>Oi
-)}"O
- 'n`6
- S2z2`
- ADeD
- 9O63]
- 3vL)
- Sr&~I
- 2Dt@
- ~$To1
- DKEm#
- 5fDt
- Av.5
- 2'f3
- ivGU
- IXb/I
- sSHNU
- W"u2
- \'7"e\\z|s
- {hA}
- "}R0R
- DkIWW
- N6'u
- f2Fp
- <0yd
- Z+a>A%T!4/
- "ut5I
- e@}Ve
- 0,px%
- :5Ku\\G
- u:PZ
- @Oa.
- a\t7q
- uN(:T
- Izy0
- um>N
- ae#w
- $Z.4 Ib
- R]DSI
- sA&/I
- 40d|5
- d6@U
- Lj1x
- C#9KLOK
- {5~^
- #$2ezH&
- n ~i
- 0-Cq
- C9fo
- ijS;

- q=wu
- j5|{
- ts0
- o{9z
- zJUw
- u1Ml
- Ue8?w
- n`$i
- "aF#
- T%0
- PX`0
- ECYuHFaL
- 7JdU
- 9uZj
- O..0
- _<u-
- myVAX
- iY,,
- =/~1
- #Val
- *U;i
- j0zZ
- V1B=
- m\tF0
- Iw8v
- Cd1V
- /gj7
- lc<E
- O&$#
- *i!
- ;#!8
- $PMu
- Ulj}
- wV"I
- iBXnN
- FsUZ
- aV]x
- "P0g2
- fO7>5+:h
- UB{R
- KO3,
- K5!$
- 0JUXke
- i:ps
- 6i]k
- JDb4
- \\7qD
- \\eIe
- <E}3
- U@YYj
- %<?3
- 2P?;E
- Ed;EXs\\
- u\t9E
- u\t9E
- E`_^[
- P9Elt&

- ;Ext[
- '9q:
- ;E\\s`
- 5t\td
- u\t9]
- u\t9]
- WWke3
- V<)E
- Rp3f
- Rp0f
- IPNg
- [eU9
- `.rdata
- .text
- RichE
- !This program cannot be run in DOS mode.
- \\\\?\\
- Rvtr
- -/\\vzx
- r>"
- j^yC
- CrMycz{
- >,<Y
- !qps
- 0$:\\q&]'
- w $
- W_pkZ
- >C$=P
- Mn.F
- ++M!CGL
- fp=
- B$&-
- [}(q
- 'kKY
- lG q
- yx->(
- DN'z
- dr/J
- CS|'?f
- wrNc:
- w#%p
- :+#h
- \\"c>
- {|/?
- M>v?
- xC]f
- (,@
- DC$F
- p|$$
- Cl%XbZ
- gP";
- {"Ns
- N?"!
- %D \\
- !w(
- zsbrt
- rdj

- `_5#&sV;
- !V?)
- GLp@
- ZPBf
- BVgz4x
- D,"h
- o-'tW*
- ftx~
- +k&r;
- :P#c
- .Z:3g=
- wroRM#
- C^?7^H
-)N/|aS
- mjU/S&jW;
- MQR&jQ5;
- +_/d
- ?%z~
- "})&
- b,k:
- @tZMHa
- s;?r
- [-(>
- P*fy
- n"^>
- Cb+)
- LZT!
- ~j`Q
- [nr;
- '%H[
- nzq~
- LFCD
- B|YV
- 4|J\'z"|
- (;."#
- EXHHtG
- t$j
- C(Pj
- Q*l"
- VDVj
- QQSV
- DH,f
- /nNK
- VPVj
- x..t
- x,.t
- (TSk
- V<%C
- QQSV
- m]l

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000978830001000000000000000100000009789100

• Module 4 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: hJ.om

• Module 4 other strings

- \\system32*
- rI>Oi
-)}"O
- 'n`6
- S2z2`
- ADeD
- 9O63]
- 3vL)
- Sr&~I
- 2Dt@
- ~$To1
- DKEm#
- 5fDt
- Av.5
- 2'f3
- ivGU
- IXb/I
- sSHNU
- W"u2
- \'7"e\\z|s
- {hA}
- "}R0R
- DkIWW
- N6'u
- f2Fp
- <0yd
- Z+a>A%T!4/
- "ut5I
- e@}Ve
- 0,px%
- :5Ku\\G
- u:PZ
- @Oa.

- a\t7q
- uN(:T
- lzy0
- um>N
- ae#w
- $Z.4 Ib
- R]DSI
- sA&/l
- 40d|5
- d6@U
- Lj1x
- C#9KLOK
- {5~^
- #$2ezH&
- n ~i
- 0-Cq
- C9fo
- ijS;
- q=wu
- j5|{
- ts0
- o{9z
- zJUw
- u1Ml
- Ue8?w
- n`$i
- "aF#
- T%0
- PX`0
- ECYuHFaL
- 7JdU
- 9uZj
- O..0
- _<u-
- myVAX
- iY,,
- =/~1
- #Val
- *U;i
- j0zZ
- V1B=
- m\tF0
- Iw8v
- Cd1V
- /gj7
- lc<E
- O&$#
- *i!
- ;#!8
- $PMu
- Ulj}
- wV"I
- iBXnN
- FsUZ
- aV]x
- "P0g2
- fO7>5+:h

- UB{R
- KO3,
- K5!$
- 0JUXke
- i:ps
- 6i]k
- JDb4
- \\7qD
- \\eIe
- <E}3
- U@YYj
- %<?3
- 2P?;E
- Ed;EXs\\
- u\t9E
- u\t9E
- E`_^[
- P9Elt&
- ;Ext[
- '9q:
- ;E\\s`
- 5t\td
- u\t9]
- u\t9]
- WWke3
- V<)E
- Rp3f
- Rp0f
- IPNg
- [eU9
- `.rdata
- .text
- RichE
- !This program cannot be run in DOS mode.
- \\\\?\\
- Rvtr
- -/\\vzx
- r>"
- j^yC
- CrMycz{
- >,<Y
- !qps
- 0$:\\q&]'
- w $
- W_pkZ
- >C$=P
- Mn.F
- ++M!CGL
- fp=
- B$&-
- [}(q
- 'kKY
- lG q
- yx->(
- DN'z
- dr/J
- CS|'?f

- wrNc:
- w#%p
- :+#h
- \\"c>
- {|/?
- M>v?
- xC]f
- (,@
- DC$F
- p|$$
- Cl%XbZ
- gP";
- {"Ns
- N?"!
- %D \\
- !w(
- zsbrt
- rdj
- `_5#&sV;
- !V?)
- GLp@
- ZPBf
- BVgz4x
- D,"h
- o-'tW*
- ftx~
- +k&r;
- :P#c
- .Z:3g=
- wroRM#
- C^?7^H
-)N/|aS
- mjU/S&jW;
- MQR&jQ5;
- +_/d
- ?%z~
- "})&
- b,k:
- @tZMHa
- s;?r
- [-(>
- P*fy
- n"^>
- Cb+)
- LZT!
- ~j`Q
- [nr;
- '%H[
- nzq~
- LFCD
- B|YV
- 4|J\'z"|
- (;."#
- EXHHtG
- t$j
- C(Pj
- Q*l"

- VDVj
- QQSV
- DH,f
- /nNK
- VPVj
- x..t
- x,.t
- (TSk
- V<%C
- QQSV
- m]l

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

- 44616e530000000000000000000000000097895000800000009788300460000000978930 00f00000000000100df0000000978840012000000027c67e000100000009789400010000000978910 0

• Module 5 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 5 strings

• Module 5 most interesting strings

- url | valid domains | tlds: e.vl
- api | frequently used by malware: StartServiceCtrlDispatcher failed.
- api | frequently used by malware: OpenProcessToken failed with %d
- api | frequently used by malware: DllRegisterServer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Installer\\RunOnceEntries
- registry: Software\\Classes\\Installer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Installer
- api | kernel32: ServiceThreadMain: SetWaitableTimer failed.
- api | advapi32: SetServiceStatus failed.
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: HeapSetInformation
- api | kernel32: CreateWaitableTimerW
- api | kernel32: CancelWaitableTimer
- api | kernel32: SetWaitableTimer

• Module 5 other strings

- {%08lX-0000-0000-C000-000000000046}
- InstallerLocation
- MsiExecCA32

- Windows Installer Patch
- Msi.Patch
- Windows Installer Package
- Msi.Package
- .msi
- CLSID\\%s\\ProgId
- %s\\DefaultIcon
- %s,0
- APPID\\%s
- ServiceParameters
- LocalService
- AppId
- IMsiServer
- Msi install server
- kernel32.dll
- ServiceThreadMain: CoInitializeSecurity failed
- ServiceThreadMain: CreateSD for CreateWaitableTimer failed.
- ServiceThreadMain: CreateWaitableTimer failed.
- ServiceThreadMain: Class registration failed
- Wait Failed in MsgWait.
- ServiceThreadMain: CreateEvent failed.
- SetInstallerACLs: Unable to create and verify Installer directory
- SetInstallerACLs: Could not create Installer key.
- SetInstallerACLs: Installer key not owned by System or Admin. Deleting key + subkeys and re-creating.
- SetInstallerACLs: Could not delete Installer key tree.
- SetInstallerACLs: Could not create Secure Installer sub key.
- OLEAUT32.dll
- ServerMain (CA): Wait on synchronization event failed
- ServerMain (CA): Error: icacContext in CA server should be EEUI but is not any impersonated type
- ServerMain (CA): CoInitializeSecurity failed
- ServerMain (CA): Connection to Service failed.
- ServerMain (CA): Process not registered with service.
- ServerMain (CA): Could not open synchronization handle.
- ServerMain (CA): Impersonation token not saved.
- ServerMain (CA): Open synchronization event failed
- PurgeUserOwnedInstallerKeys: Could not open key '%s'
- PurgeUserOwnedInstallerKeys: Key '%s' not owned by System, Admin, or Trusted Installers. Deleting key + subkeys.
- PurgeUserOwnedInstallerKeys: Could not delete tree.
- PurgeUserOwnedSubkeys: %s not owned by System, Admin or Trusted Installers. Deleting key + subkeys.
- PurgeUserOwnedSubkeys: Could not delete SubKey tree.
- PurgeUserOwnedSubkeys: Could not enumerate subkeys.
- PurgeUserOwnedSubkeys: Could not open subkey: %s
- FIsKeyLocalSystemOrAdminOrTrustedInstallersOwned: Could not get owner security info.
- FIsOwnerSystemOrAdminOrTrustedInstallers: Unable to get owner SID from security descriptor.
- FIsOwnerSystemOrAdminOrTrustedInstallers: Cannot obtain local system SID.
- FIsOwnerSystemOrAdminOrTrustedInstallers: Cannot obtain Admin SID.
- FIsOwnerSystemOrAdminOrTrustedInstallers: Cannot obtain Trusted Installers SID.
- RegisterServiceCtrlHandler failed.
- COMCTL32
- Kernel32.dll
- OLE32
- Secure
- KERNEL32
- MSIPATCHREMOVE=
- update
- uninstall
- help

- quiet
- passive
- /qb!- REBOOTPROMPT=S
- norestart
- REBOOT=ReallySuppress
- forcerestart
- REBOOT=Force
- promptrestart
- REBOOTPROMPT=""
- _MSI_TEST
- package
- SeRestorePrivilege
- SeTakeOwnershipPrivilege
- SeSecurityPrivilege
- MSIServer
- CLSID
- 9_^[]
- t\t;u
- Ph0r
- Sh@o
- ArFf
- 0r!f
- tH9=
- 9Au5
- Pu;f
- Oh<!
- 7Ph@X
- Ph0V
- zu+S
- Ph(U
- UVWS
- L$,3
- t5!E
- InitCommonControlsEx
- tYSW3
- FFJu
- w5j\\Y
- CoInitializeEx
- SVW3
- AACCN
- t89E
- f9;t
- SVW3
- VW8]
- CoInitializeSecurity
- jEZf;
- 8Et8
- FDllGetClassObject
- QueryInstanceCount
- e.v]7.v
- u.vF
- 9.v`w
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc

- `.data
- .text
- Rich-
- !This program cannot be run in DOS mode.
- CLSID\\%s
- %s\\CLSID
- RpcSs
- .DLL
- PATCH=
- RUVEH?IJDqXFAtPYZlgmnc
- Msi.dll
- tKVhh{
- YYSS
- PhXx
- YYSS
- Ph@y
- YYSS
- VVVWS
- Vh s
- VVVVVh
- PhXt
- SSSS
- SSSj
- Xt%;
- WhHp
- SSSV
- Rtjf
- YYVW
- PhhS
- PhpR
- u"WWWW
- UQPXY]Y[
- _^[]
- SVWj
- [_^]
- URPQQh
- !F(!F4_
- SSh;
- r)h$F
- jpSh
- ^[_]
- :tZf
- VVVhpB
- VVVW
- VSVj
- VSVj
- XPVj
- < vw<"
- PSSSSSSSj
- _^[]
- WWhX
- PSSSSSSh
- PSSSSSSSj
- PSSSSSSSSj
- PSSSSSSh
- PSSSSSSSj
- PSSSSSSSj

- PSSSSSSh
- PSSSSSSSj
- PSSSSSSh
- PSSSSSSSj
- PSSSSSSSj
- PSSSSSSh
- PSSSSSSSj
- PSSSSSSSSj
- PSSSSSSSj
- PSSSSSSSj
- PSSSSSSh
- PSSSSSSSj
- PSSSSSSSj
- PSSSSSSh
- PSSSSSSSSj
- PSSSSSSSj
- PSSSSSSh
- Yj"Yf;
- PSSSSSSh
- PSSSSSSSj
- _^[]
- _^[]
- Ph,#
- t\t;M
- SSSj
- Zt&;
- Yt,f
- jZZf;
- jYZf;
- t\tf
- Y__^[
- SSSj
- SSSS
- SSSS
- SSSj
- -v1#-v
- g.vO!.v
- ,vuG-vcv.v
- T-vn
- -vM)v&<.v
- -vM7.v
- <.v+E.v
- -vQ3.vF
- msi.dll
- msvcrt.dll
- NTDLL.DLL
- .rsrc