Analysis report for sample: 007d049da1cc615c18ac4dcc139cad77

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 9597 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 007d049da1cc615c18ac4dcc139cad77

AV detections

• Microsoft:
• Kaspersky: Trojan.Win32.Autoit.abjlr
• Symantec:
• Malwarebytes:

Original source url

•

Virustotal url

• https://virustotal.com/es/file/8e0ea23d587e37759dd9facd67381d5f9a8068e2c96a6d4af9aea6a32bac6391/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

• suspicious_packer_section (The packer/protector section names/keywords)
• UPX ()
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
• Borland ()
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• Delphi_Random (Look for Random function)
• Delphi_FormShow (Look for Form.Show function)
• Delphi_Copy (Look for Copy function)
• Delphi_StrToInt (Look for StrToInt function)

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Start
10:59 PM
Tuesday
6/6/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe

- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\RegistryName Type: REG_SZ, Length: 112, Data: C:\\Users\\javi\\AppData\\Roaming\\win32Dir\\Startupwin32.exe)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: A/va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: Uh.ID
- url | valid domains | tlds: GlassFrame.Top
- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: Sysinternals - www.sysinternals.com
- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: v.va
- url | valid domains | tlds: This is a compiled AutoIt script. AV researchers please email avsupport@autoitscript.com for support.
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\dclogs\\2017-06-06-3.dc
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: System\\CurrentControlSet\\Services\\
- path | frequently modified by malware: AppData
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: send
- api | frequently used by malware: GetDC
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: accept
- api | frequently used by malware: bind
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: htons
- api | frequently used by malware: inet_addr
- api | frequently used by malware: recv
- api | frequently used by malware: sendto
- api | frequently used by malware: socket
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: gethostname
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: SetCapture
- api | frequently used by malware: SetTimer
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: NetShareEnum
- api | frequently used by malware: BitBlt

- api | frequently used by malware: ControlService
- api | frequently used by malware: DeleteService
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: WinExec
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: OpenProcessToken error
- api | frequently used by malware: BuildImportTable: GetProcAddress failed
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: Thread32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Toolhelp32ReadProcessMemory
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: Accept
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetAsyncKeyState
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: DeviceIoControl
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: GetNativeSystemInfo
- registry: \\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: \\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
- url | http tag: http://
- url | http tag: HTTP://
- registry: CurrentControlSet

- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupfolder
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupreg
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupfolder\\
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupreg\\
- registry: HKCU\\
- registry: HKLM\\
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- api | ws2_32: WSAIoctl
- api | wininet: FtpPutFileA
- api | ws2_32: getsockname
- api | ws2_32: inet_ntoa
- api | ws2_32: ioctlsocket
- api | ws2_32: listen
- api | ws2_32: ntohs
- api | ws2_32: select
- api | ws2_32: shutdown
- api | ws2_32: gethostbyaddr
- api | ws2_32: getservbyname
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSACleanup
- api | ws2_32: __WSAFDIsSet
- api | wininet: HttpQueryInfoA
- api | wininet: InternetConnectA
- api | wininet: InternetOpenA
- api | wininet: InternetOpenUrlA
- api | ws2_32: ERR|Cannot listen to port, try another one..|
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | urlmon: URLDownloadToFileA
- api | ntdll: NtUnmapViewOfSection
- api | netapi: Netbios
- api | advapi32: IsValidSid
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | user32: GetMonitorInfoA
- api | user32: EnumDisplayMonitors
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: DestroyWindow
- api | user32: GetKeyboardType

- api | user32: ActivateKeyboardLayout
- api | user32: AdjustWindowRectEx
- api | user32: CharToOemA
- api | user32: CharUpperBuffA
- api | user32: CharLowerA
- api | user32: CharLowerBuffA
- api | user32: BeginPaint
- api | user32: CallWindowProcA
- api | user32: CheckMenuItem
- api | user32: ClientToScreen
- api | user32: CloseClipboard
- api | user32: CreateIcon
- api | user32: CreateMenu
- api | user32: CreatePopupMenu
- api | user32: DefFrameProcA
- api | user32: DefMDIChildProcA
- api | user32: DefWindowProcA
- api | user32: DeleteMenu
- api | user32: DestroyCursor
- api | user32: DestroyIcon
- api | user32: DestroyMenu
- api | user32: DispatchMessageA
- api | user32: DispatchMessageW
- api | user32: DrawEdge
- api | user32: DrawFrameControl
- api | user32: DrawIcon
- api | user32: DrawIconEx
- api | user32: DrawMenuBar
- api | user32: DrawTextA
- api | user32: EmptyClipboard
- api | user32: EnableMenuItem
- api | user32: EnableScrollBar
- api | user32: EnableWindow
- api | user32: EndPaint
- api | user32: EnumChildWindows
- api | user32: EnumClipboardFormats
- api | user32: EnumDisplayDevicesA
- api | user32: EnumThreadWindows
- api | user32: EqualRect
- api | user32: ExitWindowsEx
- api | user32: FillRect
- api | user32: FindWindowA
- api | user32: FindWindowExA
- api | user32: FrameRect
- api | user32: GetActiveWindow
- api | user32: GetCapture
- api | user32: GetClassInfoA
- api | user32: GetClassLongA
- api | user32: GetClassNameA
- api | user32: GetClientRect
- api | user32: GetCursor
- api | user32: GetCursorPos
- api | user32: GetDCEx
- api | user32: GetDesktopWindow
- api | user32: GetFocus
- api | user32: GetIconInfo
- api | user32: GetKeyNameTextA

- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardLayoutList
- api | user32: GetKeyboardLayoutNameA
- api | user32: GetKeyboardState
- api | user32: GetLastActivePopup
- api | user32: GetLastInputInfo
- api | user32: GetMenuItemCount
- api | user32: GetMenuItemID
- api | user32: GetMenuItemInfoA
- api | user32: GetMenuState
- api | user32: GetMenuStringA
- api | user32: GetMessageA
- api | user32: GetWindow
- api | user32: GetParent
- api | user32: GetPropA
- api | user32: GetScrollInfo
- api | user32: GetScrollPos
- api | user32: GetScrollRange
- api | user32: GetSubMenu
- api | user32: GetSysColor
- api | user32: GetSysColorBrush
- api | user32: GetSystemMenu
- api | user32: GetSystemMetrics
- api | user32: GetTopWindow
- api | user32: GetWindowDC
- api | user32: GetWindowLongA
- api | user32: GetWindowLongW
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetWindowTextA
- api | user32: GetWindowTextLengthA
- api | user32: InflateRect
- api | user32: InsertMenuA
- api | user32: InsertMenuItemA
- api | user32: IntersectRect
- api | user32: InvalidateRect
- api | user32: IsChild
- api | user32: IsClipboardFormatAvailable
- api | user32: IsDialogMessageA
- api | user32: IsDialogMessageW
- api | user32: IsIconic
- api | user32: IsRectEmpty
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowUnicode
- api | user32: IsWindowVisible
- api | user32: IsZoomed
- api | user32: KillTimer
- api | user32: LoadBitmapA
- api | user32: LoadCursorA
- api | user32: LoadIconA
- api | user32: LoadKeyboardLayoutA
- api | user32: LockWorkStation
- api | user32: MapVirtualKeyA
- api | user32: MapWindowPoints
- api | user32: MsgWaitForMultipleObjects
- api | user32: MsgWaitForMultipleObjectsEx

- api | user32: OemToCharA
- api | user32: OffsetRect
- api | user32: OpenClipboard
- api | user32: PeekMessageA
- api | user32: PeekMessageW
- api | user32: PostMessageA
- api | user32: PostQuitMessage
- api | user32: PtInRect
- api | user32: RedrawWindow
- api | user32: RegisterClassA
- api | user32: RegisterClipboardFormatA
- api | user32: RegisterWindowMessageA
- api | user32: ReleaseCapture
- api | user32: ReleaseDC
- api | user32: RemoveMenu
- api | user32: RemovePropA
- api | user32: ScreenToClient
- api | user32: ScrollWindow
- api | user32: SendMessageA
- api | user32: SendMessageW
- api | user32: SetActiveWindow
- api | user32: SetClassLongA
- api | user32: SetClipboardData
- api | user32: SetCursor
- api | user32: SetCursorPos
- api | user32: SetFocus
- api | user32: SetForegroundWindow
- api | user32: SetMenu
- api | user32: SetMenuItemInfoA
- api | user32: SetParent
- api | user32: SetPropA
- api | user32: SetRect
- api | user32: SetScrollInfo
- api | user32: SetScrollPos
- api | user32: SetScrollRange
- api | user32: SetWindowLongA
- api | user32: SetWindowLongW
- api | user32: SetWindowPlacement
- api | user32: SetWindowPos
- api | user32: SetWindowTextA
- api | user32: SetWindowsHookExA
- api | user32: ShowOwnedPopups
- api | user32: ShowScrollBar
- api | user32: ShowWindow
- api | user32: SystemParametersInfoA
- api | user32: ToAscii
- api | user32: TrackPopupMenu
- api | user32: TranslateMDISysAccel
- api | user32: UnhookWindowsHookEx
- api | user32: UnregisterClassA
- api | user32: UpdateWindow
- api | user32: VkKeyScanA
- api | user32: WaitMessage
- api | user32: WindowFromPoint
- api | user32: keybd_event
- api | user32: mouse_event
- api | user32: CreateWindowExA

- api | netapi: NetShareGetInfo
- api | netapi: NetApiBufferFree
- api | user32: _TrackMouseEvent
- api | advapi32: CloseServiceHandle
- api | advapi32: CreateServiceA
- api | advapi32: EnumServicesStatusA
- api | advapi32: OpenSCManagerA
- api | advapi32: OpenServiceA
- api | advapi32: QueryServiceStatus
- api | advapi32: StartServiceA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: GetCurrentHwProfileA
- api | advapi32: GetSidIdentifierAuthority
- api | advapi32: GetSidSubAuthority
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetTokenInformation
- api | advapi32: GetUserNameA
- api | advapi32: LookupAccountSidA
- api | advapi32: LookupPrivilegeDisplayNameA
- api | advapi32: LookupPrivilegeNameA
- api | advapi32: LookupPrivilegeValueA
- api | kernel32: OpenThreadToken
- api | advapi32: RegCreateKeyA
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegDeleteKeyA
- api | kernel32: RegDeleteValueA
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegEnumValueA
- api | kernel32: RegFlushKey
- api | advapi32: RegOpenKeyA
- api | kernel32: RegQueryInfoKeyA
- api | kernel32: RegSetValueExA
- api | kernel32: GetModuleHandleA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: GetFileType
- api | kernel32: GetFileSize
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: ReadFile
- api | kernel32: RtlUnwind
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: CompareStringA
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStartupInfoA

- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetACP
- api | kernel32: Beep
- api | kernel32: CopyFileA
- api | kernel32: CreateDirectoryA
- api | kernel32: CreateEventA
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateMutexA
- api | kernel32: CreatePipe
- api | kernel32: CreateProcessA
- api | kernel32: DeleteCriticalSection
- api | kernel32: DeleteFileA
- api | kernel32: DosDateTimeToFileTime
- api | kernel32: EnterCriticalSection
- api | kernel32: EnumCalendarInfoA
- api | kernel32: EnumResourceNamesA
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FindNextFileA
- api | kernel32: FindResourceA
- api | kernel32: FormatMessageA
- api | kernel32: InterlockedExchange
- api | kernel32: FreeResource
- api | kernel32: GetCPInfo
- api | kernel32: GetComputerNameA
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThread
- api | kernel32: GetDateFormatA
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetDriveTypeA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFileTime
- api | kernel32: GetFullPathNameA
- api | kernel32: GetLocalTime
- api | kernel32: GetProcessHeap
- api | kernel32: GetSystemDirectoryA
- api | kernel32: GetSystemPowerStatus
- api | kernel32: GetTempPathA
- api | kernel32: GetUserDefaultLangID
- api | kernel32: GetVersionExA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc

- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalMemoryStatus
- api | kernel32: GlobalUnlock
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: IsBadReadPtr
- api | kernel32: LeaveCriticalSection
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: LockResource
- api | kernel32: MoveFileA
- api | kernel32: MulDiv
- api | kernel32: ResetEvent
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFileAttributesA
- api | kernel32: SetLastError
- api | kernel32: SetThreadLocale
- api | kernel32: SetThreadPriority
- api | kernel32: SizeofResource
- api | kernel32: TerminateProcess
- api | kernel32: UnmapViewOfFile
- api | kernel32: VerLanguageNameA
- api | kernel32: VirtualFreeEx
- api | kernel32: WaitForMultipleObjectsEx
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: IsWow64Process
- api | user32: BlockInput
- api | advapi32: GetTokenInformation error
- api | ntdll: .log
- api | kernel32: GetSystemInfo
- api | kernel32: BTMemoryLoadLibary: VirtualAlloc failed
- api | kernel32: FinalizeSections: VirtualProtect failed
- api | psapi: GetProcessMemoryInfo
- api | psapi: EnumDeviceDrivers
- api | psapi: GetDeviceDriverFileNameW
- api | psapi: GetDeviceDriverBaseNameW
- api | psapi: GetMappedFileNameW
- api | psapi: GetDeviceDriverFileNameA
- api | psapi: GetDeviceDriverBaseNameA
- api | psapi: GetMappedFileNameA
- api | psapi: InitializeProcessForWsWatch
- api | psapi: QueryWorkingSet
- api | psapi: EmptyWorkingSet
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExW
- api | psapi: GetModuleBaseNameW
- api | psapi: GetModuleFileNameExA
- api | psapi: GetModuleBaseNameA
- api | kernel32: Module32NextW
- api | kernel32: Module32FirstW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW

- api | kernel32: Heap32Next
- api | kernel32: Heap32First
- api | kernel32: Heap32ListNext
- api | kernel32: Heap32ListFirst
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: SetLayeredWindowAttributes
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: WriteConsoleW
- api | kernel32: HeapReAlloc
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: LCMapStringW
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: SetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: HeapCreate
- api | kernel32: GetStringTypeW
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetStartupInfoW
- api | kernel32: GetCommandLineW
- api | kernel32: GetDateFormatW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: RegConnectRegistryW
- api | advapi32: UnlockServiceDatabase
- api | advapi32: LockServiceDatabase
- api | advapi32: OpenSCManagerW

- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: GetWindowTextLengthW
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: DrawTextW
- api | user32: DrawFocusRect
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: GetCaretPos
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: GetCursorInfo
- api | user32: CopyImage
- api | user32: CountClipboardFormats
- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: FindWindowExW
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: CheckMenuRadioItem
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: SendInput
- api | user32: VkKeyScanW

- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: CopyRect
- api | user32: GetWindowTextW
- api | user32: SendMessageTimeoutW
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetDlgCtrlID
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: SetUserObjectSecurity
- api | user32: GetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: RegisterWindowMessageW
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | kernel32: LoadLibraryExW
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: GetSystemDirectoryW
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreateEventW
- api | kernel32: GetShortPathNameW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: SystemTimeToFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW

- api | kernel32: FormatMessageW
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: TerminateThread
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: CompareStringW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: CopyFileW
- api | kernel32: MoveFileW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: FlushFileBuffers
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrcmpiW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: GetVersionExW
- api | kernel32: DuplicateHandle
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: GetModuleHandleExW
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | user32: GetUserObjectInformationW
- api | ntdll: atan
- api | ntdll: sqrt
- api | ntdll: ceil
- api | ntdll: floor
- api | ntdll: fabs
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

Involved hosts

- 105.112.18.71:1777
- 192.168.133.1:5355
- 192.168.133.242:50102
- 192.168.133.242:50909
- 192.168.133.242:59608
- 192.168.133.242:62157
- 192.168.133.2:53

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- don401.mooo.com ---> 105.112.18.71
- 71.18.112.105.in-addr.arpa ---> no answers
- dns.msftncsi.com ---> 131.107.255.255
- dutch77.chickenkiller.com ---> 105.112.18.71

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.242:50102 ---> 192.168.133.2:53**

  dutch7

- **udp 192.168.133.242:62157 ---> 192.168.133.2:53**

  dutch7

- **udp 192.168.133.1:5355 ---> 192.168.133.242:50909**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.242:59608 ---> 192.168.133.2:53**

  dutch7

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\RegistryName Type: REG_SZ, Length: 112, Data: C:\\Users\\javi\\AppData\\Roaming\\win32Dir\\Startupwin32.exe)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P1, cebo.exe) description**
  - **Thread's childs**

- Thread T5 (in process P1, cebo.exe)
- Thread T6 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T5)
  - Thread Create (Thread ID: T6)

• Thread T5 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T7 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T7)

• Thread T6 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

• Thread T7 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T8 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T8)

• Thread T8 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T9 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T9)

• Thread T9 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P1 (cebo.exe)'s network events

- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 105.112.18.71:1777 (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: A/va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: Uh.ID
- url | valid domains | tlds: GlassFrame.Top
- url | valid domains | tlds: t.Ht
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\dclogs\\2017-06-06-3.dc
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: System\\CurrentControlSet\\Services\\
- registry | frequently modified by malware: System\\CurrentControlSet\\Services\\
- path | frequently modified by malware: AppData
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
- api | frequently used by malware: send
- api | frequently used by malware: GetDC
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: accept
- api | frequently used by malware: bind
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: htons
- api | frequently used by malware: inet_addr
- api | frequently used by malware: recv
- api | frequently used by malware: send
- api | frequently used by malware: sendto
- api | frequently used by malware: socket
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: gethostname
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: CallNextHookEx

- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: SetCapture
- api | frequently used by malware: SetTimer
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: NetShareEnum
- api | frequently used by malware: BitBlt
- api | frequently used by malware: ControlService
- api | frequently used by malware: DeleteService
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: Sleep
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: WinExec
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: Sleep
- api | frequently used by malware: OpenProcessToken error
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ExitThread

- api | frequently used by malware: Sleep
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: BuildImportTable: GetProcAddress failed
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: Thread32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: Toolhelp32ReadProcessMemory
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- registry: \\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: \\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: \\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\
- registry: \\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
- url | http tag: http://
- url | http tag: HTTP://
- registry: CurrentControlSet
- registry: CurrentControlSet
- registry: CurrentControlSet
- registry: CurrentControlSet
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupfolder
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupreg
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupfolder\\
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupfolder
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupreg\\
- registry: SOFTWARE\\Microsoft\\Shared Tools\\MSConfig\\startupreg
- registry: HKCU\\
- registry: HKLM\\
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- api | ws2_32: WSAIoctl
- api | wininet: FtpPutFileA
- api | ws2_32: getsockname
- api | ws2_32: inet_ntoa
- api | ws2_32: ioctlsocket
- api | ws2_32: listen
- api | ws2_32: ntohs
- api | ws2_32: select
- api | ws2_32: shutdown
- api | ws2_32: gethostbyaddr
- api | ws2_32: getservbyname
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSACleanup
- api | ws2_32: __WSAFDIsSet

- api | ws2_32: WSAIoctl
- api | wininet: FtpPutFileA
- api | wininet: HttpQueryInfoA
- api | wininet: InternetConnectA
- api | wininet: InternetOpenA
- api | wininet: InternetOpenUrlA
- api | ws2_32: ERR|Cannot listen to port, try another one..|
- api | ws2_32: WSACleanup
- api | urlmon: URLDownloadToFileA
- api | ntdll: NtUnmapViewOfSection
- api | netapi: Netbios
- api | advapi32: IsValidSid
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | user32: GetMonitorInfoA
- api | user32: EnumDisplayMonitors
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: DestroyWindow
- api | user32: GetKeyboardType
- api | user32: ActivateKeyboardLayout
- api | user32: AdjustWindowRectEx
- api | user32: CharToOemA
- api | user32: CharUpperBuffA
- api | user32: CharLowerA
- api | user32: CharLowerBuffA
- api | user32: CharNextA
- api | user32: BeginPaint
- api | user32: CallWindowProcA
- api | user32: CheckMenuItem
- api | user32: ClientToScreen
- api | user32: CloseClipboard
- api | user32: CreateIcon
- api | user32: CreateMenu
- api | user32: CreatePopupMenu
- api | user32: DefFrameProcA
- api | user32: DefMDIChildProcA
- api | user32: DefWindowProcA
- api | user32: DeleteMenu
- api | user32: DestroyCursor
- api | user32: DestroyIcon
- api | user32: DestroyMenu
- api | user32: DestroyWindow
- api | user32: DispatchMessageA
- api | user32: DispatchMessageW
- api | user32: DrawEdge
- api | user32: DrawFrameControl
- api | user32: DrawIcon
- api | user32: DrawIconEx
- api | user32: DrawMenuBar
- api | user32: DrawTextA
- api | user32: EmptyClipboard
- api | user32: EnableMenuItem
- api | user32: EnableScrollBar

- api | user32: EnableWindow
- api | user32: EndPaint
- api | user32: EnumChildWindows
- api | user32: EnumClipboardFormats
- api | user32: EnumDisplayDevicesA
- api | user32: EnumThreadWindows
- api | user32: EqualRect
- api | user32: ExitWindowsEx
- api | user32: FillRect
- api | user32: FindWindowA
- api | user32: FindWindowExA
- api | user32: FrameRect
- api | user32: GetActiveWindow
- api | user32: GetCapture
- api | user32: GetClassInfoA
- api | user32: GetClassLongA
- api | user32: GetClassNameA
- api | user32: GetClientRect
- api | user32: GetCursor
- api | user32: GetCursorPos
- api | user32: GetDCEx
- api | user32: GetDesktopWindow
- api | user32: GetFocus
- api | user32: GetIconInfo
- api | user32: GetKeyNameTextA
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardLayoutList
- api | user32: GetKeyboardLayoutNameA
- api | user32: GetKeyboardState
- api | user32: GetLastActivePopup
- api | user32: GetLastInputInfo
- api | user32: GetMenuItemCount
- api | user32: GetMenuItemID
- api | user32: GetMenuItemInfoA
- api | user32: GetMenuState
- api | user32: GetMenuStringA
- api | user32: GetMessageA
- api | user32: GetWindow
- api | user32: GetParent
- api | user32: GetPropA
- api | user32: GetScrollInfo
- api | user32: GetScrollPos
- api | user32: GetScrollRange
- api | user32: GetSubMenu
- api | user32: GetSysColor
- api | user32: GetSysColorBrush
- api | user32: GetSystemMenu
- api | user32: GetSystemMetrics
- api | user32: GetTopWindow
- api | user32: GetWindowDC
- api | user32: GetWindowLongA
- api | user32: GetWindowLongW
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetWindowTextA
- api | user32: GetWindowTextLengthA
- api | user32: InflateRect

- api | user32: InsertMenuA
- api | user32: InsertMenuItemA
- api | user32: IntersectRect
- api | user32: InvalidateRect
- api | user32: IsChild
- api | user32: IsClipboardFormatAvailable
- api | user32: IsDialogMessageA
- api | user32: IsDialogMessageW
- api | user32: IsIconic
- api | user32: IsRectEmpty
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowUnicode
- api | user32: IsWindowVisible
- api | user32: IsZoomed
- api | user32: KillTimer
- api | user32: LoadBitmapA
- api | user32: LoadCursorA
- api | user32: LoadIconA
- api | user32: LoadKeyboardLayoutA
- api | user32: LoadStringA
- api | user32: LockWorkStation
- api | user32: MapVirtualKeyA
- api | user32: MapWindowPoints
- api | user32: MessageBoxA
- api | user32: MsgWaitForMultipleObjects
- api | user32: MsgWaitForMultipleObjectsEx
- api | user32: OemToCharA
- api | user32: OffsetRect
- api | user32: OpenClipboard
- api | user32: PeekMessageA
- api | user32: PeekMessageW
- api | user32: PostMessageA
- api | user32: PostQuitMessage
- api | user32: PtInRect
- api | user32: RedrawWindow
- api | user32: RegisterClassA
- api | user32: RegisterClipboardFormatA
- api | user32: RegisterWindowMessageA
- api | user32: ReleaseCapture
- api | user32: ReleaseDC
- api | user32: RemoveMenu
- api | user32: RemovePropA
- api | user32: ScreenToClient
- api | user32: ScrollWindow
- api | user32: SendMessageA
- api | user32: SendMessageW
- api | user32: SetActiveWindow
- api | user32: SetClassLongA
- api | user32: SetClipboardData
- api | user32: SetCursor
- api | user32: SetCursorPos
- api | user32: SetFocus
- api | user32: SetForegroundWindow
- api | user32: SetMenu
- api | user32: SetMenuItemInfoA
- api | user32: SetParent

- api | user32: SetPropA
- api | user32: SetRect
- api | user32: SetScrollInfo
- api | user32: SetScrollPos
- api | user32: SetScrollRange
- api | user32: SetWindowLongA
- api | user32: SetWindowLongW
- api | user32: SetWindowPlacement
- api | user32: SetWindowPos
- api | user32: SetWindowTextA
- api | user32: SetWindowsHookExA
- api | user32: ShowOwnedPopups
- api | user32: ShowScrollBar
- api | user32: ShowWindow
- api | user32: SystemParametersInfoA
- api | user32: ToAscii
- api | user32: TrackPopupMenu
- api | user32: TranslateMDISysAccel
- api | user32: UnhookWindowsHookEx
- api | user32: UnregisterClassA
- api | user32: UpdateWindow
- api | user32: VkKeyScanA
- api | user32: WaitMessage
- api | user32: WindowFromPoint
- api | user32: keybd_event
- api | user32: mouse_event
- api | user32: CreateWindowExA
- api | urlmon: URLDownloadToFileA
- api | ntdll: NtUnmapViewOfSection
- api | netapi: NetShareGetInfo
- api | netapi: NetApiBufferFree
- api | netapi: Netbios
- api | user32: _TrackMouseEvent
- api | advapi32: CloseServiceHandle
- api | advapi32: CreateServiceA
- api | advapi32: EnumServicesStatusA
- api | advapi32: OpenSCManagerA
- api | advapi32: OpenServiceA
- api | advapi32: QueryServiceStatus
- api | advapi32: StartServiceA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: GetCurrentHwProfileA
- api | advapi32: GetSidIdentifierAuthority
- api | advapi32: GetSidSubAuthority
- api | advapi32: GetSidSubAuthorityCount
- api | advapi32: GetTokenInformation
- api | advapi32: GetUserNameA
- api | advapi32: IsValidSid
- api | advapi32: LookupAccountSidA
- api | advapi32: LookupPrivilegeDisplayNameA
- api | advapi32: LookupPrivilegeNameA
- api | advapi32: LookupPrivilegeValueA
- api | kernel32: OpenThreadToken
- api | advapi32: RegCreateKeyA
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegDeleteKeyA

- api | kernel32: RegDeleteValueA
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegEnumValueA
- api | kernel32: RegFlushKey
- api | advapi32: RegOpenKeyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryInfoKeyA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegSetValueExA
- api | kernel32: GetModuleHandleA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: GetFileType
- api | kernel32: GetFileSize
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: ReadFile
- api | kernel32: RtlUnwind
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: CompareStringA
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: GetACP
- api | kernel32: Beep
- api | kernel32: CloseHandle
- api | kernel32: CompareStringA
- api | kernel32: CopyFileA
- api | kernel32: CreateDirectoryA
- api | kernel32: CreateEventA
- api | kernel32: CreateFileA
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateMutexA
- api | kernel32: CreatePipe
- api | kernel32: CreateProcessA

- api | kernel32: DeleteCriticalSection
- api | kernel32: DeleteFileA
- api | kernel32: DosDateTimeToFileTime
- api | kernel32: EnterCriticalSection
- api | kernel32: EnumCalendarInfoA
- api | kernel32: EnumResourceNamesA
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FindNextFileA
- api | kernel32: FindResourceA
- api | kernel32: FormatMessageA
- api | kernel32: FreeLibrary
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedIncrement
- api | kernel32: FreeResource
- api | kernel32: GetCPInfo
- api | kernel32: GetComputerNameA
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThread
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetDateFormatA
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetDriveTypeA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFileSize
- api | kernel32: GetFileTime
- api | kernel32: GetFullPathNameA
- api | kernel32: GetLastError
- api | kernel32: GetLocalTime
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProcessHeap
- api | kernel32: GetStdHandle
- api | kernel32: GetSystemDirectoryA
- api | kernel32: GetSystemPowerStatus
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetUserDefaultLangID
- api | kernel32: GetVersionExA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalMemoryStatus

- api | kernel32: GlobalUnlock
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: IsBadReadPtr
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LocalAlloc
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: LockResource
- api | kernel32: MoveFileA
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFileAttributesA
- api | kernel32: SetFilePointer
- api | kernel32: SetLastError
- api | kernel32: SetThreadLocale
- api | kernel32: SetThreadPriority
- api | kernel32: SizeofResource
- api | kernel32: TerminateProcess
- api | kernel32: UnmapViewOfFile
- api | kernel32: VerLanguageNameA
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: VirtualFreeEx
- api | kernel32: VirtualProtect
- api | kernel32: VirtualQuery
- api | kernel32: WaitForMultipleObjectsEx
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: IsWow64Process
- api | user32: BlockInput
- api | advapi32: GetTokenInformation error
- api | ntdll: .log
- api | kernel32: GetSystemInfo
- api | user32: GetWindow
- api | kernel32: LoadLibraryA
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: TerminateProcess
- api | kernel32: CloseHandle
- api | kernel32: CreateMutexA
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateProcessA
- api | user32: MessageBoxA
- api | kernel32: LoadLibraryA
- api | kernel32: GetExitCodeProcess
- api | kernel32: CloseHandle
- api | kernel32: TerminateProcess
- api | kernel32: GetLastError
- api | kernel32: DeleteFileA

- api | user32: MessageBoxA
- api | kernel32: BTMemoryLoadLibary: VirtualAlloc failed
- api | kernel32: FinalizeSections: VirtualProtect failed
- api | psapi: GetProcessMemoryInfo
- api | psapi: EnumDeviceDrivers
- api | psapi: GetDeviceDriverFileNameW
- api | psapi: GetDeviceDriverBaseNameW
- api | psapi: GetMappedFileNameW
- api | psapi: GetDeviceDriverFileNameA
- api | psapi: GetDeviceDriverBaseNameA
- api | psapi: GetMappedFileNameA
- api | psapi: InitializeProcessForWsWatch
- api | psapi: QueryWorkingSet
- api | psapi: EmptyWorkingSet
- api | psapi: GetModuleInformation
- api | psapi: GetModuleFileNameExW
- api | psapi: GetModuleBaseNameW
- api | psapi: GetModuleFileNameExA
- api | psapi: GetModuleBaseNameA
- api | kernel32: Module32NextW
- api | kernel32: Module32FirstW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: Heap32Next
- api | kernel32: Heap32First
- api | kernel32: Heap32ListNext
- api | kernel32: Heap32ListFirst
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: SetLayeredWindowAttributes
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

• Module 1 other strings

- Translation
- VarFileInfo
- 4, 0, 0, 0
- ProductVersion

• Remote Service Application
• ProductName
• MSRSAAP.EXE
• OriginalFilename
• Copyright (C) 1999
• LegalCopyright
• MSRSAAPP
• InternalName
• 1, 0, 0, 1
• FileVersion
• Remote Service Application
• FileDescription
• Microsoft Corp.
• CompanyName
• Remote Service Application
• Comments
• 040904b0
• StringFileInfo
• VS_VERSION_INFO
• PACKAGEINFO
• DCDATA
• Division by zero
• Invalid numeric input
• Read beyond end of file\tDisk full
• File access denied
• Too many open files
• Invalid filename
• File not found
• I/O error %d
• Out of memory
• Invalid argument to date encode
• Invalid argument to time encode
• '%s' is not a valid GUID value
• !'%s' is not a valid integer value('%s' is not a valid floating point value!'%s' is not a valid date and time
• Application Error1Format '%s' invalid or incompatible with argument
• Privileged instruction(Exception %s in module %s at %p.
• Control-C hit
• Stack overflow
• Access violation
• Invalid class typecast0Access violation at address %p. %s of address %p
• Invalid pointer operation
• Floating point underflow
• Floating point overflow
• Floating point division by zero
• Integer overflow Invalid floating point operation
• Range check error
• Operation not supported
• Invalid variant type
• Invalid argument
• Variant overflow
• %s5Could not convert variant of type (%s) into type (%s)=Overflow while converting variant of type (%s) into type (%s)
• Invalid variant operation%Invalid variant operation (%s%.8x)
• Invalid variant type conversion
• Variant or safe array is locked
• Write$Error creating variant or safe array)Variant or safe array index out of bounds
• Read
• No argument for format \'%s\'"Variant method calls not supported

• A call to an OS function failed/Application is not licensed to use this feature
• System Error. Code: %d.
• Abstract Error?Access violation at address %p in module '%s'. %s of address %p
• Exception in safecall method
• Interface not supported
• Assertion failed
• External exception %x
• Unexpected variant error
• August\tSeptember
• July
• June
• April
• March
• February
• January
• Friday
• Thursday
• Tuesday\tWednesday
• Monday
• Sunday
• December
• November
• October
• Invalid stream format$"%s" is not a valid component name
• Cannot open file "%s". %s
• Cannot create file "%s". %s
• A class named %s already exists%List does not allow duplicates ($0%x)#A component named %s already exists%String list does not allow duplicates
• Class %s not found
• Bits index out of range*Can't write to a read-only resource streamECheckSynchronize called from thread $%x, which is NOT the main thread
• Cannot assign a %s to a %s
• Ancestor for '%s' not found
• Unable to create directory
• Saturday
• %s.Seek not implemented$Operation not allowed on sorted list
• Resource %s not found
• Failed to set data for '%s'
• Failed to get data for '%s'
• Failed to create key %s
• Property is read-only
• Stream read error
• Error reading %s%s%s: %s
• List index out of bounds (%d)+Out of memory while expanding memory stream
• List count out of bounds (%d)
• Invalid data type for '%s' List capacity out of bounds (%d)
• Invalid property value
• Invalid property path
• Invalid ImageList
• Invalid image size
• Canvas does not allow drawing
• Out of system resources
• Unsupported clipboard format
• Scan line index out of range!Cannot change the size of an icon
• Invalid pixel format
• Metafile is not valid
• Icon image is not valid
• Bitmap image is not valid
• Thread creation error: %s

• Stream write error
• Property %s does not exist
• Not enough timers available@GroupIndex cannot be less than a previous menu item's GroupIndex5Cannot create form. No MDI forms are currently active$%s not in a class registration group
• Sub-menu is not in menu
• Menu inserted twice
• Menu index out of range
• Cannot hide an MDI Child Form)Cannot change Visible in OnShow or OnHide"Cannot make a visible window modal
• Error creating window class+Cannot focus a disabled or invisible window!Control '%s' has no parent window
• Invalid ImageList Index)Failed to read ImageList data from stream(Failed to write ImageList data to stream$Error creating window device context
• N&o; to All
• &All;
• &Ignore;
• &Abort;
• &Help;
• Cancel
• &Yes;
• Confirm
• Information
• Error
• Warning
• Cannot drag a form
• *A control cannot have itself as its parent
• Down
• Right
• Left
• Home
• PgUp
• Space
• Enter
• Yes to &All;
• OLE error %.8x.Method '%s' not supported by automation object/Variant does not reference an automation object7Dispatch methods do not support more than 64 parameters
• - Dock zone has no controlLError loading dock zone from the stream. Expecting version %d, but found %d.
• - Dock zone not found
• Docked control must have a name%Error removing control from dock tree
• Cannot open clipboard/Menu '%s' is already being used by another form
• Invalid clipboard format Clipboard does not support Icons
• Alt+
• No help found for context$No topic-based help system installedNUnable to retrieve a pointer to a running object registered with OLE for %s/%s
• No help found for %s#No context-sensitive help installed
• DCOM not installed"Unable to find a Table of Contents
• PACKAGEINFO
• DCDATA
• 0000
• 000000
• 6666
• 6666
• 66006666
• EEEEEEEE
• !1Aa
• Null Renderer
• Sample Grabber
• Video Capture
• FriendlyName
• FriendlyName
• 9-+,

- window
- treeview
- traynotify
- trackbar
- tooltip
- toolbar
- taskbar
- taskband
- status
- startpanel
- spin
- scrollbar
- rebar
- progress
- page
- menu
- listview
- header
- explorerbar
- edit
- combobox
- clock
- ebutton
- waveInOpen
- VerQueryValueA
- SHGetFolderPathA
- ShellExecuteA
- VariantCopy
- IsEqualGUID
- acmStreamSize
- GdipFree
- SaveDC
- ImageList_Add
- capGetDriverDescriptionA
- wsock32.dll
- WS2_32.DLL
- wininet.dll
- version.dll
- user32.dll
- URLMON.DLL
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- msacm32.dll
- gdi32.dll
- comctl32.dll
- AVICAP32.DLL
- advapi32.dll
- KERNEL32.DLL
- \\9.v
- m7NB
- L6QNi
- Q `.i
- o6*L
- i2_@a{
- honb

- OXT u4
- -[H1
- 7Upp
- N`7A
- 3(30X
- Liaz'
- 0GAG
- Gp7p
- Z7s!
- 94-z
- dpQ8d
- /1;r
- hEqfGUx
- a q!\tn1
- Caa2
- CD]a
- "biB#
- acm
- MAP9
- @M0HBIT8$
- I[S1p^
- fls7I
- u,8l+
- #C1;
- l7!qC
- RgnBo
- 3 ~7$
- >DIB
- ;ROP2
- |7#Org|
- 5B{:'
- NoZ3
- %|iC
- Za!?)
- #E6m
- Rai*
- OUnhod!..
- oXQ"
- q1D|
- Id'#IY
- e]3/
- dEga
- +Vol~3DI
- Ad]L
- 9i+C7g`
- @.reloc
- .rdata
- .idata
- `.data
- `.itext
- .text
- mciSendStringA
- PlaySoundA
- waveInAddBuffer
- waveInClose
- waveInOpen
- waveInPrepareHeader

- waveInReset
- waveInStart
- waveInUnprepareHeader
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- SHGetFolderPathA
- SHGetPathFromIDListA
- SHGetSpecialFolderLocation
- SHEmptyRecycleBinA
- DragQueryFileA
- SHFileOperationA
- SHGetFileInfoA
- ShellExecuteA
- ShellExecuteExA
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- SysFreeString
- GetActiveObject
- GetErrorInfo
- VariantInit
- VariantClear
- VariantCopy
- VariantChangeType
- SafeArrayCreate
- SafeArrayGetLBound
- SafeArrayGetUBound
- SafeArrayPtrOfIndex
- StringFromCLSID
- CoTaskMemFree
- IsEqualGUID
- CoInitialize
- CoUninitialize
- StringFromCLSID
- ProgIDFromCLSID
- CLSIDFromProgID
- CoTaskMemFree
- acmStreamOpen
- acmStreamClose
- acmStreamSize
- acmStreamReset
- acmStreamConvert
- acmStreamPrepareHeader
- acmStreamUnprepareHeader
- GdipAlloc
- GdipFree
- GdiplusStartup
- GdiplusShutdown
- GdipDisposeImage
- GdipSaveImageToStream
- GdipGetImageGraphicsContext
- GdipGetImagePixelFormat
- GdipCreateBitmapFromScan0
- GdipCreateBitmapFromHBITMAP
- GdipDeleteGraphics
- GdipSetInterpolationMode

- GdipDrawImageRectI
- GdipGetImageEncodersSize
- GdipGetImageEncoders
- CopyEnhMetaFileA
- CreateBitmap
- CreateBrushIndirect
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCA
- CreateDIBSection
- CreateDIBitmap
- CreateFontIndirectA
- CreateHalftonePalette
- CreatePalette
- CreatePenIndirect
- CreateSolidBrush
- DeleteDC
- DeleteEnhMetaFile
- DeleteObject
- ExcludeClipRect
- ExtTextOutA
- GdiFlush
- GetBitmapBits
- GetBrushOrgEx
- GetClipBox
- GetCurrentPositionEx
- GetDCOrgEx
- GetDIBColorTable
- GetDIBits
- GetDeviceCaps
- GetEnhMetaFileBits
- GetEnhMetaFileHeader
- GetEnhMetaFilePaletteEntries
- GetObjectA
- GetPaletteEntries
- GetPixel
- GetRgnBox
- GetStockObject
- GetSystemPaletteEntries
- GetTextExtentPoint32A
- GetTextMetricsA
- GetWinMetaFileBits
- GetWindowOrgEx
- IntersectClipRect
- LineTo
- MoveToEx
- PlayEnhMetaFile
- RealizePalette
- RectVisible
- RestoreDC
- SaveDC
- SelectObject
- SelectPalette
- SetBkColor
- SetBkMode
- SetBrushOrgEx
- SetDIBColorTable

- SetEnhMetaFileBits
- SetPixel
- SetROP2
- SetStretchBltMode
- SetTextColor
- SetViewportOrgEx
- SetWinMetaFileBits
- SetWindowOrgEx
- UnrealizeObject
- ImageList_Create
- ImageList_Destroy
- ImageList_GetImageCount
- ImageList_Add
- ImageList_SetBkColor
- ImageList_GetBkColor
- ImageList_Draw
- ImageList_DrawEx
- ImageList_Remove
- ImageList_BeginDrag
- ImageList_EndDrag
- ImageList_DragEnter
- ImageList_DragLeave
- ImageList_DragMove
- ImageList_DragShowNolock
- ImageList_Read
- ImageList_Write
- ImageList_GetIconSize
- ImageList_SetIconSize
- capGetDriverDescriptionA
- UntAntiSB
- uRes
- UntServerReader
- UntRootKit
- Sockets
- UntIP
- untFunctions
- 0UntMiscFunc
- UntCPU
- UntNetShareLister
- UntRegEdit
- UntWindowManager
- UntMsConfig
- OleConst
- OleServer
- cMessengerAPI_TLB
- (UntBot
- 3CommDlg
- WWinSpool
- Printers
- GraphUtil
- IDlgs
- WideStrUtils
- RHelpIntfs
- Dialogs
- YStrUtils
- MultiMon
- ImgList

- vMenus
- EActnList
- &Controls;
- 5Themes
- DwmApi
- CUxTheme
- Forms
- UntMClipboard
- 0UntPasswordAndData
- UntFun
- UntServices
- PsAPI
- iUntProcess
- UntInfections
- UntRPCScan
- xUSock
- YUntScanPorts
- dUntSynFlood
- _UntUDPFlood
- UntReceiveFileThread
- TSHFolder
- UntSendFileThread
- UntReceiveDataFluxThread
- DUntScreenThumb
- nduL2cmn
- nduWinDot11
- =nduWinNT
- nduEapTypes
- nduWlanAPI
- nduCType
- 7nduWlanTypes
- aUntWIFI
- 2UntDCSettingsReader
- UntQuickTransferThread
- |afxCodeHook
- UntRemoteUtils
- (UntUploadFTPThread
- untstartup
- 0Nb30
- ?WinInet
- UrlMon
- CryptApi
- dUntSearchThread
- WAPI
- DirectSound
- yDirect3D9
- qComConst
- FComObj
- ADirectShow9
- VSample
- `VFrames
- UntWebCam
- UntCaptureWebcam
- IUntSocks5
- "UntIPUtils
- 8DLLMemory
- NUntPluginsData

• UntKeepAlive
• mUntSendDataFluxThread
•)UntRemoteShell
• =MD5Core
• GMD5Api
• UntControlKey
• *ShellAPI
• DirectDraw
• GDIPAPI
• ,GDIPOBJ
• "GDIPUTIL
• UntResizePic
• UntRemoteDesktop
• 7UntInputsControls
• +UntScreenCapture
• UntMainConnectionThread
• bListUnit
• [ACMIn
• MSAcm
• KACMConvertor
• UntSoundCaptureThread
• TlHelp32
• UntActivePorts
• RUntRC4
• hUntSendStream
• +UntAsyncTask
• WinSock
• IniFiles
• 8Registry
• +Graphics
• Math
• $VarUtils
• CVariants
• ImageHlp
• SysUtils
• QTypInfo
• 3Messages
• sActiveX
• ^Classes
• ZLibEx
• KWindows
• UntDisableAero
• SysInit
• UTypes
• UntRDPThread
• UntVars
• UntCore
• UntSinInfo
•)UntDownloaderThread
• UntMain
• UntKeylogger
• server
• D57ABA5857F0AFF67584605E90BE4665C9814BEEC7ED390E0271A42F098683FF146F5F3CD58FDA8B3FFF3519240FBEC278FD53FF95B7DF4AC7EEC3D355B764E656127704CE8AC598566BB4B78C91E0E9072494578B49ABCE207FBCE47B0F490BD96568B9D62DD31FB6C93B08DB9B0A8B8BE8A9367514EF24AE1F7EECAEA854145558076CD70C90E75E195231D2F789FC39445E20394F57642110CC07B222D2D3DF23C03BB06CA59352FDBA11BC32ED5AA605ED45D8ABC6A9862CA447B858D138F0846B6367822FPA
• Wt5C

- INvI
- wO!.v4Z/v
- -v57.vo
- 1vA#-v
- o$v;
- E.v+E.v
- 9.vF
- Running
- WinSock 2.0
- Running
- WinSock 2.0
- dElElElElElElElEl
- E`E`E`E`E`E`E`E`
- E`E`E`E`E`E`E`E`E`E`E`E`E`E`E`E`E`E
- 1.2.3
- inflate 1.2.3 Copyright 1995-2005 Mark Adler
- incorrect data check
- invalid distance too far back
- invalid distance code
- invalid literal/length code
- invalid distances set
- invalid literal/lengths set
- invalid bit length repeat
- invalid code lengths set
- too many length or distance symbols
- invalid stored block lengths
- invalid block type
- invalid window size
- unknown compression method
- incorrect header check
- 1.2.3
- invalid literal/length code
- invalid distance code
- invalid distance too far back
- deflate 1.2.3 Copyright 1995-2005 Jean-loup Gailly
- 1.2.3
- pvids
- 0123456789abcdef
- Tahomas Serif
- TPF0
- 0123456789ABCDEF
- Runtime error at 00000000
- Error
- 0+0~
- 0+0u
- 0+0s
- PERS
- MULTIPLUGS
- MULTIBIND
- SH10
- PERSINST
- open
- notepad
- MELT
- PLUGS
- BIND
- CHIDED

- attrib ''
- CHIDEF
- DIRATTRIB
- FILEATTRIB
- OVDNS
- MSGCORE
- MSGTITLE
- MSGICON
- FAKEMSG
- EDTDATE
- CHANGEDATE
- KEYNAME
- INSTALL
- at
- COMBOPATH
- EDTPATH
- DCMUTEX
- MUTEX
- Guest
- NETDATA
- GENCODE
- DCDATA
- TaskbarCreated
- Delphi Component
- Delphi Picture
- TaskbarCreated
- KEYNAME
- KEYNAME
- SysListView32
- #32770
- SVW3
- TServerReaderU
- SVW3
- SVW3
- %.2x-%.2x-%.2x-%.2x-%.2x-%.2x
- memory allocation failed!
- SVWU
- 0x%.2x%.2x%.2x%.2x%.2x%.2x
- S-%u-
- r9G3
- SVWU
- Windows Me
- Windows 98
- Windows 95
- Windows 7
- Windows Vista
- Windows Server 2003
- Windows XP
- Windows 2000
- Windows NT 4.0
- Unknow
- VendorIdentifier
- HARDWARE\\DESCRIPTION\\System\\CentralProcessor\\0
- Identifier
- HARDWARE\\DESCRIPTION\\System\\CentralProcessor\\0
- Identifier
- HARDWARE\\DESCRIPTION\\System

- SystemBiosDate
- HARDWARE\\DESCRIPTION\\System
- kernel32
- SVW3
- SVW3
- 0KiB
- %.4x:%.4x
- Local drive (default)
- SVW3
- DPLUG
- SVW3
- _DCEntryPoint
- %.2n
- GiB
- MiB
- KiB
- Bytes
- DC3_FEXEC
- Software
- Unknow
- DC3_FEXEC
- Software
- DBIND
- SVW3
- open
- Days and
- unknow
- Limited
- Full
- Default
- SVW3
- {n/a}
- SVW3
- CTRLA
- jEjF
- jEjF
- jEjY
- jEjY
- jEjZ
- jEjZ
- jEjP
- jEjP
- jEjX
- jEjX
- jEjC
- jEjC
- jEjV
- jEjV
- jEjA
- jEjA
- DC2_USERS
- Software
- DC2_USERS
- Software
- USER32.DLL
- SVW3
- SVW3

- UninstallString
- Publisher
- InstallLocation
- DisplayVersion
- DisplayName
- SVW3
- runas
- SeShutdownPrivilege
- ujTj(
- net stop uxsms
- net start uxsms
- SVW3
- Wallpaper
- Control Panel\\Desktop
- open
- cmd.exe
- SVWU
- TPlugThread
- COMSPEC
- SVW3
- TRemoteShell
- DATAFLUX
- @tej
- SVW3
- TSendDataFluxThread
- t%OtB
- image/jpeg
- SVW3
- taskmgr.exe
- open
- cmd.exe
- t5Ht8
- DEFAULT MONITOR (DISPLAY)
- SVW3
- MONSIZE0x0x0x0
- DISPLAY
- MONSIZE
- XMID
- XLEFT
- XWHEEL
- CONTROLIO
- SVW3
- TInputsControl
- ENDSNAP
- DESKTOP
- TScreenCapture
- ENDSNAP
- #CAMEND
- CAMERA
- TCaptureWebcam
- SOCKS5STATUS
- Uh-xH
- UhexH
- UhOvH
- UhqvH
- hotH
- UhFtH

- UhhtH
- ERR|Socket error..|
- OK|Successfully started..|
- UhFpH
- SVW3
- SVW3
- TSocks5Config
- SVW3
- TConnectionHandler
- #KEEPALIVE#
- h1dH
- Uh*dH
- SVW3
- TKeepAlive
- EndReceive
- SOUND
- Uhr`H
- SVW3
- Uh(_H
- SVW3
- TSoundCapture
- TMain
- SYSINFO
- systeminfo
- Error
- out.txt
- Vh|1H
- Uh9YH
- TAsyncTask
- UhUWH
- UserInit
- UserInit
- Userinit
- Uh*SH
- UhVSH
- SVW3
- hmOH
- UhfOH
- BTERRORDownload File| Error on downloading file check if you type the correct url...|
- BTRESULTDownload File|Mass Download : File Downloaded , Executing new one in temp dir...|
- DownloadFail
- DownloadSuccess
- BTRESULTMass Download|Downloading File...|
- UhkMH
- open
- Mozilla
- TDownloaderThreadU
- ACCESS DENIED (x64)
- Uh{DH
- < of the Normal
- > of the Normal
- Real Time
- Hight
- Normal
- UhuBH
- SVW3
- Uh7@H

-) successfully dump in
- SYSINFORemote process (
- SYSERRCannot create the output file!
- SYSERRCannot open remote process for reading..
- SYSERRNot a valid range set!
- hi>H
- Uhb>H
- SVW3
- UntProcess
- Host:
- POST /index.php/1.0
- hT8H
- h08H
- SVW3
- BTERRORVisit URL|An exception occured in the thread|
- Times.
- BTRESULTVisit URL|finished to visit
- myappname
- h76H
- hT6H
- h@6H
- Uh06H
- SVW3
- TVisitThread
- DATAFLUX
- h@4H
- h,4H
- SVW3
- hz1H
- Uhs1H
- LanErr
- LanList
- .255
- 127.0.0.1
- SVW3
- LanErr
- SVW3
- Vh4+H
- h5,H
- Uh.,H
- SVW3
- PortScanAdd
- h0+H
- SVW3
- TScanRange
- TScan
- BTRESULTSyn Flood|Syn task finished!|
- Sh0&H;
- SVW3
- h!%H
- F@Ju
- UhB%H
- BTRESULTUDP Flood|UDP Flood task finished!|
- UhU$H
- SVW3
- h!!H
- UhB!H

- [UP]
- [SNAPSHOT]
- [INS]
- [DEL]
- [F8]
- [F7]
- [F6]
- [F5]
- [F4]
- [F3]
- [F2]
- [F1]
- [NUM_LOCK]
- [ESC]
- SVW3
- ONLINESTROKES
- ONLINESTROKES\\new\\::
- \\space\\
- 5|GI
- FTPSIZE
- FTPUPLOADK
- :: Clipboard Change : size =
- 5xGI
- 5pGI
- FTPROOT
- FTPUSER
- SVW3
- FILEERR
- FILEEND
- FILEEOF
- FILEBOF
- UPLOADFILE
- TReceiveFileThread
- SVW3
- FILEEND
- FILEEOF
- FILEERR
- FILEBOF
- FILETRANSFER
- SVW3
- TSendFileThreadU
- UPFLUX
- SVW3
- TReceiveDataFlux
- THUMB
- TScreenThumb
- FILEEND
- QUICKUP
- PLUGIN
- DCSC_CHATRELOAD
- DCSC_CHATNUDGE
- DCSC_POSTDATA
- DCSC_INITCHAT
- CHAT
- PASSWORD
- GENCODE
- EDITSVR

- SOUND
- drivers\\etc\\hosts
- HOSTS
- UPANDEXEC
- UPDATE
- BATCH
- open
- UPLOADEXEC
- ;STu
- TQuickTransfer
- at
- Unknow
- OFFLINEK
- URLDOWNLOADTOFILE
- FTPFILEUPLOAD
- CLOSECHAT
- CHATNUDGE
- CHATOUT
- CHAT
- PASSWORD
- PLUGIN
- QUICKUP
- SOUNDSTOP
- SOUNDCAPTURE
- WIFI
- REFRESHWIFI
- WEBCAMSTOP
- WEBCAMLIVE
- DESKTOPSTOP
- DESKTOPCAPTURE
- KILLREMOTESHELL
- SUBMREMOTESHELL
- DOSCAP
- ACTIVEREMOTESHELL
- STOPSEARCH
- SEARCHFILES
- UPLOADFILE
- UPFLUX
- DWNFOLDERRES
- DOWNLOADFOLDER
- DOWNLOADFILE
- DUMP
- SOCKS5CLOSE
- SOCKS5FLUSH
- ADDSOCKS5
- PREVIEWF
- REFRESHLOGS
- DELETELOG
- GETDRIVEINFO
- GetHostsFile
- SPKOK
- Speak
- SAPI.SpVoice
- SpeakerVoice
- HWINDSENDTEXT
- WavPlay
- FILEM005

- WallPaper
- md5result
- Md5GetFromFile
- %IPPORTSCAN
- #RemoteScreenSize
- #GetScreenSize
- GENCODE
- [ChangeID]
- DDOSUDPFLOOD
- netstat -a -n -o
- Error
- out.txt
- GetActivePorts
- GateWay
- RPCLanScan
- #BOT#URLDownload
- BTRESULTUpdate from URL|Update : File Downloaded , Executing new one in temp dir...|
- BTERRORUpdate from URL| Error on downloading file check if you type the correct url...|
- .exe
- #BOT#URLUpdate
- BTRESULTUninstall|uninstall command receive, bye bye...|
- #BOT#SvrUninstall
- BTRESULTClose Server|close command receive, bye bye...|
- #BOT#CloseServer
- Command successfully executed!|
- BTRESULTRun command|
- #BOT#RunPrompt
- BTRESULTPing|Respond [OK] for the ping !|
- #BOT#Ping
- is now open!|
- BTRESULTOpen URL|
- #BOT#OpenUrl
- #BOT#VisitUrl
- Redirection
- GetMiniWind
- #UnFreezeIO
- #FreezeIO
- #SendClip
- #GetClipboardText
- TraceResult
- TraceRoute
- ;x;0
- URLUpdate
- SvrUninstall
- Set cdaudio door closed wait
- CloseCD
- OpenCD
- EnabledTaskManager
- DisabledTaskManager
- EnabledStartButton
- DisableStartButton
- ShowStartButton
- HideStartButton
- ShowTaskBar
- HideTaskBar
- ShowSystemTrayIcons
- HideSystemTrayIcons

- ShowTaskBarIcons
- HideTaskBarIcons
- ShowClock
- HideClock
- ShowDeskTop
- HideDeskTop
- GetPrivilege
- DISPCAMS
- ListCam
- GetTorrent
- ClearC
- WriteClip
- ToGetClipT
- SendYourClipboard
- GetClipF
- GetClipT
- RefreshClipboard
- print
- PrintText
- OpenWebPage
- OFFLINEK
- GetFullInfo
- LockComp
- ScreenSaver
- PowerOff
- LogOffComp
- RestartComp
- Shutdown
- GetOfflineLogs
- UnActiveOnlineKeyStrokes
- ActiveOnlineKeyStrokes
- UnActiveOfflineKeylogger
- ActiveOfflineKeylogger
- KeylogOn
- GETLOGSHISTORY
- UnActiveOnlineKeylogger
- ActiveOnlineKeylogger
- UnBlockContact
- BlockContact
- AddContact
- DelContact
- GetMsnList
- MSNINFO
- GETMSNINFO
- MSNSIGNOUT
- MSNOFFINE
- MSNAWAY
- MSNONLINE
- InstallHKEY
- CleanMsConfig
- DelMSKey
- GetStartUpList
- InstallService
- RemoveServices
- StopServices
- StartServices
- GetServList

- UninstallAPP
- RenAppReg
- DeleteReg
- GetAppList
- ChangeWindowName
- ShowW
- HideW
- Minimize
- Maximize
- CloseW
- HKNewExpandString
- HKNewInt
- CRVal
- CRKey
- DRKey
- DRVal
- RgBro
- KillSProcess
- KILLPID
- SuccesProc
- KillProcess
- MODULES
- REFRESHMODS
- PROCESS
- REFRESHPROC
- GetMo
- ShowFolder
- HideFolder
- DelDir
- FILEM002
- MkeDir
- FILEM006
- MoveFold
- FILEM007
- RenameFile
- ShortCut
- CutMultiFiles
- RefreshList
- PastMultiVM
- File Attrib : [
- ResultAttrib
- Archive
- Read-Only
- Hiden
- GetFileAttrib
- AttribTemp
- AttribArchive
- AttribSystem
- AttribRO
- AttribHidden
- AttribNormal
- EmptyBin
- SendFilesToTrash
- DeleteFiles
- AddSize
- RunSelectedHidden
- FILEM004

- RunSelectedShow
- FILM003
- RunSelectedAsAdmin
- ping 127.0.0.1 -n 4 > NUL && "
- RestartServer
- RestartSocket
- notepad.exe
- CloseServer
- 1SCMydocs
- 1SCDesktop
- BROWS
- RESMON
- GETMONITORS
- SrchDrives
- GetSrchDrives
- Drives
- GetDrives
- open
- RunPrompt
- backinfoes
- RefreshSIN
- infoes
- 32 bit
- 64 bit
- GetSIN
- RELATEDCMD
- %ShortCut#
- SERVER
- IDTYPE
- PhX8H
- h4.H
- Shh4H
- u#j"
- u(h8
- |lC3
- |~C3
- Vh|1H
- UhX_G
- notepad
- HKCU
- KEYNAME
- INSTALL
- notepad.exe
- cmd.exe
- UhG]G
- Uhv]G
- Uh5[G
- UhQZG
- TUploadFTP
- user32
- kernel32
- user32.dll
- kernel32.dll
- notepad
- h0XG
- h4YG
- h4YG

- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- h4YG
- Uh)XG
- S0VW
- kernel32
- user32.dll
- kernel32.dll
- notepad
- UhFRG
- TVUWS
- SVWUQ
- U0BI
- U0DI
- SVWUh
- SVW3
- IHV_END
- IHV_START
- WPA_USE_GROUP OR RSN_USE_GROUP
- WEP104
- TKIP
- WEP40
- NONE
- IHV_END
- IHV_START
- RSNA
- WPA_NONE
- 80211_SHARED_KEY
- 80211_OPEN
- WlanGetAvailableNetworkList
- WlanQueryInterface
- WlanEnumInterfaces
- WlanCloseHandle
- WlanOpenHandle
- wlanapi.dll
- 6j@h
- G4;E
- 5p>G
- explorer.exe
- UhG;G
- \\Internet Explorer\\iexplore.exe
- Uh':G
- TByteArray
- W CNu
- |1F3
- hf7G
- Uh%7G
- Uh_7G
- =,BI

- =,BI
- h,5G
- h85G
- Uh%5G
- h?4G
- Uh\t4G
- Uh84G
- h@3G
- Uh93G
- SVW3
- Network interface
- Loopback interface
- Broadcasts : NO
- Broadcasts : YES
- Status : DOWN
- Status : UP
- Broadcast adress :
- IP Mask :
- IP :
- h01G
- 6h01G
- h01G
- h01G
- h01G
- h01G
- h01G
- h01G
- 6hp1G
- h01G
- 6hP1G
- h01G
- 6h<1G
- h01G
- 6h 1G
- SVW3
- I wasn't able to open the hosts file, maybe because UAC is enabled in remote computer!
- drivers\\etc\\hosts
- SVW3
- drivers\\etc\\hosts
- SVW3
- Uhi)G
- NoControlPanel
- Explorern
- Policies
- CurrentVersion
- Windows
- Microsoft
- Software
- Uhw(G
- SVW3
- UpdatesDisableNotify
- Security Center
- Microsoft
- Software
- UhO'G
- SVW3
- Start

- Services
- Uhm&G;
- SVW3
- AntiVirusDisableNotify
- Security Center
- Microsoft
- Software
- Uho%G
- SVW3
- NoControlPanel
- Explorern
- Policies
- CurrentVersion
- Windows
- Microsoft
- Software
- UhO$G
- SVW3
- UpdatesDisableNotify
- Security Center
- Microsoft
- Software
- Uh'#G
- SVW3
- Start
- Services
- UhE"G
- SVW3
- DisableNotifications
- StandardProfile
- FirewallPolicy
- Parameters
- SharedAccess
- Services
- EnableFirewall
- StandardProfile
- FirewallPolicy
- Parameters
- SharedAccess
- Services
- AntiVirusDisableNotify
- Security Center
- Microsoft
- Software
- SVW3
- EnableLUA
- Policies
- CurrentVersion
- Windows
- Microsoft
- Software
- SVW3
- DisableRegistryTools
- Policies
- CurrentVersion
- Windows
- Microsoft

- Software
- DisableTaskMgr
- Policies
- CurrentVersion
- Windows
- Microsoft
- Software
- Description
- SVW3
- PAUSED_P
- CONTINUE_P
- STOPED_P
- STARTED
- PAUSED
- RUNNING
- STOPED
- UNKNOW
- Description
- BUTTON
- set cdAudio door open
- Button
- DisableTaskMgr
- Policies
- CurrentVersion
- Windows
- Microsoft
- Software
- *.torrent
- \\uTorrent\\
- |VC3
- SVW3
- Out to lunch
- On The Phone
- Away
- Idle
- Be Right Back
- Busy
- Invisible
- Online
- Offline
- Out to lunch
- On The Phone
- Away
- Idle
- Be Right Back
- Busy
- Invisible
- Online
- Offline
- Unknow
- SVW3
- SVW3
- HKCU
- location
- hkey
- item
- command

- False
- Normal/Unactive
- Show/Unactive
- Minimized
- Normal
- Maximized
- True
- Normal/Unactive
- Show/Unactive
- Minimized
- Normal
- Maximized
- REG_BINARY
- REG_EXPAND_SZ
- REG_DWORD
- SVW3
- Progman
- Progman
- ReBarWindow32
- ReBarWindow32
- TrayNotifyWnd
- TrayNotifyWnd
- TrayClockWClass
- TrayNotifyWnd
- TrayClockWClass
- TrayNotifyWnd
- WinDrive
- Network
- Fixed
- Removable
- Not Available
- Unknow
- =hII
- open
- cmd.exe
- 5.3.0
- Unknow
- 127.0.0.1:1604
- TDumpThread
- TDataThread
- SVWU
- B@;U
- SVWU
- SVWU
- T$ 3
- SVWU
- S0RU
- SVWUQ
-)S83
- SVWUQ
- SVWU
- SVWU
- L$!3
- L$%3
- T$ 3
- T$$3
- D$ 3

- L$!3
- L$%3
- T$ 3
- T$$3
- D$ 3
- D$!3
- D$!3
- D$!3
- D$!3
- D$ 3
- SVWU
- @L$4I
- @H$,I
- Kh#K0
- Kh#K0
- u$AF
- u,AF
- u4AF
- u<AF
- u$AF
- u,AF
- u4AF
- u<AF
- SVWUQ
- SVWUQ
- SVWUQ
- SVWUQ
- SVWUQ
- 1.2.3
- 1.2.3
- incompatible version
- buffer error
- insufficient memory
- data error
- stream error
- file error
- stream end
- need dictionary
- SVW3
- hBoF
- Uh;oF
- u&j;
- UhqjF
- ulj@h
- TPUtilWindow
- TACMIn
- TACMConvertor
- SVWU
- TList
- h0aF
- Uh)aF
- SVWUQ
- BTMemoryGetProcAddress: name <-> ordinal number don't match
- BTMemoryGetProcAddress: exported symbol not found
- BTMemoryGetProcAddress: DLL doesn't export anything
- BTMemoryGetProcAddress: no export table found
- SVWU

- BTMemoryLoadLibary: Can't attach library
- BTMemoryLoadLibary: Get DLLEntyPoint failed
- BTMemoryLoadLibary: BuildImportTable failed
- BTMemoryLoadLibary: IMAGE_NT_SIGNATURE is not valid
- BTMemoryLoadLibary: dll dos header is not valid
- BuildImportTable: ReallocMemory failed
- BuildImportTable: can't load library:
- SVW3
- SVWU
- Uh0SF
- 127.0.0.1
- Uh#RF
- UhURF
- Uh2QF
- Uh[QF
- |,C3
- Uh]PF
- SVW3
- TDCWebCam
- FourCC:
- DataSize:
- Unknown compression
- r*-H420to-
- =YUY2
- SVWU
- SVWU
- |?5^
- -|EF
- -pEF
- -dEF
- -XEF
- Ph0>F
- UhFDF
- SVW3
- NewFrame
- h|AF
- |kF3
- SVWU
- TVideoImage
- VFrames
- Uht=F
- SVW3
- Uhe;F
- SVW3
- IYUV
- YV12t
- I420t
- ;B(t8
- YUYVu
- YUNVt
- YUY2t
- SVW3
- R8RPS
- R8RPS
- UhL4F
- h*2F
- Uh#2F

- SVW3
- UhX+F
- TVideoSample
- VSample0(F
- TSampleGrabberCB
- TSampleGrabberCBImpl
- VSample
- TSampleGrabberCBInt
- DirectShow9
- ISampleGrabber4
- DirectShow9
- ISampleGrabberCB4
- DirectShow9'
- IVideoWindowd
- DirectShow9
- IMediaEventEx
- DirectShow9
- IMediaEventd
- DirectShow9
- IMediaControld
- DirectShow9
- IKsPropertySet4
- DirectShow9
- IAMVideoProcAmp4
- DirectShow9
- IAMStreamConfig4
- DirectShow9
- ICaptureGraphBuilder24
- DirectShow9
- IGraphBuilder
- DirectShow9
- IBaseFilter4#F
- DirectShow9
- IMediaFilterx
- DirectShow9
- IFilterGraph4
- DirectShow9
- IPin4
- _PinInfo
- _AMMediaTypeH
- Uh}"F
- TApplication
- Uh9!F
- hI F
- Uh? F
- Uh_ F
- TSearchThreadU
- SVW3
- SVW3
- SVW3
- SVW3
- UntRC4
- TByteArray
- PSAPI.dll
- kernel32.dll
- 0.0.0.0
- Bu\tf

- C4^[
- Sockets
- TCustomIpClient
- TCustomIpClientl
- Sockets
- TIpSocket$
- TIpSocket
- TSocketPort
- TSocketHost
- Sockets
- TBaseSocket$
- TBaseSocket
- ESocketError
- image/bmp
- SVW3
- image/jpeg
- SVW3
- r9G3
- SVW3
- TGPBitmap
- TGPImage
- TGdiplusBase
- =|(I
- =x(I
- =t(I
- =p(I
- =l(I
- =h(I
- =d(I
- =`(I
- =\\(I
- =X(I
- =T(I
- =P(I
- =L(I
- =H(I
- =D(I
- =@(I
- =<(I
- =8(I
- =4(I
- =0(I
- =,(I
- =((I
- =$(I
- = (I
- SVWUQ
- SVWU
- CoMessengerU
- MessengerAPI_TLB
- IMessenger3
- MessengerAPI_TLB
- IMessenger2
- MessengerAPI_TLB"
- IMessengerd
- SVW3
- RemoteMachineName

- ConnectKind
- AutoConnect
- OleServer
- TOleServer4
- TOleServer
- TServerEventDispatch
- ckAttachToInterface\tOleServer
- ckRemote
- ckRunningInstance
- ckNewInstance
- ckRunningOrNew
- TConnectKind
- OleServer
- TVariantArray
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- =|'I
- =|'I
- =|'I
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringA
- ImmSetCompositionFontA
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- imm32.dll
- USER32
- =|'I
- =|'I
- SVW3
- Et'I
- SVWU
- +G$;E
- +W$;U
- :FHu
- C8^[
- :FHu
- ;Fdu;
- t';C8u
- ;^du
- @p;E
- SVW3
- SVWU
- ;Bh|4
- ;pdu
- SVWU
- ;Xdu
- SVWU
- ;Bdu
- ;Bdu
- ;Bdu
- t9;wlt4

- =L&I;
- @U t
- SVWU
- |!C3
- G0;E
- SVWU
- SVWU
- SVWU
- |'G3
- SVWU
- ||F3
- SVWU
- t4VS
- | C3
- SVWU
- ;CHu
- ;{Du
- ;s@u
- SVWU
- SVWU
- t)j7j
- SVWUQ
- SVWU
- |tF3
- SVWUQ
- SVWUQ
- SVWU
- hlsE
- Uh[sE
- SVW3
- h&mE;
- SVW3
- |,C3
- hebE
- Uh^bE
- hy^E
- |fC3
- Uhr^E
- SVWU
- h\t\\E
- @0;E
- ;X0u
- h:SE
- Uh3SE
- UhDSE
- hkPE
- UhdPE
- Rh8OE
- DesignSize
- Ph|KE
- PhDKE
- :Gau
- |.C3
- :GauQFKu
- |.C3
- 5P&I;
- h-IE

- Uh&IE;
- SVW3
- |!C3
- SVWUQ
- SVWU
- SVWU
- C0^[
- s0^[
- |5G3
- |/G3
- |BC3
- hRAE
- UhKAE
- :Pau
- :X[u
- hs8E
- Uhl8E
- h#8E
- |0C3
- SVWU
- hU6E
- UhN6E
- @U@u*
- 8]_^[
- L$03
- SVWU
- 8]_^[
- SVWU
- @P@u
- SVWU
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- IsControl
- Php4E
- Ph`4E
- ;BLu
- ;BHu
- ;BDu
- ;B@u
- r9=
- SVWU
- SVWU
- SVWU
- VWUQ
- @P@u
- CP@t2
- h \tE
- SVW3
- SVWU
- SVWU
- ;s0t
- ;CHu
- ;{Du
- ;FHu
- ;FDu

- ;F@u!
- :FauR
- $:Fa
- SVWU
- ;s0t
- SVW3
- SVWU
- ;S@u
- FQ u
- QSVW3
- tOTV
- ;B0t'
- tMHu
- SVWU
- TSiteList
- ;B0u
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- tITS
- TMouse
- TDockTree
- TDockZone
- Controls
- THintWindow(
- THintWindow
- Controls
- TCustomControl
- TCustomControl
- Controls
- TWinControl
- TWinControl
- TAlignInfo
- AlignInfo
- TRect
- AlignRect
- Integer
- NewHeight
- Integer
- NewWidth
- Integer
- NewTop
- Integer

- NewLeft
- TControl
- Control
- TWinControl
- Sender
- TAlignPositionEvent
- Boolean
- TControl
- TControl
- TWinControl
- Sender
- TAlignInsertBeforeEvent
- Controls
- IDockManager4
- TBorderWidth
- TImeName
- TWinControlActionLink
- Margins
- HelpContext
- HelpKeyword nA
- HelpType
- Hint<nA
- Cursor
- Height
- Top<
- Left<
- AlignWithMargins<
- Controls
- TControl
- TControl
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelUpDownEvent
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelEvent

- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Boolean
- Allow
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Integer
- Integer
- TDragDockObject

- Source
- TObject
- Sender
- TDockDropEvent
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Char
- TObject
- Sender
- TKeyPressEvent
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent
- TMouseActivate
- MouseActivate
- Integer
- HitTest
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseActivateEvent
- Integer
- Integer
- TShiftState
- Shift
- TObject
- Sender

- TMouseMoveEvent
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- Bottom
- Right
- Top
- Left
- Controls
- TPadding
- TPadding
- Bottom
- Right
- Top
- Left
- Controls
- TMargins
- TMargins
- TMarginSize
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraints<
- TSizeConstraints
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop
- akLeft
- TAnchorKind
- TCaption
- Controls
- TDragKind
- Controls
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- Controls
- dmAutomatic
- dmManual
- TDragMode
- Controls
- maNoActivateAndEat
- maNoActivate
- maActivateAndEat
- maActivate

- maDefault
- TMouseActivate
- Controls<
- mbMiddle
- TMouseButton
- TControlActionLink
- Controls
- TCustomControlActionh
- TCustomControlAction
- Controls
- TControlCanvas
- TControlCanvas
- TDragDockObjectEx
- Controls
- TDragDockObject`
- TDragDockObject
- TDragControlObjectEx
- TDragControlObject
- Controls
- TBaseDragControlObject
- TBaseDragControlObject
- Controls
- TDragObject
- TDragObject
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone
- TAlign
- TCursor
- SVWUQ
- QtGNu
- |(F3
- QpGNu
- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QTGNu
- |(F3
- ;Blu\t3
- |@G3
- QPFOu
- |)G3
- QLGNu
- |'F3
- []F3

- SVWUQ
- t0f;
- |TF3
- SVWU
- R0GNu
- u*;~8u
- ;P8u
- |#C3
- R0^[
- TActionLinkSV
- ActnList
- TCustomActionT
- TCustomAction
- ActnList
- TShortCutList8
- TShortCutList
- ActnList
- TCustomActionListX
- TCustomActionList
- Category
- ActnList
- TContainedAction4
- TContainedAction
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap
- @<PU
- $ZXu
- |&G3;
- SVWU
- SVWU
- ||F3
- s8VV
- ImgList
- TCustomImageList
- TCustomImageList
- TImageIndex
- TChangeLink
- SVWU
- User32.dll
- SVWU
- SVWUQ
- SVW3
- h9wD
- Uh2wD
- SVW3
- Uh vD
- SVWU
- |RF3
- E(&I;
- UhYqD
- h0pD
- Uh)pD
- SVW3
- |LF3
- SVW3

- SVW3
- SVWU
- UhkjD
- |<G3
- SVWUQ
- |o@3
- t~-8
- SVWU
- SVWUQ
- SVWU
- SVWU
- ;s0t
- = %I
- = %I
- |2C3
- UhW_D
- Uh5XD
- ;X0uG;u
- ;p0tQ
- ;X0t
- Forms
- |1B3
- ;B0uGj
- ;Sxu
- ;Shu
- ;Sdu
- ;PDu
- UhPRD
- MAINICON
- hpOD
- TApplication
- |&F3;
- ?CNu
- |&F3;
- SVWU
- UhYJD
- h5ID
- C[:E
- @[:E
- SL;U
- u\t+u
- SVWU
- layout text
- hfAD
- ;B<u
- Uh_AD
- SVWU
- SVWU
- SVWU
- |&G3;
- SVWU
- h{7D
- Uht7D
- |PF3
- |NF3
- |NF3
- R@GNu

- YGNu
- |CF3
- @H;E
- UhO/D
- Uhq/D
- UhC,D
- Uhy+D
- t"GNu
- ;XDu
- @I;E
- Uh8#D
- SVW3
- ;BLuy
- 3^[]
- ;XDu
- ;XDu
- CU u
- ;X0tC
- |8F3
- SVWU
- SVWU
- SVWU
- ;ADti
- @U t
- @U t
- SVW3
- MDICLIENT
- |-G3
- ;XDu
- CU t(
- ;B0t
- SVWU
- SVWU
- ;Cpu'
- t9j7j
- SVW3
- WVh0
- SVWU
- |(F3
- GCNu
- |(F3
- SVWU
- |!C3
- GFKu
- SVW3
- SVWUQ
- |-G3
- |!C3
- @D;E
- ;XDuz
- |7C3
- SVWU
- SVWU
- GlassFrame.SheetOfGlass
- GlassFrame.Right
- GlassFrame.Left
- GlassFrame.Enabled

- GlassFrame.Bottom
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- ;B@t1
- Q@j2
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t5
- ;S$t5
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- SVW3
- ;p0u
- ;p0u
- ;B0u
- SheetOfGlass
- Bottom
- Top<
- Left<
- Enabled<
- Forms
- TGlassFrameT
- TGlassFramet
- Forms
- TApplicationd
- TApplication
- Forms
- TPopupFormArray
- THintInfo@
- Forms
- TScreen`
- TScreen
- TMonitor
- PixelsPerInch
- Forms
- TCustomDockForm
- TCustomDockFormp
- OnUnDock
- OnStartDock
- OnShow0
- OnShortCut
- OnResize
- OnPaint
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp

- OnMouseMovel
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivatel
- OnKeyUpH
- OnKeyPress
- OnKeyDownL
- OnHelp
- OnHide
- OnGetSiteInfo
- OnEndDock|
- OnDragOverp
- OnDragDrop
- OnDockOver
- OnDockDrop4
- OnDeactivate
- OnDestroy
- OnDblClick
- OnCreate
- OnContextPopup
- OnConstrainedResize
- OnCloseQueryx
- OnCloseT
- OnClick
- OnCanResize
- OnAlignPosition
- OnAlignInsertBefore
- OnActivate(
- WindowMenu
- WindowState
- Visible<
- VertScrollBar
- SnapBufferp
- ShowHint<
- ScreenSnap
- Scaled
- PrintScale
- Position
- PopupParent
- PopupMode
- PopupMenu0
- PixelsPerInchL7C
- ParentBiDiMode<
- ObjectMenuItem
- OldCreateOrder
- Menu
- Padding`4C
- KeyPreview
- Icon
- HorzScrollBar
- HelpFilep
- Height
- FormStyle<
- Font
- ParentFont$.B
- Enabled

- DragMode
- DragKind
- DockSite0
- DefaultMonitor
- UseDockManager,
- Ctl3D
- Constraints
- TransparentColorValued
- TransparentColorl)B
- Color
- ClientWidthl)B
- ClientHeight<
- Caption<
- BorderWidthd
- BorderStyle
- BorderIcons
- BiDiModex
- AutoSizeDmA
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlendT
- Align
- ActiveControl4
- ActionH
- TForm4
- TForm
- Top4
- Left<
- Forms
- TCustomForm
- TCustomForm
- Forms
- pmExplicit
- pmAuto
- pmNone
- TPopupMode
- Boolean
- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Boolean
- Handled
- TShortCutEvent
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- TCloseAction
- Action
- TObject
- Sender

- TCloseEvent
- Forms
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- Forms
- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor
- Forms0
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop
- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle
- Forms
- TPopupWndArray
- Forms
- IOleForm4
- Forms
- IDesignerHookh
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBarp
- OnAlignPositionp
- OnAlignInsertBefore
- Forms
- TScrollingWinControl

- TScrollingWinControl
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- Visible
- Tracking
- ThumbSize
- Size
- Smooth<
- Range
- Position<
- ParentColor<
- Margin
- Incrementh
- Color
- ButtonSizel)B
- Forms
- TControlScrollBarP
- TControlScrollBar
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- SVW3
- SVWU
- SVWU
- S0_^[
- |#F3
- SVWU
- SVWU
- R4;F
- |>C3
- |uC3
- SVW3
- Ih;J4u
- :PAt
- :P0t
- ;wHu
- ;PHu
- S0^[]
- @d;E
- KbdLayerDescriptor
- Layout File
- SVWUQ
- |$F3
- ;C4t
- SVWU
- SpFOu
- |2G3
- 3hpqC
- UhOqC
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3

- ;~|u
- R@FKu
- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tf
- :^8tA
- SVW3
- hE\\C
- Uh0[C
- SVW3
- Uh~VC
- SVW3
- SVW3
- ShortCutText
- X?ENu
- |@F3
- SVWUQ
- SVWU
- SVW3
- :B9t
- :B8t
- @?:E
- @?:E
- SVW3
- TMenuItemStack
- TPopupList
- OnPopup
- OnChange
- TrackButton
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Images
- HelpContextX
- BiDiMode nA
- AutoPopupDmA
- AutoLineReduction
- AutoHotkeys
- Alignment
- Menus
- TPopupMenu
- TPopupMenu
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus06C
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus

- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiModeX
- AutoMergeDmA
- AutoLineReduction
- AutoHotkeys
- Menus
- TMainMenu
- TMainMenu
- Items
- Menus
- TMenu
- TMenu
- OnMeasureItem
- OnAdvancedDrawItem
- OnDrawItem|,C
- OnClick
- Visible
- ShortCut
- RadioItemtnA
- ImageIndex
- Hint
- HelpContext
- GroupIndex nA
- EnabledT
- Default
- SubMenuImages
- CheckedX
- Caption
- Break
- Bitmapx+C
- AutoLineReductiond7B
- AutoHotkeysd-C
- AutoCheckd-C
- Action
- Menus
- TMenuItem
- TMenuItem
- TMenuActionLink
- Menus
- TMenuAutoFlag
- Menus
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Integer
- Height
- Integer
- Width
- TCanvas

- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Boolean
- Selected
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Boolean
- Rebuild
- Source\tTMenuItem
- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- EMenuError
- UhW*C
- comctl32.dll
- BDSUnthemedDesigner
- 2001, 2002 Mike Lischke
- Theme manager
- TThemeServices
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- Hint
- THintAction
- THintAction
- TClipboardL
- TClipboard
- =4#I
- commdlg_FindReplace
- Help
- YesToAll
- NoToAll
- Ignore
- Retry

- Abort
- Cancel
- OnShowSV
- OnClose
- HelpContext
- Ctl3D nA
- Dialogs
- TCommonDialog
- TCommonDialog
- ;P0t
- OnTimerSV
- Interval
- Enabled|
- TTimer
- TTimer
- Uhi\tC
- clWebBlack
- clWebDarkGray
- clWebGainsboro
- clWebDarkSlategray
- clWebDarkSlateBlue
- clWebMistyRose
- clWebDimGray
- clWebSilver
- clWebWhiteSmoke
- clWebSlateGray
- clWebSlateBlue
- clWebSteelBlue
- clWebGray
- clWebLightgrey
- clWebWhite
- clWebLightSlateGray
- clWebMediumSlateBlue
- clWebLightSteelBlue
- clWebPink
- clWebHotPink
- clWebThistle
- clWebPlum
- clWebOrchid
- clWebViolet
- clWebLightPink
- clWebDeepPink
- clWebPurple
- clWebMediumPurple
- clWebMediumOrchid
- clWebBlueViolet
- clWebPaleVioletRed
- clWebMediumVioletRed
- clWebDarkMagenta
- clWebMagenta
- clWebDarkOrchid
- clWebDarkViolet
- clWebNavy
- clWebBlue
- clWebDodgerBlue
- clWebDeepskyBlue
- clWebTeal

- clWebDarkCyan
- clWebCadetBlue
- clWebDarkTurquoise
- clWebMidnightBlue
- clWebMediumBlue
- clWebRoyalBlue
- clWebSkyBlue
- clWebPowderBlue
- clWebCyan
- clWebTurquoise
- clWebMediumTurquoise
- clWebIndigo
- clWebDarkBlue
- clWebCornFlowerBlue
- clWebLightSkyBlue
- clWebLightBlue
- clWebLightCyan
- clWebPaleTurquoise
- clWebLightSeaGreen
- clWebDarkSeaGreen
- clWebMediumSpringGreen
- clWebSpringGreen
- clWebLime
- clWebLimeGreen
- clWebDarkgreen
- clWebDarkOliveGreen
- clWebDarkKhaki
- clWebDarkGoldenRod
- clWebMediumSeaGreen
- clWebMediumAquamarine
- clWebPaleGreen
- clWebLawnGreen
- clWebYellowGreen
- clWebGreen
- clWebOliveDrab
- clWebKhaki
- clWebGoldenRod
- clWebSeaGreen
- clWebAquamarine
- clWebLightGreen
- clWebChartreuse
- clWebGreenYellow
- clWebForestGreen
- clWebOlive
- clWebLightGoldenrodYellow
- clWebPaleGoldenrod
- clWebRosyBrown
- clWebDarkSalmon
- clWebPeru
- clWebSienna
- clWebSaddleBrown
- clWebFirebrick
- clWebOrangeRed
- clWebOrange
- clWebLightCoral
- clWebLightSalmon
- clWebSandyBrown

- clWebChocolate
- clWebBrown
- clWebCrimson
- clWebTomato
- clWebGold
- clWebCoral
- clWebSalmon
- clWebIndianRed
- clWebMaroon
- clWebDarkRed
- clWebRed
- clWebDarkOrange
- clWebYellow
- clWebTan
- clWebPeachPuff
- clWebBisque
- clWebBlanchedAlmond
- clWebLemonChiffon
- clWebLinen
- clWebHoneydew
- clWebMintcream
- clWebAzure
- clWebBurlywood
- clWebMoccasin
- clWebNavajoWhite
- clWebPapayaWhip
- clWebLightYellow
- clWebSeashell
- clWebLavender
- clWebGhostWhite
- clWebAliceBlue
- clWebWheat
- clWebAntiqueWhite
- clWebBeige
- clWebCornSilk
- clWebIvory
- clWebOldLace
- clWebLavenderBlush
- clWebFloralWhite
- clWebSnow
- DwmIsCompositionEnabled
- DWMAPI.DLL
- DwmExtendFrameIntoClientArea
- DWMAPI.DLL
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties
- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString

- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin
- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition
- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- BufferedPaintSetAlpha
- SVWU
- EndBufferedPaint
- BeginBufferedPaint
- v4hL
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass
- TCriticalSection
- TEvent
- THandleObject
- TSynchroObject
- USER32.DLL
- DISPLAY
- DISPLAY
- DISPLAY
- GetMonitorInfo
- SVWU
- Ail^
- |HC3
- W<FKu
- |cC3
- |GC3

- SVW3
- SVW3
- |JC3
- SVW3
- R(FKu
- 8^SVW
- SVW3
- SVWU
- THelpViewerNode
- THelpManager
- EHelpSystemException
- IExtendedHelpViewer
- ICustomHelpViewer4
- IHelpSystem4
- IHelpSelector4
- TOrderedList
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- SVW3
- SVW3
- SVW3
- SVW3
- Neutral
- Both
- Free
- Apartment
- EOleException
- EOleSysError
- EOleError
- TPatternManagerSV
- Tahoma
- \\$4Vj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- t'It
- @pPV3
- @ ;E
- Graphics
- TBitmapCanvas
- TBitmapCanvas
- EMFt
- 3TjdP
- 3TjdP
- SVWU
- Data
- Uh|vB
- SVW3
- TClipboardFormats
- SVW3

- Q4^[
- hOoB
- UhHoB
- $ZXu
- Data
- @DPU
- Uh}lB
- UhyjB
- Uh=hB
- UhMfB
- Uh]hB
- t6Tj
- hdaB
- Uh]aB
- Uh=_B
- Uhv\\B
- UhfZB
- KPh0
- SVWU
- CPh0
- Uh3LB
- UhPLB
- Default
- h_IB
- h7IB
- Uh0IB
- UhXIB
- SVW3
- heFB
- Uh^FB
- Uh{FB
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight

- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- Uh4=B
- UhE<B
- TBrushResourceManager
- TResourceManager
- Graphics
- TIcon08B
- TIcon
- TIconImage
- Graphics
- TBitmap
- TBitmaph7B
- TBitmapImage
- Graphics
- TMetafile
- TMetafile
- TMetafileImage
- TSharedImage
- Graphics
- TPicture84B
- TPicture
- Graphics

- TGraphic
- TGraphic
- Font
- CopyMode$.B
- Graphics
- TCanvas\\1B
- TCanvas
- Style
- Color\\,B
- Graphics
- Width
- Mode +B
- Color
- Graphics
- TPen
- TPen
- Style
- Size
- OrientationH*B
- Name<
- Height
- Color<
- Charsetl)B
- Graphics
- TFont
- Graphics
- IChangeNotifier4
- Graphics
- TGraphicsObject$-B
- TGraphicsObjectL-B
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Graphics
- pmNotXor
- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics
- psAlternate
- psUserStyle
- psInsideFrame
- psClear
- psDashDotDot

- psDot\tpsDashDot
- psSolid
- TPenStyle
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- EInvalidGraphicOperation
- EInvalidGraphic,*B
- TColor
- Uh`)B
- Uhs'B
- YGKu
- |RC3
- SVW3
- UhW$B
- Uht$B
- Uhq#B
- SVWUQ
- SVWU
- SVWU
- SVWUQ
- Q8FKu
- |JC3
- SVW3
- Q8FKu
- |JC3
- SVW3
- SVW3
- SVW3
- TRegistryS
- ERegistryException
- TPUtilWindow
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G0_^[
- ;w0u
- SVWUQ
- |"C3
- SVWUQ
- u6;_
- Left
- SVWUQ
- SVW3
- SVW3
- SVW3
- QQQQ3

- SVW3
- Null
- True
- False
- SVW3
- SVW3
- SVW3
- SVW3
- |AF3
- |\\F3
- Classes
- ;- uA
- SVWU
- C0_^[
- SVW3
- |*C3
- Owner
- SVW3
- SVWU
- TPropIntfFixup
- TPropFixup
- SVWU
- SVW3
- SVWU
- S4_^[
- ;C u
- SVWU
- SVWUQ
- SVWU
- SVW3
- SVW3
- SVWU
- SVW3
- SVWU
- SVW3
- SVW3
- |0F3
- SVW3
- W<CNu
- |-F3
- SVW3
- SVW3
- @< u
- SVWUQ
- SVWU
- TIntConst
- #FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ

- SVWU
- | F3
- SVWUQ
- SVWUQ
- u)FMu
- |!E3
- SVWUQ
- |8F3
- SVWU
- TRegGroups
- TRegGroup
- TIdentMapEntry
- Classes
- TBasicActiont
- TBasicAction
- TBasicActionLink
- Name<
- Classes
- TComponent
- TComponent
- Classes
- IDesignerNotify4
- TComponentNameI
- TThreadX
- EThreadD
- TReader
- TFiler
- TClassFinder
- TStreamAdapter
- Fn}A
- TResourceStream
- TStringStream
- TMemoryStream
- TCustomMemoryStream
- TFileStream
- THandleStream
- TStream
- Classes
- TStringList(yA
- TStringItem
- Classes
- Classes
- IStringsAdapter4
- Classes
- TInterfacedPersistent\\vA
- TInterfacedPersistent
- Classes
- TPersistentluA
- TPersistent
- TBits
- TThreadList
- TList
- EInvalidOperation
- EOutOfResources
- EComponentError
- EStringListError
- EBitsError

- EListError
- EResNotFound
- EClassNotFound
- EWriteError|qA
- EReadError
- EFilerError
- EFOpenErrortpA
- EFCreateError
- EFileStreamError
- EStreamError
- TObject
- Sender
- TNotifyEvent
- TShortCut
- ClassesxnA
- htKeyword\thtContext
- THelpType
- THelpContext
- TShiftState
- Classes
- ssDouble
- ssMiddle
- ssAlt
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- hAmA
- Uh:mA
- SVW3
- hzgA
- UhsgA
- True
- False
- |PF3
- SVW3
- h'bA
- Uh bA
- SVWUQ
- h<_A
- Uh5_A
- Variants
- ByRef
- Array
- hI^A
- UhB^A
- SVW3
- Int64
- LongWord
- Word
- Byte
- ShortInt
- Decimal
- Unknown
- Variant

- Boolean
- Error
- Dispatch
- OleStr
- Date
- Currency
- Double
- Single
- Integer
- Smallint
- Null
- Empty
- t0f-
- h)WA
- Uh"WA
- h[QA
- h>QA
- Uh7QA
- UhTQA
- h1PA
- Uh*PA
- hwOA
- UhpOA
- h8JA
- Uh1JA
- hRIA
- h0IA
- Uh)IA
- UhKIA
- Uh|HA
- h8CA
- Uh1CA
- h'BA
- Uh BA
- 5H:A
- 5H:A
- Uhy6A
- hk1A
- Uhd1A
- hn+A
- Uhg+A
- Uh>)A
- UhR(A
- Uhy'A
- 5D%A
- 5D%A
- SVWUQ
- |kC3
- |kC3
- EVariantDispatchError
- EVariantUnexpectedError
- EVariantOutOfMemoryError
- EVariantNotImplError
- EVariantArrayCreateError
- EVariantArrayLockedError
- EVariantBadIndexError
- EVariantBadVarTypeError

- EVariantInvalidArgError$
- EVariantOverflowError
- EVariantTypeCastError
- EVariantInvalidOpError
- Variants
- TCustomVariantType
- TCustomVariantType
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarOr
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- oleaut32.dll
- tagEXCEPINFO
- ActiveX
- IPersist4
- tagMULTI_QI
- ;C$t4
- SVWU
- SVWUQ
- SVWUQ
- kernel32.dll
- SVWUQ
- SVWU
- SVWU
- TModuleInfo
- SysUtils
- TUnitHashArray
- AMPM
- AMPM
- WUWSj
- SVWU
- SVWU
- SVWU
- u";]
- SVWU
- = yI
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- eeee
- SVWU

- 8gu4
- SVW3
- SVWUQ
- SVW3
- AAAA
- AMPM
- AM/PM
- SVW3
- 80u'
- <sAf
- INFNAN
- <*t"<0r=<9w9i
- SVWU
- SVWU
- @w2j
- False
- True
- 0<:r
- sDFJu
- SVWU
- SVWU
- SVWU
- $TMultiReadExclusiveWriteSynchronizer
- TThreadLocalCounter
- SysUtils
- SysUtils
- ESafecallException
- EOSError
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointer
- EUnderflow
- EOverflow
- EZeroDivide
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError`
- EOutOfMemory
- EHeapException
- EAbort
- Exception
- TSearchRec`
- TFileName

- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odInactive\todNoAccel
- odHotLight
- odDisabled\todChecked\todFocused\todDefault
- odGrayed
- odSelected
- hJu@
- UhCu@
- Uh8t@
- t2;u
- s\t;E
- B@;u
- th;u
- Uhko@
- SVWU
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- h8m@
- Uh1m@
- kernel32.dll
- 8\\u8
- SVWU
- SVWU
- SVWU
- uAJt
- SVWU
- 0f;\\2
- tu:J
- t0:J
- tA:J
- N|*9
- It2S
- SVWU
- =(PI
- SVWU
- =(RI
- = RI
- =LPI
- UhYQ@
- r6t0
- d$,1
- SVWU
- VWUUhdN@
- u\t@B
- SVWU
- VWUd
- SVW1
- SVW1

- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- BkU'9
- E@|o
- @aQY
- YZXt5
- 2_^[
- w%9
- C$T5@
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- h@8@
- h88@
- F X5@
- F$T5@
- F T5@
- =,PI
- hP3@
- UhI3@
- ;"u<S
- ;"u3S
- SVWUQ
- YZXu
- SVWU
- Unexpected Memory Leak
- The sizes of unexpected leaked medium and large blocks are:
- Unknown
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- |&B3;
- =MPI
- = WI
- = WI
- wt=0
- =MPI
- =MPI
- = WI
-)= WI
- = WI
- #5$WI
- =MPI
- SVWU
- SVWU
- SVWU
- =MPI
- = WI
- 2004, 2005 Pierre le Riche / Professional Software Development
- FastMM Borland Edition
- TInterfacedObject
- IDispatch4
- IInterface

- TObject
- TObject
- OleVariant
- WideString
- Cardinal
- Word
- Byte
- Integer
- Char
- True
- False
- Boolean
- Re0<
- &d;[3
- F\\3`
- n0lR
- *9*uF"
- @@AM
- P21<
- F im
- 5$)p
- Ep_Su
- ~VWU
- e7@[
- 488b
- V\\0T;
- GL(0
- opmeR
- twa@Devel
- /"rof
- re l
- 5 Pi
- 2004,
- U$tion
- 840vrrr,($
- PL9999HD
- |xr;99tplOhrrrrd`\\X9
- }ix;
- IDispatch4
- rfacek;8
- TObject
- OZVl
- WideS
- Cain
- M3w/
- Integer
- Char?
- True
- Boolean
- UPX!
- 3.07
- `UPX1
- UPX0
- This program must be run under Win32
- DVCLAL
- %s%s
- %s (%s, line %d)

- Thread Error: %s (%d)
- &Retry;
- PgDn
- BkSp
- Ctrl+
- Shift+
- DVCLAL
- ????????????????
- ==??
- #+3;CScs
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjjj
- jjjjjjj
- jjjjjj
- jjjj
- jjjj
- @jjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj

- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjj
- jjjjjjj
- winmm.dll
- SHFolder.dll
- ntdll.dll
- ntdll
- gdiplus.dll
- NbXt
- .vO!.v
- XPTPSW
- MqLg
- zBsr
- nG>N
- hn\\hlvT
- __(F
- nG-n_
- H[DB/#F|b;I
-)m\tky
- %\t\\)
- !ppk
- Gs'X
- m#LyZb
- z^+;|K2
- f n-F
- *XmH
- C#d+
- I-?!
- b;Dg
- Rk@
- !CY\\
- D\tY[
- !@Ulg@
- F\t$"
- bd
- n'L?
- B.rsrc
- .tls
- .bss
- MaskBlt
- PatBlt
- StretchBlt
- XUntHTTPFlood
- StdVCL
- UntMSN
- FlatSB
- dStdCtrls
- ExtCtrls
- StdActns
- Contnrs
- Clipbrd
- WinSvc
- UntFWB
- :nduNtDDNdis

- UntFTP
- CommCtrl
- RegStr
- (ShlObj
- DXTypes
- SyncObjs
- GMMSystem
- Consts
- "RTLConsts
- SysConst
- System
- {<:y&q;?
- NbXt
- h/v,S/vJ
- w]7.v;
- -.vb
- k,v.
- -vQ3.v
- .v%V/v
- m,vb
- /vej/v
- -vGd/v`
- -vKj/vl
- -v0 -v
- -v\\9.v`w
- ,vTs,vc3.vM
- Y-v+E.v
- -vQJ.v
- -v1#-vF
- vykvF
- s$v<
- nvIkvMt%v
- b$v!
- $v@f$vK
- i$v<j$v
- #-vp
- w]7.vJ
- .vO!.v
- -.vb
- G-v<
- /.v`
- $(,048<@DHLLPPTTXX\\\\``ddhhllpptttttxxxx||||
- 'B?
- #@#@#
-
- QZ^&
- (@B
- %.*d
- @v:k
- " +s +h
- PDNS
- .dcp
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd

- ZYYd
- s'ht
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- --
- ZYYd
- ZYYd
- ZYYd
-]_^[
- PVSW
- PVSW
- H]_^[
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- SVQh
- ZYYd
- _^[Y]
- ZYYd
- PjZh
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- NTFS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- .dll
- ZYYd
- QQQQQQQQSVW

- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- QQQQQQSVW
- ZYYd
- ZYYd
- QQQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- CTRLF
- CTRLY
- CTRLZ
- CTRLP
- CTRLX
- CTRLC
- CTRLV
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- PVSj
- ZYYd
- ZYYd
- [YY]

- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- 0123456789ABCDEFGHJKLMNPQRSTUVWXYZ
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- sHhl
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- XRIGHT
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Vh,nH
- h,zH
- h zH
- h zH
- h zH
- ZYYd
- hlxH
- ZYYd
- ZYYd
- QQQQQQQQSVW3
- hxvH
- ZYYd
- hVvH
- ZYYd
- QQQQQQQSVW
- ZYYd
- hMtH
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- QSVW
- hMpH
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hy`H
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- tmp.txt
- ZYYd
- ZYYd
- h@YH
- ZYYd
- h\\WH
- ZYYd
- ZYYd
- QQQQS3
- h]SH
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- hrMH
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- Ph(KH
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h|BH
- ZYYd
- ZYYd
- h>@H
- ZYYd
- ZYYd
- hL?H
- h,?H
- h#>H
- ZYYd
- ^[YY]
- ZYYd
- BTRESULTHTTP Flood|Http Flood task finished!|
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @tWj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h .H
- TRPC
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- 0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHJKLMNPQRSTUVWXYZ/*-+.=
- _^[YY]
- ZYYd
- ZYYd
- h\\$H
- ZYYd

- %x$H
- h\t#H
- ZYYd
- 0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHJKLMNPQRSTUVWXYZ/*-+.=
- _^[YY]
- ZYYd
- ZYYd
- dclogs\\
- ZYYd
- h H
- [DOWN]
- [RIGHT]
- [LEFT]
- [<-]
- ZYYd
- ZYYd
- \\newl\\
- ZYYd
- QQQQ
- Bytes (
- dclogs\\
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- ZYYd
- QSVW
- dclogs\\
- FTPHOST
- FTPPASS
- FTPPORT
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- *.dc
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSV
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @t j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- pLhh
- DCSC_DESTROYCHAT
- DCSC_GRABPWDS
- ZYYd
- ZYYd
- .dcp
- ZYYd
- ;CPs
- ZYYd
- ZYYd
- h(H
- DESKTHMB
- DDOSSYNFLOOD
- DDOSHTTPFLOOD
- tmp.txt
- www.
- MSGBOX
- taskmgr
- #SendTaskMgr
- tmpprint.txt
- dclogs\\
- MSNBUSY
- NETDRV
- " /s /q
- rmdir "
- System
- FMGRSC
-] :
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Ph #H
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h(H
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- h__G
- ZYYd
- ^[YY]

- ZYYd
- h}]G
- ZYYd
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- h<[G
- ZYYd
- ZYYd
- ZYYd
- hXZG
- ZYYd
- DCPERSFWBP
- ZYYd
- hPYG
- hxXG
- hpXG
- h@YG
- F|h$YG
- CtPj
- C\\Pj
- C|Pj
- CxPj
- hMRG
- ZYYd
- F(j`j
- _^[]
- S(WV
- CXPj
- Z]_^[
- ZYYd
- R@PSWV
- ZYYd
- ZYYd
- ZYYd
- h,JG
- hhJG
- h,JG
- h JG
- h JG
- h\\JG
- h JG
- h JG
- h,JG
- h JG
- CCMP
- tSNt_
- t@NtL
- Nt Nt,
- RSNA_PSK
- WPA_PSK
- t;NtGNtSNt_
- ZYYd
- ZYYd
- GPPV

- t"+G4PWV
- GPPj
- $YZ_^[
- r<@f
- @SVW
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- hN;G
- ZYYd
- ZYYd
- ^[YY]
- h.:G
- ZYYd
- UntFWB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQSVW
- [YY]
- ZYYd
- DCSC
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hH,G
- ZYYd
- [YY]
- ZYYd
- hp)G
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- wscsvc
- SYSTEM
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- wscsvc

- SYSTEM
- _^[]
- ZYYd
- SYSTEM
- _^[]
- ZYYd
- SYSTEM
- _^[]
- ZYYd
- _^[]
- ZYYd
- System
- _^[]
- ZYYd
- System
- _^[]
- ZYYd
- System
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- Shell_TrayWnd
- ZYYd
- Shell_TrayWnd
- Shell_TrayWnd
- Shell_TrayWnd
- System
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- tjHt+Ht7
- QSVW
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- tcHt(Ht3
- ZYYd
- ZYYd
- HKLM
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- REG_SZ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- .LNK
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Shell_traywnd
- Shell_traywnd
- Shell_traywnd
- Shell_traywnd
- Shell_traywnd
- Shell_traywnd
- ZYYd
- QSVW
- CD-ROM
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- #KCMDDC51#-
- _^[]
-]_^[
- _^[YY]
- ^[YY]
- ()_^[
- L$ f
- t$$C
-]_^[
- (_^[
- ;<$~
- ()_^[
- L$$t^
- D$ f
- Z]_^[
- Z]_^[

-]_^[
-]_^[
- ,]_^[
- V<+F@
- V<;T$
- F$+D$
- F,;D$
- N@+L$
- V@;T$
- ;F@s
- J#T$
- ;^Dr
- D$ @t
- D$!+
- T$%+
- L$%#T$
- T$!;
- H#D$
- J#T$
- ;^Dr
- D$ @t
- D$ t
- D$!+
- T$%+
- L$%#T$
- T$!;
- H#D$
- F`;Fd
- T$"f
- T$!;
- T$!;
- H#D$
- Vd;VXr
- t^;|$
- ;F v
- Z_^[
- S(;S$s
- K,;K$u
- SVWQ
- D_^[
- !T$(
-)D$,
- J#T$(
- J#T$(
- L$ +
- t$ +
- T$$J;D$ v0
- +t$;
- L$ +
- `;t$ v?
- T$$J
- l$()t$,
- #T$(
- ;t$,v
- ;t$,v:
- l$()t$,
- L$(#L$<

- l$()t$,
- J#T$(
- t:;t$,v
- l$()t$,
- D$(#D$8
- YZ_^[
- Kh+KX
- Kh+KX
- Kh+KX
- Kh;L$
- StJ)Sp
- f+C`
- Kh+Kl
- Kt;K|sy
- Sh#S0f
- Z_^[
- Kh+KX
- Kh+KX
- K\\;K|wY
- S\\)Sp
- f+Cl
- Sh#S0f
- SVWQ
- Kh+KX
- Kh+KX
- Kh+KX
- Z]_^[
- $;4$w\tf
- $;4$w\tf
-)sl)sh)kX
- ;ChwpV
- {8+{p+{h
- $;\\$
- $#\\$
- >:\\$
- Xp;\\$
- Z]_^[
- Z]_^[
- Z]_^[
- Z]_^[
- Z]_^[
-]_^[
- SVWP
- SVWP
- [::]
- -.-.-.-
- ZYYd
- h vF
- h vF
- ZYYd
- ZYYd
- hxjF
- ZYYd
- S\t_^[]
- _^[Y]
- ZYYd
- QSVW

-]_^[
- ZYYd
- Z]_^[
-]_^[
- $ZXs
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- h\\RF
- ZYYd
- ZYYd
- hbQF
- ZYYd
- ZYYd
- ZYYd
- hdPF
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
-
- ZYYd
- ZYYd
- h(LF
- -YUNVt=-
- R ;F
- R,;F
- QQQQQSVW
- ZYYd
-]_^[
-]_^[
- hMDF
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Whd?F
-]_^[
- _^[Y]
- ZYYd
- QSVW
- h ?F

- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- @DVW
- hl;F
- ZYYd
- ZYYd
- NP;T
- NP;T
- ~P;T
- MJPGte
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- [YY]
- h_+F
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQSV
- ZYYd
- h@!F
- ZYYd
- ZYYd
- [YY]
- hf F
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- r=Ht:
- t:HtVH
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]

- ZYYd
- _^[]
- PWVS
- ZYYd
- ^[Y]
- ZYYd
- %d.%d.%d.%d
- _^[
- ZYYd
- Th~f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ^[Y]
- ZYYd
- TGPGraphicsRP
- ZYYd
- ZYYd
- ZYYd
- h_^[
- Z]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- @D+C
- @@+C
- _^[Y]
- ZYYd
- QSVW
- Jt'Jt5
- ZYYd
- YZ_^[
- ZYYd
- s(^[
- C Z[
- ZYYd
- BP_^[]
- ;BP|
- ;BT|
- YZ^[
- YZ^[
-]_^[
- _^[Y]

- ;pdt
- QSVW
- ^[YY]
- Y_^[]
- Q<_^
- YZ_^[
- t$;^dt
- Y^[]
- ;Xdt>
- ZYYd
- ZYYd
- ZYYd
- ;Xdt
- [YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- ZYYd
- Y[YY]
- @[H,
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- Y^[]
-]_^[
- tf;{
- _^[Y]
- FLVh
- ^dVh
- ^dVh
- QSVW
- Y^[]
- @[H,
- ZYYd
- Rd:B
- Rd:B
- ;Bdt+
- ZYYd
-]_^[
- Pd:J
- pd;s
- ;Xdt
-]_^[
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- _^[Y]
- QSVW
- f;Pht
- _^[]
- _^[Y]
- QSVW
- ZYYd

- [YY]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
-]_^[
- [YY]
- ZYYd
- ZYYd
- ZYYd
- QH^[
- _^[]
- ZYYd
- S8_^[]
- ^[YY]
- ZYYd
- YZ]_^[
- <_^[
- @t&j;
- ^[Y]
- ZYYd
-]_^[
- CHPj
- YZ]_^[
- $Z^[
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ]_^[
- R_^[
- PWVj
- YZ]_^[
- YZ]_^[
- Z]_^[
-]_^[
- ^[Y]
- ;XDt%
- _^[YY]
- Z]_^[
- Z]_^[
- YZ]_^[
- t";I$
- ^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- $Z_^[
- SVWQ
- _^YY]
- _^[]
- _^[YY]
- ZYYd
- _^[YY]

- ZYYd
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- QRPV
- ZYYd
- ZYYd
- @HPj
- @HPj
- @HPj
- ZYYd
- CL@P
- ZYYd
- @HPj
- ZYYd
- ZYYd
- HDQR
- @P@t%
-]_^[
- .;=|
- ZYYd
- $+C@
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- _^[YY]
- ZYYd
- ^YY]
- ZYYd
- YZ_^[
- ZYYd
- [YY]
- _^[Y]
- QSVW
- ZYYd
- @t!j
- ZYYd
- Z]_^[
-]_^[
- YZ]_^[
- YZ_^[
- ZYYd
- ZYYd
- +WH+W@
- ZYYd
- ZYYd
- _^[]
- ^[YY]
- ZYYd
- ZYYd
-]_^[
- ^[YY]
- ZYYd
- C ^[

- R\\^[
- YZ_^[
- D$(P
- ^[Y]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- +BLP
- ;Bpt'
- ;SL~
- ;SL}
- ;SH~
- ;SH}
- YZ^[
-]_^[
- _^[YY]
- ^[YY]
- C^^[
- tJHt
- f#FT
- @[H,
- YZ^[
- Z_^[
- SVWQ
- _^[
- ZYYd
-]_^[
- D$\tP
- D$\tP
- D$\tP
- D$\tP
- ZYYd
- PSWV
-]_^[
-]_^[
- @_H,
- [YY]
- ZYYd
- KHQRP
- Z]_^
- ZYYd
- CHPj
- C@PV
- f;P|t
- :P`t
- :PZt
- ;Spt@
- :PYt
- :P_t
- ^[Y]
- ZYYd
- :PXt
- R_^[
- :_Wt&
- ;s0t=;

- CL+D$
- CH+D$
- _^[YY]
- ZYYd
- GP t;
- :V\\t
-]_^[
- YZ_^[
-]_^[
- YZ_^[
- ZYYd
- YZ^[
- YZ^[
- Ql_^[
- ZYYd
- CHPR
- YZ_^[
- _^[]
- ;CLt_3
- ty;s@u
- R\\Z_^[
- SVWQ
- ;FLt&
- YZ]_^[
- Ql^[
- ^[Y]
- Qh^[
- ;B@t
- :BWt
- Z:Pjt
- ZYYd
- %s (%s)
- ZYYd
- t%Jt?Jt[
- sX^[
- ;sXt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- _^[Y]
- ;B@t@
- ^[Y]
- S$_^[]
- C@^[
- _^[Y]
- ZYYd

- QSVW
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
-]_^[
- YZ^[
- F@PS
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- @tgj
- Width<
- dkDock
- dkDrag
- mbRight
- mbLeft
- ZYYd
- $Z]_^[
- R0Z_^[
- SVWQ
- R0Z_^[
- SVWQf
- R0Z_^[
- SVWQ
- R0Z_^[
- SVWQ
- R0Z_^[
- $;Ctt?
- SVWQ
- R0]_^[
- R0Z_^[
- $:Cjtc
- SVWQ
- _^[Y]
- ZYYd
- QSVW
- R0Z_^[
- SVWQ
- S`Z]_^[
- YZ]_^[
- F\\^[
- ^[YY]
- ^[Y]
- _^[Y]
- ZYYd
- r hT
- QSVW
- $;D$
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- [YY]
- ZYYd
- ZYYd
-]_^[
- S`]_^[
- :V@t
- ^[Y]
- ZYYd
- R,;C4}!
- R ;C0|
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- Rh_^[
- ZYYd
- ZYYd
- ZYYd
- :P(t&
- Jt'Jt5
- P(^[
-]_^[
- Shx}D
- YZ]_^[
- $Z]_^[
- ZYYd
- _^[YY]
- ZYYd
- h'vD
- ZYYd
- ZYYd
- SVWj
- ,]_^[
- ;~`t
- h(JD
- Y_^[Y]
- QSVW
- ^[Y]
- h`qD
- ZYYd
- ZYYd
- ZYYd
- u%htnD
- _^[]
- ZYYd
- CHYZ[
- ;CHt
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd

-]_^[
- hrjD
- ZYYd
- ZYYd
- _^[]
- Z]_^[
-]_^[
- $Z]_^[
-]_^[
- YZ]_^[
- $;D$
- @_^[
- Sj@j
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- h<XD
- ZYYd
- _^[Y]
- QSVW
- YZ^[
- _^[]
- sx;P`u
- XD;PHu
- hWRD
- ZYYd
- C@Pj
-]_^[
- h|JD
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- Pj<j
-]_^[
- PWj W
- f;sDt~f
- ZYYd
- ZYYd
- C_^[
-]_^[
-]_^[
- Cd;Cpt
- Ch;Ctt
-]_^[
- ^[Y]
- C@Vj
- (_^[
- (_^[
- _^[Y]
- ZYYd
- _^[YY]

-]_^[
- ZYYd
- ^[Y]
- _^[]
- _^[YY]
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- R\\^[
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- hx/D
- ZYYd
- hY/D
- ZYYd
- ZYYd
- hJ,D
- ZYYd
- _^[YY]
- ZYYd
- $Z_^[
- SVWQ
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- R\\^[
- _^[Y]
- ZYYd
-]_^[
- f#CTf
-]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
- _^[YY]
- f#PT
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- D$ P
-]_^[
-]_^[
- $;D$

- ZYYd
-]_^[
- [YY]
- ZYYd
-]_^[
- Z]_^[
- ZYYd
- Z_^[
- SVWQ
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- [YY]
- ZYYd
- ZYYd
- :^Wt
- :S`t
-]_^[
- _^[YY]
- CH+F
- CL+F
-]_^[
- _^[Y]
- Phd~D
- PhH~D
- QSVW
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- :P,t
- ;P(t
- C$^[

- ;p s
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- _^[Y]
- QSVW
- ;X0t@S
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- Right<
- WidthX
- Forms]
- TWMKey
- FormsL
- Style<
- FormsP
- ssFlat
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
-]_^[
- P\\YZ_^
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- QSVW
- :P\\t
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- :P@t
- D$(P
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- "hL}C
- Z]_^[
- _^[Y]

- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
- :P;t
- ZYYd
- ZYYd
- QSVW
- hVqC
- ZYYd
- h|qC
- hdqC
- h|qC
- hpqC
- _^[]
- :S=t
- Q<^[
- Q<_^[
- Q<]_^[
- @?:F?v
- C\\;h
- Q<]_^[
- :]:tJ
- ^[Y]
- ;P@t
- :P>t
- f;P`t
- Q<_^[
- P?:S?u
- Q<^[
- :PHt
- ZYYd
- Y_^[
- _^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ShTHC
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q<]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- CPPVj
- ^[Y]
- pT^[
- ;B@t
- :B>t
- f;B`t

- ;B@t
- ;BTt
- ZYYd
- h&=C
- ZYYd
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- ZYYd
- h^*C
- ZYYd
- !"#$%
- ^[YY]
- ZYYd
- SVhX
- StdActns
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- [YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Clipbrd
- ZYYd
- WndProcPtr%.8X%.8X
- commdlg_help
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- :P@t
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ExtCtrls
- hp\tC
- ZYYd
- ZYYd

- ZYYd
- v(h`
- ZYYd
- ZYYd
- ZYYd
-]_^[
- v)h,
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- _^[]
- PWVS
- tGWh
- ZYYd
- PVhB
- >(r[j
- >(r[j
- >(r[j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
-]_^[
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- :SVW
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- TStack
- ZYYd
- PPPP
- PQRhD
- ZYYd

- PVSj
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- %s, ProgID: "%s"
- ZYYd
- ZYYd
- ZYYd
- %s, ClassID: %s
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- MS Shell Dlg 2
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- T]_^[
- l$ T
- ;k t@
- ^(;{
- ZYYd
-]_^[
- T$$f
- D$*Ph
- Sd_^[
- ZYYd
- ZYYd
- FpPj
- C(;x
- T_^[
- D$&f;
- D$$f
- Sd_^[
- T]_^[
- WpRj
- WpRj
- t\t;G
- ZYYd
- PjTW
- s(;~
- d_^[

- <$BMt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
- ZYYd
- ZYYd
- PjTS
-]_^[
- ZYYd
- R HP
-]_^[
- C,^[
- C,^[
- t%;C
- ZYYd
- ZYYd
- T_^[
- ZYYd
- @pPj
- ZYYd
- ZYYd
- ZYYd
- PjTS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- d_^[
- D$LPkD$XdPW
- D$HPkD$TdPV
- sTjdR
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV

- ?TjdR
- P ;p
- D$LPkD$XdPV
- ?TjdR
- .wmf
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- [YY]
- ZYYd
- ZYYd
- S []
- QX_^
- QT^[
- S`_^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- :P!t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- hdhB
- ZYYd
- hDhB
- ZYYd
- h!hB
- ZYYd
- hTfB
- ZYYd
- _^[YY]
- ~\t;]
- ZYYd
- ZYYd
- ZYYd

- $Z_^[
- SVWQ
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- hD_B
- ZYYd
- E$PVSj
- PVSj
- hD_B
- ZYYd
- h}\\B
- ZYYd
- ZYYd
- ZYYd
- hmZB
- ZYYd
- YZ^[
- _^[]
- YZ_^
- ZYYd
- YZ^[
- $YZ^[
-]_^[
- _^[YY]
- YZ^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- hbLB
- ZYYd
- h:LB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- `_^[
- Tj<V
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack

- ^[YY]
- ZYYd
- _^[Y]
- h;=B
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- hL<B
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Brush<
- TBrush
- TBrush
- Style<
- Pitch<
- TFont(.B
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- hg)B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hz'B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h{$B
- ZYYd
- h^$B
- ZYYd
- hx#B
- ZYYd
- ^[YY]
- ZYYd
- $YZ[
- Z]_^[
-]_^[
-]_^[
- YZ^[
- YZ^[
- Z]_^[

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R0_^[]
- ;CDt:
- _^[]
- Z]_^[
- YZ_^[
- Z]_^[
- S _^[
- _^[Y]
- QSVW
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ^[Y]
- ZYYd
- YZ_^[
- ZYYd
- QQQQQQQS
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- %s_%d
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]

- ^[Y]
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
-]_^[
- ~.;{
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[YY]
-]_^[
- ^$^[
- :^$t
- s ^[
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- $Z]_^[
- S<^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- Strings
- [YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- QSVW

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
- ZYYd
- $Z]_^[
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- _^[]
- _^[]
- TStringList
- TStringsHwA
- TStrings
- ssRight
- ssLeft
- ssCtrl
- ssShift
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[YY]
- Z_^[
- SVWQ
- ZYYd

- String
- ZYYd
- FSVW
- FSVQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ

- ZYYd
- --\t@
- ZYYd
- ZYYd
- t?Htb
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- ;G$t@
- SVWQ
- YZ]_^[
- H;D$
- (Z]_^[
- Z]_^[
- Z]_^[
- DVCLAL
-]_^[
- ZYYd
-]_^[
- ZYYd
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- YZ]_^[
-]_^[
-]_^[
- $YZ^[
- $YZ_^[
-]_^[
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$LPj
- D$PPj
- D$HP
- D$DP
- yyyy
- ZYYd
- QQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW
- Z_^[
- SVWQ
-]_^[
- ZYYd
- $Z]_^[
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- t%HtlHtm
- yyyy
- ZYYd
- ZYYd
- @YY]
- $YZ[
- $YZ_^[
- _^[YY]
- f;\\F
- 'w~f
- _^[YY]
- ^YY]
- <sGf
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- QS<$t
- _^[]
- _^[]
- _^[[
- (_^[
- WVS
-]_^[
-]_^[

- YZ^[
- C #C
- ZYYd
- QQQQS
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
-]_^[
-]_^[
- SWSVj
-]_^[
- -ffff!
- -[[[[1
- /^_[
- -ffff!
- -[[[[1
- -ffff!
- -{{{{1
- /^_[
- -ffff!
- -{{{{1
- ZYYd
- MSH_SCROLL_LINES_MSG
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- HWND
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[YY]
- h?t@
- ZYYd
- ^[YY]
- FFF;M
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- hxn@
- h\\n@
- h\\n@
- t ;s
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X

- PSVW
-]_^[
- _^[]
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- tH:J
- th:J
- tC:J
- t%:J
-]_^[
- tVSVWU
- t&J;|
- Z_^[X
- SVWRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[Y]
- QSVW
- h(P@
-]_^[
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- PhnP@
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
-]_^[
- ZYYd
- SPRQ
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- @v:k
-
- YX_^

- ~KxI[)
- C$`=@
- SVWQ
- w)f%
- r/f=
- _^[Y]
- QSVW
- Ht Ht.
- ,$YXZ
- ^[Y]
- ZYYd
- Z]_^[
-]_^[
- String
- bytes:
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- L\t W
-]_^[
- $]_^[
-]_^[
- System
- System
- System
- string
- {/Q}Y
- w.Vy
- ;@vw
- BH#,J
- v]_^
- ^d8@@k+
- -D ((K
- (:?f
- L{k4 .
- essR~ S
- @rrr;<
- str,g
- ByWl'Word
- xm`j
- `.rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- IsPE32 ()
- IsWindowsGUI ()

- HasOverlay (Overlay Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Random (Look for Random function)
- Delphi_FormShow (Look for Form.Show function)
- Delphi_Copy (Look for Copy function)
- Delphi_StrToInt (Look for StrToInt function)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: Uh.ID
- url | valid domains | tlds: GlassFrame.Top
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- api | user32: DragObject
- api | user32: SetLayeredWindowAttributes
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

• Module 2 other strings

- 9-+,
- window
- treeview
- traynotify
- trackbar
- tooltip
- toolbar
- taskbar
- taskband

- status
- startpanel
- spin
- scrollbar
- rebar
- progress
- page
- menu
- listview
- header
- explorerbar
- edit
- combobox
- clock
- ebutton
- ;CHu
- ;{Du
- ;FHu
- ;FDu
- ;F@u!
- :FauR
- $:Fa
- SVWU
- ;s0t
- SVW3
- SVWU
- ;S@u
- FQ u
- QSVW3
- tOTV
- ;B0t'
- tMHu
- SVWU
- TSiteList
- ;B0u
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- tITS
- TMouse
- TDockTree
- TDockZone
- Controls

- THintWindow(
- THintWindow
- Controls
- TCustomControl
- TCustomControl
- Controls
- TWinControl
- TWinControl
- TAlignInfo
- AlignInfo
- TRect
- AlignRect
- Integer
- NewHeight
- Integer
- NewWidth
- Integer
- NewTop
- Integer
- NewLeft
- TControl
- Control
- TWinControl
- Sender
- TAlignPositionEvent
- Boolean
- TControl
- TControl
- TWinControl
- Sender
- TAlignInsertBeforeEvent
- Controls
- IDockManager4
- TBorderWidth
- TImeName
- TWinControlActionLink
- Margins
- HelpContext
- HelpKeyword nA
- HelpType
- Hint<nA
- Cursor
- Height
- Top<
- Left<
- AlignWithMargins<
- Controls
- TControl
- TControl
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Boolean

- Handled
- TPoint
- MousePos
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelUpDownEvent
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelEvent
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Boolean
- Allow
- TWinControl

- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Char
- TObject
- Sender
- TKeyPressEvent
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent

- TMouseActivate
- MouseActivate
- Integer
- HitTest
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseActivateEvent
- Integer
- Integer
- TShiftState
- Shift
- TObject
- Sender
- TMouseMoveEvent
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- Bottom
- Right
- Top
- Left
- Controls
- TPadding
- TPadding
- Bottom
- Right
- Top
- Left
- Controls
- TMargins
- TMargins
- TMarginSize
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraints<
- TSizeConstraints
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop

- akLeft
- TAnchorKind
- TCaption
- Controls
- TDragKind
- Controls
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- Controls
- dmAutomatic
- dmManual
- TDragMode
- Controls
- maNoActivateAndEat
- maNoActivate
- maActivateAndEat
- maActivate
- maDefault
- TMouseActivate
- Controls<
- mbMiddle
- TMouseButton
- TControlActionLink
- Controls
- TCustomControlActionh
- TCustomControlAction
- Controls
- TControlCanvas
- TControlCanvas
- TDragDockObjectEx
- Controls
- TDragDockObject`
- TDragDockObject
- TDragControlObjectEx
- TDragControlObject
- Controls
- TBaseDragControlObject
- TBaseDragControlObject
- Controls
- TDragObject
- TDragObject
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone
- TAlign
- TCursor
- SVWUQ
- QtGNu
- |(F3
- QpGNu

- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QTGNu
- |(F3
- ;Blu\t3
- |@G3
- QPFOu
- |)G3
- QLGNu
- |'F3
- |]F3
- SVWUQ
- t0f;
- |TF3
- SVWU
- R0GNu
- u*;~8u
- ;P8u
- |#C3
- R0^[
- TActionLinkSV
- ActnList
- TCustomActionT
- TCustomAction
- ActnList
- TShortCutList8
- TShortCutList
- ActnList
- TCustomActionListX
- TCustomActionList
- Category
- ActnList
- TContainedAction4
- TContainedAction
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap
- @<PU
- $ZXu
- |&G3;
- SVWU
- SVWU
- ||F3
- s8VV
- ImgList
- TCustomImageList
- TCustomImageList
- TImageIndex

- TChangeLink
- SVWU
- User32.dll
- SVWU
- SVWUQ
- SVW3
- h9wD
- Uh2wD
- SVW3
- Uh vD
- SVWU
- |RF3
- E(&I;
- UhYqD
- h0pD
- Uh)pD
- SVW3
- |LF3
- SVW3
- SVW3
- SVWU
- UhkjD
- |<G3
- SVWUQ
- |o@3
- t~-8
- SVWU
- SVWUQ
- SVWU
- SVWU
- ;s0t
- = %I
- = %I
- |2C3
- UhW_D
- Uh5XD
- ;X0uG;u
- ;p0tQ
- ;X0t
- Forms
- |1B3
- ;B0uGj
- ;Sxu
- ;Shu
- ;Sdu
- ;PDu
- UhPRD
- MAINICON
- hpOD
- TApplication
- |&F3;
- ?CNu
- |&F3;
- SVWU
- UhYJD
- h5ID
- C[:E

- @[:E
- SL;U
- u\t+u
- SVWU
- layout text
- hfAD
- ;B<u
- Uh_AD
- SVWU
- SVWU
- SVWU
- |&G3;
- SVWU
- h{7D
- Uht7D
- |PF3
- |NF3
- |NF3
- R@GNu
- YGNu
- |CF3
- @H;E
- UhO/D
- Uhq/D
- UhC,D
- Uhy+D
- t"GNu
- ;XDu
- @l;E
- Uh8#D
- SVW3
- ;BLuy
- 3^[]
- ;XDu
- ;XDu
- CU u
- ;X0tC
- |8F3
- SVWU
- SVWU
- SVWU
- ;ADti
- @U t
- @U t
- SVW3
- MDICLIENT
- |-G3
- ;XDu
- CU t(
- ;B0t
- SVWU
- SVWU
- ;Cpu'
- t9j7j
- SVW3
- WVh0
- SVWU

- |(F3
- GCNu
- |(F3
- SVWU
- |!C3
- GFKu
- SVW3
- SVWUQ
- |-G3
- |!C3
- @D;E
- ;XDuz
- |7C3
- SVWU
- SVWU
- GlassFrame.SheetOfGlass
- GlassFrame.Right
- GlassFrame.Left
- GlassFrame.Enabled
- GlassFrame.Bottom
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- ;B@t1
- Q@j2
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t5
- ;S$t5
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- SVW3
- ;p0u
- ;p0u
- ;B0u
- SheetOfGlass
- Bottom
- Top<
- Left<
- Enabled<
- Forms
- TGlassFrameT
- TGlassFramet
- Forms
- TApplicationd
- TApplication
- Forms
- TPopupFormArray

- THintInfo@
- Forms
- TScreen`
- TScreen
- TMonitor
- PixelsPerInch
- Forms
- TCustomDockForm
- TCustomDockFormp
- OnUnDock
- OnStartDock
- OnShow0
- OnShortCut
- OnResize
- OnPaint
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp
- OnMouseMovel
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivatel
- OnKeyUpH
- OnKeyPress
- OnKeyDownL
- OnHelp
- OnHide
- OnGetSiteInfo
- OnEndDock|
- OnDragOverp
- OnDragDrop
- OnDockOver
- OnDockDrop4
- OnDeactivate
- OnDestroy
- OnDblClick
- OnCreate
- OnContextPopup
- OnConstrainedResize
- OnCloseQueryx
- OnCloseT
- OnClick
- OnCanResize
- OnAlignPosition
- OnAlignInsertBefore
- OnActivate(
- WindowMenu
- WindowState
- Visible<
- VertScrollBar
- SnapBufferp
- ShowHint<
- ScreenSnap
- Scaled
- PrintScale

- Position
- PopupParent
- PopupMode
- PopupMenu0
- PixelsPerInchL7C
- ParentBiDiMode<
- ObjectMenuItem
- OldCreateOrder
- Menu
- Padding`4C
- KeyPreview
- Icon
- HorzScrollBar
- HelpFilep
- Height
- FormStyle<
- Font
- ParentFont$.B
- Enabled
- DragMode
- DragKind
- DockSite0
- DefaultMonitor
- UseDockManager,
- Ctl3D
- Constraints
- TransparentColorValued
- TransparentColorl)B
- Color
- ClientWidthl)B
- ClientHeight<
- Caption<
- BorderWidthd
- BorderStyle
- BorderIcons
- BiDiModex
- AutoSizeDmA
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlendT
- Align
- ActiveControl4
- ActionH
- TForm4
- TForm
- Top4
- Left<
- Forms
- TCustomForm
- TCustomForm
- Forms
- pmExplicit
- pmAuto
- pmNone
- TPopupMode
- Boolean

- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Boolean
- Handled
- TShortCutEvent
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- Forms
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- Forms
- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor
- Forms0
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop
- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle

- Forms
- TPopupWndArray
- Forms
- IOleForm4
- Forms
- IDesignerHookh
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBarp
- OnAlignPositionp
- OnAlignInsertBefore
- Forms
- TScrollingWinControl
- TScrollingWinControl
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- Visible
- Tracking
- ThumbSize
- Size
- Smooth<
- Range
- Position<
- ParentColor<
- Margin
- Incrementh
- Color
- ButtonSizel)B
- Forms
- TControlScrollBarP
- TControlScrollBar
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- SVW3
- SVWU
- SVWU
- S0_^[
- |#F3
- SVWU
- SVWU
- R4;F
- |>C3
- |uC3
- SVW3
- lh;J4u
- :PAt

- :P0t
- ;wHu
- ;PHu
- S0^[]
- @d;E
- KbdLayerDescriptor
- Layout File
- SVWUQ
- |$F3
- ;C4t
- SVWU
- SpFOu
- |2G3
- 3hpqC
- UhOqC
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3
- ;~|u
- R@FKu
- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tf
- :^8tA
- SVW3
- hE\\C
- Uh0[C
- SVW3
- Uh~VC
- SVW3
- SVW3
- ShortCutText
- X?ENu
- |@F3
- SVWUQ
- SVWU
- SVW3
- :B9t
- :B8t
- @?:E
- @?:E
- SVW3
- TMenuItemStack
- TPopupList
- OnPopup
- OnChange
- TrackButton
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Images
- HelpContextX
- BiDiMode nA
- AutoPopupDmA

- AutoLineReduction
- AutoHotkeys
- Alignment
- Menus
- TPopupMenu
- TPopupMenu
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus06C
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiModeX
- AutoMergeDmA
- AutoLineReduction
- AutoHotkeys
- Menus
- TMainMenu
- TMainMenu
- Items
- Menus
- TMenu
- TMenu
- OnMeasureItem
- OnAdvancedDrawItem
- OnDrawItem|,C
- OnClick
- Visible
- ShortCut
- RadioItemtnA
- ImageIndex
- Hint
- HelpContext
- GroupIndex nA
- EnabledT
- Default
- SubMenuImages
- CheckedX
- Caption
- Break
- Bitmapx+C
- AutoLineReductiond7B

- AutoHotkeysd-C
- AutoCheckd-C
- Action
- Menus
- TMenuItem
- TMenuItem
- TMenuActionLink
- Menus
- TMenuAutoFlag
- Menus
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Integer
- Height
- Integer
- Width
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Boolean
- Selected
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Boolean
- Rebuild
- Source\tTMenuItem
- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- EMenuError
- UhW*C
- comctl32.dll
- BDSUnthemedDesigner
- 2001, 2002 Mike Lischke

- Theme manager
- TThemeServices
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- Hint
- THintAction
- THintAction
- TClipboardL
- TClipboard
- =4#I
- commdlg_FindReplace
- Help
- YesToAll
- NoToAll
- Ignore
- Retry
- Abort
- Cancel
- OnShowSV
- OnClose
- HelpContext
- Ctl3D nA
- Dialogs
- TCommonDialog
- TCommonDialog
- ;P0t
- OnTimerSV
- Interval
- Enabled|
- TTimer
- TTimer
- Uhi\tC
- clWebBlack
- clWebDarkGray
- clWebGainsboro
- clWebDarkSlategray
- clWebDarkSlateBlue
- clWebMistyRose
- clWebDimGray
- clWebSilver
- clWebWhiteSmoke
- clWebSlateGray
- clWebSlateBlue
- clWebSteelBlue
- clWebGray
- clWebLightgrey
- clWebWhite
- clWebLightSlateGray
- clWebMediumSlateBlue
- clWebLightSteelBlue
- clWebPink
- clWebHotPink
- clWebThistle
- clWebPlum

- clWebOrchid
- clWebViolet
- clWebLightPink
- clWebDeepPink
- clWebPurple
- clWebMediumPurple
- clWebMediumOrchid
- clWebBlueViolet
- clWebPaleVioletRed
- clWebMediumVioletRed
- clWebDarkMagenta
- clWebMagenta
- clWebDarkOrchid
- clWebDarkViolet
- clWebNavy
- clWebBlue
- clWebDodgerBlue
- clWebDeepskyBlue
- clWebTeal
- clWebDarkCyan
- clWebCadetBlue
- clWebDarkTurquoise
- clWebMidnightBlue
- clWebMediumBlue
- clWebRoyalBlue
- clWebSkyBlue
- clWebPowderBlue
- clWebCyan
- clWebTurquoise
- clWebMediumTurquoise
- clWebIndigo
- clWebDarkBlue
- clWebCornFlowerBlue
- clWebLightSkyBlue
- clWebLightBlue
- clWebLightCyan
- clWebPaleTurquoise
- clWebLightSeaGreen
- clWebDarkSeaGreen
- clWebMediumSpringGreen
- clWebSpringGreen
- clWebLime
- clWebLimeGreen
- clWebDarkgreen
- clWebDarkOliveGreen
- clWebDarkKhaki
- clWebDarkGoldenRod
- clWebMediumSeaGreen
- clWebMediumAquamarine
- clWebPaleGreen
- clWebLawnGreen
- clWebYellowGreen
- clWebGreen
- clWebOliveDrab
- clWebKhaki
- clWebGoldenRod
- clWebSeaGreen

- clWebAquamarine
- clWebLightGreen
- clWebChartreuse
- clWebGreenYellow
- clWebForestGreen
- clWebOlive
- clWebLightGoldenrodYellow
- clWebPaleGoldenrod
- clWebRosyBrown
- clWebDarkSalmon
- clWebPeru
- clWebSienna
- clWebSaddleBrown
- clWebFirebrick
- clWebOrangeRed
- clWebOrange
- clWebLightCoral
- clWebLightSalmon
- clWebSandyBrown
- clWebChocolate
- clWebBrown
- clWebCrimson
- clWebTomato
- clWebGold
- clWebCoral
- clWebSalmon
- clWebIndianRed
- clWebMaroon
- clWebDarkRed
- clWebRed
- clWebDarkOrange
- clWebYellow
- clWebTan
- clWebPeachPuff
- clWebBisque
- clWebBlanchedAlmond
- clWebLemonChiffon
- clWebLinen
- clWebHoneydew
- clWebMintcream
- clWebAzure
- clWebBurlywood
- clWebMoccasin
- clWebNavajoWhite
- clWebPapayaWhip
- clWebLightYellow
- clWebSeashell
- clWebLavender
- clWebGhostWhite
- clWebAliceBlue
- clWebWheat
- clWebAntiqueWhite
- clWebBeige
- clWebCornSilk
- clWebIvory
- clWebOldLace
- clWebLavenderBlush

- clWebFloralWhite
- clWebSnow
- DwmIsCompositionEnabled
- DWMAPI.DLL
- DwmExtendFrameIntoClientArea
- DWMAPI.DLL
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties
- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString
- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin
- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition
- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- BufferedPaintSetAlpha
- SVWU
- EndBufferedPaint
- BeginBufferedPaint

- v4hL
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass
- TCriticalSection
- TEvent
- THandleObject
- TSynchroObject
- USER32.DLL
- DISPLAY
- DISPLAY
- DISPLAY
- GetMonitorInfo
- SVWU
- Ail^
- |HC3
- W<FKu
- |cC3
- |GC3
- SVW3
- SVW3
- |JC3
- SVW3
- R(FKu
- 8^SVW
- SVW3
- SVWU
- THelpViewerNode
- THelpManager
- EHelpSystemException
- IExtendedHelpViewer
- ICustomHelpViewer4
- IHelpSystem4
- IHelpSelector4
- TOrderedList
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- SVW3
- SVW3
- SVW3
- SVW3
- Neutral
- Both
- Free
- Apartment
- EOleException
- EOleSysError
- EOleError
- TPatternManagerSV
- Tahoma
- \\$4Vj
- SVWU

- SVWU
- SVWU
- SVWU
- SVWU
- t'It
- @pPV3
- @ ;E
- Graphics
- TBitmapCanvas
- TBitmapCanvas
- EMFt
- 3TjdP
- 3TjdP
- SVWU
- Data
- Uh|vB
- SVW3
- TClipboardFormats
- SVW3
- Q4^[
- hOoB
- UhHoB
- $ZXu
- Data
- @DPU
- Uh}lB
- UhyjB
- Uh=hB
- UhMfB
- Uh]hB
- t6Tj
- hdaB
- Uh]aB
- Uh=_B
- Uhv\\B
- UhfZB
- KPh0
- SVWU
- CPh0
- Uh3LB
- UhPLB
- Default
- h_IB
- h7IB
- Uh0IB
- UhXIB
- SVW3
- heFB
- Uh^FB
- Uh{FB
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET

- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight
- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- Uh4=B
- UhE<B

- TBrushResourceManager
- TResourceManager
- Graphics
- TIcon08B
- TIcon
- TIconImage
- Graphics
- TBitmap
- TBitmaph7B
- TBitmapImage
- Graphics
- TMetafile
- TMetafile
- TMetafileImage
- TSharedImage
- Graphics
- TPicture84B
- TPicture
- Graphics
- TGraphic
- TGraphic
- Font
- CopyMode$.B
- Graphics
- TCanvas\\1B
- TCanvas
- Style
- Color\\,B
- Graphics
- Width
- Mode +B
- Color
- Graphics
- TPen
- TPen
- Style
- Size
- OrientationH*B
- Name<
- Height
- Color<
- Charsetl)B
- Graphics
- TFont
- Graphics
- IChangeNotifier4
- Graphics
- TGraphicsObject$-B
- TGraphicsObjectL-B
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid

- Graphics
- pmNotXor
- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics
- psAlternate
- psUserStyle
- psInsideFrame
- psClear
- psDashDotDot
- psDot\tpsDashDot
- psSolid
- TPenStyle
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- EInvalidGraphicOperation
- EInvalidGraphic,*B
- TColor
- Uh`)B
- Uhs'B
- YGKu
- |RC3
- SVW3
- UhW$B
- Uht$B
- Uhq#B
- SVWUQ
- SVWU
- SVWU
- SVWUQ
- Q8FKu
- |JC3
- SVW3
- Q8FKu
- |JC3
- SVW3
- SVW3
- SVW3

- TRegistryS
- ERegistryException
- TPUtilWindow
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G0_^[
- ;w0u
- SVWUQ
- |"C3
- SVWUQ
- u6;_
- Left
- SVWUQ
- SVW3
- SVW3
- SVW3
- QQQQ3
- SVW3
- Null
- True
- False
- SVW3
- SVW3
- SVW3
- SVW3
- |AF3
- |\\F3
- Classes
- ;- uA
- SVWU
- C0_^[
- SVW3
- |*C3
- Owner
- SVW3
- SVWU
- TPropIntfFixup
- TPropFixup
- SVWU
- SVW3
- SVWU
- S4_^[
- ;C u
- SVWU
- SVWUQ
- SVWU
- SVW3
- SVW3
- SVWU
- SVW3
- SVWU
- SVW3
- SVW3
- |0F3
- SVW3

- W<CNu
- |-F3
- SVW3
- SVW3
- @< u
- SVWUQ
- SVWU
- TIntConst
- #FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU
- | F3
- SVWUQ
- SVWUQ
- u)FMu
- |!E3
- SVWUQ
- |8F3
- SVWU
- TRegGroups
- TRegGroup
- TIdentMapEntry
- Classes
- TBasicActiont
- TBasicAction
- TBasicActionLink
- Name<
- Classes
- TComponent
- TComponent
- Classes
- IDesignerNotify4
- TComponentNameI
- TThreadX
- EThreadD
- TReader
- TFiler
- TClassFinder
- TStreamAdapter
- Fn}A
- TResourceStream
- TStringStream
- TMemoryStream
- TCustomMemoryStream
- TFileStream
- THandleStream
- TStream
- Classes

- TStringList(yA
- TStringItem
- Classes
- Classes
- IStringsAdapter4
- Classes
- TInterfacedPersistent\\vA
- TInterfacedPersistent
- Classes
- TPersistentluA
- TPersistent
- TBits
- TThreadList
- TList
- EInvalidOperation
- EOutOfResources
- EComponentError
- EStringListError
- EBitsError
- EListError
- EResNotFound
- EClassNotFound
- EWriteError|qA
- EReadError
- EFilerError
- EFOpenErrortpA
- EFCreateError
- EFileStreamError
- EStreamError
- TObject
- Sender
- TNotifyEvent
- TShortCut
- ClassesxnA
- htKeyword\thtContext
- THelpType
- THelpContext
- TShiftState
- Classes
- ssDouble
- ssMiddle
- ssAlt
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- hAmA
- Uh:mA
- SVW3
- hzgA
- UhsgA
- True
- False
- |PF3
- SVW3

- h'bA
- Uh bA
- SVWUQ
- h<_A
- Uh5_A
- Variants
- ByRef
- Array
- hI^A
- UhB^A
- SVW3
- Int64
- LongWord
- Word
- Byte
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Error
- Dispatch
- OleStr
- Date
- Currency
- Double
- Single
- Integer
- Smallint
- Null
- Empty
- t0f-
- h)WA
- Uh"WA
- h[QA
- h>QA
- Uh7QA
- UhTQA
- h1PA
- Uh*PA
- hwOA
- UhpOA
- h8JA
- Uh1JA
- hRIA
- h0IA
- Uh)IA
- UhKIA
- Uh|HA
- h8CA
- Uh1CA
- h'BA
- Uh BA
- 5H:A
- 5H:A
- Uhy6A
- hk1A

- Uhd1A
- hn+A
- Uhg+A
- Uh>)A
- UhR(A
- Uhy'A
- 5D%A
- 5D%A
- SVWUQ
- |kC3
- |kC3
- EVariantDispatchError
- EVariantUnexpectedError
- EVariantOutOfMemoryError
- EVariantNotImplError
- EVariantArrayCreateError
- EVariantArrayLockedError
- EVariantBadIndexError
- EVariantBadVarTypeError
- EVariantInvalidArgError$
- EVariantOverflowError
- EVariantTypeCastError
- EVariantInvalidOpError
- Variants
- TCustomVariantType
- TCustomVariantType
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarOr
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- oleaut32.dll
- tagEXCEPINFO
- ActiveX
- IPersist4
- tagMULTI_QI
- ;C$t4
- SVWU
- SVWUQ
- SVWUQ
- kernel32.dll
- SVWUQ
- SVWU

- SVWU
- TModuleInfo
- SysUtils
- TUnitHashArray
- AMPM
- AMPM
- WUWSj
- SVWU
- SVWU
- SVWU
- u";]
- SVWU
- = yI
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- eeee
- SVWU
- 8gu4
- SVW3
- SVWUQ
- SVW3
- AAAA
- AMPM
- AM/PM
- SVW3
- 80u'
- <sAf
- INFNAN
- <*t"<0r=<9w9i
- SVWU
- SVWU
- @w2j
- False
- True
- 0<:r
- sDFJu
- SVWU
- SVWU
- SVWU
- $TMultiReadExclusiveWriteSynchronizer
- TThreadLocalCounter
- SysUtils
- SysUtils
- ESafecallException
- EOSError
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast

- EInvalidPointer
- EUnderflow
- EOverflow
- EZeroDivide
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError`
- EOutOfMemory
- EHeapException
- EAbort
- Exception
- TSearchRec`
- TFileName
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odInactive\todNoAccel
- odHotLight
- odDisabled\todChecked\todFocused\todDefault
- odGrayed
- odSelected
- hJu@
- UhCu@
- Uh8t@
- t2;u
- s\t;E
- B@;u
- th;u
- Uhko@
- SVWU
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- h8m@
- Uh1m@
- kernel32.dll
- 8\\u8
- SVWU
- SVWU
- SVWU
- uAJt
- SVWU
- 0f;\\2
- tu:J
- t0:J

- tA:J
- N|*9
- It2S
- SVWU
- =(PI
- SVWU
- =(RI
- = RI
- =LPI
- UhYQ@
- r6t0
- d$,1
- SVWU
- VWUUhdN@
- u\t@B
- SVWU
- VWUd
- SVW1
- SVW1
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- BkU'9
- E@|o
- @aQY
- YZXt5
- 2_^[
- w%9
- C$T5@
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- h@8@
- h88@
- F X5@
- F$T5@
- F T5@
- =,PI
- hP3@
- UhI3@
- ;"u<S
- ;"u3S
- SVWUQ
- YZXu
- SVWU
- Unexpected Memory Leak
- The sizes of unexpected leaked medium and large blocks are:
- Unknown
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- |&B3;
- =MPI
- = WI

- = WI
- wt=0
- =MPI
- =MPI
- = WI
-)= WI
- = WI
- #5$WI
- =MPI
- SVWU
- SVWU
- SVWU
- =MPI
- = WI
- 2004, 2005 Pierre le Riche / Professional Software Development
- FastMM Borland Edition
- TInterfacedObject
- IDispatch4
- IInterface
- TObject
- TObject
- OleVariant
- WideString
- Cardinal
- Word
- Byte
- Integer
- Char
- True
- False
- Boolean
- Re0<
- &d;[3
- F\\3`
- n0lR
- *9*uF"
- @@AM
- P21<
- F im
- 5$)p
- Ep_Su
- ~VWU
- e7@[
- 488b
- V\\0T;
- GL(0
- opmeR
- twa@Devel
- /"rof
- re l
- 5 Pi
- 2004,
- U$tion
- 840vrrr,($
- PL9999HD
- |xr;99tplOhrrrrd`\\X9
- }ix;

- IDispatch4
- rfacek;8
- TObject
- OZVl
- WideS
- Cain
- M3w/
- Integer
- Char?
- True
- Boolean
- UPX!
- 3.07
- `UPX1
- UPX0
- This program must be run under Win32
- jjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjj
- jjjjjjj
- CHPR
- YZ_^[
- _^[]
- ;CLt_3
- ty;s@u
- R\\Z_^[
- SVWQ
- ;FLt&
- YZ]_^[
- Ql^[
- ^[Y]

- Qh^[
- ;B@t
- :BWt
- Z:Pjt
- ZYYd
- %s (%s)
- ZYYd
- t%Jt?Jt[
- sX^[
- ;sXt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- _^[Y]
- ;B@t@
- ^[Y]
- S$_^[]
- C@^[
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
-]_^[
- YZ^[
- F@PS
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- @tgj
- Width<
- dkDock
- dkDrag
- mbRight
- mbLeft
- ZYYd
- $Z]_^[
- R0Z_^[
- SVWQ
- R0Z_^[
- SVWQf
- R0Z_^[

- SVWQ
- R0Z_^[
- SVWQ
- R0Z_^[
- $;Ctt?
- SVWQ
- R0]_^[
- R0Z_^[
- $:Cjtc
- SVWQ
- _^[Y]
- ZYYd
- QSVW
- R0Z_^[
- SVWQ
- S`Z]_^[
- YZ]_^[
- F\\^[
- ^[YY]
- ^[Y]
- _^[Y]
- ZYYd
- r hT
- QSVW
- $;D$
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
-]_^[
- S`]_^[
- :V@t
- ^[Y]
- ZYYd
- R,;C4}!
- R ;C0|
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- Rh_^[
- ZYYd
- ZYYd
- ZYYd
- :P(t&
- Jt'Jt5

- P(^[
-]_^[
- Shx}D
- YZ]_^[
- $Z]_^[
- ZYYd
- _^[YY]
- ZYYd
- h'vD
- ZYYd
- ZYYd
- SVWj
- ,]_^[
- ;~`t
- h(JD
- Y_^[Y]
- QSVW
- ^[Y]
- h`qD
- ZYYd
- ZYYd
- ZYYd
- u%htnD
- _^[]
- ZYYd
- CHYZ[
- ;CHt
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- hrjD
- ZYYd
- ZYYd
- _^[]
- Z]_^[
-]_^[
- $Z]_^[
-]_^[
- YZ]_^[
- $;D$
- @_^[
- Sj@j
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- h<XD
- ZYYd
- _^[Y]
- QSVW
- YZ^[
- _^[]
- sx;P`u
- XD;PHu
- hWRD

- ZYYd
- C@Pj
-]_^[
- h|JD
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- Pj<j
-]_^[
- PWj W
- f;sDt~f
- ZYYd
- ZYYd
- C_^[
-]_^[
-]_^[
- Cd;Cpt
- Ch;Ctt
-]_^[
- ^[Y]
- C@Vj
- (_^[
- (_^[
- _^[Y]
- ZYYd
- _^[YY]
-]_^[
- ZYYd
- ^[Y]
- _^[]
- _^[YY]
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- R\\^[
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- hx/D
- ZYYd
- hY/D
- ZYYd
- ZYYd
- hJ,D
- ZYYd
- _^[YY]
- ZYYd
- $Z_^[
- SVWQ

- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- R\\^[
- _^[Y]
- ZYYd
-]_^[
- f#CTf
-]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
- _^[YY]
- f#PT
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- D$ P
-]_^[
-]_^[
- $;D$
- ZYYd
-]_^[
- [YY]
- ZYYd
-]_^[
- Z]_^[
- ZYYd
- Z_^[
- SVWQ
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- [YY]
- ZYYd
- ZYYd
- :^Wt
- :S`t
-]_^[
- _^[YY]
- CH+F
- CL+F

-]_^[
- _^[Y]
- Phd~D
- PhH~D
- QSVW
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- :P,t
- ;P(t
- C$^[
- ;p s
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- _^[Y]
- QSVW
- ;X0t@S
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- Right<
- WidthX
- Forms]
- TWMKey
- FormsL
- Style<
- FormsP
- ssFlat
- ZYYd
- ZYYd
-]_^[
- YZ]_^[

-]_^[
- P\\YZ_^
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- QSVW
- :P\\t
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- :P@t
- D$(P
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- "hL}C
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
- :P;t
- ZYYd
- ZYYd
- QSVW
- hVqC
- ZYYd
- h|qC
- hdqC
- h|qC
- hpqC
- _^[]
- :S=t
- Q<^[
- Q<_^[
- Q<]_^[
- @?:F?v
- C\\;h
- Q<]_^[
- :]:tJ
- ^[Y]
- ;P@t

- :P>t
- f;P`t
- Q<_^[
- P?:S?u
- Q<^[
- :PHt
- ZYYd
- Y_^[
- _^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ShTHC
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q<]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- CPPVj
- ^[Y]
- pT^[
- ;B@t
- :B>t
- f;B`t
- ;B@t
- ;BTt
- ZYYd
- h&=C
- ZYYd
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- ZYYd
- h^*C
- ZYYd
- !"#$%
- ^[YY]
- ZYYd
- SVhX
- StdActns
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]

- ZYYd
- QSVW
- _^[YY]
- ZYYd
- [YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Clipbrd
- ZYYd
- WndProcPtr%.8X%.8X
- commdlg_help
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- :P@t
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ExtCtrls
- hp\tC
- ZYYd
- ZYYd
- ZYYd
- v(h`
- ZYYd
- ZYYd
- ZYYd
-]_^[
- v)h,
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- _^[]
- PWVS
- tGWh
- ZYYd
- PVhB
- >(r[j
- >(r[j
- >(r[j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
-]_^[

- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- :SVW
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- TStack
- ZYYd
- PPPP
- PQRhD
- ZYYd
- PVSj
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- %s, ProgID: "%s"
- ZYYd
- ZYYd
- ZYYd
- %s, ClassID: %s
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- MS Shell Dlg 2
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- T]_^[
- I$ T
- ;k t@
- ^(;{
- ZYYd
-]_^[
- T$$f
- D$*Ph
- Sd_^[
- ZYYd
- ZYYd
- FpPj
- C(;x
- T_^[
- D$&f;
- D$$f
- Sd_^[
- T]_^[
- WpRj
- WpRj
- t\t;G
- ZYYd
- PjTW
- s(;~
- d_^[
- <$BMt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
- ZYYd
- ZYYd
- PjTS
-]_^[
- ZYYd
- R HP
-]_^[
- C,^[
- C,^[
- t%;C
- ZYYd
- ZYYd
- T_^[
- ZYYd
- @pPj
- ZYYd

- ZYYd
- ZYYd
- PjTS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- d_^[
- D$LPkD$XdPW
- D$HPkD$TdPV
- sTjdR
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV
- ?TjdR
- P ;p
- D$LPkD$XdPV
- ?TjdR
- .wmf
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- [YY]
- ZYYd
- ZYYd
- S []
- QX_^
- QT^[
- S`_^[Y]
- QSVW
- _^[YY]
- ZYYd

- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- :P!t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- hdhB
- ZYYd
- hDhB
- ZYYd
- h!hB
- ZYYd
- hTfB
- ZYYd
- _^[YY]
- ~\t;]
- ZYYd
- ZYYd
- ZYYd
- $Z_^[
- SVWQ
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- hD_B
- ZYYd
- E$PVSj
- PVSj
- hD_B
- ZYYd
- h}\\B
- ZYYd
- ZYYd
- ZYYd
- hmZB
- ZYYd
- YZ^[
- _^[]
- YZ_^
- ZYYd
- YZ^[
- $YZ^[
-]_^[
- _^[YY]

- YZ^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- hbLB
- ZYYd
- h:LB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- `_^[
- Tj<V
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- ^[YY]
- ZYYd
- _^[Y]
- h;=B
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- hL<B
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Brush<
- TBrush
- TBrush
- Style<
- Pitch<
- TFont(.B
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack

- psDash
- TFontStyles
- fsBold
- hg)B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hz'B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h{$B
- ZYYd
- h^$B
- ZYYd
- hx#B
- ZYYd
- ^[YY]
- ZYYd
- $YZ[
- Z]_^[
-]_^[
-]_^[
- YZ^[
- YZ^[
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd

- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R0_^[]
- ;CDt:
- _^[]
- Z]_^[
- YZ_^[
- Z]_^[
- S _^[
- _^[Y]
- QSVW
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- YZ_^[
- ZYYd
- QQQQQQQS
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- %s_%d
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]

- QSVW
- ZYYd
- _^[]
-]_^[
- ~,;{
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[YY]
-]_^[
- ^$^[
- :^$t
- s ^[
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- $Z]_^[
- S<^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- Strings
- [YY]

- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
- ZYYd
- $Z]_^[
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[

- _^[]
- _^[]
- TStringList
- TStringsHwA
- TStrings
- ssRight
- ssLeft
- ssCtrl
- ssShift
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- String
- ZYYd
- FSVW
- FSVQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- --\t@
- ZYYd
- ZYYd
- t?Htb
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- ;G$t@
- SVWQ
- YZ]_^[
- H;D$
- (Z]_^[
- Z]_^[
- Z]_^[
- DVCLAL
-]_^[
- ZYYd
-]_^[
- ZYYd
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- YZ]_^[
-]_^[
-]_^[
- $YZ^[
- $YZ_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$LPj
- D$PPj
- D$HP
- D$DP
- yyyy
- ZYYd
- QQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW

- Z_^[
- SVWQ
-]_^[
- ZYYd
- $Z]_^[
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- t%HtlHtm
- yyyy
- ZYYd
- ZYYd
- @YY]
- $YZ[
- $YZ_^[
- _^[YY]
- f;\\F
- 'w~f
- _^[YY]
- ^YY]
- <sGf
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- QS<$t
- _^[]
- _^[]
- _^[[
- (_^[
- WVS
-]_^[
-]_^[
- YZ^[
- C #C
- ZYYd
- QQQQS
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
-]_^[
-]_^[
- SWSVj
-]_^[
- -ffff!
- -[[[[1
- /^_[
- -ffff!
- -[[[[1
- -ffff!
- -{{{{1
- /^_[
- -ffff!
- -{{{{1
- ZYYd

- MSH_SCROLL_LINES_MSG
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- HWND
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[YY]
- h?t@
- ZYYd
- ^[YY]
- FFF;M
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- hxn@
- h\\n@
- h\\n@
- t ;s
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- _^[]
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- tH:J
- th:J
- tC:J
- t%:J
-]_^[
- tVSVWU
- t&J;|
- Z_^[X
- SVWRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[Y]
- QSVW
- h(P@
-]_^[

- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- PhnP@
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
-]_^[
- ZYYd
- SPRQ
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- @v:k
-
- YX_^
- ~KxI[)
- C$`=@
- SVWQ
- w)f%
- r/f=
- _^[Y]
- QSVW
- Ht Ht.
- ,$YXZ
- ^[Y]
- ZYYd
- Z]_^[
-]_^[
- String
- bytes:
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- L\t W
-]_^[
- $]_^[
-]_^[
- System

- System
- System
- string
- {/Q}Y
- w.Vy
- ;@vw
- BH#,J
- v]_^
- ^d8@@k+
- -D ((K
- (:?f
- L{k4 .
- essR~ S
- @rrr;<
- str,g
- ByWl'Word
- xm`j
- `.rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000934e9800020000001b9daa00af0000001b9dab0035000000097883000900000009789300210000000000100100200001b9db400480000001b9d9e001c0000001b9d9a00010000000000097000100000001b9d9d00

• Module 3 yara matches

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: Sysinternals - www.sysinternals.com
- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: v.va
- url | valid domains | tlds: This is a compiled AutoIt script. AV researchers please email avsupport@autoitscript.com for support.
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: SetCapture
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetAsyncKeyState

- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetMenu
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: DeviceIoControl
- api | frequently used by malware: LoadResource
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: EnumProcessModules
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: GetNativeSystemInfo
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEndOfFile
- api | kernel32: WriteConsoleW
- api | kernel32: HeapReAlloc
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: SetFilePointer
- api | kernel32: RtlUnwind
- api | kernel32: LCMapStringW
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: SetStdHandle
- api | kernel32: GetFileType

- api | kernel32: SetHandleCount
- api | kernel32: HeapCreate
- api | kernel32: GetStringTypeW
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetStartupInfoW
- api | kernel32: GetCommandLineW
- api | kernel32: GetDateFormatW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: RegConnectRegistryW
- api | advapi32: CloseServiceHandle
- api | advapi32: UnlockServiceDatabase
- api | advapi32: LockServiceDatabase
- api | advapi32: OpenSCManagerW
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | user32: WindowFromPoint
- api | user32: ReleaseCapture
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu

- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: DrawMenuBar
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: FillRect
- api | user32: DrawFrameControl
- api | user32: FrameRect
- api | user32: DrawTextW
- api | user32: DrawFocusRect
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetLayeredWindowAttributes
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: ClientToScreen
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage
- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput
- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW

- api | user32: MonitorFromRect
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: CopyRect
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: ScreenToClient
- api | user32: SendMessageTimeoutW
- api | user32: EnumChildWindows
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW

- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: GetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: SetFocus
- api | user32: PostQuitMessage
- api | user32: KillTimer
- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: LoadLibraryExW
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetCurrentThread
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Beep
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: SetEvent
- api | kernel32: CreateEventW
- api | kernel32: GetShortPathNameW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW

- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: SetErrorMode
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange
- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: CopyFileW
- api | kernel32: MoveFileW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrcmpiW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpyW
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: GetSystemInfo

- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: RaiseException
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapAlloc
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetLastError
- api | kernel32: CloseHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetModuleBaseNameW
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: GetModuleHandleExW
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | kernel32: IsWow64Process
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | ntdll: atan
- api | ntdll: sqrt
- api | ntdll: ceil
- api | ntdll: floor
- api | ntdll: fabs
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

• Module 3 other strings

- Translation
- VarFileInfo
- 16.20
- ProductVersion
- Process Explorer
- ProductName
- Procexp.exe
- OriginalFilename
- Copyright (C) 1998-2016 Mark Russinovich
- LegalTrademarks
- 1998-2016 Mark Russinovich
- Copyright

• LegalCopyright
• Process Explorer
• InternalName
• 16.20
• FileVersion
• Sysinternals Process Explorer
• FileDescription
• CompanyName
• 040904E4
• StringFileInfo
• VS_VERSION_INFO
• String missing closing quote.!Badly formated variable or macro.*Missing separator character after keyword.
• Unable to open the script file.
• Unable to parse line.
• Obsolete function/parameter.4Invalid Exitcode (reserved for AutoIt internal use).
• Assert Failed!
• Can not redeclare a constant.5Can not redeclare a parameter inside a user function.HCan pass constants by reference only to parameters with "Const" keyword.*Can not initialize a variable with itself.$Incorrect way to use this parameter.:"EndSwitch" statement with no matching "Switch" statement.>"Switch" statement is missing "EndSwitch" or "Case" statement.H"ContinueCase" statement with no matching "Select"or "Switch" statement.
• 3This keyword cannot be used after a "Then" keyword.>"Select" statement is missing "EndSelect" or "Case" statement.+"If" statements must have a "Then" keyword. Badly formated Struct statement."Cannot assign values to constants..Cannot make existing variables into constants.9Only Object-type variables allowed in a "With" statement.v"long_ptr", "int_ptr" and "short_ptr" DllCall() types have been deprecated. Use "long*", "int*" and "short*" instead.-Object referenced outside a "With" statement.)Nested "With" statements are not allowed."Variable must be of type "Object".1The requested action with this object has failed.8Variable appears more than once in function declaration.2ReDim array can not be initialized in this manner.1An array variable can not be used in this manner.
• Badly formated Enum statement
• Invalid file filter given.*Expected a variable in user function call.1"Do" statement has no matching "Until" statement.2"Until" statement with no matching "Do" statement.#"For" statement is badly formatted.2"Next" statement with no matching "For" statement.N"ExitLoop/ContinueLoop" statements only valid from inside a For/Do/While loop.1"For" statement has no matching "Next" statement.@"Case" statement with no matching "Select"or "Switch" statement.:"EndSelect" statement with no matching "Select" statement.ORecursion level has been exceeded - AutoIt will quit to prevent stack overflow.&Cannot; make existing variables static.4Cannot make static variables into regular variables.
• Invalid element in a DllStruct.*Unknown option or bad parameter specified.&Unable; to load the internet libraries./"Struct" statement has no matching "EndStruct".HUnable to open file, the maximum number of open files has been exceeded.K"ContinueLoop" statement with no matching "While", "Do" or "For" statement.
• *Unable to get a list of running processes. Unable to get the process token.
• Unknown macro.
• Unknown function name.
• Duplicate function name.
• Array maximum size exceeded.+"Func" statement has no matching "EndFunc".
• Error parsing function call.0Incorrect number of parameters in function call.\"ReDim" used without an array variable.>Illegal text at the end of statement (one statement per line).1"If" statement has no matching "EndIf" statement.1"Else" statement with no matching "If" statement.2"EndIf" statement with no matching "If" statement.7Too many "Else" statements for matching "If" statement.3"While" statement has no matching "Wend" statement.4"Wend" statement with no matching "While" statement.%Variable used without being declared.XArray variable has incorrect number of subscripts or subscript dimension range exceeded.)Array variable subscript badly formatted.\'Subscript used with non-Array variable.&Too; many subscripts used for an array.0Missing subscript dimensions in "Dim" statement.NNo variable given for "Dim", "Local", "Global", "Struct" or "Const" statement.0Expected a "=" operator in assignment statement.*Invalid keyword at the start of this line.
• Error in expression.
• Missing operator in expression."Unbalanced brackets in expression.
• (Missing right bracket ')' in expression.
• !Badly formatted "Func" statement.
• AutoIt supports the __stdcall (WINAPI) and __cdecl calling conventions. The __stdcall (WINAPI) convention is used by default but __cdecl can be used instead. See the DllCall() documentation for details on changing the calling convention.
• Stack corruption typically occurs when either the wrong calling convention is used or when the function is called with the wrong number of arguments.
• AutoIt has detected the stack has become corrupt.
• AutoIt Error
• (Paused)
• Cancel

- AutoIt Input Box
- E&xit;
- Script &Paused;
- Context1
- MAINICON
- wparam
- lparam
- lresult
- ulong_ptr
- uint_ptr
- double
- float
- handle
- uint64
- int64
- uint
- bool
- ulong
- long
- word
- dword
- ushort
- short
- wchar
- char
- boolean
- ubyte
- byte
- endstruct
- align
- @GUI_DRAGFILE
- @GUI_DROPID
- D@GUI_DRAGID
- SysListView32
- SysTreeView32
- SysTabControl32
- msctls_updown32
- SysAnimate32
- msctls_trackbar32
- Msctls_Progress32
- .exe
- .icl
- SysMonthCal32
- SysDateTimePick32
- Listbox
- Combobox
- button
- %d/%02d/%02d
- AutoIt v3 GUI
- tooltips_class32
- msctls_statusbar321
- EXPAND
- EXISTS
- COLLAPSE
- GETTOTALCOUNT
- VIEWCHANGE
- FINDITEM

- DESELECT
- SELECTINVERT
- SELECTCLEAR
- SELECTALL
- ISSELECTED
- GETSELECTEDCOUNT
- GETTEXT
- GETSUBITEMCOUNT
- GETITEMCOUNT
- SENDCOMMANDID
- GETLINE
- EDITPASTE
- GETCURRENTCOL
- GETCURRENTLINE
- GETLINECOUNT
- GETSELECTED
- UNCHECK
- CHECK
- ISCHECKED
- GETCURRENTSELECTION
- SETCURRENTSELECTION
- DELSTRING
- HIDEDROPDOWN
- SHOWDROPDOWN
- CURRENTTAB
- TABRIGHT
- TABLEFT
- ISENABLED
- ISVISIBLE
- REG_BINARY
- REG_QWORD
- REG_DWORD
- REG_MULTI_SZ
- REG_EXPAND_SZ
- HKEY_USERS
- HKCU
- HKEY_CURRENT_USER
- HKEY_CURRENT_CONFIG
- HKEY_CLASSES_ROOT
- HKEY_LOCAL_MACHINE
- ubyte
- winapi
- SeDebugPrivilege
- Default
- USERDOMAIN
- USERPROFILE
- 3, 3, 8, 1
- Control Panel\\Appearance
- SchemeLangID
- InstallLanguage
- WIN_2000
- WIN_XPe
- WIN_2003
- WIN_VISTA
- WIN_2008
- WIN_7
- WIN_2008R2

- WIN_8
- WIN32_NT
- IA64
- %.3d
- Incorrect parameters to object property !
- ERROR
- EXTENDED
- MSEC
- HOUR
- MDAY
- YEAR
- WDAY
- YDAY
- PROGRAMFILESDIR
- COMMONFILESDIR
- MYDOCUMENTSDIR
- APPDATACOMMONDIR
- DESKTOPCOMMONDIR
- DOCUMENTSCOMMONDIR
- FAVORITESCOMMONDIR
- PROGRAMSCOMMONDIR
- STARTMENUCOMMONDIR
- STARTUPCOMMONDIR
- APPDATADIR
- DESKTOPDIR
- FAVORITESDIR
- PROGRAMSDIR
- STARTMENUDIR
- STARTUPDIR
- COMPUTERNAME
- WINDOWSDIR
- SYSTEMDIR
- SW_HIDE
- SW_MINIMIZE
- SW_MAXIMIZE
- SW_RESTORE
- SW_SHOWDEFAULT
- SW_ENABLE
- SW_DISABLE
- SW_SHOWMAXIMIZED
- SW_SHOWMINIMIZED
- SW_SHOWMINNOACTIVE
- SW_SHOWNA
- SW_SHOWNOACTIVATE
- SW_SHOWNORMAL
- SW_UNLOCK
- TRAYICONVISIBLE
- TRAYICONFLASHING
- SCRIPTFULLPATH
- SCRIPTNAME
- SCRIPTDIR
- SCRIPTLINENUMBER
- WORKINGDIR
- OSTYPE
- OSVERSION
- OSBUILD
- OSSERVICEPACK

- OSLANG
- PROCESSORARCH
- OSARCH
- CPUARCH
- KBLAYOUT
- AUTOITVERSION
- AUTOITEXE
- IPADDRESS1
- IPADDRESS2
- IPADDRESS3
- IPADDRESS4
- DESKTOPWIDTH
- DESKTOPHEIGHT
- DESKTOPDEPTH
- DESKTOPREFRESH
- COMPILED
- COMSPEC
- USERNAME
- TEMPDIR
- USERPROFILEDIR
- HOMEDRIVE
- HOMEPATH
- HOMESHARE
- LOGONSERVER
- LOGONDOMAIN
- INETGETBYTESREAD
- INETGETACTIVE
- NUMPARAMS
- HOTKEYPRESSED
- AUTOITPID
- AUTOITUNICODE
- AUTOITX64
- UNICODE
- DMUILANG
- Variable is not of type 'Object'.
- Invalid characters behind Object assignment !
- Variable must be of type 'Object'.
- Invalid parameter
- Failed to create object
- Not an Object type
- get__NewEnum
- _NewEnum
- Failed to create the Event Object.
- First parameter must be of type 'Object'.
- Failed to create the Error Handler
- Can't install a new Errorhandler when one is still active.
- Incorrect Parameter format
- AutoIt.Error
- NULL Pointer assignment
- \\IPC$
- Binary
- Keyword
- Bool
- Object
- Reference
- Array
- Double

- Int64
- Int32
- 255.255.255.255
- AUTOITCALLVARIABLE%d
- CALLARGARRAY
- WinWaitDelay
- d1#3
- WinTitleMatchMode
- d1r1,2
- WinTextMatchMode
- WinSearchChildren
- WinDetectHiddenText
- TrayOnEventMode
- d0#2
- TrayMenuMode
- d0#1
- TrayIconHide
- TrayIconDebug
- TrayAutoPause
- d100m0
- TCPTimeout
- SetExitCode
- SendKeyDownDelay
- d5m0
- SendKeyDelay
- SendCapsLockMode
- SendAttachMode
- PixelCoordMode
- MustDeclareVars
- MouseCoordMode
- d250m0
- MouseClickDragDelay
- MouseClickDownDelay
- d10m0
- MouseClickDelay
- d0r0,1023
- GUIResizeMode
- GUIOnEventMode
- d0r0,3
- GUIEventOptions
- d124c
- GUIDataSeparatorChar
- GUICoordMode
- GUICloseOnESC
- ExpandVarStrings
- ExpandEnvStrings
- d1r0,2
- CaretCoordMode
- msctls_progress32
- DISPLAY
- static
- Environment
- <local>
- GUI_RUNDEFMSG
- UNKNOWN
- READONLY
- NOTREADY

- INVALID
- READY
- Unknown
- RAMDisk
- CDROM
- Network
- Fixed
- Removable
- close cd wait
- wait
- set cd door
- type cdaudio alias cd wait
- open
- closed
- close
- unknown
- ramdisk
- network
- fixed
- removable
- cdrom
- %02d
- D%4d
- ACOS
- ADLIBREGISTER
- ADLIBUNREGISTER
- ASCW
- ASIN
- ASSIGN
- ATAN
- AUTOITSETOPTION
- AUTOITWINGETTITLE
- AUTOITWINSETTITLE
- BEEP
- BINARY
- BINARYLEN
- BINARYMID
- BINARYTOSTRING
- BITAND
- BITNOT
- BITOR
- BITROTATE
- BITSHIFT
- BITXOR
- BLOCKINPUT
- CALL
- CEILING
- CLIPGET
- CLIPPUT
- CONSOLEREAD
- CONSOLEWRITE
- CONSOLEWRITEERROR
- CONTROLCLICK
- CONTROLCOMMAND
- CONTROLDISABLE
- CONTROLENABLE
- CONTROLFOCUS

- CONTROLGETFOCUS
- CONTROLGETHANDLE
- CONTROLGETPOS
- CONTROLGETTEXT
- CONTROLHIDE
- CONTROLLISTVIEW
- CONTROLMOVE
- CONTROLSEND
- CONTROLSETTEXT
- CONTROLSHOW
- CONTROLTREEVIEW
- DIRCOPY
- DIRCREATE
- DIRGETSIZE
- DIRMOVE
- DIRREMOVE
- DLLCALLADDRESS
- DLLCALLBACKFREE
- DLLCALLBACKREGISTER
- DLLOPEN
- DRIVEGETDRIVE
- DRIVEGETFILESYSTEM
- DRIVEGETLABEL
- DRIVEGETSERIAL
- DRIVEGETTYPE
- DRIVEMAPADD
- DRIVEMAPDEL
- DRIVEMAPGET
- DRIVESETLABEL
- DRIVESPACEFREE
- DRIVESPACETOTAL
- DRIVESTATUS
- ENVGET
- ENVSET
- ENVUPDATE
- EVAL
- EXECUTE
- FILECHANGEDIR
- FILECLOSE
- FILECOPY
- FILECREATESHORTCUT
- FILEDELETE
- FILEEXISTS
- FILEFINDFIRSTFILE
- FILEFINDNEXTFILE
- FILEFLUSH
- FILEGETATTRIB
- FILEGETENCODING
- FILEGETLONGNAME
- FILEGETPOS
- FILEGETSHORTCUT
- FILEGETSHORTNAME
- FILEGETSIZE
- FILEGETTIME
- FILEGETVERSION
- FILEINSTALL
- FILEMOVE

- FILEOPEN
- FILEOPENDIALOG
- FILEREAD
- FILEREADLINE
- FILERECYCLE
- FILERECYCLEEMPTY
- FILESAVEDIALOG
- FILESELECTFOLDER
- FILESETATTRIB
- FILESETPOS
- FILESETTIME
- FILEWRITE
- FILEWRITELINE
- FLOOR
- GUICREATE
- GUIDELETE
- GUIGETCURSORINFO
- GUIGETMSG
- GUIREGISTERMSG
- GUISETACCELERATORS
- GUISETBKCOLOR
- GUISETCOORD
- GUISETCURSOR
- GUISETFONT
- GUISETHELP
- GUISETICON
- GUISETONEVENT
- GUISETSTATE
- GUISTARTGROUP
- GUISWITCH
- HOTKEYSET
- INETCLOSE
- INETGET
- INETGETINFO
- INETGETSIZE
- INETREAD
- INIDELETE
- INIREAD
- INIREADSECTION
- INIREADSECTIONNAMES
- INIRENAMESECTION
- INIWRITE
- INIWRITESECTION
- INPUTBOX
- ISADMIN
- ISARRAY
- ISBINARY
- ISBOOL
- ISDECLARED
- ISFLOAT
- ISINT
- ISKEYWORD
- ISNUMBER
- ISOBJ
- ISPTR
- ISSTRING
- MEMGETSTATS

- MOUSECLICK
- MOUSECLICKDRAG
- MOUSEDOWN
- MOUSEGETCURSOR
- MOUSEGETPOS
- MOUSEMOVE
- MOUSEUP
- MOUSEWHEEL
- OBJCREATE
- OBJCREATEINTERFACE
- OBJEVENT
- OBJGET
- OBJNAME
- ONAUTOITEXITREGISTER
- ONAUTOITEXITUNREGISTER
- PING
- PIXELCHECKSUM
- PIXELGETCOLOR
- PIXELSEARCH
- PLUGINCLOSE
- PLUGINOPEN
- PROCESSCLOSE
- PROCESSEXISTS
- PROCESSGETSTATS
- PROCESSLIST
- PROCESSSETPRIORITY
- PROCESSWAIT
- PROCESSWAITCLOSE
- PROGRESSOFF
- PROGRESSON
- PROGRESSSET
- RANDOM
- REGDELETE
- REGENUMKEY
- REGENUMVAL
- REGREAD
- REGWRITE
- ROUND
- RUNAS
- RUNASWAIT
- RUNWAIT
- SEND
- SENDKEEPACTIVE
- SETERROR
- SETEXTENDED
- SHELLEXECUTE
- SHELLEXECUTEWAIT
- SHUTDOWN
- SOUNDPLAY
- SOUNDSETWAVEVOLUME
- SPLASHIMAGEON
- SPLASHOFF
- SPLASHTEXTON
- SRANDOM
- STATUSBARGETTEXT
- STDERRREAD
- STDINWRITE

- STDIOCLOSE
- STDOUTREAD
- STRINGCOMPARE
- STRINGFORMAT
- STRINGFROMASCIIARRAY
- STRINGISALNUM
- STRINGISALPHA
- STRINGISASCII
- STRINGISDIGIT
- STRINGISFLOAT
- STRINGISINT
- STRINGISLOWER
- STRINGISSPACE
- STRINGISUPPER
- STRINGISXDIGIT
- STRINGLEFT
- STRINGLEN
- STRINGLOWER
- STRINGMID
- STRINGREGEXP
- STRINGREGEXPREPLACE
- STRINGREPLACE
- STRINGTOASCIIARRAY
- STRINGTOBINARY
- STRINGTRIMLEFT
- STRINGTRIMRIGHT
- STRINGUPPER
- TCPACCEPT
- TCPCONNECT
- TCPLISTEN
- TCPNAMETOIP
- TIMERDIFF
- TIMERINIT
- TOOLTIP
- TRAYCREATEITEM
- TRAYCREATEMENU
- TRAYGETMSG
- TRAYITEMDELETE
- TRAYITEMGETHANDLE
- TRAYITEMGETSTATE
- TRAYITEMGETTEXT
- TRAYITEMSETONEVENT
- TRAYITEMSETSTATE
- TRAYITEMSETTEXT
- TRAYSETCLICK
- TRAYSETICON
- TRAYSETONEVENT
- TRAYSETPAUSEICON
- TRAYSETSTATE
- TRAYSETTOOLTIP
- TRAYTIP
- UBOUND
- UDPBIND
- UDPCLOSESOCKET
- UDPOPEN
- UDPRECV
- UDPSEND

- UDPSHUTDOWN
- UDPSTARTUP
- VARGETTYPE
- WINACTIVATE
- WINACTIVE
- WINCLOSE
- WINEXISTS
- WINFLASH
- WINGETCARETPOS
- WINGETCLASSLIST
- WINGETCLIENTSIZE
- WINGETHANDLE
- WINGETPOS
- WINGETPROCESS
- WINGETSTATE
- WINGETTEXT
- WINGETTITLE
- WINKILL
- WINLIST
- WINMENUSELECTITEM
- WINMINIMIZEALL
- WINMINIMIZEALLUNDO
- WINMOVE
- WINSETONTOP
- WINSETSTATE
- WINSETTITLE
- WINSETTRANS
- WINWAIT
- WINWAITACTIVE
- WINWAITCLOSE
- WINWAITNOTACTIVE
- @COM_EVENTOBJ
- @TRAY_ID
- @GUI_WINHANDLE
- @GUI_CTRLID
- @EXITMETHOD
- @EXITCODE
- ^ ERROR
- close all
- %4d%02d%02d%02d%02d%02d
- False
- True
- 0x%p
- D%.15g
- Gnul
- THEN
- ELSE
- ELSEIF
- ENDIF
- WHILE
- WEND
- UNTIL
- NEXT
- STEP
- EXITLOOP
- CONTINUELOOP
- SELECT

- CASE
- ENDSELECT
- ENDSWITCH
- CONTINUECASE
- REDIM
- LOCAL
- GLOBAL
- CONST
- STATIC
- FUNC
- ENDFUNC
- RETURN
- EXIT
- BYREF
- WITH
- ENDWITH
- TRUE
- FALSE
- DEFAULT
- ENUM
- 0123456789ABCDEF
- SECONDARY
- MENU
- PRIMARY
- MAIN
- MIDDLE
- Control Panel\\Mouse
- SwapMouseButtons
- SeShutdownPrivilege
- play PlayMe
- play PlayMe wait
- close PlayMe
- status PlayMe mode
- alias PlayMe
- open
- 0.0.0.0
- %u.%u.%u.%u
- DefaultLangCodepage
- 04090000
- \\VarFileInfo\\Translation
- StringFileInfo\\
- #32770
- BUTTON
- Line:
- warning
- stop
- question
- info
- blank
- Script Paused
- Exit
- BACKSPACE
- DELETE
- DOWN
- ENTER
- ESCAPE
- HOME

- INSERT
- LEFT
- PGUP
- RIGHT
- SPACE
- LWIN
- RWIN
- SCROLLLOCK
- NUMLOCK
- BREAK
- PAUSE
- CAPSLOCK
- NUMPAD0
- NUMPAD1
- NUMPAD2
- NUMPAD3
- NUMPAD4
- NUMPAD5
- NUMPAD6
- NUMPAD7
- NUMPAD8
- NUMPAD9
- NUMPADMULT
- NUMPADADD
- NUMPADSUB
- NUMPADDOT
- NUMPADDIV
- APPSKEY
- LALT
- RALT
- SLEEP
- NUMPADENTER
- BROWSER_BACK
- BROWSER_FORWARD
- BROWSER_REFRESH
- BROWSER_STOP
- BROWSER_SEARCH
- BROWSER_FAVORTIES
- BROWSER_HOME
- VOLUME_MUTE
- VOLUME_DOWN
- VOLUME_UP
- MEDIA_NEXT
- MEDIA_PREV
- MEDIA_STOP
- MEDIA_PLAY_PAUSE
- LAUNCH_MAIL
- LAUNCH_MEDIA
- LAUNCH_APP1
- LAUNCH_APP2
- MOUSE_LBUTTON
- MOUSE_RBUTTON
- MOUSE_MBUTTON
- MOUSE_XBUTTON1
- MOUSE_XBUTTON2
- ALTDOWN
- ALTUP

- SHIFTDOWN
- SHIFTUP
- LWINDOWN
- LWINUP
- RWINDOWN
- RWINUP
- DASC
- >>>AUTOIT SCRIPT<<<
- #comments-end
- Unterminated group of comments
- #comments-start
- Cannot parse #include
- #include-once
- #OnAutoItStartRegister
- #NoAutoIt3Execute
- #requireadmin
- #notrayicon
- Unterminated string
- Error opening the file
- #include depth exceeded. Make sure there are no recursive includes
- All files (*.*)
- *.au3;*.a3x
- AutoIt script files (*.au3, *.a3x)
- #include
- Error:
- ^ ERROR
- Error:
- Line %d:
- Software\\AutoIt v3\\AutoIt
- rInclude
- Release
- AddRef
- QueryInterface
- InterfaceDispatch
- cdecl
- none
- byte
- boolean
- bool
- short
- ushort
- word
- dword
- ulong
- uint
- long
- variant
- int64
- uint64
- float
- double
- hresult
- handle
- lresult
- lparam
- uint_ptr
- ulong_ptr

- wparam
- idispatch
- object
- oclsid
- Container
- AutoIt3GUI
- ThumbnailClass
- TITLE
- REGEXPTITLE
- HANDLE
- [ALL
- CLASSNAME=
- [REGEXPTITLE:
- REGEXP=
- [HANDLE:
- HANDLE=
- [ACTIVE
- ACTIVE
- [LAST
- LAST
- %s%u
- TEXT
- INSTANCE
- NAME
- REGEXPCLASS
- CLASS
- WM_GETCONTROLNAME
- list
- smallicons
- details
- largeicons
- ListBox
- ComboBox
- winsta0\\default
- default
- winsta0
- SeIncreaseQuotaPrivilege
- DSeAssignPrimaryTokenPrivilege
- Error allocating memory.
- AutoIt
- TaskbarCreated
- /AutoIt3ExecuteScript
- /AutoIt3ExecuteLine
- /AutoIt3OutputDebug
- /ErrorStdOut
- CMDLINE
- CMDLINERAW
- >>>AUTOIT NO CMDEXECUTE<<<
- edit
- AutoIt v3
- runas
- NULL
- RAISE
- CLEAR
- NUMBER
- WINDESCRIPTION
- DESCRIPTION

- SOURCE
- HELPFILE
- HELPCONTEXT
- SCRIPTLINE
- RETCODE
- STOP
- HCONOUT$
- WUSER32.DLL
- UNICODE
- UTF-16LE
- UTF-8
- Program:
- Runtime Error!
- <program name unknown>
- HMicrosoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- - abort() has been called
- R6010
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- nKERNEL32.DLL
- Sunday

• Monday
• Tuesday
• Wednesday
• Thursday
• Friday
• Saturday
• January
• February
• March
• April
• June
• July
• August
• September
• October
• November
• December
• am/pm
• mscoree.dll
• Ijjj
• Ijjj
• D|DiD
• </dependency>
• </dependentAssembly>
• <assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" language="*" processorArchitecture="*" publicKeyToken="6595b64144ccf1df"></assemblyIdentity>
• <dependentAssembly>
• <dependency>
• </trustInfo>
• </security>
• </requestedPrivileges>
• <requestedExecutionLevel level="asInvoker" uiAccess="false"></requestedExecutionLevel>
• <requestedPrivileges>
• <security>
• <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
• IEND
• nB8Nw
• yf_3
• <A*6
• $G6r
• NqWE
• `u~i
• _|46
• '?u:
• =/E(
• ni07eeei-
• 73t~
• 7:2"B&
• se6a
• \\2I^g
• _$ 7
• {4lE
• 'tos(
• Zz3E
• 6`ff
• ?6*F

- _AK^y
- etNV7
- Y.5u
- EC~wAP
- J7=tW
- a|h-
- .Y<A
- sEH&
- LYFgguU>
- Rw9]
- 36Z9%
- `s<Jo
- d84t
- L37-
- o`FZKzu
- ?3q1B
- 7D j
- 6MXH
- KjYE
- \\WE9U
- ,IBt
- UUUQfF&
- `u~G
- *75o
- GQu8i
- M|I4
- sO{k
- ?t8H
- IDATx
- IHDR
- 8**6[
- `abcdefghijkmno]
- $Id: qmath.h,v 1.1 2004/01/15 19:50:35 jonbennett Exp $
- +o*7
- MGiI
- 9a&g;
- i]Wb
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- .?AVtype_info@@
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- OLEAUT32.dll
- ole32.dll
- IIDFromString
- OleUninitialize
- CoSetProxyBlanket
- CoCreateInstanceEx
- CoInitializeSecurity
- CLSIDFromProgID
- CreateBindCtx

- ProgIDFromCLSID
- CoTaskMemFree
- CoTaskMemAlloc
- CreateStreamOnHGlobal
- CoUninitialize
- CoInitialize
- StringFromGUID2
- CLSIDFromString
- OleSetContainedObject
- MkParseDisplayName
- OleSetMenuDescriptor
- SHELL32.dll
- DragFinish
- DragQueryPoint
- ShellExecuteExW
- SHGetFolderPathW
- DragQueryFileW
- SHEmptyRecycleBinW
- SHBrowseForFolderW
- SHFileOperationW
- SHGetPathFromIDListW
- SHGetDesktopFolder
- SHGetMalloc
- ExtractIconExW
- Shell_NotifyIconW
- ShellExecuteW
- ADVAPI32.dll
- COMDLG32.dll
- GetSaveFileNameW
- GetOpenFileNameW
- GDI32.dll
- ExtCreatePen
- StrokeAndFillPath
- StrokePath
- EndPath
- SetPixel
- CloseFigure
- LineTo
- AngleArc
- MoveToEx
- Ellipse
- PolyDraw
- BeginPath
- Rectangle
- SetViewportOrgEx
- GetObjectW
- SetBkMode
- RoundRect
- SetBkColor
- CreatePen
- CreateSolidBrush
- SetTextColor
- CreateFontW
- GetTextFaceW
- GetStockObject
- CreateDCW
- GetPixel

- DeleteDC
- GetDIBits
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- GetTextExtentPoint32W
- DeleteObject
- GetDeviceCaps
- USER32.dll
- KERNEL32.dll
- USERENV.dll
- DestroyEnvironmentBlock
- UnloadUserProfile
- CreateEnvironmentBlock
- LoadUserProfileW
- PSAPI.DLL
- WININET.dll
- WNetAddConnection2W
- WNetGetConnectionW
- WNetCancelConnection2W
- WNetUseConnectionW
- COMCTL32.dll
- ImageList_DragMove
- ImageList_EndDrag
- ImageList_DragLeave
- ImageList_DragEnter
- ImageList_BeginDrag
- ImageList_SetDragCursorImage
- ImageList_Remove
- ImageList_Destroy
- ImageList_ReplaceIcon
- ImageList_Create
- InitCommonControlsEx
- waveOutSetVolume
- mciSendStringW
- VERSION.dll
- VerQueryValueW
- GetFileVersionInfoW
- GetFileVersionInfoSizeW
- WSOCK32.dll
- BSR_UNICODE)
- ANY)
- NO_START_OPT)
- UCP)
- UTF8)
- DEFINE
- Error text not found (please report)
- advapi32.dll
- FILE
- AU3!
- %02X
- EA06
- \\c must be followed by an ASCII character
- this version of PCRE is not compiled with PCRE_UCP support
- (*MARK) must have an argument
- different names for subpatterns of the same number are not allowed
-] is an invalid data character in JavaScript compatibility mode

- digit expected after (?+
- subpattern name expected
- number is too big
- (*VERB) not recognized
- an argument is not allowed for (*ACCEPT), (*FAIL), or (*COMMIT)
- a numbered reference must not be zero
- \\g is not followed by a braced, angle-bracketed, or quoted name/number or by a plain number
- inconsistent NEWLINE options
- repeating a DEFINE group is not allowed
- DEFINE group contains more than one branch
- internal error: previously-checked referenced subpattern not found
- internal error: overran compiling workspace
- octal value is greater than \\377 (not in UTF-8 mode)
- repeated subpattern is too long
- too many named subpatterns (maximum 10000)
- subpattern name is too long (maximum 32 characters)
- unknown property name after \\P or \\p
- malformed \\P or \\p sequence
- support for \\P, \\p, and \\X has not been compiled
- invalid UTF-8 string
- two named subpatterns have the same name
- syntax error in subpattern name (missing terminator)
- unrecognized character after (?P
- recursive call could loop indefinitely
- closing) for (?C expected
- number after (?C is > 255
- PCRE does not support \\L, \\l, \\N{name}, \\U, or \\u
- \\C not allowed in lookbehind assertion
- invalid condition (?(0)
- character value in \\x{...} sequence is too large
- spare error
- this version of PCRE is not compiled with PCRE_UTF8 support
- POSIX collating elements are not supported
- unknown POSIX class name
- assertion expected after (?(
- conditional group contains more than two branches
- malformed number or name after (?(
- lookbehind assertion is not fixed length
- unrecognized character after (?<
- internal error: code overflow
- unmatched parentheses
- failed to get memory
- regular expression is too large
- parentheses nested too deeply
- missing) after comment
- unknown option bit(s) set
- erroffset passed as NULL
- reference to non-existent subpattern
- missing)
- POSIX named classes are supported only within a class
- unrecognized character after (? or (?-
- internal error: unexpected repeat
- operand of unlimited repeat could match the empty string
- nothing to repeat
- range out of order in character class
- invalid escape sequence in character class
- missing terminating] for character class

- number too big in {} quantifier
- numbers out of order in {} quantifier
- unrecognized character follows \\
- \\c at end of pattern
- \\ at end of pattern
- no error
- xdigit
- word
- space
- punct
- print
- graph
- digit
- blank
- ascii
- alnum
- upper
- lower
- alpha
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- Ugaritic
- Tifinagh
- Tibetan
- Thai
- Thaana
- Telugu
- Tamil
- Tai_Viet
- Tai_Tham
- Tai_Le
- Tagbanwa
- Tagalog
- Syriac
- Syloti_Nagri
- Sundanese
- Sinhala
- Shavian
- Saurashtra
- Samaritan
- Runic
- Rejang
- Phoenician
- Phags_Pa
- Osmanya
- Oriya
- Old_Turkic
- Old_South_Arabian
- Old_Persian
- Old_Italic
- Ol_Chiki
- Ogham
- New_Tai_Lue
- Myanmar
- Mongolian
- Meetei_Mayek
- Malayalam
- Lydian

- Lycian
- Lisu
- Linear_B
- Limbu
- Lepcha
- Latin
- Khmer
- Kharoshthi
- Kayah_Li
- Katakana
- Kannada
- Kaithi
- Javanese
- Inscriptional_Parthian
- Inscriptional_Pahlavi
- Inherited
- Imperial_Aramaic
- Hiragana
- Hebrew
- Hanunoo
- Hangul
- Gurmukhi
- Gujarati
- Greek
- Gothic
- Glagolitic
- Georgian
- Ethiopic
- Egyptian_Hieroglyphs
- Devanagari
- Deseret
- Cyrillic
- Cypriot
- Cuneiform
- Coptic
- Common
- Cherokee
- Cham
- Carian
- Canadian_Aboriginal
- Buhid
- Buginese
- Braille
- Bopomofo
- Bengali
- Bamum
- Balinese
- Avestan
- Armenian
- Arabic
- THEN
- SKIP
- PRUNE
- FAIL
- COMMIT
- ACCEPT
- MARK

- AU3_FreeVar
- AU3_GetPluginDetails
- kernel32.dll
- IsThemeActive
- uxtheme.dll
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- __based(
- __pascal
- __thiscall
- __fastcall
- __eabi
- __ptr64
- __restrict
- __unaligned
- new
- delete
- operator
- `vftable'
- `vbtable'
- `typeof'
- `local static guard'
- `vbase destructor'
- `vector deleting destructor'
- `default constructor closure'
- `scalar deleting destructor'
- `vector constructor iterator'
- `vector destructor iterator'
- `vector vbase constructor iterator'
- `virtual displacement map'
- `eh vector constructor iterator'
- `eh vector destructor iterator'
- `eh vector vbase constructor iterator'
- `copy constructor closure'
- `udt returning'
- `RTTI
- `local vftable'
- `local vftable constructor closure'
- new[]
- delete[]
- `omni callsig'
- `placement delete closure'
- `placement delete[] closure'
- `managed vector constructor iterator'
- `managed vector destructor iterator'
- `eh vector copy constructor iterator'
- `eh vector vbase copy constructor iterator'
- `dynamic initializer for '
- `dynamic atexit destructor for '
- `vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `managed vector copy constructor iterator'
- `local static thread guard'
- Type Descriptor'
- Base Class Descriptor at (

- Base Class Array'
- Class Hierarchy Descriptor'
- Complete Object Locator'
- 700PP
- ('8PW
- e+000
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- UNICODE
- UTF-16LE
- UTF-8
- log10
- sinh
- cosh
- tanh
- asin
- acos
- atan2
- modf
- ldexp
- _cabs
- fmod
- frexp
- _logb
- _nextafter
- 700WP
- (8PX
- Unknown exception
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- CorExitProcess
- bad allocation
- NvAwMv0
- Buo>Bu
- 5.vp
- 3.v\\9.v
- 1vM)v2
- 1vsn2v)
- u.v4
- ,v05,v

- ".v3
- w99.vF
- ,v1#-v1
- i$vm
- o$v!
- Nt5f
- Nt5f
- Ot/f
- Nt0f
- 8*u
- Ht5f
- Ot;f
- Nt5f
- @u\t@
- @u1@
- wLt9
- tlWh0
- tEhL
- D$8P
- tl95p
- \\$48
- va8] t
- Gu#@
- 5tEf
- L$8Q
- \\$,9_
- soSh
- D$0PQ
- D$0PV
- L$0Q
- D$0Ft5
- D$0F
- 5T&H;
- 5T&H;
- K4;K\\
- 5T&H;
- HPjOQ
- VWPh0
- L$0Q
- D$0P
- 4SVW
- D$0P
- 4SVW
- y9=
- 4SVW3
- f9T{
- 89t$
- L$0Qh
- D$4P
- L$0QQ
- Kt3Kt
- L$0R
- L$8Q
- |$DO
- 9\\$D
- L$4R
- L$0f

- L$8QV
- 80u
- Ht2Hub
- >_^3
- |$4u
- T$4R
- T$8R
- D$8P
- T$PRu
- L$8Q
- T$0R
- PjoQ
- D$4PS
- L$0QS
- 9\\$l
- L$4QP
- L$4u
- L$`3
- D$49D$
- 9|$4
- \\$4t
- D$0RP
- D$0+
- 9L$$
- L$4Q
- 9F`t
- Nd9E
- 9Fdt
- PPj1Q
- t\t9E
- ~|Uu
- u8Sh0
- RPh0
- u28E
- Rt!3
- Ph,aH
- h,aH
- Pj0R
- U$+E
- U Rj
- 1E Rh0
- QVh0
- uM9p0uH
- v0Vh0
- ^0Sh0
- QRh0
- U 9M$u
- 9M u
- WVh0
- WVh0
- 5H$H
- t29]
- t79]
- U$S3
- WPh0
- 9>~$
- D$8P

- 9\\$(
- D$8PS
- D$8%
- T$8R
- T$8R
- D$0@
- \\$4f
- |$,Hu
- L$09L$(
- D$ 3
- \\$0C
- L$$;B0u
- t|j8
- tZj8
- D$4P
- T$0R
- 4SVW
- L$4Q
- D$8P
- L$0h
- T$0h
- T$0h8PH
- D$0h
- D$0h
- L$0h
- D$0h
- 8$uK
- u\tVS
- t\\j8
- L$4QV
- D$8P
- L$0
- L$0@
- u2SP
- >_^3
- L$0Q
- D$0P
- T$4R
- L$8Q
- T$4R
- T$0RW
- L$0QW
- T$0Rj
- L$0Q
- D$4P
- 6QWj
- 9|$
- L$4Q
- D$8P
- D$8P
- T$4R
- T$0RP
- D$4j
- |$PO
- 8\\ueFVS
- 8%u
- T$\\9s

- T$8R
- }(u\t2
- D$,0
- PQh0
- WVh0
- 5T&H;
- 5T&H;
- h8PH
- h4QH
- 8SVW
- ^0SP
- bub3
- Rh0~H
- E PQ
- E#PQ
- 8Xu0
- 80uLj
- L$4QP
- T$8R
- T$0R
- SVW3
- h9jF
- vOtX
- t!Hto
- t$0f
- L$ 3
- DunS
- D$l4
- D$`0
- D$0P
- T$0R
- D$4P
- L$8Q
- D$8P
- L$4Q
- L$0Q
- L$0Q
- T$4Rj
- 5x H
- T$0R
- D$0P
- WjD3
- t4jA
- h\\UH
- hhUH
- 8*u"
- 8\\u@j
- 8\\uP
- t\t^_2
- PVh0
- QRh0
- ERCP
- At8;
- usG;
- 8|u&j;|
- u\t_^[
- 8#u

- D$,3
- Rh8)H
- V4RP
- 8{u\tC
- 9\\$,t
- bub3
- Qh,aH
- Rh$aH
- 8Xu`j
- 80u{
- u!f;E
- t#1E
- QOWRS
- }0WS
- Ox-WS
- t-HuN
- D$$0
- t'HuN
- D$,0
- G;9r
- 98v-
- u2PPP8E
- WVSh4
- 7RQV
- L$8Q
- 8[u}C
- 8_u
- 8[tH
- 5\\"H
- 5\\"H
- 5\\"H
- T$0h(
- L$0Q
- L$8Q
- L$0Q
- D$4P
- D$0P
- 4SVWj
- 4SVWj
- 8\\u=
- 8:uK
- >[_3
- D$<h0
- L$0Q
- t\t_^2
- t0Ht
- SVW3
- ~XW3
- Pj0S
- Pj0Q
- Qj2h
- Pj0Q
- 5T&H;
- >_^3
- dw3i
- 0SVW
- R0WW

- u\t_^2
- u\t_^3
- Nx6;
- NxU;
- >.u=
- 5T&H;
- G0h>
- QRh0
- 5T&H;
- QRh0
- ;C0t
- S0Qj
- T$0R
- T$0Rj
- D$<0
- L$8j
- PQh2
- *L$8
- 9|uj
- F4;D$0~
- L$8Q
- D$0P
- \\$8f
- D$P3
- N4QP
- F4_^[
- C;^4|
- 9^4~d
- W9^$
- u Sj
- PVh4
- uEVWh$
- VWh4
- 6;7}
- T$4RP
- L$8Q
- L$D3
- 9T$(t
- 9D$$
- T$<5
- L$8j
- |$0Pj
- D$4PQ
- AQSR
- R8QP
- x,t2
- t{Ph0
- QRh0
- QRh0
- A~_^
- u\t_^2
- E(SV
- u\t_^2
- u\t_^2
- 5T&H;
- u\t_^2
- u\t_^2

- U,QP
- 9E$u
- 9E u
- U,QP
- M 9E$u
- 9E u
- 5T&H;
- u\t_^2
- E$SV
- RPh0
- u\t_^2
- U(QPh
- U SR
- u\t_^2
- U(QPh
- E$SV
- PGWha
- 9M$u
- 9M u
- QRh0
- VQh4
- VQh3
- VPh8
- ItCI
- WSh0
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- 9_^3
- uP9E
- 9N,~6
- 9_^3
- 9U(u2
- `u93
- E VP
- +u+G
- F$G3
- N4A;
- 9N,~6
- F0+M
- 9M(tH
- u)Wh
- :RuR3
- *<'u
- ;<<u
- 9_^3
- C<qu
- <4u.

- 3<'t
- ?\\u0
- @FVh0
- HH 9M
- \\u%G
- 9_^3
- :F`u
- #uZG
- t,9U(u$
- 5h!H
- F4_^[
- N88M
- ^8SPQ
- "u63
- F;7r
- 97v+
- F W3
- F0^]
- _4PS
- w0tY
- F4QP
- u^PW
- u$Sh
- u$Wh
- 2Wh0
- tlVh0
- HPlQS
- VWPh0
- PVh0
- QRh0
- tRJt6JuV
- QRh0
- QWh0
- QRh0
- QRh0
- QRh0
- 9X0u
- u\t9E
- QRh0
- t6Vj
- QRh0
- 5T&H;
- 5T&H;
- QRh0
- QRh0
- QRh0
- QRh0
- D$80
- V0Rh0
- N0Pj
- ;N0t
- PVh0
- PWh0
- PRh2
- QRh0
- QRh0
- RPh0

- uf_^2
- QRh0
- t<Ph0
- WVh0
- WVh0
- u tE
- u);}
- uV;}
- t1;]
- VUUU
- VUUU
- VUUU
- h0OH
- h OH
- 0SVW
- 0SVW
- Vh4YD
- Rh8)H
- 8^<t
- 8^=t
- 8^<t7
- 8^=u
- :;u<
- <G;u
- <G u
- <G u
- <G u
- <G(u
- <G u
- <G u
- <G u
- 8_^[]
- SVW3
- AQWP
- 9Y<v7
- ubVW
- t29s u-P
- t\t_^2
- ^,t2
- Qha;D
- h8uI
- uuWj
- h8uI
- 5 uI
- G0PV
- Xu!j
- 80u/
- 5<uJ
- t'h0
- E ;E
- 9] }`
- E ;E
- Pj2j
- uIPh
- u$Ph
- F4WhT
- D$$i

- L$0i
- h4aH
- h4aH
- 69>t
- 9:t:
- T$0RW
- L$8Q
- D$4PW
- L$4Qj
- V(@Aj
- D$4Pj
- L$4QW
-)D$0)D$4
- T$8R
- L$8Q
- D$8P
- L$8QW
- D$8P
- L$4QW
- D$8P
- 99t?
- u`SW
- PVh0
- u\t^[3
- tFPh0
- Vj0R
- u\tG;=
- u\t9E
- tBPh0
- PVh0
- pxW3
- 99u
- u\t_^2
- @t5f
- WVh0
- <0Tt
- uY_3
- u__3
- t"_^3
- :A`u
- :Cat
- :C`u
- u[_^3
- uF_^3
- 8ERCPt!
- :G,u
- U$@Pj
- 5;wl
- :G,u
- E,@Pj
- W\\9W|
- E,@Pj
- W\\9W|
- G\\9G|
- Wl+U
- U$@Pj
- W\\9W|

- U @Pj
- O\\9O|
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- O\\9O|
- U$@P
- 9_puu
- ;Gdu
- E$AQ
- E$AQ
- E$AQ
- U$@P
- E$AQ
- U$@P
- E(Ru:
- E AQ
- U @P
- ;Wu9
- U @P
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- :O,u
- O\\9O|
- G\\9G|
- O\\9O|
- G\\9G|
- G\\9G|
- O\\9O|
- O\\9O|
- O\\9O|
- G\\9G|
- G\\9G|
- G\\9G|
- :O,u
- :O,u
- :G,u
- w't2
- w.ti
- :G,u
- G\\9G|
- U @Pj
- W\\9W|
- G\\9G|
- G\\9G|
- G\\9G|
- G\\9G|
- M +u
- G\\9G|
- U$@Pj

- U$@Pj
- :G,u
- G\\9G|
- Z;whu
- G\\9G|
- G\\9G|
- OlQPV
- 9GPt
- G\\9G|
- 9G|t
- E t\t;u
- U$AQ
- t\t;u
- OhNH;
- ;O |
- 9O ~&
- ;O(w
- ;G(vU
- 9G ~+
- F;7r
- 97vC
- 50 H
- t1;}
- 5T&H;
- 5L&H;
- y]_^3
- 8crtsu
- dSV3
- hhUH
- 9_^[]
- 9A t
- 9A t
- 5,&H;
- Vh4aH
- 91t\t@
- 91t\t@
- hxaH
- f97t
- 58uJ
- 4A@f
- ukVW
- h,aH
- h,aH
- u\t_^2
- SVWu.
- =0$H
- t\t_^3
- ;VLuq
- t%h0
- L$<h0
- D$<h0
- SVW3
- t1VP
- u h4SH
- u h4SH
- =8&H;
- |=;E

- 9_dt
- 9_`u
- 9_\\u
- 9_Xu
- Pj0V
- ;pxuZ
- t2PV
- :}u#
- <{uH
- <(u)
- :Gat
- :G`u
- <Qu#F
- <\\u5F
- <\\u,
- <\\uEF
- u\t;E
- 'u`@
- xT;E
- 0u5+E
- KteKt)KuB
- L$0QR
- \\$4PS
- :f9_
- T$ R3
- RjoP
- T$4BR
- ~LW3
- PjoQ
- QjoR
- QRh4
- h8ZH
- u*PVQ
- uL9C
- h4YH
- Rh0MH
- PjoQ
- PVh4
- RVh4
- AQRP
- @ A;N
- 80u'
- 80u'
- 7Jf;
- ;Ad};
- h3\\B
- ^_[3
- 5`fI
- 5`fI
- 5`fI
- u`9]
- 5`fI
- t1SW
- 0K;]
- ;9u
- u\t9E
- u\t9p

- u"9U
- 9M$u
- =hfI
- QQSV3
- SVW3
- u+9u
- WVU3
- u'9E
- <8=u
- 5`fI
- 95hfI
- 5`fI
- h8,B
- SVWUj
- t(9}
- 3t(;
- -TrI
- %XrI
- =drI
- 5hrI
- |-;E
- Wj0S
- 80t/
- r"9U
- r"9U
- r 8^
- ~%9M
- 5TqI
- 5dqI
- =TqI
- t"Ou
- VW9]
- vL;5
- v4;5
- 9] SS
- 5lnI
- =hnI
- 5lnI
- 5\\fI
- 5tfI
- t$9U
- 8"u8
- %hfI
- 5hfI
- tAVWP
- "u\t3
- 8csm
- t@;E
- 2WWj
- WVS3
- 954oI
- 954oI
- Pf95
- Pf95
- 95,oI
- >:u8FV
- 50oI

- UVWS
- L$,3
- f9>t
- f9>t
- >=uu
- f9>t
- f9>t
- u%\tU
- tEHt0
- AWf;
- @tH9
- 9] t
- X 9}
- SVW3
- t"SS9] u
- 9](SS
- 9]$u
- ?If90t
- 90tW
- @u^V
- VVhU
- SWf9M
- 9w#k
- 9M$u
- uNSW
- f99u
- f99u
- f99u
- t;f99t6C;]
- SVW3
- t'Ou
- 80tT
- j0Xf
- u>9u
- u)jAXf;
- u+9u
- u)jAXf;
- h\\8H
- hd8H
- hl8H
- 5,hI
- 5t#H
- 5p#H
- 5x!H
- 5t!H
- 9csm
- 5lnI
- u,9E
- u,9E
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f

- @FA;
- HtbHu
- j-Y3
- =xfI
- SW3
- SW3
- t&:a
- t*9u
- t/9u
- f9;u
- t/9U
- 98t^
- @uoW
- t!9u
- _^[u
- SW3
- 9U(v
- 9U v
- 9u v&VQj;
- 9u(vEVSj
- 9U$tE+
- 9E vgPQj
- rC9U
- t,9U
- 9U(u
- >:u9;
- 9U tO9U$uE9U(uE3
- 9U uV
- t`9U
- tq9U
- 5lnI
- 5lnI
- =lnI
- woVW
- Vuy3
- SW9E
- SW3
- 0;1tt
- uTVWh
- 5@fI
- Vu<+
- v V3
- 4SVWj
- OLQW
- D8LP
- D8LSP
- ODSV
- F@vT2
- t?Hu
- u h4SH
- u h4SH
- U2SH
- v)VW3
- uKVj$
- t19_
- G%8E
- L$0Q

- VW8X
- v)VW3
- 0f;1u
- Gt'Ju
- 0f;1u
- T$4R
- T$p3
- 8f;9u
- 8f;9u
- 9D$\\
- 9t$L
- |$4j
- L$0Q
- 0f;1
- ;T$4
- L$0PQ
- D$4@
- =lel
- =Hel
- 5del
- 5@el
- =$el
- =ldl
- =hdl
- =Hdl
- =Ddl
- =$dl
- = dl
- =pcl
- =lcl
- =Lcl
- =Hcl
- =(cl
- =$cl
- =tbl
- =pbl
- =Pbl
- =Lbl
- =,bl
- =(bl
- =xal
- =tal
- =Tal
- =Pal
- =<al
- =8al
- =0al
- =,al
- =|`l
- =x`l
- =d`l
- =``l
- =X`l
- =T`l
- =4`l
- =0`l
- =|_l

- =_I
- =X_I
- =8_I
- =4_I
- =`^I
- =\\^I
- =<^I
- =8^I
- =d]I
- =`]I
- =L]I
- =H]I
- =@]I
- =<]I
- 5,\\I
- =t\\I
- =p\\I
- =h\\I
- =d\\I
- =D\\I
- =@\\I
- = \\I
- =x[I
- 5T[I
- 50[I
- = VI
- 5HUI
- = UI
- 5\\PI
- 5$LI
- 5pKI
- 5lKI
- 5,JI
- =|HI
- =\\GI
- 5`FI
- 5pBI
- 5pAI
- =,AI
- 54?I
- 5X5I
- =d3I
- 5`3I
- =\\3I
- 5T3I
- =83I
- 503I
- =|2I
- 5h1I
- 5H1I
- 5D1I
- =\\2I
- =X2I
- =82I
- =42I
- =`1I
- =\\1I

- =<1I
- =81I
- 5l0I
- =d0I
- =`0I
- =@0I
- =<0I
- =l/I
- 5d/I
- 5H/I
- 5$/I
- 5p.I
- 5L.I
- Ox?3
- H0^]
- teW3
- ar#f
- <pF3
- 0|.f
- ?~0f
- u@8E
- T$8R
- D$4P
- F$S3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- Prompt
- MS Shell Dlg
- dword_ptr
- long_ptr
- int_ptr
- hwnd
- struct
- -----
- .dll
- SELECTSTRING
- FINDSTRING
- ADDSTRING
- \\\\[\\\\nrt]|%%|%[-+ 0#]?([0-9]*|*)?(\\.[0-9]*|\\.*)?[hlL]?[diouxXeEfgGs]
- REG_SZ
- HKCC
- HKCR
- HKLM
- stdcall
- USERDNSDOMAIN
- WIN_XP
- SW_SHOW
- SW_LOCK
- CRLF
- LOGONDNSDOMAIN
- \\CLSID
- DLLStruct
- String
- .lnk

- \\??\\%s
- CDTRAY
- CHRW
- DLLCALL
- DLLCALLBACKGETPTR
- DLLCLOSE
- DLLSTRUCTCREATE
- DLLSTRUCTGETDATA
- DLLSTRUCTGETPTR
- DLLSTRUCTGETSIZE
- DLLSTRUCTSETDATA
- DUMMYSPEEDTEST
- FILECREATENTFSLINK
- FTPSETPROXY
- GUICTRLCREATEAVI
- GUICTRLCREATEBUTTON
- GUICTRLCREATECHECKBOX
- GUICTRLCREATECOMBO
- GUICTRLCREATECONTEXTMENU
- GUICTRLCREATEDATE
- GUICTRLCREATEDUMMY
- GUICTRLCREATEEDIT
- GUICTRLCREATEGRAPHIC
- GUICTRLCREATEGROUP
- GUICTRLCREATEICON
- GUICTRLCREATEINPUT
- GUICTRLCREATELABEL
- GUICTRLCREATELIST
- GUICTRLCREATELISTVIEW
- GUICTRLCREATELISTVIEWITEM
- GUICTRLCREATEMENU
- GUICTRLCREATEMENUITEM
- GUICTRLCREATEMONTHCAL
- GUICTRLCREATEOBJ
- GUICTRLCREATEPIC
- GUICTRLCREATEPROGRESS
- GUICTRLCREATERADIO
- GUICTRLCREATESLIDER
- GUICTRLCREATETAB
- GUICTRLCREATETABITEM
- GUICTRLCREATETREEVIEW
- GUICTRLCREATETREEVIEWITEM
- GUICTRLCREATEUPDOWN
- GUICTRLDELETE
- GUICTRLGETHANDLE
- GUICTRLGETSTATE
- GUICTRLREAD
- GUICTRLRECVMSG
- GUICTRLREGISTERLISTVIEWSORT
- GUICTRLSENDMSG
- GUICTRLSENDTODUMMY
- GUICTRLSETBKCOLOR
- GUICTRLSETCOLOR
- GUICTRLSETCURSOR
- GUICTRLSETDATA
- GUICTRLSETDEFBKCOLOR
- GUICTRLSETDEFCOLOR

- GUICTRLSETFONT
- GUICTRLSETGRAPHIC
- GUICTRLSETIMAGE
- GUICTRLSETLIMIT
- GUICTRLSETONEVENT
- GUICTRLSETPOS
- GUICTRLSETRESIZING
- GUICTRLSETSTATE
- GUICTRLSETSTYLE
- GUICTRLSETTIP
- GUIGETSTYLE
- GUISETSTYLE
- HTTPSETPROXY
- HTTPSETUSERAGENT
- HWND
- ISDLLSTRUCT
- ISHWND
- MSGBOX
- SQRT
- STRING
- STRINGADDCR
- STRINGINSTR
- STRINGRIGHT
- STRINGSPLIT
- STRINGSTRIPCR
- STRINGSTRIPWS
- TCPCLOSESOCKET
- TCPRECV
- TCPSEND
- TCPSHUTDOWN
- TCPSTARTUP
- @GUI_CTRLHANDLE
- %s (%d) : ==> %s:
- %s (%d) : ==> %s:
- SWITCH
- *.*
- [\\]^_`
- :;<=>?@
- Shell_TrayWnd
- PGDN
- PRINTSCREEN
- LCTRL
- RCTRL
- LSHIFT
- RSHIFT
- CTRLDOWN
- CTRLUP
- Run Script:
- %s (%d) : ==> %s:
- Line %d (File "%s"):
- %s (%d) : ==> %s.:
- wstr
- bstr
- hwnd
- int_ptr
- long_ptr
- dword_ptr

- struct
- [CLASS:
- %s%d
- CLASSNN
- SHELLDLL_DefView
- LASTDLLERROR
- H
- h((((H
- (((((H
- pccs
- (null)
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- jjjj
- Hjjj
- jjjj
- Hjjj
- Hjjj
- jjjjh
- jjjj
- jjjj
- jjjjj
- jjjjj
- Hjjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- Hjjj
- Hjjj
- jjjjj
- jjjj
- jjjj
- Hjjj
- </assembly>
- &=/'YH
- Z=TiNt#
- g\tf__
- xBg#
- hBxD-
- v'WMK
- `+|K
- ?R_
- my*-
- YF-S
- x;]}
- XZB
-]S/?
- ^|!%>
- Zym@^^
- ?(kG
- |Sg
- XnFpL
- hR%;
- Rs+%!I
- sL{b.=

- nX{K
- QTpH
- PVQNm
-]t#M
- w$`Tr
- NoM)))r
- Qy-Y
- WVPN
- 0;%XQY
- &=~/%
- FR,9bx
- {.@Vf&
- }Yi|Cn
- >Y\\Y
- pd\\+
- Xx_{
- j|SQ
- #>ZS
- ib;]<:g
- }wwfv
- pqrstuvwxyz{$--%"!\' \t&,[\\
- ..(#
- ?HNH
- #.zf
- wn>Jj
- Qkkbal
- n;^
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- StretchBlt
- MPR.dll
- WINMM.dll
- BSR_ANYCRLF)
- ANYCRLF)
- CRLF)
- ICMP.DLL
- (?R or (?[+-]digits must be followed by)
- cntrl
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- __cdecl
- __stdcall
- __clrcall
- `vcall'
- `string'
- xppwpp
- `h`hhh
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~

- _hypot
- xpxxxx
- `h```
- (null)
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- ~Mv]^Nv
- vTv\\
- Pvu\\Nv,INvBJNv
- .vO!.v
- >-v:
- -v&<.vCE.vcv.v
- -v]7.v
- /.vuG-v
- -vQ3.v
- ;.v@
- -vTs,v
- ,v`g,vyy1v
- .vQJ.v2},v
- T-vb
- >-v)~/v
- "-va>-vM
- g,v%9-vjX,v
- S.vb
- -vM7.v
- ,v+E.v
- ;-v(7.v
- vIkv
- &v;<j$v
- vhuv
- I'v]c'v
- h$v@f$vg
- f'vfd'v
- VSPj
- VSPj
- RjnP
- Pj~Q
- Rj~P
- Pj{Q
- Rj{P
- PjqQ
- RjyP
- Gt/f
- RPWS
- Gt/f
- RWSQ
- RWSP
- t*Ht
- QjnV
- Rj~P
- Qj~R
- Rj{P
- Qj{R
- Ht)f
- Gt:f

- Nt@f
- Gt*f
- PWSQ
- RjnP
- Qj|R
- Rj}P
- Qj{R
- Rj{P
- RjyP
- GtFf
- NtLf
- Gt/f
- QjzR
- Pj}Q
- PjrS
- RWVS
- QjrS
- QjrR
- QjrR
- DSVW
- RjrW
- PjnW
- t`HtNHuf
- RW@S
- _^[Y]
- _^[Y]
- VSWP
- _^[Y]
- VSWP
- _^[Y]
- VSWP
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- VSWP
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]

- _^[Y]
- _^[Y]
- VSQW
- L$<Q
- L$XQPhx
- T$DR
- G;|$
- L$(Q
- \\$T;
- PRhx
- L$$Q
- D$8PQhx
- T$DR
- D$ PW
- RPQW
- _^[]
- PjrS
- _^[]
- _^[]
- _^[]
- t[8X@tV
- PWVQ
- L$HQSP
- D$(P
- L$ Q
- T$ RS@Phx
- D$ PQ
- D$ P
- T$$R
- $SVW
- T$$RQ
- T$ P
- F;t$
- D$PP
- ;D$Hr
- |$H;
- L$hQ
- D$,P
- T$@R
- C;\\$
- ;D$$r
- L$hQ
- D$$;
- T$hR
- L$,Q
- t$ j
- ;D$$|
- L$hQ
- |$$;
- L$hQ
- D$,P
- ;D$$r
- D$hP
- |$$;
- D$hP
- T$,R
- L$hQ

- D$,P
- T$dR
- L$$Q
- D$hP
- D$,R
- |$ WR
- XVQR
- hVQR
- xVQR
- HVQR
- D$$PQh0
- T$ QRh
- L$$QRh0
- L$PQj
- T$(Rj
- T$ QRj
- T$$RPh0
- T$xRj
- D$<Pj
- t$$<
- Pj\th
- D$PPj
- L$(Qj
- T$xRj
- D$<Pj
- s VR
- VVVR
- D$$PVh0
- T$PRj
- T$tj
- L$PQj
- =T&H;
- SPjNQ
- QRSP
- Ht4Ht*Ht
- D$ P
- L$ QV
- D$ PV
- D$ Pj
- T$ RP
- T$ R
- L$ QP
- D$$PV
- D$4PQR
- T$ R
- L$ Q
- PQR
- _^[Y]
- _^[Y]
- T$ Rj
- SRQP
- \\$,+\\$$
- D$(+D$
- L$$QR
- $SVW
- L$ QV
- L$(Q

- \\$$j
- T$(R
- L$(Q
- ;D$ v
- T$(R
- D$(P
- L$,Q
- tQWV
- PRj\tQ
- QRPV
- L$ Q
- L$ Q
- T$,R
- T$<R
- G;|$
- L$HQh
- L$$Q
- T$ @RP
- L$$Q
- F;t$
- L$Hh
- D$(P
- T$Hh
- L$&Q;
- D$Hh
- T$$R
- L$Hh
- D$"P
- T$Hh
- D$Ph
- T$$R
- L$Ph
- T$$R
- D$ PP
- L$,Q
- T$(RR
- L$pP
- L$XQP3
- F;t$
- ~{@Pj
- t$(PV
- T$(RP
- T$,Rh
- T$<RP
- Rhh)H
- D$,P
- |$(j
- L$$j
- T$$j
- D$<P
- T$@R
- D$@P
- =T"H
- $SVW
- PQWR
- L$LR
- D$DQ

- T$<P
- D$,Q
- L$Hh,aH
- t$;\\$$
- D$(f
- L$,f
- D$ P
- L$ Q
- L$hQ
- L$ Q
- T$$R
- L$ WQ
- D$TP
- L$TQ
- L$PQ
- L$(Qj
- D$DP
- T$`RW
- T$lRP
- L$HQPP
- D$.f
- Rj h
- T$,R
- L$(Q
- D$$P
- D$ P
- L$,Q
- D$(P
- T$$R
- T$ R
- L$XQVS
- D$$P
- T$TRP
- D$,P
- T$(R
- L$$Q
- L$ Q
- L$,Q
- D$(P
- T$$R
- T$ R
- T$,R
- L$(Q
- D$$P
- D$ P
- T$,R
- L$(Q
- D$$P
- D$ P
- T$,R
- L$(Q
- D$$P
- D$ P
- L$HQP
- T$@R
- L$,Q
- D$(P

- T$$R
- T$ R
- D$,P
- T$(R
- L$$Q
- L$ Q
- PjnQ
- @t'f
- GtP+
- D$(P
- D$ P
- T$ R
- ;\\$l
- L$dQR
- T$|R
- t$lFVj
- D$`P
- L$xQ
- ;t$l
- T$h+
- D$PP
- D$XR
- D$(P
- t$h9t$l
- D$,t
- T$@R
- L$l;
- _^[]
- L$$QP
- L$ QP
- L$,PVQ
- T$,PRV
- D$(;
- D$(@
- L$(;
- T$,WRP
- >;\\$
- D$,P
- L$,Q
- >;\\$
- ,SVW
- FlPWV
- V|PQR
- QRSW
- PSWV
- PSWV
- PSWV
- PSWV
- PSWV
- RPQSWV
- PQSW
- RQPSWV
- PQRSWV
- QRPSWV
- PSWV
- RQPSWV
- PQSWV

- PQRSWV
- RQPSWV
- RQPSWV
- PQRWV
- PSWV
- PSWV
- PSWV
- PSWV
- PSWV
- PSWV
- PSWV
- PSWV
- _^[]
- @SVWjX
- _^[]
- SRQP
- PjrQ
- TSVW
- _^[]
- _^[]
- M WRSPht
- QRh=
- =T&H;
- =T&H;
- j!j j
- Wj!j
- _^[]
- D$Dj
- D$@RPh
- C;\\$
- L$XQh
- T$XRj
- L$\\Q
- T$\\R
- h(~H
- T$\\RSP
- L$DQh
- D$PP
- =T&H;
- T$HQR
- D$HPS
- _^[]
- _^[]
- D$0_^[
- C;\\$(
- D$@P
- T$ RP
- T$ R
- T$ R
- D$0;D$(
- T$HRP
- T$,RQP
- L$,f;
- \\$$F
- T$,;
- <SVW
- hP"@

- _^Y]
- _^Y]
- _^[Y]
- D$$P
- T$ R
- T$<R
- T$ RPQ
- lSVW
- _^[]
- RPQV
- _^[]
- _^[]
- D$PP
- T$PR
- D$@h
- T$@h
- D$@P
- L$@h
- D$0h\\QH
- L$0htPH
- T$0hpPH
- D$0hlPH
- L$0hhPH
- T$0hdPH
- L$,Q
- D$@P
- L$@Q
- T$$RV
- L$@Q
- T$0htQH
- L$<QR
- D$HP
- (SVW
- H,RP
- Qhh)H
- T$(P
- D$$P
- |$DR
- h\\ZH
- h\\VH
- T$LRVS
- F;t$$|
- L$LQVS
- L$,Q
- T$,R
- T$ R
- D$ P
- D$ P
- T$$R
- D$ P
- L$,RPQ
- D$,Q
- T$ R
- tSVW
- WSWR
- WSWQ
- D$PP

- L$XQh
- D$xP
- L$pQP
- D$PP
- L$XQ
- T$(RSP
- D$dP
- L$(Q
- T$(f
- tSVW
- h\\VH
- VVVj
- QSRPV
- SSWR
- SSPQ
- D$ P
- QVRP
- D$@PQ
- L$@Q
- SVW
- D$$P
- D$$P
- D$$P
- D$$P
- D$ H
- D$$P
- =t H
- T$(Rj
- D$@P
- L$XQ
- D$DP
- T$`R
- D$$P
- L$$Q
- L$$Q
- T$ PR
- T$ PR
- L$ PQ
- T$Xj
- L$,Q
- D$@P
- T$,R
- D$XP
- T$DR
- L$`Q
- T$$R
- T$@RW
- D$@j
- T$$R
- D$ Ht
- D$PP
- L$,Q
- D$,P
- L$hQ
- D$DP
- T$PR
- T$tR

- D$@P
- T$XRj
- D$,P
- T$DR
- D$PP
- L$XQ
- L$(Q
- T$(RS
- L$,HPQ
- D$,P
- L$@Q
- D$(P
- D$,P
- T$,R
- T$XR
- L$DQ
- D$`P
- D$,P
- TSVWh
- >tFS
- PSQ
- QSVW
- T$$R
- D$$P
- L$(Q
- D$$P
- D$`P
- t$dPV
- T$XR
- ;L$\\
- L$tQ
- D$DP
- D$<t
- L$lQ
- D$pP
- T$dR
- L$ Q
- VVRQ
- _^[]
- _^[]
- _^[]
- QNVRW
- D$ Pj
- T$D;
- L$ Qj
- T$ Rj
- D$(j
- =P&H;
- WVPQ
- =T&H;
- =P&H;
- _^[]
- _^[]
- Vj\th
- _^[Y]
- _^[]
- QRWj

- _^[]
- RVPQ
- H^Y]
- =@&H;
- htPH
- hpPH
- hlPH
- hhPH
- hdPH
- hXPH
- hPPH
- h(PH
- h\\QH
- WQRVP
- t,j@
- w?t&
- H,QR
- QSj}
- WPQj
- t WS
- t QWQV
- QWPR
- >_^[
- _^[]
- tRWV
- t]WV
- SQSV
- D$XP
- D$tf
- D$tf
- T$tR
- L$XQ
- D$XX
- D$\\j
- \\$ S
- G;|$
- L$HQ
- D$TP
- KS@P
- D$$+
- L$(Q
- D$,P
- T$,R
- RQWP
- RQWP
- PWRR
- GtHt'Ht
- L$,Q
- HtkH
- T$(R
- T$(R
- ;D$$
- D$$P
- t$$RV
- D$(P
- T$$QR
- D$$9D$

- T$$9T$
- L$ f
- D$xD
- D$\\h
- D$PD
- L$$Q
- D$$P
- D$,P
- T$lRP
- L$<Qj@Vj
- T$(QR
- D$lP
- T$<Rj@Vj
- j@j@
- T$\\j
- D$$P
- D$$P
- t$DV
- T$$R
- L$$Q
- [_^]
- SWPj
- GWPj
- _^[]
- PjrQ
- L$<Qj
- D$$P
- D$,Pj
- D$$Ph
- D$@P
- D$@P
- D$@P
- T$@R
- D$@P
- L$@Q
- D$lP
- T$ PQRVS
- L$(WR
- L$lQ
- T$@R
- L$@Q
- D$@P
- T$DR
- D$ v'
- D$hD
- D$lWP
- (SVW
- _^[]
- JRFV
- h\\VH
- h\\VH
- D$@P
- T$HSR
- L$$Q
- D$@P
- QPSR
- T$@;s

- D$ j
- T$<R
- RWPQS
- L$ h
- L$@Q
- D$LP
- L$<Q
- wDVj
- D$ P
- G;|$
- D$$P
- T$ R
- L$,Q
- L$ Q
- D$,P
- G;|$
- RSPWj
- PSQWj
- PSQVR
- RSPVQ
- ~ ;M
- SPVQ
- SRVP
- _^[]
- _^[]
- PWWW
- =T&H;
- WQhs
- $SVWP
- _^[Y]
- SVWj
-]t\t[_2
-]t!;]
- T$$+T$
- L$ +L$
- L$,QVW
- T$,R
- L$,QP
- D|(P
- T$(R
- D$,PQ
- _^[]
- SVQW
- _^[]
- _^[]
- T$ +
- T$,RW
- D$,PW
- L$(Qh
- D$,PW
- T$,RQ
- D$,P
- T$,R
- t$$t4Ht
- L$,Q
- D$(P
- T$,RW

- L$(QP
- D$,PW
- t$SW
- [_^]
- SWPj
- GWPj
- PVQRSh$WH
- N SQV
- T$ RV
- L$(QV
- T$,RPj}
- L$$Q
- \\$$u#Sj
- \\$ f
- RVj
- T$ j
- <SVW
- T$ Rj
- L$ Qj
- T$(j
- DSVW
- _^[]
- HPWR
- WVPj
- FVPj
- hP}H
- t#h,}H
- WVSh$
- t"Ht\t_^2
- ;L$
- L$(Q
- RWPVj
- T$$R
- T$HR
- RPQh
- RVPQSh
- QjfR
- PQRh
- PVQRSh
- WjrQ
- QjfR
- SVWh
- D$<P
- =(#H
- L$<Q
- T$$R
- D$ P
- T$(RS
- RSSP
- T$ R
- T$ h
- L$ h
- D$ h
- T$ R
- SVWj
- 8\\t\tj\\
- (SVWj

- SVWj
- SVWj
- SVWj
- =(#H
- Mh\\VH
- L$<h
- T$,RP
- =\\"H
- QSVW
- $RPQ
- $RPQV
- RPSW
- RPWSQ
- QSVW
- _^[]
- _^[]
- SVWP
-)t?Q
- SWRP
- SVW
- SVW
- PVQW
- QVRW
- D$ PQW
- L$(Q
- SQRW
- SPQW
- tjS
- Pj@S
- j PQj
- RSPV
- PWVj
- RQVP
- x\ttH
- =T&H;
- Pj@V
- RQWP
- jdh,
- QVRS
- tPj
- VRPj
- TSVW
- C9P<t>
- SVWP
- QRFC
- PQh!
- RPVj
- PQVj
- QRVj
- RPVj
- RPVj
- PQVj
- QPVj
- =T&H;
- =T&H;
- =T&H;
- QPh<

- =T&H;
- SWhH
- jWSV
- xXf;
- TSVW
- QRPW
- vqh
- _^[]
- PPQj
- wqt<-
- FD9D$Dt
- D$,P
- L$DQR
- T$`R
- D$Pf
- D$<f
- FTQP
- FTRP
- VDRP
- FTRP
- NTPj
- WjcP
- |Z;T
- _^[]
- HPWR
- WVPj
- FVPj
- _^[]
- _^[]
- PQRh`VH
- KHVWh
- F SPV
- _^[]
- _^[]
- h\\VH
- QVh$
- VWh,
- [_^]
- [_^]
- _^[]
- _^[]
- tZj
- ^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- L$@Q
- D$DP
- \\$hf
- L$dP
- D$(P
- T$pj
- D$dj
- L$Hj

- D$Hj
- T$(j
- D$DP
- T$(R
- D$hf
- \\$df
- tWhP
- VRPQ
- tZWP
- _^[]
- f;p,r
- RPQP
- f;J,
- RLQP
- f;q,r
- f;P,
- =,$H
- _^[]
- t^j$
- _^[]
- VWj$
- _^[]
- E,Rh$MH
- F~_^
- Rh$MH
- N~_^
- C~_^
- QPRh
- W~_^
- WSPQR
- t!Qj
- N~_^
- PQSj
- V~_^
- =T&H;
- M QRW
- RQPj
- =T&H;
- W~_^
- PQSj
- =T&H;
- H~_^
- j SWRQ
- G~_^
- M PQ
- M QRh0
- F~_^
- _^[]
- _^[]
- _^[]
- _^[]
- _^[H
- F@;N<~
- VRPSQ
- ;F,}
- ;F,|
- 9M(t`;

- <)t^<:tW
- ;N,|
- ;F,|
- <=t4<>t
- PWRV
- ;V,}%
- ;F,|
- <)t!G
- VRGWPQ
- VRWP
- V$PQS
- RVPj
- QVRj
- VQGWRP
- VPGWQR
- FVh)
- Vh'
- Vh)
- FVh(
- FVh`
- Vh^
- Vh.
- S SR
- FVh_
- FVh/
- V\\RPQW
- crts
- QSVW
- PQWS
- thPV
- N$RQ
- _^[]
- _^[]
- hXYH
- _^[]
- VRh
- VQh
- BRPW
- T$,R
- D$$P
- D$(P
- L$ Q
- L$ Q
- T$,R
- D$$P
- Ht:Ht
- Ht:Ht
- _^[]
- [_^]
- _^[]
- F$h
- tZWP
- N`Rj
- NxQR
- v`Rh
- tZWP
- tZWP

- WSVQ
- PRVQ
- RPVQ
- RQPS
- RPht
- =T&H;
- RSh`
- T$(RWh+
- L$(Q
- L$ j
- @t\tj
- L$$WQ
- D$(Pj
- D$(Pj
- D$(Pj
- V0Qj\th
- D$(P
- L$XQj
- =T&H;
- |$;W
- T$$WR
- L$(QRh0
- dSVW
- PQht
- =T&H;
- QRWV
- RPWV
- PQWV
- RPWV
- PQWV
- QRWV
- RPWV
- PQSV
- PQWV
- tZWP
- D$(PQ
- D$(PQ
- SVWPh0
- _^[]
- VRj+W
- _^[]
- _^[]
- PRj V
- ;D$$|};D$,
- ;D$(
- ;D$
- T$ RV
- PSj{V
- VQRj
- WQRS
- SQRP
- SQRP
- SPRQ
- QSWV
- $RSWV
- RSWV
- _^[]

- RPQS
- QRPS
- t+;]
- PQRS
- RPQW
- QRPW
- ;M ~
- wWtN
- >ERCPt,
- _^[]
- _^[]
- PQRt
- PQRf
- QRVf
- XSVW
- Pj'h
- =\\!H
- Pj%h
- =\\!H
- WQhs
- Ph+p
- Ph*p
- Ph,p
- Ph)p
- =(&H;
- G$PV
- ^(^[
- <Q;t
- <G t
- <G t
- ;t/f
- <G t
- <G t
- <G t
- <G t
- <G t
- :_^[]
- >_^]
- ;Z<r
- FCf;
- __^[]
- __^[]
- ~\tf1<C@;
- tL<_tH<
- <(t|<"tx<%tt<\'tp<$tl<&th;<!td<ot`<]t\\<[tX<\\tT<
- Qj[V
- Qj[h
- Qj[V
- Qj[h
- _^[]
- _^[]
- _^[]
- _^[]
- h\t=C
- t=jch_0C
- h(~H
- h(~H

- Qj P
- _^[]
- _^[]
- ^_[]
- t+VR
- _^[]
- N,QR
- $RPQ
- FLWP
- _^[]
- _^[]
- _^[]
- =L'H
- _^[]
- BRPj,S
- @PQj+S
- =T'H
- QPt
- t!Wj
- _^[]
- _^[]
- _^[]
- RPWS
- tdWP
- QVWS
- Pj SWV
- L$ Q
- u'SSWVh
- D$(P
- QSSS
- D$,PW
- \\$ R
- T$<t
- T$ R
- T$<t<j
- @DPW
- _^[]
-
-)CHjGj
- =(&H;
- _^[Y]
- =T&H;
- FG;=
- N~_^
- QPhg
- =T&H;
- RQh>
- _^[]
- _^[]
- f\tF~_^
- f\tF~_^
- ^@_^[
- +~<+^@
- SVWPh0
- QRjSP
- PWSQR
- QWSR

- RPQV
- PQRW
- SVWj
- ;w$r&
- \\QPRV
- S\\RPQV
- SQVP
- SRVP
- <hv}
- t._^
- !"""""""##$%&\'()))))**+,-./KKKKKKKK001234566678789:;<=;<=KKKKK>?@ABCDEFGH
- WPQRSV
- Wl+W
- RQPV
- QRPSV
- WPQRSV
- Wl+W
- RQPV
- PQRSV
- WRPQSV
- WPQRSV
- WPQRSV
- WQRPSV
- WQRPSV
- WPQRSV
- WPQRSV
- WRPQSV
- WQRPSV
- WRPQSV
- WQRPSV
- PQRSV
- WRPQSV
- QRPSV
- WPQRSV
- PQRSV
- ;wxv
- WRPQSV
- WPQRSV
- ;wxv
- }Q;wls+
- WQRPSV
- WQRPSV
- ;wxv
- WQRPSV
- WRPQSV
- WQRPSV
- WQRPSV
- ;wxv
- ;wlr
- RWPVQ
- (_^[
- RPQV
- M$BR
- M$BR
- M(BR
- QRPV
- WRPQ

- RPQV
- QRPV
- M @P
- (_^[
- WPQRSV
- WPQRSV
- ;wxv
- ;wls
- F;wl
- ;wlsH
- Gl+G
- RQPV
- ;wls`
- WQRPSV
- WQRPSV
- ;wxv
- w<tD
- F;wl
- s$F;
- GlF;
- Gl+G
- QRPV
- ;wlsz
- GlF;
- Gl+G
- RQPV
- |);wl
- |^;wl
- ;wls
- Gl+G
- QRPV
- F;wls
- F;wls
- ';wls,
- F;wlr
- F;wlr
- F;wls
- Gl+G
- RQPV
- WRPQSV
- ;wxv
- t$BF;
- }1;wls
- WPQRSV
- PQRSV
- ;wxv
- |+;wl
- WQRPSV
- ;wxv
- t%@F;E
- }9;wls
- WRPQSV
- WRPQSV
- ;wxv
- |(;wl
- WQRPSV
- ;wxv

- }6;wls
- |&;wl
- WQRPSV
- ;wxv
- ;wls
- WRPQSV
- WRPQSV
- ;wxv
- ;wlr
- HFC:
- QRPSV
- WQRPSV
- |;;wl
- PWQVR
- WRPQSV
- RWPVQ
- QRPSV
- PWQVR
- Wl+W
- RQPV
- t%;wlsG
- ;wxv
- ;wlr
- ;wxw
- ;wxv
- ;wlr#
- ;Gxs
- Wl+W
- Wl+W
- ;wls`
- ;wxv
- Gl+G
- QRPV
- ;wls\\
- RQPV
- tm;wl
- 9G<t\t;wh
- WRPQCSV
- M BR
- WRPQ
- Wl+Wh
- ;wxs
- WQRP
- WRPQ
- ;G |
- ;G(w
- ;G(vL
- ;G |
- ;G }b
- ;G |
- QRPV
- M BR
- Wl+Wh
- =ERCPt
- hXNH
- hHNH
- WPQR

- VRPWS
- _^[]
- Vh+lC
- VRPj
- VRPj
- =T&H;
- VWh+
- VRPQ
- QhH)H
- _^[]
- hX)H
- h()H
- _^[]
- F ^]
- _^[]
- _^[]
- _^[]
- _^[]
- :crts
- M QS
- _^[]
- _^[]
- _^[]
- x@;w
- _^[]
- =,&H;
- upPPPj
- t\tj\tW
- [_^]
- A,Ht*Ht
- Qh$WH
- tth\\VH
- F PW
- hX|H
- h\\VH
- hD|H
- N Qj
- h\\VH
- h\\VH
- h\\VH
- SVWj*P3
- RPQj
- Qhh}H
- PjxPPh
- tYWV
- thWV
- s^[t
- [_^]
- SVPj
- _^[]
- Wj\tQ
- T$<R
- D$<h
- D$@P
- L$<Q
- T$<h
- PVj&S;

- QSj&S;
- =x'H
- Ht^HtTW
- _^[]
- QPSj
- PVQSRj
- Phx)H
- t^WP
- ;Gds
- PQRV
- <SVW
- Xd_^[]
- t"f+
- @t@f
- QSPW
- tZWP
- <}t <-t
- _^[]
- _^[]
- <)t)<|u
- W\\RPQV
- _^[]
- N@G:
- _^[]
- _^[]
- _^[]
- _^[]
- D$H;
- D$H;
- t$H;
- QjrW
- QjrW
- L$XQP
- D$\\PQ
- D$\\=
- D$lP
- T$hRh
- L$hQ
- t$$Sj
- t$$Sj
- D$lP
- T$hRh0
- L$hQ
- T$pRQW
- D$lP
- PjrS
- RjrP
- G PRV
- QjyP
- PjrQ
- Pj|Q
- RjrQ
- QjrS
- PjrW
- QjrR
- t$VV
- QjrS

- L$$PjnQ
- L$$PjlQ
- L$$PjkQ
- L$$PjmQ
- L$$PjnQ
- PjnV
- T$HR
- L$@Q
- T$$PR
- D$`PWQ
- \\$$j
- L$xQ
- T$LR
- L$DQ
- t$(P
- T$?R
- D$|Pjp
- D$;
- D$;
- D$ P
- D$;
- RjyP
- D$$P
- RjyP
- L$ QP
- L$ QP
- T$ R
- D$ PR
- D$p9D$\\
- PWSQ
- T$p9T$\\~
- PjpS
- Qj|R
- PjyQ
- PHQR
- Ph\\ZH
- h\\VH
- Qj{R
- Rj{P
- PjzQ
- hTZH
- h\\WH
- F;s r
- hXYH
-)t$D
- D$@+
- D$,P
- T$@R
- L$,Q
- D$@P
- D$(P
- h XH
- jshx
- jwhx
- D$(PQ
- L$ h\\VH
- D$ P

- T$ R
- L$$Q
- WQPV
- D$$PjeQ
- QVh$
- PVh,
- F;s r
- h\\WH
- hR\\B
- hf\\B
- hH\\B
- hM\\B
- h.\\B
- <$Xf
- _^[]
- SSSSS
- SSSSS
- tPVV
- ?sjj
- tSj=V
- tx~?j
- h|KH
- PPPPP
- +t HHt
- <+t"<-t
- tCVV
- VVVVj
- @hlKH
- <Xt
- v\tN+D$
- PPPPP
- _^[]
- @PWV
- SSSSW
- SSSSW
- UQPXY]Y[
- ;t$,v-
- h@,B
-]_^[
- SSSSS
- tCHt(Ht
- QSWVj
- VVVVV
- @PVS
- @PVS
- jdRP
- SQRP
- PPPPP
- QVj
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- hXCH

- hpCH
- PPPPPPPP
- _^[]
- PPPPPPPP
- _^[]
- QQSVWh
- t\tj\\Yf
- PPPPP
- Y[_^
- w\tf
- VVVVV
- VVVVV
- VVVVVQRSSj
- PVVRV
- PPPPP
- jd_Fj
- PSj?
- =|!H
- PSj?
- SSSSS
- t!PV
- j,h`
- Ht(f
- Ht%C
- t$WV
- _^[]
- SVWj
- [_^]
- URPQQh
- tRHtC
- _^[]
- t/Ht
- YYt.
- RPWS
- HHt$HHt
- t%HHt
- j@j
- _^[]
- j@j
- j@j ^V
- +t +
- -t!;
- WWWWQ
- _^[]
- s%j.Zf
- .t C;]
- sej\\Yf
- _^[]
- YYt/
- j Yf
- RPWS
- v\tN+D$
- ^SSSSS
- <v*V
- PPPPP
- Y_^[
- Y_^[

- _^[]
- t!Ht
- PPPPP
- Y;=H
- Fpt"
- Y_^[]
- _^[]
- =t!H
- t h
- Y__^[
- X^_]
- t&:Q
- t<:Q
- tR:Q
- YQPVh
- YY_^
- HYYtJHt9H
- @_^]
- HtcHt.
- j%Zf
- tNHt%
- tvHt#
- hl*H
- ht*H
- QQWf
- WWWWW
- j<SW
- j<SW
- j<SW
- TSj$h
- _^[]
- ^_[]
- YYVj
- HYYt
- tVPV
- ~,WPV
- _^[]
- SVWf
- ^_[]
- t?f;
- _^[]
- j-Xf
- j-Zf
- Sj Z
- ht(H
- hD*H
- hT*H
- t:f;
- ^[_]
- =X&H;
- h$MH
- jdh,
- h(NH
- C _H^
- QZ^&
- DSVW
- VPWSj

- VPVQ
- `SVW
- QVPP
- hTSH
- hDSH
- ?~)V
- ;s r
- {D9{ v
- QVRWj
- h(VH
- T$XR@Q
- T$PR
- L$$QS
- WSQRP
- SVQQQ
- _^[]
- XSVW
- QVWS
- h!\\B
- \\$$P
- D$(RP
- |$ f
- C;\\$8r
- T$dR
- L$;
- D$,;
- \\$dQ
- D$x;D$\\
- D$|@
- D$Dj
- T$x;T$p
- D$H;
- \\$L;
- ;D$\\
- D$p;D$D
- D$x;D$\\
- D$x@
- T$T;
- D$\\PQ
- D$l;
- L$p9L$\\
- D$`t
- T$xR
- L$hQ
- D$hP
- T$hR
- L$hQ
- t$T;
- L$LQVW
- D$GP
- D$xP
- QSVW
- _^[]
- [_^]
- SWPj
- GWPj
- BRQP

- L$,Q
- L$xQ
- T$(R
- T$@R
- D$D=
- T$@RW
- t$@f
- D$dP
- L$pQ
- D$tPh
- T$lR
- S@VW
- _^[]
- _^[]
- Zv!f
- ?~'f
- PSVW
- h(NH
- RPWS
- r$;=
- .rsrc