Analysis report for sample: 431ceaa2baef14549d3fc9959b33f872

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 9205 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 431ceaa2baef14549d3fc9959b33f872

AV detections

- Microsoft: PWS:Win32/Zbot
- Kaspersky: Trojan-Spy.Win32.Zbot.wuuc
- Symantec: ML.Attribute.HighConfidence
- Malwarebytes:

Original source url

-

Virustotal url

- https://virustotal.com/es/file/ac1d4ceccef03350c692daf8b6dfc653ea398d7da5c0e0c061c4029bb51f9b49/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- DebuggerCheck__QueryInfo ()
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- Big_Numbers1 (Looks for big numbers 32:sized)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name ihgyxuuwmuc.exe Alias P1
- Name cmd.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name WmiPrvSE.exe
- Name WinMail.exe
- Name conhost.exe

- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\AppData\\Roaming\\Eduggoiwohx\\ihgyxuuwmuc.exe PID: P1, Command line: "C:\\Users\\javi\\AppData\\Roaming\\Eduggoiwohx\\ihgyxuuwmuc.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe" /c "C:\\Users\\javi\\AppData\\Local\\Temp\\tmp3c81db27.bat")
- RegCreateKey (HKCU\\Software\\Microsoft\\Dioky Desired Access: Query Value, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Dioky Desired Access: Set Value, Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Dioky\\Rynafyysc Type: REG_BINARY, Length: 164, Data: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- url | valid domains | tlds: !.DJ
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx

- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA

- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount

- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime

- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW

- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: GetSystemPowerStatus

Involved hosts

- 185.43.181.137:80
- 185.43.182.56:80 (crl.microsoft.com)
- 185.43.182.59:80 (crl.microsoft.com)
- 192.168.133.179:49197
- 192.168.133.179:49200
- 192.168.133.179:49203
- 192.168.133.179:49206
- 192.168.133.179:49209
- 192.168.133.179:49214
- 192.168.133.179:49217
- 192.168.133.179:49222
- 192.168.133.179:49229
- 192.168.133.179:49234
- 192.168.133.179:49241
- 192.168.133.179:49244
- 192.168.133.179:49247
- 192.168.133.179:65378
- 192.168.133.179:68
- 192.168.133.254:67
- 192.168.133.2:53
- 216.58.210.174:80 (clients1.google.com)
- 23.55.149.163:80 (crl.geotrust.com)
- 23.55.155.27:80 (sr.symcd.com)
- 93.184.220.20:80 (ocsp.omniroot.com)
- 93.184.220.29:80 (ocsp.digicert.com)

Dns queries

- safe110413.com ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- crl.microsoft.com ---> 185.43.182.59, 185.43.182.56
- 59.182.43.185.in-addr.arpa ---> no answers
- 56.182.43.185.in-addr.arpa ---> no answers
- sr.symcd.com ---> 23.55.155.27
- 27.155.55.23.in-addr.arpa ---> no answers
- ss.symcd.com ---> 23.55.155.27
- ocsp.digicert.com ---> 93.184.220.29
- 29.220.184.93.in-addr.arpa ---> no answers
- ocsp.verisign.com ---> 23.55.155.27
- s2.symcb.com ---> 23.55.155.27
- 137.181.43.185.in-addr.arpa ---> no answers
- g2.symcb.com ---> 23.55.155.27
- clients1.google.com ---> 216.58.210.174
- g.symcd.com ---> 23.55.155.27
- crl.geotrust.com ---> 23.55.149.163
- ocsp.omniroot.com ---> 93.184.220.20

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.179:49197 ---> 185.43.182.59 (crl.microsoft.com) :80

GET /pki/crl/products/CodeSignPCA.crl HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com

• tcp 185.43.182.59 (crl.microsoft.com) :80 ---> 192.168.133.179:49197

HTTP/1.1 200 OK[...]Content-Length: 558[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:44 GMT[...]ETag: 0x8D4B38793BAF333[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 8cfe1595-0001-0043-0b79-e56d99000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:09:50 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1+0)[..."Copyright (c) 2000 Microsoft Corp.1#0![...]Microsoft Code Signing PCA[...]111110211944Z[...]420416234935Z[...]7050[...]%PIu@[...]\\0KF[...]1jT,5[...]Ud);[...]0JU%[...]?&Zm;^[...]HTTP/1.1 200 OK[...]Content-Length: 558[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:44 GMT[...]ETag: 0x8D4B38793BAF333[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 8cfe1595-0001-0043-0b79-e56d99000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:09:50 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1+0)[..."Copyright (c) 2000 Microsoft Corp.1#0![...]Microsoft Code Signing PCA[...]111110211944Z[...]420416234935Z[...]7050[...]%PIu@[...]\\0KF[...]1jT,5[...]Ud);[...]0JU%[...]?&Zm;^

• tcp 192.168.133.179:49200 ---> 185.43.182.56 (crl.microsoft.com) :80

GET /pki/crl/products/MicrosoftTimeStampPCA.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Tue, 17 Jan 2017 06:01:36 GMT[...]If-None-Match: "df568298770d21:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com[...]GET /pki/crl/products/microsoftrootcert.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 05 Feb 2017 06:01:25 GMT[...]If-None-Match: "45949148757fd21:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com[...]GET /pki/crl/products/tspca.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 24 May 2014 05:04:54 GMT[...]If-None-Match: "8ab194b3d77cf1:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com

• tcp 185.43.182.56 (crl.microsoft.com) :80 ---> 192.168.133.179:49200

HTTP/1.1 200 OK[...]Content-Length: 550[...]Content-Type: application/pkix-crl[...]Content-MD5: k63raOTKkVVvu7spLVxcwQ==[...]Last-Modified: Sun, 18 Jun 2017 02:03:39 GMT[...]ETag: 0x8D4B5EE3D0DE5F2[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 344ea982-0001-00db-7bd7-e7e3a6000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:10:25 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1!0[...]Microsoft Time-Stamp PCA[...]170617211726Z[...]170916093726Z[...]_0]0[...]170915212726Z0[...],Lkq[...]mN$Ik~[...]&sNIY;;[...]`G\tn:[...]}m\\$s,[...]HTTP/1.1 200 OK[...]Content-Length: 550[...]Content-Type: application/pkix-crl[...]Content-MD5: k63raOTKkVVvu7spLVxcwQ==[...]Last-Modified: Sun, 18 Jun 2017 02:03:39 GMT[...]ETag: 0x8D4B5EE3D0DE5F2[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 344ea982-0001-00db-7bd7-e7e3a6000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:10:25 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1!0[...]Microsoft Time-Stamp PCA[...]170617211726Z[...]170916093726Z[...]_0]0[...]170915212726Z0[...],Lkq[...]mN$Ik~[...]&sNIY;;[...]`G\tn:[...]}m\\$s,[...]HTTP/1.1 200 OK[...]Content-Length: 813[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:58 GMT[...]ETag: 0x8D4B3879BB907BF[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: b2ae2eb1-0001-003d-5f7c-e5f256000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:11:21 GMT[...]Connection: keep-alive[...]com1[...]microsoft1-0+[...]$Microsoft Root Certificate Authority[...]170421204855Z[...]170721090855Z0[...]100208014912Z[...]_0]0[...]`@V'[...]170720205855Z0[...]L.8g[...]\\5.[zW[...]K66L[...])(ne[...]60cj[...]pD4W[...]Z*Vjz,5[...].&$t+[...]4-)o*[...]HTTP/1.1 200 OK[...]Content-Length: 813[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:58 GMT[...]ETag: 0x8D4B3879BB907BF[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id:

b2ae2eb1-0001-003d-5f7c-e5f256000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:11:21 GMT[...]Connection: keep-alive[...]com1[...]microsoft1-0+[...]$Microsoft Root Certificate Authority[...]170421204855Z[...]170721090855Z0[...]1 00208014912Z[...]_0]0[...]`@V'[...]170720205855Z0[...]L.8g[...]\\5.[zW[...]K66L[...])(ne[...]60cj[...]pD4W[...]Z*Vjz,5[...].&$t+[...]4-)o*[...]HTTP/1.1 200 OK[...]Content-Length: 521[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:44:03 GMT[...]ETag: 0x8D4B3879ECF250D[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 64295581-0001-0025-2275-e5dfc3000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:11:32 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1#0![...]Microsoft Timestamping PCA[...]140514201017Z[...]440513202154Z[...]A0?0[...]rE/^[...][IeO![...]HTTP/1.1 200 OK[...]Content-Length: 521[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:44:03 GMT[...]ETag: 0x8D4B3879ECF250D[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 64295581-0001-0025-2275-e5dfc3000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Tue, 20 Jun 2017 17:11:32 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1#0![...]Microsoft Timestamping PCA[...]140514201017Z[...]440513202154Z[...]A0?0[...]rE/^[...][IeO!

• tcp 192.168.133.179:49203 ---> 23.55.155.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBR0JBRnBp%2F14Jg%2FXj4aa6BlKlQVdQQUAVmr5906C1mmZGPWzyAHV9WR52oCEDd6YdE47j7vbT 5gAcQZSFA%3D HTTP/1.1[...]Cache-Control: max-age = 401813[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 05:45:46 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: sr.symcd.com

• tcp 23.55.155.27 (sr.symcd.com) :80 ---> 192.168.133.179:49203

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1595[...]content-transfer-encoding: binary[...]Cache-Control: max-age=444792, public, no-transform, must-revalidate[...]Last-Modified: Sun, 18 Jun 2017 20:40:17 GMT[...]Expires: Sun, 25 Jun 2017 20:40:17 GMT[...]Date: Tue, 20 Jun 2017 17:10:31 GMT[...]Connection: keep-alive[...]20170618204017Z0s0q0I0[...]20170618204017Z[...]20170625204017Z0[...]~-oAs[...]C%A;fj[...]Symantec Corporation1[...]Symantec Trust Network1(0&[...]Symantec Class 3 EV SSL CA - G30[...]170428000000Z[...]170727235959Z091705[...].Symantec Class 3 EV SSL CA - G3 OCSP Responder0[...]F<5}[...](fcn\t>[...]TGV-E-10100[...]g0e0c[...]0T0&[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]O_arYS;F[...]uZ}z

• tcp 192.168.133.179:49206 ---> 23.55.155.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBTRsWSLjJ8N0Wujis0rUBfV%2Bc%2FAZAQUX2DPYZBV34RDFIpgKrL1evRDGO8CEGdEfYU2M8%2BE 10sRdr%2BgwuU%3D HTTP/1.1[...]Cache-Control: max-age = 474953[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Fri, 24 Mar 2017 01:25:34 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ss.symcd.com

• tcp 23.55.155.27 (sr.symcd.com) :80 ---> 192.168.133.179:49206

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1608[...]content-transfer-encoding: binary[...]Cache-Control: max-age=557691, public, no-transform, must-revalidate[...]Last-Modified: Tue, 20 Jun 2017 04:01:06 GMT[...]Expires: Tue, 27 Jun 2017 04:01:06 GMT[...]Date: Tue, 20 Jun 2017 17:10:36 GMT[...]Connection: keep-alive[...]20170620040106Z0s0q0I0[...]20170620040106Z[...]20170627040106Z0[...](>B)_mH[...]I%I`q\\Tq[...]@Z{a[...]Symantec Corporation1[...]Symantec Trust Network1/0-[...]&Symantec; Class 3 Secure Server CA - G40[...]170426000000Z[...]170725235959Z0@1>0<[...]5Symantec Class 3 Secure Server CA - G4 OCSP Responder0[...]:,**[...]HS\t1"1[...]$NMl9[...]m0$:[...]TGV-E-9770[...]g0e0c[...]0T0&[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]^3N{[...]@\\r>[...]*c?zE$[...]{+R9:[...]8o4w

• tcp 192.168.133.179:49209 ---> 93.184.220.29 (ocsp.digicert.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBSAUQYBMq2awn1Rh6Doh%2FsBYgFV7gQUA95QNVbRTLtm8KPiGxvDl7I90VUCEAH9o%2BtuynXIiEO LckvPvJE%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 06:23:55 GMT[...]If-None-Match: "58d60cfb-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUA BBQQX6Z6gAidtSefNc6DC0OInqPHDQQUD4BhHIIxYdUvKOeNRji0LOHG2eICEArSm9l2JWanyBwh%2B8dqML8%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 10:51:58 GMT[...]If-None-Match: "58d64bce-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBQQX6Z6gAidtSefNc 6DC0OInqPHDQQUD4BhHIIxYdUvKOeNRji0LOHG2eICEA%2F5JtXAPNylfCcqNAWMBfI%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 08:10:19 GMT[...]If-None-Match: "58d625eb-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com

• tcp 93.184.220.29 (ocsp.digicert.com) :80 ---> 192.168.133.179:49209

HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:10:42 GMT[...]Etag: "594917bb-1d7"[...]Expires: Tue, 27 Jun 2017 05:10:42 GMT[...]Last-Modified: Tue, 20 Jun 2017 12:40:27 GMT[...]Server: ECS (frf/87B3)[...]X-Cache: HIT[...]Content-Length: 471[...]20170619220000Z0s0q0I0[...]20170619220000Z[...]20170626220000Z0[...]FwX/[...];7>E[...]QVbR[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:10:42 GMT[...]Etag: "594917bb-1d7"[...]Expires: Tue, 27 Jun 2017 05:10:42 GMT[...]Last-Modified: Tue, 20 Jun 2017 12:40:27 GMT[...]Server: ECS (frf/87B3)[...]X-Cache: HIT[...]Content-Length: 471[...]20170619220000Z0s0q0I0[...]20170619220000Z[...]20170626220000Z0[...]FwX/[...];7>E[...]QVbR[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:10:48 GMT[...]Etag: "5949003b-1d7"[...]Expires: Tue, 27 Jun 2017 05:10:48 GMT[...]Last-Modified: Tue, 20 Jun 2017 11:00:11 GMT[...]Server: ECS (frf/8794)[...]X-Cache: HIT[...]Content-Length: 471[...]20170620102700Z0s0q0I0[...]20170620102700Z[...]20170627094200Z0[...]i<XC[...]a)?u[...]GCgh,m[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:10:48 GMT[...]Etag: "5949003b-1d7"[...]Expires: Tue, 27 Jun 2017 05:10:48 GMT[...]Last-Modified: Tue, 20 Jun 2017 11:00:11 GMT[...]Server: ECS (frf/8794)[...]X-Cache: HIT[...]Content-Length: 471[...]20170620102700Z0s0q0I0[...]20170620102700Z[...]20170627094200Z0[...]i<XC[...]a)?u[...]GCgh,m[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:11:04 GMT[...]Etag: "593e4eb2-1d7"[...]Expires: Tue, 27 Jun 2017 05:11:04 GMT[...]Last-Modified: Mon, 12 Jun 2017 08:20:02 GMT[...]Server: ECS (frf/87DC)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612074600Z0s0q0I0[...]|*4[...]20170612074600Z[...]20170619070100Z0[...]\\yA&~[...].Ofq[...],,qs[...]?svR[...]GHTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:11:04 GMT[...]Etag: "593e4eb2-1d7"[...]Expires: Tue, 27 Jun 2017 05:11:04 GMT[...]Last-Modified: Mon, 12 Jun 2017 08:20:02 GMT[...]Server: ECS (frf/87DC)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612074600Z0s0q0I0[...]|*4[...]20170612074600Z[...]20170619070100Z0[...]\\yA&~[...].Ofq[...],,qs[...]?svR

• tcp 192.168.133.179:49214 ---> 23.55.155.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBRIt2RJ89X%2B%2BhEzqoBeQg8PymQ2UQQUANhaTCXBIuWLMe9tuvPMXynxDWECECUM6OAwYS6fK4n3BU18%2BP0%3D HTTP/1.1[...]Cache-Control: max-age = 446935[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 17:35:31 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.verisign.com

• tcp 23.55.155.27 (sr.symcd.com) :80 ---> 192.168.133.179:49214

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1454[...]content-transfer-encoding: binary[...]Cache-Control: max-age=548061, public, no-transform, must-revalidate[...]Last-Modified: Tue, 20 Jun 2017 01:20:50 GMT[...]Expires: Tue, 27 Jun 2017 01:20:50 GMT[...]Date: Tue, 20 Jun 2017 17:10:53 GMT[...]Connection: keep-alive[...]20170620012050Z0s0q0I0[...]20170620012050Z[...]20170627012050Z0[...]q^a{`\'[...]3X35B[...]Y4~gY[...]My_e[...]VeriSign, Inc.1705[...].Class 3 Public Primary Certification Authority0[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G1 OCSP Responder Certificate 50[...]T+aH:[...]8lH^[...]K=sZf[...]T\\w\t:[...]Ca14[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-470[...]b4"8v

• tcp 192.168.133.179:49217 ---> 23.55.155.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEH7hSm9v7%2FLTfz%2BtZU062rQ%3D HTTP/1.1[...]Cache-Control: max-age = 567347[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 03:02:48 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEFE%2FuXQ4cLc0QEGNMJMGmf8%3D HTTP/1.1[...]Cache-Control: max-age = 461255[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 21:35:48 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com

• tcp 23.55.155.27 (sr.symcd.com) :80 ---> 192.168.133.179:49217

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=338270, public, no-transform, must-revalidate[...]Last-Modified: Sat, 17 Jun 2017 15:05:11 GMT[...]Expires: Sat, 24 Jun

2017 15:05:11 GMT[...]Date: Tue, 20 Jun 2017 17:10:59 GMT[...]Connection: keep-alive[...]20170617150511Z0s0q0I0[...]20170617150511Z[...]20170624150511Z0[...]%4cW[...]%L*a[...]bn@3[...].&20r[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]1rUZN[...]+S^0<6[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500[...]3130[...]NK&<[...];^p.D[...]VZpo[...]4q$/<[...]HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=550785, public, no-transform, must-revalidate[...]Last-Modified: Tue, 20 Jun 2017 02:10:58 GMT[...]Expires: Tue, 27 Jun 2017 02:10:58 GMT[...]Date: Tue, 20 Jun 2017 17:11:15 GMT[...]Connection: keep-alive[...]20170620021058Z0s0q0I0[...]20170620021058Z[...]20170627021058Z0[...]Q.N3C[...]&\tPb=[...]h0b5[...]?{j@[...]fTQc[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]1rUZN[...]+S^0<6[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500[...]3130[...]NK&<[...];^p.D[...]VZpo[...]4q$/<

• tcp 185.43.181.137:80 ---> 192.168.133.179:49222

HTTP/1.1 200 OK[...]Cache-Control: max-age=604800[...]Content-Type: application/octet-stream[...]Last-Modified: Wed, 19 Apr 2017 22:43:31 GMT[...]Accept-Ranges: bytes[...]ETag: "80ab755e5eb9d21:0"[...]Server: Microsoft-IIS/7.5[...]X-Powered-By: ASP.NET[...]Content-Length: 52608[...]Date: Tue, 20 Jun 2017 17:11:09 GMT[...]Connection: keep-alive[...]X-CCC: ES[...]X-CID: 2[...]MSCF[...]Je}[...]authroot.stl[...]E)7k[...]~7\'M[...]{fd<[...]jW89[...]$t:$([...]OO?c/;m[...]`*Uk[...]<d:l[...]"+ z([...]n12j[...]fd_$A[...]s=Y9[...]_BB>[...]DwuM[...]\\\t,R[...]OlDp[...]|Xt/n[...]b~W_[...]#\tvS[...]|8yx[...]lm\ton[...]4\tDU[...]Lz\t"[...]&_k5[...]6saC[...]<C7/[...]s*`\tb[...]*X=8zI[...]b#5^:d[...]`?xp[...]]NM)[...]Vo[[...]9k1Z[...]o`H_[...]P3*D[...]lOh9[...]TpQv[...]X0o}[...]V1d/[...]mHr,[...]:c1}[...]gz2v[...]S7oM)[...]yI|m[...]JA a[...]Tl\tr[...]ZMy$[...]t9#k[...]Vt(p[...]gdsN0[...]%x~s[...]e\\;g[...]*;W<T[...]9J%Yc[...]\\[Qy[...]&O;,E|U[...]AZDD[...]Nnjc[...]D?W$[...]->0mp[...]Y@)O[...]~9;E[...]Ml?T[...]z_uP(:[...]~.i*[...]m,2/[...]`[{5[...]_d{7[...]C\\,h[...]Kp;o[...]LFze[...]}7w"O,sD[...]3;*~&[...]Vr-M[...]j\',ox\'[...]\')=7[...]Z6x$O[...]T@>-{W[...]PrCv[...]$+R+[...]V&="[...]B+"Su[...]~=BFu[...]^qqG[...]}oD.[...]s>P;[...]B.`gl[...]sD^>[...]N\tlq[...]hZk:[...]7mIp[...]Qh<kn[...]xf-Ms[...]Hr:[...]x-Mj[...]8G0%uM[...]9e(u[...]!)WC[...]~B[MQ[...]LMP;~bP[...]wb3)[...]a!#s[...]Zb9:[...]y8-$[[...]3yK0*[...]1;|o[...]y}4k[...]^ja,[...]Sd[5[...]g"dw[...]U7k_[...]>s79I[...]y>uR[...]"B(v[...];AQG[...](/u[...]`Wka\';[...]l~|l[...]n{x/[...]4R$yI[...](Wuz[...]L`l2Qq[...]&9~\'[...]eFED[...]\'Y%6[...]]xv&[...]5e61[...]{BBA[...]k_[Z[...]E3-\tt[...]M//f[...]jN`N[...]V6`V[...]sj7P[...].!SM[...]!h[@[...]jK*>&[...]Hv[\\[...]X,;"[...]zafCf[...]xAGk[...]n[-Y[...]vyFgmny[...]#^V)[...]QYO5[...]dIRW[...]}OL&dV;[...]w7>q{[...]mliw[...]!U7Xf[...]*Im][...]d5|;^[...];hIS[...]?!pd[...]t2}I[...]}YhjZ2[...]kQAh[...]<5>8[...]udo[...]g4*s[...]k096[...]{W>\\[...]Br0M[...]g\\W/cb[...]+76*[...]?B%![...]W:c?[...]ME:,s[...]<5-K[...]=m n[...]W8"g[...]?sZ6>[...]"UYs[...]A,fp.[...]y7//[...]x$&_S[...]~>*9sq[...]Hcw[S[...]#EtF[...]-64`|g]n[...]b6G,[...]a/NH[...](co2[...]]y<Uk[..."d8B[...]0My9[...]9]Xt[...]a\tf7-2p[...]sc8b[...]gGpYMf[...](\'<_[C[...]C\\0w[...]^ng[X[...]JS0`[...]-^yG[...]o"1B,[...]8Mh8sTWF[...]Br_8[...]%Wgoz[...]~vHed[...]vS[...]8\tCd[...]]FV5[...]K!S([...]+0F.S[...]u5n6[...]AhLd[...]N8_H[...]A!}C[...]M<my[...]#Cs\tO[...]`U$>[...]X<t;|[...]5,)n[...]p5M6HO|~[...]T>z?[...]"&gC;[...]SZz"(([...]t6kfL([...]`_Rc[...]V%L8[...]Kk#J[...]Ab{=[...]Sh|9[...]8`kc[...]z{T8j[...]qK\'=I[...]`vtM[...]<7R;;[...]o9h{[...]^AT.[...]H\'/y[...]eoVc[...]\'661[...]iC:pe[...]|9^>[...]eH:_[...]4(<R[[...]]uWB[...]6Y$[[...]PvwN[...]Ig;2[...];r:X:r[...]9r}tw[...]#(ljZ[...]+!JJy[...]+ZCA[...]{#wN[...]^s]dZ[...]Zap4[...]JM*j[...]rBb[...]jY(c[...]{}\'Y[...]Bqr![...]^~ =6[...];>i{[...]xb{H[...]iI[V[...]s 5;R[[...]Y 2~.[...]t(5jgk[...]U|bR<[...]V++:[...]Ut1~[...]$g/`[...]qqc.[...]"w"/:-s[...]Y{R+#[...]jy}^[...]7_@L[...]0= P[...]k`aZ[...]x2\'c[...]=nZj[...]dSHl}T[...]%BCH[...]TX1Ls[...](abu}qo[...]#CIc[...]T-A4[...]c!N#[...]6g%fL^[...]tIiU~J^[...]RD0]EI[...]:<3;[...]I.z[...]9E_9_[...],~Sj8[...]akVu[...]8N%T[...]}\tQU[...]|E{fL[...]Z!=,[...]Fy_T[...]We*k[...]UxS]s[...]ghXW[...]\!`k[...]oA7m[...]49b([...];s`?[...]i:(,F[...]EL=+:[...]OM@l3[...]Hr~Hx=-[...]-fF\t%[...]Ttl}[...]R_8c[...]:OFe[...])=m:[...]<3}e[...]5/E|[...]erP"[...]wN(>[...]c?=y[...]5$ohl[...]*VeA[...]oB8Hj*R"[...]tALn[...]Nn}M=[...]#yPj[...]d}f>[...]n,q;[...]j83s"[...]PI:][...]5[#S[...]ygp`aP"[...]}7nP[...]KY:z}Z[...]}rYJq[...]vCJMU[...]yP,LI[...]!/]9[...]^HxgU[...]MNA:[...]Oo=E[...]bTt}[...]csJ}[...]HNV]b[...]98;p0[...]zn$v[...]=RB^[...]5\t<6[...]@$5[u[...]h<`;[...]Y*~12[...]mV/1[...]]y8Uk[...]XEB2T(c[...]~X]{Z[...]hX{;7[...]QKOH[...]?2%([...]s8FB[...]Fa6Z[..."l`3[...]QW+[[...]{Y_qz[...]_{:b([...]fx)([...]Nh/:[...]Ws_ka[...]0K2</d[...]Tcn($[...]&W;8wch9[...]U-?i*[...]cf1h[...]P.%:X[...]HVs&[...]){J\\[...]Y$Qh[...]t?So[...]8Cl:[...]+)-fOv[...]f7om[...]X=}\'[...]zB2r[...]C3F1"T[...]8h^$[...]H~t7[...]*%PmO[...]XFwi[...]c2KV/f[...][n9][...]j"]I[...]Pypg[...]to[[...]Gf*r&[...]<\t;^s[...]z(%[[...]TeK)[...]6(Ai[...]-n9.[...]Qmc/[...]zKMq[...]t597[...]7gZQ[...]+wTS-[...]mp]_[...]uCRy[...]S!G.[...]VggRw[...]<B#z@Z[...]-LmA[...]V{@!y[...]Z71|0xn[...]6>Oj[...]_\tK.c[...]Jx\'Sw[...]GIvQ[...]22"B[...]I+=(UdAT7[...]o)CV[...]}WIA[...]\\mkZn[...]1C)O8I[...]v,j7[...]BaIn[...]K*.=[...]k[>;0[...]++k[...]8Esd[...]mCf[...]/IVc[...]BIEA[...]jN~O[..."!mx[...]b1NU%[...]hrh2[...]jmkb;[...]r] &[...]_|%<H[...]WlJ#Xp[...]jyuz[...]P?{i[...]Hb6:g:[...]h)0H[...]vd|]|[...]&3J6([...]FOg`[...]ASSe[...]o622J[..."65\\c[...]IBa>][...]C,LUy[...]Vu[...]>ra\\[...]E~Z\\[...]y2Z~[...]7{vT[...]j#I@D[...]*PZ1[...]Amr:[...]XlN@\\[...]M`t4{b[...]ELe([...]P68F{-[...]1Y>g[...][H<H[...]I"Zw[...]Vxx.4[...]!cQ$[...]4|,rq:[...]%QFLe[...]lgDn[...]`;ZxSK_[...]&!{H[...]zB\to[...]oeb1[...]5V_q[...]lYde[...]$wd;[2A[...]RQ:H^[...]gk/m,[...]KYkz[...]J((([...]V-$>PV0[...]\\By[...]5=-B[...]l\\+R[...]N:C&[...]Fqe^X[...]d?6j[...]${LT[...]7=C1[...]7pN9[...]Gg5Gw[...]AWswM[...]q7H6M#[...]s<$:[...]%GhZo[...]`4JI[...]WU`Q[...]&;f7[...]SQsb[...]Eq>7[...]~*hB[...]/.^([...]@Y^![...]l9pI[...]a4=/[...]2fiCK[...]6n$d[...]Hf$iHVdo[...]eA\'K[...]G_PH[...]cK_Z[...]f?WQpl[...]he(<[...]aqic[...]}C[_[...]E;"#[...]#8$C[...],Pus*[...]j:Im[...]M(e^[...]$qoo[...]emP\t[[...]_{R=[...]BQsd[...]5(jq[...]>HD$?[...]g%)g[...]-f;G[...]]cU/[...]g\t.F!w5[...]{u0*[...]IroVS-[...]gJl8[...]6~Rf[...]OGj;[...]yA"5t[...]\'qkzU[...]|< <.c[...]i[20=[...]~+P1[...]}uM{[...]7_U8YK[...]xD([...]7Q9^[...]er,4[...]2943[...]3\\\\<[...]lR@"[...]&+]b[...]f*\t~%[...]B;Eq[...])tJ_[...]VrCq[...]RWS{[...]ILp2[...]43*}[...]3x?}[...]B$#7[...]\'v$T[...]SUy|[...]c|\tfDU[...]QQkS[...]TYJV[...]\\sakM[...]+{201[...]Rg<f[...]JhG&[...]=&V1;[...]hK/2[...]|+EG[...]cY02[...]"^7][...]{8x[[...]?np:[...]4ZRZ[...]HZ0<[...]~vD^[...]]\t8T[...]+n3T[...]Q\tN/[...]]$8-[...]8TEe[...]?Lkp?([...]^3!=@[...]Taum[...]FwQHk[...]=P^B+q[...]3GSY[...]Q+3`[...](qj&[...]n#U=[...]XTP#[..."z3w^[...]6Z~0[...]#wLp[...]P\\&<[...]&OP1;[...]r\\Bu[...]aZo[[...]?<z=[...]D1>KL.[...]1{-p[...]i)-O2;n[...]N<!#[...]]X[B[...]$Q{i[...]+?rQ[...]Kb_z[...];9I"ZbB]|[...]z7P[...]hxNO:[...]Aob:^H[...]7[7[[...]d*vS[...]?W$w[...]w1V5[...]CUCg[...]@hP2Q[...][{99[...]%lDbbo[...];L<aQ1[...]*k!N[...]($PK*[...]Edd$[...]dKS7YeE[...]{CfT@[...]>o`fR[...]-vpv[...]R(!=[...]k9 h[...]Jl@t[...]DgUs[...]2[XAI<[...]=!.\'[...]OcSD[...]p$`r[...]?L(F[...]zJ!}mJ[...]Lhxfh[...]quOv[...]NSd#[...]&Db;![...]?egy/[...]/ON;[...]a\'O;[...]H\\W{([...]=<y~[...]_K#g[...]J*y|[...](%_JV[...]$5!C[...]\\I21[...]s\trj[...]J<P.[...]!B\'-l[...]Iz@S[...]bmJ"[...]6L48[...]BfRu[...]p1Y>Y[...]N\t8p5[...]#

b?<[...]ofe7fS[...]7/Iz[...]drQW[...]gVAi[...]H{uc.[...]I$F:[...]JLZV[...]esi+[...]|(Dk[...]Y\\Vs[...]f&\'

• tcp 192.168.133.179:49229 ---> 23.55.155.27 (sr.symcd.com) :80

GET /MEQwQjBAMD4wPDAJBgUrDgMCGgUABBSxtDkXkBa3l3lQEfFgudSiPNvt7gQUAPkqw0GRtsnCuD5V8sCXEROgByACAwI6bw%3D%3D HTTP/1.1[...]Cache-Control: max-age = 332546[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Wed, 22 Mar 2017 09:49:26 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: g2.symcb.com

• tcp 23.55.155.27 (sr.symcd.com) :80 ---> 192.168.133.179:49229

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1377[...]content-transfer-encoding: binary[...]Cache-Control: max-age=414520, public, no-transform, must-revalidate[...]Last-Modified: Sun, 18 Jun 2017 12:16:00 GMT[...]Expires: Sun, 25 Jun 2017 12:16:00 GMT[...]Date: Tue, 20 Jun 2017 17:11:27 GMT[...]Connection: keep-alive[...]20170618121600Z0f0d0<0[...]20170618121600Z[...]20170625121600Z0[...]Eqqv[...]s2l@)[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]161208112535Z[...]171214112535Z02100.[...]'GeoTrust Global CA TGV OCSP Responder 50[...]{/rD[...]TGV-OFF-570[...]N*Au[...]PO47[...]<;IA[...]K@7z

• tcp 192.168.133.179:49234 ---> 216.58.210.174 (clients1.google.com) :80

GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCD6el2oOVZgt HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: clients1.google.com[...]GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCE2eldOiK%2FSH HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: clients1.google.com[...]GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCCheIn0e3sL1 HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: clients1.google.com

• tcp 216.58.210.174 (clients1.google.com) :80 ---> 192.168.133.179:49234

HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 18 Jun 2017 11:20:19 GMT[...]Expires: Thu, 22 Jun 2017 11:20:19 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 193876[...]20170618012153Z0k0i0A0[...]20170618012153Z[...]20170625012153Z0[...]Q.\'X[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 18 Jun 2017 11:20:19 GMT[...]Expires: Thu, 22 Jun 2017 11:20:19 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 193876[...]20170618012153Z0k0i0A0[...]20170618012153Z[...]20170625012153Z0[...]Q.\'X[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 18 Jun 2017 17:29:34 GMT[...]Expires: Thu, 22 Jun 2017 17:29:34 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 171723[...]20170618131019Z0k0i0A0[...]20170618131019Z[...]20170625131019Z0[...]bf&i;[...]>$<A[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Sun, 18 Jun 2017 17:29:34 GMT[...]Expires: Thu, 22 Jun 2017 17:29:34 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 171723[...]20170618131019Z0k0i0A0[...]20170618131019Z[...]20170625131019Z0[...]bf&i;[...]>$<A[...]HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Mon, 19 Jun 2017 06:32:00 GMT[...]Expires: Fri, 23 Jun 2017 06:32:00 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 124779[...]20170618190358Z0k0i0A0[...](^"}[...]20170618190358Z[...]20170625190358Z0[...]m~="[...]:[gHTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Mon, 19 Jun 2017 06:32:00 GMT[...]Expires: Fri, 23 Jun 2017 06:32:00 GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public, max-age=345600[...]Age: 124779[...]20170618190358Z0k0i0A0[...](^"}[...]20170618190358Z[...]20170625190358Z0[...]m~="

• tcp 192.168.133.179:49241 ---> 23.55.155.27 (sr.symcd.com) :80

GET /MEQwQjBAMD4wPDAJBgUrDgMCGgUABBSxtDkXkBa3l3lQEfFgudSiPNvt7gQUAPkqw0GRtsnCuD5V8sCXEROgByACAwI6kg%3D%3D HTTP/1.1[...]Cache-Control: max-age = 552307[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 14 May 2017 01:48:44 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: g.symcd.com

• tcp 23.55.155.27 (sr.symcd.com) :80 ---> 192.168.133.179:49241

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1377[...]content-transfer-encoding: binary[...]Cache-Control: max-age=387585, public, no-transform, must-revalidate[...]Last-Modified: Sun, 18 Jun 2017 04:50:15 GMT[...]Expires: Sun, 25 Jun 2017 04:50:15 GMT[...]Date: Tue, 20 Jun 2017 17:11:41 GMT[...]Connection: keep-alive[...]20170618045015Z0f0d0<0[...]20170618045015Z[...]20170625045015Z0[...]O*y4[...]@>^=[...],yap[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]161208112535Z[...]171214112535Z02100.[...]'GeoTrust Global CA TGV OCSP Responder 50[...]{/rD[...]TGV-OFF-570[...]N*Au[...]PO47[...]<;IA[...]K@7z

• tcp 192.168.133.179:49244 ---> 23.55.149.163 (crl.geotrust.com) :80

GET /crls/secureca.crl HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 14 May 2017 16:15:24 GMT[...]If-None-Match: "21ef18f1b96eec9a159bd5f47d18d381:1494778524"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.geotrust.com

• tcp 23.55.149.163 (crl.geotrust.com) :80 ---> 192.168.133.179:49244

HTTP/1.1 200 OK[...]Server: Apache[...]ETag: "0ef7e20d39316c27a8db30c61a280af7:1497978029"[...]Last-Modified: Tue, 20 Jun 2017 17:00:29 GMT[...]Date: Tue, 20 Jun 2017 17:11:44 GMT[...]Content-Length: 325[...]Connection: keep-alive[...]Content-Type: application/pkix-crl[...]Equifax1-0+[...]$Equifax Secure Certificate Authority[...]170620164300Z[...]170630164300Z0,0[...]020514181157Z0[...]020515130611Z0[...]5eja[...]B[tbw[...]HTTP/1.1 200 OK[...]Server: Apache[...]ETag: "0ef7e20d39316c27a8db30c61a280af7:1497978029"[...]Last-Modified: Tue, 20 Jun 2017 17:00:29 GMT[...]Date: Tue, 20 Jun 2017 17:11:44 GMT[...]Content-Length: 325[...]Connection: keep-alive[...]Content-Type: application/pkix-crl[...]Equifax1-0+[...]$Equifax Secure Certificate Authority[...]170620164300Z[...]170630164300Z0,0[...]020514181157Z0[...]020515130611Z0[...]5eja[...]B[tbw

• tcp 192.168.133.179:49247 ---> 93.184.220.20 (ocsp.omniroot.com) :80

GET /baltimoreroot/MEUwQzBBMD8wPTAJBgUrDgMCGgUABBTBL0V27RVZ7LBduom%2FnYB45SPUEwQU5Z1ZMIJHWMys%2BghUNoZ7OrUETfACBAcnqkc%3D HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 19 Mar 2017 01:20:03 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.omniroot.com

• tcp 93.184.220.20 (ocsp.omniroot.com) :80 ---> 192.168.133.179:49247

HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Content-Type: application/ocsp-response[...]Date: Tue, 20 Jun 2017 17:11:46 GMT[...]Last-Modified: Fri, 16 Jun 2017 16:58:40 GMT[...]Server: ECS (frf/87BB)[...]X-Cache: HIT[...]Content-Length: 2920[...]20170616165544Z0[...]p0e0=0[...]20170606194027Z[...]20170901194027Z0[...]rGzz[...]87}#[...]Baltimore1[...]CyberTrust1"0[...]Baltimore CyberTrust Root0[...]150909174603Z[...]170909174536Z0%1#0![...]Cybertrust Validation 20150[...]h8GM[...]/D4n[...]=ZTeH[...]B=kOT[...]ZP}O[...]<nHO[...]CI/M{

• udp 192.168.133.254:67 ---> 192.168.133.179:68

localdomain[...]localdomain[...]localdomain

• udp 192.168.133.179:65378 ---> 192.168.133.2:53

downloa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T3 (in process P1, ihgyxuuwmuc.exe)
• Thread T6 (in process P2, cmd.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T2)
• RegCreateKey (HKCU\\Software\\Microsoft\\Dioky Desired Access: Query Value, Set Value, Disposition: REG_CREATED_NEW_KEY)
• Process Create (C:\\Users\\javi\\AppData\\Roaming\\Eduggoiwohx\\ihgyxuuwmuc.exe PID: P1, Command line: "C:\\Users\\javi\\AppData\\Roaming\\Eduggoiwohx\\ihgyxuuwmuc.exe")
• Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe" /c "C:\\Users\\javi\\AppData\\Local\\Temp\\tmp3c81db27.bat")

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P1, ihgyxuuwmuc.exe) description

• Thread's childs

• Thread T4 (in process P1, ihgyxuuwmuc.exe)

• Thread' events

• Thread Create (Thread ID: T4)

- **Thread T4 (in process P1, ihgyxuuwmuc.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, ihgyxuuwmuc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T5)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T5 (in process P1, ihgyxuuwmuc.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T6 (in process P2, cmd.exe) description**
  - **Thread's childs**
    - Thread T7 (in process P2, cmd.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T7)
- **Thread T7 (in process P2, cmd.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Dioky Desired Access: Set Value, Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKCU\\Software\\Microsoft\\Dioky\\Rynafyysc Type: REG_BINARY, Length: 164, Data: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 1 strings

• Module 1 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount

- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA

- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW

- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread

- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess

- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 1 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- B37A94AF3E961830B00203B4FEC21FE2
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER

- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single

- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4

- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2

- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5l5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8l9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:

- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3l5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???

- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u

- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u

- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW

- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- t0j|
- t$0Pj

- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1
- 95(1
- 95$1
- QSV3
- Vh7!
- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q

- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z

- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j

- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~

-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3
- VW9M
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3

- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- usSW
- u\thlb
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P

- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1
- tD95\\1
- tL95X1
- tT95T1
- 95P1
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT

- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■

- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie

- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u

- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm

- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject

- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,

- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U

- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5lkQ
- <5lkQ
- s1q4
- <5lkQ
- 3)6{
- ONve
- ,UvN
- lNvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?

- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >"">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >’>:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?]?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;

- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~Pl`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf

- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh

- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW

- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS

- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;

- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(
- SVWj
- t$ V
- D$<P
- D$<P

- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp
- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh

- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l

- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;

- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV
- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP

- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj

- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP

- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx

- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"I
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``IT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY

- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<

- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,

- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

- **Module 2 (probably unpacked / injected by the sample)**

- **Module 2 rich signatures**

- **Module 2 yara matches**

  - Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
  - Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - Str_Win32_Internet_API (Match Windows Inet API call)
  - Str_Win32_Http_API (Match Windows Http API call)
  - citadel13xy (Citadel 1.5.x.y trojan banker)
  - Microsoft_Visual_Cpp_8_additional ()
  - Microsoft_Visual_Cpp_8 ()
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasModified_DOS_Message (DOS Message Check)
  - DebuggerCheck__QueryInfo ()
  - ThreadControl__Context ()
  - inject_thread (Code injection with CreateRemoteThread in a remote process)
  - network_http (Communications over HTTP)
  - network_tcp_socket (Communications over RAW socket)
  - network_dns (Communications use DNS)
  - network_dga (Communication using dga)
  - escalate_priv (Escalade priviledges)
  - screenshot (Take screenshot)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - Big_Numbers1 (Looks for big numbers 32:sized)
  - Advapi_Hash_API (Looks for advapi API functions)
  - CRC32_table (Look for CRC32 table)
  - RijnDael_AES_LONG (RijnDael AES)
  - CRC32_poly_Constant (Look for CRC32 [poly])
  - RijnDael_AES_CHAR (RijnDael AES (check2) [char])

- **Module 2 strings**

  - **Module 2 most interesting strings**

    - url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - url | valid domains | tlds: t.SV
    - url | valid domains | tlds: *.uz
    - url | valid domains | tlds: *.tm
    - url | valid domains | tlds: *.tj
    - url | valid domains | tlds: *.md

- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress

- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx

- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW

- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread

- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess

- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 2 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- Global\\97C8EF391A2463A6B00203B4FEC21FE2
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2

- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled

- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- B_5_
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4

- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2

- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5l5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8l9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:

- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3l5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???

- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- bIEW
- b2~)6
- kNBA*P6
- ~n3ma
- !e!|k
- u*X%
- L^aJ|
- ew}U
- >5k$
- WCUuEa
- 2V-FL
- *O}u
- g5HD
- lxWiK
- R3?h
- q0Hov
- 9B^9
- #1l3
- i#_C?
- %]M6
- $:eX
- si'\\
- 6hW~
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9

- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s

- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW

- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P

- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1
- 95(1
- 95$1
- QSV3
- Vh7!

- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3

- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- u0jZ
- uSGW
- t1j(S

- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3

- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3

- VW9M
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- usSW
- u\thlb
- t7jB
- t"9u

- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1
- tD95\\1
- tL95X1
- tT95T1
- 95P1
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s

- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close

- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell

- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^

- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_l]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\

- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:

- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm

- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0

- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s

- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- N__
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >"">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=

- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >':>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;l<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- ' /
- <TC"
- *N<
- ql?^
- rsr\\
- P;;}
-)Hp.
- Q&h;,C
- ^NG
- rHN/C
- ,^;zdO

- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[

- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj

- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW

- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q

- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS

- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP

- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp
- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu

- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF

- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV
- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf

- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W

- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj

- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add

- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**'I
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@

- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUI
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9

- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t

- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%

- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)

- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 3 strings

• Module 3 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw

- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection

- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo

- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime

- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW

- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 3 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- Global\\97C8EF391A2463A6B00203B4FEC21FE2
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET

- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size

- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- B_5_
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4l4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2

- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4

- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2

- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2

- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- bIEW
- b2~)6
- kNBA*P6
- ~n3ma
- !e!|k
- u*X%
- L^aJ|
- ew}U
- >5k$
- WCUuEa
- 2V-FL
- *O}u
- g5HD
- lxWiK
- R3?h
- q0Hov
- 9B^9
- #1l3
- i#_C?
- %]M6
- $:eX
- si'\\
- 6hW~
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,D
- Mv5+D
- =JOve)D
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u

- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1pF
- tz9]
- huiF
- hIkF
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E

- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW

- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41G
- h41G
- h41G
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^

- 9~4u
- t19{
- ;D$0_
- 5|-G
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-G
- 5|-G
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1G
- 95(1G
- 95$1G
- QSV3
- Vh7!
- h0,G
- Vh6!
- =0,G
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M

- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- hJfE
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E

- D$4P
- f98t|;
- T$0R
- \\$4;
- PhL(E
- D$4P
- hL(E
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- VhF\tE
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41G
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3

- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDeC
- h`eC
- t$8j
- 8SWh
- VWu)j
- =M1G
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDeC
- h`eC
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDeC
- h`eC
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1G
- 8SVW
- FW9u
- QSV3

- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_C
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4gC
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8fC
- $SV3
- re;M
- SVW3

- VW9M
- h`eC
- hDeC
- h,eC
- h`eC
- hDeC
- h,eC
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]

- u(9]
- PSVW3
- h4cC
- usSW
- h8bC
- hXaC
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_C
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1G
- tD95\\1G
- tL95X1G
- tT95T1G
- 95P1G
- h0_C

- =L1G
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%

- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock

- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut

- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_l]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4

- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w

- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B

- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W

- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc

- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- N__
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =">t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R:j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?

- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >’>:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>’>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;

- ' /
- <TC"
- *N<
- ql?^
- rsr\\
- P;:}
-)Hp.
- Q&h;,C
- ^NG
- rHN/C
- ,^;zdO
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~Pl`
- VXy(
-]^Nv
- }LNv}(D
- BJNv?(D
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf

- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>lF
- VPhvlF
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh

- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]

- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV

- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW

- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?E
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj

- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFpD
- Shv?D
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-G
- hd-G
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(

- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,eC
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,eC
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,eC
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]

- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tbC
- Wh"N
- Wh!N
- SVWj

- G>vVD
- G:QVD
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdgC
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\fC
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj

- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- PhpdC
- Ph`dC
- PhDdC
- D$pPh,dC
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- h|bC
- SSSh
- hpcC
- hdcC
- hXcC
- h@cC
- WWWV
- D$,;
- _^@[
- SVWj

- t_h%'
- hpbC
- hpbC
- u\thlbC
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`C
- hP`C
- h `C
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_C
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q

- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _C
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR

- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@lUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D

- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Djl{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL

- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*

- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v

- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

• Module 4 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 4 strings

• Module 4 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory

- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW

- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW

- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW

- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW

- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 4 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL

- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft

- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4

- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4I4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4I4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9

- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9I9|9
- 8,8<8L8\\8I8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9

- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3

- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- Aig@
- 8W7}4
- gOP0)
- Q<3N
- eoSM
- vs2x
- 3sg8
- `7C49
- hiCz
- IDD`t
- FE]7
- 71@9
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,:
- Mv5+:
- =JOve):
- ='-v3

- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tI9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$

- f1D$
- Es_^[
- SVW3
- Ph1p<
- tz9]
- hui<
- hIk<
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll

- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u

- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41=
- h41=
- h41=
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-=
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-=
- 5|-=
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1=
- 95(1=

- 95$1=
- QSV3
- Vh7!
- h0,=
- Vh6!
- =0,=
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$

- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X

- u#SSj
- t}9\\$
- h41=
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDe9
- h`e9
- tWh,e9
- t$8j
- 8SWh
- VWu)j
- =M1=
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe9
- h`e9
- tWh,e9
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe9
- h`e9
- tWh,e9
- \\$8j
- VW9]

- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1=
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- %tb9
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_9
- D$8P
- D$8j
- D$8P

- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4g9
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h\\f9
- h8f9
- $SV3
- re;M
- SVW3
- VW9M
- h`e9
- hDe9
- h,e9
- h`e9
- hDe9
- h,e9
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%

- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- Phpd9
- Ph`d9
- PhDd9
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h|b9
- hpc9
- hdc9
- hXc9
- h@c9
- h4c9
- hpb9
- usSW
- hpb9
- u\thlb9
- h8b9
- hXa9
- hp`9
- hP`9
- h `9
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3

- hU_9
- F4+F,
- h@_9
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1=
- tD95\\1=
- tL95X1=
- tT95T1=
- 95P1=
- h0_9
- h _9
- =L1=
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close

- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €

- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET

- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9

- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_l]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA

- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7

- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m

- eS~A
- (<lA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"

- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch

- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =">t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >")>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=

- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- Ad:GBs
- ZFnD$
- M+lf
- ^sv
- *\\Q'
- NqPh
- MZD#v
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(:
- BJNv?(:
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_

- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3

- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>l<
- VPhvl<
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS

- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P

- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX

- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJf;
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?;
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP

- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(;
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(;
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\t;
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c

- Ph?SC
- VVVh
- ShFp:
- Shv?:
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-=
- hd-=
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[

- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW

- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV:
- G:QV:
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg9
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3

- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%‘
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`

- D$pP
- D$pPh,d9
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P

- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.

- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"I
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE

- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUI
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF

- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd

- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v

- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

• Module 5 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()

- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 5 strings

• Module 5 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC

- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW

- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid

- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW

- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock

- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 5 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll

- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security

- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s

- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4l4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5

- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;

- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8

- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- bIEW
- b2~)6
- kNBA*P6
- ~n3ma
- !e!|k
- u*X%
- L^aJ|
- ew}U
- >5k$
- WCUuEa
- 2V-FL
- *O}u
- g5HD

- lxWiK
- R3?h
- q0Hov
- 9B^9
- #1I3
- i#_C?
- %]M6
- $:eX
- si'\\
- 6hW~
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tI9w
- t;9w
- t8VW3
- Vu1h
- 9_ w

- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- hui
- hIk
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]

- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW

- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ

- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1
- 95(1
- 95$1
- QSV3
- Vh7!
- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj

- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t

- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j

- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z

- t<9u
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3
- VW9M
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt

- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- usSW
- u\thlb
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]

- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1
- tD95\\1
- tL95X1
- tT95T1
- 95P1
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove

- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile

- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F

- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l

- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37

- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown

- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf

- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN''
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;''i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ

- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;

- : :S:]:j:v:
- =I=I={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<I<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>">2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>

- ;!<=<E<_<
- :!;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- ' /
- <TC"
- *N<
- ql?^
- rsr\\
- P;:}
-)Hp.
- Q&h;,C
- ^NG
- rHN/C
- ,^;zdO
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\Zjbf

- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>l
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj

- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$

- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@

- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;

- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP

- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp
- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh

- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP

- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;

- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV
- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P

- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'

- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j

- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@

- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tlYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM

- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI

- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
-))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+

- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

- **Module 6 (probably unpacked / injected by the sample)**

- **Module 6 rich signatures**

- **Module 6 yara matches**

  - Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
  - Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - Str_Win32_Internet_API (Match Windows Inet API call)
  - Str_Win32_Http_API (Match Windows Http API call)
  - citadel13xy (Citadel 1.5.x.y trojan banker)
  - Microsoft_Visual_Cpp_8_additional ()
  - Microsoft_Visual_Cpp_8 ()
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasModified_DOS_Message (DOS Message Check)
  - DebuggerCheck__QueryInfo ()
  - ThreadControl__Context ()
  - inject_thread (Code injection with CreateRemoteThread in a remote process)
  - network_http (Communications over HTTP)
  - network_tcp_socket (Communications over RAW socket)
  - network_dns (Communications use DNS)
  - network_dga (Communication using dga)
  - escalate_priv (Escalade priviledges)
  - screenshot (Take screenshot)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - Big_Numbers1 (Looks for big numbers 32:sized)
  - Advapi_Hash_API (Looks for advapi API functions)
  - CRC32_table (Look for CRC32 table)
  - RijnDael_AES_LONG (RijnDael AES)
  - CRC32_poly_Constant (Look for CRC32 [poly])
  - RijnDael_AES_CHAR (RijnDael AES (check2) [char])

- **Module 6 strings**

  - **Module 6 most interesting strings**

    - url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - url | valid domains | tlds: !.DJ
    - url | valid domains | tlds: t.SV
    - url | valid domains | tlds: *.uz
    - url | valid domains | tlds: *.tm
    - url | valid domains | tlds: *.tj
    - url | valid domains | tlds: *.md

- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress

- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext

- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA

- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW

- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW

- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 6 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2

- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled

- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3

- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9

- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8

- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<l<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=

- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- 4"W;l
- 2/p#
- H.R7(
- <U@U
- *-iX
- 1M1!-
- vEG^
- a2c,
- -,7v6
- P[l]
- =Otj
- X^L2
- uTU[
- Nu^U
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,B
- Mv5+B
- =JOve)B
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$

- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1pD
- tz9]

- huiD
- hIkD
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll

- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt

- Q@SVu
- GDATt
- UXPEt
- h41E
- h41E
- h41E
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-E
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-E
- 5|-E
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1E
- 95(1E
- 95$1E
- QSV3
- Vh7!
- h0,E
- Vh6!

- =0,E
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3

- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41E
- =|-E
- hd-E

- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDeA
- h`eA
- tWh,eA
- t$8j
- 8SWh
- VWu)j
- =M1E
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDeA
- h`eA
- tWh,eA
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDeA
- h`eA
- tWh,eA
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj

- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1E
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- %tbA
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_A
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9

- D$0W
- D$4V
- t$8S
- Wh1N
- h4gA
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h\\fA
- h8fA
- $SV3
- re;M
- SVW3
- VW9M
- h`eA
- hDeA
- h,eA
- h`eA
- hDeA
- h,eA
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f

- 9|$Dt
- L$@3
- PhpdA
- Ph`dA
- PhDdA
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h|bA
- hpcA
- hdcA
- hXcA
- h@cA
- h4cA
- hpbA
- usSW
- hpbA
- u\thlbA
- h8bA
- hXaA
- hp`A
- hP`A
- h `A
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_A
- F4+F,
- h@_A

- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1E
- tD95\\1E
- tL95X1E
- tT95T1E
- 95P1E
- h0_A
- h _A
- =L1E
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s

- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■

- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection

- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.

- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_l]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v

- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin

- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<lA
- ,8$4_

- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44

- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----

- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >"">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >’>:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<

- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- zdjv
- _m)K"
- nb^"
- |W;!
- TkXU%x
- "XRP6J
- ,@|
- Y}\tB
- d5*BFQ
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(B
- BJNv?(B
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_

- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3

- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>lD
- VPhvlD
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV

- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf

- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr

- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJfC
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?C
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ

- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(C
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(C
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\tC
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC

- VVVh
- ShFpB
- Shv?B
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][

- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W

- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vVB
- G:QVB
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdgA
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k

- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- D$pPh,dA
- D$pP

- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj

- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"

- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``IT@H

- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0

- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;!;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@

- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v

- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 7 (probably unpacked / injected by the sample)

• Module 7 rich signatures

• Module 7 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)

- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 7 strings

• Module 7 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData

- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW

- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl

- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx

- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent

- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 7 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher

- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec

- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s

- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4l4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111

- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4

- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5

- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- Aig@
- 8W7}4
- gOP0)
- Q<3N
- eoSM
- vs2x
- 3sg8
- `7C49
- hiCz
- IDD`t
- FE]7
- 71@9
- +o*7
- MGiI
- 9a&g;
- i]Wb

- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,A
- Mv5+A
- =JOve)A
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]

- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1pC
- tz9]
- huiC
- hIkC
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$

- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u

- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41D
- h41D
- h41D
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-D
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-D
- 5|-D
- 89w7

- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1D
- 95(1D
- 95$1D
- QSV3
- Vh7!
- h0,D
- Vh6!
- =0,D
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4

- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht

- EhPj
- j@[u!
- SVW3
- ShFpA
- Shv?A
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41D
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDe@
- h`e@
- t$8j
- 8SWh
- VWu)j
- =M1D
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe@
- h`e@
- \\$8j

- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe@
- h`e@
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1D
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- G>vVA
- G:QVA
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m

- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_@
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4g@
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8f@
- $SV3
- re;M
- SVW3
- VW9M
- h`e@
- hDe@
- h,e@
- h`e@
- hDe@
- h,e@
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3

- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4c@
- usSW
- h8b@
- hXa@
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_@
- F4+F,
- c8Uvt
- A8Mv
- D$0P

- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1D
- tD95\\1D
- tL95X1D
- tT95T1D
- 95P1D
- h0_@
- =L1D
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache

- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■

- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding

- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=

- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##'43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<

- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (.:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXIAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only

- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK

- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8

- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s

- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =">t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?

- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- Ad:GBs
- ZFnD$
- M+lf
- ^sv
- *\\Q'
- NqPh
- MZD#v
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(A
- BJNv?(A
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ

- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW

- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>lC
- VPhvlC
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT

- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;

- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t

- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJfB
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?B
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj

- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(B
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(B
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\tB
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht

- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-D
- hd-D
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,e@
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l

- CL9D$lt
- +D$l
- D$pP
- tWh,e@
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,e@
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV

- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tb@
- Wh"N
- Wh!N
- SVWj
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg@
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r

- _[t
- h\\f@
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd@
- Ph`d@
- PhDd@
- D$pPh,d@
- D$pP

- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- h|b@
- SSSh
- hpc@
- hdc@
- hXc@
- h@c@
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpb@
- hpb@
- u\thlb@
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`@
- hP`@
- h `@
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j

- QQSVW
- tyj@j
- h@_@
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _@
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ

- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@lUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tlYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK

- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUI
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\

- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Djl{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX

- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
- }{R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M

- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 8 (probably unpacked / injected by the sample)

• Module 8 rich signatures

• Module 8 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)

- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 8 strings

• Module 8 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend

- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA

- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW

- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW

- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW

- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 8 other strings

- B37A94AF3E961830B00203B4FEC21FE2
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName

- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared

- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u

- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4l4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3

- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5l5Q5{5

- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6

- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H

- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- t"9=

- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx

- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt

- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1
- 95(1
- 95$1
- QSV3
- Vh7!
- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj

- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;

- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj

- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDe|
- h`e|
- t$8j
- 8SWh
- VWu)j
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe|
- h`e|
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe|
- h`e|
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3

- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_|
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4g|
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8f|
- $SV3
- re;M
- SVW3
- VW9M
- h`e|
- hDe|
- h,e|
- h`e|

- hDe|
- h,e|
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tI3
- tE9]
- u(9]
- PSVW3
- h4c|
- usSW
- h8b|

- hXa|
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_|
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1
- tD95\\1
- tL95X1
- tT95T1
- 95P1
- h0_|
- t4Sh
- f93_
- f93u
- SVW3
- taWS

- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0

- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module

- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM

- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*''8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*'*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(

- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1

- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ

- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'

- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png

- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>

- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >'>:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~Pl`
- VXy(

- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj

- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.

- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P

- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ

- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJf~
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?~
- EDjwXf
- PPPP

- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(~
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(~
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\t~
- tY9]|tT
- PWWWj
- jDZRW

- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp}
- Shv?}
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,e|
- t$ Q
- D$ P
- D$`P

- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,e|
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,e|
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[

- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tb|
- Wh"N
- Wh!N
- SVWj
- G>vV}
- G:QV}
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg|
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N

- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\f|
- D$ P
- SVWj
- s@Wh
- t_h%‘
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P

- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd|
- Ph`d|
- PhDd|
- D$pPh,d|
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- h|b|
- SSSh
- hpc|
- hdc|
- hXc|
- h@c|
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpb|
- hpb|
- u\thlb|
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`|
- hP`|
- h `|
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP

- D$$;
- D$ P
- D$Hj
- |$,X
- thh%‘
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_|
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _|
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P

- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**'l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G

- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T

- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Djl{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- :l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH

- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a

- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- Pv]^Nv=JOv
- ,UvBJNv}LNv
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /vO!.v
- /.v`w
- -v='-v
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 9 (probably unpacked / injected by the sample)

• Module 9 rich signatures

• Module 9 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 9 strings

• Module 9 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru

- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s

- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv

- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW

- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW

- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection

- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 9 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName

- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%

- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6

- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0

- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3

- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3l5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6

- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- bIEW
- b2~)6
- kNBA*P6
- ~n3ma
- !e!|k
- u*X%
- L^aJ|
- ew}U
- >5k$
- WCUuEa
- 2V-FL
- *O}u
- g5HD
- lxWiK
- R3?h
- q0Hov
- 9B^9
- #1l3
- i#_C?
- %]M6
- $:eX
- si'\\
- 6hW~
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,!
- Mv5+!
- =JOve)!
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H

- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p#
- tz9]
- hui#

- hIk#
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject

- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu

- GDATt
- UXPEt
- h41$
- h41$
- h41$
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-$
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-$
- 5|-$
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1$
- 95(1$
- 95$1$
- QSV3
- Vh7!
- h0,$
- Vh6!
- =0,$

- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}

- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41$
- u0jZ
- uSGW
- t1j(S

- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDe
- h`e
- tWh,e
- t$8j
- 8SWh
- VWu)j
- =M1$
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe
- h`e
- tWh,e
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe
- h`e
- tWh,e
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf

- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1$
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N

- h4g
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8f
- $SV3
- re;M
- SVW3
- VW9M
- h`e
- hDe
- h,e
- h`e
- hDe
- h,e
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu

- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4c
- usSW
- u\thlb
- h8b
- hXa
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]

- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1$
- tD95\\1$
- tL95X1$
- tT95T1$
- 95P1$
- h0_
- =L1$
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8

- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy

- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn

- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU

- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- IAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/

- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage

- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss

- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5lkQ
- <5lkQ

- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =">t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >")>6>]>h>s>

- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=I={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>">2>R>\\>b>m>

- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;!;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- ' /
- <TC"
- *N<
- ql?^
- rsr\\
- P;:}
-)Hp.
- Q&h;,C
- ^NG
- rHN/C
- ,^;zdO
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(!
- BJNv?(!
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf

- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>l#
- VPhvl#
- N(hX
- t$<j
- D$ P

- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV

- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]

- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj

- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJf"
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?"
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL("
- SVWj
- t$ V

- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL("
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\t"
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp!
- Shv?!
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-$
- hd-$
- WWWhx

- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu

- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW

- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tb
- Wh"N
- Wh!N
- SVWj
- G>vV!
- G:QV!
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\f
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS

- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P

- Vj
- QSVWj
- h|b
- SSSh
- hpc
- hdc
- hXc
- h@c
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpb
- hpb
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`
- hP`
- h `
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj

- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"

- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX

- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Djl{oy[wsuF
- 7)$=*)
- gdiplus.dll

- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx

- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v

- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 10 (probably unpacked / injected by the sample)

• Module 10 rich signatures

• Module 10 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)

- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 10 strings

• Module 10 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx

- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA

- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext

- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree

- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW

- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 10 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- B37A94AF3E961830B00203B4FEC21FE2
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName

- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee

- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5

- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4I4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4

- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4

- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;

- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- 2VW3
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}

- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- 2_^[
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- 2hui

- 2hIk
- 2h>I
- 2t"9=
- 2t*9=
- 2^9=
- Hu*j
- SUVW
- 2_^[
- 2_^[
- E|VV
- 2;Ehu=
- 2;D$
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- 2F;u
- t&9]
- 2ShL
- 2SQh
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- 2A;L$
- 2t93
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- 29\\$
- VERSION.dll
- GetFileVersionInfoSizeW

- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u

- 2^]_
- D$6P
- 2SP3
- SVW3
- 2;D$
- 2+D$
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- 2VW3
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 29_4u
- t!9^
- 29~4u
- 2954
- 2G;{
- t19{
- 2G;{
- 2SVj
- ;D$0_
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]

- F|S3
- u%;t$
- SVWu
- 2SSSh
- QQS3
- t0W3
- 2^[Y
- 95,1
- 95(1
- 295$1
- QSV3
- Vh7!
- 2h0,
- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- 2;T$
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3

- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- 2SSj
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- 2_^[
- t9Wj
- 0t$Iuj
- 2VRQ
- 2RQP
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 29}\\t
- EXPh
- EhCP
- E`P3

- E`9Etu
- Es_^[
- 29]ht
- EhPj
- 2GVj
- j@[u!
- SVW3
- 2@t5Sh
- 2Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- 2u0jZ
- uSGW
- 2j Z
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- 2u(j
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j
- hSV3
- t\t9}
- t/9}
- D$ P3
- 2_^][
- 2SVW3
- 292t
- 2;x@w
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/

- Gh9u
- tWh,e
- \\$8j
- VW9]
- 2YYh
- 2;x@w
- 2YYS
- u$9uxt
- w\\9u
- 2YYS
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh
- 2_^][
- 2SVW3
- 292t
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- 2C;]
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- 2F;u
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/

- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- 2_[^
- t|9u
- t^9]
- t0j=Z
- t<9u
- 2PSh
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3
- 2;T$
- 2u(j
- VW9M
- u}hv/
- t|KtE
- 2_^]
- 2_^]
- t8VW
- 2_^]
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w

- 9t$0t5
- du\tV
- 2_^]
- 2_^]
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- 292t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- 2@SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- 2hpb
- usSW
- u\thlb
- 2[_^]
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u

- t\t;E4
- SVW3
- 2v+V3
- F4+F,
- 2;D$
- 2h@_
- c8Uvt
- A8Mv
- D$0P
- 2;D$
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- 2=3'
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- 2jdV
- 2t4;
- 2t<95`1
- 2tD95\\1
- 2tL95X1
- 2tT95T1
- 295P1
- 2VSSj
- t4Sh
- f93_
- f93u
- 2tfW
- SVW3
- 2PSSV
- 2SSS
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global

- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- 2%s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]

- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError

- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g

-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]

- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA

- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?

- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77

- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s

- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >’>:>^>p>

- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~Pl`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW

- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf

- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS

- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P

- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- 2SSWPSS
- 2WWVPWW
- 2VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX

- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$

- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp

- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- 2j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- Gh;Gdu
- wd+wh
- L$lPQV

- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS

- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV
- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P

- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- 2t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\

- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP

- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j
- SVVj%V
- QQSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl

- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV

- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Djl{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\

- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-

- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v

- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 11 (probably unpacked / injected by the sample)

• Module 11 rich signatures

• Module 11 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 11 strings

• Module 11 most interesting strings

• url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
• url | http tag | valid domain | tlds: http://www.google.com/webhp
• url | valid domains | tlds: t.SV
• url | valid domains | tlds: *.uz
• url | valid domains | tlds: *.tm
• url | valid domains | tlds: *.tj
• url | valid domains | tlds: *.md
• url | valid domains | tlds: *.kg
• url | valid domains | tlds: *.am
• url | valid domains | tlds: *.az
• url | valid domains | tlds: *.by
• url | valid domains | tlds: *.bg
• url | valid domains | tlds: *.li
• url | valid domains | tlds: *.il
• url | valid domains | tlds: *.kz
• url | valid domains | tlds: *.ua
• url | valid domains | tlds: *.ru
• url | valid domains | tlds: accounts.google.com
• url | valid domains | tlds: *.google.com
• url | valid domains | tlds: login.yahoo.com
• url | valid domains | tlds: *.yahoo.com
• url | valid domains | tlds: *.sharepoint.com
• url | valid domains | tlds: *.booking.com
• url | valid domains | tlds: *.instagram.com
• url | valid domains | tlds: *.twitter.com
• url | valid domains | tlds: *.facebook.com
• url | valid domains | tlds: <.vI"-v
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
• path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
• api | frequently used by malware: InternetCloseHandle
• api | frequently used by malware: InternetReadFile
• api | frequently used by malware: InternetQueryDataAvailable
• api | frequently used by malware: CertDeleteCertificateFromStore
• api | frequently used by malware: PFXImportCertStore
• api | frequently used by malware: WSASend
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: CryptGetHashParam
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetDC
• api | frequently used by malware: GetForegroundWindow
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: GetClipboardData
• api | frequently used by malware: VirtualAllocEx
• api | frequently used by malware: VirtualProtectEx
• api | frequently used by malware: GetTimeZoneInformation
• api | frequently used by malware: Thread32Next
• api | frequently used by malware: ReadProcessMemory
• api | frequently used by malware: WideCharToMultiByte

- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW

- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken

- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc

- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle

- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 11 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName

- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee

- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- B&5&
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0

- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4I4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4I4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6

- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5l5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9

- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!??
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>

- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- Aig@
- 8W7}4
- gOP0)
- Q<3N
- eoSM
- vs2x
- 3sg8
- `7C49
- hiCz
- IDD`t
- FE]7
- 71@9
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9

- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s

- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p"
- tz9]
- hui"
- hIk"
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll

- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY

- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41#
- h41#
- h41#
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-#
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-#
- 5|-#
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$

- SVWu
- QQS3
- t0W3
- 95,1#
- 95(1#
- 95$1#
- QSV3
- Vh7!
- h0,#
- Vh6!
- =0,#
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$

- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j

- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41#
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j
- =M1#
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh

- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1#
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9

- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3
- VW9M
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt

- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- usSW
- u\thlb
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1#
- tD95\\1#

- tL95X1#
- tT95T1#
- 95P1#
- =L1#
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s

- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off

- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA

- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- lOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s}y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_l]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408

- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA

- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8

- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~

- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF

- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- N&\\&
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=I={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;

- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>">2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;l<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>

- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- Ad:GBs
- ZFnD$
- M+lf
- ^sv
- *\\Q'
- NqPh
- MZD#v
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\Zjbf
- j\Zjn
- j\Zjf
- j\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf

- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>l"
- VPhvl"
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf

- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj

- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV

- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl

- HtjHt=H
- HtFH
- lSVW
- hJf!
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?!
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(!
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(!
- PPVP
- SVWj
- VWWW
- SVWj

- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\t!
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp
- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-#
- hd-#
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS

- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]

- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV

- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj

- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf

- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y

- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO

- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTl_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*

- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPl
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB

- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**

- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 12 (probably unpacked / injected by the sample)

• Module 12 rich signatures

• Module 12 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)

- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 12 strings

• Module 12 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz

- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes

- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo

- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW

- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW

- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc

- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 12 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- Global\\97C8EF391A2463A6B00203B4FEC21FE2
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s

- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X

- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- B_5_
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:

- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5

- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8

- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!??
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9

- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- 1\\|IK
- n)95
- }3V3
- D2Y1
- /?)1
- h4=
- RGu;{
- Cti#G
- 3n&G;
- fm3(
- 1huQ
- d^eO9
- l7Sa
- HnEb}
- nugZ
- #iK\tC
- \'c"6
- YDse
- (C;1
- {zge=
- .o07
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,s
- Mv5+s
- =JOve)s
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$

- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1pu
- tz9]

- huiu
- hIku
- h>lu
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps

- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3

- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41v
- h41v
- h41v
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-v
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-v
- 5|-v
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1v
- 95(1v
- 95$1v
- QSV3
- Vh7!
- h0,v

- Vh6!
- =0,v
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"

- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41v
- u0jZ

- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDer
- h`er
- t$8j
- 8SWh
- VWu)j
- =M1v
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDer
- h`er
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDer
- h`er
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+

- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1v
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_r
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4gr

- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8fr
- $SV3
- re;M
- SVW3
- VW9M
- h`er
- hDer
- h,er
- h`er
- hDer
- h,er
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3

- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4cr
- usSW
- h8br
- hXar
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_r
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_

- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1v
- tD95\\1v
- tL95X1v
- tT95T1v
- 95P1v
- h0_r
- =L1v
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove

- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile

- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F

- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l

- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37

- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown

- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf

- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN''
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;''i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ

- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- N__
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<

- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R:j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>">2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?

- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- =%TTT
- HKlx
- Hnlq
- J,Qyh=
- /qRZp)'
- {)xY
- f"s(0w
- W\tC[x
- BJMv
- Rcy -
- pZ?j
- <"Fg
- yP<-
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(s
- BJNv?(s
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf

- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- VPhvlu
- N(hX
- t$<j
- D$ P

- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV

- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]

- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj

- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJft
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?t
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(t
- SVWj
- t$ V

- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(t
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\tt
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFps
- Shv?s
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-v
- hd-v
- WWWhx

- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,er
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,er
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w

- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,er
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW

- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tbr
- Wh"N
- Wh!N
- SVWj
- G>vVs
- G:QVs
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdgr
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\fr
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts

- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpdr
- Ph`dr
- PhDdr
- D$pPh,dr
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;

- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- h|br
- SSSh
- hpcr
- hdcr
- hXcr
- h@cr
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpbr
- hpbr
- u\thlbr
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`r
- hP`r
- h `r
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_r
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt

- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _r
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;

- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ

- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw

- Cmkc
- Djl{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- :l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\

- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
- }{R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w

- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 13 (probably unpacked / injected by the sample)

• Module 13 rich signatures

• Module 13 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)

- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 13 strings

• Module 13 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey

- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA

- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash

- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar

- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock

- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 13 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome

- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton

- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded

- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- BP5P
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4l4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8

- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2

- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5

- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- bIEW
- b2~)6
- kNBA*P6
- ~n3ma
- !e!|k
- u*X%
- L^aJ|
- ew}U
- >5k$
- WCUuEa
- 2V-FL

- *O}u
- g5HD
- lxWiK
- R3?h
- q0Hov
- 9B^9
- #1I3
- i#_C?
- %]M6
- $:eX
- si'\\
- 6hW~
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3

- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]

- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW

- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ

- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1
- 95(1
- 95$1
- QSV3
- Vh7!
- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj

- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t

- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j

- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z

- t<9u
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3
- VW9M
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt

- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- usSW
- u\thlb
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]

- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1
- tD95\\1
- tL95X1
- tT95T1
- 95P1
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove

- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile

- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F

- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l

- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37

- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown

- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf

- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN''
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;''i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ

- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- NP\\P
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >")>6>]>h>s>
- <!<-<C<

- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R:j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>">2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?

- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- ' /
- <TC"
- *N<
- ql?^
- rsr\\
- P;:}
-)Hp.
- Q&h;,C
- ^NG
- rHN/C
- ,^;zdO
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~Pl`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf

- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj

- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$

- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@

- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;

- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP

- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp
- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh

- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP

- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;

- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV
- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P

- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'

- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j

- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@

- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tlYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM

- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI

- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
-))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+

- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

- **Module 14 (probably unpacked / injected by the sample)**

- **Module 14 rich signatures**

- **Module 14 yara matches**

  - Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
  - Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - Str_Win32_Internet_API (Match Windows Inet API call)
  - Str_Win32_Http_API (Match Windows Http API call)
  - citadel13xy (Citadel 1.5.x.y trojan banker)
  - Microsoft_Visual_Cpp_8_additional ()
  - Microsoft_Visual_Cpp_8 ()
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasModified_DOS_Message (DOS Message Check)
  - DebuggerCheck__QueryInfo ()
  - ThreadControl__Context ()
  - inject_thread (Code injection with CreateRemoteThread in a remote process)
  - network_http (Communications over HTTP)
  - network_tcp_socket (Communications over RAW socket)
  - network_dns (Communications use DNS)
  - network_dga (Communication using dga)
  - escalate_priv (Escalade priviledges)
  - screenshot (Take screenshot)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - Big_Numbers1 (Looks for big numbers 32:sized)
  - Advapi_Hash_API (Looks for advapi API functions)
  - CRC32_table (Look for CRC32 table)
  - RijnDael_AES_LONG (RijnDael AES)
  - CRC32_poly_Constant (Look for CRC32 [poly])
  - RijnDael_AES_CHAR (RijnDael AES (check2) [char])

- **Module 14 strings**

  - **Module 14 most interesting strings**

    - url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - url | valid domains | tlds: t.SV
    - url | valid domains | tlds: *.uz
    - url | valid domains | tlds: *.tm
    - url | valid domains | tlds: *.tj
    - url | valid domains | tlds: *.md
    - url | valid domains | tlds: *.kg

- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess

- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore

- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW

- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode

- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile

- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 14 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x

- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open

- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- Br5r
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3

- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9

- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8

- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<l<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=

- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- Aig@
- 8W7}4
- gOP0)
- Q<3N
- eoSM
- vs2x
- 3sg8
- `7C49
- hiCz
- IDD`t
- FE]7
- 71@9
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,{
- Mv5+{
- =JOve){
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}

- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p}
- tz9]
- hui}
- hIk}

- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2

- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt

- UXPEt
- h41~
- h41~
- h41~
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-~
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-~
- 5|-~
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1~
- 95(1~
- 95$1~
- QSV3
- Vh7!
- h0,~
- Vh6!
- =0,~
- u^SUVW

- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N

- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41~
- u0jZ
- uSGW
- t1j(S
- s<9]

- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDez
- h`ez
- t$8j
- 8SWh
- VWu)j
- =M1~
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDez
- h`ez
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDez
- h`ez
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]

- f90t
- t6VPS
- t3SW3
- %\\1~
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_z
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4gz
- tE93tA
- 9n<v1W3
- 9n8tHS3

- t*W3
- t*W3
- t*W3
- h8fz
- $SV3
- re;M
- SVW3
- VW9M
- h`ez
- hDez
- h,ez
- h`ez
- hDez
- h,ez
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt

- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4cz
- usSW
- h8bz
- hXaz
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_z
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E

- t_f9E
- t<95`1~
- tD95\\1~
- tL95X1~
- tT95T1~
- 95P1~
- h0_z
- =L1~
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue

- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll

- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\

- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{

- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>

- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0

- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN

- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN

- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- Nr\\r
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =">t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=

- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >’>:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>’>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;

- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- Ad:GBs
- ZFnD$
- M+lf
- ^sv
- *\\Q'
- NqPh
- MZD#v
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}({
- BJNv?({
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR

- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>l}
- VPhvl}
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj

- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;

- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj

- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW

- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJf|
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?|
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(|
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL(|

- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\t|
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp{
- Shv?{
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-~
- hd-~
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj

- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,ez
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,ez
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP

- tWh,ez
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;

- L$;
- D$|P
- D$hj
- %tbz
- Wh"N
- Wh!N
- SVWj
- G>vV{
- G:QV{
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdgz
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\fz
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P

- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpdz
- Ph`dz
- PhDdz
- D$pPh,dz
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- h|bz
- SSSh
- hpcz

- hdcz
- hXcz
- h@cz
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpbz
- hpbz
- u\thlbz
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`z
- hP`z
- h `z
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_z
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP

- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _z
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP

- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@lUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tlYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT

- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Djj{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<

- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv

- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD'"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v

- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 15 (probably unpacked / injected by the sample)

• Module 15 rich signatures

• Module 15 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

- **Module 15 strings**

  - **Module 15 most interesting strings**

    - url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - url | valid domains | tlds: t.SV
    - url | valid domains | tlds: *.uz
    - url | valid domains | tlds: *.tm
    - url | valid domains | tlds: *.tj
    - url | valid domains | tlds: *.md
    - url | valid domains | tlds: *.kg
    - url | valid domains | tlds: *.am
    - url | valid domains | tlds: *.az
    - url | valid domains | tlds: *.by
    - url | valid domains | tlds: *.bg
    - url | valid domains | tlds: *.li
    - url | valid domains | tlds: *.il
    - url | valid domains | tlds: *.kz
    - url | valid domains | tlds: *.ua
    - url | valid domains | tlds: *.ru
    - url | valid domains | tlds: accounts.google.com
    - url | valid domains | tlds: *.google.com
    - url | valid domains | tlds: login.yahoo.com
    - url | valid domains | tlds: *.yahoo.com
    - url | valid domains | tlds: *.sharepoint.com
    - url | valid domains | tlds: *.booking.com
    - url | valid domains | tlds: *.instagram.com
    - url | valid domains | tlds: *.twitter.com
    - url | valid domains | tlds: *.facebook.com
    - url | valid domains | tlds: <.vl"-v
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
    - api | frequently used by malware: InternetCloseHandle
    - api | frequently used by malware: InternetReadFile
    - api | frequently used by malware: InternetQueryDataAvailable
    - api | frequently used by malware: CertDeleteCertificateFromStore
    - api | frequently used by malware: PFXImportCertStore
    - api | frequently used by malware: WSASend
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken
    - api | frequently used by malware: CryptGetHashParam
    - api | frequently used by malware: RegCloseKey
    - api | frequently used by malware: GetDC
    - api | frequently used by malware: GetForegroundWindow
    - api | frequently used by malware: TranslateMessage
    - api | frequently used by malware: GetClipboardData
    - api | frequently used by malware: VirtualAllocEx
    - api | frequently used by malware: VirtualProtectEx
    - api | frequently used by malware: GetTimeZoneInformation
    - api | frequently used by malware: Thread32Next
    - api | frequently used by malware: ReadProcessMemory
    - api | frequently used by malware: WideCharToMultiByte

- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW

- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken

- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc

- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle

- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 15 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- B37A94AF3E961830B00203B4FEC21FE2
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL

- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft

- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4

- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4I5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4I4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4I4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9

- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9I9|9
- 8,8<8L8\\8I8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9

- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3

- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,
- Mv5+
- =JOve)
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR

- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p
- tz9]
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$

- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll

- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u

- t!9^
- 9~4u
- t19{
- ;D$0_
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1
- 95(1
- 95$1
- QSV3
- Vh7!
- Vh6!
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It

- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P

- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8

- G\\9u
- 9D$lt
- tWh,e
- t$8j
- 8SWh
- VWu)j
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- tWh,e
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS

- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- $SV3
- re;M
- SVW3
- VW9M
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+

- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- usSW
- u\thlb
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- F4+F,

- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1
- tD95\\1
- tL95X1
- tT95T1
- 95P1
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache

- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■

- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked

- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s}y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO

- %56*''*=
- 1,<(5!1f
- 2'";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##''43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7

- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only

- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- I8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[

- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_

- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%

- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =’>X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >’>:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;

- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(
- BJNv?(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM

- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh

- PPPP
- VPhvl
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V

- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P

- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV

- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h

- SVWQ
- PhL(
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp
- Shv?
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh

- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh

- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW

- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- Wh"N
- Wh!N
- SVWj
- G>vV
- G:QV
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;

- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd
- Ph`d
- PhDd
- D$pPh,d
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj

- QSVWj
- SSSh
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q

- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV

- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R

- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q

- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
-))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!

- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v

- g.v%9-v
- H-vb
- S.vQ3.v

• Module 16 (probably unpacked / injected by the sample)

• Module 16 rich signatures

• Module 16 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 16 strings

• Module 16 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV

- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Oragaped
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Oragaped\\udygyficu.ekw
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo

- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW

- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW

- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile

- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW

- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 16 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- lobal\\97C8EF391A2463A6B00203B4FEC21FE2
- OFTWARE\\Microsoft\\Dioky
- Ewsaoxas
- B37A94AF3E961830B00203B4FEC21FE2
- udygyficu.ekw
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true

- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF

- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;

- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4I4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5

- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5l5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8l9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3

- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3l5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3

- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- Aig@
- 8W7}4
- gOP0)
- Q<3N
- eoSM
- vs2x
- 3sg8
- `7C49
- hiCz
- IDD`t
- FE]7
- 71@9
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,n
- Mv5+n
- =JOve)n
- ='-v3
- O!.v
- t\t2U
- @9D$

- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3

- Ph1pp
- tz9]
- huip
- hIkp
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll

- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M

- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41q
- h41q
- h41q
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-q
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-q
- 5|-q
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1q
- 95(1q
- 95$1q
- QSV3
- Vh7!

- h0,q
- Vh6!
- =0,q
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- hJfo
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+

- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- PhL(o
- D$4P
- hL(o
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- VhF\to
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV

- Af9X
- u#SSj
- t}9\\$
- h41q
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDem
- h`em
- t$8j
- 8SWh
- VWu)j
- =M1q
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDem
- h`em
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDem
- h`em
- \\$8j
- VW9]
- 4SWh
- SVW3

- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1q
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_m
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9

- D$0W
- D$4V
- t$8S
- Wh1N
- h4gm
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8fm
- $SV3
- re;M
- SVW3
- VW9M
- h`em
- hDem
- h,em
- h`em
- hDem
- h,em
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt

- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4cm
- usSW
- h8bm
- hXam
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_m
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$

- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1q
- tD95\\1q
- tL95X1q
- tT95T1q
- 95P1q
- h0_m
- =L1q
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png

- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic

- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;

- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s}y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5

- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qj!;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2

- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream

- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW

- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P

- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{
- ONve
- ,UvN
- INvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>

- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};

- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- Ad:GBs
- ZFnD$
- M+lf
- ^sv
- *\\Q'
- NqPh
- MZD#v
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
-]^Nv
- }LNv}(n
- BJNv?(n
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf

- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>lp
- VPhvlp
- N(hX
- t$<j
- D$ P
- PSSSSSSh

- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW

- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS

- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;

- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?o
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP

- D$LP
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFpn
- Shv?n
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-q
- hd-q
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh

- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,em
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,em
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l

- CL9D$lt
- +D$l
- D$pP
- tWh,em
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj

- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tbm
- Wh"N
- Wh!N
- SVWj
- G>vVn
- G:QVn
-]l−y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdgm
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\fm
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]

- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpdm
- Ph`dm
- PhDdm
- D$pPh,dm
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj

- h|bm
- SSSh
- hpcm
- hdcm
- hXcm
- h@cm
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpbm
- hpbm
- u\thlbm
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`m
- hP`m
- h `m
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_m
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS

- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _m
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"

- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``IT@H

- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0

- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;!;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@

- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v

- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 17 (probably unpacked / injected by the sample)

• Module 17 rich signatures

• Module 17 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Atmos_Packed_Malware (Second Generic Spyware.Citadel.Atmos signture when builder add a packed layer)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)

- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 17 strings

• Module 17 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next

- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA
- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW

- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken

- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc

- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW
- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle

- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 17 other strings

- B37A94AF3E961830B00203B4FEC21FE2
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown
- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true

- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client
- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF

- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2
- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;

- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4I4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4I4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0
- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5

- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>l?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5l5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0
- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8l9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3

- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3l5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2
- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3

- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- _(8L
- ti'!
- ,K3C
- yG`1Y
- yAZ[
- h[d68
- .7Y5
- ;>Q 7
- >V%2
- U?RaS
- Gd{Yi
- 6~@]
- 4vU2
- 3HHJT
- EFO`
- uBD=,
- p@6:
- 12${
- +tRU
- Ki]P
- s.~7
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=

- _aQ9
- nonic
- t\t2U
- @9D$
- t19L$
- S9L$
- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tI;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]

- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1pC
- tz9]
- huiC
- hIkC
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll

- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll
- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu

- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt
- Q@SVu
- GDATt
- UXPEt
- h41D
- h41D
- h41D
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-D
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-D
- 5|-D
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1D

- 95(1D
- 95$1D
- QSV3
- Vh7!
- h0,D
- Vh6!
- =0,D
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$

- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3
- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- ShFpA
- Shv?A
- @t5Sh
- Vj2j
- E<PPV
- E(PPV

- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41D
- u0jZ
- uSGW
- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDe@
- h`e@
- t$8j
- 8SWh
- VWu)j
- =M1D
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe@
- h`e@
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe@
- h`e@
- \\$8j
- VW9]

- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R
- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1D
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- G>vVA
- G:QVA
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- D$4P
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_@
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V

- t$8S
- Wh1N
- h4g@
- tE93tA
- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8f@
- $SV3
- re;M
- SVW3
- VW9M
- h`e@
- hDe@
- h,e@
- h`e@
- hDe@
- h,e@
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P

- t$89t$8u
- @SVWu
- QQS3
- tT9{
- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4c@
- usSW
- h8b@
- hXa@
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_@
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht

- ue9]
- SSSI
- tv9_
- QQS3
- Sf;E
- wY+E
- t_f9E
- t<95`1D
- tD95\\1D
- tL95X1D
- tT95T1D
- 95P1D
- h0_@
- =L1D
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi

- utf-8
- test
- bc_remove
- video_start
- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy

- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R

- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K
- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77

- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp
- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>

- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;
- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize

- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt

- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5lkQ

- <5lkQ
- s1q4
- <5lkQ
- 3)6{
- ONve
- lNvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<

- ;4;@;T;g;~;
- : :S:]:j:v:
- =I=l={=
- <#<[<s<
- ;R:j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >">:>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?j?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :.;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>">2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?

- >@>P>
- ;!<=<E<_<
- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- RJ_D
- LYH)"
- F/@;#
- Z-<WD
- qmx[>
- @Q`ZP
- ::,y
- {'+z
- |+-T[
- M^RK
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~P|`
- VXy(
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\Zjbf
- j\Zjn
- j\Zjf
- j\Zjr

- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf
- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>lC
- VPhvlC
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV

- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf

- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST

- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj
- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$

- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH
- lSVW
- hJfB
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?B
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL(B
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW

- t$;
- SVWQ
- hL(B
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\tB
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-D
- hd-D
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh

- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P
- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,e@
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,e@
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l

- D$pP
- tWh,e@
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS

- D$$;
- L$;
- D$|P
- D$hj
- %tb@
- Wh"N
- Wh!N
- SVWj
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- D$PP
- D$LPh
- D$$P
- D$(P
- D$LP
- D$PP
- tshdg@
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\f@
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]

- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj
- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd@
- Ph`d@
- PhDd@
- D$pPh,d@
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj

- h|b@
- SSSh
- hpc@
- hdc@
- hXc@
- h@c@
- WWWV
- D$,;
- _^@[
- SVWj
- t_h%'
- hpb@
- hpb@
- u\thlb@
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`@
- hP`@
- h `@
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_@
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS

- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P
- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _@
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"

- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx
- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {l|j\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``IT@H

- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs
- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*'"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0

- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;!;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj
- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@

- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- Pv]^Nv=JOv
- ,UvBJNv}LNv
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /vO!.v
- /.v`w
- -v='-v
- -vM)v

- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV
- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v

• Module 18 (probably unpacked / injected by the sample)

• Module 18 rich signatures

• Module 18 yara matches

- Atmos_Malware (Generic Spyware.Citadel.Atmos Signature)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- citadel13xy (Citadel 1.5.x.y trojan banker)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()

- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- RijnDael_AES_LONG (RijnDael AES)
- CRC32_poly_Constant (Look for CRC32 [poly])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 18 strings

• Module 18 most interesting strings

- url | http tag | tlds | wellknown extension: http://%02x%02x%02x%02x%02x%02x%02x%02x.com/%02x%02x%02x%02x/%02x%02x%02x%02x.php
- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: t.SV
- url | valid domains | tlds: *.uz
- url | valid domains | tlds: *.tm
- url | valid domains | tlds: *.tj
- url | valid domains | tlds: *.md
- url | valid domains | tlds: *.kg
- url | valid domains | tlds: *.am
- url | valid domains | tlds: *.az
- url | valid domains | tlds: *.by
- url | valid domains | tlds: *.bg
- url | valid domains | tlds: *.li
- url | valid domains | tlds: *.il
- url | valid domains | tlds: *.kz
- url | valid domains | tlds: *.ua
- url | valid domains | tlds: *.ru
- url | valid domains | tlds: accounts.google.com
- url | valid domains | tlds: *.google.com
- url | valid domains | tlds: login.yahoo.com
- url | valid domains | tlds: *.yahoo.com
- url | valid domains | tlds: *.sharepoint.com
- url | valid domains | tlds: *.booking.com
- url | valid domains | tlds: *.instagram.com
- url | valid domains | tlds: *.twitter.com
- url | valid domains | tlds: *.facebook.com
- url | valid domains | tlds: <.vI"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Egyximodbo\\xeofnyeksed.acn
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: TranslateMessage

- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateThread
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Accept-Ranges: bytes
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: Accept-Language
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: SOFTWARE\\Microsoft\\Dioky
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft
- url | http tag: http://127.0.0.1:%u/
- url | http tag: http://
- url | http tag: https://
- api | wininet: InternetSetStatusCallbackA
- api | wininet: InternetOpenA
- api | wininet: InternetSetOptionA
- api | wininet: InternetCrackUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetConnectA
- api | wininet: InternetQueryOptionA

- api | wininet: HttpEndRequestW
- api | wininet: HttpSendRequestA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpEndRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetGetCookieA
- api | wininet: HttpOpenRequestW
- api | wininet: HttpOpenRequestA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | crypt32: CryptUnprotectData
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSARecv
- api | ws2_32: WSAConnect
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSASocketA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ntdll: NtQueryKey
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumKeyExW
- api | advapi32: CryptHashData
- api | advapi32: GetSecurityDescriptorDacl
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: CheckTokenMembership
- api | advapi32: GetSecurityDescriptorSacl
- api | kernel32: RegOpenKeyExW
- api | advapi32: FreeSid
- api | advapi32: SetSecurityInfo
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW

- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | advapi32: InitiateSystemShutdownExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegCreateKeyW
- api | advapi32: EqualSid
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: GetLengthSid
- api | kernel32: CreateProcessAsUserW
- api | advapi32: CreateProcessAsUserA
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: CharLowerW
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: DispatchMessageW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: CharToOemW
- api | user32: MessageBoxA
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: GetCursorPos
- api | user32: GetMessageW
- api | user32: GetKeyboardState
- api | user32: PeekMessageW
- api | user32: ToUnicode
- api | kernel32: GetLocalTime
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetFileInformationByHandle
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: ReleaseMutex
- api | kernel32: GetFileTime
- api | kernel32: QueryDosDeviceW
- api | kernel32: RemoveDirectoryW
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcpynW
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy

- api | kernel32: VirtualQueryEx
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeThread
- api | kernel32: ReadFile
- api | kernel32: GetExitCodeProcess
- api | kernel32: SetHandleInformation
- api | kernel32: TerminateThread
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: MoveFileExW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: lstrcmpiA
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: SetThreadPriority
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetCurrentThread
- api | kernel32: FindFirstFileW
- api | kernel32: GetModuleHandleA
- api | kernel32: VirtualFree
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: CreateEventA
- api | kernel32: SetFileAttributesW
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: lstrcmpiW
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: GetCurrentProcessId
- api | kernel32: OpenEventW

- api | kernel32: SetEvent
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: WaitForMultipleObjects
- api | kernel32: CreateEventW
- api | kernel32: DeleteFileW
- api | kernel32: DuplicateHandle
- api | kernel32: VirtualProtect
- api | kernel32: Process32NextW
- api | kernel32: CreateFileMappingA
- api | kernel32: Process32FirstW
- api | kernel32: CreateFileW
- api | kernel32: TerminateProcess
- api | kernel32: CopyFileW
- api | kernel32: IsBadReadPtr
- api | kernel32: GetModuleHandleW
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetFileSize
- api | kernel32: CloseHandle
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetProcessId
- api | kernel32: EnterCriticalSection
- api | kernel32: VirtualAlloc
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualFreeEx
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleFileNameW
- api | kernel32: WaitForSingleObject
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemPowerStatus

• Module 18 other strings

- Global\\96C8EF391B2463A6B00203B4FEC21FE2
- B37A94AF3E961830B00203B4FEC21FE2
- xeofnyeksed.acn
- Sosyt
- s%08X%08X%08X%08X
- *.gif
- *.ico
- Internet Explorer
- Firefox
- Chrome
- chrome.dll
- DisplayVersion
- DisplayName
- Publisher
- FirewallProduct
- Version: %s
- Unknown

- versionNumber
- displayName
- companyName
- AntivirusProduct
- Input: %s
- Process (%02u minute): %s
- NULL
- TRUE
- null
- true
- false
- ROOT\\SECURITYCENTER2
- ROOT\\SECURITYCENTER
- ROOT\\CIMV2
- %s%08x
- %s%08x.%s
- file
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- \\StringFileInfo\\%04x%04x\\%s
- \\VarFileInfo\\Translation
- CompanyName
- ProductVersion
- ProductName
- .dat
- Security
- Microsoft
- Malware
- Microsoft
- Inspection
- Microsoft
- Antivirus
- ESET
- Security
- ESET
- Security
- Service
- Monitor
- Desktop
- AntiVir
- Antivirus
- avast!
- Anti-Virus
- Kaspersky
- Security
- Kaspersky
- Protection
- Norton
- Security
- Symantec
- Shared
- Symantec
- Protection
- Symantec
- Client

- Symantec
- SecurityCenter
- McAfee
- Security Center
- McAfee
- McAfee
- SafenSoft
- Rapport
- Global\\%08X%08X%08X
- NOREF
- SeShutdownPrivilege
- dual
- single
- disabled
- open
- .exe
- SeTcbPrivilege
- -refid=
- Time: %02u.%02u.%04u
- Size: %I64u (bytes)
- Name: %s
- %02X
- SysWOW64*
- %sd2%
- system32*
- %sd1%
- Program Files (x86)*
- %pd2%
- Program Files*
- %pd1%
- %ad%
- \\REGISTRY\\MACHINE\\
- \\REGISTRY\\USER\\
- DeviceID
- VolumeSerialNumber
- Win32_LogicalDisk
- Size
- Caption
- Manufacturer
- PNPDeviceID
- InterfaceType
- Win32_DiskDrive
- DISPLAY
- X-TS-Header-UserAgent: %S
- X-TS-Header-AcceptLanguage: %S
- X-TS-Header-AcceptEncoding: %S
- X-TS-Header-Referer: %S
- X-TS-Header-Cookie: %S
- Content-Type: application/json
- Content-Type: application/x-www-form-urlencoded
- X-TS-SessionID: %s
- X-TS-Domain: %s
- X-TS-Rule-PatternID: %u
- X-TS-Rule-Name: %s
- kernel32.dll
- 4 4$4(4,40444<4@4H4L4T4X4\\4`4d4h4l4p4x:
- 2,2<2L2\\2l2|2

- 1,1<1L1\\1l1|1
- 0$0,040<0D0L0T0\\0d0l0p0t0x0|0
- 565F5T5b5h5t5
- }0!2-2X2
- 0+1r1
- g0|0
- 4"4&4*4.42464:4>4B4F4
- 8;8k869:9>9B9F9J9N9R9
- +3y4
- 929K;
- 2\t4@4S4
- 4l5T5`5g5
- 3)4=4l4a4
- 2>3X3d3
- 1Q1h1
- 0)0Q0i0
- 5B5c5n5
- 354z4
- >A?f?
- =6=Z=
- 9H:h:
- 8<8b8
- 7#707j7
- 5*676[6m6
- 4'505
- 3(4Q4l4|4
- 323L3n3}3
- 011=1n1
- 95:Q:
- 8!818^8d8m8{8
- 7!7;7
- 616H6Q6f6r6
- 515E5^5{5
- 4!4l4
- 3<3G3x3
- 2.252C2
- 0#020=0
- >1?}?
- <O=v=
- 9;:i:
- 7N8U8\\8b8o8
- 7%7,737P7\\7
- 6+6n6
- 5/5r5}5
- 3$4-4?4E4M4
- 2^2m2
- 1#1A1H1Z1~1
- 9%939N9W9d9o9
- 7f8m8z8
- 6'696N6_6o6
- 5(5J5T5^5j5y5
- 4!4-4H4Q4^4i4
- 2$3+383D3c3j3t3
- 1&111
- 7D:a:h:q:
- 2>2v5
- 40:0H0N0b0h0z0

- 9D9N9
- 6*696l6
- 4/4D4^4
- 3E3[3x3
- 132B2x2
- :U:j:
- 9%9@9G9h9
- 6=7H7
- 6S6`6
- 445l5
- 20<0H0a0
- 8'8.848?8T8d8j8
- 1A1}1-2
- 9(9<9L9\\9l9|9
- 8,8<8L8\\8l8|8
- 526~6
- >&>5>
- 8#8*8
- 7A7f7x7
- 6-6E6q6
- 4i5u5
- 3)3@3X3c3i3s3y3
- 1!1<1u1
- Q0U0Y0]0a0e0i0m0q0u0
- 2o3}3
- 6/6;6T6Z6
- 5!5&5+52575E5J5R5X5_5e5l5r5{5
- 4"4\'4,41464;4@4E4J4O4T4Y4^4c4h4m4r4w4|4
- 2%2~2
- 10w0F1a1y1
- >9?E?O?q?
- 9':`:
- 667w7
- =6=N=
- 585c5i5
- 2F4W4
- 3F3k4~4'5
- 0g1z1
- :7;G;
- 647e7
- 2S2c2 4a4
- 1l1o2
- =u>I?
- 8C8t8
- 6%6`6v6
- 5!5.5
- 3Q4e4j4t4
- 2K3Q3
- 2#2o2
- %0?0a0
- 939B9];d;k;r;y;
- 7%7;7A7h7
- 5I5Q5{5
- 4'4-43494?4E4K4Q4W4g4
- 3%3+313>3J3Z3_3e3t3
- 2#2)2.252;2C2K2S2m2r2|2
- 0"0(0C0I0d0u0z0

- <&<U<
- 8s8y8:9
- 4&4<4R4
- 9]:w:
- 384'5z5
- 1,24292]2c2x2
- 8I9]9i9{9
- 5!6(6G6
- 354\\4
- 2\t373C3O3[3g3s3
- 0W0\\0u0
- ;5;`;
- :$:6:
- 738:8?8D8J8S8\\8e8j8t8{8
- 455a5+6Q6
- 3)4v4
- 2&3>3g3s3~3
- 2,2;2A2L2
- 1=1C1P1c1i1
- <:<I<
- 8-8J8m8
- 4$5+575O5c5j5
- 4&4?4|4
- 2W2]2j2=3B3N3Z3
- 0*101
- 0X0r0
- 9 979r9x9
- 868E8
- 3"3\'3-353=3E3M3U3]3l3s3x3}3
- 1#171]1l1r1}1
- t0y0
- 0!090L0
- 8.8@8S8Z8
- 4&5D5
- 2?3M3T3
- 1s2z2
- 0-0S0Z0
- <P=i=
- 6/7I7 9&969
- 51666
- 2m3x3
- 050f0
- 7"7o7z7
- 5S6Y6^6l6
- 6?6Z6
- 3I5s5
- >!?7?
- 7"7>7
- 0+26274E4q5z5
- 989]9
- 8&8]8
- 7%7.777A7M7Y7f7x7
- 6$6+6:6^6m6
- 5C5O5Z5p5x5
- 454A4L4Z4`4
- 3"3H3W3]3h3y3
- 1-2u2

- 101v1
- =i>o>
- :0;>;K;o;
- 7'8m8G9X9f9t9
- 6\t727}7
- 4B4H4
- 30383A3
- 575L5Z5+6
- 4(4/4:4F4S4`4m4z4
- 313F3K3l3q3|3
- 9;9p9
- 2A8p8
- ?&?0?8???
- =%=8=
- 6Y7f7y7
- 3$4Z4s4
- 1T2f2w2
- 4@5K5p5
- 2:3V3
- 22C2V2f2r2
- 9.9Y9u9
- 8#8*8Q8X8q8x8
- 7,7A7z7
- 6F6h6
- 555E5M5x5
- 4+4e4
- U2f2
- X5\\5`5d5h5l5p5t5x5|5
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- +o*7
- MGiI
- 9a&g;
- i]Wb
- :qheU
- <><4
- =V5}
- dBAb=
- _aQ9
- nonic
- SvO,'
- Mv5+'
- =JOve)'
- ='-v3
- O!.v
- t\t2U
- @9D$
- t19L$
- S9L$

- Iu49H
- t#Ku19}
- t#Ku59}
- uf8E
- t"8]
- u\t9^
- t8WR
- ItTIt#It
- <s]tA
- t1Wj
- tEWj
- eu49U
- <C]u
- QSVW3
- SUVW
- t);E
- t);E
- u$RQj
- u2RQR
- t$9H
- tr9>tn9~
- t^97tZ
- u\t9w
- tl9w
- t;9w
- t8VW3
- Vu1h
- 9_ w
- 9_ w3
- p9L$
- 9B(t+
- ~EQj
- t@9u
- VWU2
- SVW3
- tV9}
- t69]
- t'9]
- t"9~
- t,9}
- @B;E
- u"9]
- t:;E
- tB;E
- tE;]
- tl;u
- =<0s
- x< u
- (<.u#
- VWf9H
- u\t9]
- f1D$
- f1D$
- Es_^[
- SVW3
- Ph1p)
- tz9]

- hui)
- hIk)
- t"9=
- t*9=
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- <SV3
- u#9u
- s0PQ
- t;9]
- t5=,
- t69]
- t&9]
- tBV3
- jDZ3
- t*9u
- te9u
- te9u
- SVW3
- A;L$
- _u!S
- f9TX
- f9Tx
- A;L$
- uH9U
- :0u
- ~iV3
- ~bV3
- VERSION.dll
- GetFileVersionInfoSizeW
- VerQueryValueW
- GetFileVersionInfoW
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- GetDeviceCaps
- ole32.dll

- CoGetObject
- StringFromGUID2
- CoInitializeEx
- CoInitialize
- CoInitializeSecurity
- CLSIDFromString
- CoUninitialize
- CoSetProxyBlanket
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- ShellExecuteExW
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrStrIA
- PathMatchSpecW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathIsDirectoryW
- UrlUnescapeA
- StrCmpNIA
- PathIsURLW
- PathQuoteSpacesW
- PathRemoveBackslashW
- PathUnquoteSpacesW
- PathRenameExtensionW
- PathRemoveFileSpecW
- PathFindFileNameW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- D$6P
- SVW3
- SVWu
- ta9u
- tYW3
- @WV3
- tj9M
- ,SVW3
- RUATt

- Q@SVu
- GDATt
- UXPEt
- h41*
- h41*
- h41*
- 2;t$
- u=9]
- 90t
- tQV3
- Gf9}
- 9_4u
- t!9^
- 9~4u
- t19{
- ;D$0_
- 5|-*
- t0j|
- t$0Pj
- 9\\$l
- 9\\$,
- D$D9D$8
- D$$3
- |$,3
- \\$0;
- <Ru!
- u!8A8u
- L$Tu
- D$P3
- |$0X
- '9w@
- 9wLvJ
- |$0X
- 9wLw
- t.f9
- t:f9
- @!rA
- u&9t$hv
- 9t$h
- 5|-*
- 5|-*
- 89w7
- <9v^2
- ;~Lu
- u/C;]
- F|S3
- u%;t$
- SVWu
- QQS3
- t0W3
- 95,1*
- 95(1*
- 95$1*
- QSV3
- Vh7!
- h0,*
- Vh6!

- =0,*
- u^SUVW
- _^[u
- u!8B
- u&8B
- _^[u
- u!8B
- u&8B
- ?_^u
- 9~uM
- u|VWj
- t%9M
- t%9M
- t%9M
- t 9M
- Iu'9
- t$It
- tX9M
- 0u&8A
- y\tMu>
- 9Uu\\
- 9Uuk
- Su78Q
- y\tuu*
- juM8A
- t-9U
- t-9U
- t-9U
- t-9U
- Iu:9
- It=It0It#It
- tz9U
- 0vRP
- 0v|P
- A<SV
- u,Sj
- u7f9
- PWh8
- SVW3
- QSh4
- 0SV3
- QSh4
- 0SV3
- ;E r
- ts!E
- tx9E
- t\\9|$
- tb9|$
- SVW3
- <t\tIIu
- tX9\\$
- t^9\\$
- <3;t
- &u0;+
- t)9}
- 9&u;"
- SVW3

- tf9}
- Sh0N
- f9;t~9}
- f3TE
- th<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98t|;
- T$0R
- \\$4;
- D$4P
- D$4P
- D$8P
- KAF;
- ~0;u
- tBO3
- u:j@Z
- Pj4Z
- t9Wj
- 0t$Iuj
- D$0D
- u^9G
- t7Wj
- uw!E
- t6Sh,
- E|PW
- 9}`t
- 9}dt
- 9}ht
- 9}\\t
- EXPh
- EhCP
- E`P3
- E`9Etu
- Es_^[
- 9]ht
- EhPj
- j@[u!
- SVW3
- @t5Sh
- Vj2j
- E<PPV
- E(PPV
- EPPPV
- EdPPV
- Af9X
- u#SSj
- t}9\\$
- h41*
- u0jZ
- uSGW

- t1j(S
- s<9]
- D$8P
- 9t$<u$
- D$$i
- QSVW3
- D$@P2
- t$ 3
- t$ 3
- uhGW
- 9Uhw
- Ehj
- Ehj
- ;uxt
- u$9uht
- EhPS
- GD9u
- YYh8
- G\\9u
- 9D$lt
- hDe&
- h`e&
- t$8j
- 8SWh
- VWu)j
- =M1*
- hSV3
- t\t9}
- t/9}
- D$ P3
- SVW3
- u$9uxt
- u49u
- u$9uxt
- u09u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe&
- h`e&
- \\$8j
- VW9]
- u$9uxt
- w\\9u
- u>9OTu99O@u49OXu/
- Gh9u
- hDe&
- h`e&
- \\$8j
- VW9]
- 4SWh
- SVW3
- D$4Pj
- D$8Pj
- \\$43
- HuMf
- D$4+
- D$0R

- D$(3
- t"9]
- f90t
- t6VPS
- t3SW3
- %\\1*
- 8SVW
- FW9u
- QSV3
- EtPj
- _^[U
- }uxj
- j-Xf9
- VWjq3
- A;L$
- 29L$
- D$0P
- D$0P
- 9\\$(u$
- D$0P
- D$0P
- u\t9}
- vASS
- U-4|/
- UU6|/
- 5kxV
- dG7*
- m-4|/
- |86~
-)IK/`
- U!4|/
- dOG.
- IK/dF
- 5|T)
- AE8*
- AD]e
- 6|/b
- C8B1|/m
- 861|/m
- t|9u
- t^9]
- t0j=Z
- t<9u
- tc8]
- hU_&
- D$8P
- D$8j
- D$8P
- D$<3
- L$Hf9
- L$Hf9
- D$0W
- D$4V
- t$8S
- Wh1N
- h4g&
- tE93tA

- 9n<v1W3
- 9n8tHS3
- t*W3
- t*W3
- t*W3
- h8f&
- $SV3
- re;M
- SVW3
- VW9M
- h`e&
- hDe&
- h,e&
- h`e&
- hDe&
- h,e&
- u}hv/
- t|KtE
- t8VW
- t8VW
- t$9t$
- t$9t$
- uD9}
- uD9}
- u79}
- u79}
- u79}
- u79}
- u29E
- C8VP
- uO+C8
- C4u+
- u 9C,w
- 9t$0t5
- du\tV
- D$0PP
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t:f9;t5
- 9y(t
- QQS3
- Ec_^
- U\\9}\\
- u&j;%
- D$4P
- D$8P
- t2f98u-f
- 9|$Dt
- L$@3
- D$8P
- t$89t$8u
- @SVWu
- QQS3
- tT9{

- tY9{
- 9}lt
- ExSV
- 9}lt
- ExSV
- t89\\$
- t49\\$
- 9.tl3
- tE9]
- u(9]
- PSVW3
- h4c&
- usSW
- h8b&
- hXa&
- t7jB
- t"9u
- <&uE;
- Vj03
- XSVW3
- tiV3
- t$8X
- hSVW3
- 9uPt
- 9uXu
- 9u`u
- 9u<t
- t$9uLt
- t\t;E
- ;E4u
- t\t;E4
- SVW3
- v+V3
- hU_&
- F4+F,
- c8Uvt
- A8Mv
- D$0P
- D$0P
- D$8Pf
- D$8P
- D$8P
- Ht\tHu
- 0t$Ht
- Vh9N
- Vh8N
- Vh7N
- Vh6N
- Vh5N
- t$8X
- 9D$$
- Hu<3
- u(Ht
- ue9]
- SSSI
- tv9_
- QQS3

- Sf;E
- wY+E
- t_f9E
- t<95`1*
- tD95\\1*
- tL95X1*
- tT95T1*
- 95P1*
- h0_&
- =L1*
- t4Sh
- f93_
- f93u
- SVW3
- taWS
- xWuQ
- tf9}
- text
- NULL
- value_%s_%s
- local
- value_%s
- global
- if(1==1){}
- arg3
- arg2
- arg1
- RESULT: OK
- DEFAULT
- arg0
- Connection: close
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- Connection: close
- Expires: %s
- Pragma: no-cache
- Cache-control: no-cache
- Content-Length: %u
- Date: %s
- Server: Apache
- HTTP/1.1 %u %s
- %s, %02u %s %u %02u:%02u:%02u GMT
- Bad Request
- Forbidden
- Not found
- text/plain
- text/javascript
- image/gif
- image/jpeg
- image/png
- image/tiff
- ansi
- utf-8
- test
- bc_remove
- video_start

- getvalue
- setvalue
- registry
- L09n
- Referer: %s
- Cookie: %s
- %VIDEO%
- %BOTNET%
- %BOTID%
- *.xn--p1ai
- 127.0.0.1
- 192.168.*.*
- unknown
- __waitRecord@8
- __stopRecord@0
- __isRecord@0
- __startRecord@36
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- %COMMANDSERVER%
- value=[%s], code=[%s]
- £
- ¢
- ¤
- ¥
- ■
- ■
- ■
- €
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ■
- ¥
- €
- £
- ¤
- Basic
- file
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate

- cabinet.dll
- urlmon.dll
- Connection: close
- POST
- Mozilla/5.0 (compatible; MSIE 8.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- atmos_video.module
- video_module
- atmos_ffcookie.module
- cookie_module
- atmos_hvnc.module
- hvnc_module
- .reloc
- screenshot
- powershell
- shell
- socks
- NSS layer
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- _getFirefoxCookie
- If-Modified-Since
- identity
- POST
- PUT
- GET
- X-XSS-Protection
- X-Frame-Options
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- GET /favicon.ico HTTP/1.1
- Authorization
- Content-Type
- Referer
- Cookie
- User-Agent
- Content-Length
- Host
- HTTP/1.0
- HTTP/1.1
- FAS\\^EA
- lo}xbeg
- RB`J{a}oQ}wc@uwmOiq#B=nG;
- 5:-2;3(
- &q;$0?^ 43R
- <k>*%D:.)HO7%,O8lpn
- !/4&,1i
- q(.dI76>9)500kp870$z7%!=/@F
- yU_K

- E>8v[YBLF_
- QLOJ2-1/1"#"5[\\
- 725<
- x}rup;2E
- xvpi
- @9=f^BGA
- nosgb\thiI]\\7ec:
- de}ih
- pqaut
- E]x92)/;6]<=%10[&';/*A !1%$O*+7#
- jrw6
- #*$pim4KO
- IOD@^XL
- >8<#
- IYONXNQM
- t$<90:$& }
- 9=?9%1XX
- 40&2
- {}0W.
- ASZ9=S^
- 2 <e
- na&628
- o7&(%",:g
-)q`fbuueho#
- 5L|lkukl=
- P`heCji*ofe
- 1"55
- A9\\qiwquabdek}"hjv
- s]]AF_IESIS
- R#]%A
- oe`/\tt`k*s6/9
- 6\'5#$.0*"8<
- CXBA
- =;8.
- 7<*6)4"1
- pmdxOwvbhuVfp~e``UXyes}{s]y`fA9l
- vkarvaqgqaFM[GXES@kaX^W]JO
- %56*"*=
- 1,<(5!1f
- 2"";<2
- ':0#'0 6 0
- tWIAIMGjALIJxH^C
- R%?'i*BF$$c%9/40ex~+{~83)=s4\\\\>2u
- [GUNF
- (0R^
- kz?3N2<A142g7'!ZM
- [_I]
- %<*{33,**{`f1Oa4
- %orsvba9[ww
- A?aDSK
- 3]VJIE5
- rba|~ut`ruw7g3jkt/gouk(qyflflaiiW
- 7'$9;01%702r0(77
- ZR^]WUU
- N^\t9]
- ,2.l
- dNB@IACp

- ub0vrt
- fe{s{
- yeyw!w`pm[vseupnDusmzsd`v696q
- 71IN[MoA@VR
- EEIUB
- /3>+408
- .ah8).;=)5;m3$4)
- UFsu
- 29/3,1'4
- ;9"03\'!
- 51:6/(z
- 4926
- ##"43\';::x
- #";-89
- &!4,6;7,(
- %.*a
- Idok
- sQO_
- lAJN
- ~AENB[\\
- %9+i
- -)".70b
- #238!?(qjl;]
- CXb5OM
- _nj1
- 0cf8f
- 1*4$5i $>
- oivp
- |e{l
- e_GSY
- CFIQDA
- <9lx~
- X~ag
- |1=97)9=2>v
- VKARVAQGQJn|UXg
- "$?9=
- 35&+-7
- 60/)4:5<
- "%0&=3<5
- ,9.)277%
- l%0&%7#m
- OBCBAOFFV
- iOq~brpadGiplzm
- 57:3.*
- %9=5&
- IZEZ1
- "?5&"5%3%
- mR]ON}li
- (,:00-)r6*4pz=u:.>:>,=
- !&68*>>(
-); 13:2
- .305#%",-;
- #5!>
- +,9/
- ' 5#\t;;25=>
-)8=!/)$(37
- ?8-;

- <.27 &6
- 308(6>
- EOTLIKFBvNBFH
- <2)<>3;
- 0%'=6;'/
- k8usuA
- q5ux}|s}x=
- Bdokee"wc-kwmj
- 97260536$6,2` *;w
- ;1#3'9>0e
- 0$5,%/%m)5+
- 837'
- 15183 7
- 3##:=3
- &;1"&1!7!1
- WCRKOIVP
- ~bitplxn=wiu
- 5!.O
- 6(.<03
- 5?&:?6~4&:
- 9#;<(2("
- ;91=97
- CLXEIA
- 9<*075Z?
- %'4$
- (1',(O
- |hvqwHiuFATU!zTqHXlAG\\NRA`_DTQW2gKx[M{TT1!?2
- P{eoQAEOj,nA_YgKOAr&dWIC;}UQ[zHf2
- H~ho{eGkoaD
- &:52
- ,:1%7
- =% 6&
- &=/38M
- config.bin
- update.exe
- FAIL
- X-Content-Security-Policy-Report-Only
- Content-Security-Policy-Report-Only
- X-Content-Security-Policy
- Content-Security-Policy
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup

- 533D9226E4C1CE0A9815DBEB19235AE4
- _hvnc_wait@0
- _hvnc_uninit@0
- _hvnc_init@4
- s~5
- l8h8
- v|6|6
- 8\t=^
- xA~B
- DTL@"U Yil/
- S4O4
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ

- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- 9JLX
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- 3)6{

- ONve
- ,UvN
- lNvV
- uMv0
- 3.vV
- 3.vF
- J,vo
- J-v6
- .reloc
- `.data
- .text
- Rynafyysc
- .txt
- *.css
- *.jpg
- *.png
- *.flv
- n*.swf
- nss3.dll
- %u: %s | %s | %s
- Product: %s
- Company: %s
- SELECT * FROM %s
- www.
- S:(ML;CIOI;NRNWNX;;;LW)D:(A;CIOI;0x1FFFFF;;;WD)(A;CIOI;0x1FFFFF;;;AC)
- S:(ML;;NRNWNX;;;LW)D:(A;;0x1FFFFF;;;WD)(A;;0x1FFFFF;;;AC)
- /c "%s"
- "%s" %s
- "%s"
- ntdll.dll
- SysWatch
- nspr4.dll
- .tmp
- -----
- Hash: %s
- Path: %s
- %wd%
- X-TS-BotID: %s
- %s%s
- css,js,ico,jpg,png,gif,wav,mp3,avi,mov,swf,flv
- ; ;,;8;D;P;\\;h;t;
- =#='=+=/=3=7=;=?=
- ?'?M?a?
- ;P?s?
- 9#:):|:
- ?!?&?+?0?8???
- >#>(>2>8>B>L>T>Z>`>f>
- <0=B=R=
- =’>t>
- =%=T=
- =&>D>
- :T;g;
- ?n?|?
- >">)>6>]>h>s>
- <!<-<C<
- ;4;@;T;g;~;
- : :S:]:j:v:

- =I=l={=
- <#<[<s<
- ;R;j;
- ;K<V<h<
- :\t;2;G;l;~;
- >*?[?}?
- <T>f>w>
- ?0?p?z?
- =U=[=y=
- <;<S<
- ;N;f;
- :):0:Q:^:k:}:
- =?=-?[?a?
- ?!?%?)?-?1?5?Z?q?
- >:>?>E>K>]>c>i>
- =">X>
- ;A<K<x<
- =(?:?
- =0=>=h=
- ;&;B;];y;
- ?*?3?D?P?\\?h?|?
- ? ?)?R?W?b?h?n?t?z?
- >':>^>p>
- =%=x=
- ;/<?<
- :":<:K:;;
- <9=N=j=
- =S=Y=
- ;!;*;0;H;
- ?V?[?g?z?
- <P=w=
- <&<T<`<l<x<
- >F?x?
- :V;W<a<
- ><?B?_?
- <@<F<k<
- :H;e;t;~;
- >K?X?c?]?y?
- <8=c>n>
- 9i;~;\t<P<[<}<
- =#=;=
- <F<^<e<{<
- ;(;1;>;R;Y;q;y;
- > >)>O>
- <!<7<D<v<
- :,;;;B;j;
- ?@?y?
- >.>D>\\>n>
- <(=.=5=H=Y=
- <,<1<7<D<K<T<Z<c<
- :e;l;r;};
- >V?\\?f?l?r?|?
- <H=M=
- >!>'>2>R>\\>b>m>
- ? ?*?0?:?@?L?R?Z?b?j?r?
- >@>P>
- ;!<=<E<_<

- ;l;~;
- :(:<:C:n:
- 5h?l?p?t?x?|?
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- (ZWxv
-]/'k
- {~Pl`
- VXy(
-]^Nv
- }LNv}('
- BJNv?('
- tpSSPh'
- F;t$
- Wt_j
- (SVW
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tHHt"Hu_
- tqKtJKt'Kuz
- tHKt"KuS
- thKtDKt"Kuq
- tFKt"KuQ
- Ht_Ht7H
- FHtkHtHHHt)
- t\tRQ
- SUWt^Ht[Ht.Huc
- _^[]
- <s}tM
- <s,t+
- jnYf
- <C}t
- ~j:Xf
- j"Xf
- t5j"Xf
- _j"Zf
- j\\Zjbf
- j\\Zjn
- j\\Zjf
- j\\Zjr
- !j\\Zj"
- (j\\Zj/
- ;j\\ZR
- tJJJt?JJt4Jt*
- j"Yf
- j-Xf
- j,Xf
- j[Xf
- j,Xf

- j{Xf
- t];}
- HtxHtaHtJHt3HHt
- _][^
- HSUWtHHt
- t@WR
- QQSVW
- @^_[
- RVVVVVV
- VVVj
- u$VVVj
- tZSj W
- z Lr%
- X +]
- D$HP
- SVWQ
- D$$PP
- QQW$
- QSWj
- _^[]
- j%Zf
- t@<\tt<<&u-;
- j/Yf
- <Wj<ZR3
- <Wj<ZR3
- .j|Z
- ^PSW
- QQVj
- Pj@j
- Pj@j
- QQSW
- Pj@j
- Pj@j
- Pj\\Y
- SVWj
- PSSj$S
- SSSh
- PPPP
- h>l)
- VPhvl)
- N(hX
- t$<j
- D$ P
- PSSSSSSh
- PPPj
- PPPj
- PVVS
- t!VV
- Ph~f
- QPPj
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- t>SV
- D$,P

- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- QQSVW
- t#=.
- t*=-
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- PSSj
- t!SSS
- Pj j
- <X\\t
- WQPhT
- _@[^
- F;t$
- PSSh
- PSSh
- $j*Xj?f
- WtSj$V
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- H;D$
- _^[]
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS

- r!+\\$
- VW;\\$
- G@;|$
- ntdll.dll
- CRYPT32.dll
- SHLWAPI.dll
- StrStrIW
- wvnsprintfA
- wvnsprintfW
- StrCmpNIW
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- D$$P
- D$$P
- D$(Pf
- D$(P
- D$(P
- D$$;
- SVWj
- D$(P
- t$$P
- D$<P
- D$DP
- D$(P
- D$,P
- D$$P
- D$,P
- D$@P
- SVWh
- _^[]
- t4SSSS
- ZRh@
- <VWjHj
- D$DP
- MHST
- =Q@SS
- =TRERt
- j$ZRj
- SSWPSS
- WWVPWW
- VVVPVV
- VVVV
- D$hP
- D$XPj

- t$\\X
- D$P-
- D$NP
- D$NP
- D$HP
- D$XPSS
- D$`P
- j<ZRS
- L$,Q
- +L$(Q
- t$(Q
- D$ P
- +\\$
- T$(RQ
- +D$
- L$D;
- D$X?*
- T$@;
- sl+}
- t$@PVSRQ
- D$Ht
- j<ZRV
- D$$9t$$
- Pj\tX
- @;GLr
- D$$;
- <st\t<St
- D$(P
- D$,P
- \\$;
- F!<;t
- p<j!
- D$;
- D$ j
- D$TPV
- D$\\P
- j<ZRV
- D$TPV
- D$\\P
- j<ZRV
- !t'HHt
- !tNHHtC
- D$(Pj
- D$$;
- FLj&j;
- Fx@k
- QQSVWh
- N+t$
- SVWh
- D$(+
- $SVW
- SSSh
- SSSh}
- SVW
- tfhl
- HtjHt=H
- HtFH

- lSVW
- hJf(
- $j@h
- t(VW
- PWhd
- PWhL
- PWWW
- WWWWWWW
- jZVS
- PjZWS
- jZVS
- HHt:H
- <t\tJJu
- r)Vj
- vZh`
- >Sh/N
- SVWj
- PPPWh%?(
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- D$dP
- L$XQ
- t$ 9t$
- T$,h
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- WWWW
- t$ P
- txf9;ts
- T$(R
- T$$R
- T$,R
- T$ h
- SVWQ
- PhL((
- SVWj
- t$ V
- D$<P
- D$<P
- D$PP
- D$LP
- VWWW
- t$;
- SVWQ
- hL((
- PPVP
- SVWj
- VWWW
- SVWj
- D$pPVSj
- D$Hj

- D$pPV
- D$pPj
- D$(j
- D$pP
- D$pPh
- D$tP
- SVWQ
- PSSS
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- PSSSj
- jDZRS
- t\tVP
- VhF\t(
- tY9]|tT
- PWWWj
- jDZRW
- QQSj\t2
- Ph?SC
- EPPSVS
- ElPh`c
- Ph?SC
- VVVh
- ShFp'
- Shv?'
- SVWh
- t Ht
- t)WS
- Ht#Ht
- t)Ht
- LVjb
- ,Vjd
- (Vj^
- $Vj]
- SVj\\
- u|Pj<Z
- D$hPh
- =|-*
- hd-*
- WWWhx
- j<ZRV
- _^[]
- WWWW
- FVWh
- GWPh
- PWVh
- SVWh
- TSWj
- Vh#'
- Vh"\'
- D$ 9t$ tHj
- D$DPS
- D$@PS
- D$@P

- x Lv(
- @_^[
- D$LPVh
- t%j
- PWh)'
- PWh('
- D$@P
- Wh$N
- Wh"N
- Wh#N
- Wh)N
- FVWh
- G\\;GXu
- wX+w\\
- L$lPQV
- +D$l
- +D$l
- D$pP
- tWh,e&
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- @_^[
- j\\Yf
- D$ PVVj
- _^][
- ;x@w
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,e&
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P
- ;x@w
- |$ YYh
- Gh;Gdu
- wd+wh
- L$lPQV
- KH+D$l
- CL9D$lt
- +D$l
- D$pP
- tWh,e&
- t$ Q
- D$ P
- D$`P
- D$ P
- D$$P

- _^[]
- ZRh|
- _^][
- QSVWj
- t$lX
- t$$X
- t$lX
- t$$X
- D$hPS
- D$hP
- D$ P
- |$`X
- t%fB
- t%fB
- t%fB
- t%fF
- Ct#Ht
- 't\t@;
- D$,f
- D$HP
- SVWj
- X_^[
- t)h$
- SVWj
- D$,PSSV
- QQSVW
- t\tVW
- tTPj
- QSVW
- t$ W
- t9WWWV
- Vj\\Y
- PWSV
- VW8]|tC
- VW8]|tC
- ds4PWS
- ds4PWS
- ds4PWS
- QQPh
- t[Wjq
- tBSVWj
- <Nf;P
- s+SW
- >f;H
- PWWWWWW
- WWWW
- PWWj
- SVWj
- D$|P
- D$hS
- D$$;
- L$;
- D$|P
- D$hj
- %tb&
- Wh"N
- Wh!N

- SVWj
- G>vV'
- G:QV'
-]l~y/
-]ljv/
- [/"F
- @h&S;
- \\u)SPW
- SVWh
- S!5k(Q
-)"F+
- tshdg&
- QSVW
- j.Xf
- D$Ht
- D$Ht
- D$:j\\Xf
- D$<Xf
- t$$W
- t$ V
- Wh.N
- Wh-N
- Wh,N
- \\$$;
- t$;
- PhX{
- D$PP
- SVWjD3
- VSj
- tBj\\Z
- G<@k
- n<[]
- ;^<r
- G;~$r
- G;~,r
- _[t
- h\\f&
- D$ P
- SVWj
- s@Wh
- t_h%'
- D$$P
- ;Pts
- ;Pts
- _^[]
- tdWS
- FPj@;
- _^[]
- tGVW
- tZVW
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- C Pj

- C$Pj
- jXWS
- C Pj
- C$Pj
- jXWS
- {(h'
- K,QPW
- K,QWWP
- D$ P
- D$,Vj
- D$ P
- QSVW
- dSVW
- D$0PWWj!W
- t$@;
- ^_][
- t(WWWW
- t2;>s.W
- PSSj
- SVWjt
- D$,+C
- D$,P
- D$,P
- D$$Ph
- j\\Xf
- j:Xf
- PWWjh
- 9|$Ht'
- +L$`
- D$pP
- Phpd&
- Ph`d&
- PhDd&
- D$pPh,d&
- D$pP
- D$lP
- D$pP
- +L$\\
- Sh;N
- Sh=N
- Sh<N
- +|$X;
- |$,;
- +D$d
- D$HP
- D$`P
- Vj
- QSVWj
- h|b&
- SSSh
- hpc&
- hdc&
- hXc&
- h@c&
- WWWV
- D$,;
- _^@[

- SVWj
- t_h%'
- hpb&
- hpb&
- u\thlb&
- D$xP
- D$DVP
- t$@X
- tZjn
- t$(X
- j Zf
- <H s
- [_^]
- hp`&
- hP`&
- h `&
- Wj.Y
- Pj/Y
- tMSh
- D$DPj
- t$tX
- L$$QP
- D$$;
- D$ P
- D$Hj
- |$,X
- thh%'
- SVj@X
- dSVWj
- N +F(i
- t$,+F,
- D$;
- D$$j
- D$$P
- D$ j
- QQSVW
- tyj@j
- h@_&
- ~Kjw
- VWjr
- ;D$$u:
- (;D$
- f;t$lt
- D$ P
- D$ P
- _Wh.
- SVWj
- t4SSSS
- X_^[
- ;D$$
- VSRP
- t$,X
- t$pX
- t$PX
- t$@X
- t$`X
- L$<P

- L$ Q
- L$ Q
- D$(P
- |$,X
- SVWj
- HHt\\
- HHtp
- t\tSSP
- h _&
- Pj@j
- VSSj
- SVVj%V
- QQSV
- PSSV
- tDVj
- Wj\\Y
- Wj\\Y
- tDSj\\Y
- thSj\\Y
- t_Sj\\Y
- D$(P
- D$,P
- >Sh>N
- Sh?N
- %s = "%s";
- ID: %s
- Content-Type: %s%s
- ; charset=%s
- text/html
- text/xml
- bc_add
- hvnc_start
- hvnc_stop
- Psystem
- b'kJ
- %BC-*-*-*-*%
- */wp-login.php*
- X-Type: %s
- %s%s
- /%s/
-
- ¢
- nbsp;
- script
- www.
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- %s%s%s
- X-WebKit-CSP
- HTTP/1.
- DBIKJ\\NN
- <(#B8,'FM5#*M:rnl
- q:#t
- [nx{i}4!bbanghhW]XN
- vsdhjvx

- B@OLFCGZR
- ygq{ww
- NT_QSJXNVV
- z{gsn
- kvwk
- XC[Y9!
- WSXVJ
- ">1"=$
- }ktx
- [LYXEB@
- :>(<
- <8==:.VV
- .>(Y[U<V
- +$-z
-)'!)
- BCTW@NO
- g.:(/-90**"l
-]%@IUTTJJrlpqfdt jth
- /)PSIJTQ
- FCLKN
-)/&,;>
- &$.G
- VLJNHQKx^DBF@YC
- |k,"Q#/P&%!v8
- S\tP]V
- YM]_X^\\e
- \\KWJ
- pDTVQWU
- j)-;/
- #jsw
- D\tIYB@
- IRP'}%
- n{zy%>$S\tCfgbv}%Ndnckg
- p(fKHM@M
- z]XRK
- NYYJFNUODEQSTV
- K_XS
- z\\JXY
- pLGZfznxQ\\ggrhjlbBnjm}i
- zGM^ZM]K}mJAWKTI_LgsSHZL_UG
- {!lj\\Lk`vjuh~mFRri{m~tf3Qmf{G[OYp}\\FV@AZ
- vs.#,
- <;+11x$@F]tCCMJ
- CNMHM@U
- qQK_]SE
- }^HZXT
- FMCPLUJFQLX
- w``lT@H
- -"+)
- %!*&?8j
- |JODZBMGRT
- sODGW@C
- qJHQUTS
- rYPV
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- wJ@SW@PFp`GLZFYDRAj`Y_V\\KN
- Wdjs

- pYLMX_^{VWXC_D
- ^q|M[\\NV
- NajK\\HdzT[R
- Y\\SC
- wz)\t\'(;>,"
- }c}z
- -/."%1-$$:
- ?8-; .!(
- S@G__Y]SPY
- tYTUZTYYM
- kVYYVXUl
- NHWQ
- r}yeMvgbAtpmmk
- DTEDG^@W
- KFJDMNZ
- -0:)-:*<*
- b|bexbyw
- s<9.>p
- &\'&%+""2
- PMGTPGWAWl}xxo
- HNQW
- tRF^D^@PsO]T
- QEQQJJFJ\tNJ\\B^FZTC
- ?=*"%;,
- pqzyvaJfr{f~n
- lk~hB
- ebwaK`d{G{vt
- WPESyBIDCGKEGJBYAlWTB
- ^]UE[SjQC_ZMK[bYMCCLB
- 5'<-/&.
- *&<,?*&9
- ,*!)
- GXCOtY]GW
- F@XVC
- RP\t$6?\\
- =)&G;
- m}u}~nl
- `}wd`wgqgwP[MQNSEV}wNHAK\\Y\tf{rnYa`t~c@pfhsvv
- G][_Y@Z
- TVRQrcw}^ylz[afi}
- \'%!4";
- MvResOkbdxdi{gbbGzcuvr
- ZtAac|k\tR|Yp`^xw
- Cmkc
- Dj|{oy[wsuF
- 7)$=*)
- gdiplus.dll
- _hvnc_work@0
- _hvnc_stop@0
- _hvnc_start@8
- ;!<=<E<
- ;l;~;
- tWs:(:<:C:n:
- U-MdK~\\
- PWLZ
- @H\\G
- #)Jj

- ?chgL
- B+RJ="
- \\.Q
- OWG\\SD'[!
- Svd"
- %?0?`L^
- w\tFH
- |MB*
- <t<|<
- V+HdNqY3ZMPI
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\

- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
- }{R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- ~=d]
- c|w{
- F>vEG>vH2>vq
- 1S>vb\\>v!
- w&<.v
- /.v`w
- -vM)v
- ,vM7.v
- Y-v;
- -v1#-v
- ,vA#-v
- ;-vw
- d.vP
- -v\\9.v
- ,vjX,v
- Y-v-
- ,v+E.v
- ~/v;
- ,vBN,vL~/v
- ,v]7.vV

- *-vQJ.v
- ,v_w,v
- F-v2},v
- g.v%9-v
- H-vb
- S.vQ3.v