Analysis report for sample: f65be5a2e77ca25ebfdf22ea41db4747

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 4876 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: f65be5a2e77ca25ebfdf22ea41db4747

AV detections

• Microsoft:
• Kaspersky: Backdoor.Win32.Androm.ngwk
• Symantec: Infostealer.Lokibot
• Malwarebytes:

Original source url

• hxxp://lamela.hr/wire145.exe

Virustotal url

• https://virustotal.com/es/file/6c99dd395a98d20237d05527e84ef8d0d2f9f2a599494ee0632c7bfab2399e33/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• with_sqlite (Rule to detect the presence of SQLite data in raw image)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• DebuggerCheck__QueryInfo ()
• network_dns (Communications use DNS)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• with_urls (Rule to detect the presence of an or several urls)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)
• CRC32_table (Look for CRC32 table)
• CRC32_poly_Constant (Look for CRC32 [poly])

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name cmd.exe

- Name conhost.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\cebo.exe Type: REG_SZ, Length: 82, Data: C:\\Users\\javi\\AppData\\Roaming\\ASound.exe)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKLM\\ Desired Access: Set Value)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: http://ertfghgfhgfh.tk/Panel/five/fre.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: A/va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- api | frequently used by malware: accept
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: inet_addr
- api | frequently used by malware: socket
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: SetCapture
- api | frequently used by malware: SetTimer
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: BitBlt
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: 'Successful WSAStartup not yet performed
- api | frequently used by malware: Can't send after socket shutdown
- api | frequently used by malware: !Operation not supported on socket
- api | frequently used by malware: Wrong protocol type for socket
- api | frequently used by malware: Socket operation on non-socket
- api | frequently used by malware: Accept: image/x-rgb, image/x-xbm, image/gif, */*, application/postscript
- api | frequently used by malware: Accept: www/source, text/html, video/mpeg, image/jpeg, image/x-tiff
- api | frequently used by malware: Send.dat
- api | frequently used by malware: Socket send aborted
- api | frequently used by malware: Accept
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess

- url | http tag: ftp://
- url | http tag: http://
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- api | ws2_32: setsockopt
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSACleanup
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | user32: ActivateKeyboardLayout
- api | user32: AdjustWindowRectEx
- api | user32: CharToOemA
- api | user32: CharUpperBuffA
- api | user32: CharLowerA
- api | user32: CharLowerBuffA
- api | user32: CharNextA
- api | user32: BeginPaint
- api | user32: CallWindowProcA
- api | user32: CheckMenuItem
- api | user32: ClientToScreen
- api | user32: CloseClipboard
- api | user32: CreateIcon
- api | user32: CreateMenu
- api | user32: CreatePopupMenu
- api | user32: DefFrameProcA
- api | user32: DefMDIChildProcA
- api | user32: DefWindowProcA
- api | user32: DeleteMenu
- api | user32: DestroyCursor
- api | user32: DestroyIcon
- api | user32: DestroyMenu
- api | user32: DestroyWindow
- api | user32: DispatchMessageA
- api | user32: DrawEdge
- api | user32: DrawFocusRect
- api | user32: DrawFrameControl
- api | user32: DrawIcon
- api | user32: DrawIconEx
- api | user32: DrawMenuBar
- api | user32: DrawTextA
- api | user32: EmptyClipboard
- api | user32: EnableMenuItem
- api | user32: EnableScrollBar
- api | user32: EnableWindow
- api | user32: EndPaint
- api | user32: EnumThreadWindows
- api | user32: EqualRect
- api | user32: FillRect
- api | user32: FindWindowA

- api | user32: FrameRect
- api | user32: GetActiveWindow
- api | user32: GetCapture
- api | user32: GetClassInfoA
- api | user32: GetClassNameA
- api | user32: GetClientRect
- api | user32: GetCursor
- api | user32: GetCursorPos
- api | user32: GetDCEx
- api | user32: GetDesktopWindow
- api | user32: GetFocus
- api | user32: GetIconInfo
- api | user32: GetKeyNameTextA
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardLayoutList
- api | user32: GetKeyboardState
- api | user32: GetLastActivePopup
- api | user32: GetMenuItemCount
- api | user32: GetMenuItemID
- api | user32: GetMenuItemInfoA
- api | user32: GetMenuState
- api | user32: GetMenuStringA
- api | user32: GetWindow
- api | user32: GetParent
- api | user32: GetPropA
- api | user32: GetScrollInfo
- api | user32: GetScrollPos
- api | user32: GetScrollRange
- api | user32: GetSubMenu
- api | user32: GetSysColor
- api | user32: GetSysColorBrush
- api | user32: GetSystemMenu
- api | user32: GetSystemMetrics
- api | user32: GetTopWindow
- api | user32: GetWindowDC
- api | user32: GetWindowLongA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetWindowTextA
- api | user32: InflateRect
- api | user32: InsertMenuA
- api | user32: InsertMenuItemA
- api | user32: IntersectRect
- api | user32: InvalidateRect
- api | user32: IsChild
- api | user32: IsDialogMessageA
- api | user32: IsIconic
- api | user32: IsRectEmpty
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: IsZoomed
- api | user32: KillTimer
- api | user32: LoadBitmapA
- api | user32: LoadCursorA
- api | user32: LoadIconA
- api | user32: LoadKeyboardLayoutA

- api | user32: LoadStringA
- api | user32: MapVirtualKeyA
- api | user32: MapWindowPoints
- api | user32: MessageBeep
- api | user32: MessageBoxA
- api | user32: MsgWaitForMultipleObjects
- api | user32: OemToCharA
- api | user32: OffsetRect
- api | user32: OpenClipboard
- api | user32: PeekMessageA
- api | user32: PostMessageA
- api | user32: PostQuitMessage
- api | user32: PtInRect
- api | user32: RedrawWindow
- api | user32: RegisterClassA
- api | user32: RegisterClipboardFormatA
- api | user32: RegisterWindowMessageA
- api | user32: ReleaseCapture
- api | user32: ReleaseDC
- api | user32: RemoveMenu
- api | user32: RemovePropA
- api | user32: ScreenToClient
- api | user32: ScrollWindow
- api | user32: SendMessageA
- api | user32: SetActiveWindow
- api | user32: SetClassLongA
- api | user32: SetClipboardData
- api | user32: SetCursor
- api | user32: SetFocus
- api | user32: SetForegroundWindow
- api | user32: SetMenu
- api | user32: SetMenuItemInfoA
- api | user32: SetParent
- api | user32: SetPropA
- api | user32: SetRect
- api | user32: SetScrollInfo
- api | user32: SetScrollPos
- api | user32: SetScrollRange
- api | user32: SetWindowLongA
- api | user32: SetWindowPlacement
- api | user32: SetWindowPos
- api | user32: SetWindowTextA
- api | user32: SetWindowsHookExA
- api | user32: ShowCursor
- api | user32: ShowOwnedPopups
- api | user32: ShowScrollBar
- api | user32: ShowWindow
- api | user32: SystemParametersInfoA
- api | user32: TrackPopupMenu
- api | user32: TranslateMDISysAccel
- api | user32: UnhookWindowsHookEx
- api | user32: UnregisterClassA
- api | user32: UpdateWindow
- api | user32: WaitMessage
- api | user32: WinHelpA
- api | user32: WindowFromPoint
- api | user32: CreateWindowExA

- api | kernel32: CloseHandle
- api | kernel32: CompareStringA
- api | kernel32: CopyFileA
- api | kernel32: CreateEventA
- api | kernel32: CreateFileA
- api | kernel32: DeleteCriticalSection
- api | kernel32: DeleteFileA
- api | kernel32: EnterCriticalSection
- api | kernel32: EnumCalendarInfoA
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FindResourceA
- api | kernel32: FormatMessageA
- api | kernel32: FreeLibrary
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedIncrement
- api | kernel32: FreeResource
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetDateFormatA
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFullPathNameA
- api | kernel32: GetLastError
- api | kernel32: GetLocalTime
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempFileNameA
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalMemoryStatus
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadWritePtr
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource

- api | kernel32: MulDiv
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegFlushKey
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegSetValueExA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | user32: GetKeyboardType
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: CreateDirectoryA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: LocalFree
- api | kernel32: VirtualFree
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc

- api | kernel32: SetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

Involved hosts

- 42.112.16.178:http
- 192.168.133.153:49194
- 192.168.133.153:49195
- 192.168.133.153:49196
- 192.168.133.153:49197
- 42.112.16.178:80 (ertfghgfhgfh.tk)

Dns queries

- ertfghgfhgfh.tk ---> 42.112.16.178
- 178.16.112.42.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.153:49194 ---> 42.112.16.178 (ertfghgfhgfh.tk) :80

JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817[...]POST /Panel/five/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: ertfghgfhgfh.tk[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: CDE60214[...]Content-Length: 174[...]Connection: close[...]ckav.ru

• tcp 42.112.16.178 (ertfghgfhgfh.tk) :80 ---> 192.168.133.153:49194

HTTP/1.1 404 Not Found[...]Date: Mon, 15 May 2017 04:17:44 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.153:49195 ---> 42.112.16.178 (ertfghgfhgfh.tk) :80

JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817[...]POST /Panel/five/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: ertfghgfhgfh.tk[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: CDE60214[...]Content-Length: 174[...]Connection: close[...]ckav.ru

• tcp 42.112.16.178 (ertfghgfhgfh.tk) :80 ---> 192.168.133.153:49195

HTTP/1.1 404 Not Found[...]Date: Mon, 15 May 2017 04:17:50 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.153:49196 ---> 42.112.16.178 (ertfghgfhgfh.tk) :80

JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817[...]POST /Panel/five/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: ertfghgfhgfh.tk[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: CDE60214[...]Content-Length: 147[...]Connection: close[...]ckav.ru

• tcp 42.112.16.178 (ertfghgfhgfh.tk) :80 ---> 192.168.133.153:49196

HTTP/1.1 200 OK[...]Date: Mon, 15 May 2017 04:17:57 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.153:49197 ---> 42.112.16.178 (ertfghgfhgfh.tk) :80

JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817[...]POST /Panel/five/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: ertfghgfhgfh.tk[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: CDE60214[...]Content-Length: 147[...]Connection: close[...]ckav.ru

• tcp 42.112.16.178 (ertfghgfhgfh.tk) :80 ---> 192.168.133.153:49197

HTTP/1.1 200 OK[...]Date: Mon, 15 May 2017 04:19:03 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\cebo.exe Type: REG_SZ, Length: 82, Data: C:\\Users\\javi\\AppData\\Roaming\\ASound.exe)
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
    - Thread T5 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
    - Thread Create (Thread ID: T5)
    - RegCreateKey (HKLM\\ Desired Access: Set Value)
    - RegCreateKey (HKLM\\ Desired Access: Set Value)
    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T4 (in process P1, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T5 (in process P1, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P1 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> 42.112.16.178:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 42.112.16.178:http (246))
- TCP Send (javi-PC.localdomain:dynport-> 42.112.16.178:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> 42.112.16.178:http (153))
- TCP Disconnect (javi-PC.localdomain:dynport-> 42.112.16.178:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 42.112.16.178:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 42.112.16.178:http (246))
- TCP Send (javi-PC.localdomain:dynport-> 42.112.16.178:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> 42.112.16.178:http (153))
- TCP Disconnect (javi-PC.localdomain:dynport-> 42.112.16.178:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 42.112.16.178:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 42.112.16.178:http (246))
- TCP Send (javi-PC.localdomain:dynport-> 42.112.16.178:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> 42.112.16.178:http (139))
- TCP Receive (javi-PC.localdomain:dynport-> 42.112.16.178:http (15))
- TCP Disconnect (javi-PC.localdomain:dynport-> 42.112.16.178:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: A/va8.vN
- url | valid domains | tlds: -vc3.vA
- api | frequently used by malware: accept
- api | frequently used by malware: closesocket
- api | frequently used by malware: connect
- api | frequently used by malware: inet_addr
- api | frequently used by malware: socket
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: SetCapture
- api | frequently used by malware: SetTimer
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: BitBlt
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetVersion
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount

- api | frequently used by malware: 'Successful WSAStartup not yet performed
- api | frequently used by malware: Can't send after socket shutdown
- api | frequently used by malware: !Operation not supported on socket
- api | frequently used by malware: Wrong protocol type for socket
- api | frequently used by malware: Socket operation on non-socket
- api | frequently used by malware: Accept: image/x-rgb, image/x-xbm, image/gif, */*, application/postscript
- api | frequently used by malware: Accept: www/source, text/html, video/mpeg, image/jpeg, image/x-tiff
- api | frequently used by malware: Send.dat
- api | frequently used by malware: Send.dat
- api | frequently used by malware: Socket send aborted
- api | frequently used by malware: Socket send aborted
- api | frequently used by malware: Socket send aborted
- api | frequently used by malware: Socket send aborted
- api | frequently used by malware: Socket send aborted
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- url | http tag: ftp://
- url | http tag: http://
- url | http tag: ftp://
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- api | ws2_32: setsockopt
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSACleanup
- api | user32: ActivateKeyboardLayout
- api | user32: AdjustWindowRectEx
- api | user32: CharToOemA
- api | user32: CharUpperBuffA
- api | user32: CharLowerA
- api | user32: CharLowerBuffA
- api | user32: CharNextA
- api | user32: BeginPaint
- api | user32: CallWindowProcA
- api | user32: CheckMenuItem
- api | user32: ClientToScreen
- api | user32: CloseClipboard
- api | user32: CreateIcon
- api | user32: CreateMenu
- api | user32: CreatePopupMenu
- api | user32: DefFrameProcA
- api | user32: DefMDIChildProcA
- api | user32: DefWindowProcA
- api | user32: DeleteMenu
- api | user32: DestroyCursor
- api | user32: DestroyIcon
- api | user32: DestroyMenu
- api | user32: DestroyWindow
- api | user32: DispatchMessageA
- api | user32: DrawEdge
- api | user32: DrawFocusRect
- api | user32: DrawFrameControl
- api | user32: DrawIcon
- api | user32: DrawIconEx
- api | user32: DrawMenuBar
- api | user32: DrawTextA
- api | user32: EmptyClipboard

- api | user32: EnableMenuItem
- api | user32: EnableScrollBar
- api | user32: EnableWindow
- api | user32: EndPaint
- api | user32: EnumThreadWindows
- api | user32: EqualRect
- api | user32: FillRect
- api | user32: FindWindowA
- api | user32: FrameRect
- api | user32: GetActiveWindow
- api | user32: GetCapture
- api | user32: GetClassInfoA
- api | user32: GetClassNameA
- api | user32: GetClientRect
- api | user32: GetCursor
- api | user32: GetCursorPos
- api | user32: GetDCEx
- api | user32: GetDesktopWindow
- api | user32: GetFocus
- api | user32: GetIconInfo
- api | user32: GetKeyNameTextA
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardLayoutList
- api | user32: GetKeyboardState
- api | user32: GetLastActivePopup
- api | user32: GetMenuItemCount
- api | user32: GetMenuItemID
- api | user32: GetMenuItemInfoA
- api | user32: GetMenuState
- api | user32: GetMenuStringA
- api | user32: GetWindow
- api | user32: GetParent
- api | user32: GetPropA
- api | user32: GetScrollInfo
- api | user32: GetScrollPos
- api | user32: GetScrollRange
- api | user32: GetSubMenu
- api | user32: GetSysColor
- api | user32: GetSysColorBrush
- api | user32: GetSystemMenu
- api | user32: GetSystemMetrics
- api | user32: GetTopWindow
- api | user32: GetWindowDC
- api | user32: GetWindowLongA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetWindowTextA
- api | user32: InflateRect
- api | user32: InsertMenuA
- api | user32: InsertMenuItemA
- api | user32: IntersectRect
- api | user32: InvalidateRect
- api | user32: IsChild
- api | user32: IsDialogMessageA
- api | user32: IsIconic
- api | user32: IsRectEmpty
- api | user32: IsWindow

- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: IsZoomed
- api | user32: KillTimer
- api | user32: LoadBitmapA
- api | user32: LoadCursorA
- api | user32: LoadIconA
- api | user32: LoadKeyboardLayoutA
- api | user32: LoadStringA
- api | user32: MapVirtualKeyA
- api | user32: MapWindowPoints
- api | user32: MessageBeep
- api | user32: MessageBoxA
- api | user32: MsgWaitForMultipleObjects
- api | user32: OemToCharA
- api | user32: OffsetRect
- api | user32: OpenClipboard
- api | user32: PeekMessageA
- api | user32: PostMessageA
- api | user32: PostQuitMessage
- api | user32: PtInRect
- api | user32: RedrawWindow
- api | user32: RegisterClassA
- api | user32: RegisterClipboardFormatA
- api | user32: RegisterWindowMessageA
- api | user32: ReleaseCapture
- api | user32: ReleaseDC
- api | user32: RemoveMenu
- api | user32: RemovePropA
- api | user32: ScreenToClient
- api | user32: ScrollWindow
- api | user32: SendMessageA
- api | user32: SetActiveWindow
- api | user32: SetClassLongA
- api | user32: SetClipboardData
- api | user32: SetCursor
- api | user32: SetFocus
- api | user32: SetForegroundWindow
- api | user32: SetMenu
- api | user32: SetMenuItemInfoA
- api | user32: SetParent
- api | user32: SetPropA
- api | user32: SetRect
- api | user32: SetScrollInfo
- api | user32: SetScrollPos
- api | user32: SetScrollRange
- api | user32: SetWindowLongA
- api | user32: SetWindowPlacement
- api | user32: SetWindowPos
- api | user32: SetWindowTextA
- api | user32: SetWindowsHookExA
- api | user32: ShowCursor
- api | user32: ShowOwnedPopups
- api | user32: ShowScrollBar
- api | user32: ShowWindow
- api | user32: SystemParametersInfoA
- api | user32: TrackPopupMenu

- api | user32: TranslateMDISysAccel
- api | user32: UnhookWindowsHookEx
- api | user32: UnregisterClassA
- api | user32: UpdateWindow
- api | user32: WaitMessage
- api | user32: WinHelpA
- api | user32: WindowFromPoint
- api | user32: CreateWindowExA
- api | kernel32: CloseHandle
- api | kernel32: CompareStringA
- api | kernel32: CopyFileA
- api | kernel32: CreateEventA
- api | kernel32: CreateFileA
- api | kernel32: DeleteCriticalSection
- api | kernel32: DeleteFileA
- api | kernel32: EnterCriticalSection
- api | kernel32: EnumCalendarInfoA
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FindResourceA
- api | kernel32: FormatMessageA
- api | kernel32: FreeLibrary
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedIncrement
- api | kernel32: FreeResource
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetDateFormatA
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFullPathNameA
- api | kernel32: GetLastError
- api | kernel32: GetLocalTime
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempFileNameA
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalMemoryStatus

- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadWritePtr
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MulDiv
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegFlushKey
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegSetValueExA
- api | kernel32: GetModuleHandleA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: GetKeyboardType
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: CreateDirectoryA
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedIncrement

- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

• Module 1 other strings

- nhx4myR0lj31mCB4lzB5liR0lx++qCN5nTB0ni33njF5nCJ3mCR5nS30nhx3qSB3mBw+rCF7nS/2qy73
- cWI<9989<IWc
- #)$)4i
- >544445>
- Floating point overflow
- Floating point division by zero
- Integer overflow Invalid floating point operation
- Range check error
- Division by zero
- Invalid numeric input
- Disk full
- Read beyond end of file
- File access denied
- Too many open files
- Invalid filename
- File not found
- I/O error %d
- Out of memory
- !'%s' is not a valid integer value
- Write$Error creating variant or safe array

- No argument for format \'%s\'"Variant method calls not supported
- Application Error1Format '%s' invalid or incompatible with argument
- Privileged instruction(Exception %s in module %s at %p.
- Control-C hit
- Stack overflow
- Access violation
- Invalid class typecast0Access violation at address %p. %s of address %p
- Invalid pointer operation
- Floating point underflow
- Exception in safecall method
- Interface not supported
- Assertion failed
- External exception %x
- Unexpected variant error
- Operation not supported
- Invalid variant type
- Invalid argument
- Variant overflow
- %s5Could not convert variant of type (%s) into type (%s)=Overflow while converting variant of type (%s) into type (%s)
- Invalid variant operation%Invalid variant operation (%s%.8x)
- Invalid variant type conversion
- Variant or safe array is locked
-)Variant or safe array index out of bounds
- A call to an OS function failed
- System Error. Code: %d.
- Abstract Error?Access violation at address %p in module '%s'. %s of address %p
- December
- November
- October
- September
- August
- February
- January
- Bits index out of range*Can't write to a read-only resource streamECheckSynchronize called from thread $%x, which is NOT the main thread
- Cannot assign a %s to a %s
- Ancestor for '%s' not found
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- Error reading %s%s%s: %s
- List index out of bounds (%d)+Out of memory while expanding memory stream
- List count out of bounds (%d)
- Invalid property value List capacity out of bounds (%d)
- Invalid property path
- Invalid stream format$"%s" is not a valid component name
- Cannot open file "%s". %s
- Cannot create file "%s". %s
- A class named %s already exists%List does not allow duplicates ($0%x)#A component named %s already exists%String list does not allow duplicates
- Class %s not found
- Scan line index out of range
- Invalid pixel format
- Metafile is not valid
- Icon image is not valid

• Bitmap image is not valid
• Thread creation error: %s
• Stream write error
• Property %s does not exist
• %s.Seek not implemented$Operation not allowed on sorted list$%s not in a class registration group
• Resource %s not found
• Failed to set data for '%s'
• Property is read-only
• Stream read error
• Cannot hide an MDI Child Form)Cannot change Visible in OnShow or OnHide
• Error creating window class+Cannot focus a disabled or invisible window!Control '%s' has no parent window
• Invalid ImageList Index)Failed to read ImageList data from stream(Failed to write ImageList data to stream$Error creating window device context
• Unable to Replace Image
• Invalid ImageList
• Invalid image size
• Canvas does not allow drawing
• Out of system resources
• Unsupported clipboard format
• !Cannot change the size of an icon
• &Ignore;
• &Close;
• Cancel
• Not enough timers available@GroupIndex cannot be less than a previous menu item's GroupIndex5Cannot create form. No MDI forms are currently active*A control cannot have itself as its parent
• Sub-menu is not in menu
• Menu inserted twice
• Menu index out of range
• %s property out of range
• "Cannot make a visible window modal
• Cancel
• Confirm
• Information
• Warning
• Bitmaps
• Enhanced Metafiles
• Metafiles
• Cannot drag a form
• Yes to &All;
• N&o; to All
• &Ignore;
• &Abort;
• Docked control must have a name
• Text exceeds memo capacity/Menu '%s' is already being used by another form
• Cannot open clipboard
• Unable to insert a line Clipboard does not support Icons
• Value must be between %d and %d
• Purple
• Maroon
• No help found for %s#No context-sensitive help installed$No topic-based help system installed
• Error setting %s.Count8Listbox (%s) style must be virtual in order to set Count"Unable to find a Table of Contents
• - Dock zone has no control
• - Dock zone not found
• %Error removing control from dock tree
• Application Workspace
• Active Caption
• Active Border
• Medium Gray

- Sky Blue
- Money Green
- Fuchsia
- Yellow
- Silver
- Menu Background
- Info Text
- Info Background
- Inactive Caption Text
- Inactive Caption
- Inactive Border
- Highlight Text
- Highlight Background
- Gray Text
- Default
- Caption Text
- Button Text
- Button Shadow
- Button Highlight
- Button Face
- Background
- JPEG Image File
- JPEG error #%d
- No help keyword specified.&Cannot; change the size of a JPEG image
- Window Text
- Window Frame
- Window Background
- 3D Light
- 3D Dark Shadow
- Scroll Bar
- Menu Text
- $<<<<<<<<:9631/.+('&
-)<;83/+&
- 5557::<<<<<<<<<;
- 457;<<<<<<<<:
- $;61+&
- $<<<<<<:632.(&
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 89X9`9
- 6 6(60686@6H6P6X6`6h6p6x6,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 5 5(50585@5H5P5X5`5h5p5x5
- 4P4X4`4h4p4x4
- 3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2\\2d2l2t2|2
- @0D0H001<1@1d1h1
- 737l7_7u7
- 626H6^6t6
- 5/5E5[5q5
- 323H3^3
- 2O2e2{2
- 1T1d1t1
- 0.0>0N0^0n0~0
- <!<1<A<Q<a<
- ;!;1;A;Q;a;q;

- 8/8?8O8_8o8
- 1"181N1d1Z2
- C0Y0o0
- >#>9>O>e>{>
- 9J9`9v9
- 7/7E7[7q7
- 5-5=5M5]5m5}5
- 374J4Z4j4z4
- 0"020B0R0b0r0
- 8/8E8[8q8
- 7'7=7S7i7
- 636I6_6u6
- 5+5A5W5m5
- 4!474M4c4y4
- 3-3C3Y3
- 2%2;2Q2g2}2
- 111G1]1s1
- 0)0?0U0k0
- ?5?K?a?
- =#=9=O=e={=
- :5:K:a:w:
- 9$949D9T9d9t9
- 5L8j8n8r8v8z8~8
- 5-5C5Y5o5
- 4%4;4Q4g4}4
- 333I3_3u3
- 2A2W2m2
- 1!171M1c1y1
- 0/0E0[0q0
- >3>I>_>u>
- <#<9<O<e<{<
- 959K9a9w9
- 8-8C8Y8o8
- 7#797O7e7{7
- 616G6]6s6
- 5)5?5U5k5
- 4!474M4c4y4
- 3-3C3Y3o3
- 2%2;2Q2g2}2
- 131I1_1u1
- 0"020B0m0
- 5*5:5J5Z5
- 4%4;4Q4g4z4
- 3'373G3W3g3w3
- 0&0H0L0P0T0X0\\0`0d0h0l0p0t0x0
- 9%:3:[:a:e=
- 0>0B0F0J0N0R0V0Z0^0b0f0j0n0r0v0O4Y4`4g4r4
- 7%888W8
- 091@1G1
- ?$?+??2?9?
- 8f9j9|9
- 9 9$9(9,9094989H9X9\\9
- 8*808P8X8\\8`8d8h8l8p8t8x8|8
- 6/7;7C7K7W7_7j7p7z7
- 1/1S1y1
- 030X0|0
- 7t8*9T9

- 6!636F6L6l6t6x6|6
- 5$565C5O5\\5n5{5
- 4,40484<4D4H4P4T4\\4`4h4l4t4x4
- 7?8S8w8
- 5$5(585X5`5d5h5l5p5t5x5|5
- 4,4R4x4
- 323:3>3U3]3w3
- 21292R2Z2s2w2{2
- 1%1-1K1S1p1x1
- 0&0*0.02060:0>0B0F0J0N0R0V0Z0^0b0t0
- 5)5P5s5
- 4)4N4~4
- 10141@1D1T1\\1`1d1h1l1p1t1x1|1
- 0(0004080<0@0D0H0L0P0d0
- 556n6~6
- 595O5a5
- 4A4W4i4
- 182\\2y2
- 1 1H1l1
- 02060:0>0B0F0J0N0R0V0Z0^0b0f0j0r0
- 0"0*020:0B0J0R0Z0b0j0r0
- >2>S>u>
- 2 2$2(2,202D2X2\\2j2
- 1+181J1W1c1p1
- 7#707B7_7
- 4-5[5g5t5
- 3$373;3i3
- 202@2P2X2\\2`2d2h2l2p2t2x2|2
- 1=1E1K1
- 3P3[3s3
- 0%1?1z1
- 1H2S2f2.353d3
- 0!111N1
- 1080n0
- 8!818N8^8
- 7"7<7F7j7p7
- 5$5(5,5054585<5@5D5H5L5
- 3"3*323H3X3\\3j3
- 2 2:2B2]2e2
- 1(1014181<1@1D1H1L1P1`1p1|1
- 0C0H0|0
- 5'545F5S5_5l5~5
- 4-454@4R4b4j4y4
- r0+2D2d2
- 8%9-9;9[9x9
- 484l4~4
- 2 2$2(2,2024282<2@2D2H235T5C6}6
- 0<0I0P0o0
- 717;7R7a7q7~7
- 5d6o6z6
- 8!808]8g8r8
- 5/5T5p5
- 3!3a3z3
- 1D2`2|2
- 0*0A0d0G1
- 8$8;8S8e8
- 6/7A7_7r7

- 6%6A6d6
- @0J022A2X2l2
- 7J8W8g8
- 6@7P7m7
- 818E8f8m8
- 777<7X7
- 5.696H6m6
- 3<4_4z4
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 848@8W8|8
- 7'737M7Y7s7
- 6.6R6z6
- 5*565O5[5s5
- 4+4E4Q4g4s4
- 3 3E3M3Q3m3u3y3
- 1#2'2+2K2S2W2o2w2{2
- 1%1)1E1M1Q1d1p1
- 0,0O0[0q0y0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 7085898=8D8P8T8`8d8l8p8t8x8|8
- 6$7]7a7h7
- 3 3$3(3,3034383<3N3R3V3Z3^3b3|3
- 1 202<2@2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1-151L1T1l1t1
- 0!0>0F0^0j0
- 8:9M9~9
- 6=7J7Z7t7
- 5"626O6h6
- 2%21263X3
- 4=4F4k4
- 00O0B1P1g1
- 4"5C5q5
- 313=3l3W3c3r3~3
- 71K1~1
- ;0;l;b;
- 8-9@9S9n9
- 7,74787<7@7D7H7L7P7T7X7\\7`7
- 636Y6|6
- 505T5\\5`5w5{5
- 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 383S3x3
- 2'2C2K2O2f2n2
- 1(181@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- $00040@0D0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 98:<:D:H:
- 9X9\\9`9d9
- 7"7)7W7^7u7C8O8\\8n8t8
- 4;5K5x5
- 3"424_4
- $040K0[0
- 7*7G7d7
- 6&6O6_6
- 3%4B4~4
- 3$3M3\\3
- 0%0\\0x0
- 0O1^1r1K2
- 8+979>9M9X9b9l9~9

- 8$8-888C8N8U8c8h8m8w8
- 7'7/7O7o7|7
- 6(6=6H6S6d6u6
- 4"4\'4,474<4A4L4Q4V4a4f4k4v4{4
- 1F2c2F3e3q3y3
- A0F0K1
- 5"6<6q7
- 4(5H5X5
- 7D8U:\\:
- 1t1z1%3
- 1#161S1
- "0/0J0
- 7?7j8z8
- 051D2R2
- 7f809X9
- 4p5>6G6U6
- 8#8-8t8}8
- <o=_>e>
- 4&5{5_6
- 1X2b2v2{2
- 070o0r1
- 9%9+93999G9M9[9a9o9z9
- 8'8/8;8H8O8U8]8s8~8
- 7!7,747:7W7b7k7y7
- 5)6F6\\6d6r6
- 5/5=5L5
- 4(4.464D4I4U4_4e4m4
- 3)33393B3O3T3^3d3l3
- 212G2b2n2v2
- 1(1@1L1\\1m1z1
- F0N0[0b0p0{0
- 6$6Q6`6
- 3$3D3L3P3T3X3\\3`3d3h3l3p3t3x3|3'5
- 9<9D9\\9|9
- 7"8&8*8D8f8n8
- 7$7(7<7L7\\7d7h7l7p7t7x7|7
- 6*6.62666H6Y6]6p6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3X3l3
- 2"2&2*2.22262:2>2P2a2e2x2
- 1"1&1*1.12161:1>1B1F1J1N1R1V1Z1^1b1f1j1n1r1v1z1~1
- 8B9F9J9N9R9V9Z9^9b9f9j9n9r9v9z9~9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 6L7P7X7\\7
- 5J6N6R6V6Z6`6
- 4J5N5Z5`5
- 3 3$3y3}3
- 2 2m2q2u2y2
- 1O1S1W1\\1
- 989T9X9l9
- 8$8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8
- 7+757?7D7S7e7t7
- 060>0[0g0
- MAINICON
- T__1896309509
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9

- 8'838:8L8^8f8q8v8
- 7$7(70747<7@7H7L7T7X7`7d7l7p7x7|7
- 646>6C6M6T6t6
- 233C3L3\\3
- 7>8c8n8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 5L6\\6l6t6x6|6
- 4)5>5P5^5q5
- 2,282<2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1s1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 7L7[7r7
- 4;5H5u5,6
- Q0[0r0
- 9 9(9I9Q9l9
- 8)858L8T8r8z8
- 7 71797Q7Y7u7}7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4/474R4Z4t4
- 373`3p3|3
- 242X2|2
- 121:1X1`1d1z1
- 0*0W0_0
- 0,0I0]0l0
- ?0^0;1~1
- 1 10181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0,04080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- :1:S:u:}:
- 9<9D9H9\\9
- 8%8B8J8f8n8
- 7 7$7(7,7074787<7L7Z7^7o7w7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5&5R5V5Z5^5b5f5j5n5r5v5z5~5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3j3n3r3x3
- 9$9D9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 7.7R7w7
- 646Y6~6
- 585@5D5Z5
- 4;4C4d4l4
- 383@3X3`3|3
- 2 2E2h2
- 1(101L1T1q1}1
- 0 0$0(0,0004080<0@0D0H0L0X0c0g0x0
- 9#9A9I9f9n9
- 7%7-7K7S7W7k7
- 6+636P6X6t6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5|5
- 4&4@4P4`4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 1.1T1z1
- 0,080N0w0
- ?1?9?U?]?}?
- =6=B=Y=]=a=e={=
- 4:5>5B5F5J5N5R5V5Z5^5b5f5j5n5r5v5z5~5
- R0\\0d0i0

- 9,919>9C9P9U9b9g9t9y9
- 8#80858B8G8T8Y8f8k8x8}8
- 7"7\'74797F7K7X7]7j7o7|7
- 62676D6P6^6s6
- 5 5'5.555<5C5J5Q5X5_5f5m5t5{5
- 2;4G4T4f4p4}4
- 202P2X2\\2`2d2h2l2p2t2x2|2
- /1;1H1Z1h1
- 6"696m6
- 2;3J3}3
- 2,262@2H2T2
- 1$1,1014181<1@1D1H1L1Z1b1x1
- 9):1:7:C:K:
- 9U9]9c9o9w9
- 7$8,828>8F8
- 6#686A6N6V6\\6h6n6
- 5&5.565>5R5Z5b5j5r5z5
- 374C4P4b4j4r4z4
- 2$2(2,2024282<2@2D2H2L2P2d2
- 1#1(1-171<1A1c1o1|1
- 0#0.0@0R0c0m0~0
- 7,7X7]7
- =.>I>o>t>
- 6(7?7b7
- 60?0M0g1
- 9$9D9L9P9T9X9\\9`9d9h9l9
- 6O6e6n6{6
- 4+5=5Z5
- 7(7K7c7z7
- 7(757I7V7j7|7
- 465F5X5v5
- 3%3[3`3
- ;1@1{1
- 4#939+;;;V;
- 424B4x4
- 0"000P0X0\\0`0d0h0l0p0t0x0E1
- 8s9w9{9
- 8!828:8R8u8}8
- 7 7$7(7,70747@7L7P7a7e7i7
- 6 6$6(6,60646@6J6N6_6c6g6
- 5&5>5B5F5_5c5g5~5
- 4,4A4d4p4t4
- 111\\1l1
- 0$060<0T0t0|0
- ;&;,;A;O;U;`;{;
- 8-828L8
- 6-7I7s7~7
- 4R4o4t4
- 3%3K3X3g3w3
- 1(2Y2c2s2y2
- 3:4?4Y4
- 6P7W7i7m7q7u7y7}7
- 9\\9):8:
- 747<7K7
- 6"6?6D6^6c6
- 5(555E5
- 0T1`1t1|1

- 839C9c9
- 3-5U6\\6
- 5/5h5~5
- 0i001]1
- 7 8C8]8o8
- 5E6q6~6
- 454@4g4
- 2 2$2|2
- 161C1R1d1i1
- +080G0R0d0z0
- 7&8-8N8
- 5,5L5T5X5\\5`5d5h5l5p5t5
- 3 3$3(3,3034383P3`3l3p3x3|3
- 1 2$2(2,2024282<2@2D2H2L2P2T2X2\\2l2|2
- 1"1&1*1.1F1b1p1t1|1
- 0 0@0H0L0P0T0X0\\0`0d0h0l0p0|0
- 9 9$9(9,9094989<9@9D9H9L9P9T9d9u9y9
- 8,8:8>8P8i8t8
- 7!7D7P7T7d7l7p7t7x7|7
- 5)6-616I6X6\\6d6h6x6
- 545<5@5D5H5L5P5T5X5\\5h5x5
- 4 4$4(4,4044484<4@4X4x4
- 3 3$3(3@3`3h3l3p3t3x3|3
- 202P2X2\\2`2d2h2l2p2t2x2
- 1 1@1H1L1P1T1X1\\1`1d1h1x1
- 080@0D0H0L0P0T0X0\\0`0p0
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3'333;3E3J3O3T3Y3_3d3i3o3v3|3
- 121?1J1k1
- 5!5%575O5M7Q7U7Y7]7a7e7i7m7q7u7y7}7
- ;0?0C0G0K0O0S0W0[0_0c0g0k0o0s0w0{0
- 314?4N4e4
- 3.3B3Q3b3
- 112@2a2p2
- 1!1I1W1f1}1
- 010Y0g0v0
- 8"8-8O9[9h9z9
- 7%7+707;7A7F7Q7W7\\7g7m7r7}7
- 5A6O6T6_6e6j6u6{6
- 3 4V4p4
- 142A2j2
- 1%10181=1c1
- 0&000;0E0P0Z0e0o0z0
- 3.3>3F3[3c3
- 2&2>2G2[2i2}2
- 0'151P1Y1t1
- 7-8P8m8
- 70797B7H7Y7d7i7
- 6#6)606:6?6E6J6P6U6[6b6h6m6s6x6~6
- 2<2K2_2
- 1+121J1Q1d1|1
- 819k9u9
- 7B8Z8_8k8
- 3R3h3u3z3
- 9,9@9x9
- 7T7X7\\7`7d7h7l7p7t7x7|7
- 7.8]8x8|8

- *2?2J2
- 3$3)3/3
- 2 2$2(2,2024282
- 141<1@1D1H1L1P1T1X1\\1
- 0(0004080<0@0D0H0L0P0`0
- 9 9$9(9,9094989<9@9P9p9x9|9
- 8 8$8(8,808@8`8h8l8p8t8x8|8
- 7 7$707P7X7\\7`7d7h7l7p7t7x7
- 6$6,646C6O6\\6n6t6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3&333?3L3^3d3l3t3|3
- 0&0.060>0F0N0V0^0f0n0v0~0
- 9&9.969>9F9N9V9^9f9n9v9~9
- 8&8.868>8F8N8V8^8f8n8v8~8
- 7&7.767>7F7N7V7^7f7n7v7~7
- 5+585J5
- 3&333:3>3D3H3N3U3Y3s3|3
- 6U7e7D9b9
- 4%414J4
- 3,363[3e3o3w3}3
- 2"2*252
- K0s0z0
- 9-:3:;:d:
- 7h8p8x8~8
- 6*7O7_7e7m7
- 6!606@6`6
- 5$5*535:5?5H5a5j5
- 454A4I4|4
- 1N1W1`1k1t1{1
- 3&3.363b3j3r3z3
- 2&2.262>2F2N2V2^2f2n2v2~2
- 1e1i1m1
- 0(0<0T0h0|0
- wsock32.dll
- SHBrowseForFolderA
- SHGetPathFromIDListA
- SHGetSpecialFolderPathA
- shell32.dll
- InitCommonControls
- ImageList_Create
- ImageList_Destroy
- ImageList_GetImageCount
- ImageList_SetImageCount
- ImageList_Add
- ImageList_ReplaceIcon
- ImageList_SetBkColor
- ImageList_GetBkColor
- ImageList_Draw
- ImageList_Replace
- ImageList_DrawEx
- ImageList_Remove
- ImageList_BeginDrag
- ImageList_EndDrag
- ImageList_DragEnter
- ImageList_DragLeave
- ImageList_DragMove

- ImageList_SetDragCursorImage
- ImageList_DragShowNolock
- ImageList_GetDragImage
- ImageList_Read
- ImageList_Write
- ImageList_GetIconSize
- ImageList_SetIconSize
- comctl32.dll
- VariantInit
- VariantClear
- VariantCopy
- VariantChangeType
- SafeArrayCreate
- SafeArrayGetLBound
- SafeArrayGetUBound
- SafeArrayPtrOfIndex
- oleaut32.dll
- kernel32.dll
- user32.dll
- CopyEnhMetaFileA
- CreateBitmap
- CreateBrushIndirect
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDIBSection
- CreateDIBitmap
- CreateFontIndirectA
- CreateHalftonePalette
- CreatePalette
- CreatePenIndirect
- CreateSolidBrush
- DeleteDC
- DeleteEnhMetaFile
- DeleteObject
- ExcludeClipRect
- GdiFlush
- GetBitmapBits
- GetBrushOrgEx
- GetClipBox
- GetCurrentPositionEx
- GetDCOrgEx
- GetDIBColorTable
- GetDIBits
- GetDeviceCaps
- GetEnhMetaFileBits
- GetEnhMetaFileHeader
- GetEnhMetaFilePaletteEntries
- GetMapMode
- GetObjectA
- GetPaletteEntries
- GetPixel
- GetStockObject
- GetSystemPaletteEntries
- GetTextExtentPoint32A
- GetTextExtentPointA
- GetTextMetricsA
- GetWinMetaFileBits

- GetWindowOrgEx
- IntersectClipRect
- LineTo
- MoveToEx
- PlayEnhMetaFile
- Polyline
- RealizePalette
- RectVisible
- Rectangle
- RestoreDC
- SaveDC
- SelectObject
- SelectPalette
- SetBkColor
- SetBkMode
- SetBrushOrgEx
- SetDIBColorTable
- SetEnhMetaFileBits
- SetPixel
- SetROP2
- SetStretchBltMode
- SetTextColor
- SetViewportOrgEx
- SetWinMetaFileBits
- SetWindowOrgEx
- UnrealizeObject
- gdi32.dll
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- version.dll
- kernel32.dll
- advapi32.dll
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- advapi32.dll
- user32.dll
- kernel32.dll
- -v57.v
- -vej/v_i/v(7.v
- E.v+E.v
- !"#$%&\'()*+,-./0123
- ?456789:;<=
- Running
- WinSock 2.0
- Unrecognized error code
- ,Valid name, no data record of requested type
- /Non-Recoverable error: FORMERR, REFUSED, NOTIMP
- Non-Authoritative Host not found
- Host not found
- #Incompatible version of WINSOCK.DLL
- Network subsystem is unavailable
- !Too many levels of remote in path
- Stale NFS file handle

- Disc quota exceeded
- Too many users
- Too many processes
- Directory not empty
- No route to Host
- Host is down
- File name too long
- !Too many levels of symbolic links
- Connection refused
- Connection timed out
- !Too many references, can't splice
- Socket is not connected
- Socket is already connected
- No buffer space available
- Connection reset by peer
- Software caused connection abort
- #Network dropped connection or reset
- Network is unreachable
- Network is down
- Can't assign requested address
- Address already in use
- /Address family not supported by protocol family
- Protocol family not supported
- Socket type not supported
- Protocol not supported
- Bad protocol option
- Message too long
- Destination address required
- Operation already in progress
- Operation now in progress
- Operation would block
- Too many open files
- Invalid argument
- Bad address
- Permission denied
- Bad file number
- Interrupted system call
- Tahoma
- 0123456789ABCDEF
- Runtime error at 00000000
- T__1442becU
- TSarray
- T__1442becU
- T__1896309509l
- T__1896309509
- T__1896275688
- T__1896272518
- T__1896270107
- T__1896266937
- T__1896238720
- T__1896235527
- T__1896233116
- T__1896204899
- T__1896201729
- T__1896199318
- T__1896196125
- T__1896167908

- T__1896164738
- T__1896162327
- T__1896159157
- T__1896130917
- T__1896127747
- T__1897317822
- T__1896377128@
- T__1897314652<
- T__18973114598
- T__18973090484
- T__18972752500
- T__1896420459,
- T__1896417289(
- T__1896374717$
- T__1896346500
- T__1896414119
- T__1896411708
- T__1897280831
- T__1897277661
- T__1896343330
- T__1896340896
- T__1896383491
- T__1896312679
- T__1896380298
- C4;D$$~u
- OtAOt
- C4;C<uV
- K4;K<}53
- P ;S0uP3
- C4;CHr3
- TJPEGImage
- TJPEGImage
- TJPEGData
- msctls_progress32
- TConversionFormat
- TConversion
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnExit4PC
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup RC
- Visible\\WC
- TabStop
- TabOrder
- Smooth<
- Position
- PopupMenu<
- ParentShowHint
- Orientation
- Constraints<

- HintxOC
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- BorderWidth
- AnchorsH]C
- TProgressBar
- TProgressBar
- pbVertical
- pbHorizontal
- TProgressBarOrientation
- MAPI32.DLL
- TRegistryS
- ERegistryException
- Buttons
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnDblClick4PC
- OnClick
- Visible
- Transparent
- Spacing
- ShowHint<
- PopupMenu
- ParentBiDiMode
- ParentShowHint
- ParentFont
- Margin,>F
- Layout<
- Enabled
- Caption
- GroupIndex
- Constraints<
- BiDiModexOC
- Anchors
- AllowAllUp
- Action
- Buttons
- TSpeedButtont?F
- TSpeedButton
- TSpeedButtonActionLink
- Buttons
- TButtonLayout
- Disconnected
- ListMaskSV
- FWAuthenticate
- FWPassword
- FWUserID
- FirewallType
- Passive
- ProxyPort
- ParseList
- Vendor
- OnUnSupportedFunction<
- OnListItem

- OnSuccess
- OnFailure
- OnAuthenticationFailedd0F
- OnAuthenticationNeeded
- OnTransactionStop
- OnTransactionStart
- Password
- UserID
- OnConnect
- OnConnectionRequired
- OnError
- OnPacketSent
- OnPacketRecvd
- Listing
- TNMListItem
- Trans_Type
- TUnsupportedEvent
- Trans_Type
- TSuccessEvent
- Trans_Type
- Boolean
- Handled
- TFailureEvent
- FTPException
- cmdCurrentDir
- cmdDoCommand
- cmdAllocate
- cmdReInit
- cmdAppend
- cmdUpload
- cmdDownload
- cmdDownRestore
- cmdUpRestore
- cmdRename
- cmdRemoveDir
- cmdDelete
- cmdMakeDir
- cmdChangeDir
- FtSite
- FtOpen
- FTUser
- TFirewallType
- CONTENT-LENGTH:
- LOCATION:
- SET-COOKIE:
- Content-Length:
- URI-header:
- Link:
- Content-type: application/x-www-form-urlencoded
- Proxy-Authorization
- Authorization
- Basic
- Referer
- Cookie
- User-Agent
- Host:
- Proxy-Connection: Keep-Alive

- HTTP/1.0
- TRACE
- DELETE
- UNLINK
- PATCH
- OPTIONS
- Transaction Completed
- Wait for response Cancelled
- Timed out waiting for response
- Default.htm
- Head.txt
- OnAuthenticationNeeded
- OnRedirect
- OnFailure
- OnSuccess
- OnAboutToSend
- ProxyPort
- OutputFileMode
- InputFileMode
- HeaderInfo
- Header
- OnPacketSent
- OnPacketRecvd
- ProxyPassword
- ProxyUserId
- Password
- UserId
- Referer
- Cookie
- LocalProgram
- LocalMailAddress
- THeaderInfoX
- THeaderInfo
- TResultEvent
- CmdWRAPPED
- CmdTRACE
- CmdUNLINK
- CmdDELETE
- CmdMOVE
- CmdHEAD
- CmdOPTIONS
- imap3:
- imap2:
- gopher:
- whois++:
- whois:
- telnet:
- OnEndDecode
- OnBeginDecode
- OnEndEncode
- OnBeginEncode
- Method
- TNMUUProcessor
- TNMUUProcessor
- uuCode
- uuMime
- UUMethods

- TNMFileBuffer
- TExStringList|
- TExStringList
- TmrWindowClass
- PsockWindowClass
- No Timer
- Host Lookup Failed
- Host Lookup Canceled
- Host Lookup Timed Out
- Resolve Host
- Clearing Input
- Request Close Socket
- Initializaton of windows sockets failed
- Initializing Winsock
- Timer Off
- Timer On
- Timer Triggered
- Unknown Error No.
- Looking Up Error Message
- Error creating Data Connection
- Accepting Canceled
- Accepting
- Socket capture aborted
- CaptureFile
- Capture String
- Socket capture aborted
- Capture Stream
- CaptureFile
- SendStream
- SendFile
- Transaction
- Socket readln aborted
- ReadLn
- Read(
- Writeln
- Sending Buffer
- Canceling
- Disconnecting
- Connection Failed
- Connection Canceled
- Connection Timed out
- Null Remote Address
- Host Lookup Canceled
- Host Lookup Timed Out
- Already connected
- Connecting
- Destroy
- Max Udp pack size=
- Max Sockets=
- Description=
- High Version=
- Version=
- Create
- TSimpleThread
- AboutH
- OnConnectionFailed
- OnStatus

- OnHostResolvedH
- OnInvalidHost
- OnConnect
- OnDisconnect
- ReportLevel
- TimeOut<
- TPowersock
- TPowersock
- OnTimer
- Interval
- Enabled|
- TThreadTimer
- TThreadTimer
- EAbortError
- ESockError
- Boolean
- Handled
- THandlerEvent
- Status
- TComponent
- Sender
- TOnStatus
- TComponent
- Sender
- TOnHostResolved
- TComponent
- Sender
- TOnErrorEvent
- Can't create a temporary file
- Can't read the source buffer
- Can't write to the destination buffer
- Can't write to the destination buffer
- TNMFifoBufferSV
- TaskbarCreated
- User32.dll
- RegisterAutomation
- ;B0uGj
- MAINICON
- TApplication
- layout text
- MDICLIENT
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- TApplication<
- TApplication
- THintInfo@
- TScreend
- TScreen
- TMonitor
- PixelsPerInch
- TCustomDockForm4
- TCustomDockFormt
- OnUnDock
- OnStartDock
- OnShow
- OnShortCut

- OnResize
- OnPaint
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp`VC
- OnMouseMove4PC
- OnMouseDown
- OnKeyUp4PC
- OnKeyPress
- OnKeyDown\\QC
- OnHelp
- OnHide
- OnGetSiteInfo
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDockOver RC
- OnDockDrop
- OnDeactivate$SC
- OnDestroy
- OnDblClick
- OnCreate
- OnContextPopup
- OnConstrainedResize\\WC
- OnCloseQuery
- OnCloseh
- OnClick$
- OnCanResize
- OnActivate`UC
- WindowMenu
- WindowState
- Visible<
- VertScrollBar
- SnapBuffer
- ShowHint<
- ScreenSnap
- Scaled
- PrintScale
- Position
- PopupMenu
- PixelsPerInch
- ParentBiDiMode<
- ObjectMenuItem
- OldCreateOrder
- KeyPreview
- HorzScrollBar
- HelpFile
- Height
- FormStyle<
- ParentFont
- Enabled
- DragMode
- DragKind
- DockSite,NC
- DefaultMonitor
- UseDockManager@

- Constraints
- TransparentColorValuexOC
- TransparentColor<
- ClientWidth<
- ClientHeight<
- Caption<
- BorderWidthxNC
- BorderStyleH]C
- BorderIcons
- BiDiMode
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlendT
- ActiveControl
- ActionPbC
- FormsU
- TCustomForm
- TCustomForm
- Boolean
- Boolean
- CallHelp
- Integer
- Command
- THelpEvent
- Boolean
- Handled
- TShortCutEvent
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- dmActiveForm
- dmMainForm
- dmPrimary
- dmDesktop
- TDefaultMonitor
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter

- poDefaultSizeOnly
- poDefaultPosOnly
- poDefault
- poDesigned
- TPosition
- TBorderIcons
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- fsStayOnTop
- fsMDIForm
- fsMDIChild
- fsNormal
- TFormStyle
- IOleForm
- IDesignerHook
- TBorderStyle
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBar
- TScrollingWinControll
- TScrollingWinControl
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- Visible
- Tracking
- ThumbSize
- Smooth<
- Position<
- ParentColor<
- Margin
- Incrementh
- Color$
- ButtonSize<
- TControlScrollBar
- TControlScrollBar
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- Ih;J4u
- ShortCutText
- TMenuItemStack
- TPopupList
- OnPopup
- OnChange
- TrackButton

- ParentBiDiMode8
- OwnerDraw
- MenuAnimation
- Images
- HelpContext`nD
- BiDiModeh
- AutoPopup
- AutoLineReduction
- AutoHotkeys
- Alignment
- TPopupMenuH
- TPopupMenu
- TMenuAnimation
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus|
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus<
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiMode`nD
- AutoMerge
- AutoLineReduction
- AutoHotkeys
- TMainMenud
- TMainMenu
- TMenup
- OnMeasureItem
- OnAdvancedDrawItemH
- OnDrawItem
- OnClickd
- Visible
- ShortCut
- RadioItem
- ImageIndex
- HelpContext
- GroupIndexh
- EnabledT
- Default
- SubMenuImages
- Checked`nD
- Caption
- Bitmap
- AutoLineReduction
- AutoHotkeys

- AutoCheck
- Action
- TMenuItemL
- TMenuItem
- TMenuActionLinkL
- TMenuAutoFlag
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Integer
- Height
- Integer
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- TOwnerDrawState
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Boolean
- Selected
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Boolean
- Rebuild
- TMenuItem
- Source
- TObject
- Sender
- TMenuChangeEvent
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- EMenuError
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap
- ImgList
- TCustomImageList
- TCustomImageList
- TImageIndex
- ImgList
- itMask
- itImage
- TImageType
- ImgList
- dsTransparent

- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- TChangeLink
- u*;~8u
- TActionLinkSV
- ActnList
- TCustomAction
- TCustomAction
- ActnList
- TShortCutList
- ActnList
- TCustomActionList
- TCustomActionList
- Category
- ActnList
- TContainedActionhZD
- TContainedAction
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringA
- ImmSetCompositionFontA
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- imm32.dll
- USER32
- t$;C8u
- t9;wlt4
- DesignSize
- :GauOFKu
- IsControl
- u$;~|u
- TSiteList
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault

- Controls
- TCustomMultiSelectListControlLmC
- TCustomMultiSelectListControl
- Controls
- TCustomListControl
- TCustomListControl
- TMouse
- TDockTree
- TDockZone
- ShareImages<
- OnChange
- Masked
- ImageType
- HeightdmD
- DrawingStyle<
- AllocBy
- BkColor<
- BlendColor<
- Controls
- TImageList
- TImageList
- Controls
- TDragImageList
- TDragImageList
- Controls
- THintWindow@eC
- THintWindow
- Controls
- TCustomControl
- TCustomControl
- Controls
- TGraphicControl
- TGraphicControlpcC
- Controls
- TWinControl
- TWinControl
- Controls
- IDockManager
- TBevelWidth
- Controls
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- Controls
- beBottom
- beRight
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvLowered
- bvNone
- TBevelCut
- TBorderWidth
- TImeName

- Controls
- imHanguel
- imSHanguel
- imChinese
- imKata
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- TWinControlActionLink
- HelpContext
- HelpKeywordh
- HelpType
- Cursor
- Height
- Controls
- TControl
- TControl
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- TObject
- Sender
- TMouseWheelUpDownEvent
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- TObject
- Sender
- TMouseWheelEvent
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject

- Sender
- TConstrainedResizeEvent
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- Boolean
- CanDock
- TPoint
- MousePos
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Boolean
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Boolean
- TDragState
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- TDragObject

- TObject
- Sender
- TStartDragEvent
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Boolean
- TDragState
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- TObject
- Sender
- TKeyPressEvent
- TShiftState
- TObject
- Sender
- TKeyEvent
- Integer
- Integer
- TShiftState
- TObject
- Sender
- TMouseMoveEvent
- Integer
- Integer
- TShiftState
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraintsPOC
- TSizeConstraints
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akLeft
- TAnchorKind
- TCaption
- TTabOrder
- Controls

- TDragKind
- Controls
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- Controls
- dmAutomatic
- dmManual
- TDragMode
- Controls
- mbMiddle
- TMouseButton
- TControlActionLink
- Controls
- TControlCanvas4LC
- TControlCanvas
- TDragDockObjectEx
- Controls
- TDragDockObject
- TDragDockObject$KC
- TDragControlObjectEx
- TDragControlObject
- Controls
- TBaseDragControlObject
- TBaseDragControlObject
- Controls
- TDragObjectPHC
- TDragObject
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alNone
- TAlign
- TCursor
- TModalResult
- #32770
- MS_WINHELP
- TWinHelpViewer
- THintAction89C
- THintAction
- Delphi Component
- Delphi Picture
- commdlg_FindReplace
- Message
- YesToAll
- NoToAll
- Ignore
- Cancel
- Dialogs
- TMessageForm
- TMessageForm
- OnShowSV
- OnClose

- HelpContext
- Dialogs
- TCommonDialogh"C
- TCommonDialog
- OnUnDockU
- OnStartDrag
- OnStartDock
- OnResize
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnGetSiteInfo4PC
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnContextPopup$SC
- OnConstrainedResize\\WC
- OnClick
- OnCanResize
- Visible`UC
- TabStop
- TabOrder
- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBackground
- ParentBiDiMode
- Locked
- FullRepaint
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- DockSite
- UseDockManager
- Constraints
- ColorxOC
- Caption<
- BorderStylexNC
- BorderWidth`
- BiDiModeH]C
- BevelWidth
- BevelOuterL^C
- BevelInnerd]C
- AutoSized]C
- Anchors
- Alignment
- Align@
- ExtCtrls7
- TPanel<

- TPanel
- TCustomPanel
- TCustomPanel
- OnTimer
- Interval
- Enabled|
- TTimer
- TTimer
- OnStartDrag
- OnStartDock
- OnProgress
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnEndDrag4PC
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick\\WC
- Visible
- Transparent
- ShowHint
- Proportional
- PopupMenu
- Picture
- ParentShowHint
- IncrementalDisplay
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- Constraints
- CenterxOC
- AutoSize
- Anchors
- TImage(
- TImage
- LISTBOX
- BUTTON
- TListBoxStrings
- TMemoStringsX
- TMemoStrings
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnMeasureItem4PC
- OnKeyUp
- OnKeyPress
- OnKeyDown\\QC
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDrawItem

- OnDragOverX
- OnDragDrop
- OnDataObject
- OnDataFind
- OnDatax
- OnContextPopup
- OnClick\\WC
- Visible
- TabWidth
- TabStop<
- TabOrder
- Sorted`NC
- ShowHint
- PopupMenu<
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MultiSelect
- ItemHeight,(A
- IntegralHeight<
- ImeName
- ImeMode8]C
- ExtendedSelect
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- Constraints
- ColumnsxOC
- Color<
- BorderStyle<
- BiDiMode`
- BevelOuter
- BevelKindd]C
- BevelInner
- BevelEdgesd]C
- Anchors
- AutoComplete
- TListBox@
- TListBox
- TabStop
- TCustomListBox
- TCustomListBox
- Integer<
- FindString
- TWinControl
- Control
- TLBFindDataEvent
- TObject
- DataObject
- Integer
- TWinControl
- Control
- TLBGetDataObjectEvent
- Integer

- TWinControl
- Control
- TLBGetDataEvent
- lbVirtualOwnerDraw
- lbVirtual
- lbOwnerDrawVariable
- lbOwnerDrawFixed
- lbStandard
- TListBoxStyle
- OnStartDragH
- OnStartDock
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnKeyUp4PC
- OnKeyPress
- OnKeyDown\\QC
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup RC
- OnClick\\WC
- WordWrap
- Visible
- TabStop
- TabOrder
- PopupMenu
- ParentShowHint
- ParentFont
- ParentBiDiMode
- ModalResult
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- Default
- Constraints
- CaptionxOC
- CancelxNC
- BiDiMode
- Anchors
- Action
- TButton
- TButton
- TButtonControlL
- TButtonControl
- TButtonActionLink
- Integer
- Height
- Integer
- TWinControl
- Control
- TMeasureItemEvent
- TOwnerDrawState

- Integer
- TWinControl
- Control
- TDrawItemEvent
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnKeyUp4PC
- OnKeyPress
- OnKeyDown\\QC
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick\\WC
- OnChange
- WordWrap
- WantTabs
- WantReturns
- Visible
- TabStop
- TabOrder
- ScrollBars
- ReadOnly8
- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- MaxLength
- Lines<
- ImeName,(A
- ImeMode8]C
- HideSelection
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- Constraints
- ColorxOC
- BorderStyle<
- BiDiMode`
- BevelOuter
- BevelKindd]C
- BevelInner
- BevelEdgesd]C
- Anchors
- Alignment
- Align@
- TMemo`

- TCustomMemo
- TCustomMemo
- ssVertical
- ssHorizontal
- ssNone
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnKeyUp4PC
- OnKeyPress
- OnKeyDown\\QC
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick\\WC
- OnChange
- Visible
- TabStopxNC
- TabOrder
- ReadOnly
- PopupMenu
- PasswordChar
- ParentShowHint(
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- MaxLength
- ImeName<
- ImeMode8]C
- HideSelection
- Enabled
- DragMode
- DragKind
- DragCursor,NC
- Constraints
- ColorxOC
- CharCase<
- BorderStyle8
- BiDiMode`
- BevelOuter
- BevelKindd]C
- BevelInner
- BevelEdgesd]C
- AutoSize
- AutoSelect
- Anchors
- TabStop
- TCustomEdit
- TCustomEdit

- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- OnStartDrag<
- OnStartDock
- OnMouseLeave
- OnMouseEnter
- OnMouseUp
- OnMouseMove4PC
- OnMouseDown
- OnEndDrag4PC
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick\\WC
- WordWrap
- Visible
- Layout
- Transparent
- ShowHint
- ShowAccelChar
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- ParentBiDiMode
- FocusControl
- EnabledPbC
- DragMode
- DragKind
- DragCursor,NC
- Constraints
- ColorxOC
- Caption<
- BiDiModexNC
- AutoSize
- Anchors
- Alignment
- Align@
- TLabel
- TLabel
- TCustomLabel
- TCustomLabel
- tlBottom
- tlCenter
- TTextLayout
- comctl32.dll
- Theme manager 2001, 2002 Mike Lischke
- TThemeServices
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties

- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString
- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin
- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition
- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- TCriticalSection
- TEvent
- THandleObject
- TSynchroObject
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- THelpManager
- THelpViewerNode
- EHelpSystemException
- HelpIntfs
- IHelpManager
- HelpIntfs
- ISpecialWinHelpViewer|^B

- HelpIntfs
- IExtendedHelpViewer@^B
- HelpIntfs
- ICustomHelpViewer
- HelpIntfs
- IHelpSystem
- HelpIntfs
- IHelpSelector
- USER32.DLL
- DISPLAY
- DISPLAY
- DISPLAY
- GetMonitorInfo
- InitCommonControlsEx
- comctl32.dll
- TOrderedList
- TObjectListHRB
- TPatternManagerSV
- Graphics
- TBitmapCanvas
- TBitmapCanvas
- TClipboardFormats
- TFileFormatsList
- TFileFormat
- window
- treeview
- traynotify
- trackbar
- tooltip
- toolbar
- taskbar
- taskband
- status
- startpanel
- scrollbar
- progress
- listview
- header
- explorerbar
- combobox
- button
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET

- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight
- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- TResourceManager
- Graphics
- TIconImage
- Graphics
- TBitmapL
- TBitmap
- TBitmapImage
- Graphics
- TMetafile
- TMetafile
- TMetafileImage

- TSharedImage
- Graphics
- TPicture
- TPicture
- Graphics
- TGraphicL
- TGraphic
- Boolean
- RedrawNow
- PercentDone
- TProgressStage
- TObject
- Sender
- TProgressEvent
- Graphics
- psEnding
- psRunning
- psStarting
- TProgressStage
- CopyMode
- Graphics
- TCanvas
- TCanvas
- Graphics
- ColorX
- Graphics
- Height\\
- Color<
- Charset<
- Graphics
- Graphics
- IChangeNotifier
- Graphics
- TGraphicsObject
- TGraphicsObject
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Graphics
- pmNotXor
- pmNotMask
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNotCopy
- pmWhite
- TPenMode
- Graphics
- psInsideFrame

- psClear
- psDashDotDot
- psDashDot
- psSolid
- TPenStyle
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- EInvalidGraphicOperation
- EInvalidGraphic
- TColor
- TPUtilWindow
- Classes
- TPropIntfFixup
- TPropFixup
- TIntConst
- TRegGroups
- TRegGroup
- TIdentMapEntry
- Classes
- TBasicAction
- TBasicAction
- TBasicActionLink
- Classes
- TComponent
- TComponent
- Classes
- IDesignerNotify
- TComponentName
- TThread
- EThreadI0A
- TReader
- TFiler
- TClassFinder
- TStreamAdapter
- TResourceStream
- TStringStream
- TMemoryStream
- TCustomMemoryStream
- TFileStream4+A
- THandleStream
- TStreamH*A
- Classes
- TStringListh)A
- TStringItem
- Classes
- Classes
- IStringsAdapter

- Classes
- TInterfacedPersistent
- TInterfacedPersistent
- Classes
- TPersistent
- TPersistent
- TThreadList`%A
- EInvalidOperation
- EOutOfResourcesD$A
- EComponentError
- EStringListError
- EBitsError
- EListError
- EResNotFound
- EClassNotFound
- EWriteError
- EReadError
- EFilerError
- EFOpenError
- EFCreateError
- EFileStreamError
- EStreamError
- TObject
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htContext
- htKeyword
- THelpType
- THelpContext
- TShiftState
- Classes
- ssDouble
- ssMiddle
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- Variants
- ByRef
- Array
- LongWord
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Dispatch
- OleStr

- Currency
- Double
- Single
- Integer
- Smallint
- EVariantDispatchError
- EVariantUnexpectedErrorH
- EVariantOutOfMemoryError
- EVariantNotImplError
- EVariantArrayCreateError
- EVariantArrayLockedError
- EVariantBadIndexError
- EVariantBadVarTypeError
- EVariantInvalidArgError
- EVariantOverflowError
- EVariantTypeCastError
- EVariantInvalidOpError
- Variants
- TCustomVariantType$
- TCustomVariantType
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- oleaut32.dll
- kernel32.dll
- TExceptRec
- TErrorRec
- INFNAN
- <*t"<0r=<9w9i
- $TMultiReadExclusiveWriteSynchronizer
- TThreadLocalCounter
- SysUtils
- SysUtils
- ESafecallException
- EOSError
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege

- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointer
- EUnderflow
- EOverflow
- EZeroDivide
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeErrorLz@
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError
- EOutOfMemory
- EHeapException
- EAbort
- Exception(w@
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odNoAccel
- odInactive
- odHotLight
- odDefault
- odFocused
- odChecked
- odDisabled
- odGrayed
- odSelected
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- TInterfacedObject
- IInterface
- TObject
- TObject
- Cardinal
- Integer
- Boolean
- P&gLQX;&158
- L4([Q"7
- kUE(DB+(x%
- This program must be run under Win32
- Z@/))$)$)))))))$))0AZ
- S2)$))$$)$$)$$$$$$$$))$)))2S

- !$$)$))$9c
- c8$)$))$$#
- !$$))$0X
- X0)$))$!
- #)$)$2c
- `/)$))#
- !$$)$9
- !$$))S
- #))(N{
- j4)$)#
- !$)$)Dp
- !$)$$4d
- d1)$)$!
- #)$)$,
- /)$)$$
- !$)$)$/
- /)$)$$!
- !$$)$))$4
- 4)$)$$$$!
- ugD,$)))$)$)$)$$$$$))$)$)$)),Dhu
- ;/*$$$))))$$)$$$))+;
- <<<

- <<<

- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<:0)
- $<<<<<<<<<<<<<<<<<<

- &%%%

- &%%%

- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%

- &%%%

- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- %&&&%%%%%%%%%%%%%%%%%%% '<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<"
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- %%&&&&&%%%%%%%%%%%%%%%%%%%%%%%%%% '<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%%%&&&&&&& %
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<0
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%%%%%%%%%%%%%%%%%%&&&&&&&&&&&&&&&&%%%%%%%%%%%%%%%%%%%

- &%%%&&
- $<<<<<<<<<<<<<<
- $<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%&&
- <<<<<<<<<<<<<<<
- 4<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%&&
- <<<<<<<<<<<<<<<)
- <<<<<<<<<<<<:
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%&&%
- 4<<<<<<<<<<<<<5
- <<<<<<<<<<<<0
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &&%%%&&&&
- $<<<<<<<<<<<<<<<
- *<<<<<<<<<<<<"
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- %&&&&&&%%%%%%%%%%%%%%%%%%%

- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &&&%%%%%%%%%%%%%% '<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &&&&%%%%%%%%%%%%%%%%%% '<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- %&&&&&%%%%%%%%%%%%%%%%%%%%%%%%%% '<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%%%&&&&&%%
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%%%%%%%%%%%%%%%&&&&&&&&&&&&&&&&&&%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
'<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<<
- &%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%

- % %%%%%%%%%%%%%%%%%%%%%%%%%%% %
- <<<<<<<<<<<<<<<<<<<<<<<<<<<<
- '+/138:<<<<<<<<<<<<<<<<<<

- <<<

- wr""gf@
- 1wwwr"vv@
- 1wwwr"gf@
- wwgbvt
- &vvggd;
- Gggfv@
- : :$:(:,:0:4:8:<:@:H:L:P:T:X:\\:`:d:h:l:
- ; ;(;0;8;@;H;P;X;`;h;
- :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- :':::L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ?-?=?M?
- :,:B:X:n:
- ?/?E?[?t?
- =1=G=]=s=
- <)<?<U<k<
- ;!;7;M;c;y;
- ?"?2?B?R?b?r?
- >%>;>Q>g>}>
- ;+;;;K;[;k;{;
- >->C>Y>o>
- <1<G<]<s<
- ;*;U;k;
- ?'?=?S?i?
- =+=A=W=m=
- ;/;];s;
- :':=:S:i:
- ?"?2?B?R?b?r?
- >)>?>R>b>r>
- =!=7=M=c=y=
- ;*;;;J;Z;
- 9*:<:L:\\:l:|:
- ?"?6?J?^?r?
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=b=
- ; <0<4<8<@<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;7;C;K;P;b;{;
- <T<^<p<
- =c>l>|>
- =7>;>?>C>G>K>O>q>
- n8Y?`?g?n?u?|?
- 9[:j:s:
- :0:8:<:@:D:H:L:P:T:X:l:
- ?#?<?D?[?c?g?~?
- >#>+>l>M>Q>g>k>o>
- =/=7=;=Q=Y=w=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;';;;G;S;`;r;x;
- 93:?:F:Q:c:v:
- ?(?8?D?H?P?T?X?\\?`?d?h?l?p?t?x?|?
- =,>H>h>p>t>x>|>
- =.>l>t>,?
- <.<5<P<W<
- ?(?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- =,=4=8=<=@=D=H=L=P=T=X=\\=`=n=v=~=
- </<B<H<^<
- ;x<B=h=

- :K;R;j;q;
- 9@:G:v:
- </=V=]=x=
- ;';O;V;t;{;
- >;>B>#?/?<?N?T?t?|?
- 9%:P<v<
- ;2>=>f>
- <(<.<=<B<G<Y<h<y<
- ;&;4;{;
- <!<2<@<R<i<s<
- ;":;;P;};
- : :2:F;R;*<
- ?B?M?Z?`?k?x?
- ?-?4?;?B?S?[?a?k?
- >6>R>Z>b>
- <==S=]=g=}=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<v<~<
- ;$;(;8;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:<:@:D:H:L:P:T:X:\\:p:
- ?&?N?V?t?|?
- > >$>>>F>d>h>l>p>
- =;=C=e=m=q=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;$;5;9;H;X;h;p;t;x;|;
- 9":&:*:.:2:6:::>:B:F:J:N:R:V:Z:^:b:f:j:n:r:v:z:~:
- ?$?@?^?
- > >$>(>3>?>F>P>Z>d>o>y>
- :d;n;x;
- :$:\\:~<
- >'>4>C>R>a>
- = =>=P=
- 7G:W;y;]<
- :':::_:
- ?$?@?H?L?c?k?o?
- >!>)>I>Q>k>s>w>
- =&=J=R=p=x=
- < <(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;(;H;P;T;X;\\;`;d;h;l;p;t;x;|;
- :G;T;d;
- > >$>(>,>0>4>8><>@>H>`>v>z>
- =,=d=}=
- ;[<g<t<
- >+>/>@>`>h>l>p>t>x>|>
- =#='=8=D=H=T=X=`=d=h=l=p=t=x=|=
- <,<<<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;#;';@;P;\\;`;h;l;p;t;x;|;
- :(:,:8:<:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- :d='>9>k>
- >)?a?s?
- <^=k=z=Q?a?
- ;9;>;[;k;
- >&?h?u?~?
- ?%?-?H?N?
- > >$>(>,>0>4>8><>@>d>
- = =(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;,;L;T;X;\\;`;d;h;l;p;t;

- 9P:T:X:\\:`:d:h:l:p:t:x:|:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >!>L>h>z>
- <8=H=d=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;!;:;F;Y;|;
- :":&:*:.:2:6:::>:B:F:J:N:R:V:Z:^:b:f:j:x:
- ?$?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?x?
- =,>D>`>x>
- = =$=(=,=0=4=8=<=@=D=H=L=d=
- < <$<(<,<0<4<8<<<@<D<H<\\<p<t<
- ; ;5;9;L;l;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:
- ='=@=f=
- <Y<d<o<|<
- /-P?pR
- ,/KPip
- / P6pL
- DVCLAL
- ; ;$;(;,;D;`;|;
- 9#:/:<:N:T:
- :-;M;k;};
- 9,:L:q:
- ? ?(?0?8?@?H?P?X?`?h?p?x?
- =G>V>x>
- :|:N;{;
- >,>R>v>
- =.=S=w=
- ;!<-<C<q<
- ;$;,;M;U;q;y;};
- :':+:>:_:
- ?3?V?^?w?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- =#=/=<=N=V=^=f=s=
- ;@;O;f;C<O<\\<n<{<
- >:>-?t?
- <-=X=x=
- ?&?N?t?
- >0>T>x>
- =/=P=u=
- <"<9<A<Z<^<b<}<
- ;2;:;X;`;~;
- ?,?4?P?X?\\?s?w?{?
- >+>N>Z>p>x>|>
- =5=A=X=y=}=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;&;*;.;2;H;\\;`;t;
- : :(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ?$?4?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- <2<W<y<
- : :$:(:C:K:e:i:m:
- >,>8>N>V>u>}>
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;P;T;X;\\;`;d;h;|;
- : :::`:p:|:
- >">(>H>P>T>X>\\>`>d>h>l>p>t>x>

- ?*?3?8?=?K?T?Y?^?l?u?z?
- >0>B>M>f>
- ;$;G;P;
- ?0?P?X?\\?`?d?h?l?p?t?x?
- >@>W>|>
- =#=)=-=3=7===A=G=K=c=o=|=
- <8<X<`<d<h<l<p<t<x<|<
- :(;<;_;l;{;
- 9#:>:\\:
- 9p:=;n;
- <D=T=d=l=p=t=x=|=
- ?>?X?p?
- >6?;?[?
- ? ?$?(?,?0?4?D?T?d?l?p?t?x?|?
- > >(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=|=
- < <(<,<0<4<8<<<@<D<H<L<`<
- ;";&;*;.;F;T;X;`;d;p;t;|;
- : :(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=4=<=D=L=T=\\=d=l=t=|=
- <,<F<P<Z<d<s<}<
- 9(:P:]:l:
- =!=.=4=D=*>1>
- :R;Y;p;#<
- >,>K>p>t>x>|>
- :C:h:v:
- ;z<Q=X=
- </<A<^<
- >3?:?Q?
- :2;D;[;
- ? ?$?(?,?0?<?H?\\?d?h?l?p?t?x?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>|>
- < <$<(<,<0<4<8<<<@<D<R<h<
- ; ;$;(;,;0;4;8;<;@;D;H;L;d;
- :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:t:
- ? ?(?,?0?4?8?<?@?D?H?\\?|?
- >P>b>h>
- =(=:=@=Y=
- :X:\\:`:d:h:l:
- =8>M>b>g>t>
- ?$?(?,?0?4?8?<?@?D?i?w?
- >0>P>X>\\>`>d>h>l>p>t>x>
- =$=(=,=0=4=8=<=@=D=d=
- <4<T<\\<`<d<h<l<p<t<x<|<
- ;(;0;4;8;<;@;D;H;L;P;l;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:t:
- ? ?$?,?0?8?<?D?H?P?T?\\?`?h?l?t?x?
- >$>(>0>4><>@>H>L>T>X>`>d>l>p>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- ;B<S<v<
- >!?E?Q?j?t?~?
- :);e;y;
- <6<p<B=
- :&:W:f:
- =)=5=Y=

- ;3<F<z<
- :$:1:6:@:P:[:h:m:
- ? ?$?(?,?0?4?8?P?p?x?|?
- > >$>(><>\\>d>h>l>p>t>x>|>
- =(=H=P=T=X=\\=`=d=h=l=p=
- <4<<<@<D<H<L<P<T<X<\\<p<
- ;,;4;8;<;@;D;H;L;P;T;d;
- : :(:,:0:4:8:<:@:D:H:\\:|:
- ?&?.?6?>?F?N?V?^?f?n?v?~?
- >&>.>6>>>F>N>V>^>f>n>v>~>
- =&=.=6=>=F=N=V=^=f=n=v=~=
- <&<.<6<><F<N<V<^<f<n<v<~<
- ;&;.;6;>;F;N;V;^;f;n;v;~;
- :&:.:6:>:F:N:V:^:f:n:v:~:
- >=>D>d>
- <<<E<w<
- ;0;>;R;
- =.=<=R=X=`=j=
- <+<D<J<X<^<f<x<
- MaskBlt
- PatBlt
- StretchBlt
- vykvF
- nvIkvMt%v
- $v@f$vK
- i$v<j$v
- -v,S/vJ
- .v%V/v
- -vKj/vl
- ,v0 -v
- -v\\9.v`w
- -vQJ.v
- h/vO!.v
- -vc3.v`
- BKbhTb~XBK!;
- &'()*56789:CDEFGHIJSTUVWXYZcdefghijstuvwxyz
- %&'()*456789:CDEFGHIJSTUVWXYZcdefghijstuvwxyz
- BKbhTb~XBK!;
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- QQQQS3
- DVCLAL
- 0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz+/
- QQQQSVW
- PPJFRHGIURTYHIREOTPP
- http:/
- QQQQQQSVW
- YZ]_^[
- C8;C$t
- K<;K(u
- _^[YY]
- P@YZ]_^[
- D$;D$$
- D$;D$$
- _^[YY]
- YZ]_^[
- EKG;|$
- YZ]_^[

- Jt\\Jt;
- D$p+D$x+
- D$ H;D$
- L$;K8|
- {$F;t$(|
- ;t$(}(
- D$;CH}4
- _^[YY]
- K4_^[YY]
- T$(;\\$
- D$,;L$
- L$@;\\$
- D$D;T$
- L$<;T$
- L$8;T$
- L$4;T$
- L$0;T$
- L$(;\\$
- L$,;T$
- L$;\\$
- D$$;T$
- T$$;L$
- K,;K(u
- YZ]_^[
- FH_^[Y]
- FD_^[Y]
- S`_^[Y]
- S_^[]
- ShowHint`NC
- MaxxkF
- ComCtrls!
- ComCtrls
- TButtonGlyph
- TGlyphCache
- TGlyphList
- TGlyphList
- NumGlyphs
- DownxNC
- TNumGlyphs
- blGlyphBottom
- blGlyphTop
- blGlyphRight
- blGlyphLeft
- Proxy<
- TNMFTP
- TNMFTP
- String
- TCmdType
- TCmdType
- TCmdType
- NMFtpT0F
- cmdNList
- cmdList
- TCmdType
- ENGTH:
- QQQQQS
- Proxy<

- NMHttp
- TNMHTTPT
- TNMHTTP
- NMHttp
- CmdType
- NMHttp
- cmdPOSTS
- CmdLINK
- CmdCOPY
- CmdPATCH
- CmdPUT
- CmdPOST
- CmdGET
- CmdType
- https:
- _^[YY]
- NMExtstr
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- System=
- String
- String
- Errmsg
- TNMReg
- TNMReg
- YZ]_^[
- Y_^[Y]
- _^[YY]
- _^[YY]
- ~D_^[Y]
- $Z]_^[
- vcltest3.dll
- sx;P`u
- XD;PHu
- _^[YY]
- CHYZ]_^[
- f;sDtsf
- Cd;Cpt
- Ch;Ctt
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- F(Z_^[
- $Z]_^[
- S,_^[]
- _^[YY]
- +WH+W@
- ;X0t@S
- jjjjjj
- jjjjjj
- TWMKey
- FormsD
- Formsd
- Style<

- ssFlat
- YZ]_^[
- _^[YY]
- $YZ]_^[
- Q<]_^[
- @?:F?v
- Q<]_^[
- P?:S?u
- Q<]_^[
- _^[YY]
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- S`]_^[
- R,;C4}!
- R ;C0|
- S0_^[]
- $Z]_^[
- R0]_^[
- R0Z_^[
- R0Z_^[
- R0Z_^[
- R0Z_^[
- $;Ctt?
- R0]_^[
- R0Z_^[
- $:Cjt_
- R0Z_^[
- TShortCutListh\\D
- BP_^[]
- t#;^dt
- QQQQSVW
- FLVh$GD
- S8_^[]
- YZ]_^[
- YZ]_^[
- YZ]_^[
- YZ]_^[
- _^[YY]
- _^[YY]
- _^[YY]
- +WH+W@
- _^[YY]
- _^[YY]
- ;s0t=;
- _^[YY]
- ;CLtX3
- tr;s@u
- YZ]_^[
- %s (%s)
- t%Jt?Jt[
- YZ]_^[
- S$_^[]
- _^[YY]
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross

- bkFlat
- bkSoft
- Width<
- dkDock
- dkDrag
- mbRight
- mbLeft
- _^[YY]
- JumpID("","%s")
- IE(AL("%s",4),"AL(\\"%0:s\\",3)","JK(\\"%1:s\\",l\"%0:s\\")")
- _^[YY]
- _^[YY]
- StdActns
- WndProcPtr%.8X%.8X
- commdlg_help
- %s%s%s%s%s%s%s%s%s%s
- Ctl3Dh
- OnDblClick RC
- ShowHint`NC
- ExtCtrls
- ExtCtrls
- OnDblClick RC
- Stretch
- ExtCtrls
- YZ]_^[
- !G$Z_^[
- QQQQQQSVW
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- StdCtrls
- TListBoxStrings\\
- StdCtrls
- OnDblClick RC
- ScrollWidth
- StdCtrls=
- StdCtrls
- String
- String
- StdCtrls
- ShowHint`NC
- FonttGC
- StdCtrls&
- StdCtrls
- OnDblClick RC
- ShowHint`NC
- StdCtrls8
- StdCtrls
- StdCtrls
- ssBoth
- TScrollStyle
- OnDblClick RC
- ShowHint`NC

- StdCtrls6
- StdCtrls
- StdCtrls
- OnDblClick RC
- StdCtrls'
- StdCtrls
- StdCtrls
- !"#$%,
- TStack
- _^[YY]
- C(_^[Y]
- s(;~ t8
- _^[YY]
- |$(EMFt
- D$HPkD$TdPV
- D$LPkD$XdPV
- kD$PdP
- kD$TdP
- _^[YY]
- QQQQSV
- C ;C$s
- _^[YY]
- E$PVSj
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- _^[YY]
- _^[YY]
- String
- Brush<
- TBrush,
- TBrush
- Style<
- Pitch<
- bsCross
- TBrushStyle
- pmMask
- pmCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- _^[YY]
- R0_^[]
- QQQQQQQS
- _^[YY]
- _^[YY]
- $Z]_^[
- SdZ]_^[
- _^[YY]
- S$_^[Y]
- Strings

- _^[YY]
- _^[YY]
- $Z]_^[
- $Z]_^[
- YZ]_^[
- TStringList
- TStrings
- TStrings
- ssRight
- ssLeft
- ssCtrl
- ssShift
- t~h$hH
- _^[YY]
- String
- jjjjjjj
- QQQQSV
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- YZ]_^[
- YZ]_^[
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- $YZ]_^[
- _^[YY]
- QQQQQSVW
- QQQQQQSVW3
- $Z]_^[
- _^[YY]
- t%HtlHtm
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- MSH_SCROLL_LINES_MSG
- _^[YY]
- tVSVWU
- _^[YY]
- _^[YY]
- ZTUWVSPRTj
- YZXtm1
- _^[YY]
- ~Kxl[)
- YZ]_^[
- System
- System
- String
- PKNgZbP2c
- H!G>k\\,Y
- ,w!]q7Qt
- `h$&[?m*^
- q NVSZQS

- **Module 2 (probably unpacked / injected by the sample)**

  - **Module 2 rich signatures**

- 44616e530000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee500030000000000000000400000097895000100
0000000001004f000000097893001100000b59ee1007b000000b59ede00

• Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 2 strings

• Module 2 most interesting strings

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- url | http tag: http://
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW

• api | kernel32: CreateFileW
• api | kernel32: CloseHandle
• api | ntdll: ZwReadVirtualMemory
• api | ntdll: NtFreeVirtualMemory
• api | ntdll: ZwAllocateVirtualMemory
• api | ntdll: RtlCreateUserThread
• api | ntdll: RtlSetLastWin32Error
• api | ntdll: RtlNtStatusToDosError
• api | ntdll: LdrGetProcedureAddress

• Module 2 other strings

• OLEAUT32.dll
• ole32.dll
• CoUninitialize
• CoInitialize
• KERNEL32.dll
• WS2_32.dll
• Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
• aPLib v1.01 - the smaller the better :)
• MAC=%02X%02X%02XINSTALL=%08X%08Xk
• Password
• UserName
• LsaICryptUnprotectData
• protocol
• username
• server
• settings
• Server
• X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
• sqlite3_prepare
• sqlite3_prepare_v2
• sqlite3_open16
• sqlite3_column_text
• sqlite3_close
• sqlite3_step
• sqlite3_finalize
• SECITEM_FreeItem
• PK11_CheckUserPassword
• PK11SDR_Decrypt
• PK11_Authenticate
• PK11_FreeSlot
• PK11_GetInternalKeySlot
• NSS_Init
• encryptedPassword
• encryptedUsername
• hostname
• SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
• VaultCloseVault
• VaultOpenVault
• VaultGetItem
• VaultFree
• VaultEnumerateVaults
• VaultEnumerateItems
• logins
• origin_url

- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- uLh(mA
- u@h(mA
- YjeXjAf
- Xjo^jtZjef
- <0u8Wh
- u.hpiA
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml

- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name

- SMTP Email Address
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- Profiles/
- Profile%i

- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Titan Browser
- Chromium
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data

- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- umj1Xf
- 7PSh|wA
- YjOXj3f
- XjaZji_jDf
- ju^jhXjef
- XjaYjl[jlf
- YjeXjaf
- Xje[jr_jaf
- YjUXjAf
- uVhpiA
- t3hPdA
- t3hPdA
- tOWVhPeA
- u8hXaA
- >versu
- u.hTSA
- uWSVW3
- u.hpSA
- uiSShx
- SWh0QA
- je[j3f
- AP32uS
- 9|$4r4
- 9|$4r4
- uM9l$D}G
- v89l$D|0
- 9D$(ub
- @.data
- `.rdata
- !This program cannot be run in DOS mode.
- Qkkbal
- string
- StrStrA
- ffffff
- NSS_Shutdown
- t:WPVh
- PPhM8g
- Xj3[j2_j.ZjdYjl^f
- jOXjLf
- PWh\\QA
- tqNt*Nt
- QQSVWh
- WWh_*y
- XjmZjsYjc^jwf
- (Vj*Xj.f
- j.Xjzf
- Sj%XjsYj\\f
- XjrYjSf
- VjPXjof
- ZjtXjaf
- Xjs[j\\f

- XjiYjnf
- XjB_j Yjaf
- Xjr[jef
- jSXjoZjf
- SjcXj:f
- jSXjof
- XjrZjdf
- 8VWjPXja^jsYjwf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- @SVWjSXjof
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- ,VWj*Xj.f
- XjoYjbf
- Xj ZjRf
- (j%Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- XjsYj\\f
- j*Xj.f
- j%XjsYj\\f
- YjLXjif
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- j*Xj.f
- XjS_jkf
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- j%Xjsf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- XjgYj%f
- SVWj*Xj.Zjpf
- j8Xj.f
- YjoXjzf
- XjlZjd^j\\f
- Xjt_jwf
- Xje[jpf
- XjoYjnf
- HSVWj%Xjsf
- YjFXjlf
- Xjs[j_jNf
- XjnYjff
- SVWj*Xj.f
- Vj*Xj.f
- t]VWh0
- %s\\%s.%s
- %s\\%s\\%s.exe
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini

- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s\\Cyberduck
- *.bscp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- -convert xml1 -s -o %s "%s"
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- VShhwA
- VShLwA
- XjiYj\\f
- j\\XjyZjMf
- Yj%Xjsf
- j\\XjSf
- Xj.[jx^jm_jlf
- Xj2ZjPf

- Xj\\Yjyf
- SVWj%Xjsf
- Xju^jlYjyf
- Xj\\[jTf
- PSVWj%Xjsf
- VjaXjdf
- ^jpXjof
- ZjpXjhf
- [jmXjaf
- YjtZjp^jaf
- js[jmXjaYj.f
- YjaXjpf
- YjaXjpf
- ^juYjhf
- jmZVXjp^j.f
- XjkZjaf
- XjE[j\\Yjf_jl^jaf
- SVWjSXjOf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- WVh`sA
- Xj ^jMZjiYjlf
- DSVWj%Xjsf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- SVWjSXjof
- _jmXj.f
- Yj\\XjD_jtf
- ji^jlZjgf
- Xje_jnf
- Xja[jrf
- ZjoXjff
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- jmXjlf
- XjrYjPf
- Xjo^jt_jfZjef
- Xji[jlf
- HSVWj%Xjsf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjf_j%f
- Xjt[j*f
- HSVWjAXjcYjof
- XjiYjlf
- j*XjMf
- WVhTlA
- QWWWVWWW
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- tOSVWh

- tOSVWh
- tOSVWh
- t-Sh,dA
- VVVQPR
- [Sh@TA
- QQQQQQRP
- t{;Atsv
- WWh_*y
- WWh_*y
- QSSSSSSh
- WWhQ]V
- YYGt]h
- tCVVh[
- QVVVWVV
- t8VVh@
- WWhM8g
- ZjHXjEf
- Xj2_jSf
- ZjPXjIf
- Xjr^jIf
- XjNYjEf
- XjTZj3f
- L$<+L$
- L$<+L$
- L$<+L$
- +D$P][_^
- +L$PRQW
- D$0;D$(
- L$(9L$@

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee50003000000000000000400000097895000100000000001004f00000009789300110000000b59ee1007b000000b59ede00

• Module 3 yara matches

• Module 3 strings

• Module 3 most interesting strings

- url | http tag | valid domain | tlds | wellknown extension: http://ertfghgfhgfh.tk/Panel/five/fre.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread

- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- url | http tag: http://
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

• Module 3 other strings

- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- LsaICryptUnprotectData
- protocol
- username
- server
- settings
- Server
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close

- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- uLh(mA
- u@h(mA
- YjeXjAf
- Xjo^jtZjef
- <0u8Wh
- u.hpiA
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- Software\\SimonTatham\\PuTTY\\Sessions

- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini

- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir

- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- Profiles/
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium

- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Titan Browser
- Chromium
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- umj1Xf
- 7PSh|wA
- YjOXj3f
- XjaZji_jDf
- ju^jhXjef
- XjaYji[jlf
- YjeXjaf
- Xje[jr_jaf
- YjUXjAf
- uVhpiA
- t3hPdA
- t3hPdA
- tOWVhPeA
- u8hXaA
- >versu
- u.hTSA
- uWSVW3
- u.hpSA
- uiSShx
- SWh0QA
- je[j3f
- AP32uS
- 9|$4r4
- 9|$4r4
- uM9l$D}G
- v89l$D|0
- 9D$(ub
- @.data
- `.rdata
- !This program cannot be run in DOS mode.

- Qkkbal
- string
- StrStrA
- ffffff
- NSS_Shutdown
- t:WPVh
- PPhM8g
- Xj3[j2_j.ZjdYjI^f
- jOXjLf
- PWh\\QA
- tqNt*Nt
- QQSVWh
- WWh_*y
- XjmZjsYjc^jwf
- (Vj*Xj.f
- j.Xjzf
- Sj%XjsYj\\f
- XjrYjSf
- VjPXjof
- ZjtXjaf
- Xjs[j\\f
- XjiYjnf
- XjB_j Yjaf
- Xjr[jef
- jSXjoZjf
- SjcXj:f
- jSXjof
- XjrZjdf
- 8VWjPXja^jsYjwf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- @SVWjSXjof
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- ,VWj*Xj.f
- XjoYjbf
- Xj ZjRf
- (j%Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- XjsYj\\f
- j*Xj.f
- j%XjsYj\\f
- YjLXjif
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- j*Xj.f
- XjS_jkf
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- j%Xjsf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- XjgYj%f
- SVWj*Xj.Zjpf

- j8Xj.f
- YjoXjzf
- XjlZjd^j\\f
- Xjt_jwf
- Xje[jpf
- XjoYjnf
- HSVWj%Xjsf
- YjFXjlf
- Xjs[j_jNf
- XjnYjff
- SVWj*Xj.f
- Vj*Xj.f
- t]VWh0
- %s\\%s.%s
- %s\\%s\\%s.exe
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s\\Cyberduck
- *.bscp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword

- SmtpPort
- -convert xml1 -s -o %s "%s"
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- VShhwA
- VShLwA
- XjiYj\\f
- j\\XjyZjMf
- Yj%Xjsf
- j\\XjSf
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xj\\Yjyf
- SVWj%Xjsf
- Xju^jlYjyf
- Xj\\[jTf
- PSVWj%Xjsf
- VjaXjdf
- ^jpXjof
- ZjpXjhf
- [jmXjaf
- YjtZjp^jaf
- js[jmXjaYj.f
- YjaXjpf
- YjaXjpf
- ^juYjhf
- jmZVXjp^j.f
- XjkZjaf
- XjE[j\\Yjf_jl^jaf
- SVWjSXjOf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- WVh`sA
- Xj ^jMZjiYjlf
- DSVWj%Xjsf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- SVWjSXjof
- _jmXj.f
- Yj\\XjD_jtf
- ji^jlZjgf
- Xje_jnf
- Xja[jrf
- ZjoXjff
- XjEYjMf
- pSVWj%ZjS^jYXjTf

- jmXjlf
- XjrYjPf
- Xjo^jt_jfZjef
- Xjil[jlf
- HSVWj%Xjsf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjf_j%f
- Xjt[j*f
- HSVWjAXjcYjof
- XjiYjlf
- j*XjMf
- WVhTlA
- QWWWVWWW
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- tOSVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- VVVQPR
- [Sh@TA
- QQQQQQRP
- t{;Atsv
- WWh_*y
- WWh_*y
- QSSSSSSh
- WWhQ]V
- YYGt]h
- tCVVh[
- QVVVWVV
- t8VVh@
- WWhM8g
- ZjHXjEf
- Xj2_jSf
- ZjPXjlf
- Xjr^jlf
- XjNYjEf
- XjTZj3f
- L$<+L$
- L$<+L$
- L$<+L$
- +D$P][_^
- +L$PRQW
- D$0;D$(
- L$(9L$@

- **Module 4 (probably unpacked / injected by the sample)**

  - **Module 4 rich signatures**

- 44616e530000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee500030000000000000000400000000978950001000000000001004f000000097893001100000b59ee1007b000000b59ede00

• Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 4 strings

• Module 4 most interesting strings

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- url | http tag: http://
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW

• api | kernel32: CreateFileW
• api | kernel32: CloseHandle
• api | ntdll: ZwReadVirtualMemory
• api | ntdll: NtFreeVirtualMemory
• api | ntdll: ZwAllocateVirtualMemory
• api | ntdll: RtlCreateUserThread
• api | ntdll: RtlSetLastWin32Error
• api | ntdll: RtlNtStatusToDosError
• api | ntdll: LdrGetProcedureAddress

• Module 4 other strings

• OLEAUT32.dll
• ole32.dll
• CoUninitialize
• CoInitialize
• KERNEL32.dll
• WS2_32.dll
• Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
• aPLib v1.01 - the smaller the better :)
• MAC=%02X%02X%02XINSTALL=%08X%08Xk
• Password
• UserName
• LsaICryptUnprotectData
• protocol
• username
• server
• settings
• Server
• X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
• sqlite3_prepare
• sqlite3_prepare_v2
• sqlite3_open16
• sqlite3_column_text
• sqlite3_close
• sqlite3_step
• sqlite3_finalize
• SECITEM_FreeItem
• PK11_CheckUserPassword
• PK11SDR_Decrypt
• PK11_Authenticate
• PK11_FreeSlot
• PK11_GetInternalKeySlot
• NSS_Init
• encryptedPassword
• encryptedUsername
• hostname
• SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
• VaultCloseVault
• VaultOpenVault
• VaultGetItem
• VaultFree
• VaultEnumerateVaults
• VaultEnumerateItems
• logins
• origin_url

- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- uLh(mA
- u@h(mA
- YjeXjAf
- Xjo^jtZjef
- <0u8Wh
- u.hpiA
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml

- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name

- SMTP Email Address
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- Profiles/
- Profile%i

- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Titan Browser
- Chromium
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data

- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- umj1Xf
- 7PSh|wA
- YjOXj3f
- XjaZji_jDf
- ju^jhXjef
- XjaYjl[jlf
- YjeXjaf
- Xje[jr_jaf
- YjUXjAf
- uVhpiA
- t3hPdA
- t3hPdA
- tOWVhPeA
- u8hXaA
- >versu
- u.hTSA
- uWSVW3
- u.hpSA
- uiSShx
- SWh0QA
- je[j3f
- AP32uS
- 9|$4r4
- 9|$4r4
- uM9l$D}G
- v89l$D|0
- 9D$(ub
- @.data
- `.rdata
- !This program cannot be run in DOS mode.
- Qkkbal
- string
- StrStrA
- ffffff
- NSS_Shutdown
- t:WPVh
- PPhM8g
- Xj3[j2_j.ZjdYjl^f
- jOXjLf
- PWh\\QA
- tqNt*Nt
- QQSVWh
- WWh_*y
- XjmZjsYjc^jwf
- (Vj*Xj.f
- j.Xjzf
- Sj%XjsYj\\f
- XjrYjSf
- VjPXjof
- ZjtXjaf
- Xjs[j\\f

- XjiYjnf
- XjB_j Yjaf
- Xjr[jef
- jSXjoZjf
- SjcXj:f
- jSXjof
- XjrZjdf
- 8VWjPXja^jsYjwf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- @SVWjSXjof
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- ,VWj*Xj.f
- XjoYjbf
- Xj ZjRf
- (j%Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- XjsYj\\f
- j*Xj.f
- j%XjsYj\\f
- YjLXjif
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- j*Xj.f
- XjS_jkf
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- j%Xjsf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- XjgYj%f
- SVWj*Xj.Zjpf
- j8Xj.f
- YjoXjzf
- XjlZjd^j\\f
- Xjt_jwf
- Xje[jpf
- XjoYjnf
- HSVWj%Xjsf
- YjFXjlf
- Xjs[j_jNf
- XjnYjff
- SVWj*Xj.f
- Vj*Xj.f
- t]VWh0
- %s\\%s.%s
- %s\\%s\\%s.exe
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini

- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s\\Cyberduck
- *.bscp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- -convert xml1 -s -o %s "%s"
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- VShhwA
- VShLwA
- XjiYj\\f
- j\\XjyZjMf
- Yj%Xjsf
- j\\XjSf
- Xj.[jx^jm_jlf
- Xj2ZjPf

- Xj\\Yjyf
- SVWj%Xjsf
- Xju^jlYjyf
- Xj\\[jTf
- PSVWj%Xjsf
- VjaXjdf
- ^jpXjof
- ZjpXjhf
- [jmXjaf
- YjtZjp^jaf
- js[jmXjaYj.f
- YjaXjpf
- YjaXjpf
- ^juYjhf
- jmZVXjp^j.f
- XjkZjaf
- XjE[j\\Yjf_jl^jaf
- SVWjSXjOf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- WVh`sA
- Xj ^jMZjiYjlf
- DSVWj%Xjsf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- SVWjSXjof
- _jmXj.f
- Yj\\XjD_jtf
- ji^jlZjgf
- Xje_jnf
- Xja[jrf
- ZjoXjff
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- jmXjlf
- XjrYjPf
- Xjo^jt_jfZjef
- Xji[jlf
- HSVWj%Xjsf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjf_j%f
- Xjt[j*f
- HSVWjAXjcYjof
- XjiYjlf
- j*XjMf
- WVhTlA
- QWWWVWWW
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- tOSVWh

- tOSVWh
- tOSVWh
- t-Sh,dA
- VVVQPR
- [Sh@TA
- QQQQQQRP
- t{;Atsv
- WWh_*y
- WWh_*y
- QSSSSSSh
- WWhQ]V
- YYGt]h
- tCVVh[
- QVVVWVV
- t8VVh@
- WWhM8g
- ZjHXjEf
- Xj2_jSf
- ZjPXjIf
- Xjr^jIf
- XjNYjEf
- XjTZj3f
- L$<+L$
- L$<+L$
- L$<+L$
- +D$P][_^
- +L$PRQW
- D$0;D$(
- L$(9L$@