Analysis report for sample: fc1ca6fd7b60e3946477dc32f64ae886

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 11148 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: fc1ca6fd7b60e3946477dc32f64ae886

AV detections

- Microsoft:
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: ML.Attribute.HighConfidence
- Malwarebytes: Trojan.Agent.MSIL

Original source url

- hxxp://unwailroth.tk/1825comprendap/TBooster.exe

Virustotal url

- https://virustotal.com/es/file/66fef02f2468f615d5fe2dc8634104cf03878c5ba3fda85b39561c1440a58db0/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])
- Microsoft_Visual_Studio_NET ()
- Microsoft_Visual_C_v70_Basic_NET_additional ()
- Microsoft_Visual_C_Basic_NET ()
- Microsoft_Visual_Studio_NET_additional ()
- Microsoft_Visual_C_v70_Basic_NET ()
- NET_executable_ ()
- NET_executable ()
- IsNET_EXE ()

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name wscript.exe Alias P1
- Name wscript.exe Alias P2
- Name melter.exe Alias P3

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name taskeng.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe

- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\melter.exe PID: P3, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\melter.exe")
- Process Create (C:\\Windows\\System32\\WScript.exe PID: P1, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\28928.vbs")
- Process Create (C:\\Windows\\System32\\WScript.exe PID: P2, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\3177.vbs")
- RegCreateKey (HKCU\\Software\\Microsoft\\GDIPlus Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows Script Host Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\Voices\\DefaultTokenId Type: REG_SZ, Length: 158, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\Voices\\Tokens\\MS-Anna-1033-20-DSK)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\CurrentUserLexicon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\CLSID Type: REG_SZ, Length: 78, Data: {C9E37C15-DF92-4727-85D6-72E5EEB6995A})
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\(Default) Type: REG_SZ, Length: 42, Data: Current User Lexicon)
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files\\Datafile Type: REG_SZ, Length: 162, Data: %1a%\\Microsoft\\Speech\\Files\\UserLexicons\\SP_711949E522804403BEB4FA56F7862130.dat)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\Generation Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\PhoneConverters\\DefaultTokenId Type: REG_SZ, Length: 152, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters\\Tokens\\English)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write)
- RegCreateKey (HKCU\\SOFTWARE Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\DefaultTokenId Type: REG_SZ, Length: 160, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\)
• RegCreateKey (HKLM\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Health\\{8DAA691F-7F95-4D82-AB55-5D32A988549F} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\HTTP Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\RTSP Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Player\\Tasks\\NowPlaying\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\WScript_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)

• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\LastScreensaverSetThreadExecutionState Type: REG_DWORD, Length: 4, Data: 2147483648)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\LastScreensaverState Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrentDownloadCount Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrent500ServerErrorCount Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrent503ServerErrorCount Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrentOtherServerErrorCount Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrentNetworkErrorCount Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataLastResetTime Type: REG_DWORD, Length: 4, Data: 548522145)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\MediaLibraryCreateNewDatabase Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\HME\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\HME\\LocalLibraryID Type: REG_SZ, Length: 78, Data: {C6205B9D-E4D4-428F-A118-E5C89D68F48C})
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: }Z}C=.td
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: exeBase.My
- api | frequently used by malware: CreateDirectory
- api | frequently used by malware: GetTempPath
- api | kernel32: GetCurrentProcess

Involved hosts

- 8.253.96.120:http
- javi-PC:http
- server-54-192-197-235.lhr50.r.cloudfront.net:https
- 192.168.133.1:5355
- 192.168.133.217:49203
- 192.168.133.217:49206
- 192.168.133.217:54930
- 192.168.133.217:55393
- 192.168.133.217:68
- 192.168.133.254:67
- 192.168.133.2:53
- 54.192.197.235:443 (a.clyp.it)
- 8.253.96.120:80

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- a.clyp.it ---> 54.192.197.235, 54.192.197.43, 54.192.197.95, 54.192.197.26, 54.192.197.188, 54.192.197.177, 54.192.197.173, 54.192.197.48
- 235.197.192.54.in-addr.arpa ---> no answers
- 120.96.253.8.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.217:49203 ---> 54.192.197.235 (a.clyp.it) :443

a.clyp.it[...]GC8W7wQ[...]AcF'7|

• tcp 54.192.197.235 (a.clyp.it) :443 ---> 192.168.133.217:49203

Greater Manchester1[...]Salford1[...]COMODO CA Limited1604[...]-COMODO RSA Domain Validation Secure Server CA0[...]160125000000Z[...]190203235959Z0V1!0[...]Domain Control Validated1[...]PositiveSSL Wildcard1[...]*.clyp.it0[...]x.!(ES[...]u9cF#RX[...]https://secure.comodo.com/CPS0[...]Chttp://crl.comodoca.com/COMODORSADomainValidationSecureServerCA.crl0[...]Chttp://crt.comodoca.com/COMODORSADomainValidationSecureServerCA.crt0$[...]http://ocsp.comodoca.com0[...]*.clyp.it[...]clyp.it0[...].,cU6/[...]Greater Manchester1[...]Salford1[...]COMODO CA Limited1+0)[...]"COMODO RSA Certification Authority0[...]140212000000Z[...]290211235959Z0[...]Greater Manchester1[...]Salford1[...]COMODO CA Limited1604[...]-COMODO RSA Domain Validation Secure Server CA0[...];http://crl.comodoca.com/COMODORSACertificationAuthority.crl0q[...]/http://crt.comodoca.com/COMODORSAAddTrustCA.crt0$[...]http://ocsp.comodoca.com0[...]f5s2`N[...](jDp&#

• tcp 8.253.96.120:80 ---> 192.168.133.217:49206

HTTP/1.1 200 OK[...]Date: Fri, 19 May 2017 11:32:31 GMT[...]Content-Type: application/vnd.ms-cab-compressed[...]Content-Length: 52608[...]Connection: keep-alive[...]Cache-Control: max-age=604800[...]ETag: "80ab755e5eb9d21:0"[...]Expires: Wed, 03 May 2017 11:31:57 GMT[...]Last-Modified: Wed, 19 Apr 2017 22:43:31 GMT[...]Server: Microsoft-IIS/8.5[...]MSRegion: EMEA[...]x-ccc: ES[...]x-cid: 3[...]X-Powered-By: ASP.NET[...]Age: 13466[...]Accept-Ranges: bytes[...]authroot.stl[...]OO?c/;m[...]*X=8zI[...]b#5^:d[...]&O;,E|U[...]z_uP(:[...]}7w"O,sD[...]j\',ox\'[...]T@>-{W[...]8G0%uM[...]LMP;~bP[...]`Wka\';[...]L`l2Qq[...]vyFgmny[...]}OL&dV;[...]}YhjZ2[...]g\\W/cb[...]~>*9sq[...]-64`|g]n[...]gGpYMf[...](\'<_[C[...]8Mh8sTWF[...]p5M6HO|~[...]SZz"(([...]t6kfL([...];r:X:r[...]s 5;R[[...]t(5jgk[...]"w"/:-s[...]dSHl}T[...](abu}qo[...]6g%fL^[...]tIiU~J^[...]RD0]EI[...]Hr~Hx=-[...]oB8Hj*R"[...]ygp`aP"[...]KY:z}Z[...]XEB2T(c[...]0K2</d[...]&W;8wch9[...]+)-fOv[...]C3F1"T[...]c2KV/f[...]<B#z@Z[...]Z71|0xn[...]I
+=(UdAT7[...]1C)O8I[...]WlJ#Xp[...]Hb6:g:[...]M`t4{b[...]P68F{-[...]4|,rq:[...]`;ZxSK_[...]$wd;[2A[...]V-$>PV0[...]q7H6M#[...]Hf$iHVdo[...]f?WQpl[...]|roVS-[...]|<<.c[...]7_U8YK[...]?Lkp?([...]=P^B+q[...]D1>KL.[...]i)-O2;n[...];9I"ZbB][...]Aob:^H[...]%lDbbo[...];L<aQ1[...]dKS7YeE[...]2[XAI<[...]zJ!}mJ[...]ofe7fS

• udp 192.168.133.254:67 ---> 192.168.133.217:68

localdomain

• udp 192.168.133.217:54930 ---> 192.168.133.2:53

downloa

• udp 192.168.133.1:5355 ---> 192.168.133.217:55393

in-addr[...]in-addr

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

- Thread T1 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

- Thread T2 (in process P0, cebo.exe)
- Thread T6 (in process P0, cebo.exe)
- Thread T9 (in process P3, melter.exe)
- Thread T10 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\GDIPlus Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: T2)
- Thread Create (Thread ID: T6)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\melter.exe PID: P3, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\melter.exe")
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T10)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

- Thread T3 (in process P0, cebo.exe)
- Thread T4 (in process P1, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T3)
- Thread Create (Thread ID: TUNKALIAS)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\System32\\WScript.exe PID: P1, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\28928.vbs")

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T4 (in process P1, WScript.exe) description

• Thread's childs

- Thread T5 (in process P1, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T5)

• Thread T5 (in process P1, WScript.exe) description

• Thread's childs

- Thread T11 (in process P1, WScript.exe)
- Thread T18 (in process P1, WScript.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows Script Host Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: T11)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\Voices\\DefaultTokenId Type: REG_SZ, Length: 158, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\Voices\\Tokens\\MS-Anna-1033-20-DSK)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\CurrentUserLexicon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\CLSID Type: REG_SZ, Length: 78, Data: {C9E37C15-DF92-4727-85D6-72E5EEB6995A})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\(Default) Type: REG_SZ, Length: 42, Data: Current User Lexicon)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\{C9E37C15-DF92-4727-85D6-72E5EEB6995A}\\Files\\Datafile Type: REG_SZ, Length: 162, Data: %1a%\\Microsoft\\Speech\\Files\\UserLexicons\\SP_711949E522804403BEB4FA56F7862130.dat)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\CurrentUserLexicon\\Generation Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AppLexicons Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\PhoneConverters\\DefaultTokenId Type: REG_SZ, Length: 152, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters\\Tokens\\English)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\PhoneConverters Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\Voices Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write)
• RegCreateKey (HKCU\\SOFTWARE Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)

• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
• RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\DefaultTokenId Type: REG_SZ, Length: 160, Data: HKEY_LOCAL_MACHINE\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56} Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\(Default) Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\CLSID Type: REG_SZ, Length: 78, Data: {A8C680EB-3D32-11D2-9EE7-00C04F797396})
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceName Type: REG_SZ, Length: 84, Data: Speakers (VMware VMaudio (VMAUDIO) (WDM)))
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\DeviceId Type: REG_SZ, Length: 112, Data: {0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56})
- RegCreateKey (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Vendor Type: REG_SZ, Length: 20, Data: Microsoft)
- RegSetValue (HKCU\\Software\\Microsoft\\Speech\\AudioOutput\\TokenEnums\\MMAudioOut\\{0.0.0.00000000}.{c23c8ca1-556c-4929-a930-3e53c6e2ff56}\\Attributes\\Technology Type: REG_SZ, Length: 12, Data: MMSys)
- Thread Create (Thread ID: T18)

• Thread T6 (in process P0, cebo.exe) description

• Thread's childs

- Thread T7 (in process P2, WScript.exe)

• Thread' events

- Process Create (C:\\Windows\\System32\\WScript.exe PID: P2, Command line: "C:\\Windows\\System32\\WScript.exe" "C:\\Users\\javi\\AppData\\Local\\Temp\\3177.vbs")

• Thread T7 (in process P2, WScript.exe) description

• Thread's childs

- Thread T8 (in process P2, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T8)

• Thread T8 (in process P2, WScript.exe) description

• Thread's childs

- Thread T12 (in process P2, WScript.exe)
- Thread T16 (in process P2, WScript.exe)
- Thread T17 (in process P2, WScript.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKLM\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Health\\{8DAA691F-7F95-4D82-AB55-5D32A988549F} Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T12)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\HTTP Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ProxySettings\\RTSP Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Player\\Tasks\\NowPlaying\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\WScript_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\WScript_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• Thread Create (Thread ID: T16)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)

- Thread Create (Thread ID: T17)
- Thread Create (Thread ID: TUNKALIAS)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\LastScreensaverSetThreadExecutionState Type: REG_DWORD, Length: 4, Data: 2147483648)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\LastScreensaverState Type: REG_DWORD, Length: 4, Data: 4)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrentDownloadCount Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrent500ServerErrorCount Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrent503ServerErrorCount Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrentOtherServerErrorCount Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataCurrentNetworkErrorCount Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\AutoMetadataLastResetTime Type: REG_DWORD, Length: 4, Data: 548522145)
- Thread Create (Thread ID: TUNKALIAS)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\MediaLibraryCreateNewDatabase Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\HME\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\HME\\LocalLibraryID Type: REG_SZ, Length: 78, Data: {C6205B9D-E4D4-428F-A118-E5C89D68F48C})

• Thread T9 (in process P3, melter.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T10 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P1, WScript.exe) description

• Thread's childs

- Thread T13 (in process P1, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T13)

• Thread T12 (in process P2, WScript.exe) description

• Thread's childs

- Thread T14 (in process P2, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T14)

• Thread T13 (in process P1, WScript.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T14 (in process P2, WScript.exe) description

• Thread's childs

- Thread T15 (in process P2, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T15)

• Thread T15 (in process P2, WScript.exe) description

• Thread's childs

- Thread T19 (in process P2, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T19)

• Thread T16 (in process P2, WScript.exe) description

• Thread's childs

- Thread T20 (in process P2, WScript.exe)

• Thread' events

- Thread Create (Thread ID: T20)

• Thread T17 (in process P2, WScript.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

• Thread T18 (in process P1, WScript.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T19 (in process P2, WScript.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T20 (in process P2, WScript.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\MediaPlayer\\Preferences\\ Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P2 (WScript.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (0))
- TCP Send (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (113))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1296))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (164))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1340))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (215))
- TCP Send (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (134))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (59))
- TCP Connect (javi-PC.localdomain:dynport-> 8.253.96.120:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 8.253.96.120:http (303))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1460))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1340))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (4200))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (2800))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.96.120:http (1225))
- TCP Send (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (277))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (485))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1861))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (984))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (416))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1866))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (4200))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1708))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1077))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1340))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2082))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (133))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))

- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1215))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1364))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (2800))

- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1340))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1401))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1460))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (40330))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1400))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))

- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))

- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))

- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (60488))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (1))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (3752))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (35833))
- TCP Receive (javi-PC.localdomain:dynport-> server-54-192-197-235.lhr50.r.cloudfront.net:https (35833))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: }Z}C=.td
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: exeBase.My
- api | frequently used by malware: CreateDirectory
- api | frequently used by malware: GetTempPath
- api | kernel32: GetCurrentProcess

• Module 1 other strings

- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges xmlns="urn:schemas-microsoft-com:asm.v3">
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v2">
- <assemblyIdentity version="1.0.0.0" name="MyApplication.app"/>
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- 1.0.0.0
- Assembly Version
- 1.0.0.0
- ProductVersion
- exeBase
- ProductName
- exeBase.exe
- OriginalFilename

- 2012
- Copyright
- LegalCopyright
- exeBase.exe
- InternalName
- 1.0.0.0
- FileVersion
- exeBase
- FileDescription
- 000004b0
- StringFileInfo
- Translation
- VarFileInfo
- VS_VERSION_INFO
- [LL1#8
- 1*rLF9
- (O1-l\\~
- E`giBy
- *0TE(0
- 0)2|py
- 8@(GS2
- [{3<8\\
- 4!<:^"I
- ~8lr8#i6bgC
- Wolc#O1r
- /yU{iz
- kEFDD;EF
- 05 zck
- lDG&l0;
- [kxz4C9}
- a,E|8:
- {9'eGk
- 13GL"L
- O2k0[Xv
- 6|o)'k
- 1edfDTefUee
- }GII;!
- 0_'gLu{
- e`m!tU
- hU1QUNazf
- pz5E77
- \\1TE#2
- c+]Lw23
- ^\\~U\\o
- arfIDR
- p0G,$E
- '04UfE8=420&
- (Fk=;@=70*
- !Ud+3dkR)$
- Ue8/Fi:#
- xvD2%
- ~zyoAA2
- 2BBotru
- yoFA24
- 62AAFr}
- ysvH222U
- U22EAFo

- yyyvK99''
- 1228JF
- "1299
- wI9>1'#
- #'122G
- l`I:&'##
- ##'>29
- .00VYW^^fYefee^^^WVQ0.
- SiiiiiiiiS
- ' c2]5
- AD,Y{qO
- IFRy/E
- *$J(E7
- -^7O8o
- AB 0Ti
- $#_Ee.
- EuoEl/
- sMF38>
- IDAT\\N{
- EGS9\\e
- {R+A1^pd
- eOaG1I
- L]|0p0I'
- 0[6cp8
- .+%HA7
- No8WL)
- }!$NP45
- VX]I&1e
- 10t\\8x
- Vxt9j9-
- Ue!8,z
- i:O#){
- (<w\\7E
- TVx}220
- ?3eg2$
- :&7Ram
-)Y;oOk/
- 4}V6MS[
- mscoree.dll
- _CorExeMain
- Y`o,%5Bi
- TgNaK_9
- ?WIC+0
- ocF5+~<eC
- 3#XVIO
- w`,3#k;U
- yU\\5eB
- Jq 0XyI
- NtbO=hCUB
- My.WebServices
- My.User
- My.Application
- My.Computer
- 10.0.0.0
- KMicrosoft.VisualStudio.Editors.SettingsDesigner.SettingsSingleFileGenerator
- 4.0.0.0
- 3System.Resources.Tools.StronglyTypedResourceBuilder

- Dispose__Instance__
- Create__Instance__
- 4System.Web.Services.Protocols.SoapHttpClientProtocol
- Dispose__Instance__
- Create__Instance__
- System.Windows.Forms.Form
- 8.0.0.0
- MyTemplate
- 2012
- Copyright
- $17dbf9f5-7e15-46ac-b4cc-a52a3d9cd807
- 1.0.0.0
- exeBase
- WrapNonExceptionThrows
- !Powered by SmartAssembly 6.6.3.41
- ReadByte
- WriteByte
- ArgumentOutOfRangeException
- ToArray
- set_Position
- BlockCopy
- Buffer
- SeekOrigin
- UInt32
- get_Second
- get_Minute
- get_Hour
- get_Day
- get_Month
- get_Year
- get_Now
- DateTime
- GetCallingAssembly
- RuntimeFieldHandle
- InitializeArray
- get_Position
- FormatException
- GetPublicKey
- AssemblyName
- GetName
- GetSetMethod
- PropertyInfo
- GetProperty
- Invoke
- MethodInfo
- FileNotFoundException
- GetType
- ToInt32
- Intern
- GetString
- GetFrames
- StackTrace
- Module
- get_Module
- MemberInfo
- MethodBase
- GetMethod

- StackFrame
- GetManifestResourceNames
- add_ResourceResolve
- StartsWith
- op_Inequality
- Append
- StringBuilder
- BadImageFormatException
- FileLoadException
- get_Name
- LoadFile
- FileStream
- OpenWrite
- Exists
- Concat
- DirectoryInfo
- Directory
- Format
- Stream
- GetManifestResourceStream
- GetExecutingAssembly
- Substring
- get_Chars
- get_Length
- ToBase64String
- get_UTF8
- add_AssemblyResolve
- get_CurrentDomain
- AppDomain
- ResolveEventHandler
- get_ModuleName
- ProcessModule
- get_MainModule
- op_Equality
- ToLower
- add_Shutdown
- ShutdownEventHandler
- CheckForSyncLockOnValueType
- ObjectFlowControl
- get_SaveMySettingsOnExit
- Synchronized
- SettingsBase
- GetObject
- ReferenceEquals
- get_Assembly
- CreateEncryptor
- RijndaelManaged
- TransformFinalBlock
- CreateDecryptor
- set_Key
- set_IV
- SymmetricAlgorithm
- GetBytes
- StrReverse
- get_ASCII
- Encoding
- ReadAllText

- get_ExecutablePath
- EndApp
- Process
- set_WindowStyle
- set_FileName
- ProcessStartInfo
- WriteAllBytes
- Combine
- GetFolderPath
- SpecialFolder
- Environment
- ToInteger
- Conversions
- Interaction
- ProcessWindowStyle
- CompareString
- Operators
- FromBase64String
- Convert
- IndexOf
- CompareMethod
- SuspendLayout
- ResumeLayout
- set_Text
- set_ShowInTaskbar
- set_Opacity
- set_Name
- set_ClientSize
- AutoScaleMode
- set_AutoScaleMode
- set_AutoScaleDimensions
- ContainerControl
- add_Load
- EventHandler
- Component
- Remove
- ClearProjectError
- get_Message
- get_InnerException
- Exception
- SetProjectError
- ProjectData
- TargetInvocationException
- CreateInstance
- Activator
- InvalidOperationException
- GetResourceString
- ContainsKey
- RuntimeTypeHandle
- GetTypeFromHandle
- get_IsDisposed
- Control
- ArgumentException
- set_MainForm
- ShutdownMode
- set_ShutdownStyle
- set_SaveMySettingsOnExit

- set_EnableVisualStyles
- set_IsSingleInstance
- AuthenticationMode
- SetCompatibleTextRenderingDefault
- get_UseCompatibleTextRendering
- System.Threading
- Monitor
- GetObjectValue
- RuntimeHelpers
- set_Capacity
- RemoveRange
- set_Item
- get_IsAlive
- get_Item
- get_Capacity
- get_Count
- {7a46fea1-5f35-4cc8-9414-50b47ee7378b}
- {b95c80b6-140f-439c-994f-226131072432}
- System.ComponentModel.Design
- HelpKeywordAttribute
- DebuggerStepThroughAttribute
- DebuggerHiddenAttribute
- STAThreadAttribute
- ThreadStaticAttribute
- AttributeTargets
- AttributeUsageAttribute
- CompilerGeneratedAttribute
- DebuggerNonUserCodeAttribute
- DesignerGeneratedAttribute
- Microsoft.VisualBasic.CompilerServices
- StandardModuleAttribute
- HideModuleNameAttribute
- MyGroupCollectionAttribute
- System.CodeDom.Compiler
- GeneratedCodeAttribute
- EditorBrowsableState
- EditorBrowsableAttribute
- SuppressIldasmAttribute
- AssemblyTrademarkAttribute
- AssemblyProductAttribute
- AssemblyCopyrightAttribute
- ComVisibleAttribute
- System.Runtime.InteropServices
- GuidAttribute
- DebuggingModes
- System.Diagnostics
- DebuggableAttribute
- AssemblyFileVersionAttribute
- AssemblyTitleAttribute
- RuntimeCompatibilityAttribute
- AssemblyDescriptionAttribute
- System.Runtime.CompilerServices
- CompilationRelaxationsAttribute
- AssemblyCompanyAttribute
- Dispose
- ToString
- GetHashCode

- Equals
- OnCreateMainForm
- IsFlushed
- BitCount
- IsFinished
- TotalOut
- IsNeedingInput
- AvailableBytes
- AvailableBits
- IsWebApplication
- Settings
- Default
- Culture
- GetInstance
- WebServices
- Application
- buffer
- maxLength
- minCodes
- pending
- codeLengths
- System.Security.Cryptography
- ICryptoTransform
- assemblyFullName
- ResolveEventArgs
- kernel32
- MoveFileEx
- System.Drawing
- EventArgs
- System.Reflection
- Assembly
- Version
- System.Globalization
- CultureInfo
- System.Resources
- ResourceManager
- System.ComponentModel
- IContainer
- System.Collections
- Hashtable
- WeakReference
- System.Collections.Generic
- List`1
- MemoryStream
- IDisposable
- ValueType
- Attribute
- SmartAssembly.Attributes
- PoweredByAttribute
- System.Configuration
- ApplicationSettingsBase
- MySettings
- System.Windows.Forms
- Object
- mscorlib
- Microsoft.VisualBasic.Devices
- Computer

• Microsoft.VisualBasic.ApplicationServices
• WindowsFormsApplicationBase
• Microsoft.VisualBasic
• <Module>
• exeBase
• exeBase.exe
• v2.0.50727
• +3+4+9,
• +.+3+8o
• +6+;+<,% 5
• @.reloc
• !This program cannot be run in DOS mode.
• {71461f04-2faa-4bb9-a0dd-28a79101b599}
• [$FILESBASE$]
• ERR 2003:
• {data}
• Unknown Header
• Wrong Header Signature
• System.Security.Cryptography.DESCryptoServiceProvider
• CreateDecryptor
• CreateEncryptor
• System.Security.Cryptography.RijndaelManaged
• mscorlib
• System.Security.Cryptography.AesManaged
• System.Core, Version=2.0.5.0, Culture=neutral, PublicKeyToken=7cec85d7bea7798e
• {7a46fea1-5f35-4cc8-9414-50b47ee7378b}
• {ca388983-fee9-495a-8cdf-18d6c2728de3}, PublicKeyToken=3e56350693f7355e
• PublicKeyToken=
• Culture=
• Version=
• , PublicKeyToken=
• neutral
• , Culture=
• , Version=
• {0}{1}\\
• e2NhMzg4OTgzLWZlZTktNDk1YS04Y2RmLTE4ZDZjMjcyOGRlM30sIEN1bHR1cmU9bmV1dHJhbCwgUHVibGljS2V5VG9rZW49M2U1NjM1MDY5M2Y3MzU1ZQ==,[z]{b95c80b6-140f-439c-994f-226131072432},e2NhMzg4OTgzLWZlZTktNDk1YS04Y2RmLTE4ZDZjMjcyOGRlM30=,[z]{b95c80b6-140f-439c-994f-226131072432}
• aspnet_wp.exe
• w3wp.exe
• PAPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING

- .mOqqk
- w7Fxwc
- <u,HC"
- ?+q)KD?C
- {VR}kk
- [*2G{}
- `<ZT>E
- LD~W/T
- XEqXqg"
- 1HHjpR
- B;,PmoHH\\$
- Yc0Ld=;o;n,
- D>i&K;"M
- vsM,3{N,
- 8$$>/%zJ
- ,L_PAp
- sH;=(ar:
- K+]<{f
- 3H{:_^
- N!"+,"
- ?gPOsq}
- sLT 2&W;
- Df==%D
- E*+s?#X
- :H"DR`G=
- Bl. =Y
- jUm*-%
- bfkjg]
- NYbbbdbbYN
- KQSTGGOGCK
- .?KDOfk`eP?-
- 1Z\\XZ[,"
- w{q?2h
- }dbMK"
-),MM^gbgg[^MK,
- &*E]L^___S]E*&
- 'HH]]]]]]HH'
- G\\\\\\\\\\\G
- ABBrrr
- qwJG9"#
- ddc_l:&'#
- "##&4?>w
- cc_?Q0$
- ##$>:_>g
- _hff_^_WQ0$
- $&&W;_>>ffcf
-)-/QQVYV^^]Y^]]\\VVR/.)
- *-P/RXX\\\\]]\\\\XXRP--*
- MPPPRXX[[[[XXXPPNL
- S[S[S[[[[S[SSS*
- B|dW^`O
- <#$-tl5f`
- s?"K3VQB
- do`Wn /T
- ?Y]$P6
- (YJP@O
- g[)H.<

- DU/>Kj
- -]'LSl}
- vXn[IF
- j"t(XVe
- bC kTSl
- ;IV{:~
- [|~(Ys(
- WwT!sw
- CKG5JK
- Wkw_.E
- {3~X%%
- yn#)/e
- VCm<F]
- KWJh(2:
- \\d_^K0
- 3/D|G'
- %|fc.x
- ,#3mV]+
- K[xIK}JFK
- jj)(2$
- t!!r<4R
- .gyTK2v
- %+{?dQQ2_
- L&z;\\xf
- *TiqQN
- @KW2QY
- LBQ.-.6
- "`zI^*
- FtvvvgFdp
- FFfGFVtF
- FWvwfFp
- ~vIffG
- vvv|vFG
- tdfFfgf|
- FFdfgfwgg
- @dgfvvvgdgddp
- wFVGFFFVVtD7
- pdvwwwgf@g
- p`FFFD@wp
- wpt4sw
-]+K'cN
- >ZY~_M
- PFi hq
- k?f"x>
- __l>Y]
- <m^pko
- ,=Rn#d
- wvY6]y
- &XN;}8/h
- (k/;JY
- vqwBe+
- *FH!C*
- ;s;BUF
- t&{"Y9
- w\\,Wmt0
- EP,YL(
- +?RZYB

- My.Settings
- My.Forms
- My.MyProject.Forms
- System.Text
- Strings
- String
- .cctor
- System
- #Strings
- Qkkbal
- +$+%+&{
- ,%&+%{[
- +<z+@
- +C+K{K
- +$+%+&
- .#+I{@
- +P+Q{9
- +:+;+@
- +[+\\,L
- `.rsrc
- [$SETTINGS$]
- '&(&)&*&+&,&-&.&/&0&1&2&3&4&