Analysis report for sample: b3aa7897f91d154448ca43c228ae7a8e

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 7039 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: b3aa7897f91d154448ca43c228ae7a8e

AV detections

- Microsoft: Program:Win32/Hadsruda!bit
- Kaspersky: not-a-virus:Porn-Tool.Win32.GuaGua.bk
- Symantec: Trojan.Gen.2
- Malwarebytes: Adware.Agent

Original source url

- hxxp://c.img001.com/re58/pingguo_21561000328.exe

Virustotal url

- https://virustotal.com/es/file/478f86e31c4bd8bd6ccf86696375949029d20f6736c4e01c577e99adec0c112d/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)

Snapshot


C:\Windows\s...
Recycle Bin
苹果视频社区
美女视频直播
邂逅，从这里开始
一秒安装
我已阅读并同意软件许可协议
自定义安装
Start
1:40 PM
Tuesday
5/16/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name UI0Detect.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: http://img001.com/business/guagua_dance_setup.exe
- url | http tag | valid domain | tlds | wellknown extension: http://img001.com/business/guagua_setup.exe
- url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/pingguo.exe
- url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/qiji.exe
- url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/qixi.exe
- url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/kele.exe
- url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/5/pingguo.exe
- url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/4/qiji.exe
- url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/4/qixi.exe
- url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/5/kele.exe
- url | http tag | valid domain | tlds: xmlns:exif="http://ns.adobe.com/exif/1.0/">
- url | http tag | valid domain | tlds: xmlns:tiff="http://ns.adobe.com/tiff/1.0/"
- url | http tag | valid domain | tlds: xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
- url | http tag | valid domain | tlds: xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
- url | http tag | valid domain | tlds: xmlns:photoshop="http://ns.adobe.com/photoshop/1.0/"
- url | http tag | valid domain | tlds: xmlns:dc="http://purl.org/dc/elements/1.1/"
- url | http tag | valid domain | tlds: xmlns:xmp="http://ns.adobe.com/xap/1.0/"
- url | http tag | valid domain | tlds: <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
- url | http tag | valid domain | tlds: 13:37:29:905 Rept http://cj.pingguo55.com/downloader/start?dlver=G1.0.0&pname;=pingguo55&pver;=1.0.0&cmdtype;=0&cmdid;=1&ad;=0&oemid;=0&fromurl;=&webid;= Result [1, 200]
- url | http tag | valid domain | tlds: http://download.re58.cn
- url | http tag | valid domain | tlds: http://cj.guagua.cn/downloader/
- url | http tag | valid domain | tlds: http://www.pingguo55.com/service/1954.html
- url | http tag | valid domain | tlds: http://www.qiji55.com/service/2398.html
- url | http tag | valid domain | tlds: http://www.qixi55.com/service/1658.html
- url | http tag | valid domain | tlds: http://www.kele55.com/service/1468.html
- url | http tag | valid domain | tlds: http://downloader.re58.cn/downcontainer/downLoadInfo.do
- url | http tag | valid domain | tlds: http://downloader.re58.cn/downcontainer/downLoad.do
- url | valid domains | tlds: .CU]jsU
- url | valid domains | tlds: jFQ!.kE.
- url | valid domains | tlds: O.om.V%
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | http tag | tlds: http://cj.%s.com/downloader/
- url | valid domains | tlds: w]7.vA#-v
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\log\\20170516 133728.log
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetWriteFile
- api | frequently used by malware: InternetSetStatusCallback
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: BitBlt
- api | frequently used by malware: SetCapture
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetMessagePos

- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: Module32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: Process32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: GetVersion
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: CDownloadThread::Receive WriteFile
- path | path unit: d:\\myprojects\\OnlineSetup\\GirlsShow_Select\\pingguo_release\\SetupTool.pdb
- url | http tag: http://
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Network
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Comdlg32
- registry: Software\\Microsoft\\Internet Explorer\\Main
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\%s
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\%s.exe
- api | wininet: HttpOpenRequestA
- api | wininet: InternetConnectA
- api | wininet: HttpSendRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetOpenA
- api | wininet: InternetGetLastResponseInfoA
- api | wininet: HttpQueryInfoA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: InternetSetOptionExA
- api | wininet: InternetCanonicalizeUrlA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetGetCookieExA
- api | user32: _TrackMouseEvent
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegQueryValueA
- api | advapi32: RegEnumKeyA
- api | advapi32: RegDeleteKeyA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegSetValueExA
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | user32: PostThreadMessageA
- api | user32: RegisterClipboardFormatA
- api | user32: MessageBeep
- api | user32: GetNextDlgGroupItem

- api | user32: InvalidateRgn
- api | user32: CopyAcceleratorTableA
- api | user32: SetRect
- api | user32: IsRectEmpty
- api | user32: CharNextA
- api | user32: ReleaseCapture
- api | user32: GetSysColorBrush
- api | user32: DestroyMenu
- api | user32: SetWindowContextHelpId
- api | user32: MapDialogRect
- api | user32: GetMessageA
- api | user32: ValidateRect
- api | user32: PostQuitMessage
- api | user32: ClientToScreen
- api | user32: GrayStringA
- api | user32: DrawTextExA
- api | user32: DrawTextA
- api | user32: TabbedTextOutA
- api | user32: wsprintfA
- api | user32: GetCursorPos
- api | user32: WindowFromPoint
- api | user32: SetMenuItemBitmaps
- api | user32: ModifyMenuA
- api | user32: GetMenuState
- api | user32: CheckMenuItem
- api | user32: GetMenuCheckMarkDimensions
- api | user32: LoadBitmapA
- api | user32: SetWindowTextA
- api | user32: IsDialogMessageA
- api | user32: RegisterWindowMessageA
- api | user32: WinHelpA
- api | user32: GetCapture
- api | user32: SetWindowsHookExA
- api | user32: GetClassLongA
- api | user32: GetClassInfoExA
- api | user32: GetClassNameA
- api | user32: SetPropA
- api | user32: GetPropA
- api | user32: RemovePropA
- api | user32: SendDlgItemMessageA
- api | user32: GetFocus
- api | user32: SetFocus
- api | user32: IsChild
- api | user32: GetWindowTextLengthA
- api | user32: GetWindowTextA
- api | user32: GetLastActivePopup
- api | user32: DispatchMessageA
- api | user32: GetTopWindow
- api | user32: UnhookWindowsHookEx
- api | user32: GetMessageTime
- api | user32: PeekMessageA
- api | user32: MapWindowPoints
- api | user32: SetForegroundWindow
- api | user32: UpdateWindow
- api | user32: GetSubMenu
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount

- api | user32: AdjustWindowRectEx
- api | user32: GetClassInfoA
- api | user32: RegisterClassA
- api | user32: GetDlgCtrlID
- api | user32: CallWindowProcA
- api | user32: SetWindowPos
- api | user32: OffsetRect
- api | user32: IntersectRect
- api | user32: SystemParametersInfoA
- api | user32: GetWindowPlacement
- api | user32: GetWindow
- api | user32: GetDesktopWindow
- api | user32: GetActiveWindow
- api | user32: SetActiveWindow
- api | user32: CreateDialogIndirectParamA
- api | user32: IsWindow
- api | user32: GetDlgItem
- api | user32: IsWindowEnabled
- api | user32: GetNextDlgTabItem
- api | user32: EndDialog
- api | user32: BeginPaint
- api | user32: EndPaint
- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: DefWindowProcA
- api | user32: IsWindowVisible
- api | user32: EqualRect
- api | user32: GetWindowDC
- api | user32: UpdateLayeredWindow
- api | user32: RegisterClassExA
- api | user32: CreateWindowExA
- api | user32: DestroyWindow
- api | user32: MessageBoxA
- api | user32: ReleaseDC
- api | user32: LoadCursorA
- api | user32: SetCursor
- api | user32: UnregisterClassA
- api | user32: CharUpperA
- api | user32: LoadIconA
- api | user32: ScreenToClient
- api | user32: GetSystemMenu
- api | user32: EnableMenuItem
- api | user32: DrawIcon
- api | user32: PtInRect
- api | user32: KillTimer
- api | user32: IsIconic
- api | user32: ShowCursor
- api | user32: GetSystemMetrics
- api | user32: MoveWindow
- api | user32: ShowWindow
- api | user32: GetSysColor
- api | user32: PostMessageA
- api | user32: InvalidateRect
- api | user32: GetWindowRect
- api | user32: CopyRect
- api | user32: SetLayeredWindowAttributes
- api | user32: EnableWindow

- api | user32: GetParent
- api | user32: GetClientRect
- api | user32: SendMessageA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStdHandle
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: VirtualQuery
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: HeapFree
- api | kernel32: RtlUnwind
- api | kernel32: HeapAlloc
- api | kernel32: SetErrorMode
- api | kernel32: GetFileTime
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetVolumeInformationA
- api | kernel32: DuplicateHandle
- api | kernel32: UnlockFile
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: GetOEMCP
- api | kernel32: GetCPInfo
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: LocalReAlloc
- api | kernel32: TlsSetValue
- api | kernel32: TlsAlloc
- api | kernel32: TlsGetValue
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalFlags
- api | kernel32: LocalAlloc
- api | kernel32: FileTimeToLocalFileTime

- api | kernel32: FileTimeToSystemTime
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetCurrentThread
- api | kernel32: lstrcmpA
- api | kernel32: ConvertDefaultLocale
- api | kernel32: EnumResourceLanguagesA
- api | kernel32: lstrcpyA
- api | kernel32: GlobalAlloc
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: MulDiv
- api | kernel32: SetLastError
- api | kernel32: GlobalGetAtomNameA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalDeleteAtom
- api | kernel32: lstrcatA
- api | kernel32: lstrcmpW
- api | kernel32: lstrcpynA
- api | kernel32: GetModuleHandleA
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalFree
- api | kernel32: InterlockedDecrement
- api | kernel32: OutputDebugStringA
- api | kernel32: FatalExit
- api | kernel32: DebugBreak
- api | kernel32: SystemTimeToFileTime
- api | kernel32: WaitForMultipleObjects
- api | kernel32: MoveFileA
- api | kernel32: ReadFile
- api | kernel32: GetFileSize
- api | kernel32: SetFilePointer
- api | kernel32: SetEndOfFile
- api | kernel32: TerminateProcess
- api | kernel32: FindNextFileA
- api | kernel32: RemoveDirectoryA
- api | kernel32: CreateDirectoryA
- api | kernel32: RaiseException
- api | kernel32: lstrlenA
- api | kernel32: lstrcmpiA
- api | kernel32: CompareStringA
- api | kernel32: CompareStringW
- api | kernel32: CreateProcessA
- api | kernel32: WaitForSingleObject
- api | kernel32: CreateMutexA
- api | kernel32: GetLastError
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: DeleteFileA
- api | kernel32: FreeResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection

- api | kernel32: InitializeCriticalSection
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: FindResourceA
- api | kernel32: GetThreadLocale
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetACP
- api | kernel32: InterlockedExchange
- api | kernel32: GetVersionExA
- api | kernel32: FindFirstFileA
- api | kernel32: FindClose
- api | kernel32: GetLocalTime
- api | kernel32: GetModuleFileNameA
- api | kernel32: CreateFileA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: FreeLibrary
- api | kernel32: LoadLibraryA
- api | kernel32: CloseHandle
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | user32: NotifyWinEvent
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetSystemDefaultUILanguage
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoA
- api | user32: EnumDisplayDevicesA
- api | kernel32: End WaitForMultipleObjects
- api | ntdll: %slog\\%04d%02d%02d %02d%02d%02d.log
- api | kernel32: App GetProductInfo(%s) Error %d
- api | ntdll: log\\2.xml
- api | ntdll: log\\1.xml

Involved hosts

- 117.27.228.84:http
- javi-PC:http
- 117.27.228.84:80 (cj.pingguo55.com)
- 192.168.133.220:49194
- 192.168.133.220:68
- 192.168.133.254:67

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- cj.pingguo55.com ---> 117.27.228.84, 220.194.216.32
- 254.133.168.192.in-addr.arpa ---> no answers
- 84.228.27.117.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.220:49194 ---> 117.27.228.84 (cj.pingguo55.com) :80

GET /downloader/start?dlver=G1.0.0&pname;=pingguo55&pver;=1.0.0&cmdtype;=0&cmdid;=1&ad;=0&oemid;=0&fromurl;=&webid;= HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 5.0; Windows NT)[...]Host: cj.pingguo55.com[...]Cache-Control: no-cache

• tcp 117.27.228.84 (cj.pingguo55.com) :80 ---> 192.168.133.220:49194

HTTP/1.1 200 OK[...]Server: nginx[...]Date: Tue, 16 May 2017 20:38:49 GMT[...]Content-Length: 0[...]Connection: keep-alive[...]Set-Cookie: GUAGUAACOUNTID=7923adee4501466299a5cff5cb7fc7c7; domain=pingguo55.com; path=/; expires=Fri, 11-May-2018 20:38:49 GMT[...]HTTP/1.1 200 OK[...]Server: nginx[...]Date: Tue, 16 May 2017 20:38:49 GMT[...]Content-Length: 0[...]Connection: keep-alive[...]Set-Cookie: GUAGUAACOUNTID=7923adee4501466299a5cff5cb7fc7c7; domain=pingguo55.com; path=/; expires=Fri, 11-May-2018 20:38:49 GMT

• udp 192.168.133.254:67 ---> 192.168.133.220:68

localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T3 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T2)
• Thread Create (Thread ID: T3)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

• Thread T4 (in process P0, cebo.exe)
• Thread T7 (in process P0, cebo.exe)

• Thread' events

• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: TUNKALIAS)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create (Thread ID: T4)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create (Thread ID: T7)

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

- Thread T5 (in process P0, cebo.exe)

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: T5)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P0, cebo.exe) description

• Thread's childs

- Thread T6 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T6)

• Thread T6 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> 117.27.228.84:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 117.27.228.84:http (243))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Receive (javi-PC.localdomain:dynport-> 117.27.228.84:http (244))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000001308690002000000da231d000100000083085f000b000000fa231900060000001308 5d000200000083085d001700000000000100a1020000050c0f001e000000050c5f00a4000000050c6000a1000000ec0b5e0001000000050c5a00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds | wellknown extension: http://img001.com/business/guagua_dance_setup.exe
• url | http tag | valid domain | tlds | wellknown extension: http://img001.com/business/guagua_setup.exe
• url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/pingguo.exe
• url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/qiji.exe
• url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/qixi.exe
• url | http tag | valid domain | tlds | wellknown extension: http://d.re71.cn/business/kele.exe
• url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/5/pingguo.exe
• url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/4/qiji.exe
• url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/4/qixi.exe
• url | http tag | valid domain | tlds | wellknown extension: http://tg.img001.com/business/5/kele.exe
• url | http tag | valid domain | tlds: xmlns:exif="http://ns.adobe.com/exif/1.0/">
• url | http tag | valid domain | tlds: xmlns:tiff="http://ns.adobe.com/tiff/1.0/"
• url | http tag | valid domain | tlds: xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
• url | http tag | valid domain | tlds: xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
• url | http tag | valid domain | tlds: xmlns:photoshop="http://ns.adobe.com/photoshop/1.0/"
• url | http tag | valid domain | tlds: xmlns:dc="http://purl.org/dc/elements/1.1/"
• url | http tag | valid domain | tlds: xmlns:xmp="http://ns.adobe.com/xap/1.0/"
• url | http tag | valid domain | tlds: <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
• url | http tag | valid domain | tlds: 13:37:29:905 Rept http://cj.pingguo55.com/downloader/start?dlver=G1.0.0&pname;=pingguo55&pver;=1.0.0&cmdtype;=0&cmdid;=1&ad;=0&oemid;=0&fromurl;=&webid;= Result [1, 200]
• url | http tag | valid domain | tlds: http://download.re58.cn
• url | http tag | valid domain | tlds: http://cj.guagua.cn/downloader/
• url | http tag | valid domain | tlds: http://www.pingguo55.com/service/1954.html
• url | http tag | valid domain | tlds: http://www.qiji55.com/service/2398.html
• url | http tag | valid domain | tlds: http://www.qixi55.com/service/1658.html
• url | http tag | valid domain | tlds: http://www.kele55.com/service/1468.html
• url | http tag | valid domain | tlds: http://downloader.re58.cn/downcontainer/downLoadInfo.do
• url | http tag | valid domain | tlds: http://downloader.re58.cn/downcontainer/downLoadInfo.do
• url | http tag | valid domain | tlds: http://downloader.re58.cn/downcontainer/downLoad.do
• url | http tag | valid domain | tlds: http://downloader.re58.cn/downcontainer/downLoad.do
• url | valid domains | tlds: .CU]jsU
• url | valid domains | tlds: jFQ!.kE.
• url | valid domains | tlds: O.om.V%
• url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime

- url | http tag | tlds: http://cj.%s.com/downloader/
- url | valid domains | tlds: w]7.vA#-v
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\log\\20170516 133728.log
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetWriteFile
- api | frequently used by malware: InternetSetStatusCallback
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: BitBlt
- api | frequently used by malware: SetCapture
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: Module32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: Process32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: GetVersion
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: CDownloadThread::Receive WriteFile
- path | path unit: d:\\myprojects\\OnlineSetup\\GirlsShow_Select\\pingguo_release\\SetupTool.pdb
- url | http tag: http://
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Network
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Comdlg32
- registry: Software\\Microsoft\\Internet Explorer\\Main
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\%s
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\%s.exe
- api | wininet: HttpOpenRequestA
- api | wininet: InternetConnectA
- api | wininet: HttpSendRequestA
- api | wininet: InternetSetFilePointer
- api | wininet: InternetOpenA
- api | wininet: InternetGetLastResponseInfoA

- api | wininet: HttpQueryInfoA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: InternetSetOptionExA
- api | wininet: InternetCanonicalizeUrlA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetGetCookieExA
- api | user32: _TrackMouseEvent
- api | kernel32: RegCreateKeyExA
- api | advapi32: RegQueryValueA
- api | advapi32: RegEnumKeyA
- api | advapi32: RegDeleteKeyA
- api | advapi32: RegOpenKeyA
- api | kernel32: RegSetValueExA
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | user32: PostThreadMessageA
- api | user32: RegisterClipboardFormatA
- api | user32: MessageBeep
- api | user32: GetNextDlgGroupItem
- api | user32: InvalidateRgn
- api | user32: CopyAcceleratorTableA
- api | user32: SetRect
- api | user32: IsRectEmpty
- api | user32: CharNextA
- api | user32: ReleaseCapture
- api | user32: GetSysColorBrush
- api | user32: DestroyMenu
- api | user32: SetWindowContextHelpId
- api | user32: MapDialogRect
- api | user32: GetMessageA
- api | user32: ValidateRect
- api | user32: PostQuitMessage
- api | user32: ClientToScreen
- api | user32: GrayStringA
- api | user32: DrawTextExA
- api | user32: DrawTextA
- api | user32: TabbedTextOutA
- api | user32: wsprintfA
- api | user32: GetCursorPos
- api | user32: WindowFromPoint
- api | user32: SetMenuItemBitmaps
- api | user32: ModifyMenuA
- api | user32: GetMenuState
- api | user32: CheckMenuItem
- api | user32: GetMenuCheckMarkDimensions
- api | user32: LoadBitmapA
- api | user32: SetWindowTextA
- api | user32: IsDialogMessageA
- api | user32: RegisterWindowMessageA
- api | user32: WinHelpA
- api | user32: GetCapture
- api | user32: SetWindowsHookExA
- api | user32: GetClassLongA
- api | user32: GetClassInfoExA
- api | user32: GetClassNameA
- api | user32: SetPropA

- api | user32: GetPropA
- api | user32: RemovePropA
- api | user32: SendDlgItemMessageA
- api | user32: GetFocus
- api | user32: SetFocus
- api | user32: IsChild
- api | user32: GetWindowTextLengthA
- api | user32: GetWindowTextA
- api | user32: GetLastActivePopup
- api | user32: DispatchMessageA
- api | user32: GetTopWindow
- api | user32: UnhookWindowsHookEx
- api | user32: GetMessageTime
- api | user32: PeekMessageA
- api | user32: MapWindowPoints
- api | user32: SetForegroundWindow
- api | user32: UpdateWindow
- api | user32: GetSubMenu
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: AdjustWindowRectEx
- api | user32: GetClassInfoA
- api | user32: RegisterClassA
- api | user32: GetDlgCtrlID
- api | user32: CallWindowProcA
- api | user32: SetWindowPos
- api | user32: OffsetRect
- api | user32: IntersectRect
- api | user32: SystemParametersInfoA
- api | user32: GetWindowPlacement
- api | user32: GetWindow
- api | user32: GetDesktopWindow
- api | user32: GetActiveWindow
- api | user32: SetActiveWindow
- api | user32: CreateDialogIndirectParamA
- api | user32: IsWindow
- api | user32: GetDlgItem
- api | user32: IsWindowEnabled
- api | user32: GetNextDlgTabItem
- api | user32: EndDialog
- api | user32: BeginPaint
- api | user32: EndPaint
- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: DefWindowProcA
- api | user32: IsWindowVisible
- api | user32: EqualRect
- api | user32: GetWindowDC
- api | user32: UpdateLayeredWindow
- api | user32: RegisterClassExA
- api | user32: CreateWindowExA
- api | user32: DestroyWindow
- api | user32: MessageBoxA
- api | user32: ReleaseDC
- api | user32: LoadCursorA
- api | user32: SetCursor
- api | user32: UnregisterClassA

- api | user32: CharUpperA
- api | user32: LoadIconA
- api | user32: ScreenToClient
- api | user32: GetSystemMenu
- api | user32: EnableMenuItem
- api | user32: DrawIcon
- api | user32: PtInRect
- api | user32: KillTimer
- api | user32: IsIconic
- api | user32: ShowCursor
- api | user32: GetSystemMetrics
- api | user32: MoveWindow
- api | user32: ShowWindow
- api | user32: GetSysColor
- api | user32: PostMessageA
- api | user32: InvalidateRect
- api | user32: GetWindowRect
- api | user32: CopyRect
- api | user32: SetLayeredWindowAttributes
- api | user32: EnableWindow
- api | user32: GetParent
- api | user32: GetClientRect
- api | user32: SendMessageA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStdHandle
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: VirtualQuery
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: HeapFree
- api | kernel32: RtlUnwind
- api | kernel32: HeapAlloc
- api | kernel32: SetErrorMode
- api | kernel32: GetFileTime

- api | kernel32: GetFileAttributesA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetVolumeInformationA
- api | kernel32: DuplicateHandle
- api | kernel32: UnlockFile
- api | kernel32: LockFile
- api | kernel32: FlushFileBuffers
- api | kernel32: GetOEMCP
- api | kernel32: GetCPInfo
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: LocalReAlloc
- api | kernel32: TlsSetValue
- api | kernel32: TlsAlloc
- api | kernel32: TlsGetValue
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalFlags
- api | kernel32: LocalAlloc
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: WritePrivateProfileStringA
- api | kernel32: GetCurrentThread
- api | kernel32: lstrcmpA
- api | kernel32: ConvertDefaultLocale
- api | kernel32: EnumResourceLanguagesA
- api | kernel32: lstrcpyA
- api | kernel32: GlobalAlloc
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: MulDiv
- api | kernel32: SetLastError
- api | kernel32: GlobalGetAtomNameA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalDeleteAtom
- api | kernel32: lstrcatA
- api | kernel32: lstrcmpW
- api | kernel32: lstrcpynA
- api | kernel32: GetModuleHandleA
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalFree
- api | kernel32: InterlockedDecrement
- api | kernel32: OutputDebugStringA
- api | kernel32: FatalExit
- api | kernel32: DebugBreak
- api | kernel32: SystemTimeToFileTime
- api | kernel32: WaitForMultipleObjects
- api | kernel32: MoveFileA
- api | kernel32: ReadFile
- api | kernel32: GetFileSize
- api | kernel32: SetFilePointer
- api | kernel32: SetEndOfFile
- api | kernel32: TerminateProcess
- api | kernel32: FindNextFileA
- api | kernel32: RemoveDirectoryA

- api | kernel32: CreateDirectoryA
- api | kernel32: RaiseException
- api | kernel32: lstrlenA
- api | kernel32: lstrcmpiA
- api | kernel32: CompareStringA
- api | kernel32: CompareStringW
- api | kernel32: CreateProcessA
- api | kernel32: WaitForSingleObject
- api | kernel32: CreateMutexA
- api | kernel32: GetLastError
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: DeleteFileA
- api | kernel32: FreeResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: FindResourceA
- api | kernel32: GetThreadLocale
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetACP
- api | kernel32: InterlockedExchange
- api | kernel32: GetVersionExA
- api | kernel32: FindFirstFileA
- api | kernel32: FindClose
- api | kernel32: GetLocalTime
- api | kernel32: GetModuleFileNameA
- api | kernel32: CreateFileA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: FreeLibrary
- api | kernel32: LoadLibraryA
- api | kernel32: CloseHandle
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | user32: NotifyWinEvent
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetSystemDefaultUILanguage
- api | user32: GetSystemMetrics
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect

• api | user32: MonitorFromPoint

• api | user32: EnumDisplayMonitors

• api | user32: GetMonitorInfoA

• api | user32: EnumDisplayDevicesA

• api | kernel32: End WaitForMultipleObjects

• api | ntdll: %slog\\%04d%02d%02d %02d%02d%02d.log

• api | kernel32: App GetProductInfo(%s) Error %d

• api | ntdll: log\\2.xml

• api | ntdll: log\\1.xml

• Module 1 other strings

• ve=1UM

• \\@i7'\\

• JEBeOJ{

• \\e'*4>

• I[1n>Vw

• 7(:O^ik,%"

• uw7Wby

• ;y4Z1jGX

• ^X#auWR1

• PDZ5IU

• q{+x,6eA>

• v_4i#?

• ^E!o^lJk

• ;2C3V(

• EWAO]0

• bk@(48

• %Y{]=HL11

• b2-^E.r

• gXOX<et

• G5O}vb

• ?8{zmeS

• 5t\\:-05N

• 'us2JHd

• iq<6GJo

• sa8ZCA

• KA~Guq~

• eQi!(xY

• pZ)A(8K

• ?5vHq9

• Oa}$53

• 1HNkiM>{

• %9i9]o:

• .o,1p(

• u_3uK73Z^

• .5iu#[

• 3ae:4u

• 41Y4=[r

• e`m:eVeL

• =kk>EI

• dUWiZW

• 6evciSS

• z0Y=S08

• mIe)zJ

• -:O}a{>

- uO\\/s|
- =7W#~i
- z3t(%3
- %98~{!#
- waeE10
- cs/?i8
- ae5H_\\m
- (2s(05
- u$A3;rI<l
- gu.eip
- q6<`H5
- 8`=82d
- >>}III
- 97IUaR
- u3Cco}jn
- U69?d'M
- 4>oE||
- LAA[Wu
- </compatibility>
- </application>
- <!--supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/-->
- <!--The ID below indicates application support for Windows 7 -->
- <supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"/>
- <!--The ID below indicates application support for Windows Vista -->
- <application>
- <compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1">
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"/>
- level="requireAdministrator"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- type="win32"/>
- version="1.0.0.0"
- processorArchitecture="x86"
- name="XP style manifest"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- X,T|;33s
- 1n^ "MZa*
- 0,33sE/
- </rdf:Description>
- <exif:PixelYDimension>35</exif:PixelYDimension>
- <exif:PixelXDimension>650</exif:PixelXDimension>
- <exif:ColorSpace>65535</exif:ColorSpace>
- <tiff:ResolutionUnit>2</tiff:ResolutionUnit>
- <tiff:YResolution>720000/10000</tiff:YResolution>
- <tiff:XResolution>720000/10000</tiff:XResolution>
- <tiff:Orientation>1</tiff:Orientation>
- <stEvt:softwareAgent>Adobe Photoshop CC (Windows)</stEvt:softwareAgent>
- <stEvt:when>2015-03-18T09:33:54+08:00</stEvt:when>
- <stEvt:instanceID>xmp.iid:23141b3f-463e-3d4e-9daa-d5587c46fa9d</stEvt:instanceID>
- <stEvt:action>created</stEvt:action>

- <rdf:li rdf:parseType="Resource">
- <xmpMM:OriginalDocumentID>xmp.did:23141b3f-463e-3d4e-9daa-d5587c46fa9d</xmpMM:OriginalDocumentID>
- <xmpMM:DocumentID>xmp.did:23141b3f-463e-3d4e-9daa-d5587c46fa9d</xmpMM:DocumentID>
- <xmpMM:InstanceID>xmp.iid:23141b3f-463e-3d4e-9daa-d5587c46fa9d</xmpMM:InstanceID>
- <photoshop:ColorMode>3</photoshop:ColorMode>
- <dc:format>image/png</dc:format>
- <xmp:MetadataDate>2015-03-18T11:17:35+08:00</xmp:MetadataDate>
- <xmp:ModifyDate>2015-03-18T11:17:35+08:00</xmp:ModifyDate>
- <xmp:CreateDate>2015-03-18T09:33:54+08:00</xmp:CreateDate>
- <xmp:CreatorTool>Adobe Photoshop CC (Windows)</xmp:CreatorTool>
- <rdf:Description rdf:about=""
- <x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.5-c014 79.151481, 2013/03/13-12:09:15 ">
- " id="W5M0MpCehiHzreSzNTczkc9d"?>
- <?xpacket begin="
- iTXtXML:com.adobe.xmp
- \'55U"gb
- CCCP7oG
-]]]UUUK
- ..7JKUV
- tIDATx
- Adobe ImageReadyq
- tEXtSoftware
- mmmEo<
- Adobe ImageReadyq
- tEXtSoftware
- k<abi2
- MiCCPPhotoshop ICC profile
- Adobe ImageReadyq
- tEXtSoftware
- Adobe ImageReadyq
- tEXtSoftware
- Adobe ImageReadyq
- tEXtSoftware
- Adobe ImageReadyq
- tEXtSoftware
- XsuII!,
- rIDATx
- Adobe ImageReadyq
- tEXtSoftware
- Adobe ImageReadyq
- tEXtSoftware
- uA]Yv0
- o76 B
- %vUotU
- oDG"55Uz
- Adobe ImageReadyq
- tEXtSoftware
- Adobe ImageReadyq
- tEXtSoftware
- Adobe ImageReadyq
- tEXtSoftware
- G6#6~'
-]+eee2n
- RTT$99
- Adobe ImageReadyq
- tEXtSoftware
- bIDATx

- Adobe ImageReadyq
- tEXtSoftware
- q0jGO5h(
- _J0Ud*'
- a_oO}#
- u-!2rE;
- 2~``.9h!
- *wOODE
- z[n*95
- u(!#[(
- Mwy9u`M
- ,qCqUH6
- ^LU1K~
- a$1&y9G;
- D4eC%]7
- DXYG+d;O<0
- {[kW9c61y
- 5rUUF#`
- o+0C>T$
- g|k=Y1h9X
- z4BB6Q
- RF54q,
- Ol"%r1
- ?>ild'
- <-Nl;awO)
- *i_%jKA;
- ;*nDi3
- ?Ua'55
- p>4TEVtu
- eA-[x)
- eJW6OZ
- 6MIc*
- Lu&']Adh
- %8w)'}U
- a9#~UT2
- &E6MpL;
- _\\Oh1^9
- >.NOM4Z
- 2-eOf0/
- v*5)rA
- [6n}g!KeR
- B W&ao;
- @ae_j[
- 0)f'gu
- 'o&IIb;
- PkTeAQg
- ohdaE/
- s8^V%aW
- Q_a%c1
- 6DKpl3
- h&-U*2
- eze3]>?i
- r>1;{w_1
- #L+O1c
- "eo*o22m
- CDMaA7P
- $_ID0G

- 6!_B6w
- QAa9$t](
- Od%%5q
- SI`Z4y
- 5T/-6W [
- 7Qku3];y
- FfiO0C
- ue7J@[
- 0#HL=WO
- 7K)AR&
- gwDIw2)
- "4MUX.
- (ai$Uy
- OeeV5QeR
- Y5vV=2
- 8QA*A!
- +MGU0M
- jS^0-D`$3
- aA8fDr
- !m5"ad
- taJFC6.
- &>Uu|'%
- yf`8Oz
- uiz(9N
- Qb:A76
- 1PSj9b
- Z:_uSoVk
- fEgs]U
- Wc |2iANlN+
- CG9A`t
- vq7@PI7
- 11q*.b
- VTe]U5
- V{P5a?
- 4KApvVJRF
- n0"eFy
- 3yiQeI
- ;A_Snse('
-)O1dv)6&
- 3b&tUv;
- pS2VAsx
- 2FV[2sm
- T5}UUm
- $Yv&v73s;
- Adobe ImageReadyq
- tEXtSoftware
- a(u7bOS
- Translation
- VarFileInfo
- 2.3.0.0
- ProductVersion
- GirlShow
- ProductName
- GirlShow.exe
- PrivateBuild
- GirlShow.exe
- OriginalFilename

- Copyright (C) 2016 ZheJiang QiJu Technology CO.,LTD
- LegalCopyright
- InternalName
- 2.3.0.0
- FileVersion
- GirlShow
- FileDescription
- CompanyName
- 080403a8
- StringFileInfo
- VS_VERSION_INFO
- Static
- Static
- Static
- Static
- Button2
- Button1
- Staticaaa

- caacccaacR
- ccaaccccaJ
- !eig#$
- ZNPYOOONMMMOU
- ZYOOPPYVQS
- p1!$gijppjikqcaa_
- "%."""!"1caa
- 46AG=DGG7*
- +45GHD=AG<*
- 5GHD;:EA)
- 6=G=96<<4
-)46E;7466*
- 4<<5)*
- 4A9;56
- +*645;GG=;684*
- *66;HGGD::E
- t47sww
- &webid;=
- Pacific Daylight Time
- Pacific Standard Time
- .?AVtype_info@@
- .?AVCOleBusyDialog@@
- .?AVCOleDialog@@
- .?AV_AFX_OLE_STATE@@
- Apartment
- .?AVXMessageFilter@COleMessageFilter@@
- .?AUIMessageFilter@@
- .?AVCOleMessageFilter@@
- .?AVXEnumVOID@CEnumArray@@
- .?AUIEnumVOID@@
- .PAVCOleDispatchException@@
- .?AVCOleDispatchException@@
- .?AVCCommonDialog@@
- .PAVCFileException@@
- .?AVCByteArray@@
- .?AVCArchiveStream@@
- .?AUIStream@@
- .?AUISequentialStream@@
- .?AVCMemFile@@
- .?AVCOleControlSite@@
- .?AVXOleIPSite@COleControlSite@@
- .?AUIOleInPlaceSiteWindowless@@
- .?AUIOleInPlaceSiteEx@@
- .?AUIOleInPlaceSite@@
- .?AVXRowsetNotify@COleControlSite@@
- .?AUIRowsetNotify@@
- .?AVXNotifyDBEvents@COleControlSite@@
- .?AVXBoundObjectSite@COleControlSite@@
- .?AUIBoundObjectSite@@
- .?AVXEventSink@COleControlSite@@
- .?AVXPropertyNotifySink@COleControlSite@@
- .?AUIPropertyNotifySink@@
- .?AVXAmbientProps@COleControlSite@@
- .?AVXOleControlSite@COleControlSite@@
- .?AUIOleControlSite@@
- .?AVXOleClientSite@COleControlSite@@
- .?AUIOleClientSite@@

- .?AUINotifyDBEvents@@
- .?AVCDataSourceControl@@
- .?AVXOleIPFrame@COleControlContainer@@
- .?AUIOleInPlaceFrame@@
- .?AUIOleInPlaceUIWindow@@
- .?AVXOleContainer@COleControlContainer@@
- .?AUIOleContainer@@
- .?AUIParseDisplayName@@
- .?AV?$CTypedPtrList@VCPtrList@@PAUCOleControlSiteOrWnd@@@@
- .?AVCOleControlContainer@@
- .?AV?$_CTypedPtrList@VCPtrList@@PAUCOleControlSiteOrWnd@@@@
- .?AVCEnumUnknown@@
- .?AVCEnumArray@@
- .?AVCFileException@@
- .?AVCArchiveException@@
- .PAVCArchiveException@@
- .?AVCHandleMap@@
- .?AUCThreadData@@
- .?AVCHttpFile@@
- .?AVCHttpConnection@@
- .?AVCInternetConnection@@
- .?AVCInternetFile@@
- .?AVCStdioFile@@
- .?AVCFile@@
- .?AVCInternetSession@@
- .?AVCInternetException@@
- .?AVCSessionMapPtrToPtr@@
- .?AVCCriticalSection@@
- .?AVCEdit@@
- .?AVCButton@@
- .?AVCStatic@@
- .?AVCMenu@@
- .?AVCOccManager@@
- .?AVCWinApp@@
- .?AVCWinThread@@
- .?AV_AFX_BASE_MODULE_STATE@@
- .?AVAFX_MODULE_THREAD_STATE@@
- .?AVAFX_MODULE_STATE@@
- .?AV_AFX_THREAD_STATE@@
- .?AUIAtlStringMgr@ATL@@
- .?AVCInvalidArgException@@
- .?AVCNotSupportedException@@
- .?AVCMemoryException@@
- .PAVCInvalidArgException@@
- .PAVCNotSupportedException@@
- .PAVCMemoryException@@
- .PAVCOleException@@
- .?AVCOleException@@
- .?AVCBitmap@@
- .?AVCPaintDC@@
- .?AVCWindowDC@@
- .?AVCClientDC@@
- .?AVCGdiObject@@
- .?AVCUserException@@
- .?AVCResourceException@@
- .?AVCSimpleException@@
- .?AVCException@@

- .PAVCResourceException@@
- .PAVCSimpleException@@
- .?AVCToolTipCtrl@@
- .?AVCAccessibleProxy@ATL@@
- .?AV?$CComObjectRootEx@VCComSingleThreadModel@ATL@@@ATL@@
- .?AVCComObjectRootBase@ATL@@
- .?AUIOleWindow@@
- .?AV?$IAccessibleProxyImpl@VCAccessibleProxy@ATL@@@ATL@@
- .?AUIAccessible@@
- .?AUIDispatch@@
- .?AUIUnknown@@
- .?AUIAccessibleProxy@@
- .PAVCUserException@@
- .?AVCTestCmdUI@@
- .?AVCCmdUI@@
- .?AVCNoTrackObject@@
- .?AVXAccessibleServer@CWnd@@
- .?AVXAccessible@CWnd@@
- .?AVCDialog@@
- .?AVCObject@@
- .?AV_com_error@@
- .PAVCInternetException@@
- .PAVCINETException@@
- .PAVCException@@
- .PAVCObject@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVexception@@
- WS2_32.dll
- GdiplusShutdown
- GdiplusStartup
- GdipGetImageHeight
- GdipGetImageWidth
- GdipCloneImage
- GdipDisposeImage
- GdipLoadImageFromStreamICM
- GdipLoadImageFromStream
- GdipAlloc
- GdipFree
- GdipDrawImageRectRectI
- GdipDrawImageRectI
- GdipDeleteGraphics
- GdipCreateFromHDC
- GdipSetImageAttributesColorKeys
- GdipDisposeImageAttributes
- GdipCreateImageAttributes
- WININET.dll
- OLEAUT32.dll
- ole32.dll
- CoRegisterMessageFilter
- OleFlushClipboard
- OleIsCurrentClipboard
- CoRevokeClassObject
- CoFreeUnusedLibraries
- OleUninitialize
- CreateILockBytesOnHGlobal
- StgCreateDocfileOnILockBytes

- StgOpenStorageOnILockBytes
- CoGetClassObject
- CLSIDFromString
- CLSIDFromProgID
- CoTaskMemAlloc
- CoTaskMemFree
- OleDraw
- OleCreate
- OleSetContainedObject
- OleRun
- CoInitializeEx
- CoInitialize
- CreateStreamOnHGlobal
- oledlg.dll
- PathIsUNCA
- PathStripToRootA
- UrlUnescapeA
- PathFindExtensionA
- PathRemoveFileSpecA
- PathFindFileNameA
- PathCanonicalizeA
- PathQuoteSpacesA
- PathAddBackslashA
- PathRemoveBackslashA
- PathFileExistsA
- COMCTL32.dll
- SHELL32.dll
- SHBrowseForFolderA
- SHGetDesktopFolder
- ShellExecuteExA
- ShellExecuteA
- SHFileOperationA
- SHGetMalloc
- SHGetSpecialFolderLocation
- SHGetPathFromIDListA
- ADVAPI32.dll
- WINSPOOL.DRV
- OpenPrinterA
- DocumentPropertiesA
- ClosePrinter
- comdlg32.dll
- GetFileTitleA
- GDI32.dll
- GetRgnBox
- GetTextColor
- GetBkColor
- CreateRectRgnIndirect
- GetStockObject
- ExtSelectClipRgn
- ScaleWindowExtEx
- SetWindowExtEx
- ScaleViewportExtEx
- SetViewportExtEx
- OffsetViewportOrgEx
- SetViewportOrgEx
- Escape
- ExtTextOutA

- TextOutA
- RectVisible
- PtVisible
- GetWindowExtEx
- GetViewportExtEx
- SetMapMode
- RestoreDC
- SaveDC
- SetBkColor
- SetTextColor
- GetClipBox
- CreateDIBSection
- SelectObject
- GetDeviceCaps
- DeleteDC
- DeleteObject
- GetTextExtentPoint32A
- SetBkMode
- CreateFontA
- SetPixel
- GetPixel
- Rectangle
- GetMapMode
- CreateCompatibleDC
- GetObjectA
- CreateCompatibleBitmap
- CreateBitmap
- USER32.dll
- KERNEL32.dll
- LresultFromObject
- CreateStdAccessibleObject
- Pacific Daylight Time
- Pacific Standard Time
- OLEACC.dll
- string too long
- invalid string position
- 1#SNAN
- 1#QNAN
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- Program:
- Runtime Error!
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment

- Please contact the application's support team for more information.
- This application has requested the Runtime to terminate it in an unusual way.
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- Please contact the application's support team for more information.
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- GAIsProcessorFeaturePresent
- Unknown security failure detected!
- continue execution and must now be terminated.
- corrupted the program's internal state. The program cannot safely
- A security error of unknown cause has been detected which has
- Buffer overrun detected!
- now be terminated.
- internal state. The program cannot safely continue execution and must
- A buffer overrun has been detected which has corrupted the program's
- <program name unknown>
- Program:
- Microsoft Visual C++ Runtime Library
- mscoree.dll
- CorExitProcess
- Unknown exception
- KERNEL32
- COleDialog
- COleBusyDialog
- %9, %8
- CLSID\\%1\\DefaultExtension
- CLSID\\%1\\Printable
- %2\\DocObject
- CLSID\\%1\\DocObject
- CLSID\\%1\\InProcServer32
- CLSID\\%1\\MiscStatus
- CLSID\\%1\\DefaultIcon
- CLSID\\%1\\AuxUserType\\3
- CLSID\\%1\\AuxUserType\\2
- CLSID\\%1\\Insertable
- &Open;,0,2
- CLSID\\%1\\Verb\\1
- &Edit;,0,2
- CLSID\\%1\\Verb\\0
- CLSID\\%1\\LocalServer32
- ole32.dll
- CLSID\\%1\\InprocHandler32
- CLSID\\%1\\ProgID
- CLSID\\%1
- %2\\protocol\\StdFileEditing\\server

- %2\\protocol\\StdFileEditing\\verb\\0
- %2\\Insertable
- %2\\CLSID
- commdlg_FindReplace
- Native
- OwnerLink
- ObjectLink
- Embedded Object
- Embed Source
- Link Source
- Object Descriptor
- Link Source Descriptor
- FileName
- FileNameW
- Rich Text Format
- RichEdit Text and Objects
- COleDispatchException
- CFileException
- user32.dll
- MSWHEEL_ROLLMSG
- CByteArray
- CStdioFile
- CMemFile
- CArchiveException
- CMapStringToPtr
- combobox
- ForceRemove
- NoRemove
- Delete
- CObject
- HTTP/1.0
- WININET.DLL
- DELETE
- UNLINK
- CInternetException
- CInternetFile
- CHttpFile
- CInternetSession
- CInternetConnection
- CHttpConnection
- msctls_progress32
- BUTTON
- STATIC
- CStatic
- CButton
- software
- CWinThread
- Software\\
- NoDrives
- RestrictRun
- NoNetConnectDisconnect
- NoRecentDocsHistory
- NoClose
- NoEntireNetwork
- NoPlacesBar
- NoBackButton
- NoFileMru

- kernel32.dll
- Control Panel\\Desktop\\ResourceLocale
- Settings
- PreviewPages
- CWinApp
- CCriticalSection
- CException
- CMemoryException
- CNotSupportedException
- CInvalidArgException
- COleException
- CResourceException
- CUserException
- CClientDC
- CWindowDC
- CPaintDC
- CGdiObject
- CBitmap
- tooltips_class32
- CToolTipCtrl
- CCmdTarget
- #32768
- HtmlHelpA
- COMCTL32.DLL
- qInitCommonControlsEx
- DISPLAY
- USER32
- AfxOleControl70s
- AfxFrameOrView70s
- AfxMDIFrame70s
- AfxControlBar70s
- AfxWnd70s
- AfxOldWndProc423
- CDialog
- MyOleControl
- MyOleControlWindow
- MyOleControl
- Assert failure
- Continue?
- LineNum: %d
- SourceFile: %s
- Condition: ASSERT(%s);
- Debug Assertion Failed!
- Line:%d
- File: %s
- Debug Assertion Failed!
- %02d:%02d:%02d:%03d
- COutputFile::WriteData(%I64d, %d)
- \\myprojects\\OnlineSetup\\Common\\OutputFile.cpp
- COutputFile::Open
- \\myprojects\\OnlineSetup\\Common\\OutputFile.cpp
- COutputFile::Open
- \\myprojects\\OnlineSetup\\Common\\OutputFile.cpp
- COutputFile::Open
- \\myprojects\\OnlineSetup\\Common\\OutputFile.cpp
- User-Agent: %s
- Mozilla/4.0 (compatible; MSIE 5.0; Windows NT)

- ReceiveBytes(%d) error: [%d,%d]%s
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- ReceiveBytes(%d) error: [%d,%d]%s
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- ReceiveBytes(%d) error: [%d,%d]%s
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- HttpRangeRequest(%s, %I64d, %I64d) error: [%d,%d]%s
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- HttpRangeRequest(%s, %I64d, %I64d) error: [%d,%d]%s
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- HttpRangeRequest(%s, %I64d, %I64d) error: [%d,%d]%s
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- Range: bytes=%I64d-%I64d
- User-Agent: %s
- Mozilla/4.0 (compatible; MSIE 5.0; Windows NT)
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- Content-Type: application/x-www-form-urlencoded
- User-Agent: %s
- Mozilla/4.0 (compatible; MSIE 5.0; Windows NT)
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- Unknown Exception
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- CHttpClass SetOption Finish
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- CHttpClass SetOption
- \\myprojects\\OnlineSetup\\Common\\HttpClass.cpp
- Mozilla/4.0 (compatible; MSIE 5.0; Windows NT)
- CINETException
- \\myprojects\\OnlineSetup\\Common\\DownloadThread.cpp
- CDownloadThread::Receive
- \\myprojects\\OnlineSetup\\Common\\DownloadThread.cpp
- End OnExecute Receive nId=%d
- \\myprojects\\OnlineSetup\\Common\\DownloadThread.cpp
- End OnExecute GetUnfinishBytes nId=%d

- \\myprojects\\OnlineSetup\\Common\\DownloadThread.cpp
- Begin OnExecute GetUnfinishBytes nId=%d
- \\myprojects\\OnlineSetup\\Common\\DownloadThread.cpp
- out put file close
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- End SupportBreakDownload bThreadFinish=%d
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- Begin SupportBreakDownload
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- SupportBreakDownload
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- InternalDownloadFile() break=%d
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- GetProgress() i64TotalBytes=%I64d,i64DownloadBytes=%I64d
- \\myprojects\\OnlineSetup\\Common\\DownloadManager.cpp
- BITMAP
- CBitmapFile::Write
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Write
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Read
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- %I64d
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CBitmapFile::Open(%s)
- \\myprojects\\OnlineSetup\\Common\\BitmapFile.cpp
- CPathEdit
- CColorStatic
- CColorProgressCtrl
- Checked %d
- \\myprojects\\OnlineSetup\\Common\\ColorCheckButton.cpp
- CColorCheckButton
- CColorButton
- %I64dM
- %I64dG
- \\myprojects\\OnlineSetup\\Common\\Path.cpp
- \\myprojects\\OnlineSetup\\Common\\Path.cpp
- \\myprojects\\OnlineSetup\\Common\\Path.cpp
- \\myprojects\\OnlineSetup\\Common\\Path.cpp
- TypeLib
- Software
- SECURITY
- Hardware
- Interface
- FileType

- Component Categories
- Delete
- NoRemove
- ForceRemove
- Invalid DateTimeSpan
- Invalid DateTime
- MyOleControl
- MyOleControlWindow
- MyOleControl
- CSetupToolStartDlg
- MyOleControl
- MyOleControlWindow
- MyOleControl
- .\\SetupToolDlg.cpp
- Install\\
- .\\SetupToolDlg.cpp
- CSetupToolDlg::LaunchGuaGua() path=%s Fail
- .\\SetupToolDlg.cpp
- Call LaunchGuaGua(%s)
- .\\SetupToolDlg.cpp
- nCount=%d,currentImage=%d
- .\\SetupToolDlg.cpp
- State=%d
- .\\SetupToolDlg.cpp
- .\\SetupToolDlg.cpp
- CSetupToolDlg::LaunchInstallProgram() path=%s Fail
- .\\SetupToolDlg.cpp
- Launch InstallProgram: %s %s
- .\\SetupToolDlg.cpp
- /S /AUTOSTART=%s /COMMENDER_ID=%s /D=%s
- .\\SetupToolDlg.cpp
- State=%d,runafterinstall=%d
- .\\SetupToolDlg.cpp
- taskbarpin
- taskbarunpin
- OnCmdStart() strPorductName=%s
- .\\SetupToolDlg.cpp
- .\\SetupToolDlg.cpp
- Install
- Install\\
- %c:\\Program Files\\
- MyOleControl
- MyOleControlWindow
- MyOleControl
- DoModal
- .\\SetupTool.cpp
- CImageMgr::Instance().LoadFromServer() Success
- .\\SetupTool.cpp
- CImageMgr::Instance().LoadFromServer()
- .\\SetupTool.cpp
- CSetupToolApp %d
- .\\SetupTool.cpp
- CSetupToolApp %d
- .\\SetupTool.cpp
- CSetupToolApp %d
- .\\SetupTool.cpp
- CSetupToolApp %d

- .\\SetupTool.cpp
- Global\\GirlShowSmallStationDownloadInstallTools
- CSetupToolApp %d
- .\\SetupTool.cpp
- .\\SetupTool.cpp
- list<T> too long
- MyOleControl
- MyOleControlWindow
- MyOleControl
- \\guagua_install_40.swf
- <invoke name="SetStationID" returntype="xml"><arguments><string>%d</string></arguments></invoke>
- flashClickHandler
- <invoke name="sendTextToFlash" returntype="xml"><arguments><string>%d</string></arguments></invoke>
- web_id:%s,
- rec_ad:%d,
- rec_id:%I64d,
- CProductInfoMgr::ReptDownloadFailed %s
- .\\ProductInfoMgr.cpp
- downloadfailed
- G1.0.0
- CProductInfoMgr::ReptClientStartMsg %s
- .\\ProductInfoMgr.cpp
- G1.0.0
- clientstartfail
- clientstart
- CProductInfoMgr::ReptInstallMsg %s
- .\\ProductInfoMgr.cpp
- %s%s?dlver=%s&pname;=%s&pver;=%s&cmdtype;=%d&cmdid;=%I64d&ad;=%d&oemid;=%d&fromurl;=%s&webid;=%s&dltime;=%d&insttime;=%d&homepage;=%d&recinst;=%d
- G1.0.0
- installcompletefail
- installcomplete
- .\\ProductInfoMgr.cpp
- startdown
- G1.0.0
- .\\ProductInfoMgr.cpp
- G1.0.0
- CProductInfoMgr::ReptDownloadMsg %s
- .\\ProductInfoMgr.cpp
- downloadcomplete
- G1.0.0
- LoadCookie: MainRecId = 0, SecondRecId = %I64d
- .\\ProductInfoMgr.cpp
- UpdateConfig: WebID=%s
- .\\ProductInfoMgr.cpp
- GUAGUAACOUNTID
- UpdateConfig: SourceUrl=%s
- .\\ProductInfoMgr.cpp
- HMAFROMURL
- UpdateConfig RecType:%d, RecId:%I64d, Ad:%d
- .\\ProductInfoMgr.cpp
- %d:%I64d:%d
- LoadCookie: RecommendStr=%s
- .\\ProductInfoMgr.cpp
- rec_id
- LoadCookie %d
- .\\ProductInfoMgr.cpp

- UpdateConfig Success%d
- .\\ProductInfoMgr.cpp
- ChatHall.exe
- GuaGua
- guagua
- Dance\\ChatHall.exe
- GuaGua\\GuaGua.exe
- guagua
- -autorun
- pingguo55
- qiji55
- qixi55
- kele55
- LoadConfig %d
- .\\ProductInfoMgr.cpp
- .\\ProductInfoMgr.cpp
- LoadConfig %d
- .\\ProductInfoMgr.cpp
- LoadConfig %d
- .\\ProductInfoMgr.cpp
- App LoadProductInfo Error
- .\\ProductInfoMgr.cpp
- LoadConfig %d
- .\\ProductInfoMgr.cpp
- status
- /setup/recommendsetup
- /setup/image
- /setup/lastimage
- /setup/firstimage
- version
- productName
- /setup/rept
- status
- displayName
- /setup/homePage
- licenseUrl
- execute
- installUrl2
- installUrl
- version
- displayName
- productFullName
- companyName
- productName
- productId
- /setup
- no result
- no result
- no result
- %s?oemID=%d&recid;=%I64d&curdownloader;=%d
- %s?id=%s&oemID;=%d&recid;=%I64d&curdownloader;=%d
- GetAllProductInfo %d
- .\\ProductInfoMgr.cpp
- version
- productFullName
- companyName
- //product

- GetAllProductInfo %d
- .\\ProductInfoMgr.cpp
- GetAllProductInfo %d
- .\\ProductInfoMgr.cpp
- GetAllProductInfo %d
- .\\ProductInfoMgr.cpp
- MyOleControl
- MyOleControlWindow
- MyOleControl
- %c:\\Program Files\\
- Install
- CInstallPathDlg
- invalid map/set<T> iterator
- vector<T> too long
- map/set<T> too long
- Image%d
- LastImage %s
- .\\ImageMgr.cpp
- SetLastImage Fail
- .\\ImageMgr.cpp
- SetLastImage pImage=null
- .\\ImageMgr.cpp
- FinishImage
- FirstImage %s
- .\\ImageMgr.cpp
- DefaultImage
- Resource%d
- CImageMgr::AddImage
- .\\ImageMgr.cpp
- Start Page
- DisplayIcon
- UninstallString
- GuaGuaPath
- CGuaGuaMsgBoxDlg
- %s%04d%02d%02d_%02d%02d%02d.dmp
- MiniDumpWriteDump
- MyOleControl
- MyOleControlWindow
- MyOleControl
- OnBnClickedBtnFinishClose ClientStart Fail
- SetSinaUCDefaultCamera
- SetQQDefaultCamera
- InitCameraSetup
- Player\\DefCamSetup.dll
- OnBnClickedStartBtn
- OnBnClickedStartBtn
- ServiceClient.exe
- ReptHubbleSubscibe
- ServiceClient.dll
- recommend setcount = 0
- CConfigDlg
- -va8.v
- A/v57.v
- $v99%v
- ;F8ve9^,ue
- accParent
- accChildCount

- accChild
- accName
- accValue
- accDescription
- accRole
- accState
- accHelp
- accHelpTopic
- accKeyboardShortcut
- accFocus
- accSelection
- accDefaultAction
- accSelect
- accLocation
- accNavigate
- accHitTest
- YaccDoDefaultAction
- always
- always
- Transparent
- always
- always
- always
- always
- always
- always
- 9~du"hp
- F\\9~Lu)h
- 9^<u.h
- tf9~<ua
- <A|2<Z
- 0UUUUW
- OH;Alt
- u;j0^V
- ^8tr9p@u
- uO9N@uJ
- F,98uX
- oG<-uK
- VC20XC00U
- 9~Ht]9~
- 9^@t83
- 9^@Wt;3
- N8+F,+N0
- F8+F0W
- t-9HLu
- t-9>u)
- jah,|E
- RPh0zE
- jIh(hE
- B8Ph(bE
- H8Qh8aE
- H<Qh0aE
- Q8Rhp`E
- DPh4XE
- jfh8VE
- j4h UE
- j6htOE

- @.data
- `.rdata
- !This program cannot be run in DOS mode.
- l+z7^$
- SO;kX&
- m:"Z9P
- j8,K{G
- |u:TKx T?
- ml3hrL
- GD*XGx~
- #(~9>[
- t}dBm`
- Yzj+ sc
- ;Osw[f
- 2"VNHc
- xW='HD
- TM#5GV
- bm?y3?R
- |D&nQ;+
- ACVrcN
- #3QsfV
- da"WKy
- m<}yP6
- xLbF=0
- rNF@Y/
- @sk5`B
- fXq$(}
- ?K#6"K
- *} {T~v
- S" +-U
- 3whKR|
- R_Y-;l{
- jkf)(l
- 5+ZC>],?
- }E{pjG
- 2<?GP_
- KM|"LB
- r)"@vg
- reb[`*
- dyj_IP
- }Vd..Hm9,
- GBUX&V;
- 2@b*tH=
- Tt#;0PC
- s7'kP$-
- wt*:Q%
- Li#_My
- v\\Z/z+s
- t|_~=l
- -t0FG?#
- 8}hY"j!
- %dl!k1
- d}kYZhA
- mNP(~(
- hiM"s&
- uD,:$'^
- x-~ysF

- n&A;_|}|
- H\\mVF%
- vF)#|a
- qL[HV2
- ctS<yo
- S|z:la
- -K>rU:T
- J=}r:!Fr
- 8xRD/d+h
- <-pVD8Z
- H.gsJd
- TxqB>3
- R1K}<qr
- LyFm.o
- <n;2Cc
- QLKTn&n;
- /wz^~]
- -"lMfC
- .+W[l;
- b*]v9 `
- Fv:p*1
- RRsB@pF
- {_^Zpp
- wo*<Sgl
- J-FMeW=
- t'y5:F
- Ur$zh\\-
- }"|/#F]
- V~7yC&[
-)v]M<>
- dw.Yxpi
- n@}Ab#
- P:(ObH_
- :?j5qx#
- ^])mmm
- |-Pz^$
- M/G~wvv
-)e}m(*
- 6"$;\'.
- ?3wQRSQ
- nDfdz6
- </assembly>
- TYusGL
- H.fS%`
- /F`wFL
- `Cv*8}
- vZp;"G
- ><<Lt#.g
- <?xpacket end="w"?>
-
-
-
-
-
-
-
-

</x:xmpmeta>
</rdf:RDF>

- </xmpMM:History>
- </rdf:Seq>
- </rdf:li>
- <rdf:Seq>
- <xmpMM:History>
- ~#a*BCB
- FYYYhh(
- Oc_$lnnF
- &&&fggWWW;
- AqXPP@
- s}}=O,!!
- vHP\\\\,
- }}YYYZ
- }gn*EQ]
- 4'WwwwV,
- SfRB9\\y
- {`:>=e
- /^v^Y^
- ;t;|rtu
- v/{LSCs
- @x <@x
- @x <@x <@x <@x <
- t5Ft!R#
- z|+;x4
- -sdP|[
- yfOS@cYSw
- @Ic}-D
- -\\|3+t{}
-)((Pcc-
- RctdH7G
- b#!!Ay
- fhr(cwi
- =%))I"""
- F+d'K4JK
- 'b.Q.|:
- XV~z<juX
- dtL+UVV
- kMY?G,
- j$_1;W
- Q>a"-&S;
- UmXG$k
- =&XVS;
- 0#,z(^
- /b""1z
- iTdB.c
- \\X&Yh;^
- '$l6Lm
- (bj!B4
- PgMD\\0
- d}v)b4
- :/+EGZb
- pu(Z~"
- rVnO.^x
- <ewG(=
- @Bh&`3
- dz>zC=0B|
- $x'%rV

- vN'I*[s<
- A\\p*\\,
- Ja&+ks
- 'vdt%/
- #LPiW(
- AwWN}|
- \\<@i,W
- =#E,p}+
- ,eKf$]
-]+U>cn
- B<Ys8j
- 9Mry|l
- 'z]g-<Lt@
-]X(^:&r;
- ;DW:s=k
- G'hN|}
- .cT{XW
- xt|~s%
- ,n:m||X
- (D+!$I
- tIJd&.
- FrxtC%
- +Ve;-Q
- FKT:K`]*FR
- j,>%C$
- VPtGm.
- J1.K (}
- :q/b"W
- RAMP)s
- xw.+sl
- MdLI\\.
- mK#nJ9
- =Z"(dC
- uvj?y.'|fk
- $M~x{w
- ;G#vNQ
- "L)lBa
- lzmYL:
- glM+3!
- F>HDP5
- LL$P.q
- j 5{-(?G$
- f^!eL{,
- b"" V.d
- V,g,+cE
- ^FFT1x^!CG
- D5[$-"
- \\=j_sz
- %9'HrvY
- 3`_yb%
- ?(p wy
- [+JP2t
- vhWBi;
- cPGd.@
- `K,KAv
- -?6WQ^
- R<Vd8)M)

- `0 NWSb
- 4]]S+T
- o_W&MY;(
- .{5;)
- n2|JDw
- Ag' \\^
- mY$[Mg
- z(x\\ke
-)Rg%$%
- W})qre
- Vk4Xwb;
- jln&ZXDU;
-]^?mw[y
- (9,%T?
- ;YY%mh"
- &~'t|^
- b^O;jf
- \\j{z{'*
- 9^@*+Xn{
- /*}D)?]f
- g.kXBm4
- p2gx.g%
- H#aZF_
- $P&sxq;
- WKd)XCe
- Rv3f;N
- *}1)B@
-]\\`\\!_
- P2pv+/
- X]|"1p
- @<]Jt9
- bsC1.'
- HAtn>D
- {/k'R3(
- Off'zn
- SOkJj)
- >>>>Y?9^
- `&-&L;)
- `Cr \\dJ%|
- ?|xd*g;So(h
- DXPgQ^
- m"P<\\[
- I9W:$&
- fxVt k
- S"`\\LG
- S7v-=P
- Pva>xb
- RacY$V
- 9r>&Vq.;
- 8g<Y#%
- J#Y*DD
- ^v%YwU
- !K+0{+.
- W/.?;K
- '+!lsx
- >ywy1h
- /~}y~q

- _fFc*^*
- knW_ghB
- =hUhsrb
- #WX-}j
- ="\`,
- +"w$2J
- X!#4rh
- 0l]qGH
- %mrZbe
- u:;=}|r
- -|?]RyO
- ppeFddb
-
- MS Shell Dlg
- MS Shell Dlg
- MS Shell Dlg
- MS Shell Dlg
- MS Shell Dlg
- MS Shell Dlg
- MS Shell Dlg
- }ynC',7
- }zpK&*1
- Xy\\VYd
- a}JFC;W&
- bb``bb`
- ``bb``b
- &ccc;&kn;
- ``bbb`b
- b``bb`
- `bbb~"!
- b`bbK'
- bb`bV\'#\'"
- bbbb`_?"#"$
- ``bbb\\
- bb`bb]
- TZUPPRUZW(#"#j
- _ZTTRRSV-'c'f
- mgkk,-
- v'&ffhkh;
- vgkfd$jsjipgdhswssssjt
- p%$hjhhjpju
- q!ddhdhhdu
- .!$d$$$#htp
- ccacbE"% $%
- ccccccacT,$%!.
- !gghfv
- !fidf$r
- ONMPPP[cccaac
- NNNYNKLMP[`aa\\3
- ^ONYYNMLLMNPPXH"%
- .$"$d!k
- k%gji""g
- pjstmB,k
- !gsuxy
- *=DHG6
- w3sssss
- ABCDEFGHIJKLMNOPQRSTUVWXYZ

- abcdefghijklmnopqrstuvwxyz
- /-P?pR
-
-
-
- .?AVCMapStringToPtr@@
- .?AVCPtrList@@
- .?AVCMapPtrToPtr@@
- .?AVCRgn@@
- .?AVCProgressCtrl@@
- .?AVCFont@@
- .?AVCSyncObject@@
- .?AVCAfxStringMgr@@
- .?AVCDC@@
- .?AV?$CMFCComObject@VCAccessibleProxy@ATL@@@@
- .?AV_AFX_HTMLHELP_STATE@@
- .?AVCWnd@@
- .?AVCCmdTarget@@
- .?AVlength_error@std@@
- !"#$%&\'()*+,-./0123@@@@

- CPtrList
- CMapPtrToPtr
- System
- CProgressCtrl
- %s.dll
- ntdll.dll
- CSyncObject
- commctrl_DragListMsg
- hhctrl.ocx
- MS Shell Dlg
- Cond: ASSERT(%s);
- %s, length = %I64d err = %d
- %s, %d
- HttpRequest(%s) error: [%d,%d]%s
- HttpRequest(%s) error: [%d,%d]%s
- HttpRequest(%s) error: [%d,%d]%s
- GetHttpFileInfo(%s) error: [%d,%d]%s
- GetHttpFileInfo(%s) error: [%d,%d]%s
- GetHttpFileInfo(%s) error: [%d,%d]%s
- PostHttpMsg(%s) error: [%d,%d]%s
- PostHttpMsg(%s) error: [%d,%d]%s
- PostHttpMsg(%s) error: [%d,%d]%s
- SendHttpMsg(%s) error: [%d,%d]%s
- SendHttpMsg(%s) error: [%d,%d]%s
- SendHttpMsg(%s) error: [%d,%d]%s
- SendHttpMsg %d %s
- SendHttpMsg %d %s
- SendHttpMsg %d %s
- SendHttpMsg %d %s
- SendHttpMsg %d
- GetHttpFile(%s, %s) error: [%d,%d]%s
- GetHttpFile(%s, %s) error: [%d,%d]%s
- GetHttpFile(%s, %s) error: [%d,%d]%s
- GGDLBMP
- GGDLBMP
- [%d, %d]: %s
- [%d, %d]: %s
- [%d, %d]: %s
- ExecApp %s %s [%d]
- SYSTEM
- CStartDlg
- Exec %s [%d]
- OnCmdStart() StartClient=%d
- OnCmdStart() m_bPinTaskbar=%d
- Rept %s Result [%d, %d]
- .\\ReptThread.cpp
- .....
- CProgressDlg
- src_url:%s,
- rec_type:%d,
- %s%s?dlver=%s&pname;=%s&pver;=%s&cmdtype;=%d&cmdid;=%I64d&ad;=%d&oemid;=%d&fromurl;=%s&webid;=%s&err;=%d
- %s%s?dlver=%s&pname;=%s&pver;=%s&cmdtype;=%d&cmdid;=%I64d&ad;=%d&oemid;=%d&fromurl;=%s&webid;=%s
- CProductInfoMgr::ReptDownStartMsg %s
- %s%s?dlver=%s&pname;=%s&pver;=%s&cmdtype;=%d&cmdid;=%I64d&ad;=%d&oemid;=%d&fromurl;=%s&webid;=%s
- CProductInfoMgr::ReptStartMsg %s
- %s%s?dlver=%s&pname;=%s&pver;=%s&cmdtype;=%d&cmdid;=%I64d&ad;=%d&oemid;=%d&fromurl;=%s&webid;=%s
- %s%s?dlver=%s&pname;=%s&pver;=%s&cmdtype;=%d&cmdid;=%I64d&ad;=%d&oemid;=%d&fromurl;=%s&webid;=%s&dltime;=%d

- dbghelp.dll
- .\\ConfigDlg.cpp
- CamerDll:%s
- .\\ConfigDlg.cpp
- .\\ConfigDlg.cpp
- .\\ConfigDlg.cpp
- .\\ConfigDlg.cpp
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- Mv]^Nvf
- -v\\9.v
- -vO!.v
- ,v+E.v
- -vl"-vJ
- ,v=D/v
- Y-v1#-vF
- ,vKj/vl
- .vQ3.vY
- ,v;c/vc3.v
- .v(s-v
- u.v/d/v
- /.v(7.v
- -vQJ.v
- $v@f$v
- $v<j$v
- m'vyk$v
- &vl;:%vN
- ^(_^][
- tQ9^(tLW
- H
- h((((H
- (((((H
- h((((H
- (null)
- N(;N,r
- t$ PUSVV
- PWVWWW
- oVj<^V
- N8;N@r'
- tKNt=Nt/Nt!Nt
- <A|@<Z
- ^(_^[]
- F,+F(_;E
- tD9wdt?
- WtuHHt
- QQSUVW
- NH;Alt
- NH;Alt
- PPPPhd
- SVWj(3
- F@_^][
- S_^[]
- S_^[]
- PQQQQQ
- Wj(_Wj
- +t"HHt
- HHtjHHtF
- SVWj ^

- ;F(r(8_
- t2WWVPVSW
- WWWWVSW
- PPPPPPPP
- PPPPPPPP
- PPPPPPPP
- _^][YY
- t$$VSS
- t#SSUP
- QQSVW3
- btFHt+
- VVVVVj
- VVVVVUWUUj
- >:u>FV
- t!SS9]
- HHt`HHt\\
- sVS;7|B;w
- }*9X ~%
- t.;t$$t(
- QQSVWd
- @u';t$
- SSSPQR
- HtvHt@H
- QQSVW3
- HHtjHtHHt&H;
- HtyHtWHtOHt&H;
- Zt(Ht Ht
- t<Ht0Ht$Ht
- VVVVPVVVj
- tW9qptR
- PhF;t$
- HtMHt,H
- F(@@;F,v
- @Ph\\JE
- ;HD}cj
- Pjxj}j}
- RPh(zE
- s.h`hE
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- B<PhX`E
- HRhLXE
- -jfh VE
- H QhxPE
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj

- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj
- jjjjjjjj

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)

• Module 2 strings

• Module 2 most interesting strings

• Module 2 other strings

- No strings found.
-