Analysis report for sample: 87c74ddab0fba599a7fcd001e510ddde

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 466 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 87c74ddab0fba599a7fcd001e510ddde

AV detections

- Microsoft:
- Kaspersky:
- Symantec: Trojan.Gen.2
- Malwarebytes:

Original source url

- hxxp://d2.jzbnb.com/kis_2_325.exe

Virustotal url

- https://virustotal.com/es/file/5d2ea035ec6cc8c120efedab1b0333f6c16ef2399506de62d47ef5d7e11e4d60/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- api | user32: SetLayeredWindowAttributes
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | urlmon: Extract
- api | kernel32: IsWow64Process
- api | user32: DrawIcon
- api | user32: DrawEdge
- api | user32: AnimateWindow
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages
- api | kernel32: GetLogicalProcessorInformation

Involved hosts

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- api | user32: SetLayeredWindowAttributes
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | kernel32: IsWow64Process
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | urlmon: Extract
- api | user32: DrawIcon
- api | user32: DrawEdge
- api | user32: DrawIcon
- api | user32: DrawEdge
- api | user32: DrawEdge

- api | user32: AnimateWindow
- api | user32: SetFocus
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | user32: DragObject
- api | user32: DragObject
- api | user32: DragObject
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | urlmon: Extract
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages
- api | kernel32: GetLogicalProcessorInformation

• Module 1 other strings

- Vcl.Imaging.jpeg
- EJPEG$
- EJPEG<
- Smoothing
- Performance
- ProgressiveDisplay<
- PixelFormat
- CompressionQuality
- ProgressiveEncoding
- Grayscale
- Vcl.Imaging.jpeg
- TJPEGImage
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Stream
- LoadFromStream
- Source
- Assign

- JPEGNeeded
- DIBNeeded
- Compress
- Destroy
- Create
- TJPEGImage&
- FNeedRecalc
- FScale
- FPerformance
- FProgressiveEncoding
- FProgressiveDisplay
- FQuality
- FPixelFormat
- FGrayScale
- FSmoothing
- FTempPal
- FScaledHeight
- FScaledWidth
- FBitmap
- FImage
- Vcl.Imaging.jpeg
- jf8Bit
- jf24Bit
- TJPEGPixelFormat
- Vcl.Imaging.jpeg
- jsEighth
- jsQuarter
- jsFullSize
- TJPEGScale
- Vcl.Imaging.jpeg
- jpBestSpeed
- jpBestQuality
- TJPEGPerformance
- TJPEGQualityRange
- Vcl.Imaging.jpeg
- TJPEGDataL
- Destroy
- TJPEGData'
- FGrayscale
- FHeight
- k4;k8t
- SV:P9t5
- user32.dll
- MAINICON
- TApplication
- Default
- layout text
- Handle
- TFormStyleHook
- Invalidate
- Destroy
- AControl
- Create
- TFormStyleHook8
- FCaptionEmulation
- FSysMenuButtonRect
- FStopCheckChildMove

- FRegion
- FPressedButton
- FOldVertSrollBarPosition
- FOldHorzSrollBarPosition
- FNeedsUpdate
- FMinButtonRect
- FMDIVertScrollBar
- FMDIStopVertScrollBar
- FMDIStopHorzScrollBar
- FMDIScrollSizeBox
- FMDIPrevClientProc
- FMDIHorzScrollBar
- FMDIClientInstance
- FMaxButtonRect
- FMainMenuBarHook
- FIconHandle
- FHelpButtonRect
- FHeight
- FHotButton
- FFormActive
- FCloseButtonRect
- FChangeVisibleChildHandle
- FChangeSizeCalled
- FCaptionRect
- MouseInMainMenu
- ShowMDIButtons
- MustActivateMenuItem
- MustActivateSysMenu
- MustActivateMDIChildSysMenu
- MenuActive
- EnterWithKeyboard
- InMenuLoop
- BoundsRect
- $TFormStyleHook.TMainMenuBarStyleHook,
- TrackMDIChildSystemMenu
- TrackSystemMenu
- ATrackMenu
- ProcessMenuLoop
- Canvas
- MouseUp
- MouseMove
- MouseDown
- ATrackMenu
- MenuEnter
- Invalidate
- AWidth
- GetMenuHeight
- ACharCode
- CheckHotKeyItem
- Destroy
- FormHook
- Create
- $TFormStyleHook.TMainMenuBarStyleHook8
- FSystemMenuTracking
- FSysMenuActive
- FShowMDIButtons
- FSelectFirstItem

- FPressedMDIButton
- FOldCursorPos
- FOldActiveItem
- FMustActivateSysMenu
- FMustActivateMenuItem
- FMustActivateMDIChildSysMenu
- FMouseInMainMenu
- FMenuPush
- FMenuHook
- FMenuActive
- FMDIChildSystemMenuTracking
- FMDIChildSysMenuActive
- FMDIButtons
- FOldMDIHotButton
- FHotMDIButton
- FItems
- FItemCount
- FInMenuLoop
- FIconHandle
- FFormHook
- FEnterWithKeyboard
- FBoundsRect
- FActiveItem
- (:TFormStyleHook.TMainMenuBarStyleHook.:1
- ItemRect
- MenuItem
- 1TFormStyleHook.TMainMenuBarStyleHook.TMenuBarItem
- PopupControlWnd
- Handled
- OnSettingChanged
- OnShortCut
- OnShowHint
- OnRestore
- OnModalEnd<
- OnModalBegin<
- OnMinimize<
- OnMessage<
- OnHinttdN
- OnHelp<
- OnIdle
- OnGetMainFormHandle
- OnGetActiveFormHandle<eN
- OnException<eN
- OnDeactivate
- OnActivate<
- OnActionUpdate<
- OnActionExecute
- UpdateMetricSettings
- UpdateFormatSettings
- Terminated
- ShowMainForm
- ShowHint
- NonBiDiKeyboard
- BiDiKeyboard
- BiDiMode
- ModalPopupMode
- ModalLevel

- MainFormOnTaskBar
- MainFormHandle
- MainFormd
- HintShortPause
- HintShortCuts
- HintPause
- HintHidePause
- HintColor
- HelpFile
- ExeName
- EnumAllWindowsOnActivateHint
- DialogHandle
- DefaultFontd
- CurrentHelpFile
- HelpSystem
- AutoDragDocking8
- AllowTesting
- ActiveFormHandle
- ActionUpdateDelayd
- Active
- TApplication
- Caption
- MessageBox
- UseRightToLeftScrollBar
- UseRightToLeftReading
- UseRightToLeftAlignment
- Action
- UpdateAction
- UnhookSynchronizeWakeup
- UnhookMainWindow
- Terminate
- ShowException
- RestoreTopMosts
- Restore
- APopupForm
- RemovePopupForm
- ProcessMessages
- NormalizeTopMosts
- NormalizeAllTopMosts
- ModalFinished
- ModalStarted
- Minimize
- IsRightToLeft
- Initialize
- HookSynchronizeWakeup
- HookMainWindow
- Message
- Control
- HintMouseMessage
- HideHint
- HelpShowTableOfContents
- Keyword
- HelpKeyword
- JumpID
- HelpJump
- Context
- HelpContext

- Command
- HelpCommand
- HandleMessage
- Sender
- HandleException
- Action
- ExecuteAction
- DoApplicationIdle
- CreateHandle
- Reference
- InstanceClass
- CreateForm
- CancelHint
- Control
- ControlDestroyed
- BringToFront
- APopupForm
- AddPopupForm
- CursorPos
- ActivateHint
- Destroy
- AOwner
- Create
- TApplication6
- FNeedToUninitialize
- FPopupControlWnd
- FObjectInstance
- FHandle
- FOnSettingChange
- FOnShowHint
- FOnShortCut
- FOnRestore
- FOnMinimize
- FOnActivate
- FOnDeactivate
- FOnIdle
- FOnHint
- FOnHelp
- FOnModalEnd
- FOnModalBegin
- FOnMessage
- FOnGetMainFormHandle
- FOnGetActiveFormHandle
- FOnException
- FOnActionUpdate
- FOnActionExecute
- FInitialMainFormState
- FOwnedAppWnds
- FLastActivePopup
- FMainFormOnTaskBar
- FEnumAllWindowsOnActivateHint
- FCreatingMainForm
- FModalPopupMode
- FPopupForms
- FCurrentPopupID
- FModalLevel
- FActionUpdateDelay

- FAutoDragDocking
- FDialogHandle
- FWindowList
- FWindowHooks
- FRunning
- FHandleCreated
- FTestLib
- FAllowTesting
- FActive
- FTerminate
- FPopupLevel
- FPopupOwners
- FTopMostLevel
- FTopMostList
- FTitle
- FTimerHandle
- FTimerMode
- FShowHint
- FHintWindow
- FHintShortPause
- FHintShortCuts
- FHintPause
- FHintHidePause
- FHintCursorRect
- FHintControl
- FHintColor
- FShowMainForm
- FUpdateMetricSettings
- FUpdateFormatSettings
- FHintActive
- FHelpFile
- FMouseControl
- FMainForm
- FNonBiDiKeyboard
- FDefaultFont
- FBiDiKeyboard
- FBiDiMode
- FAppIconic
- :TApplication.:1
- Result
- Section
- Sender
- Integer
- Result
- Section
- Integer
- TObject
- Sender
- TSettingChangeEvent
- Message
- Boolean
- TMessage
- Message
- TWindowHook
- HintInfo
- CanShow
- THintInfo

- HintInfo
- Boolean
- CanShow
- TShowHintEvent
- Sender
- Boolean
- TObject
- Sender
- TIdleEvent
- Handle
- Handle
- TGetHandleEvent
- Sender
- Exception
- TObject
- Sender
- TExceptionEvent
- Handled
- Boolean
- Handled
- TMessageEvent
- TPopupFormArray
- WasPopup
- FormID
- TPopupForm
- tmHide
- TTimerMode
- OnActiveFormChange
- OnActiveControlChange<
- PrimaryMonitor
- PixelsPerInch
- Height
- DefaultKbLayout
- DefaultImel
- FormCounttDC
- CaptionFonttDC
- MessageFont
- MenuFont
- IconFont
- HintFont
- WorkAreaWidth
- WorkAreaTop
- WorkAreaLeft
- WorkAreaHeight
- WorkAreaRect
- DesktopWidth
- DesktopTop
- DesktopLeft
- DesktopHeight
- DesktopRect
- MonitorCount
- SaveFocusedList
- FocusedForm<
- DataModuleCountd6N
- Cursor
- CursorCount
- CustomFormCount

- ActiveForm
- ActiveCustomForm
- ActiveControld6N
- Monitors
- DataModules
- Cursors
- CustomForms
- TScreen
- GetForm
- GetMonitor
- GetDataModule
- Handle
- SetCursors
- GetCursors
- GetCustomForms
- ResetFonts
- Realign
- MonitorDefault
- Handle
- MonitorDefault
- MonitorDefault
- EnableAlign
- DisableAlign
- Destroy
- AOwner
- Create
- TScreen6
- FDefaultCursor
- FCursorList
- FOnActiveFormChange
- FOnActiveControlChange
- FControlState
- FAlignLevel
- FCaptionFont
- FMessageFont
- FMenuFont
- FIconFont
- FHintFont
- FSaveFocusedList
- FFocusedForm
- FLastActiveCustomForm
- FLastActiveControl
- FActiveForm
- FActiveCustomForm
- FActiveControl
- FMonitors
- FDataModules
- FCustomForms
- FCursorCount
- FCursor
- FPixelsPerInch
- FDefaultKbLayout
- FDefaultIme
- mdPrimary
- mdNearest
- TMonitorDefaultTo
- Handle

- TCursorRec
- PCursorRec
- Primary
- WorkareaRect
- BoundsRect
- Height
- MonitorNum
- Handle
- TMonitor
- TMonitor
- FMonitorNum
- FHandle
- FormStyle
- BorderStyle
- AutoScroll|
- PixelsPerInch
- TCustomDockForm
- AOwner
- Create
- TCustomDockForm6
- TileMode
- MDIChildCount
- DockManager
- ClientHandle
- ActiveMDIChildd
- MDIChildren
- OnUnDockf
- OnStartDock
- OnShowh
- OnShortCut<
- OnResize
- OnPaint<
- OnMouseWheelUp<
- OnMouseWheelDownT
- OnMouseWheelT
- OnMouseUpt
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnKeyUp
- OnKeyPress
- OnKeyDownD
- OnHelp
- OnHide
- OnGetSiteInfo<
- OnGesture
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnDeactivate,
- OnDestroy<
- OnCreate<
- OnContextPopup<

- OnConstrainedResize
- OnCloseQuery
- OnClose
- OnClick4 N
- OnCanResize<
- OnAlignPosition
- OnAlignInsertBeforeT
- OnActivate
- WindowMenu<
- WindowState(
- Visible
- VertScrollBar
- Touch|
- SnapBuffer
- ShowHint
- ScreenSnap
- Scaled
- PrintScale
- PositionP
- PopupParentP
- PopupModed6N
- PopupMenu
- PixelsPerInch
- ParentBiDiMode
- ObjectMenuItem
- OldCreateOrder(
- Padding
- KeyPreviewL
- HorzScrollBar
- HelpFile|
- Height
- GlassFrame
- FormStyle
- ParentFont
- Enabled
- DragMode
- DragKind
- DoubleBuffered
- DockSite
- DefaultMonitor
- UseDockManager
- Constraints
- TransparentColorValue
- TransparentColor
- ClientWidth
- ClientHeight
- Caption
- BorderWidth
- BorderStyleH
- BorderIcons|
- BiDiMode`
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValue@
- AlphaBlend
- ActiveControl<

- Action,
- Vcl.Formsa
- get_MDIChildren
- Previous
- Cascade
- ArrangeIcons
- PopupParent
- WindowStated6N
- SnapBuffer|
- ScreenSnap
- PopupMode
- OleFormObject
- MonitorP
- ModalResult
- KeyPreview
- HelpFile
- GlassFrame
- FormState
- DropTarget
- Designer
- Caption
- Canvas
- BorderStyle
- ActiveOleControl|
- Action,
- ActiveControl
- Active,
- MDIChildren
- TCustomForm
- get_MDIChildren
- BeforeDestruction
- AfterConstruction
- set_PopupParent
- Message
- WantChildKey
- ShowModal
- Control
- SetFocusedControl
- Sender
- SendCancelMode
- Release
- AWindowHandle
- RecreateAsPopup
- Message
- MouseWheelHandler
- AMonitor
- MakeFullyVisible
- Message
- IsShortCut
- GetFormImage
- GetChildren
- Control
- FocusControl
- NewDockSite
- Removing
- Control
- DefocusControl

- Message
- DefaultHandler
- CloseQuery
- Destroy
- AOwner
- CreateNew
- AOwner
- Create
- TCustomForm6
- FFormState
- FClientInstance
- FClientHandle
- FOldCreateOrder
- FRefreshGlassFrame
- FGlassFrame
- FCreatingMainForm
- FTransparentColorValue
- FTransparentColor
- FSnapBuffer
- FScreenSnap
- FInternalPopupParentWnd
- FInternalPopupParent
- FPopupWnds
- FRecreateChildren
- FPopupParent
- FPopupMode
- FPopupChildren
- FAlphaBlendValue
- FAlphaBlend
- FOnDestroy
- FOnCreate
- FOnShow
- FOnShortCut
- FOnPaint
- FOnHide
- FOnHelp
- FOnDeactivate
- FOnCloseQuery
- FOnClose
- FOnActivate
- FSavedBorderStyle
- FActiveOleControl
- FDefClientProc
- FTextHeight
- FClientHeight
- FClientWidth
- FOleForm
- FObjectMenuItem
- FPixelsPerInch
- FWindowMenu
- FDesigner
- FModalResult
- FInCMParentBiDiModeChanged
- FHelpFile
- FCanvas
- FPrintScale
- FDropTarget

- FTileMode
- FDefaultMonitor
- FPosition
- FFormStyle
- FActive
- FKeyPreview
- FShowAction
- FWindowState
- FBorderStyle
- FBorderIcons
- FFocusedControl
- FActiveControl
- OnChange
- SheetOfGlass
- Bottom
- Enabled
- TGlassFrame$#N
- Control
- IntersectsControl
- FrameExtended
- Source
- Assign
- Client
- Create
- TGlassFrame6
- FSheetOfGlass
- FOnChange
- FBottom
- FEnabled
- FClient
- pmExplicit
- pmAuto
- pmNone
- TPopupMode
- CallHelp
- Command
- Boolean
- Boolean
- CallHelp
- NativeInt
- Command
- THelpEvent
- Handled
- Boolean
- Handled
- TShortCutEvent
- TFormState
- fsActivated
- fsCreatedMDIChild
- fsModal
- fsShowing
- fsVisible
- fsCreating
- CanClose
- Sender
- Boolean
- CanClose

- TObject
- Sender
- TCloseQueryEvent
- Action
- Sender
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- tbVertical
- tbHorizontal
- TTileMode
- saMaximize
- saMinimize
- saRestore
- saIgnore
- TShowAction
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- dmActiveForm
- dmMainForm
- dmPrimary
- dmDesktop
- TDefaultMonitor
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDefault
- poDesigned
- TPosition
- fsStayOnTop
- fsMDIForm
- fsMDIChild
- fsNormal
- TFormStyle
- TPopupWndArray
- ControlWnd
- TPopupWnd
- IOleFormt
- IDesignerHook,
- TBorderStyle
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBar|
- OnAlignPosition|

- OnAlignInsertBeforeT
- TScrollingWinControlp
- AControl
- ScrollInView
- EnableAutoRange
- DisableAutoRange
- Destroy
- AOwner
- Create
- TScrollingWinControl6
- FVertScrollBar
- FUpdatingScrollBars
- FPanPoint
- FHorzScrollBar
- FAutoScroll
- FAutoRangeCount
- ScrollPos
- Visible
- Tracking
- ThumbSize
- Smooth
- Position
- ParentColor
- Margin
- Increment
- ButtonSize
- TControlScrollBar
- IsScrollBarVisible
- ChangeBiDiPosition
- Source
- Assign
- TControlScrollBar6
- FUpdateNeeded
- FLineDiv
- FPageDiv
- FThumbSize
- FParentColor
- FColor
- FButtonSize
- FDelay
- FSmooth
- FScaled
- FTracking
- FVisible
- FMargin
- FCalcRange
- FRange
- FPosition
- FPageIncrement
- FIncrement
- FControl
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- sbVertical
- sbHorizontal

- TScrollBarKind
- Il;J<u
- MDICLIENT
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- Vcl.Menus
- TMenuUpdater
- DoIterateMenus
- TMenuUpdaterL
- Vcl.Menus
- TMenuItemStackt
- ClearItem
- TMenuItemStack8
- Windowt
- Vcl.Menus
- TPopupList
- Remove
- TPopupList2
- FWindow
- PopupPoint
- PopupComponent
- OnPopup
- OnChange<
- TrackButtonPvM
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Images
- HelpContext
- BiDiMode
- AutoPopup
- AutoLineReduction
- AutoHotkeysTyM
- AlignmentTyM
- Vcl.Menus
- TPopupMenu
- CloseMenu
- Destroy
- AOwner
- Create
- TPopupMenu6
- FOnPopup
- FMenuAnimation
- FTrackButton
- FPopupComponent
- FAutoPopup
- FAlignment
- FPopupPoint
- TMenuAnimation
- Vcl.Menus
- maNone

- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Vcl.Menus
- tbLeftButton
- tbRightButton
- TTrackButton
- Vcl.Menus
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiModePvM
- OwnerDraw
- Images
- BiDiMode
- AutoMerge
- AutoLineReduction
- AutoHotkeysTyM
- Vcl.Menus
- TMainMenu`
- Handle
- SetOle2MenuHandle
- GetOle2AcceleratorTableA
- PopulateOle2Menu
- Unmerge
- TMainMenu3
- FAutoMerge
- FOle2Menu
- WindowHandle
- ParentBiDiModed
- OwnerDraw
- Handle
- BiDiMode
- AutoLineReduction
- AutoHotkeysTyM
- ImagesTyM
- Vcl.Menus
- Message
- ProcessMenuChar
- AControl
- ParentBiDiModeChanged
- ParentBiDiModeChanged
- Message
- IsShortCut
- IsRightToLeft
- ByCommand
- GetHelpContext
- GetChildren
- FindItem
- AHandle
- DispatchPopup
- ACommand
- DispatchCommand

- Destroy
- CreateMenuItem
- AOwner
- Create
- TMenu6
- FMenuImage
- FOnChange
- FImages
- FImageChangeLink
- FParentBiDiMode
- FOwnerDraw
- FWindowHandle
- FItems
- FBiDiMode
- Vcl.Menus
- fkShortCut
- fkHandle
- fkCommand
- TFindItemKind
- Parent
- MenuIndex(
- Handle
- Command
- OnMeasureItem
- OnAdvancedDrawItemPxM
- OnDrawItem
- OnClick
- Visible<
- ShortCut
- RadioItem
- ImageIndex
- HelpContext
- GroupIndex
- Enabled
- Default
- SubMenuImages
- Checked
- Caption
- Bitmap
- AutoLineReduction
- AutoHotkeys
- AutoCheck
- Action
- Vcl.Menus
- TMenuItem
- GetItem
- SetParentComponent
- RethinkLines
- RethinkHotkeys
- Remove
- InsertNewLineAfter
- InsertNewLineBefore
- NewBottomLine
- NewTopLine
- HasParent
- GetParentMenu
- GetParentComponent

- GetImageList
- GetEnumerator
- GetChildren
- IsLine
- IndexOf
- ACaption
- Delete
- Insert
- InitiateAction
- Destroy
- AOwner
- Create
- TMenuItem6
- FHandle
- FAutoCheck
- FOnMeasureItem
- FOnAdvancedDrawItem
- FOnDrawItem
- FOnClick
- FOnChange
- FSubMenuImages
- FImageChangeLink
- FStreamedRebuild
- FMergedWith
- FMerged
- FParent
- FShortCut
- FItems
- FHelpContext
- FCommand
- FBitmap
- FBreak
- FActionLink
- FImageIndex
- FGroupIndex
- FVisible
- FRadioItem
- FAutoLineReduction
- FAutoHotkeys
- FDefault
- FEnabled
- FChecked
- FCaption
- Current
- Vcl.Menus
- TMenuItemEnumerator
- MoveNext
- GetCurrent
- AMenuItem
- Create
- TMenuItemEnumerator9
- FMenuItem
- FIndex
- Vcl.Menus
- TMenuActionLink
- TMenuActionLink
- FClient

- Vcl.Menus
- TMenuAutoFlag
- Vcl.Menus
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Height
- ACanvas
- Sender
- Integer
- Height
- Integer
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- ACanvas
- Sender
- TOwnerDrawState
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Selected
- ACanvas
- Sender
- Boolean
- Selected
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Rebuild
- Source
- Sender
- Boolean
- Rebuild
- TMenuItem
- Source
- TObject
- Sender
- TMenuChangeEvent
- Vcl.Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- Vcl.Menus
- EMenuError
- EMenuError
- OnChange
- ShareImages
- Masked

- ImageType
- Height
- DrawingStyle
- BkColor
- BlendColor
- AllocBy
- Handle
- Countp
- ColorDepth
- TCustomImageList
- UnRegisterChanges
- AHeight
- AWidth
- SetSize
- MaskColor
- NewImage
- ReplaceMasked
- ReplaceIcon
- Replace
- MaskColor
- ResType
- Instance
- ResInstLoad
- MaskColor
- ResType
- ResourceLoad
- RegisterChanges
- Overlay
- ImageIndex
- Overlay
- NewIndex
- CurIndex
- MaskColor
- InsertMasked
- InsertIcon
- Insert
- HandleAllocated
- MaskColor
- LoadFlags
- ResType
- Instance
- GetInstRes
- MaskColor
- LoadFlags
- ResType
- Instance
- GetInstRes
- MaskColor
- LoadFlags
- ResType
- GetResource
- GetMaskBitmap
- GetImageBitmap
- AImageType
- ADrawingStyle
- GetIcon
- GetIcon

- GetHotSpot
- GetBitmap
- MaskColor
- ResType
- FileLoad
- EndUpdate
- Enabled
- AImageType
- ADrawingStyle
- Overlay
- ImageIndex
- Canvas
- DrawOverlay
- Enabled
- Overlay
- ImageIndex
- Canvas
- DrawOverlay
- Enabled
- AImageType
- ADrawingStyle
- Canvas
- Enabled
- Canvas
- Delete
- BeginUpdate
- MaskColor
- AddMasked
- AddImages
- AddImage
- AddIcon
- Source
- Assign
- Destroy
- AHeight
- AWidth
- CreateSize
- AOwner
- Create
- TCustomImageList6
- FColorDepth
- FOnChange
- FUpdateCount
- FChanged
- FMonoBitmap
- FBitmap
- FClients
- FBlendColor
- FBkColor
- FImageType
- FShareImages
- FMasked
- FDrawingStyle
- FHandle
- FAllocBy
- FHeight
- cd32Bit

- cd24Bit
- cd16Bit
- cd8Bit
- cd4Bit
- cdDeviceDependent
- cdDefault
- TColorDepth
- TImageIndex
- TLoadResources
- lrMonoChrome
- lrTransparent
- lrMap3DColors
- lrFromFile
- lrDefaultSize
- lrDefaultColor
- TLoadResource
- TOverlay
- rtIcon
- rtCursor
- rtBitmap
- TResType
- itMask
- itImage
- TImageType
- dsTransparent
- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- Sender
- OnChange
- TChangeLink\\HM
- Change
- Destroy
- TChangeLink'
- FOnChange
- FSender
- Vcl.Themes
- L:{System.Generics.Collections}TList<Vcl.Themes.TStyleManager.TSourceInfo>.:3
- System.Generics.Defaults
- /TComparer<Vcl.Themes.TStyleManager.TSourceInfo> FM
- Compare
- Comparison
- Construct
- Default
- /TComparer<Vcl.Themes.TStyleManager.TSourceInfo>2
- System.Generics.Defaults
- 1TComparison<Vcl.Themes.TStyleManager.TSourceInfo>t
- Vcl.Themes
- 5:{System.Generics.Collections}TList<System.string>.:3
- System.Generics.Defaults
- Compare
- Comparison
- Construct
- Default
- TComparer<System.string>2
- System.Generics.Defaults

- TComparison<System.string>t
- l:{System.Generics.Collections}TList<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>.:3
- System.Generics.Defaults
- OTComparer<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>
- Compare
- Comparison
- Construct
- Default
- OTComparer<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>2
- System.Generics.Defaults
- QTComparison<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>t
- Vcl.Themes
- T:{System.Generics.Collections}TList<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>.:3
- System.Generics.Defaults
- 7TComparer<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>
- Compare
- Comparison
- Construct
- Default
- 7TComparer<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>2
- System.Generics.Defaults
- 9TComparison<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>t
- Vcl.Themes
- 5:{System.Generics.Collections}TList<System.TClass>.:3
- System.Generics.Defaults
- TComparer<System.TClass>
- Compare
- Comparison
- Construct
- Default
- TComparer<System.TClass>2
- System.Generics.Defaults
- TComparison<System.TClass>t
- Vcl.Themes
- :{System.Generics.Collections}TList<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>.:3
- System.Generics.Defaults
- hTComparer<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>X6M
- Compare
- Comparison
- Construct
- Default
- hTComparer<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>2
- System.Generics.Defaults
- jTComparison<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>t
- Vcl.Themes
- ;:{System.Generics.Collections}TList<System.Types.TPoint>.:3
- System.Generics.Defaults
- TComparer<System.Types.TPoint>H3M
- Compare
- Comparison
- Construct
- Default
- TComparer<System.Types.TPoint>2
- System.Generics.Defaults
- TComparison<System.Types.TPoint>t
- Vcl.ThemesP7K
- G:{System.Generics.Collections}TList<Vcl.Themes.TCustomStyleServices>.:3

- System.Generics.Defaults
- *TComparer<Vcl.Themes.TCustomStyleServices>\\0M
- Compare
- Comparison
- Construct
- Default
- *TComparer<Vcl.Themes.TCustomStyleServices>2
- System.Generics.Defaults
- ,TComparison<Vcl.Themes.TCustomStyleServices>t
- Vcl.Themes
- J:{System.Generics.Collections}TList<Vcl.Themes.TCustomStyleEngineClass>.:3
- System.Generics.Defaults
- -TComparer<Vcl.Themes.TCustomStyleEngineClass>X-M
- Compare
- Comparison
- Construct
- Default
- -TComparer<Vcl.Themes.TCustomStyleEngineClass>2
- System.Generics.Defaults
- /TComparison<Vcl.Themes.TCustomStyleEngineClass>t
- Vcl.Themes
- V:{System.Generics.Collections}TList<Vcl.Themes.TStyleManager.TStyleClassDescriptor>.:3
- System.Generics.Defaults
- 9TComparer<Vcl.Themes.TStyleManager.TStyleClassDescriptor>,*M
- Compare
- Comparison
- Construct
- Default
- 9TComparer<Vcl.Themes.TStyleManager.TStyleClassDescriptor>2
- System.Generics.Defaults
- ;TComparison<Vcl.Themes.TStyleManager.TStyleClassDescriptor>t
- OnNotify
- Capacity
- System.Generics.Collections
- +TList<Vcl.Themes.TStyleManager.TSourceInfo>
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete

- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- +TList<Vcl.Themes.TStyleManager.TSourceInfo>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- 7TList<Vcl.Themes.TStyleManager.TSourceInfo>.TEnumerator8
- MoveNext
- Create
- 7TList<Vcl.Themes.TStyleManager.TSourceInfo>.TEnumerator5
- FIndex
- 1IEnumerable<Vcl.Themes.TStyleManager.TSourceInfo>
- System.Generics.Defaults
- /IComparer<Vcl.Themes.TStyleManager.TSourceInfo>t
- Vcl.Themes
- L:{System.Generics.Collections}TList<Vcl.Themes.TStyleManager.TSourceInfo>.:1
- OnNotify
- Count@
- Capacity
- System.Generics.Collections
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange

- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- TList<System.string>.TEnumerator8
- MoveNext
- Create
- TList<System.string>.TEnumerator5
- FIndex
- IEnumerable<System.string>
- System.Generics.Defaults
- IComparer<System.string>t
- Vcl.Themes
- 5:{System.Generics.Collections}TList<System.string>.:1
- OnNotify
- Capacity
- System.Generics.Collections
- KTList<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex

- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- KTList<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- WTList<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>.TEnumerator
- MoveNext
- Create
- WTList<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>.TEnumerator5
- FIndex
- QIEnumerable<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>
- Action
- Sender
- TCollectionNotification
- Action
- Item9TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>
- TObject
- Sender
- \\TCollectionNotifyEvent<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>
- System.Generics.Defaults
- OIComparer<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>t
- }TList<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>.:1
- KbdLayerDescriptor
- Layout File
- kernel32.dll
- ShortCutText
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap

- OnNotify
- Capacity
- System.Generics.Collections
- 3TList<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- 3TList<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- ?TList<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>.TEnumerator
- MoveNext
- Create
- ?TList<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>.TEnumerator5
- FIndex
- 9IEnumerable<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>

- System.Generics.Defaults
- 7IComparer<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>t
- Vcl.Themes
- T:{System.Generics.Collections}TList<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>.:1
- OnNotify<
- Countp
- Capacity
- System.Generics.Collections
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- TList<System.TClass>.TEnumerator
- MoveNext
- Create

- TList<System.TClass>.TEnumerator5
- FIndex
- IEnumerable<System.TClass>
- System.Generics.Defaults
- IComparer<System.TClass>t
- Vcl.Themes
- 5:{System.Generics.Collections}TList<System.TClass>.:1
- OnNotify
- Capacity
- System.Generics.Collections
- dTList<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>@
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- dTList<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current

- System.Generics.Collections
- pTList<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>.TEnumerator
- MoveNext
- Create
- pTList<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>.TEnumerator5
- FIndex
- jIEnumerable<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>
- Action
- Sender
- TCollectionNotification
- Action
- ItemRTPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>
- TObject
- Sender
- uTCollectionNotifyEvent<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>
- System.Generics.Defaults
- hIComparer<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>t
- Vcl.Themes
- :{System.Generics.Collections}TList<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>.:1
- Vcl.Themes
- B:{System.Generics.Collections}TList<Vcl.Themes.TStyleHookClass>.:3
- System.Generics.Defaults
- %TComparer<Vcl.Themes.TStyleHookClass>
- Compare
- Comparison
- Construct
- Default
- %TComparer<Vcl.Themes.TStyleHookClass>2
- System.Generics.Defaults
- 'TComparison<Vcl.Themes.TStyleHookClass>t
- OnNotify
- Capacity
- System.Generics.Collections
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection

- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- &TList;<System.Types.TPoint>.TEnumerator8EL
- MoveNext
- Create
- &TList;<System.Types.TPoint>.TEnumerator5
- FIndex
- IEnumerable<System.Types.TPoint>
- Action
- Sender
- TCollectionNotification
- Action
- TPoint
- TObject
- Sender
- +TCollectionNotifyEvent<System.Types.TPoint>
- System.Generics.Defaults
- IComparer<System.Types.TPoint>t
- Vcl.Themes
- ;:{System.Generics.Collections}TList<System.Types.TPoint>.:1
- System.Generics.Collections
- TEnumerable<System.Types.TPoint>4BL
- ToArray
- GetEnumerator
- TEnumerable<System.Types.TPoint>-
- Current
- System.Generics.Collections
- TEnumerator<System.Types.TPoint>
- MoveNext
- TEnumerator<System.Types.TPoint>(
- TArray<System.Types.TPoint>
- StyleHookClass
- ControlClass
- Caption
- Caption
- Windows
- Windows

- comctl32.dll
- BDSUnthemedDesigner
- textlabel
- tabset
- datanavbuttons
- controlbar
- checklistbox
- categorypanelgroup
- categorybuttons
- window
- treeview
- aynotify
- Vcl.Themes
- EDuplicateStyleException
- EDuplicateStyleException
- Vcl.Themes
- ECustomStyleExceptionT
- ECustomStyleException|
- Vcl.Themes
- EStyleEngineException
- EStyleEngineException
- OnNotify
- CountH
- Capacity
- System.Generics.Collections
- &TList;<Vcl.Themes.TCustomStyleServices>
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange

- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- &TList;<Vcl.Themes.TCustomStyleServices>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- 2TList<Vcl.Themes.TCustomStyleServices>.TEnumerator
- MoveNext
- Create
- 2TList<Vcl.Themes.TCustomStyleServices>.TEnumerator5
- FIndex
- ,IEnumerable<Vcl.Themes.TCustomStyleServices>
- Action
- Sender
- TCollectionNotification
- Action
- TCustomStyleServices
- TObject
- Sender
- 7TCollectionNotifyEvent<Vcl.Themes.TCustomStyleServices>
- System.Generics.Defaults
- *IComparer<Vcl.Themes.TCustomStyleServices>t
- Vcl.ThemesP7K
- G:{System.Generics.Collections}TList<Vcl.Themes.TCustomStyleServices>.:1
- System.Generics.Collections
- ,TEnumerable<Vcl.Themes.TCustomStyleServices>h
- ToArray
- GetEnumerator
- ,TEnumerable<Vcl.Themes.TCustomStyleServices>-
- Current
- System.Generics.Collections
- ,TEnumerator<Vcl.Themes.TCustomStyleServices>
- MoveNext
- ,TEnumerator<Vcl.Themes.TCustomStyleServices>(
- SystemP7K
- 'TArray<Vcl.Themes.TCustomStyleServices>
- OnNotify
- Count\\
- Capacity
- System.Generics.Collections
-)TList<Vcl.Themes.TCustomStyleEngineClass>
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer

- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
-)TList<Vcl.Themes.TCustomStyleEngineClass>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- 5TList<Vcl.Themes.TCustomStyleEngineClass>.TEnumerator
- MoveNext
- Create
- 5TList<Vcl.Themes.TCustomStyleEngineClass>.TEnumerator5
- FIndex
- /IEnumerable<Vcl.Themes.TCustomStyleEngineClass>
- Action
- Sender
- TCollectionNotification
- Action
- TCustomStyleEngineClass
- TObject
- Sender
- :TCollectionNotifyEvent<Vcl.Themes.TCustomStyleEngineClass>
- System.Generics.Defaults
- -IComparer<Vcl.Themes.TCustomStyleEngineClass>t

- Vcl.Themes
- J:{System.Generics.Collections}TList<Vcl.Themes.TCustomStyleEngineClass>.:1
- System.Generics.Collections
- /TEnumerable<Vcl.Themes.TCustomStyleEngineClass>l
- ToArray
- GetEnumerator
- /TEnumerable<Vcl.Themes.TCustomStyleEngineClass>-
- Currentl
- System.Generics.Collections
- /TEnumerator<Vcl.Themes.TCustomStyleEngineClass>
- MoveNext
- /TEnumerator<Vcl.Themes.TCustomStyleEngineClass>(
- *TArray<Vcl.Themes.TCustomStyleEngineClass>
- OnNotify
- Capacity
- System.Generics.Collections
- 5TList<Vcl.Themes.TStyleManager.TStyleClassDescriptor>`
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert
- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create

- 5TList<Vcl.Themes.TStyleManager.TStyleClassDescriptor>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- ATList<Vcl.Themes.TStyleManager.TStyleClassDescriptor>.TEnumerator
- MoveNext
- Create
- ATList<Vcl.Themes.TStyleManager.TStyleClassDescriptor>.TEnumerator5
- FIndex
- ;IEnumerable<Vcl.Themes.TStyleManager.TStyleClassDescriptor>
- Action
- Sender
- TCollectionNotification
- Action
- Item#TStyleManager.TStyleClassDescriptor
- TObject
- Sender
- FTCollectionNotifyEvent<Vcl.Themes.TStyleManager.TStyleClassDescriptor>
- System.Generics.Defaults
- 9IComparer<Vcl.Themes.TStyleManager.TStyleClassDescriptor>t
- Vcl.Themes
- V:{System.Generics.Collections}TList<Vcl.Themes.TStyleManager.TStyleClassDescriptor>.:1
- System.Generics.Collections
- ;TEnumerable<Vcl.Themes.TStyleManager.TStyleClassDescriptor>
- ToArray
- GetEnumerator
- ;TEnumerable<Vcl.Themes.TStyleManager.TStyleClassDescriptor>-
- Current
- System.Generics.Collections
- ;TEnumerator<Vcl.Themes.TStyleManager.TStyleClassDescriptor>L
- MoveNext
- ;TEnumerator<Vcl.Themes.TStyleManager.TStyleClassDescriptor>(
- 6TArray<Vcl.Themes.TStyleManager.TStyleClassDescriptor>
- OnValueNotify
- OnKeyNotify
- Values@
- System.Generics.Collections
- ?TDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>$
- SetItem
- GetItem
- GetEnumerator
- ToArray
- ContainsValue
- ContainsKey
- AddOrSetValue
- TryGetValue
- TrimExcess
- ExtractPair
- Remove
- Destroy
- AComparer
- Collection
- Create
- Collection

- Create
- AComparer
- ACapacity
- Create
- AComparer
- Create
- ACapacity
- Create
- ?TDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>9
- FValueCollection
- FKeyCollection
- FOnValueNotify
- FOnKeyNotify
- FGrowThreshold
- FComparer
- FCount
- FItems
- Current$
- System.Generics.Collections
- OTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TPairEnumerator
- MoveNext
- ADictionary
- Create
- OTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TPairEnumerator;
- FIndex
- FDictionary
- System.Generics.Collections
- PTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TValueCollection
- ToArray
- GetEnumerator
- ADictionary
- Create
- PTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TValueCollection;
- FDictionary
- Current
- System.Generics.Collections
- PTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TValueEnumerator
- MoveNext
- ADictionary
- Create
- PTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TValueEnumerator;
- FIndex
- FDictionary
- System.Generics.Collections
- 1TEnumerable<Vcl.Themes.TStyleManager.TSourceInfo>l
- ToArray
- GetEnumerator
- 1TEnumerable<Vcl.Themes.TStyleManager.TSourceInfo>-
- Current
- System.Generics.Collections
- 1TEnumerator<Vcl.Themes.TStyleManager.TSourceInfo>
- MoveNext
- 1TEnumerator<Vcl.Themes.TStyleManager.TSourceInfo>(
- ,TArray<Vcl.Themes.TStyleManager.TSourceInfo>
- System.Generics.Collections
- NTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TKeyCollection
- ToArray

- GetEnumerator
- ADictionary
- Create
- NTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TKeyCollection;
- FDictionary
- Current
- System.Generics.Collections
- NTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TKeyEnumerator
- MoveNext
- ADictionary
- Create
- NTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TKeyEnumerator;
- FIndex
- FDictionary
- System.Generics.Collections
- TEnumerable<System.string>H
- ToArray
- GetEnumerator
- TEnumerable<System.string>-
- Current
- System.Generics.Collections
- TEnumerator<System.string>
- MoveNext
- TEnumerator<System.string>(
- Action
- Sender
- TCollectionNotification
- Action
- TStyleManager.TSourceInfo
- TObject
- Sender
- <TCollectionNotifyEvent<Vcl.Themes.TStyleManager.TSourceInfo>
- Action
- Sender
- TCollectionNotification
- Action
- TObject
- Sender
- %TCollectionNotifyEvent<System.string>
- System.Generics.Defaults
- IEqualityComparer<System.string>t
- System.Generics.Collections
- JTDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TItemArray
- HashCode
- ETDictionary<System.string,Vcl.Themes.TStyleManager.TSourceInfo>.TItem
- System.Generics.Collections
- QTEnumerable<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>p
- ToArray
- GetEnumerator
- QTEnumerable<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>-
- Current
- System.Generics.Collections
- QTEnumerator<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>
- MoveNext
- QTEnumerator<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>(
- LTArray<Vcl.Themes.TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>>
- AValue

- Create
- 9TPair<System.string,Vcl.Themes.TStyleManager.TSourceInfo>
- OnValueNotify
- OnKeyNotify
- Valuesp
- System.Generics.Collections
- XTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>
- SetItem
- GetItem
- GetEnumerator
- ToArray
- ContainsValue
- ContainsKey
- AddOrSetValue
- TryGetValue
- TrimExcess
- ExtractPair
- Remove
- Destroy
- AComparer
- Collection
- Create
- Collection
- Create
- AComparer
- ACapacity
- Create
- AComparer
- Create
- ACapacity
- Create
- XTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>9
- FValueCollection
- FKeyCollection
- FOnValueNotify
- FOnKeyNotify
- FGrowThreshold
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- hTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TPairEnumerator
- MoveNext
- ADictionary
- Create
- hTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TPairEnumerator;
- FIndex
- FDictionary
- System.Generics.Collections
- iTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TValueCollection(
- ToArray
- GetEnumerator
- ADictionary
- Create
- iTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TValueCollection;
- FDictionary

- Current
- System.Generics.Collections
- iTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TValueEnumerator
- MoveNext
- ADictionary
- Create
- iTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TValueEnumerator;
- FIndex
- FDictionary
- System.Generics.Collections
- 9TEnumerable<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>l
- ToArray
- GetEnumerator
- 9TEnumerable<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>-
- Current
- System.Generics.Collections
- 9TEnumerator<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>
- MoveNext
- 9TEnumerator<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>(
- 4TArray<Vcl.Themes.TList<Vcl.Themes.TStyleHookClass>>
- System.Generics.Collections
- gTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TKeyCollectionH
- ToArray
- GetEnumerator
- ADictionary
- Create
- gTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TKeyCollection;
- FDictionary
- CurrentH
- System.Generics.Collections
- gTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TKeyEnumerator
- MoveNext
- ADictionary
- Create
- gTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TKeyEnumerator;
- FIndex
- FDictionary
- System.Generics.Collections
- TEnumerable<System.TClass>
- ToArray
- GetEnumerator
- TEnumerable<System.TClass>-
- Current
- System.Generics.Collections
- TEnumerator<System.TClass>
- MoveNext
- TEnumerator<System.TClass>(
- Action
- Sender
- TCollectionNotification
- Action
- Item!TList<Vcl.Themes.TStyleHookClass>
- TObject
- Sender
- UTCollectionNotifyEvent<System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>
- Action
- Sender

- TCollectionNotification
- Action
- TObject
- Sender
- %TCollectionNotifyEvent<System.TClass>
- System.Generics.Defaults
- IEqualityComparer<System.TClass>t
- System.Generics.Collections
- cTDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TItemArray
- HashCode
- ^TDictionary<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>.TItem
- System.Generics.Collections
- jTEnumerable<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>D
- ToArray
- GetEnumerator
- jTEnumerable<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>-
- Current
- System.Generics.Collections
- jTEnumerator<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>x
- MoveNext
- jTEnumerator<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>(
- eTArray<Vcl.Themes.TPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>>
- AValue
- Create
- RTPair<System.TClass,System.Generics.Collections.TList<Vcl.Themes.TStyleHookClass>>
- OnNotify
- Capacity
- System.Generics.Collections
- SetItem
- GetItem
- GetEnumerator
- ToArray
- TrimExcess
- AComparer
- BinarySearch
- BinarySearch
- AComparer
- Reverse
- LastIndexOf
- IndexOf
- Contains
- NewIndex
- CurIndex
- Index2
- Index1
- Exchange
- ACount
- AIndex
- DeleteRange
- Delete
- Remove
- Collection
- InsertRange
- Collection
- InsertRange
- InsertRangeN
- Insert

- Collection
- AddRange
- Collection
- AddRange
- AddRange<
- Destroy
- Collection
- Create
- AComparer
- Create
- Create
- !TList<Vcl.Themes.TStyleHookClass>&
- FOnNotify
- FComparer
- FCount
- FItems
- Current
- System.Generics.Collections
- -TList<Vcl.Themes.TStyleHookClass>.TEnumeratorl{K
- MoveNext
- Create
- -TList<Vcl.Themes.TStyleHookClass>.TEnumerator5
- FIndex
- 'IEnumerable<Vcl.Themes.TStyleHookClass>
- Action
- Sender
- TCollectionNotification
- Action
- TStyleHookClass
- TObject
- Sender
- 2TCollectionNotifyEvent<Vcl.Themes.TStyleHookClass>
- System.Generics.Defaults
- %IComparer<Vcl.Themes.TStyleHookClass>t
- Vcl.Themes
- B:{System.Generics.Collections}TList<Vcl.Themes.TStyleHookClass>.:1
- System.Generics.Collections
- 'TEnumerable<Vcl.Themes.TStyleHookClass>0xK
- ToArray
- GetEnumerator
- 'TEnumerable<Vcl.Themes.TStyleHookClass>-
- Current0xK
- System.Generics.Collections
- 'TEnumerator<Vcl.Themes.TStyleHookClass>
- MoveNext
- 'TEnumerator<Vcl.Themes.TStyleHookClass>(
- "TArray<Vcl.Themes.TStyleHookClass>
- Vcl.Themes
- TMouseTrackControlStyleHook
- Destroy
- AControl
- Create
- TMouseTrackControlStyleHook8
- FMouseInNCArea
- FMouseInControl
- FHotTrackTimer
- Vcl.Themes

- mpBottom
- mpNone
- *TMouseTrackControlStyleHook.TMousePosition
- Control
- Vcl.Themes
- TStyleHookHpK
- InvalidateNC
- Invalidate
- Message
- HandleMessage
- Details
- Canvas
- DrawControlText
- Destroy
- AControl
- Create
- TStyleHook8
- FPaintOnEraseBkgnd
- FOverridePaintNC
- FOverridePaint
- FOverrideEraseBkgnd
- FNeedsDefaultPaint
- FHandled
- FFontColor
- FFocusUpdate
- FFocused
- FDoubleBuffered
- FCallDefaultProc
- FControl
- Vcl.Themes
- TUxThemeTextLabelElements
- ExtentRect
- BoundingRect
- GetTextExtent
- ElementColor
- GetElementColor
- ContentRect
- BoundingRect
- GetElementContentRect
- Options
- DrawText
- TUxThemeTextLabelElements
- Vcl.Themes
- TUxThemeTabSetElements
- ElementColor
- GetElementColor
- TUxThemeTabSetElements
- Vcl.Themes
- TUxThemePanelElements
- ElementColor
- GetElementColor
- Options
- DrawText
- TUxThemePanelElements
- Vcl.Themes
- TUxThemeHintElements$hK
- ElementColor

- GetElementColor
- TUxThemeHintElements
- Vcl.Themes
- TUxThemeGridElements
- ElementColor
- GetElementColor
- Options
- DrawText
- ClipRect
- DrawElement
- TUxThemeGridElements
- Vcl.Themes
- TUxThemeControlBarElements,dK
- ElementColor
- GetElementColor
- TUxThemeControlBarElements
- Vcl.Themes
- TUxThemeCheckListBoxElements
- ElementColor
- GetElementColor
- TUxThemeCheckListBoxElements
- Vcl.Themes
- "TUxThemeCategoryPanelGroupElementsx_K
- ElementSize
- GetElementSize
- ElementColor
- GetElementColor
- Options
- DrawText
- ClipRect
- DrawElement
- "TUxThemeCategoryPanelGroupElements
- Vcl.Themes
- TUxThemeCategoryButtonElementsx]K
- ElementColor
- GetElementColor
- ClipRect
- DrawElement
- TUxThemeCategoryButtonElements
- Vcl.Themes
- TCustomElementServices(VK
- HasTransparentParts
- ExtentRect
- BoundingRect
- GetTextExtent
- ElementSize
- GetElementSize
- Region
- GetElementRegion
- ElementMargins
- Margin
- GetElementMargins
- ElementColor
- GetElementColor
- ContentRect
- BoundingRect
- GetElementContentRect

- Options
- DrawText
- ClipRect
- DrawElement
- ContentRect
- TCustomElementServices
- StyleDescriptor
- Vcl.Themes
- TStyleManagerlNK
- StyleName
- GetStyleDescriptor
- GetStyle
- AEngineClass
- UnRegisterStyleEngine
- StyleClass
- UnRegisterStyleClass
- UnInitialize
- ShowErrorDialog
- Handle
- ResourceType
- ResourceName
- Instance
- TryLoadFromResource
- Handle
- SetStyle
- SetStyle
- SetStyle
- StyleClass
- ResourceType
- Description
- Extension
- RegisterStyleClass
- StyleClass
- ResourceType
- Description
- Extension
- RegisterStyleClass
- RegisterStyle
- Operation
- Notification
- ResourceType
- ResourceName
- Instance
- LoadFromResource
- ResourceName
- Instance
- LoadFromResource
- FileName
- LoadFromFile
- StyleInfo
- FileName
- IsValidStyle
- FileName
- IsValidStyle
- Initialize
- DefWndProc
- Message

- Control
- HandleMessage
- TStyleManagerc
- StyleClass
- TStyleManager.TSourceInfo
- "TStyleManager.TStyleServicesHandle
- StyleClass
- ResourceType
- Description
- Extension
- #TStyleManager.TStyleClassDescriptor
- TCustomStyleEngineClass
- Vcl.Themes
- TCustomStyleEngine
- StyleHookClass
- ControlClass
- UnRegisterStyleHook
- StyleHookClass
- ControlClass
- RegisterStyleHook
- Operation
- Notification
- DefWndProc
- Message
- Control
- HandleMessage
- TCustomStyleEnginec
- Vcl.Themes
- snStyleHookUnregistered
- snControlDestroyed
- +TCustomStyleEngine.TStyleEngineNotification
- TStyleHookClass
- Vcl.Themes
- TUxThemeStyle
- UpdateThemes
- Stream
- SaveToStream
- Stream
- LoadFromStream
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails

- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails

- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Destroy
- Create
- TUxThemeStyle&
- FThemeData
- FUseThemes
- FAvailable
- FCustomElements
- TCustomStyleServicesClassP7K
- OnThemeChange
- IsSystemStyle
- Enabled
- Available
- Vcl.Themes
- TCustomStyleServices
- Element
- GetTheme
- StyleInfo
- Stream
- IsValidStyle
- Stream
- IsValidStyle
- ThemesEnabled
- ThemesAvailable
- FileName
- SaveToFile
- EraseLRCorner
- Control
- PaintBorder
- FileName
- LoadFromFile
- Details
- HasTransparentParts
- ExtentRect
- BoundingRect
- Details
- GetTextExtent
- ExtentRect
- Details
- GetTextExtent
- GetSystemColor
- GetStyleFontColor
- GetStyleColor
- ElementSize
- Details
- GetElementSize
- ElementSize
- Details
- GetElementSize

- Region
- Details
- GetElementRegion
- Region
- Details
- GetElementRegion
- Margins
- ElementMargin
- Details
- GetElementMargins
- Margins
- ElementMargin
- Details
- GetElementMargins
- ElementColor
- Details
- GetElementColor
- ContentRect
- BoundingRect
- Details
- GetElementContentRect
- Options
- Details
- DrawText
- Details
- DrawText
- Flags2
- Details
- DrawText
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- DrawParentBackground
- Images
- Details
- ClipRect
- Details
- DrawElement
- ClipRect
- Details
- DrawElement
- ContentRect
- Details

- ContentRect
- Details
- BoundingRect
- Details
- ContentRect
- Details
- ColorToRGB
- Details
- ColorToRGB
- ApplyThemeChange
- Create
- TCustomStyleServices&
- FOnThemeChange
- TCustomStyleServices.TStyleFlags
- Vcl.Themes
- sfHandleMessages
- TCustomStyleServices.TStyleFlag
- Vcl.Themes
- TAbstractStyleServicesd
- UpdateThemes
- Stream
- SaveToStream
- EraseLRCorner
- Control
- PaintBorder
- Stream
- LoadFromStream
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails

- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- TAbstractStyleServicesL
- Version
- AuthorURL

- AuthorEMail
- Author
- TStyleInfo
- Vcl.Themes
- sfWindowTextNormal
- sfWindowTextDisabled
- sfTreeItemTextSelected
- sfTreeItemTextNormal
- sfTreeItemTextHot
- sfTreeItemTextFocused
- sfTreeItemTextDisabled
- sfToolItemTextSelected
- sfToolItemTextNormal
- sfToolItemTextHot
- sfToolItemTextDisabled
- sfTextLabelNormal
- sfTextLabelHot
- sfTextLabelFocused
- sfTextLabelDisabled
- sfTabTextInactiveNormal
- sfTabTextInactiveHot
- sfTabTextInactiveDisabled
- sfTabTextActiveNormal
- sfTabTextActiveHot
- sfTabTextActiveDisabled
- sfStatusPanelTextNormal
- sfStatusPanelTextDisabled
- sfSmCaptionTextNormal
- sfSmCaptionTextInactive
- sfRadioButtonTextPressed
- sfRadioButtonTextNormal
- sfRadioButtonTextHot
- sfRadioButtonTextFocused
- sfRadioButtonTextDisabled
- sfPopupMenuItemTextSelected
- sfPopupMenuItemTextNormal
- sfPopupMenuItemTextHot
- sfPopupMenuItemTextDisabled
- sfPanelTextNormal
- sfPanelTextDisabled
- sfMenuItemTextSelected
- sfMenuItemTextNormal
- sfMenuItemTextHot
- sfMenuItemTextDisabled
- sfListItemTextSelected
- sfListItemTextNormal
- sfListItemTextHot
- sfListItemTextFocused
- sfListItemTextDisabled
- sfHeaderSectionTextPressed
- sfHeaderSectionTextNormal
- sfHeaderSectionTextHot
- sfHeaderSectionTextDisabled
- sfGroupBoxTextNormal
- sfGroupBoxTextDisabled
- sfGridItemSelected
- sfGridItemNormal

- sfGridItemFixedPressed
- sfGridItemFixedNormal
- sfGridItemFixedHot
- sfEditBoxTextSelected
- sfEditBoxTextNormal
- sfEditBoxTextHot
- sfEditBoxTextFocused
- sfEditBoxTextDisabled
- sfComboBoxItemSelected
- sfComboBoxItemNormal
- sfComboBoxItemHot
- sfComboBoxItemFocused
- sfComboBoxItemDisabled
- sfCheckBoxTextPressed
- sfCheckBoxTextNormal
- sfCheckBoxTextHot
- sfCheckBoxTextFocused
- sfCheckBoxTextDisabled
- sfCatgeoryButtonsSelected
- sfCatgeoryButtonsNormal
- sfCatgeoryButtonsHot
- sfCatgeoryButtonsCategoryNormal!sfCatgeoryButtonsCategorySelected
- sfCategoryPanelGroupHeaderHot sfCategoryPanelGroupHeaderNormal
- sfCaptionTextNormal
- sfCaptionTextInactive
- sfButtonTextPressed
- sfButtonTextNormal
- sfButtonTextHot
- sfButtonTextFocused
- sfButtonTextDisabled
- TStyleFont
- Vcl.Themes
- scWindow
- scTreeView
- scToolBarGradientEnd
- scToolBarGradientBase
- scSplitter
- scPanelDisabled
- scPanel
- scListView
- scListBoxDisabled
- scListBox
- scHintGradientEnd
- scHintGradientBase
- scGenericGradientEnd
- scGenericGradientBase
- scGenericBackground
- scEditDisabled
- scEdit
- scComboBoxDisabled
- scComboBox
- scCategoryPanelGroup
- scCategoryButtonsGradientEnd
- scCategoryButtonsGradientBase
- scCategoryButtons
- scButtonPressed
- scButtonNormal

- scButtonHot
- scButtonFocused
- scButtonDisabled
- scBorder
- TStyleColor
- Element
- Create
- Element
- TThemedElementDetails
- PThemedElementDetails$
- GlowSize
- ShadowOffset
- ShadowColor
- BorderSize
- BorderColor
- TextColor
- TStyleTextOptions
- TStyleTextFlags
- Vcl.Themes
- stfGlowSize
- stfShadowOffset
- stfShadowColor
- stfBorderSize
- stfBorderColor
- stfTextColor
- TStyleTextFlag
- Vcl.Themes
- esStretch
- esActual
- esMinimum
- TElementSize
- Vcl.Themes
- emCaption
- emContent
- emSizing
- TElementMargin
- TElementEdgeFlags
- Vcl.Themes
- efMono
- efFlat
- efAdjust
- efSoft
- efMiddle
- efDiagonalEndBottomRight
- efDiagonalEndBottomLeft
- efDiagonalEndTopRight
- efDiagonalEndTopLeft
- efDiagonal
- efRect
- efBottomRight
- efBottomLeft
- efTopRight
- efTopLeft
- efBottom
- efRight
- efLeft
- TElementEdgeFlag

- TElementEdges
- Vcl.Themes
- eeSunken
- eeRaised
- eeEtched
- eeBump
- eeSunkenOuter
- eeRaisedOuter
- eeSunkenInner
- eeRaisedInner
- TElementEdge
- Vcl.Themes
- ecBodyTextColor
- ecHeading2TextColor
- ecHeading1TextColor
- ecTextColorHint
- ecAccentColorHint
- ecBorderColorHint
- ecFillColorHint
- ecGlyphTransparentColor
- ecGlyphTextColor
- ecTextShadowColor
- ecTextBorderColor
- ecGlowColor
- ecShadowColor
- ecGradientColor5
- ecGradientColor4
- ecGradientColor3
- ecGradientColor2
- ecGradientColor1
- ecTransparentColor
- ecEdgeFillColor
- ecEdgeDkShadowColor
- ecEdgeShadowColor
- ecEdgeHighLightColor
- ecEdgeLightColor
- ecTextColor
- ecFillColor
- ecBorderColor
- TElementColor
- TThemeData
- Vcl.Themes
- twFrame
- twFrameBottomSizingTemplate twSmallFrameBottomSizingTemplate
- twSmallFrameRightSizingTemplate
- twFrameRightSizingTemplate
- twSmallFrameLeftSizingTemplate
- twFrameLeftSizingTemplate
- twSmallCaptionSizingTemplate
- twCaptionSizingTemplate
- twDialog
- twVertThumbDisabled
- twVertThumbPushed
- twVertThumbHot
- twVertThumbNormal
- twVertScrollDisabled
- twVertScrollPushed

- twVertScrollHot
- twVertScrollNormal
- twHorzThumbDisabled
- twHorzThumbPushed
- twHorzThumbHot
- twHorzThumbNormal
- twHorzScrollDisabled
- twHorzScrollPushed
- twHorzScrollHot
- twHorzScrollNormal
- twMDIHelpButtonDisabled
- twMDIHelpButtonPushed
- twMDIHelpButtonHot
- twMDIHelpButtonNormal
- twHelpButtonDisabled
- twHelpButtonPushed
- twHelpButtonHot
- twHelpButtonNormal
- twMDIRestoreButtonDisabled
- twMDIRestoreButtonPushed
- twMDIRestoreButtonHot
- twMDIRestoreButtonNormal
- twRestoreButtonDisabled
- twRestoreButtonPushed
- twRestoreButtonHot
- twRestoreButtonNormal
- twMDICloseButtonDisabled
- twMDICloseButtonPushed
- twMDICloseButtonHot
- twMDICloseButtonNormal
- twSmallCloseButtonDisabled
- twSmallCloseButtonPushed
- twSmallCloseButtonHot
- twSmallCloseButtonNormal
- trackbar
- tooltip
- toolbar
- textstyle
- taskdialog
- taskbar
- taskband
- status
- startpanel
- scrollbar
- progress
- navigation
- monthcal
- menuband
- listview
- header
- flyout
- explorerbar
- datepicker
- combobox
- button
- 2001-2006 Mike Lischke
- Theme manager

- twCloseButtonDisabled
- twCloseButtonPushed
- twCloseButtonHot
- twCloseButtonNormal
- twMaxButtonDisabled
- twMaxButtonPushed
- twMaxButtonHot
- twMaxButtonNormal
- twMDIMinButtonDisabled
- twMDIMinButtonPushed
- twMDIMinButtonHot
- twMDIMinButtonNormal
- twMinButtonDisabled
- twMinButtonPushed
- twMinButtonHot
- twMinButtonNormal
- twMDISysButtonDisabled
- twMDISysButtonPushed
- twMDISysButtonHot
- twMDISysButtonNormal
- twSysButtonDisabled
- twSysButtonPushed
- twSysButtonHot
- twSysButtonNormal
- twSmallFrameBottomInactive
- twSmallFrameBottomActive
- twSmallFrameRightInactive
- twSmallFrameRightActive
- twSmallFrameLeftInactive
- twSmallFrameLeftActive
- twFrameBottomInactive
- twFrameBottomActive
- twFrameRightInactive
- twFrameRightActive
- twFrameLeftInactive
- twFrameLeftActive
- twSmallMaxCaptionDisabled
- twSmallMaxCaptionInactive
- twSmallMaxCaptionActive
- twMaxCaptionDisabled
- twMaxCaptionInactive
- twMaxCaptionActive
- twSmallMinCaptionDisabled
- twSmallMinCaptionInactive
- twSmallMinCaptionActive
- twMinCaptionDisabled
- twMinCaptionInactive
- twMinCaptionActive
- twSmallCaptionDisabled
- twSmallCaptionInactive
- twSmallCaptionActive
- twCaptionDisabled
- twCaptionInactive
- twCaptionActive
- twWindowRoot
- twWindowDontCare
- TThemedWindow

- Vcl.Themes
- ttHotGlyphOpen
- ttGlyphOpened
- ttItemHotSelected
- ttItemSelectedNotFocus
- ttItemDisabled
- ttItemSelected
- ttItemHot
- ttItemNormal
- ttTreeviewRoot
- ttTreeviewDontCare
- TThemedTreeview
- Vcl.Themes
- ttnAnimBackground
- ttnBackground
- ttnTrayNotifyRoot
- ttnTrayNotifyDontCare
- TThemedTrayNotify
- Vcl.Themes
- ttbThumbRightDisabled
- ttbThumbRightFocused
- ttbThumbRightPressed
- ttbThumbRightNormal
- ttbThumbLeftDisabled
- ttbThumbLeftFocused
- ttbThumbLeftPressed
- ttbThumbLeftHot
- ttbThumbLeftNormal
- ttbThumbVertDisabled
- ttbThumbVertFocused
- ttbThumbVertPressed
- ttbThumbVertHot
- ttbThumbVertNormal
- ttbThumbTopDisabled
- ttbThumbTopFocused
- ttbThumbTopPressed
- ttbThumbTopHot
- ttbThumbTopNormal
- ttbThumbBottomDisabled
- ttbThumbBottomFocused
- ttbThumbBottomPressed
- ttbThumbBottomHot
- ttbThumbBottomNormal
- ttbThumbDisabled
- ttbThumbFocused
- ttbThumbPressed
- ttbThumbNormal
- ttbTrackBarRoot
- ttbTrackBarDontCare
- TThemedTrackBar
- Vcl.Themes
- tttWrenchNormal
- tttBalloonStemLeftWall
- tttBalloonStemDownCentered
- tttBalloonStemDownRightWall
- tttBalloonStemUpRightWall
- tttBalloonStemUpCentered

- tttBalloonStemUpLeftWall
- tttClosePressed
- tttCloseHot
- tttCloseNormal
- tttBaloonStemDownLeft
- tttBaloonStemUpLeft
- tttBaloonTitleLink
- tttBaloonTitleNormal
- tttBaloonLink
- tttBaloonNormal
- tttStandardTitleLink
- tttStandardTitleNormal
- tttStandardLink
- tttStandardNormal
- tttToolTipRoot
- tttToolTipDontCare
- TThemedToolTip
- Vcl.Themes
- ttbDropDownButtonGlyphNearHot"ttbDropDownButtonGlyphOtherSideHot
- ttbDropDownButtonGlyphChecked ttbDropDownButtonGlyphCheckedHot
- ttbDropDownButtonGlyphDisabled
- ttbDropDownButtonGlyphPressed
- ttbDropDownButtonGlyphHot
- ttbDropDownButtonGlyphNormal
- ttbSeparatorVertOtherSideHot
- ttbSeparatorVertNearHot
- ttbSeparatorVertCheckedHot
- ttbSeparatorVertChecked
- ttbSeparatorVertDisabled
- ttbSeparatorVertPressed
- ttbSeparatorVertHot
- ttbSeparatorVertNormal
- ttbSeparatorOtherSideHot
- ttbSeparatorNearHot
- ttbSeparatorCheckedHot
- ttbSeparatorChecked
- ttbSeparatorDisabled
- ttbSeparatorPressed
- ttbSeparatorHot
- ttbSeparatorNormal
- ttbSplitButtonDropDownNearHot"ttbSplitButtonDropDownOtherSideHot
- ttbSplitButtonDropDownChecked ttbSplitButtonDropDownCheckedHot
- ttbSplitButtonDropDownDisabled
- ttbSplitButtonDropDownPressed
- ttbSplitButtonDropDownHot
- ttbSplitButtonDropDownNormal
- ttbSplitButtonOtherSideHot
- ttbSplitButtonNearHot
- ttbSplitButtonCheckedHot
- ttbSplitButtonChecked
- ttbSplitButtonDisabled
- ttbSplitButtonPressed
- ttbSplitButtonHot
- ttbSplitButtonNormal
- ttbDropDownButtonOtherSideHot
- ttbDropDownButtonNearHot
- ttbDropDownButtonCheckedHot

- ttbDropDownButtonChecked
- ttbDropDownButtonDisabled
- ttbDropDownButtonPressed
- ttbDropDownButtonHot
- ttbDropDownButtonNormal
- ttbButtonOtherSideHot
- ttbButtonNearHot
- ttbButtonCheckedHot
- ttbButtonChecked
- ttbButtonDisabled
- ttbButtonPressed
- ttbButtonHot
- ttbButtonNormal
- ttbToolBarRoot
- ttbToolBarDontCare
- TThemedToolBar
- Vcl.Themes
- ttsControlLabelDisabled
- ttsControlLabelNormal
- ttsLabel
- ttsExpanded
- ttsHyperLinkTextDisabled
- ttsHyperLinkTextPressed
- ttsHyperLinkTextHot
- ttsHyperLinkTextNormal
- ttsSecondaryText
- ttsBodyTitle
- ttsInstruction
- ttsMainInstruction
- ttsTextStyleRoot
- ttsTextStyleDontCare
- TThemedTextStyle
- Vcl.Themes
- ttlTextLabelDisabled
- ttlTextLabelNormal
- ttlTextLabelRoot
- ttlTextLabelDontCare
- TThemedTextLabel
- Vcl.Themes
- ttdRadioButtonPane
- ttdImageAlignment
- ttdProgressBar
- ttdExpandedFooterArea
- ttdFootnoteSeparator
- ttdFootnoteArea
- ttdFootnotePane
- ttdVerificationText
- ttdExpandoButtonExpandedPressed
- ttdExpandoButtonExpandedHover
- ttdExpandoButtonExpandedNormal
- ttdExpandoButtonPressed
- ttdExpandoButtonHover
- ttdExpandoButtonNormal
- ttdExpandoText
- ttdButtonWrapper
- ttdButtonSection
- ttdControlPane

- ttdSecondaryPanel
- ttdCommandLinkPane
- ttdExpandedContent
- ttdContentIcon
- ttdContentPane
- ttdMainIcon
- ttdMainInstructionPane
- ttdPrimaryPanel
- ttdTaskDialogRoot
- ttdTaskDialogDontCare
- TThemedTaskDialog
- Vcl.Themes
- ttbSizingBarLeft
- ttbSizingBarTop
- ttbSizingBarRight
- ttbSizingBarBottom
- ttbBackgroundLeft
- ttbBackgroundTop
- ttbBackgroundRight
- ttbBackgroundBottom
- ttbTaskBarRoot
- ttbTaskBarDontCare
- TThemedTaskBar
- Vcl.Themes
- ttpFlashButtonGroupMenu
- ttbFlashButton
- ttbGroupCount
- ttbTaskBandRoot
- ttbTaskBandDontCare
- TThemedTaskBand
- Vcl.Themes
- tbsTabSelected
- tbsTabNormal
- tbsBackground
- tbsRoot
- tbsDontCare
- TThemedTabSet
- Vcl.Themes
- ttAeroWizardBody
- ttPane
- ttTopTabItemBothEdgeFocused
- ttTopTabItemBothEdgeDisabled
- ttTopTabItemBothEdgeSelected
- ttTopTabItemBothEdgeHot
- ttTopTabItemBothEdgeNormal
- ttTopTabItemRightEdgeFocused
- ttTopTabItemRightEdgeDisabled
- ttTopTabItemRightEdgeSelected
- ttTopTabItemRightEdgeHot
- ttTopTabItemRightEdgeNormal
- ttTopTabItemLeftEdgeFocused
- ttTopTabItemLeftEdgeDisabled
- ttTopTabItemLeftEdgeSelected
- ttTopTabItemLeftEdgeHot
- ttTopTabItemLeftEdgeNormal
- ttTopTabItemFocused
- ttTopTabItemDisabled

- ttTopTabItemSelected
- ttTopTabItemHot
- ttTopTabItemNormal
- ttTabItemBothEdgeFocused
- ttTabItemBothEdgeDisabled
- ttTabItemBothEdgeSelected
- ttTabItemBothEdgeHot
- ttTabItemBothEdgeNormal
- ttTabItemRightEdgeFocused
- ttTabItemRightEdgeDisabled
- ttTabItemRightEdgeSelected
- ttTabItemRightEdgeHot
- ttTabItemRightEdgeNormal
- ttTabItemLeftEdgeFocused
- ttTabItemLeftEdgeDisabled
- ttTabItemLeftEdgeSelected
- ttTabItemLeftEdgeHot
- ttTabItemLeftEdgeNormal
- ttTabItemFocused
- ttTabItemDisabled
- ttTabItemSelected
- ttTabItemHot
- ttTabItemNormal
- ttTabRoot
- ttTabDontCare
- TThemedTab
- Vcl.Themes
- tsGripper
- tsGripperPane
- tsPane
- tsStatusRoot
- tsStatusDontCare
- TThemedStatus
- Vcl.Themes
- tspLogOffSplitButtonDropDown
- tspMoreProgramsArrowBackPressed
- tspMoreProgramsArrowBackHot
- tspMoreProgramsArrowBackNormal
- tspSearchView
- tspOpenBoxFocused
- tspOpenBoxDisabled
- tspOpenBoxSelected
- tspOpenBoxHot
- tspOpenBoxNormal
- tspSoftwareExplorerFocused
- tspSoftwareExplorerDisabled
- tspSoftwareExplorerSelected
- tspSoftwareExplorerHot
- tspSoftwareExplorerNormal
- tspMoreProgramsTabFocused
- tspMoreProgramsTabDisabled
- tspMoreProgramsTabSelected
- tspMoreProgramsTabHot
- tspMoreProgramsTabNormal
- tspPreview
- tspUserPicture
- tspLogOffButtonsPressed

- tspLogOffButtonsHot
- tspLogOffButtonsNormal
- tspLogOff
- tspPlacesListSeparator
- tspPlacesList
- tspProgListSeparator
- tspMoreProgramsArrowPressed
- tspMoreProgramsArrowHot
- tspMoreProgramsArrowNormal
- tspMorePrograms
- tspUserPane
- tspStartPanelRoot
- tspStartPanelDontCare
- TThemedStartPanel
- Vcl.Themes
- tsDownHorzDisabled
- tsDownHorzPressed
- tsDownHorzHot
- tsDownHorzNormal
- tsUpHorzDisabled
- tsUpHorzPressed
- tsUpHorzHot
- tsUpHorzNormal
- tsDownDisabled
- tsDownPressed
- tsDownHot
- tsDownNormal
- tsUpDisabled
- tsUpPressed
- tsUpHot
- tsUpNormal
- tsSpinRoot
- tsSpinDontCare
- TThemedSpin
- Vcl.Themes
- tsSizeBoxHalfTopLeftAlign
- tsSizeBoxHalfTopRightAlign
- tsSizeBoxHalfBottomLeftAlign
- tsSizeBoxHalfBottomRightAlign
- tsSizeBoxTopLeftAlign
- tsSizeBoxTopRightAlign
- tsSizeBoxLeftAlign
- tsSizeBoxRightAlign
- tsGripperVertHover
- tsGripperVertDisabled
- tsGripperVertPressed
- tsGripperVertHot
- tsGripperVertNormal
- tsGripperHorzHover
- tsGripperHorzDisabled
- tsGripperHorzPressed
- tsGripperHorzHot
- tsGripperHorzNormal
- tsUpperTrackVertHover
- tsUpperTrackVertDisabled
- tsUpperTrackVertPressed
- tsUpperTrackVertHot

- tsUpperTrackVertNormal
- tsLowerTrackVertHover
- tsLowerTrackVertDisabled
- tsLowerTrackVertPressed
- tsLowerTrackVertHot
- tsLowerTrackVertNormal
- tsUpperTrackHorzHover
- tsUpperTrackHorzDisabled
- tsUpperTrackHorzPressed
- tsUpperTrackHorzHot
- tsUpperTrackHorzNormal
- tsLowerTrackHorzHover
- tsLowerTrackHorzDisabled
- tsLowerTrackHorzPressed
- tsLowerTrackHorzHot
- tsLowerTrackHorzNormal
- tsThumbBtnVertDisabled
- tsThumbBtnVertNormal
- tsThumbBtnHorzDisabled
- tsThumbBtnHorzNormal
- tsArrowBtnRightHover
- tsArrowBtnLeftHover
- tsArrowBtnDownHover
- tsArrowBtnUpHover
- tsArrowBtnRightDisabled
- tsArrowBtnRightPressed
- tsArrowBtnRightHot
- tsArrowBtnRightNormal
- tsArrowBtnLeftDisabled
- tsArrowBtnLeftPressed
- tsArrowBtnLeftHot
- tsArrowBtnLeftNormal
- tsArrowBtnDownDisabled
- tsArrowBtnDownPressed
- tsArrowBtnDownHot
- tsArrowBtnDownNormal
- tsArrowBtnUpDisabled
- tsArrowBtnUpPressed
- tsArrowBtnUpHot
- tsArrowBtnUpNormal
- tsScrollBarRoot
- tsScrollBarDontCare
- TThemedScrollBar
- Vcl.Themes
- trSlipperVertPressed
- trSlipperVertHot
- trSlipperVertNormal
- trSplitterPressed
- trSplitterHot
- trSplitterNormal
- trBackground
- trChevronVertPressed
- trChevronVertHot
- trChevronVertNormal
- trChevronPressed
- trChevronHot
- trChevronNormal

- trGripperVert
- trGripper
- trRebarRoot
- trRebarDontCare
- TThemedRebar
- Vcl.Themes
- tpTransparentBarVertPartial
- tpTransparentBarVertNormal
- tpTransparentBarPartial
- tpTransparentBarNormal
- tpMoveOverlayVert
- tpPulseOverlayVert
- tpMoveOverlay
- tpPulseOverlay
- tpFillVert
- tpBarVert
- tpProgressRoot
- tpProgressDontCare
- TThemedProgress
- Vcl.Themes
- tpDockPanelCloseNormal
- tpDockPanelPinNormal
- tpDockPanelVertSelected
- tpDockPanelVertNormal
- tpDockPanelHorzSelected
- tpDockPanelHorzNormal
- tpPanelBevel
- tpPanelBackground
- tpPanelRoot
- tpPanelDontCare
- TThemedPanel
- Vcl.Themes
- tpDownHorzDisabled
- tpDownHorzPressed
- tpDownHorzHot
- tpDownHorzNormal
- tpUpHorzDisabled
- tpUpHorzPressed
- tpUpHorzHot
- tpUpHorzNormal
- tpDownDisabled
- tpDownPressed
- tpDownHot
- tpDownNormal
- tpUpDisabled
- tpUpPressed
- tpUpHot
- tpUpNormal
- tpPageRoot
- tpPageDontCare
- TThemedPage
- Vcl.Themes
- tdnbCancelUpdatesDisabled
- tdnbCancelUpdatesPressed
- tdnbCancelUpdatesHot
- tdnbCancelUpdatesNormal
- tdnbApplyUpdatesDisabled

- tdnbApplyUpdatesPressed
- tdnbApplyUpdatesHot
- tdnbApplyUpdatesNormal
- tdnbRefreshDisabled
- tdnbRefreshPressed
- tdnbRefreshHot
- tdnbRefreshNormal
- tdnbCancelDisabled
- tdnbCancelPressed
- tdnbCancelHot
- tdnbCancelNormal
- tdnbPostDisabled
- tdnbPostPressed
- tdnbPostNormal
- tdnbEditDisabled
- tdnbEditPressed
- tdnbEditHot
- tdnbEditNormal
- tdnbDeleteDisabled
- tdnbDeletePressed
- tdnbDeleteHot
- tdnbDeleteNormal
- tdnbInsertDisabled
- tdnbInsertPressed
- tdnbInsertHot
- tdnbInsertNormal
- tdnbLastDisabled
- tdnbLastPressed
- tdnbLastNormal
- tdnbNextDisabled
- tdnbNextPressed
- tdnbNextNormal
- tdnbPriorDisabled
- tdnbPriorPressed
- tdnbPriorHot
- tdnbPriorNormal
- tdnbFirstDisabled
- tdnbFirstNormal
- tdnbNavigatorRoot
- tdnbDontCare
- TThemedDataNavButtons
- Vcl.Themes
- tnMenuButtonDisabled
- tnMenuButtonPressed
- tnMenuButtonHot
- tnMenuButtonNormal
- tnForwardButtonDisabled
- tnForwardButtonPressed
- tnForwardButtonHot
- tnForwardButtonNormal
- tnBackButtonDisabled
- tnBackButtonPressed
- tnBackButtonHot
- tnBackButtonNormal
- tnNavigatrionRoot
- tnNavigatrionDontCare
- TThemedNavigation

- Vcl.Themes
- tmcNavPrevDisabled
- tmcNavPrevPressed
- tmcNavPrevHot
- tmcNavPrevNormal
- tmcNavNextDisabled
- tmcNavNextPressed
- tmcNavNextHot
- tmcNavNextNormal
- tmcTrailingGridCellUpperHot tmcTrailingGridCellUpperHasState#tmcTrailingGridCellUpperHasStateHot
- tmcTrailingGridCellToday
- tmcTrailingGridCellHasStateHot
- tmcTrailingGridCellHasState
- tmcTrailingGridCellHot
- tmcGridCellUpperHasStateHot
- tmcGridCellUpperHasState
- tmcGridCellUpperHot
- tmcGridCellToday
- tmcGridCellHasStateHot
- tmcGridCellHasState
- tmcGridCellHot
- tmcGridCellBackgroundToday
- tmcGridCellBackgroundHot tmcGridCellBackgroundSelectedHot'tmcGridCellBackgroundSelectedNotFocused
- tmcGridCellBackgroundSelected
- tmcColHeaderSplitter
- tmcGridBackground
- tmcBorders
- tmcBackground
- tmcMonthCalRoot
- tmcMonthCalDontCare
- TThemedMonthCal
- Vcl.Themes
- tmbSeparatorNotChecked
- tmbSeparatorChecked
- tmbSeparatorDisabled
- tmbSeparatorPressed
- tmbSeparatorHot
- tmbSeparatorNormal
- tmbNewAppButtonNotChecked
- tmbNewAppButtonChecked
- tmbNewAppButtonDisabled
- tmbNewAppButtonPressed
- tmbNewAppButtonHot
- tmbNewAppButtonNormal
- tmbMenuBandRoot
- tmbMenuBandDontCare
- TThemedMenuBand
- Vcl.Themes
- tmSystemRestoreDisabled
- tmSystemRestoreNormal
- tmSystemMinimizeDisabled
- tmSystemMinimizeNormal
- tmSystemMaximizeDisabled
- tmSystemMaximizeNormal
- tmSystemCloseDisabled
- tmSystemCloseNormal
- tmPopupSubMenuDisabled

• tmPopupSubMenuNormal
• tmPopupSeparator
• tmPopupItemDisabledHot
• tmPopupItemDisabled
• tmPopupItemHot
• tmPopupItemNormal
• tmPopupGutter
• tmPopupCheckBackgroundBitmap
• tmPopupCheckBackgroundNormal
• tmPopupCheckBackgroundDisabled
• tmPopupBulletDisabled
• tmPopupBulletNormal
• tmPopupCheckDisabled
• tmPopupCheckNormal
• tmPopupBorders
• tmPopupBackground
• tmMenuBarItemDisabledPushed
• tmMenuBarItemDisabledHot
• tmMenuBarItemDisabled
• tmMenuBarItemPushed
• tmMenuBarItemHot
• tmMenuBarItemNormal
• tmMenuBarBackgroundInactive
• tmMenuBarBackgroundActive
• tmSeparator
• tmChevron
• tmMenuBarDropDown
• tmMenuBarItem
• tmMenuDropDown
• tmMenuItemDemoted
• tmMenuItemSelected
• tmMenuItemNormal
• tmMenuRoot
• tmMenuDontCare
• TThemedMenu
• Vcl.Themes
• tlLinkLinked
• tlLinkNormal
• tlLinkRoot
• tlLinkDontCare
• TThemedLink
• Vcl.Themes
• tlColumnDetail
• tlCollapseButtonPushed
• tlCollapseButtonHover
• tlCollapseButtonNormal
• tlExpandButtonPushed
• tlExpandButtonHover
• tlExpandButtonNormal
• tlGroupHeaderLineCloseSelected!tlGroupHeaderLineCloseSelectedHot(tlGroupHeaderLineCloseSelectedNotFocused+tlGroupHeaderLineCloseSelectedNotFocusedHot$tlGroupHeaderLineCloseMixedSelection'tlGroupHeaderLineCloseMixedSelectionHot
• tlGroupHeaderLineCloseHot
• tlGroupHeaderLineClose
• tlGroupHeaderLineOpenSelected tlGroupHeaderLineOpenSelectedHot'tlGroupHeaderLineOpenSelectedNotFocused*tlGroupHeaderLineOpenSelectedNotFocusedHot#tlGroupHeaderLineOpenMixedSelection&tlGroupHeaderLineOpenMixedSelectionHot;
• tlGroupHeaderLineOpenHot
• tlGroupHeaderLineOpen

• tlGroupHeaderCloseSelectedHot$tlGroupHeaderCloseSelectedNotFocused'tlGroupHeaderCloseSelectedNotFocusedHot
tlGroupHeaderCloseMixedSelection#tlGroupHeaderCloseMixedSelectionHot
• tlGroupHeaderCloseSelected
• tlGroupHeaderCloseHot
• tlGroupHeaderClose
• tlGroupHeaderOpenMixedSelection"tlGroupHeaderOpenMixedSelectionHot
• tlGroupHeaderOpenSelectedHot#tlGroupHeaderOpenSelectedNotFocused&tlGroupHeaderOpenSelectedNotFocusedHot;
• tlGroupHeaderOpenSelected
• tlGroupHeaderOpenHot
• tlGroupHeaderOpen
• tlListSortDetail
• tlListDetail
• tlListGroup
• tlListItemHotSelected
• tlListItemSelectedNotFocus
• tlListItemDisabled
• tlListItemSelected
• tlListItemHot
• tlListItemNormal
• tlListviewRoot
• tlListviewDontCare
• TThemedListview
• Vcl.Themes
• thHintBalloon
• thHintNormal
• thHintRoot
• thHintDontCare
• TThemedHint
• Vcl.Themes
• thHeaderOverflowHot
• thHeaderOverflowNormal
• thHeaderDropDownFilterHot
• thHeaderDropDownFilterSoftHot
• thHeaderDropDownFilterNormal
• thHeaderDropDownHot
• thHeaderDropDownSoftHot
• thHeaderDropDownNormal
• thHeaderSortArrowSortedDown
• thHeaderSortArrowSortedUp
• thHeaderItemRightPressed
• thHeaderItemRightHot
• thHeaderItemRightNormal
• thHeaderItemLeftPressed
• thHeaderItemLeftHot
• thHeaderItemLeftNormal
• thHeaderItemPressed
• thHeaderItemHot
• thHeaderItemNormal
• thHeaderRoot
• thHeaderDontCare
• TThemedHeader
• Vcl.Themes
• tgIndicatorMultiArrow
• tgIndicatorMultiDot
• tgIndicatorInsert
• tgIndicatorEdit
• tgIndicatorArrow

- tgEllipsisButtonPressed
- tgEllipsisButtonHot
- tgEllipsisButtonNormal
- tgDropDownButtonDisabled
- tgDropDownButtonPressed
- tgDropDownButtonHot
- tgDropDownButtonNormal
- tgClassicFixedCellPressed
- tgClassicFixedCellHot
- tgClassicFixedCellNormal
- tgClassicCellRowSelectedRight
- tgClassicCellRowSelectedCenter
- tgClassicCellRowSelectedLeft
- tgClassicCellSelected
- tgClassicCellNormal
- tgGradientFixedCellPressed
- tgGradientFixedCellHot
- tgGradientFixedCellNormal
- tgGradientCellRowSelectedRight
- tgGradientCellRowSelectedCenter
- tgGradientCellRowSelectedLeft
- tgGradientCellSelected
- tgGradientCellNormal
- tgFixedCellPressed
- tgFixedCellHot
- tgFixedCellNormal
- tgCellRowSelectedRight
- tgCellRowSelectedCenter
- tgCellRowSelectedLeft
- tgCellSelected
- tgCellNormal
- tgGridRoot
- tgGridDontCare
- TThemedGrid
- Vcl.Themes
- tfFlyOutLinkHeaderHover
- tfFlyOutLinkHeaderNormal
- tfFlyOutLinkArea
- tfFlyOutWindow
- tfFlyOutDivider
- tfFlyOutLinkHover
- tfFlyOutLinkNormal
- tfFlyOutLabelDisabled
- tfFlyOutLabelEmphasized
- tfFlyOutLabelSlected
- tfFlyOutLabelNormal
- tfFlyOutBodyEmphasized
- tfFlyOutBodyNormal
- tfFlyOutHeader
- tfFlyOutRoot
- tfFlyOutDontCare
- TThemedFlyOut
- Vcl.Themes
- tebSpecialGroupHead
- tebSpecialGroupExpandPressed
- tebSpecialGroupExpandHot
- tebSpecialGroupExpandNormal

- tebSpecialGroupCollapsePressed
- tebSpecialGroupCollapseHot
- tebSpecialGroupCollapseNormal
- tebSpecialGroupBackground
- tebNormalGroupHead
- tebNormalGroupExpandPressed
- tebNormalGroupExpandHot
- tebNormalGroupExpandNormal
- tebNormalGroupCollapsePressed
- tebNormalGroupCollapseHot
- tebNormalGroupCollapseNormal
- tebNormalGroupBackground
- tebIEBarMenuPressed
- tebIEBarMenuHot
- tebIEBarMenuNormal
- tebHeaderPinSelectedPressed
- tebHeaderPinSelectedHot
- tebHeaderPinSelectedNormal
- tebHeaderPinPressed
- tebHeaderPinHot
- tebHeaderPinNormal
- tebHeaderClosePressed
- tebHeaderCloseHot
- tebHeaderCloseNormal
- tebHeaderBackgroundPressed
- tebHeaderBackgroundHot
- tebHeaderBackgroundNormal
- tebExplorerBarRoot
- tebExplorerBarDontCare
- TThemedExplorerBar
- Vcl.Themes
- teEditBorderHVScrollDisabled
- teEditBorderHVScrollFocused
- teEditBorderHVScrollHot
- teEditBorderHVScrollNormal
- teEditBorderVScrollDisabled
- teEditBorderVScrollFocused
- teEditBorderVScrollHot
- teEditBorderVScrollNormal
- teEditBorderHScrollDisabled
- teEditBorderHScrollFocused
- teEditBorderHScrollHot
- teEditBorderHScrollNormal
- teEditBorderNoScrollDisabled
- teEditBorderNoScrollFocused
- teEditBorderNoScrollHot
- teEditBorderNoScrollNormal
- teBackgroundWithBorderFocused
- teBackgroundWithBorderDisabled
- teBackgroundWithBorderHot
- teBackgroundWithBorderNormal
- tePassword
- teBackgroundAssist
- teBackgroundReadOnly
- teBackgroundFocused
- teBackgroundDisabled
- teBackgroundHot

- teBackgroundNormal
- teEditCaret
- teEditTextAssist
- teEditTextReadOnly
- teEditTextFocused
- teEditTextDisabled
- teEditTextSelected
- teEditTextHot
- teEditTextNormal
- teEditRoot
- teEditDontCare
- TThemedEdit
- Vcl.Themes
- tdbShowCalendarButtonRightHot!tdbShowCalendarButtonRightPressed"tdbShowCalendarButtonRightDisabled
- tdbDateBorderDisabled tdbShowCalendarButtonRightNormal
- tdbDateBorderFocused
- tdbDateBorderHot
- tdbDateBorderNormal
- tdbDateTextSelected
- tdbDateTextDisabled
- tdbDateTextNormal
- tdbDatePickerRoot
- tdpDatePickerDontCare
- TThemedDatePicker
- Vcl.Themes
- tcCueBannerDisabled
- tcCueBannerPressed
- tcCueBannerHot
- tcCueBannerNormal
- tcDropDownButtonLeftDisabled
- tcDropDownButtonLeftPressed
- tcDropDownButtonLeftHot
- tcDropDownButtonLeftNormal
- tcDropDownButtonRightDisabled
- tcDropDownButtonRightPressed
- tcDropDownButtonRightHot
- tcDropDownButtonRightNormal
- tcReadOnlyDisabled
- tcReadOnlyPressed
- tcReadOnlyHot
- tcReadOnlyNormal
- tcBorderDisabled
- tcBorderFocused
- tcBorderHot
- tcBorderNormal
- tcTransparentBackgroundFocused
- tcTransparentBackgroundDisabled
- tcTransparentBackgroundHot
- tcTransparentBackgroundNormal
- tcBackground
- tcDropDownButtonDisabled
- tcDropDownButtonPressed
- tcDropDownButtonHot
- tcDropDownButtonNormal
- tcComboBoxRoot
- tcComboBoxDontCare
- TThemedComboBox

- Vcl.Themes
- tcTimePressed
- tcTimeHot
- tcTimeNormal
- tcClockRoot
- tcClockDontCare
- TThemedClock
- Vcl.Themes
- tcbGradientItemFrame
- tcbControlBarRoot
- tcbControlBarDontCare
- TThemedControlBar
- Vcl.Themes
- tclHeaderItemDisabled
- tclHeaderItemNormal
- tclListItemDisabled
- tclListItemNormal
- tclCheckListBoxRoot
- tclCheckListBoxDontCare
- TThemedCheckListBox
- Vcl.Themes
- tcpThemedChevronClosedPressed
- tcpThemedChevronClosedHot
- tcpThemedChevronClosedNormal
- tcpThemedChevronOpenedPressed
- tcpThemedChevronOpenedHot
- tcpThemedChevronOpenedNormal
- tcpChevronClosedLeftPressed
- tcpChevronClosedLeftHot
- tcpChevronClosedLeftNormal
- tcpChevronClosedPressed
- tcpChevronClosedHot
- tcpChevronClosedNormal
- tcpChevronOpenedPressed
- tcpChevronOpenedHot
- tcpChevronOpenedNormal
- tcpThemedHeader
- tcpGradientHeader
- tcpBackground
- tcpCategoryPanelGroupRoot
- tcpCategoryPanelGroupDontCare
- TThemedCategoryPanelGroup
- Vcl.Themes
- tcbCategoryChevronClosed
- tcbCategoryChevronOpened
- tcbCategoryGlyphClosed
- tcbCategoryGlyphOpened
- tcbButtonSelected
- tcbButtonHot
- tcbButtonNormal
- tcbCategorySelected
- tcbCategoryNormal
- tcbBackground
- tcbCategoryButtonsRoot
- tcbCategoryButtonsDontCare
- TThemedCategoryButtons
- Vcl.Themes

- tbCommandLinkGlyphDefaulted
- tbCommandLinkGlyphDisabled
- tbCommandLinkGlyphPressed
- tbCommandLinkGlyphNormal
- tbCommandLinkDefaultedAnimating
- tbCommandLinkDefaulted
- tbCommandLinkDisabled
- tbCommandLinkPressed
- tbCommandLinkHot
- tbCommandLinkNormal
- tbUserButton
- tbGroupBoxDisabled
- tbGroupBoxNormal
- tbCheckBoxExcludedDisabled
- tbCheckBoxExcludedPressed
- tbCheckBoxExcludedHot
- tbCheckBoxExcludedNormal
- tbCheckBoxImplicitDisabled
- tbCheckBoxImplicitPressed
- tbCheckBoxImplicitHot
- tbCheckBoxImplicitNormal
- tbCheckBoxMixedDisabled
- tbCheckBoxMixedPressed
- tbCheckBoxMixedHot
- tbCheckBoxMixedNormal
- tbCheckBoxCheckedDisabled
- tbCheckBoxCheckedPressed
- tbCheckBoxCheckedHot
- tbCheckBoxCheckedNormal
- tbCheckBoxUncheckedDisabled
- tbCheckBoxUncheckedPressed
- tbCheckBoxUncheckedHot
- tbCheckBoxUncheckedNormal
- tbRadioButtonCheckedDisabled
- tbRadioButtonCheckedPressed
- tbRadioButtonCheckedHot
- tbRadioButtonCheckedNormal
- tbRadioButtonUncheckedDisabled
- tbRadioButtonUncheckedPressed
- tbRadioButtonUncheckedHot
- tbRadioButtonUncheckedNormal
- tbPushButtonDefaultedAnimating
- tbPushButtonDefaulted
- tbPushButtonDisabled
- tbPushButtonPressed
- tbPushButtonHot
- tbPushButtonNormal
- tbButtonRoot
- tbButtonDontCare
- TThemedButton
- Vcl.Themes
- teTextLabel
- teTabSet
- tePanel
- teHint
- teGrid
- teDataNavButtons

- teControlBar
- teCheckListBox
- teCategoryPanelGroup
- teCategoryButtons
- teWindow
- teTreeview
- teTrayNotify
- teTrackBar
- teToolTip
- teToolBar
- teTextStyle
- teTaskDialog
- teTaskBar
- teTaskBand
- teStatus
- teStartPanel
- teSpin
- teScrollBar
- teRebar
- teProgress
- tePage
- teNavigation
- teMonthCal
- teMenuBand
- teMenu
- teListView
- teLink
- teHeader
- teFlyOut
- teExplorerBar
- teEdit
- teDatePicker
- teComboBox
- teClock
- teButton
- TThemedElement
- OnAnimate
- OnMouseDown<
- OnMouseUpD
- OnMouseMoveD
- OnDblClick
- OnClick<
- OnBalloonClick<
- Visible<
- PopupMenu
- IconIndex
- BalloonFlags
- BalloonTimeout
- BalloonTitle
- BalloonHint
- AnimateInterval
- Animate
- TCustomTrayIconT
- ShowBalloonHint
- SetDefaultIcon
- Refresh
- Destroy

- Create
- TCustomTrayIcon5
- FOnAnimate
- FOnMouseUp
- FOnMouseMove
- FOnMouseDown
- FOnClick
- FOnBalloonClick
- FVisible
- FIconIndex
- FTimer
- FPopupMenu
- FIconList
- FCurrentIcon
- FIsClicked
- FBalloonFlags
- FBalloonTitle
- FBalloonHint
- FAnimate
- bfError
- bfWarning
- bfInfo
- bfNone
- TBalloonFlags
- OnTimer
- Interval<
- Enabled
- TTimer
- Destroy
- AOwner
- Create
- TTimer6
- FEnabled
- FOnTimer
- FWindowHandle
- FInterval
- Canvas
- OnStartDrag%
- OnStartDock
- OnProgressh
- OnMouseUp8iE
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnGesture
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup<
- OnClick
- Visible<
- Transparent
- ShowHint

- Proportional
- PopupMenu
- Picture
- ParentShowHint
- IncrementalDisplay
- Enabled
- DragMode
- DragKind
- DragCursor
- Constraints
- Center
- AutoSize
- Anchors
- Align@
- TImage
- Destroy
- AOwner
- Create
- TImage6
- FProportional
- FDrawing
- FTransparent
- FIncrementalDisplay
- FCenter
- FOnProgress
- FPicture
- Canvas
- OnStartDrag"
- OnStartDock
- OnPainth
- OnMouseUp<
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnGesture
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup<
- OnClick
- Visible<
- ShowHint
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- Enabled
- DragMode
- DragKind
- DragCursor
- Constraints
- Anchors
- Align@

- TPaintBox
- AOwner
- Create
- TPaintBox6
- FOnPaint
- Vcl.Dialogs
- 3TDefaultLoginCredentials.LoginEventUsrPw835ActRec
- 3TDefaultLoginCredentials.LoginEventUsrPw835ActRec<rJ
- Callback
- Sender
- Vcl.Dialogs
- 3TDefaultLoginCredentials.LoginEventUsrPw$835$0$Intft
- Vcl.Dialogs
- .TDefaultLoginCredentials.LoginEvent833ActRec
- .TDefaultLoginCredentials.LoginEvent833ActRec
- Callback
- Sender
- Vcl.Dialogs
- .TDefaultLoginCredentials.LoginEvent$833$0$Intft
- Vcl.Dialogs
- TDefaultLoginCredentials`lJ
- Success
- Callback
- Sender
- LoginEventUsrPw
- Success
- Callback
- Sender
- LoginEvent
- TDefaultLoginCredentials]
- Vcl.Dialogs
- InputQuery823ActRec
- InputQuery823ActRec
- CloseQueryFunc
- PromptCount
- Vcl.Dialogs
- InputQuery$823$3$Intft
- Vcl.Dialogs
- Vcl.Dialogs
- TInputQueryForml`J
- CloseQuery
- TInputQueryForm*
- FCloseQueryFunc
- Vcl.Dialogs
- :TCustomFileDialog.:1
- Vcl.Dialogs
- TFileDialogEvents
- pResponse
- OnOverwrite
- OnTypeChange
- pResponse
- OnShareViolation
- OnSelectionChange
- OnFolderChange
- psiFolder
- OnFolderChanging
- OnFileOk

- AFileDialog
- Create
- TFileDialogEvents;
- FRetrieveHandle
- FFileDialog
- Vcl.Dialogs
- TInputCloseQueryFunct
- OnTypeChange
- OnShareViolation<
- OnSelectionChange
- OnOverwrite<
- OnFolderChanging
- OnFolderChangex0J
- OnFileOkClick<
- OnExecute
- Title<
- ShellItems
- ShellItem wI
- Options
- OkButtonLabel$/J
- Handle
- FileTypeIndexd
- FileTypes
- FileNameLabeltDC
- FileName
- FavoriteLinks uA
- Dialog
- DefaultFolder
- DefaultExtension
- ClientGuid
- Vcl.Dialogs
- TCustomFileDialogX;J
- ParentWnd
- Execute
- Execute
- Destroy
- AOwner
- Create
- TCustomFileDialog6
- FOnTypeChange
- FOnShareViolation
- FOnSelectionChange
- FOnOverwrite
- FOnFolderChanging
- FOnFolderChange
- FOnFileOkClick
- FOnExecute
- FTitle
- FShellItems
- FShellItem
- FOptions
- FOkButtonLabel
- FHandle
- FFileTypes
- FFileTypeIndex
- FFiles
- FFileNameLabel

- FFileName
- FFavoriteLinks
- FDialog
- FDefaultFolder
- FDefaultExtension
- FClientGuid
- Vcl.Dialogs
- TFavoriteLinkItems
- SetItem
- GetItem
- GetEnumerator
- TFavoriteLinkItems#
- Current
- Vcl.Dialogs
- TFavoriteLinkItemsEnumerator
- MoveNext
- GetCurrent
- ACollection
- Create
- TFavoriteLinkItemsEnumerator;
- FCollection
- FIndex
- Location
- Vcl.Dialogs
- TFavoriteLinkItem
- TFavoriteLinkItem
- FLocation
- Vcl.Dialogs
- TFileTypeItems
- SetItem
- GetItem
- FilterSpecArray
- TFileTypeItems#
- FileMaskWStr
- DisplayNameWStr
- FileMask
- DisplayName
- Vcl.Dialogs
- TFileTypeItemt2J
- Destroy
- Collection
- Create
- TFileTypeItem:
- FFileMaskWStr
- FFileMask
- FDisplayNameWStr
- FDisplayName
- Response
- Sender
- Response!TFileDialogShareViolationResponse
- TObject
- Sender
- TFileDialogShareViolationEvent
- Response
- Sender
- TFileDialogOverwriteResponse
- Response

- TObject
- Sender
- TFileDialogOverwriteEvent
- CanChange
- Sender
- Boolean
- CanChange
- TObject
- Sender
- TFileDialogFolderChangingEvent
- CanClose
- Sender
- Boolean
- CanClose
- TObject
- Sender
- TFileDialogCloseEvent
- Vcl.Dialogs
- fsrRefuse
- fsrAccept
- fsrDefault
- !TFileDialogShareViolationResponse
- Vcl.Dialogs
- forRefuse
- forAccept
- forDefault
- TFileDialogOverwriteResponse
- TFileDialogOptions
- Vcl.Dialogs
- fdoForcePreviewPaneOn
- fdoDefaultNoMiniMode
- fdoForceShowHidden
- fdoDontAddToRecent
- fdoNoDereferenceLinks
- fdoHidePinnedPlaces
- fdoHideMRUPlaces
- fdoNoTestFileCreate
- fdoNoReadOnlyReturn
- fdoShareAware
- fdoCreatePrompt
- fdoFileMustExist
- fdoPathMustExist
- fdoAllowMultiSelect
- fdoNoValidate
- fdoAllNonStorageItems
- fdoForceFileSystem
- fdoPickFolders
- fdoNoChangeDir
- fdoStrictFileTypes
- fdoOverWritePrompt
- TFileDialogOption
- Vcl.Dialogs
- EPlatformVersionException
- EPlatformVersionException0-J
- Handle
- OnShow
- OnClose<

- HelpContext<
- Vcl.Dialogs
- TCommonDialog
- Message
- DefaultHandler
- ParentWnd
- Execute
- Execute
- Destroy
- AOwner
- Create
- TCommonDialog6
- FTemplate
- FObjectInstance
- FOnShow
- FOnClose
- FTemplateModule
- FRedirector
- FHandle
- FHelpContext
- ViewerID
- Viewer
- THelpViewerNode
- Viewer
- Create
- THelpViewerNode6
- FViewerID
- FViewer
- HelpFile
- Handle
- THelpManager
- ViewerID
- Release
- GetHelpFile
- GetHandle
- Filter
- SetFilter
- GetFilter
- HelpFileName
- Anchor
- ShowTopicHelp
- HelpFileName
- ShowSearch
- HelpFileName
- ShowIndex
- HelpFileName
- HelpKeyword
- UnderstandsKeyword
- Command
- HelpFile
- Handle
- Selector
- AssignHelpSelector
- HelpFileName
- ShowTopicHelp
- ShowTableOfContents
- HelpFileName

- ContextID
- ShowContextHelp
- HelpFileName
- HelpKeyword
- ShowHelp
- newViewer
- RegisterViewer
- Destroy
- Create
- THelpManager&
- FHelpFile
- FHandle
- FMinCookie
- FExtendedViewerList
- FViewerList
- FHelpSelector
- IInternalHelpManagert
- EHelpSystemException
- EHelpSystemException
- IHelpManagert
- ICustomHelpViewert
- IHelpSystem3x
- IHelpSystem28
- IHelpSystemt
- IHelpSelectort
- DefaultUsrPwDm
- DefaultUsrPw
- commdlg_FindReplace
- YesToAll
- NoToAll
- Ignore
- Cancel
- {43826D1E-E718-42EE-BC55-A1E261C37BFE}
- Insert
- Delete
- FTabControl
- TProgressBarStyleHook<
- AControl
- Create
- TProgressBarStyleHook8
- TabRect
- TTabControlStyleHook
- GetTabs
- GetTabRect
- Destroy
- AControl
- Create
- TTabControlStyleHook8
- FUpDownMouseOnRight
- FUpDownMouseOnLeft
- FUpDownRightPressed
- FUpDownLeftPressed
- FUpDownDefWndProc
- FUpDownInstance
- FUpDownHandle
- FMousePosition
- FHotTabIndex

- Extension
- ConversionClass
- TConversionFormat
- TConversionClass
- TConversionx
- ConvertWriteStream
- ConvertReadStream
- Create
- TConversion&
- OnStartDrag.
- OnStartDock
- OnMouseUph
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnGesture
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- Visible
- TabStop
- TabOrder
- ShowHint
- SmoothReverse
- BackgroundColor
- BarColor
- MarqueeInterval
- SmoothD
- Position
- PopupMenu
- ParentShowHint
- ParentDoubleBuffered
- Orientation
- Constraints
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- BorderWidth
- AnchorsH
- Align@
- TProgressBar8
- StepIt
- AOwner
- Create
- TProgressBar6
- FState
- FBackgroundColor
- FBarColor
- FMarqueeInterval

- FSmoothReverse
- FSmooth
- FOrientation
- FSavedPosition
- FPosition
- F32BitMode
- pbsPaused
- pbsError
- pbsNormal
- TProgressBarState
- pbstMarquee
- pbstNormal
- TProgressBarStyle
- pbVertical
- pbHorizontal
- TProgressBarOrientation
- PageCount
- ActivePageIndex
- OnUnDock<
- OnStartDrag
- OnStartDock
- OnResizeh
- OnMouseUp<
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnGetSiteInfo
- OnGetImageIndex
- OnGesture$}I
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDrawTab
- OnDragOverI|I
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnContextPopup,
- OnChanging
- OnChange\\{I
- Visible<
- TabWidth
- TabStop
- TabPosition
- TabOrder
- TabIndex
- TabHeight
- ShowHint |I
- ScrollOpposite
- RaggedRight
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered

- ParentBiDiMode
- OwnerDraw
- MultiLine
- Images
- HotTrack
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- DockSite
- Constraints
- BiDiMode
- Anchors
- Align@
- ActivePage<
- TPageControl
- GetPage
- CheckTabVisible
- GoForward
- SelectNextPage
- GetChildren
- CheckTabVisible
- GoForward
- CurPage
- FindNextPage
- Destroy
- AOwner
- Create
- TPageControl6
- FInSetActivePage
- FUndockingPage
- FNewDockSheet
- FActivePage
- FPages
- TabIndex
- PageControl
- OnStartDrag)
- OnShow
- OnResize<
- OnMouseUp<
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnHide
- OnGesture<
- OnExit
- OnEnter<
- OnEndDrag<
- OnDragOver
- OnDragDrop
- OnContextPopup
- Visible
- TabVisible
- ShowHint

- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- PageIndex
- Constraints
- ImageIndex
- Highlighted
- Height
- Enabled
- DragMode
- DoubleBuffered
- Caption
- BorderWidth
- TTabSheet
- Destroy
- AOwner
- Create
- TTabSheet6
- FOnShow
- FOnHide
- FHighlighted
- FTabShowing
- FTabVisible
- FPageControl
- FImageIndex
- DisplayRect
- OnUnDock<
- OnStartDrag
- OnStartDock
- OnResizeh
- OnMouseUp<
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnGetSiteInfo
- OnGetImageIndex
- OnGesture$}I
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDrawTab
- OnDragOverl|I
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnContextPopup,
- OnChanging
- OnChange\\{I
- Visible<
- TabWidth
- TabStop
- TabIndex
- TabPositiontDC

- TabOrder
- TabHeight
- ShowHint |I
- ScrollOpposite
- RaggedRight
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentBiDiMode
- OwnerDraw
- MultiSelect
- MultiLine
- Images
- HotTrack
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- DockSite
- Constraints
- BiDiMode
- Anchors
- Align@
- TTabControl
- TTabControl
- TabStop
- Canvas
- TCustomTabControl
- ScrollTabs
- RowCount
- TabRect
- GetHitTestInfoAt
- IndexOfTabAt
- Destroy
- AOwner
- Create
- TCustomTabControl6
- FOnGetImageIndex
- FOnDrawTab
- FOnChanging
- FOnChange
- FSavedAdjustRect
- FUpdating
- FTabSize
- FTabPosition
- FScrollOpposite
- FSaveTabs
- FSaveTabIndex
- FRaggedRight
- FOwnerDraw
- FMultiSelect
- FMultiLine
- FImages
- FImageChangeLink
- FHotTrack

- FCanvas
- ImageIndex
- TabIndex
- Sender
- Integer
- ImageIndex
- Integer
- TabIndex
- TObject
- Sender
- TTabGetImageEvent
- Active
- TabIndex
- Control
- Boolean
- Active
- Integer
- TabIndex
- TCustomTabControl
- Control
- TDrawTabEvent
- tsFlatButtons
- tsButtons
- TTabStyle
- tpBottom
- TTabPosition
- AllowChange
- Sender
- Boolean
- AllowChange
- TObject
- Sender
- TTabChangingEvent
- THitTests
- htToRight
- htToLeft
- htOnStateIcon
- htOnRight
- htOnLabel
- htOnIndent
- htOnIcon
- htOnButton
- htOnItem
- htNowhere
- htBelow
- htAbove
- THitTest
- THintAction@yI
- AOwner
- Create
- THintAction6
- Winapi.ShlObj
- IFileDialog`wI
- Winapi.ShlObj
- TComdlgFilterSpecArray
- Winapi.ShlObj
- IFileDialogEventst

- Winapi.ShlObj
- IModalWindowt
- Winapi.ShlObj
- IShellItemArrayt
- Winapi.ShlObj
- IShellItemt
- pszName
- _COMDLG_FILTERSPEC
- System.Win.ComObj
- Source
- HelpFile
- System.Win.ComObj
- EOleException,gI
- HelpContext
- HelpFile
- Source
- ErrorCode
- Message
- Create
- EOleException
- FHelpFile
- FSource
- ErrorCode
- System.Win.ComObj
- EOleSysError
- HelpContext
- ErrorCode
- Message
- Create
- EOleSysError_
- FErrorCode
- System.Win.ComObj
- EOleError,eI
- EOleErrorHeI
- SizeOf
- hBalloonIcon
- guidItem
- dwInfoFlags
- szInfoTitle
- uVersion
- uTimeout
- szInfo
- dwStateMask
- dwState
- uCallbackMessage
- uFlags
- cbSize
- _NOTIFYICONDATAW
- PNotifyIconDataW
-)TCustomCheckBox.ObserverAdded3495ActRec
-)TCustomCheckBox.ObserverAdded3495ActRec
-)TCustomCheckBox.ObserverAdded$3495$0$Intft
- %TCustomEdit.ObserverAdded3288ActRec
- %TCustomEdit.ObserverAdded3288ActRecL
- %TCustomEdit.ObserverAdded$3288$0$Intft
- msctls_updown32
- msctls_progress32

- SysTabControl32
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- Neutral
- Apartment
- SCROLLBAR
- BUTTON
- BUTTON
- TCheckBoxStyleHook
- AControl
- Create
- TCheckBoxStyleHook8
- FPressed
- TButtonStyleHookP
- AControl
- Create
- TButtonStyleHook8
- FDropDown
- FMouseDown
- FPressed
- TEditStyleHook<
- AControl
- Create
- TEditStyleHook8
- TScrollBarStyleHook
- Destroy
- AControl
- Create
- TScrollBarStyleHook8
- FHDownState
- FHUpState
- FHSliderState
- FVDownState
- FVUpState
- FVSliderState
- Vertical
- StyleHook
- SizeBox
- !TScrollBarStyleHook.TScrollWindow
- AOwner
- Create
- !TScrollBarStyleHook.TScrollWindow6
- FVertical
- FStyleHook
- FSizeBox
- OnStartDrag*
- OnStartDock
- OnScrollh
- OnMouseLeave
- OnMouseEnter<
- OnKeyUp<
- OnKeyPress

- OnKeyDownD
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDragOver
- OnDragDrop
- OnChange
- OnContextPopup<
- Visible
- TabStop
- TabOrder
- SmallChange
- ShowHint
- Position
- PopupMenu
- ParentShowHint
- ParentDoubleBuffered
- ParentCtl3D
- ParentBiDiMode
- PageSize
- LargeChange
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- Constraints
- BiDiMode
- Anchors
- Align@
- TScrollBar
- APosition
- SetParams
- AOwner
- Create
- TScrollBar6
- FOnScroll
- FOnChange
- FLargeChange
- FSmallChange
- FPageSize
- FPosition
- ScrollPos
- ScrollCode
- Sender
- Integer
- ScrollPos
- TScrollCode
- ScrollCode
- TObject
- Sender
- TScrollEvent
- OnStartDrag1
- OnStartDock
- OnMouseUph
- OnMouseMoveD

- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnKeyUp
- OnKeyPress
- OnKeyDownD
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClick
- WordWrap<
- Visible
- TabStop
- TabOrder
- ShowHint
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- Constraints
- Checked
- Caption
- BiDiMode
- Anchors
- AllowGrayed@
- Alignment
- Action<
- TCheckBox4
- TCheckBoxL
- TabStop
- TCustomCheckBoxl
- GetControlsAlignment
- AOwner
- Create
- TCustomCheckBox6
- FState
- FAllowGrayed
- FAlignment
- cbGrayed
- cbChecked
- cbUnchecked
- TCheckBoxState
- OnStartDrag:
- OnStartDock

- OnMouseUph
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnKeyUp
- OnKeyPress
- OnKeyDownD
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDropDownClick
- OnDragOver<
- OnDragDrop
- OnContextPopup
- OnClick
- WordWrap<
- Visible
- TabStop
- TabOrder
- StylusHotImageIndex
- ShowHint
- SelectedImageIndex
- PressedImageIndex
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentBiDiMode
- ModalResult
- Images
- ImageMargins
- ImageIndexH
- ImageAlignment
- HotImageIndex
- Enabled
- ElevationRequired
- DropDownMenu
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- DisabledImageIndex
- Default
- Constraints
- CommandLinkHint
- Caption
- Cancel
- BiDiMode
- Anchors
- Align@
- Action<
- TButtonh
- TButton
- OnDropDownClickh

- TabStop<
- StylusHotImageIndex
- SelectedImageIndex
- PressedImageIndex
- ModalResult
- ImageMargins
- ImageIndexH
- ImageAlignment
- Images
- HotImageIndex
- ElevationRequired
- DropDownMenu
- DisabledImageIndex
- Default
- CommandLinkHint
- Cancel
- TCustomButtonD
- UseRightToLeftAlignment
- Destroy
- AOwner
- Create
- TCustomButton6
- FOnDropDownClick
- FStylusHotImageIndex
- FSelectedImageIndex
- FPressedImageIndex
- FModalResult
- FInternalImageList
- FImages
- FImageMargins
- FImageIndex
- FImageChangeLink
- FImageAlignment
- FHotImageIndex
- FElevationRequired
- FDropDownMenu
- FDisabledImageIndex
- FDefault
- FCommandLinkHint
- FCancel
- FActive
- bsSplitButton
- bsCommandLink
- bsPushButton
- TCustomButton.TButtonStyle
- TPushButtonActionLink
- TPushButtonActionLinkL
- OnChange
- Bottom
- TImageMargins
- Source
- Assign
- TImageMargins6
- FOnChange
- FBottom
- iaCenter
- iaBottom

- iaRight
- iaLeft
- TImageAlignment
- TButtonControl
- AOwner
- Create
- TButtonControl6
- FWordWrap
- FClicksDisabled
- TButtonActionLink
- TButtonActionLink
- FClient
- OnStartDragB
- OnStartDock
- OnMouseUph
- OnMouseMoveD
- OnMouseLeave
- OnMouseEnter<
- OnMouseDown<
- OnMouseActivateD
- OnKeyUp
- OnKeyPress
- OnKeyDownD
- OnGesture
- OnExit
- OnEnter<
- OnEndDrag<
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup<
- OnClick
- OnChange<
- Visible<
- TextHint
- TabStop
- TabOrder
- ShowHint
- ReadOnly
- PopupMenu
- PasswordChar
- ParentShowHintL
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- NumbersOnly
- MaxLength
- ImeName
- ImeMode
- HideSelection0
- Enabled
- DragMode
- DragKind

- DragCursor
- DoubleBuffered
- Constraints
- CharCase
- BorderStyle
- BiDiMode
- BevelWidth
- BevelOuterd
- BevelKindh
- BevelInner
- BevelEdgesh
- AutoSize
- AutoSelect
- Anchors
- Alignment@
- Align4
- TextHint
- SelText
- SelStart
- SelLength
- ReadOnly
- Modified
- CanUndo
- Alignment
- TabStop
- TCustomEdit$
- Buffer
- SetSelTextBuf
- BufSize
- Buffer
- GetSelTextBuf
- SelectAll
- SetSelText
- ClearUndo
- PasteFromClipboard
- GetControlsAlignment
- Message
- DefaultHandler
- CutToClipboard
- CopyToClipboard
- ClearSelection
- AOwner
- Create
- TCustomEdit6
- FTextHint
- FNumbersOnly
- FOldSelStart
- FOldSelLength
- FOnChange
- FInBufferedPrintClient
- FModified
- FCreating
- FCharCase
- FOEMConvert
- FHideSelection
- FAutoSelect
- FAutoSize

- FReadOnly
- FPasswordChar
- FBorderStyle
- FMaxLength
- FAlignment
- OnStartDrag,
- OnStartDock
- OnMouseLeaveh
- OnMouseEnter<
- OnMouseUp<
- OnMouseMoveD
- OnMouseDown
- OnMouseActivateD
- OnGesture
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopup<
- OnClick
- WordWrap<
- Visible
- Layout
- Transparent`
- ShowHint
- ShowAccelChar
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- ParentBiDiMode
- GlowSize
- FocusControl
- Enabled,
- EllipsisPosition
- DragMode
- DragKind
- DragCursor
- Constraints
- Caption
- BiDiMode
- AutoSize
- Anchors
- Alignment@
- Align4
- TLabel0
- TLabel
- GlowSize0
- Canvas
- Caption
- TCustomLabel
- AOwner
- Create
- TCustomLabel6
- FEllipsisPosition
- FTransparentSet

- FShowAccelChar
- FWordWrap
- FLayout
- FGlowSize
- FDrawTextProc
- FAutoSize
- FAlignment
- FFocusControl
- TextFlags
- TextRect
- Cardinal
- TextFlags
- TextRect
- epWordEllipsis
- epEndEllipsis
- epPathEllipsis
- epNone
- TEllipsisPosition
- tlBottom
- tlCenter
- TTextLayout
- :TDockTree.:1
- t';F8u
- t9;w|t4
- Vcl.Controls8
- :TWinControl.:2
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- imm32.dll
- :GkuNFKu
- :TWinControl.:1
- TSiteList
- GetTopSite
- ParentWnd
- AddSite
- TSiteList6
- ImageIndex
- Description
- ShowingHint
- HideAfter
- Images
- TCustomHint
- HintWindow
- SetHintSize
- HintWindow
- NCPaintHint
- HintWindow
- PaintHint
- HidingControl
- HideHint
- HideHint
- Control
- ShowHint
- ShowHint
- ShowHint
- ShowHint

- Destroy
- AOwner
- Create
- TCustomHint6
- FWorkComplete
- FLatestHintControl
- FHideAfter
- FShowDelay
- FAnimateThread
- FImageIndex
- FImages
- FDescription
- FTitle
- TCustomHintShowHideThread
- HideHint
- Execute
- ResumeWork
- Destroy
- HintObject
- Create
- TCustomHintShowHideThreadH
- FWaitEvent
- FDisplayTime
- FActive
- FHideHint
- FHintObject
- FHintWindowQueue
- ImageIndex
- Description
- PopAbove
- HintParent
- TCustomHintWindow\\AG
- PositionAtCursor
- PositionAt
- PositionAt
- AutoSize
- AOwner
- Create
- TCustomHintWindow6
- FImageIndex
- FDescription
- FTitle
- FPopAbove
- FHintParent
- bhsBalloon
- TBalloonHintStyle
- WheelScrollLines
- WheelPresent
- RegWheelMessage
- PanningWindowClass
- PanningWindow
- IsPanning|;G
- IsDragging
- MousePresent
- DragThreshold
- DragImmediate
- CursorPos

- Capture
- TMouse(<G
- CreatePanningWindow
- Setting
- SettingChanged
- Destroy
- Create
- TMouse&
- FPanningWindowClass
- FPanningWindow
- FWheelSupportMessage
- FWheelPresent
- FWheelMessage
- FWheelHwnd
- FScrollLinesMessage
- FScrollLines
- FNativeWheelSupport
- FMousePresent
- FDragThreshold
- FDragImmediate
- TCustomPanningWindow`9G
- StopPanning
- AControl
- AHandle
- StartPanning
- GetIsPanning
- TCustomPanningWindow,
- StopPanning
- StartPanning
- GetIsPanning
- TPanningWindowClass|;G
- TDockTree
- PaintSite
- Destroy
- DockSite
- Create
- TDockTree8
- FRelativeSizes
- FVersion
- FUpdateCount
- FTopXYLimit
- FTopZone
- FSizingZone
- FSizingWnd
- FSizingDC
- FSizePos
- FShiftScaleOrient
- FScaleBy
- FReplacementZone
- FOldRect
- FGrabbersOnTop
- FGrabberSize
- FDockSite
- FBorderWidth
- ZoneLimit
- VisibleChildCount
- Visible

- LimitSize
- LimitBegin
- Height
- ChildControl
- ChildCount
- TDockZone
- Update
- ResetZoneLimits
- ResetChildren
- PrevVisible
- NextVisible
- FirstVisibleChild
- NewLimit
- ExpandZoneLimit
- Create
- TDockZone4
- FOldSize
- FZoneLimit
- FPrevSibling
- FParentZone
- FOrientation
- FNextSibling
- FChildZones
- FChildControl
- ShareImages
- OnChange
- Masked<
- ImageType
- Height
- DrawingStyle
- ColorDepth
- AllocBy4KM
- BkColor
- BlendColor
- TImageList4-G
- TImageList
- Dragging
- DragHotspot
- DragCursor
- TDragImageList
- ShowDragImage
- HotSpotY
- HotSpotX
- SetDragImage
- HideDragImage
- GetHotSpot
- EndDrag
- DragUnlock
- DragMove
- Window
- DragLock
- Window
- BeginDrag
- TDragImageListO
- FOldCursor
- FDragIndex
- FDragHotspot

- FDragHandle
- FDragging
- FDragCursor
- Canvas
- Caption
- BiDiMode
- THintWindow
- MaxWidth
- CalcHintRect
- ActivateHintData
- ReleaseHandle
- ShouldHideHint
- IsHintMsg
- ActivateHint
- AOwner
- Create
- THintWindow6
- FLastActive
- FActivating
- TCustomControl
- Destroy
- AOwner
- Create
- TCustomControl6
- FCanvas
- TGraphicControl
- Destroy
- AOwner
- Create
- TGraphicControl6
- FCanvas
- UseDockManager
- TabStop
- TabOrder
- Showing
- ParentWindow
- ParentDoubleBufferedd
- Padding
- HandleL
- ControlCountd
- VisibleDockClientCount
- MouseInClient
- AlignDisabled
- DoubleBuffered
- DockManager
- DockSite
- DockClientCount
- Controls
- DockClients
- TWinControl
- GetControl
- GetDockClients
- UpdateControlState
- Update
- SetDesignVisible
- AHeight
- AWidth

- SetBounds
- DeltaY
- DeltaX
- ScaleBy
- Repaint
- Realign
- AControl
- RemoveControl
- PreProcessMessage
- Canvas
- PaintTo
- PaintTo
- Invalidate
- AControl
- InsertControl
- HandleNeeded
- HandleAllocated
- GetTabOrderList
- GetTabControlList
- GetChildren
- Focused
- AllLevels
- FlipChildren
- ControlName
- FindChildControl
- EnableAlign
- Source
- DockDrop
- DisableAlign
- Message
- DefaultHandler
- AllLevels
- AllowWinControls
- AllowDisabled
- ControlAtPos
- Control
- ContainsControl
- CanFocus
- Message
- Broadcast
- Destroy
- ParentWindow
- CreateParentedControl
- ParentWindow
- CreateParented
- AOwner
- Create
- TWinControl6
- FDesignSize
- FInImeComposition
- FDoubleBuffered
- FObjectInstance
- FHandle
- FTouchControl
- FMouseControl
- FMouseInClient
- FOnAlignPosition

- FOnAlignInsertBefore
- FOnUnDock
- FOnKeyUp
- FOnKeyPress
- FOnKeyDown
- FOnGetSiteInfo
- FOnExit
- FOnEnter
- FOnDockOver
- FOnDockDrop
- FPerformingShowingChanged
- FParentDoubleBuffered
- FParentCtl3D
- FDockSite
- FUseDockManager
- FShowing
- FTabStop
- FTabOrder
- FWinControls
- FControls
- FTabList
- FParentWindow
- FImeName
- FImeMode
- FDockManager
- FDockClients
- FPadding
- FBorderWidth
- FBevelWidth
- FBevelKind
- FBevelOuter
- FBevelInner
- FBevelEdges
- FAlignLevel
- FAlignControlList
- AlignInfo
- AlignRect
- NewHeight
- NewWidth
- NewTop
- NewLeft
- Control
- Sender
- TAlignInfo
- AlignInfo
- AlignRect
- Integer
- NewHeight
- Integer
- NewWidth
- Integer
- NewTop
- Integer
- NewLeft
- TControl
- Control
- TWinControl

- Sender
- TAlignPositionEvent
- Sender
- Boolean
- TControl
- TControl
- TWinControl
- Sender
- TAlignInsertBeforeEvent
- IDockManagert
- TBevelWidth
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- beBottom
- beRight
- beLeft
- TBevelEdge
- bvSpace
- bvRaised
- bvLowered
- bvNone
- TBevelCut
- TBorderWidth
- ControlIndex
- AlignList
- TAlignInfo
- TImeName
- imHanguel
- imSHanguel
- imChinese
- imKata
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- TWinControlActionLink(
- TWinControlActionLink
- FClient
- OnGesture(
- Parent
- WindowProc,
- Visible
- UndockWidth
- UndockHeight
- TBDockHeight
- ShowHint
- HostDockSite
- FloatingDockSiteClass,
- Floating
- ExplicitHeight

- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- DockOrientation
- ControlStyle
- ControlState
- Constraints
- ClientWidth
- ClientRect
- ClientOrigin
- ClientHeight
- BoundsRect
- BiDiMode
- DesignSize
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- IsControl
- Anchors
- Align@
- Action<
- Enabled
- ParentCustomHint,
- CustomHint
- Margins8LG
- HelpContextd
- HelpKeyword
- HelpType
- Cursor
- Height
- AlignWithMargins
- TControlT
- Buffer
- SetTextBuf
- LParam
- WParam
- Perform
- LParam
- WParam
- Perform
- GetTextLen
- BufSize
- Buffer
- GetTextBuf
- Message
- DefaultHandler
- UseRightToLeftScrollBar
- UseRightToLeftReading
- UseRightToLeftAlignment
- Update
- SetParentComponent
- SetDesignVisible
- AHeight
- AWidth
- SetBounds
- SendToBack

- AParent
- ParentToClient
- ControlSide
- DropControl
- NewDockSite
- Control
- ReplaceDockedControl
- Repaint
- Refresh
- LParam
- WParam
- Perform
- ScreenPos
- ManualFloat
- ControlSide
- DropControl
- NewDockSite
- ManualDock
- IsRightToLeft
- Message
- MouseWheelHandler
- Invalidate
- InitiateAction
- HasParent
- GetParentComponent
- GetControlsAlignment
- EndDrag
- DrawTextBiDiModeFlagsReadingOnly
- DrawTextBiDiModeFlags
- Source
- DragDrop
- Dragging
- NewDockSite
- AParent
- ClientToParent
- BringToFront
- Threshold
- Immediate
- BeginDrag
- Destroy
- AOwner
- Create
- TControl6
- FReserved
- FExplicitHeight
- FExplicitWidth
- FExplicitTop
- FExplicitLeft
- FOriginalParentSize
- FAnchorOrigin
- FAnchorRules
- FAnchorMove
- FParentCustomHint
- FCustomHint
- FHelpContext
- FHelpKeyword
- FHelpType

- FOnGesture
- FOnMouseWheelUp
- FOnMouseWheelDown
- FOnMouseWheel
- FOnMouseEnter
- FOnMouseLeave
- FOnMouseActivate
- FOnContextPopup
- FOnClick
- FOnEndDrag
- FOnStartDrag
- FOnEndDock
- FOnStartDock
- FOnResize
- FOnDragOver
- FOnDragDrop
- FOnMouseUp
- FOnMouseMove
- FOnMouseDown
- FOnConstrainedResize
- FOnCanResize
- FTouchManager
- FFloatingDockSiteClass
- FTBDockHeight
- FUndockHeight
- FUndockWidth
- FWheelAccumulator
- FHostDockSite
- FDockOrientation
- FDragKind
- FParentShowHint
- FShowHint
- FScalingFlags
- FFontHeight
- FPopupMenu
- FDragCursor
- FCursor
- FMargins
- FConstraints
- FColor
- FActionLink
- FAnchors
- FParentBiDiMode
- FBiDiMode
- FIsControl
- FDragMode
- FAutoSize
- FAlign
- FParentColor
- FParentFont
- FEnabled
- FVisible
- FDesktopFont
- FControlState
- FControlStyle
- FHeight
- FWindowProc

- FParent
- doVertical
- doHorizontal
- doNoOrient
- TDockOrientation
- Handled
- MousePos
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Handled
- MousePos
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- TObject
- Sender
- TMouseWheelUpDownEvent
- Handled
- MousePos
- WheelDelta
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- TObject
- Sender
- TMouseWheelEvent
- MaxHeight
- MaxWidth
- MinHeight
- MinWidth
- Sender
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Resize

- NewHeight
- NewWidth
- Sender
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- CanDock
- MousePos
- InfluenceRect
- DockClient
- Sender
- Boolean
- CanDock
- TPoint
- MousePos
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- Sender
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- NewTarget
- Client
- Sender
- Boolean
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Source
- Sender
- Boolean
- TDragState
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Source
- Sender
- Integer

- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Target
- Sender
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- Sender
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Source
- Sender
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Source
- Sender
- Boolean
- TDragState
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Sender
- TObject
- Sender
- TKeyPressEvent
- Sender
- TShiftState
- TObject
- Sender
- TKeyEvent
- MouseActivate
- HitTest
- Button
- Sender
- TMouseActivate
- MouseActivate
- Integer
- HitTest

- Integer
- Integer
- TShiftState
- TMouseButton
- Button
- TObject
- Sender
- TMouseActivateEvent
- Sender
- Integer
- Integer
- TShiftState
- TObject
- Sender
- TMouseMoveEvent
- Button
- Sender
- Integer
- Integer
- TShiftState
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- TabletOptions
- ParentTabletOptionsh
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- TTouchManager
- TTouchManager
- TabletOptions
- StandardGesturesh
- ParentTabletOptions
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- GestureList
- GestureEngineT
- TCustomTouchManager,
- AGestureID
- UnselectGesture
- SelectGesture
- AGestureID
- SelectGesture
- AControl
- RemoveChangeNotification
- FindGesture
- AGestureID
- FindGesture
- AControl
- ChangeNotification
- Destroy
- AControl
- Create
- TCustomTouchManager8

- FTabletOptions
- FStandardGestures
- FParentTabletOptions
- FNotifyList
- FInteractiveGestureOptions
- FInteractiveGestures
- FGestureManager
- FGestureEngine
- FControl
- Active
- TCustomGestureEngine`
- Supported
- Message
- Notification
- AControl
- Create
- TCustomGestureEngine8
- (TCustomGestureEngine.TGestureEngineFlags
- efTouchEvents
- efMouseEvents
- 'TCustomGestureEngine.TGestureEngineFlag
- StandardGestures
- GestureList
- TCustomGestureManager
- AStandardGestures
- AControl
- SetStandardGestures
- AControl
- GetStandardGestures
- AControl
- GetGestureList
- AGestureID
- AControl
- UnselectGesture
- AControl
- UnregisterControl
- AControl
- SelectGesture
- AGestureID
- AControl
- SelectGesture
- AGesture
- RemoveRecordedGesture
- AGestureID
- RemoveRecordedGesture
- AControl
- RegisterControl
- AControl
- FindGesture
- AGestureID
- AControl
- FindGesture
- FindCustomGesture
- AGestureID
- FindCustomGesture
- AddRecordedGesture
- TCustomGestureManager@

- Action
- Points
- Options
- GestureType8
- GestureID
- ErrorMargin
- Deviation
- TCustomGestureCollectionItem
- TCustomGestureCollectionItem
- TGesturePointArray
- TGestureArray
- TGestureOptions
- goRotate
- goEndpoint
- goSkew
- goUniDirectional
- TGestureOption
- gtNone
- gtRegistered
- gtRecorded
- gtStandard
- TGestureType
- TTabletOptions
- toFlickFallbackKeys
- toSmoothScrolling
- toFlicks
- toTouchSwitch
- toTouchUIForceOff
- toTouchUIForceOn
- toPenBarrelFeedback
- toPenTapFeedback
- toPressAndHold
- TTabletOption
- TStandardGestures
- Handled
- EventInfo
- Sender
- Boolean
- Handled
- TGestureEventInfo
- EventInfo
- TObject
- Sender
- TGestureEvent
- TapLocation
- Distance
- InertiaVector
- Location
- GestureID
- TGestureEventInfo
- TGestureID
- Bottom
- TPadding
- TPadding
- OnChange
- ExplicitHeight<
- ExplicitWidth

- ExplicitTop
- ExplicitLeft
- ControlHeight
- ControlWidth
- ControlTop
- ControlLeft
- Bottom
- TMargins0
- ABottom
- ARight
- SetBounds
- Aligning
- SetControlBounds
- Aligning
- AHeight
- AWidth
- SetControlBounds
- Control
- Create
- TMargins7
- FOnChange
- FBottom
- FControl
- TMarginSize
- OnChange
- MinWidth
- MinHeightD
- MaxWidthD
- MaxHeightD
- TSizeConstraints
- Control
- Create
- TSizeConstraints7
- FOnChange
- FMinWidth
- FMinHeight
- FMaxWidth
- FMaxHeight
- FControl
- TConstraintSize
- TScalingFlags
- sfDesignSize
- sfHeight
- TCaption
- TControlStyle
- csOverrideStylePaint
- csPaintBlackOpaqueOnGlass
- csGestures
- csAlignWithMargins
- csPannable
- csParentBackground
- csNeedsBorderPaint
- csMenuEvents
- csActionClient
- csReflector
- csDisplayDragImage
- csNoStdEvents

- csReplicatable
- csNoDesignVisible
- csFixedHeight
- csFixedWidth
- csDoubleClicks
- csOpaque
- csSetCaption
- csFramed
- csClickEvents
- csDesignInteractive
- csCaptureMouse
- csAcceptsControls
- TControlState
- csPrintClient
- csGlassPaint
- csAligning
- csRecreating
- csPanning
- csDesignerHide
- csDocking
- csDestroyingHandle
- csCustomPaint
- csPaintCopy
- csCreating
- csFocusing
- csAlignmentNeeded
- csReadingState
- csPalette
- csClicked
- csLButtonDown
- TControlActionLink
- TControlActionLink
- FClient
- Control
- TControlCanvas
- UpdateTextFlags
- FreeHandle
- Destroy
- TControlCanvas'
- FWindowHandle
- FDeviceContext
- FControl
- TDragDockObjectExt
- BeforeDestruction
- TDragDockObjectEx1
- FrameWidth
- Floating
- EraseWhenMoving
- EraseDockRect
- DropOnControl
- DropAlign
- DockRect<
- TDragDockObject
- Source
- Assign
- Destroy
- AControl

- Create
- TDragDockObject8
- FFloating
- FEraseDockRect
- FDropOnControl
- FDropAlign
- FDockRect
- TDragControlObjectEx
- BeforeDestruction
- TDragControlObjectEx1
- TDragControlObject
- ShowDragImage
- HideDragImage
- TDragControlObject-
- Control
- TBaseDragControlObject
- Source
- Assign
- AControl
- Create
- TBaseDragControlObject8
- FControl
- RightClickCancels
- MouseDeltaY
- MouseDeltaX
- Dropped
- DragTargetPos
- DragTarget
- DragPos
- DragHandle
- Cancellingd
- AlwaysShowDragImages
- TDragObject
- BeforeDestruction
- AfterConstruction
- ShowDragImage
- Instance
- HideDragImage
- GetName
- Source
- Assign
- TDragObject6
- FRightClickCancels
- FMouseDeltaY
- FMouseDeltaX
- FDropped
- FDragTargetPos
- FDragTarget
- FDragPos
- FDragHandle
- FCancelling
- FAlwaysShowDragImages
- alCustom
- alClient
- alRight
- alLeft
- alBottom

- alNone
- TAlign
- HintData
- HideTimeout
- ReshowTimeout
- CursorPos
- CursorRect
- HintColor
- HintMaxWidth
- HintPos
- HintWindowClass
- HintControl
- THintInfo@
- THintWindowClasst'G
- TWinControlClass,
- TInteractiveGestureOptions
- igoParentPassthrough
- igoPanGutter
- igoPanInertia
- igoPanSingleFingerVertical
- igoPanSingleFingerHorizontal
- TInteractiveGestureOption
- TInteractiveGestures
- igPressAndTap
- igTwoFingerTap
- igRotate
- igZoom
- TInteractiveGesture
- TInteractiveGestureFlags
- gfInertia
- gfBegin
- TInteractiveGestureFlag
- u0;~@u
- TActionLinkDwF
- TActionLink
- OnHint
- Visible8pF
- SecondaryShortCuts
- ShortCut
- ImageIndex
- HelpType
- HelpKeyword
- HelpContext
- GroupIndex
- Enabled
- DisableIfNoHandler
- Checked
- Caption
- AutoCheck
- TCustomAction
- Execute
- DoHint
- Destroy
- AOwner
- Create
- TCustomAction6
- FImage

- FAutoCheck
- FSavedEnabledState
- FSecondaryShortCuts
- FOnHint
- FVisible
- FShortCut
- FImageIndex
- FHelpKeyword
- FHelpContext
- FHelpType
- FGroupIndex
- FEnabled
- FChecked
- FChecking
- FCaption
- FDisableIfNoHandler
- CanShow
- Boolean
- CanShow
- THintEvent
- ShortCuts
- GetShortCuts
- Shortcut
- IndexOfShortCut
- TShortCutList.
- OnUpdate
- OnStateChange
- OnExecute<
- OnChange
- State<
- Images
- TActionList
- TActionList
- OnStateChange
- State<
- Images
- ActionCount
- Actions
- TCustomActionList
- SetAction
- GetAction
- Action
- UpdateAction
- Message
- IsShortCut
- GetEnumerator
- GetChildren
- Action
- ExecuteAction
- Destroy
- AOwner
- Create
- TCustomActionList6
- FOnStateChange
- FState
- FOnUpdate
- FOnExecute

- FOnChange
- FImages
- FImageChangeLink
- FActions
- asSuspendedEnabled
- asSuspended
- asNormal
- TActionListState
- Handled
- Action
- Boolean
- Handled
- TBasicAction
- Action
- TActionEvent
- Current
- TActionListEnumeratorLeF
- MoveNext
- GetCurrent
- AActionList
- Create
- TActionListEnumerator;
- FActionList
- FIndex
- ActionList
- Category
- TContainedAction,bF
- Update
- AParent
- SetParentComponent
- HasParent
- GetParentComponent
- Execute
- Destroy
- TContainedAction'
- FActionList
- FCategory
- HMONITOR
- cyBottomHeight
- cyTopHeight
- _MARGINS
- TOrderedList
- ACount
- AtLeast
- Destroy
- Create
- TOrderedList&
- TPatternManager
- Unlock
- FreePatterns
- Destroy
- Create
- FgColor
- BkColor
- AllocPattern
- TPatternManagerN
- FgColorRef

- BkColorRef
- Bitmap
- TPattern
- PPatternTEF
- :TWICImage.:2
- :TWICImage.:1
- ;54PR
- clWebBlack
- clWebDarkGray
- clWebGainsboro
- clWebDarkSlategray
- clWebDarkSlateBlue
- clWebMistyRose
- clWebDimGray
- clWebSilver
- clWebWhiteSmoke
- clWebSlateGray
- clWebSlateBlue
- clWebSteelBlue
- clWebGray
- clWebLightgrey
- clWebWhite
- clWebLightSlateGray
- clWebMediumSlateBlue
- clWebLightSteelBlue
- clWebPink
- clWebHotPink
- clWebThistle
- clWebPlum
- clWebOrchid
- clWebViolet
- clWebLightPink
- clWebDeepPink
- clWebPurple
- clWebMediumPurple
- clWebMediumOrchid
- clWebBlueViolet
- clWebPaleVioletRed
- clWebMediumVioletRed
- clWebDarkMagenta
- clWebMagenta
- clWebDarkOrchid
- clWebDarkViolet
- clWebNavy
- clWebBlue
- clWebDodgerBlue
- clWebDeepskyBlue
- clWebTeal
- clWebDarkCyan
- clWebCadetBlue
- clWebDarkTurquoise
- clWebMidnightBlue
- clWebMediumBlue
- clWebRoyalBlue
- clWebSkyBlue
- clWebPowderBlue
- clWebCyan

- clWebTurquoise
- clWebMediumTurquoise
- clWebIndigo
- clWebDarkBlue
- clWebCornFlowerBlue
- clWebLightSkyBlue
- clWebLightBlue
- clWebLightCyan
- clWebPaleTurquoise
- clWebLightSeaGreen
- clWebDarkSeaGreen
- clWebMediumSpringGreen
- clWebSpringGreen
- clWebLime
- clWebLimeGreen
- clWebDarkgreen
- clWebDarkOliveGreen
- clWebDarkKhaki
- clWebDarkGoldenRod
- clWebMediumSeaGreen
- clWebMediumAquamarine
- clWebPaleGreen
- clWebLawnGreen
- clWebYellowGreen
- clWebGreen
- clWebOliveDrab
- clWebKhaki
- clWebGoldenRod
- clWebSeaGreen
- clWebAquamarine
- clWebLightGreen
- clWebChartreuse
- clWebGreenYellow
- clWebForestGreen
- clWebOlive
- clWebLightGoldenrodYellow
- clWebPaleGoldenrod
- clWebRosyBrown
- clWebDarkSalmon
- clWebPeru
- clWebSienna
- clWebSaddleBrown
- clWebFirebrick
- clWebOrangeRed
- clWebOrange
- clWebLightCoral
- clWebLightSalmon
- clWebSandyBrown
- clWebChocolate
- clWebBrown
- clWebCrimson
- clWebTomato
- clWebGold
- clWebCoral
- clWebSalmon
- clWebIndianRed
- clWebMaroon

- clWebDarkRed
- clWebRed
- clWebDarkOrange
- clWebYellow
- clWebTan
- clWebPeachPuff
- clWebBisque
- clWebBlanchedAlmond
- clWebLemonChiffon
- clWebLinen
- clWebHoneydew
- clWebMintcream
- clWebAzure
- clWebBurlywood
- clWebMoccasin
- clWebNavajoWhite
- clWebPapayaWhip
- clWebLightYellow
- clWebSeashell
- clWebLavender
- clWebGhostWhite
- clWebAliceBlue
- clWebWheat
- clWebAntiqueWhite
- clWebBeige
- clWebCornSilk
- clWebIvory
- clWebOldLace
- clWebLavenderBlush
- clWebFloralWhite
- clWebSnow
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties
- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString
- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin
- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition

- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundExtent
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- InitCommonControlsEx
- comctl32.dll
- Tahoma
- TBitmapCanvas
- Destroy
- ABitmap
- Create
- TBitmapCanvas7
- FOldPalette
- FOldBitmap
- FBitmap
- TClipboardFormats
- AClass
- Remove
- FindFormat
- AClass
- Destroy
- Create
- TClipboardFormats&
- FFormats
- FClasses
- TFileFormatsList
- Filters
- Descriptions
- AGraphicClass
- BuildFilterStrings
- AClass
- Remove
- Classname
- FindClassName
- FindExt
- AClass
- DescID
- Destroy
- Create

- TFileFormatsList&
- DescResID
- Description
- Extension
- GraphicClass
- TFileFormat
- TBrushResourceManagerT
- TBrushResourceManagerx
- TResourceManagerL
- Unlock
- AResource
- GraphicsObject
- AssignResource
- ResData
- GraphicsObject
- ChangeResource
- Resource
- ResData
- AllocResource
- Destroy
- AResDataSize
- Create
- TResourceManager<
- ResDataSize
- ResList
- EncoderContainerFormat
- ImageFormat
- Handle
- TWICImage
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Stream
- LoadFromStream
- Source
- Assign
- Destroy
- Create
- TWICImage&
- FFormatChanged
- FEncoderContainerFormat
- FImageFormat
- FWicBitmap
- FBitmap
- FHeight
- wifOther
- wifWMPhoto
- wifTiff
- wifGif
- wifJpeg
- TWICImageFormat
- Handle

- TIconP
- Instance
- LoadFromResourceID
- ResName
- Instance
- LoadFromResourceName
- AHeight
- AWidth
- SetSize
- Stream
- SaveToStream
- APalette
- Format
- SaveToClipboardFormat
- ReleaseHandle
- Stream
- LoadFromStream
- APalette
- AFormat
- LoadFromClipboardFormat
- HandleAllocated
- AssignTo
- Source
- Assign
- Destroy
- Create
- TIcon&
- FRequestedSize
- FImage
- TIconImage@
- Destroy
- TIconImage'
- FHandle
- FMemoryImage
- AlphaFormat@
- TransparentMode
- TransparentColor0
- PixelFormat
- Monochromed
- MaskHandle
- IgnorePalette
- HandleType
- Handle$
- Canvas
- ScanLine
- TBitmap
- GetScanline
- Instance
- LoadFromResourceID
- ResName
- Instance
- LoadFromResourceName
- AHeight
- AWidth
- SetSize
- Stream
- SaveToStream

- APalette
- Format
- SaveToClipboardFormat
- ReleasePalette
- ReleaseMaskHandle
- ReleaseHandle
- TransparentColor
- Stream
- LoadFromStream
- APalette
- AFormat
- LoadFromClipboardFormat
- HandleAllocated
- FreeImage
- Dormant
- Source
- Assign
- Destroy
- Create
- TBitmap&
- FAlphaFormat
- FTransparentMode
- FTransparentColor
- FMaskValid
- FMaskBitsValid
- FIgnorePalette
- FCanvas
- FImage
- tmFixed
- tmAuto
- TTransparentMode
- afPremultiplied
- afDefined
- afIgnored
- TAlphaFormat
- pfCustom
- pf32bit
- pf24bit
- pf16bit
- pf15bit
- pf8bit
- pf4bit
- pf1bit
- pfDevice
- TPixelFormat
- TBitmapHandleType
- TBitmapImage
- Destroy
- TBitmapImage'
- FOS2Format
- FHalftone
- FSaveStream
- FDIBHandle
- FPalette
- FMaskHandle
- FHandle
- MMHeight

- Handle
- Enhancedp
- Description
- CreatedBy
- TMetafileIzE
- AHeight
- AWidth
- SetSize
- ReleaseHandle
- Source
- Assign
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Filename
- SaveToFile
- Stream
- LoadFromStream
- HandleAllocated
- Destroy
- Create
- TMetafile&
- FEnhanced
- FImage
- TMetafileImage
- Destroy
- TMetafileImage'
- FTempHeight
- FTempWidth
- FPalette
- FHeight
- FHandle
- TSharedImage
- Destroy
- TSharedImage'
- FRefCount
- OnProgress
- OnChange8iE
- Metafile
- IconP~E
- Height
- PictureAdapter
- Graphic
- Bitmap
- TPicturetqE
- AGraphicClass
- ADescriptionResID
- AExtension
- RegisterFileFormatRes
- AClass
- UnregisterGraphicClass
- AGraphicClass

- AFormat
- RegisterClipboardFormat
- AGraphicClass
- ADescription
- AExtension
- RegisterFileFormat
- Source
- Assign
- AFormat
- SupportsClipboardFormat
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Filename
- SaveToFile
- Filename
- LoadFromFile
- Destroy
- Create
- TPicture&
- FOnProgress
- FNotify
- FOnChange
- FGraphic
- TGraphicClass
- SupportsPartialTransparency
- OnProgress
- OnChange8iE
- Transparent
- PaletteModified
- Palette
- Modified
- Height
- TGraphic
- AHeight
- AWidth
- SetSize
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Stream
- LoadFromStream
- Filename
- SaveToFile
- Filename
- LoadFromFile
- Equals
- Create
- TGraphic&

- FPaletteModified
- FTransparent
- FModified
- FOnProgress
- FOnChange
- RedrawNow
- PercentDone
- Sender
- Boolean
- RedrawNow
- PercentDone
- TProgressStage
- TObject
- Sender
- TProgressEvent
- psEnding
- psRunning
- psStarting
- TProgressStage
- Handle
- CopyMode
- TCanvas
- TextRect
- TextFormat
- TextRect
- TextOut
- TextExtent
- Graphic
- RoundRect
- Refresh
- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- MoveTo
- LineTo
- HandleAllocated
- FillStyle
- FloodFill
- Ellipse
- Opacity
- Graphic
- Graphic
- Source
- Canvas
- Source
- Bitmap
- BrushCopy
- SweepAngle
- StartAngle
- Radius
- AngleArc
- Destroy
- Create
- TCanvas&
- FCopyMode

- FPenPos
- FHandle
- OnChanging
- OnChange<
- TextFlags<
- PenPos
- CanvasOrientation
- LockCountPLE
- ClipRect
- Pixels
- TCustomCanvasINE
- SetPixel
- GetPixel
- Unlock
- TextWidth
- TextRect
- TextFormat
- TextRect
- TextOut
- TextHeight
- TextExtent
- Graphic
- RoundRect
- RoundRect
- Refresh
- Rectangle
- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- MoveTo
- LineTo
- FillStyle
- FloodFill
- Ellipse
- Ellipse
- Opacity
- Graphic
- Graphic
- Source
- Bitmap
- BrushCopy
- SweepAngle
- StartAngle
- Radius
- AngleArc
- TCustomCanvas
- FLockCount
- FTextFlags
- FOnChanging
- FOnChange
- TTextFormat
- tfComposited
- tfWordEllipsis
- tfTabStop
- tfPrefixOnly

- tfNoFullWidthCharBreak
- tfHidePrefix
- tfWordBreak
- tfVerticalCenter
- tfSingleLine
- tfRtlReading
- tfNoPrefix
- tfNoClip
- tfModifyString
- tfExternalLeading
- tfExpandTabs
- tfPathEllipsis
- tfEndEllipsis
- tfEditControl
- tfCenter
- tfCalcRect
- tfBottom
- TTextFormats
- coRightToLeft
- coLeftToRight
- TCanvasOrientation
- TCanvasState
- csBrushValid
- csPenValid
- csFontValid
- csHandleValid
- TCanvasStates
- fsBorder
- fsSurface
- TFillStyle
- Handle
- Bitmap
- Colort@E
- Source
- Assign
- Destroy
- Create
- Handle
- ColorP?E
- Source
- Assign
- Destroy
- Create
- PixelsPerInch
- Handle
- FontAdapter
- Quality
- OrientationD
- Height
- Charset
- TFontxDE
- Source
- Assign
- Destroy
- Create
- FNotify
- FPixelsPerInch

- FColor
- IChangeNotifiert
- OnChange
- OwnerCriticalSection<
- TGraphicsObject
- HandleAllocated
- TGraphicsObject/
- FOwnerLock
- FResource
- FOnChange
- HashCode
- Handle
- RefCount
- TResource
- PResource
- OwnsBitmap
- Bitmap
- Handle
- TBrushData
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Handle
- TPenData
- pmNotXor
- pmNotMask
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNotCopy
- pmWhite
- TPenMode
- psAlternate
- psUserStyle
- psInsideFrame
- psClear
- psDashDotDot
- psDashDot
- psSolid
- TPenStyle
- Quality
- Charset
- Orientation
- Height
- Handle
- TFontData
- Handle
- TResData
- EInvalidGraphicOperationx=E
- EInvalidGraphicOperation

- EInvalidGraphic
- EInvalidGraphic
- AccessS
- RootKeyName
- RootKey
- LastErrorMsg
- LastError
- LazyWrite
- CurrentPath
- CurrentKey
- System.Win.Registry
- TRegistry
- WriteTime
- WriteExpandString
- WriteString
- WriteInteger
- WriteFloat
- WriteDateTime
- WriteDate
- WriteBool
- BufSize
- Buffer
- WriteBinaryData
- WriteCurrency
- ValueExists
- UnLoadKey
- FileName
- SaveKey
- FileName
- RestoreKey
- BackUpFileName
- FileName
- ReplaceKey
- NewName
- OldName
- RenameValue
- UNCName
- RegistryConnect
- ReadTime
- ReadString
- ReadInteger
- ReadFloat
- ReadDateTime
- ReadDate
- ReadBool
- BufSize
- Buffer
- ReadBinaryData
- ReadCurrency
- OpenKeyReadOnly
- CanCreate
- OpenKey
- Delete
- NewName
- OldName
- MoveKey
- FileName

- LoadKey
- KeyExists
- HasSubKeys
- GetValueNames
- GetKeyNames
- GetKeyInfo
- ValueName
- GetDataType
- ValueName
- GetDataSize
- ValueName
- GetDataInfo
- PrefixType
- ValueName
- GetDataAsString
- DeleteValue
- DeleteKey
- CreateKey
- CloseKey
- Destroy
- AAccess
- Create
- Create
- TRegistry&
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- claNull
- claYellowgreen
- claYellow
- claWhitesmoke
- claWhite
- claWheat
- claViolet
- claTurquoise
- claTomato
- claThistle
- claTeal
- claTan
- claSteelblue
- claSpringgreen

- claSnow
- claSlategrey
- claSlategray
- claSlateblue
- claSkyblue
- claSilver
- claSienna
- claSeashell
- claSeagreen
- claSandybrown
- claSalmon
- claSaddlebrown
- claRoyalblue
- claRosybrown
- claRed
- claPurple
- claPowderblue
- claPlum
- claPink
- claPeru
- claPeachpuff
- claPapayawhip
- claPalevioletred
- claPaleturquoise
- claPalegreen
- claPalegoldenrod
- claOrchid
- claOrangered
- claOrange
- claOlivedrab
- claOlive
- claOldlace
- claNavy
- claNavajowhite
- claMoccasin
- claMistyrose
- claMintcream
- claMidnightblue
- claMediumvioletred
- claMediumturquoise
- claMediumspringgreen
- claMediumslateblue
- claMediumseagreen
- claMediumpurple
- claMediumorchid
- claMediumblue
- claMediumaquamarine
- claMaroon
- claMagenta
- claLinen
- claLimegreen
- claLime
- claLightyellow
- claLightsteelblue
- claLightslategrey
- claLightslategray
- claLightskyblue

- claLightseagreen
- claLightsalmon
- claLightpink
- claLightgrey
- claLightgreen
- claLightgray
- claLightgoldenrodyellow
- claLightcyan
- claLightcoral
- claLightblue
- claLemonchiffon
- claLawngreen
- claLavenderblush
- claLavender
- claKhaki
- claIvory
- claIndigo
- claIndianred
- claHotpink
- claHoneydew
- claGrey
- claGreenyellow
- claGreen
- claGray
- claGoldenrod
- claGold
- claGhostwhite
- claGainsboro
- claFuchsia
- claForestgreen
- claFloralwhite
- claFirebrick
- claDodgerblue
- claDimgrey
- claDimgray
- claDeepskyblue
- claDeeppink
- claDarkviolet
- claDarkturquoise
- claDarkslategrey
- claDarkslategray
- claDarkslateblue
- claDarkseagreen
- claDarksalmon
- claDarkred
- claDarkorchid
- claDarkorange
- claDarkolivegreen
- claDarkmagenta
- claDarkkhaki
- claDarkgrey
- claDarkgreen
- claDarkgray
- claDarkgoldenrod
- claDarkcyan
- claDarkblue
- claCyan

- claCrimson
- claCornsilk
- claCornflowerblue
- claCoral
- claChocolate
- claChartreuse
- claCadetblue
- claBurlywood
- claBrown
- claBlueviolet
- claBlue
- claBlanchedalmond
- claBlack
- claBisque
- claBeige
- claAzure
- claAquamarine
- claAqua
- claAntiquewhite
- claAliceblue
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight
- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime

- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- HKEY_DYN_DATA
- HKEY_CURRENT_CONFIG
- HKEY_PERFORMANCE_DATA
- HKEY_USERS
- HKEY_LOCAL_MACHINE
- HKEY_CURRENT_USER
- HKEY_CLASSES_ROOT
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- System.Win.Registry
- rdBinary
- rdInteger
- rdExpandString
- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen
- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- System.Win.Registry
- ERegistryException
- ERegistryException
- |?f;4_r9f;4Gw3
- System.Generics.Collections

- cnExtracted
- cnRemoved
- cnAdded
- TCollectionNotification
- System.SysUtils
- TFunc<System.Boolean>t
- TCriticalSection`
- TryEnter
- Release
- Acquire
- Destroy
- Create
- TCriticalSection&
- FSection
- TEvent
- UseCOMWait
- Create
- UseCOMWait
- InitialState
- ManualReset
- EventAttributes
- Create
- TEvent
- Handle
- LastErrorp
- THandleObject
- UseCOMWait
- SignaledObj
- Timeout
- HandleObjs
- WaitForMultiple
- Timeout
- WaitFor
- Destroy
- UseCOMWait
- Create
- THandleObject:
- FUseCOMWait
- FLastError
- FHandle
- THandleObjectArray
- TSynchroObject
- Timeout
- WaitFor
- Timeout
- WaitFor
- Release
- Acquire
- TSynchroObject'
- wrIOCompletion
- wrError
- wrAbandoned
- wrTimeout
- wrSignaled
- TWaitResult
- &op;_Explicit
- &op;_Implicit

- &op;_UnaryPlus
- &op;_UnaryNegation
- &op;_LessThanOrEqual
- &op;_LessThan
- &op;_GreaterThanOrEqual
- &op;_GreaterThan
- &op;_Inequality
- &op;_Equality
- &op;_Subtraction
- &op;_Subtraction
- &op;_Addition
- &op;_Addition
- &op;_Addition
- TryParse
- Subtract
- FromTicks
- FromMilliseconds
- FromSeconds
- FromMinutes
- FromHours
- FromDays
- Subtract
- Negate
- Duration
- Milliseconds
- Seconds
- Minutes
- Create
- Seconds
- Minutes
- Create
- Seconds
- Minutes
- Create
- ATicks
- Create
- TTimeSpan
- Winapi.Wincodec
- IWICBitmap
- Winapi.Wincodec
- IWICBitmapSourcet
- System.Classes
- "TComponent.GetObservers902ActRec
- "TComponent.GetObservers902ActRec
- System.Classes
- "TComponent.GetObservers$902$1$Intft
- System.Classes
- "TComponent.GetObservers$902$0$Intft
- System.Classes
- #TComponent.FindComponent891ActRecl
- #TComponent.FindComponent891ActRec
- System.Classes
- #TComponent.FindComponent$891$0$Intft
- System.Classes
- TExternalThread
- Create
- TExternalThread&

- System.ClassesL
- :TReader.:1
- System.Classes
- TPropIntfFixup$,D
- Reference
- ResolveReference
- TPropIntfFixupC
- System.Classes
- TPropFixup
- Reference
- ResolveReference
- MakeGlobalReference
- RootName
- PropInfo
- InstanceRoot
- Instance
- Create
- TPropFixup
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- C0;C4u
- kernel32.dll
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass
- TPUtilWindow
- VerticalOffset
- HorizontalOffset
- Height
- .Owner
- System.Classes
- TIntConstT
- AIntToIdent
- AIdentToInt
- AIntegerType
- Create
- TIntConstf
- IntToIdent
- IdentToInt
- IntegerType
- ActiveClass
- System.Classes
- TRegGroups`
- Module
- UnregisterModuleClasses
- AClass
- UnregisterClass
- Unlock
- AClass
- StartGroup
- AClass
- Registered
- AClass
- RegisterClassAlias
- AClass

- RegisterClass
- AGroupClass
- AClass
- GroupWith
- AClass
- GroupedWith
- AClassName
- GetClass
- AClass
- AddClass
- AClass
- Activate
- Destroy
- Create
- TRegGroups&
- FActiveClass
- FGroups
- Active`
- System.Classes
- TRegGroup
- Module
- UnregisterModuleClasses
- AClass
- UnregisterClass
- AClass
- Registered
- AClass
- RegisterClassAlias
- AClass
- RegisterClass
- AClass
- InGroup
- GetClasses
- AClassName
- GetClass
- AClass
- AddClass
- AClass
- Group2
- Group1
- BestGroup
- Destroy
- AClass
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- System.Classes
- TLoginCredentialService0
- Domain
- Password
- Username
- Context
- GetLoginCredentials
- Password

- Username
- Context
- GetLoginCredentials
- Callback
- Context
- GetLoginCredentials
- Callback
- Sender
- Context
- GetLoginCredentials
- Context
- GetLoginCredentialEvent
- HandlerEvent
- Context
- UnregisterLoginHandler
- HandlerEvent
- Context
- RegisterLoginHandler
- TLoginCredentialServiceM
- Success
- Callback
- Sender
- Boolean
- Success
- Callback#TLoginCredentialService.TLoginEvent
- TObject
- Sender
- -TLoginCredentialService.TLoginCredentialEvent
- Handled
- Domain
- Password
- Username
- Sender
- Boolean
- Handled
- Domain
- Password
- Username
- TObject
- Sender
- #TLoginCredentialService.TLoginEvent
- System.Classes
- "TLoginCredentialService.TLoginFunct
- Message
- TMessage
- Message
- TWndMethod
- TIntToIdentc
- TIdentToInt+
- TIdentMapEntry
- TArray<System.TObject>
- DesignSize
- DesignOffset
- OnDestroy
- OnCreate<
- OldCreateOrder<
- System.Classes

- TDataModule
- BeforeDestruction
- AfterConstruction
- Destroy
- AOwner
- CreateNew
- AOwner
- Create
- TDataModule6
- FOldCreateOrder
- FOnDestroy
- FOnCreate
- FDesignOffset
- FDesignSize
- OnUpdate
- OnExecute<
- ActionComponent<
- System.Classes
- TBasicAction
- Update
- UnRegisterChanges
- RegisterChanges
- Execute
- Target
- ExecuteTarget
- Target
- UpdateTarget
- Target
- HandlesTarget
- Destroy
- AOwner
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChange
- Action<
- System.Classes
- TBasicActionLink
- Update
- AComponent
- Execute
- Destroy
- AClient
- Create
- TBasicActionLink7
- FAction
- FOnChange
- Observers
- VCLComObject
- DesignInfoL
- ComponentStyle
- ComponentState
- ComponentIndex0

- ComponentCount
- ComObject
- Components
- System.Classes
- TComponent
- AIndex
- GetComponent
- Operation
- ReferenceInterface
- IsImplementorOf
- Action
- UpdateAction
- ExceptAddr
- ExceptObject
- SafeCallException
- IsSubComponent
- SetSubComponent
- AComponent
- RemoveComponent
- AComponent
- InsertComponent
- HasParent
- GetNamePath
- GetParentComponent
- GetEnumerator
- FreeOnRelease
- AComponent
- RemoveFreeNotification
- AComponent
- FreeNotification
- FindComponent
- Action
- ExecuteAction
- Destroying
- DestroyComponents
- BeforeDestruction
- Destroy
- AOwner
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FObservers
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FOwner
- System.Classes
- EObserverExceptionl
- EObserverException
- OnObserverAddedl
- OnCanObserve|
- System.Classes
- TObservers$
- GetMultiCastObserver
- GetSingleCastObserver

- TryIsObserving
- IsObserving
- RemoveObserver7
- RemoveObserver
- AddObserverI
- AddObserver
- CanObserve
- Destroy
- Create
- TObservers&
- FObserverAdded
- FCanObserve
- FInterfaces
- FObservers
- System.Classes
- TObservers.TObserverAddedEventt
- System.Classes
- TObservers.TCanObserveEventt
- System.Classes
- IEditLinkObserver
- System.Classes
- ISingleCastObserverI
- System.Classes
- IObservert
- System.Classes
- IDesignerNotifyt
- TComponentName
- TComponent
- TGetChildProc
- TComponentStyle
- System.Classes
- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- System.Classes
- csDesignInstance
- csInline
- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying
- csWriting
- csReading
- csLoading
- System.Classes
- opRemove
- opInsert
- TOperation
- CurrentH
- System.Classes
- TComponentEnumerator
- MoveNext
- GetCurrent

- AComponent
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- OnTerminate
- ThreadID<
- Suspended
- Priority
- Handle`
- Finishedp
- FreeOnTerminate
- FatalException
- ExternalThreadL
- System.Classes
- TThread
- Timeout
- Iterations
- SpinWait
- AThreadID
- AThreadName
- NameThreadForDebugging
- AMethod
- RemoveQueuedEvents
- AThread
- RemoveQueuedEvents
- AThreadProc
- AThread
- Synchronize
- AThreadProc
- AThread
- AMethod
- AThread
- StaticSynchronize
- AMethod
- AThread
- Synchronize
- AMethod
- AThread
- StaticQueue
- AMethod
- AThread
- RemoveQueuedEvents
- AMethod
- AThread
- SetReturnValue
- CheckTerminated
- WaitFor
- Terminate
- Suspend
- Resume
- AfterConstruction
- ThreadProc
- CreateAnonymousThread
- Destroy
- CreateSuspended
- Create

- Create
- TThread&
- FExternalThread
- FFatalException
- FSynchronize
- FOnTerminate
- FReturnValue
- FFinished
- FFreeOnTerminate
- FSuspended
- FTerminated
- FCreateSuspended
- FThreadID
- FHandle
- FSynchronizeException
- FProcedure
- FMethod
- FThread
- TThread.TSynchronizeRecord
- System.Classes
- tpTimeCritical
- tpHighest
- tpHigher
- tpNormal
- tpLower
- tpLowest
- tpIdle
- TThreadPriority
- System.Classes
- TThreadProceduret
- TThreadMethod
- System.Classes
- EThread
- EThread
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor`
- RootAncestort
- PositionL
- System.Classes
- TWriterT
- WriteVariant
- WriteWideString
- WriteString
- WriteUTF8Str
- WriteStr
- WriteSignature
- WriteRootComponent
- Instance
- WriteProperties
- WriteListEnd
- WriteListBegin
- WriteInteger
- WriteInteger
- WriteIdent
- WriteDate
- WriteCurrency

- WriteDouble
- WriteSingle
- WriteFloat
- AAncestor
- WriteDescendent
- WriteWideChar
- WriteChar
- Component
- WriteComponent
- WriteCollection
- WriteBoolean
- FlushBuffer
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList
- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- Ancestor
- Component
- Writer
- TComponent
- RootAncestor
- TComponent
- Ancestor
- TComponent
- Component
- TWriter
- Writer
- TFindAncestorEvent
- OnFindComponentInstance
- OnFindComponentClassTuC
- OnCreateComponent,sC
- OnAncestorNotFound
- OnReferenceNamehqC

- OnSetName
- OnFindMethodInstanceppC
- OnFindMethod
- OnError
- Position
- Parent
- OwnerL
- System.Classes
- TReaderDvC
- SkipValue
- Writer
- CopyValue
- ReadVariant
- ReadValue
- ReadWideString
- ReadString
- ReadStr
- ReadSignature
- ReadRootComponent
- AChildPos
- ReadPrefix
- ReadListEnd
- ReadListBegin
- ReadInt64
- ReadInteger
- ReadIdent
- ReadDate
- ReadCurrency
- ReadDouble
- ReadSingle
- ReadFloat
- AParent
- AOwner
- ReadComponents
- Component
- ReadComponent
- Collection
- ReadCollection
- ReadWideChar
- ReadChar
- ReadBoolean
- NextValue
- FlushBuffer
- FixupReferences
- EndReferences
- EndOfList
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- CheckValue
- BeginReferences
- Destroy

- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance
- FOnCreateComponent
- FOnFindComponentClass
- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Reader
- Pointer
- Instance
- TReader
- Reader
- TFindComponentInstanceEvent
- AMethod
- MethodName
- Reader
- Boolean
- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- ComponentClass
- Reader
- TComponent
- Component
- TComponentClass
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader
- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean

- Handled
- Message
- TReader
- Reader
- TReaderError
- Component
- TComponent
- Component
- TReadComponentsProc
- Component
- ComponentClass
- ComponentName
- Reader
- TComponent
- Component
- TPersistentClass
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Reader
- TReader
- Reader
- TReferenceNameEvent
- Component
- Reader
- TComponent
- Component
- TReader
- Reader
- TSetNameEvent
- Address
- MethodName
- Reader
- Boolean
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClassL
- IgnoreChildren
- Ancestor
- LookupRoot
- System.Classes
- TFiler8lC
- FlushBuffer
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty

- Destroy
- BufSize
- Stream
- Create
- TFilerG
- FIgnoreChildren
- FAncestor
- FLookupRoot
- FBufEnd
- FBufPos
- FBufSize
- FBuffer
- FStream
- System.Classes
- IInterfaceComponentReferencet
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags
- System.Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- System.Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaWString
- vaDate
- vaCurrency
- vaSingle
- vaCollection
- vaLString
- vaBinary
- vaTrue
- vaFalse
- vaIdent
- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- FinderClasstiC
- System.Classes

- TClassFinder
- GetClasses
- AClassName
- GetClass
- Destroy
- AIncludeActiveGroups
- AClass
- Create
- TClassFinderT
- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- StreamOwnership
- StreamT`C
- System.Classes
- TStreamAdapter
- dwLockType
- libOffset
- UnlockRegion
- dwLockType
- libOffset
- LockRegion
- Revert
- grfCommitFlags
- Commit
- cbWritten
- cbRead
- CopyTo
- libNewSize
- SetSize
- libNewPosition
- dwOrigin
- dlibMove
- pcbWritten
- pcbRead
- Destroy
- Ownership
- Stream
- Create
- TStreamAdapterI
- FOwnership
- FStream
- System.Classes
- soOwned
- soReference
- TStreamOwnership
- System.Classes
- TResourceStreamt^C
- Buffer
- Destroy
- ResType
- Instance
- CreateFromID
- ResType
- ResName

- Instance
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- System.Classes
- TMemoryStream
- Buffer
- NewSize
- SetSize
- FileName
- LoadFromFile
- Stream
- LoadFromStream
- Destroy
- TMemoryStream'
- FCapacity
- Memory
- System.Classes
- TCustomMemoryStream
- FileName
- SaveToFile
- Stream
- SaveToStream
- Origin
- Offset
- Buffer
- TCustomMemoryStreamC
- FPosition
- FMemory
- FileName
- System.Classes
- TFileStream
- Destroy
- AFileName
- Create
- AFileName
- Create
- TFileStreamG
- FFileName
- Handle
- System.Classes
- THandleStream
- Origin
- Offset
- Buffer
- Buffer
- AHandle
- Create
- THandleStream7
- FHandle
- System.Classes
- IStreamPersistt
- Position
- System.Classes
- TStreamIOC
- ReadResHeader

- FixupInfo
- FixupResourceHeader
- FixupInfo
- ResName
- WriteResourceHeader
- Ancestor
- Instance
- ResName
- WriteDescendentRes
- Ancestor
- Instance
- WriteDescendent
- Instance
- ResName
- WriteComponentRes
- Instance
- WriteComponent
- Instance
- ReadComponentRes
- Instance
- ReadComponent
- Source
- CopyFrom
- Buffer
- WriteBuffer
- Buffer
- ReadBuffer
- Origin
- Offset
- Origin
- Offset
- Buffer
- Buffer
- TStreamC
- OwnsObjectslOC
- OnChanging
- OnChange<
- CaseSensitive<
- Sorted
- Duplicates
- System.Classes
- Compare
- CustomSort
- AObject
- InsertObject
- Insert
- IndexOf
- Index2
- Index1
- Exchange
- Delete
- Source
- Assign
- AObject
- AddObject
- Destroy
- OwnsObjects

- Create
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted
- FCapacity
- FCount
- Index2
- Index1
- TStringListSortCompare
- TStringItemList
- FObject
- TStringItem
- WriteBOM
- StringsAdapter
- Text\\4C
- StrictDelimiter
- NameValueSeparator
- QuoteCharL
- LineBreakL
- Encoding
- DelimitedText
- Delimiter
- DefaultEncodingL
- CommaText
- Capacity
- ValueFromIndex
- Values
- Objects
- System.Classes
- TStrings47C
- SetValueFromIndex
- GetValueFromIndex
- SetValue
- GetValue
- AObject
- PutObject
- GetObject
- GetName
- ToObjectArray
- ToStringArray
- SetText
- Encoding
- Stream
- SaveToStream
- Stream
- SaveToStream
- Encoding
- FileName
- SaveToFile
- FileName
- SaveToFile
- NewIndex
- CurIndex

- Encoding
- Stream
- LoadFromStream
- Stream
- LoadFromStream
- Encoding
- FileName
- LoadFromFile
- FileName
- LoadFromFile
- AObject
- InsertObject
- Insert
- AObject
- IndexOfObject
- IndexOfName
- IndexOf
- GetText
- GetEnumerator
- Index2
- Index1
- Exchange
- Equals
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- Objects
- AddStrings
- AddStrings
- AddStrings
- Append
- AObject
- AddObject
- Destroy
- Create
- FWriteBOM
- FAdapter
- FUpdateCount
- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefaultEncoding
- FDefined
- FEncoding
- Current
- System.Classes
- TStringsEnumerator
- MoveNext
- GetCurrent
- AStrings
- Create
- TStringsEnumerator8
- FIndex

- TStringsDefined
- System.Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- System.Classes
- IStringsAdaptert
- ItemClass
- CountP-C
- Capacity
- System.Classes
- TCollection|/C
- SetItem
- GetItem
- Insert
- GetNamePath
- GetEnumerator
- FindItemID
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- Destroy
- ItemClass
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current
- System.Classes
- TCollectionEnumerator
- MoveNext
- GetCurrent
- ACollection
- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClasst,C
- DisplayName
- Collection
- System.Classes
- TCollectionItemP+C
- GetNamePath
- Destroy
- Collection
- Create
- TCollectionItem:
- FCollection
- System.Classes
- TInterfacedPersistent

- AfterConstruction
- QueryInterface
- TInterfacedPersistentH
- FOwnerInterface
- TPersistentClass
- System.Classes
- TPersistent
- GetNamePath
- Source
- Assign
- Destroy
- TPersistent'
- System.Classes
- SetBit
- GetBit
- OpenBit
- Destroy
- Capacity
- System.Classes
- TInterfaceList
- GetEnumerator
- Unlock
- Direction
- RemoveItem
- Remove
- Insert
- Direction
- IndexOfItem
- IndexOf
- Expand
- Index2
- Index1
- Exchange
- Delete
- Destroy
- Create
- TInterfaceList&
- Current
- System.Classes
- TInterfaceListEnumerator
- MoveNext
- GetCurrent
- AInterfaceList
- Create
- TInterfaceListEnumerator>
- FInterfaceList
- FIndex
- System.Classes
- IInterfaceListEx
- System.Classes
- IInterfaceListt
- Duplicates
- System.Classes
- TThreadListD
- UnlockList
- Direction
- RemoveItem

- Remove
- LockList
- Destroy
- Create
- TThreadList&
- FDuplicates
- Count,
- Capacity
- System.Classes
- AOperator
- Assign
- Compare
- SortList
- Compare
- Direction
- RemoveItem
- Remove
- NewIndex
- CurIndex
- Insert
- Direction
- IndexOfItem
- IndexOf
- GetEnumerator
- Direction
- ExtractItem
- Expand
- Index2
- Index1
- Exchange
- Delete
- Destroy
- FCapacity
- FCount
- System.Classes
- FromEnd
- FromBeginning
- TList.TDirection
- Current
- System.Classes
- TListEnumerator
- MoveNext
- GetCurrent
- Create
- TListEnumerator5
- FIndex
- System.Classes
- laDestUnique
- laSrcUnique
- laCopy
- TListAssignOp
- System.Classes
- TListSortCompareFunct
- TListSortCompare
- System.Classes
- TPointerList
- System.Classes

- dupError
- dupAccept
- dupIgnore
- TDuplicates
- System.Classes
- EInvalidOperation
- EInvalidOperation
- System.Classes
- EOutOfResources
- EOutOfResources
- System.Classes
- EComponentError(
- EComponentError
- System.Classes
- EStringListErrorx
- EStringListError
- System.Classes
- EBitsError
- EBitsError
- System.Classes
- EListError(
- EListError
- System.Classes
- EResNotFound
- EResNotFound
- System.Classes
- EClassNotFound
- EClassNotFound
- System.Classes
- EWriteError(
- EWriteError
- System.Classes
- EReadError
- EReadError
- System.Classes
- EFilerError
- EFilerError
- System.Classes
- EFOpenError0
- EFOpenError
- System.Classes
- EFCreateError
- EFCreateError
- System.Classes
- EFileStreamError
- FileName
- ResStringRec
- Create
- EFileStreamErrorN
- System.Classes
- EStreamError
- EStreamError
- Sender
- TObject
- Sender
- TNotifyEvent
- TShortCut

- System.Classes
- htContext
- htKeyword
- THelpType
- THelpContext
- TShiftState
- System.Classes
- ssCommand
- ssTouch
- ssDouble
- ssMiddle
- System.Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- System.Classes
- TLeftRight
- System.Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- System.Classes
- soCurrent
- soBeginning
- TSeekOrigin
- System.TypInfo
- TPropSet<System.IInterface>0
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- TPropSet<System.IInterface>V
- System.TypInfo
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- System.TypInfo
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- System.TypInfo
- TPropSet<System.Extended>
- PropInfo
- Instance
- SetProc
- PropInfo

- Instance
- GetProc
- TPropSet<System.Extended>K
- System.TypInfo
- TPropSet<System.Double>$
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- TPropSet<System.Double>K
- System.TypInfo
- TPropSet<System.Single>
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- TPropSet<System.Single>K
- System.TypInfo
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- System.TypInfo
- TPropSet<System.WideString>
- PropInfo
- Instance
- SetProc
- PropInfo
- Instance
- GetProc
- TPropSet<System.WideString>V
- NameIndex
- Default
- StoredProc
- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfo
- TTypeInfo
- PTypeInfo
- PPTypeInfo
- System.TypInfo
- tkProcedure
- tkPointer
- tkClassRef
- tkUString
- tkDynArray
- tkInt64
- tkInterface
- tkRecord

- tkArray
- tkVariant
- tkMethod
- tkFloat
- tkEnumeration
- tkInteger
- tkUnknown
- TTypeKind
- System.Variants
- o<Ju#f
- FromUnicode
- FromAnsi
- Unicode
- TStringRef
- System.Variants
- EVariantInvalidNullOpError|aB
- EVariantInvalidNullOpError
- System.Variants
- EVariantDispatchError
- EVariantDispatchError
- System.Variants
- EVariantUnexpectedError
- EVariantUnexpectedError
- System.Variants
- EVariantOutOfMemoryError@_B
- EVariantOutOfMemoryError
- System.Variants
- EVariantNotImplError
- EVariantNotImplError
- System.Variants
- EVariantArrayCreateError
- EVariantArrayCreateError
- System.Variants
- EVariantArrayLockedError
- EVariantArrayLockedError
- System.Variants
- EVariantBadIndexErrorL\\B
- EVariantBadIndexErrort\\B
- System.Variants
- EVariantBadVarTypeError
- EVariantBadVarTypeError
- System.Variants
- EVariantInvalidArgError
- EVariantInvalidArgError
- System.Variants
- EVariantOverflowError
- EVariantOverflowError8ZB
- System.Variants
- EVariantTypeCastErrorTYB
- EVariantTypeCastError|YB
- System.Variants
- EVariantInvalidOpError
- EVariantInvalidOpError
- System.Variants
- TVarDataArray
- VarType
- System.Variants

- TCustomVariantTypePSB
- Relationship
- Compare
- Operator
- CompareOp
- Operator
- UnaryOp
- Operator
- BinaryOp
- Indirect
- Source
- Source
- CastToOle
- AVarType
- Source
- CastTo
- Source
- IsClear
- Destroy
- RequestedVarType
- Create
- Create
- TCustomVariantType&
- FVarType
- System.Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- pfnDeferredFillIn
- pvReserved
- dwHelpContext
- bstrHelpFile
- bstrDescription
- bstrSource
- wReserved
- tagEXCEPINFO
- ExInfo
- TFNDeferredFillIn

- PExcepInfo
- Winapi.ActiveX
- IStream
- Winapi.ActiveX
- ISequentialStreamt
- reserved
- grfStateBits
- grfLocksSupported
- grfMode
- cbSize
- pwcsName
- &TArray;<System.SysUtils.TUnitHashEntry>
- UnitHashArray
- Validated
- TModuleInfo
- FullHash
- DupsAllowed
- UnitName
- LibModule
- TUnitHashEntry
- PUnitHashEntry
- TErrorRec
- System.SysUtils0
- ByRef
- Array
- UnicodeString
- UInt64
- LongWord
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Dispatch
- OleStr
- Currency
- Double
- Single
- Integer
- Smallint
- oleaut32.dll
- 1201 (Unicode - Big-Endian)
- 1200 (Unicode)
- kernel32.dll
- System.SysUtils
- System.SysUtils
- TBigEndianUnicodeEncoding0
- GetPreamble
- TBigEndianUnicodeEncoding%
- System.SysUtils
- TUnicodeEncodingT
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create

- TUnicodeEncoding&
- System.SysUtils
- TUTF8Encodingp
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUTF8Encoding&
- System.SysUtils
- TUTF7Encoding
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUTF7Encoding&
- System.SysUtils
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Create
- CodePage
- Create
- Create
- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- EncodingName
- CodePage
- System.SysUtils
- TEncoding
- GetString
- GetString
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- EncodingName
- GetEncoding
- CodePage
- GetEncoding
- GetChars/
- GetChars
- GetChars
- GetCharCount
- GetCharCount
- GetBytes
- GetBytes

- GetBytes
- GetBytes
- GetBytes
- CharCount
- CharIndex
- GetByteCount
- GetByteCount
- GetByteCount7
- GetByteCount
- GetBufferEncoding
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- FreeEncodings
- Convert-
- Convert
- TEncoding%
- FMaxCharSize
- FIsSingleByte
- System.SysUtils
- EEncodingErrorl
- EEncodingError
- TArray<System.Char>
- RevisionLevel
- System.SysUtils
- $TMultiReadExclusiveWriteSynchronizerT
- EndWrite
- BeginWrite
- EndRead
- BeginRead
- Destroy
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- System.SysUtils
- TThreadLocalCounter
- Thread
- Thread
- Delete
- Thread
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- TThreadInfo
- PThreadInfoT
- System.SysUtils
- IReadWriteSynct
- System.SysUtils

- System.SysUtils
- LocaleName
- Create
- Locale
- Create
- Create
- NegCurrFormat
- TwoDigitYearCenturyWindow
- DecimalSeparator
- ThousandSeparator
- LongDayNames
- ShortDayNames
- LongMonthNames
- ShortMonthNames
- LongTimeFormat
- ShortTimeFormat
- TimePMString
- TimeAMString
- LongDateFormat
- ShortDateFormat
- ListSeparator
- TimeSeparator
- DateSeparator
- CurrencyDecimals
- CurrencyFormat
- CurrencyString
- TFormatSettings
- :TFormatSettings.:4
- :TFormatSettings.:3
- :TFormatSettings.:20
- :TFormatSettings.:10
- SystemIuA
- TArray<System.SysUtils.TLangRec>
- System.SysUtils
- ENotImplementedP
- ENotImplemented
- System.SysUtils
- ENoMonitorSupportException
- ENoMonitorSupportException
- System.SysUtils
- EMonitorLockException
- EMonitorLockException
- System.SysUtils
- EMonitor,
- EMonitor
- System.SysUtils
- ESafecallExceptiont
- ESafecallException
- System.SysUtils
- EOSError
- EOSError
- ErrorCode
- System.SysUtils
- EIntfCastError
- EIntfCastError
- System.SysUtils
- EAbstractErrorX

- EAbstractError
- System.SysUtils
- EAssertionFailed
- EAssertionFailed
- System.SysUtils
- EVariantError
- EVariantError
- System.SysUtils
- EControlCX
- EControlCt
- System.SysUtils
- EStackOverflow
- EStackOverflow
- System.SysUtils
- EPrivilege
- EPrivilege
- System.SysUtils
- EAccessViolationP
- EAccessViolation
- System.SysUtils
- EConvertError
- EConvertError
- System.SysUtils
- EInvalidCast
- EInvalidCast
- System.SysUtils
- EInvalidPointerL
- EInvalidPointer
- System.SysUtils
- EUnderflow
- EUnderflow
- System.SysUtils
- EOverflow
- EOverflow
- System.SysUtils
- EZeroDivideX
- EZeroDivide
- System.SysUtils
- EInvalidOp
- EInvalidOp
- System.SysUtils
- EMathError
- EMathError
- System.SysUtils
- EIntOverflow`
- EIntOverflow
- System.SysUtils
- ERangeError
- ERangeError
- System.SysUtils
- EDivByZero
- EDivByZero
- System.SysUtils
- EIntErrorl
- EIntError
- System.SysUtils
- EExternalException

- EExternalException
- System.SysUtils
- EExternal
- EExternal
- ExceptionRecord
- System.SysUtils
- EInOutError(
- EInOutError
- ErrorCode
- System.SysUtils
- EOutOfMemory
- EOutOfMemory
- System.SysUtils
- EHeapException
- FreeInstance
- EHeapException,
- AllowFree
- System.SysUtils
- EAbort
- EAbort
- System.SysUtils
- EArgumentOutOfRangeException
- EArgumentOutOfRangeException
- System.SysUtils
- EArgumentException`
- EArgumentException
- StackInfo
- StackTrace
- Message
- InnerException
- HelpContext
- BaseException
- System.SysUtils
- Exception
- ThrowOuterException
- RaiseOuterException
- ToString
- GetBaseException
- Destroy
- CreateResFmtHelp'
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- CreateResHelp
- AHelpContext
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- CreateRes
- CreateRes
- CreateFmt8
- Create
- Exception3

- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- LocaleID
- LocaleName
- NameFromLCID
- NameFromLocaleID
- System.SysUtils
- TLanguagesDvA
- GetExt
- GetLocaleID
- GetLocaleName
- GetNameFromLCID
- GetNameFromLocaleID
- GetName
- LocaleName
- IndexOf
- IndexOf
- Destroy
- Create
- TLanguages&
- FLocaleName
- TLangRec
- TArray<System.Byte>
- TFileName
- EIdent
- EClass
- TExceptRec
- System.Internal.ExcUtils
- etNotImplemented
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege
- etAccessViolation
- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- ?tE)!XU
- ?tE)!XU
- ?333333
- AINFNAN
- 111QQQ

- Result
- UserMenuFlagFiller
- MenuFlag
- MsgFiller
- TWMMenuChar
- Result
- KeyDataFiller
- KeyData
- CharCodeUnusedFiller
- Unused
- CharCode
- MsgFiller
- ResultFiller
- ResultHi
- ResultLo
- LParamFiller
- LParamHi
- LParamLo
- WParamFiller
- WParamHi
- WParamLo
- Result
- LParam
- WParam
- TMessage
- TDWordFiller
- GESTURECONFIG
- TOwnerDrawState
- Winapi.Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odNoAccel
- odInactive
- odHotLight
- odDefault
- odFocused
- odChecked
- odDisabled
- odGrayed
- odSelected
- lParam
- wParam
- message
- dsOffset
- dshSection
- dsBitfields
- tagDIBSECTIONT
- biClrImportant
- biClrUsed
- biYPelsPerMeter
- biXPelsPerMeter
- biSizeImage
- biCompression
- biBitCount
- biPlanes

- biHeight
- biWidth
- biSize
- tagBITMAPINFOHEADER(
- bmBitsPixel
- bmPlanes
- bmHeight
- tagBITMAP
- dwHighDateTime
- dwLowDateTime
- _FILETIME
- bInheritHandle
- lpSecurityDescriptor
- _SECURITY_ATTRIBUTES
- PSecurityAttributes
- HPALETTE
- HBITMAP
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex
- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- TAlphaColor
- TColor
- TCursor
- System.UITypes
- scBottom
- scPosition
- scPageDown
- scPageUp
- scLineDown
- scLineUp
- TScrollCode
- TAnchors
- System.UITypes
- akBottom
- akRight
- akLeft
- TAnchorKind
- System.UITypes
- TDragKind
- System.UITypes
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- System.UITypes
- dmAutomatic

- dmManual
- TDragMode
- TModalResult
- TTabOrder
- System.UITypes
- maNoActivateAndEat
- maNoActivate
- maActivateAndEat
- maActivate
- maDefault
- TMouseActivate
- System.UITypes
- mbMiddle
- TMouseButton
- System.UITypes
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction
- TFontStylesBase
- TFontDataName|
- TFontName
- System.UITypes
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- System.UITypes
- fqClearTypeNatural
- fqClearType
- fqAntialiased
- fqNonAntialiased
- fqProof
- fqDefault
- TFontQuality
- System.UITypes
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- TFontCharset
- System.UITypes
- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- System.UITypes
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- TBorderIcons
- System.UITypes
- biHelp
- biMaximize
- biMinimize

- biSystemMenu
- TBorderIcon
- Percent
- SplitType
- SplitRect
- SplitType
- SplitRect
- CenterPoint
- Inflate
- Inflate
- SetLocation
- SetLocation
- Offset
- Offset
- Intersect
- Intersect
- IntersectsWith
- Contains
- Contains
- IsEmpty
- NormalizeRect
- &op;_Multiply
- &op;_Addition
- &op;_Inequality
- &op;_Equality
- Normalize
- Create
- Normalize
- Create
- Bottom
- Create
- Height
- Origin
- Create
- Origin
- Create
- BottomRight
- TopLeft
- Bottom
- srBottom
- TSplitRectType
- IsZero
- Subtract
- Offset
- Offset
- SetLocation
- SetLocation
- Distance
- &op;_Explicit
- &op;_Implicit
- &op;_Subtraction
- &op;_Addition
- &op;_Inequality
- &op;_Equality
- Create
- Create
- TPoint

- Subtract
- IsZero
- Distance
- &op;_Subtraction
- &op;_Addition
- &op;_Inequality
- &op;_Equality
- Create
- Create
- Create
- TSmallPoint
- Subtract
- IsZero
- Distance
- &op;_Subtraction
- &op;_Addition
- &op;_Inequality
- &op;_Equality
- Create
- Create
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA
- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- Unexpected Memory Leak
- UnicodeString
- AnsiString
- Unknown
- The sizes of unexpected leaked medium and large blocks are:
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- FastMM Embarcadero Edition (c) 2004 - 2011 Pierre le Riche
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress
- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecordP&@
- Identifier
- Module
- TResStringRec
- PResStringRec
- Reserved

- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- TLibModule
- PLibModule
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfo
- PTypeTable,$@
- TTypeTable
- RawData
- VRecord
- VUString
- VPointer
- VArray
- VUInt64
- VInt64
- VLongWord
- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch
- VOleStr
- VCurrency
- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- TVarData
- RecInfo
- PRecord
- TVarRecord
- Bounds
- LockCount
- ElementSize
- DimCount
- TVarArray
- PVarArray
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TDateTime
- PLongInt
- PUnicodeString
- PWideString
- PAnsiString
- RefCount

- TInterfacedObject
- NewInstance
- BeforeDestruction
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IEnumerablet
- IInterface
- TObject`
- Destroy
- FreeInstance
- NewInstance
- Message
- DefaultHandler
- Message
- Dispatch
- BeforeDestruction
- AfterConstruction
- ExceptAddr
- ExceptObject
- SafeCallException
- ToString
- GetHashCode
- Equals
- UnitScope
- UnitName
- GetInterfaceTable
- GetInterfaceEntry
- GetInterface
- FieldAddress
- FieldAddress
- QualifiedClassName
- Address
- MethodName
- MethodAddress
- MethodAddress
- AClass
- InheritsFrom
- InstanceSize
- ClassInfo
- ClassParent
- ClassNameIs
- ClassName
- ClassType
- CleanupInstance
- Instance
- InitInstance
- Create
- TObject&
- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTablex
- ImplGetter
- IOffset
- VTable

- TInterfaceEntry
- PInterfaceEntry
- &op;_Inequality
- &op;_Equality
- HRESULT
- Variant
- AnsiString
- WideString
- LongBool
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- NativeUInt
- NativeInt
- UInt64
- Cardinal
- Pointer
- Integer
- SmallInt
- ShortInt
- AnsiChar
- Boolean
- @.reloc
- .rdata
- .didata
- .idata
- `.data
- `.itext
- This program must be run under Win32
- 0@P`p
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- Software\\Embarcadero\\Locales
- kernel32.dll
- kernel32.dll
- kernel32.dll
- FH_^[Y]
- FD_^[Y]
- <Z]_^[
- Sh_^[]
- Sd_^[Y]
- jsHalf
- FWidth
- D$<+FTP
- D$<+FTP
- +FT;D$
- +GP;D$
- D$8;D$

- D$4;D$
- D$8;D$
- D$4;D$
- YZ]_^[
- YZ]_^[
- @C:GCu
- @C:GCu
- Jt'Jt5
- _^[YY]
- YZ]_^[
- $Z]_^[
- _^[YY]
- Y_^[Y]
- _^[YY]
- _^[YY]
- _^[YY]
- $Z]_^[
- YZ]_^[
- sx;Pdu
- XH;PLu
- _^[YY]
- Cd;Cpt
- Ch;Ctt
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- D$,+D$$
- D$(+D$
- S0_^[]
- _^[YY]
- +WP+WH
- Vcl.Forms
- FWidth
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- FHelpSystem
- Vcl.Formsd
- string
- HintStr
- string
- HintStr
- tagMSG
- Vcl.Forms
- Vcl.Forms
- tmShow
- Width<
- Vcl.Forms
- FForms
- FFonts
- Vcl.Forms
- mdNull
- Vcl.Forms
- Vcl.Forms
- OnDblClick<

- Width|
- TFormP;N
- TForm,
- Fontx!N
- Vcl.Forms
- Vcl.Forms
- FRight
- Vcl.Forms
- TWMKey
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- Vcl.Forms
- FStyle
- Vcl.Forms
- ssFlat
- Vcl.Forms
- PdYZ_^
- YZ]_^[
- _^[YY]
- $YZ]_^[
- QL]_^[
- @C:FCv
- QL]_^[
- PC:SCu
- QL]_^[
- _^[YY]
- _^[YY]
- Sh]_^[
- R0;C<}!
- R$;C8|
- S@_^[]
- Rp]_^[
- Width<
- Vcl.ImgList
- FWidth
- Vcl.ImgList
- Vcl.ImgList
- Vcl.ImgList
- Vcl.ImgList
- Vcl.ImgList
- Vcl.ImgList
- TComparer<System.string>XCM
- Vcl.Themesh
- System
- TList<System.string>
- TList<System.string>&

- System
- System
- Vcl.Themesh
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- System
- TList<System.TClass>
- TList<System.TClass>&
- System
- System
- _^[YY]
- _^[YY]
- _^[YY]
- QQQQSVW
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- QQQQQSVW
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- R0YZ^[
- C$YZ^[
- TList<System.Types.TPoint>
- TList<System.Types.TPoint>&
- System
- System
- !"#$%&
- System
- System
- System
- System
- System
- System
- string
- Systemh
- System
- System
- TArray<System.TClass>
- TClass
- System
- !TList<Vcl.Themes.TStyleHookClass>$}K
- System
- System
- mpRight
- mpLeft
- FBrush
- TrySetStyle
- FNewComCtrls
- scGrid
- ttHotGlyphClosed
- ttBranch

- ttGlyphClosed
- ttbThumbTicsVert
- ttbThumbTics
- ttbThumbRightHot
- ttbThumbHot
- ttbTrackVert
- ttbTrack
- tttWrenchPressed
- tttWrenchHot
- ttsBodyText
- ttBody
- tspTopMatch
- tspNSCHost
- tspProgList
- tsThumbBtnVertPressed
- tsThumbBtnVertHot
- tsThumbBtnHorzPressed
- tsThumbBtnHorzHot
- trBand
- tpFill
- tpChunkVert
- tpChunk
- tdnbPostHot
- tdnbLastHot
- tdnbNextHot
- tdnbFirstPressed
- tdnbFirstHot
- tlEmptyText
- tbCommandLinkGlyphHot
- GX;wTu
- Vcl.ExtCtrls
- FOnDblClick
- Vcl.ExtCtrls
- Vcl.ExtCtrls
- Stretch
- Vcl.ExtCtrls$
- FStretch
- Vcl.ExtCtrls!
- D$P+CL
- QQQQQQQQV
- FDefWndProc
- FCtl3D
- _^[YY]
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- System.HelpIntfs
- WndProcPtr%.8X%.8X
- commdlg_help
- jjjjjjjj
- $Z]_^[

- YZ]_^[
- _^[YY]
- Vcl.ComCtrls
- TTabStrings
- TTabStrings%
- Vcl.ComCtrls
- Vcl.ComCtrls
- Vcl.ComCtrls
- Vcl.ComCtrls.
- StepBy
- FStyle
- Vcl.ComCtrls
- Vcl.ComCtrls
- Vcl.ComCtrls
- Vcl.ComCtrls:
- Vcl.ComCtrls'
- Vcl.ComCtrls;
- Vcl.ComCtrls
- FStyle
- Vcl.ComCtrls
- tsTabs
- Vcl.ComCtrls
- tpRight
- tpLeft
- Vcl.ComCtrls
- Vcl.StdActns
- pszSpec
- R YZ^[
- _^[YY]
- _^[YY]
- QQQQQQSVW
- _^[YY]
- Vcl.StdCtrls
- Vcl.StdCtrls
- QQQQQSVW
- Jt!Jt,
- _^[YY]
- _^[YY]
- Vcl.StdCtrls
- Vcl.StdCtrls
- QQQQQQSVW
- _^[YY]
- Vcl.StdCtrls
- Vcl.StdCtrls
- Vcl.StdCtrls
- Vcl.StdCtrls
- FScrollWnd
- Vcl.StdCtrls
- Vcl.StdCtrls*
- FRTLFactor
- Vcl.StdCtrls1
- Vcl.StdCtrls
- Vcl.StdCtrls
- Vcl.StdCtrls:
- Vcl.StdCtrls
- FStyle
- Vcl.StdCtrls

- Vcl.StdCtrls
- Vcl.StdCtrls
- FRight
- Vcl.StdCtrls
- Vcl.StdCtrls
- Vcl.StdCtrls
- Vcl.StdCtrlsB
- Vcl.StdCtrls
- Vcl.StdCtrls,
- Vcl.StdCtrls
- string
- TFNDrawText
- Vcl.StdCtrls
- Vcl.StdCtrls
- _^[YY]
- _^[YY]
- Jt'Jt5
- BP_^[]
- t ;^dt
- Vcl.Controls
- G Z_^[
- QQQQQSVW
- S`_^[Y]
- _^[YY]
- G VhthH
- FLVhDgH
- ^dVh|bH
- ^dVh|bH
- SH_^[]
- YZ]_^[
- YZ]_^[
- YZ]_^[
- YZ]_^[
- YZ]_^[
- _^[YY]
- YZ]_^[
- YZ]_^[
- _^[YY]
- _^[YY]
- YZ]_^[
- +WP+WH
- Vcl.Controls
- _^[YY]
- ;s8t=;
- _^[YY]
- YZ]_^[
- ;FTt_3
- ty;^Hu
- RtZ_^[
- YZ]_^[
- t%Jt?Jt[
- YZ]_^[
- S$_^[]
- SPh(WG
- _^[YY]
- Vcl.Controls
- Vcl.Controls

- FStyle
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- bhsStandard
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- FShiftBy
- FOldWndProc
- FBrush
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- ScrollBy
- FDefWndProc
- FCtl3D
- FBrush
- Vcl.Controls
- Vcl.Controls
- bkFlat
- bkSoft
- Vcl.Controls
- Vcl.Controls
- Scratch
- Vcl.Controls
- Vcl.Controls
- LRDockWidth
- %s (%s)
- Vcl.Controls
- FOnDblClick
- FLRDockWidth
- FWidth
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Flags,
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- FRight
- Vcl.Controls
- Vcl.Controls
- sfFont
- sfWidth

- sfLeft
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- FBrush
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- HintStr
- Vcl.Controls
- Vcl.Controls
- Vcl.Controls
- $Z]_^[
- R@Z_^[
- R@Z_^[
- R@Z_^[
- R@Z_^[
- R@Z_^[
- $;C|t?
- R@]_^[
- R@]_^[
- R@Z_^[
- $;Ctt?
- R@Z_^[
- $:Crtc
- R@Z_^[
- R@]_^[
- ShZ]_^[
- YZ]_^[
- Vcl.ActnList
- Vcl.ActnList
- HintStr
- HintStr
- string
- HintStr
- Vcl.ActnList
- TShortCutListtnF
- Vcl.ActnList
- Vcl.ActnList
- Vcl.ActnList
- Vcl.ActnList
- Vcl.ActnList
- cxRightWidth
- cxLeftWidth
- u-hTQF
- System.Contnrs
- TStack
- TStack
- System.Contnrs
- _^[YY]
- Vcl.Graphics
- Vcl.Graphics

- Sh_^[]
- Vcl.Graphics
- C(_^[Y]
- ;x t9VW
- _^[YY]
- MS Shell Dlg 2
- Vcl.Graphics
- D$LPkD$XdPW
- D$HPkD$TdPV
- |$(EMFt
- D$HPkD$TdPV
- D$LPkD$XdPV
- T$$+T$
- T$ +T$
- kD$PdP
- kD$TdP
- _^[YY]
- Vcl.Graphics
- _^[YY]
- QQQQQQSV
- Vcl.Graphics
- C ;C$s
- E$PVSj
- R$_^[]
- SdYZ_^[
- _^[YY]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[Y]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[]
- K4hhPR
- C4hhPR
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- FWidth
- Vcl.Graphics
- wifPng
- wifBmp
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- MMWidth
- Vcl.Graphics
- Vcl.Graphics
- FWidth

- Vcl.Graphics
- Width<
- Vcl.Graphics
- Width<
- Vcl.Graphics
- string
- Vcl.Graphics
- Vcl.Graphics
- StretchDraw
- FBrush
- Vcl.Graphics
- TryLock
- StretchDraw
- Vcl.Graphics
- tfRight
- tfLeft
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- TBrush
- TBrush&
- Vcl.Graphics
- Vcl.Graphics
- TFont&
- Vcl.Graphics
- Vcl.Graphics
- Vcl.Graphics
- bsCross
- TBrushStyle
- Vcl.Graphics
- pmMask
- pmCopy
- pmBlack
- Vcl.Graphics
- psDash
- Vcl.Graphics
- Vcl.Graphics
- Strings
- Strings
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- rdString
- _^[YY]
- $Z]_^[
- YZ]_^[

- _^[YY]
- _^[YY]
- System.SyncObjs
- System.SyncObjs
- System.SyncObjs
- System.SyncObjs
- System.SyncObjs
- System.SyncObjs
- FTicks
- _^[YY]
- QQQQQSVW
- _^[YY]
- _^[YY]
- R@_^[]
- _^[YY]
- QQQQQS3
- QQQQQQQQS3
- _^[YY]
- QQQQS3
- QQQQQQQQSV
- _^[YY]
- QQQQQQQS
- QQQQQSV
- _^[YY]
- _^[YY]
- QQQQSV
- $YZ_^[
- $Z]_^[
- _^[YY]
- QQQQQQQSVW
- Sd]_^[
- S$_^[Y]
- \\\\?\\UNC\\
- jjjjjjjj
- jjjjjj
- jjjjjjj
- jjjjjj
- Strings
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- $Z]_^[
- $Z]_^[
- YZ]_^[
- string
- string
- string
- SystemL
- System
- TArray<System.string>
- FVCLComObject
- string
- string
- string
- string
- string

- string
- string
- string
- string
- string
- FClass
- grfStatFlag
- statstg
- Rights
- TStringList
- TStringList&
- System.Classes`GC
- FString
- Strings
- Strings
- Strings
- Strings
- Strings
- TStrings&
- FStrings
- TBits$&C;
- TBits'
- TList'
- ssRight
- ssLeft
- ssCtrl
- ssShift
- _^[YY]
- %s[%d]
- _^[YY]
- _^[YY]
- TPropSet<System.Currency>h
- TPropSet<System.Currency>K
- TPropSet<System.Comp>
- TPropSet<System.Comp>K
- TPropSet<System.string>@
- TPropSet<System.string>V
- _^[YY]
- _^[YY]
- _^[YY]
- QQQQQSV
- tkWString
- tkLString
- tkWChar
- tkClass
- tkString
- tkChar
- _^[YY]
- QQQQSV
- _^[YY]
- @^[YY]
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- dwType
- tagSTATSTGH
- (Z]_^[

- System
- $Z]_^[
- $YZ_^[
- _^[YY]
- $Z]_^[
- _^[YY]
- String
- jjjjjj
- jjjjjjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- $Z]_^[
- t,HtYH
- System.SysUtilsL
- $YZ_^[
- _^[YY]
- _^[YY]
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[YY]
- $Z]_^[
- $Z]_^[
- YZ]_^[
- TProct
- TMBCSEncoding
- TMBCSEncoding&
- SystemL
- FSysLangs
- System
- TWMKey
- dwBlock
- dwWant
- tagMSG
- dsBmih
- bmBits
- bmWidthBytes
- bmWidth
- bmType
- nLength
- HBRUSH
- PRTLCriticalSectionDebug
- PRTLCriticalSection
- _LIST_ENTRY
- PListEntryD
- scEndScroll
- scTrack
- dkDock
- dkDrag
- mbRight
- mbLeft
- TFontStyles
- fsBold
- fqDraft
- System.Types
- srRight
- srLeft

- _^[YY]
- ,tdBHu
- QQQQSV
- sr-Cyrl-ME
- sr-Cyrl-RS
- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh
- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb
- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- Z_^[XX
- SVWRPj
- ;Z]_^[
- _^[YY]
- _^[YY]
- ZTUWVSPR
- YZXtm1
- _^[YY]
- ~]x[])
- bytes:
- VBytes
- VWords
- VLongs
- VString
- PShortString
- System
- System
- System
- System
- TClassL
- string
- System
- System
- ShortString
- System
- B.rsrc
- MSH_SCROLL_LINES_MSG
- jjjjjj