Analysis report for sample: bc09a38b81d68c71a3bb7ee1e972e255

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 7283 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: bc09a38b81d68c71a3bb7ee1e972e255

AV detections

- Microsoft: TrojanSpy:Win32/Banker
- Kaspersky: HEUR:Trojan.Script.Generic
- Symantec: Trojan Horse
- Malwarebytes: Trojan.Downloader

Original source url

- hxxp://eiainteriors.com/wp-content/plugins/jetpack/08-07-homer.exe

Virustotal url

- https://virustotal.com/es/file/e36a18644ddb0207ebe16af3e70b62d44a5890b470f4e3dfab81e613fecbe972/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Random (Look for Random function)
- Delphi_CompareCall (Look for Compare string function)

Snapshot


Computer
C:\Windows
Recycle Bin
Start
4:17 PM
Saturday
5/20/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe

- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name taskeng.exe
- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Microsoft Run Type: REG_EXPAND_SZ, Length: 78, Data: "C:\\Users\\javi\\AppData\\Local\\javi.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\ExtendedUIHoverTime Type: REG_DWORD, Length: 4, Data: 20000)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: This is a compiled AutoIt script. AV researchers please email avsupport@autoitscript.com for support.
- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: Gt.Ht$
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: Connect
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Accept
- api | frequently used by malware: WSASend
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: inet_addr
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetCapture
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetAsyncKeyState
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: DeviceIoControl
- api | frequently used by malware: LoadResource
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread

- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: DllGetClassObject
- api | frequently used by malware: GetNativeSystemInfo
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStreamVCL.pas
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- path | path unit: C:\\Builds\\TP\\rtl\\common\\SyncObjs.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\TypInfo.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- path | path unit: Y:/(A6>
- api | ws2_32: FreeAddrInfoExW
- api | ws2_32: SetAddrInfoExW
- api | ws2_32: GetAddrInfoExW
- api | ws2_32: InetNtopW
- api | ws2_32: InetPtonW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: GetNameInfoW
- api | ws2_32: GetAddrInfoW
- api | ws2_32: WSAPoll
- api | ws2_32: WSASendMsg
- api | ws2_32: WSAProviderConfigChange
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceA
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdA
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersA
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoA
- api | ws2_32: WSARemoveServiceClass
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassA
- api | ws2_32: WSANSPIoctl
- api | ws2_32: WSALookupServiceEnd
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextA
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginA
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressA
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ws2_32: WSASocketW

- api | ws2_32: WSASocketA
- api | ws2_32: WSASetEvent
- api | ws2_32: WSASendTo
- api | ws2_32: WSASendDisconnect
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSARecvFrom
- api | ws2_32: WSARecvDisconnect
- api | ws2_32: WSARecv
- api | ws2_32: WSANtohs
- api | ws2_32: WSANtohl
- api | ws2_32: WSAJoinLeaf
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAHtons
- api | ws2_32: WSAHtonl
- api | ws2_32: WSAGetQOSByName
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsA
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketA
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAConnect
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSAAccept
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSASetLastError
- api | ws2_32: getprotobyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getservbyname
- api | ws2_32: getservbyport
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: listen
- api | ws2_32: inet_ntoa
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: ioctlsocket
- api | ws2_32: WSACleanup

- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | urlmon: Extract
- api | user32: EnumChildWindows
- api | user32: SetLayeredWindowAttributes
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: DrawEdge
- api | user32: DrawIcon
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEndOfFile
- api | kernel32: WriteConsoleW
- api | kernel32: HeapReAlloc
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: LCMapStringW
- api | kernel32: GetTimeFormatW

- api | kernel32: GetDateFormatW
- api | kernel32: SetFilePointer
- api | kernel32: ReadConsoleW
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: GetStartupInfoW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetCommandLineW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetModuleHandleExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: InitiateSystemShutdownExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: ReleaseCapture

- api | user32: CallWindowProcW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu
- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: DrawMenuBar
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: DrawFrameControl
- api | user32: DrawTextW
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage
- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput
- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx

- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: SendMessageTimeoutW
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation

- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: GetUserObjectSecurity
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: PostQuitMessage
- api | user32: KillTimer
- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: GetSystemDirectoryW
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: CreateEventW
- api | kernel32: GetShortPathNameW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDriveTypeW
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree

- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange
- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: CopyFileW
- api | kernel32: MoveFileW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetSystemInfo
- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapFree
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThread
- api | kernel32: CloseHandle
- api | kernel32: GetLastError

- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: lstrcmpiW
- api | kernel32: RaiseException
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | psapi: GetProcessMemoryInfo
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetProcessId
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: IsWow64Process
- api | kernel32: CreateFile2
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc

Involved hosts

- dacsilva.com:82
- 192.168.133.220:49195
- 192.168.133.220:68
- 192.168.133.254:67
- 216.58.211.238:443 (tools.google.com)

Dns queries

- tools.google.com ---> 216.58.211.238
- 2.133.168.192.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- 238.211.58.216.in-addr.arpa ---> no answers
- 232.148.98.200.in-addr.arpa ---> no answers
- dns.msftncsi.com ---> 131.107.255.255

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.220:49195 ---> 216.58.211.238 (tools.google.com) :443

tools.google.com[...]2BR.[hr[...]]S>'_O

• tcp 216.58.211.238 (tools.google.com) :443 ---> 192.168.133.220:49195

Google Inc1%0#[...]Google Internet Authority G20[...]170516141712Z[...]170808134100Z0f1[...]California1[...]Mountain View1[...]Google Inc1[...]*.google.com0Y0[...]*.google.com[...]*.android.com[...]*.appengine.google.com[...]*.cloud.google.com[...]*.gcp.gvt2.com[...]*.google-analytics.com[...]*.google.ca[...]*.google.cl[...]*.google.co.in[...]*.google.co.jp[...]*.google.co.uk[...]*.google.com.ar[...]*.google.com.au[...]*.google.com.br[...]*.google.com.co[...]*.google.com.mx[...]*.google.com.tr[...]*.google.com.vn[...]*.google.de[...]*.google.es[...]*.google.fr[...]*.google.hu[...]*.google.it[...]*.google.nl[...]*.google.pl[...]*.google.pt[...]*.googleadapis.com[...]*.googleapis.cn[...]*.googlecommerce.com[...]*.googlevideo.com[...]*.gstatic.cn[...]*.gstatic.com[...]*.gvt1.com[...]*.gvt2.com[...]*.metric.gstatic.com[...]*.urchin.com[...]*.url.google.com[...]*.youtube-nocookie.com[...]*.youtube.com[...]*.youtubeeducation.com[...]*.ytimg.com[...]android.clients.google.com[...]android.com[...]developer.android.google.cn[...]developers.android.google.cn[...]goo.gl[...]google-analytics.com[...]google.com[...]googlecommerce.com[...]source.android.google.cn[...]urchin.com[...]www.goo.gl[...]youtu.be[...]youtube.com[...]youtubeeducation.com0h[...]http://pki.google.com/GIAG2.crt0+[...]http://clients1.google.com/ocsp0[...]http://pki.google.com/GIAG2.crl0[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]150401000000Z[...]171231235959Z0I1[...]Google Inc1%0#[...]Google Internet Authority G20[...]http://g.symcd.com0[...]$http://g.symcb.com/crls/gtglobal.crl0[...]Equifax1-0+[...]$Equifax Secure Certificate Authority0[...]020521040000Z[...]180821040000Z0B1[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...])http://crl.geotrust.com/crls/secureca.crl0N[...]-https://www.geotrust.com/resources/repository0[...]VpaX6[...]`u6'O=)

• udp 192.168.133.254:67 ---> 192.168.133.220:68

localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, cebo.exe)
    - Thread T6 (in process P1, cebo.exe)

- **Thread' events**

  - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Microsoft Run Type: REG_EXPAND_SZ, Length: 78, Data: "C:\\Users\\javi\\AppData\\Local\\javi.exe")
  - Thread Create (Thread ID: T5)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\ExtendedUIHoverTime Type: REG_DWORD, Length: 4, Data: 20000)
  - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T6)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P1 (cebo.exe)'s network events

- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> dacsilva.com:82 (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: Accept
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Connect
- api | frequently used by malware: Accept
- api | frequently used by malware: WSASend
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: inet_addr
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas

- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStreamVCL.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\system\\IdStreamVCL.pas
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- path | path unit: C:\\Builds\\TP\\rtl\\common\\SyncObjs.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\TypInfo.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- api | ws2_32: FreeAddrInfoExW
- api | ws2_32: SetAddrInfoExW
- api | ws2_32: GetAddrInfoExW
- api | ws2_32: InetNtopW
- api | ws2_32: InetPtonW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: GetNameInfoW
- api | ws2_32: GetAddrInfoW
- api | ws2_32: WSAPoll
- api | ws2_32: WSASendMsg
- api | ws2_32: WSAProviderConfigChange
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceA
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdA
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersA
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoA
- api | ws2_32: WSARemoveServiceClass
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassA
- api | ws2_32: WSANSPIoctl
- api | ws2_32: WSALookupServiceEnd
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextA
- api | ws2_32: WSALookupServiceBeginW

- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginA
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressA
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketA
- api | ws2_32: WSASetEvent
- api | ws2_32: WSASendTo
- api | ws2_32: WSASendDisconnect
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSARecvFrom
- api | ws2_32: WSARecvDisconnect
- api | ws2_32: WSARecv
- api | ws2_32: WSANtohs
- api | ws2_32: WSANtohl
- api | ws2_32: WSAJoinLeaf
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAHtons
- api | ws2_32: WSAHtonl
- api | ws2_32: WSAGetQOSByName
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsA
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketA
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAConnect
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSAAccept
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSASetLastError
- api | ws2_32: getprotobyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getservbyname

- api | ws2_32: getservbyport
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: listen
- api | ws2_32: inet_ntoa
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: ioctlsocket
- api | ws2_32: WSACleanup
- api | urlmon: Extract
- api | user32: EnumChildWindows
- api | user32: SetLayeredWindowAttributes
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: DrawEdge
- api | user32: DrawIcon
- api | user32: DrawEdge
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: SetFocus
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | user32: DragObject
- api | user32: DragObject
- api | user32: DragObject
- api | urlmon: Extract
- api | urlmon: Extract
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | urlmon: Extract

- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages

• Module 1 other strings

- 0336D60652E1112FE60F24CE033AED34518AC372
- TLoginsD
- _Senha
- _Login
- Create
- TLoginsU
- TInfect
- TInfect
- uSplit\\
- TStringArray
- pathToSignedProductExe
- _NewEnum
- ExecQuery
- ConnectServer
- displayName
- _NewEnum
- ExecQuery
- ConnectServer
- FEnviandoStream
- FRecebendoString
- FEnviandoString
- uNewIdClient
- TIdTCPClientNew
- ReceberString
- Stream
- EnviarStream
- EnviarString
- AOwner
- Create
- TIdTCPClientNew6
- EnviandoStream
- RecebendoString
- EnviandoString
- OnSocketAllocated
- OnAfterBindp-c
- OnBeforeBindp-c
- UseNaglep-c
- ReuseSocket
- ReadTimeoutHSm
- IPVersion
- ConnectTimeout\\
- BoundPort
- BoundIP
- IdTCPClient
- TIdTCPClient
- TIdTCPClient
- OnSocketAllocated
- OnAfterBindp-c

- OnBeforeBindp-c
- UseNaglep-c
- ReuseSocket
- ReadTimeoutHSm
- ConnectTimeout
- BoundPortMin
- BoundPortMax
- BoundPort
- BoundIP
- OnConnected
- IdTCPClient
- TIdTCPClientCustomD
- ConnectAndGetAll
- TIdTCPClientCustom'
- FOnSocketAllocated
- FOnAfterBind
- FOnBeforeBind
- FUseNagle
- FReuseSocket
- FUsername
- FReadTimeout
- FPassword
- FOnConnected
- FIPVersion
- FDestination
- FConnectTimeout
- FBoundPortMin
- FBoundPortMax
- FBoundPort
- FBoundIP
- Socket
- ManagedIOHandler
- LastCmdResult
- Greeting
- OnWorkEnd
- OnWorkBegin
- OnWork@
- OnDisconnectedX
- IOHandlerp-c
- Intercept
- IdTCPConnection
- TIdTCPConnection
- AStrings
- WriteRFCStrings
- AHeader
- WriteHeader
- AEncoding
- AResponse
- AEncoding
- AResponse
- AException
- RaiseExceptionForLastCmdResult
- RaiseExceptionForLastCmdResult
- AEncoding
- AAllowedResponse
- GetResponse
- GetResponsec

- AEncoding
- AAllowedResponse
- GetResponse
- AEncoding
- GetInternalResponse
- DisconnectNotifyPeer
- ANotifyPeer
- Disconnect
- Disconnect
- Destroy
- Connected
- AAllowedResponse
- AResponse
- CheckResponse
- CheckResponsee
- ARaiseExceptionIfDisconnected
- CheckForGracefulDisconnect
- ABaseType
- CreateIOHandler
- TIdTCPConnectionB
- FSocket
- FOnDisconnected
- FManagedIOHandler
- FLastCmdResult
- FIOHandler
- FIntercept
- FGreeting
- ErrorCodeSVW
- IdReplyRFC
- EIdReplyRFCErrorD
- AReplyMessage
- AErrorCode
- CreateError
- EIdReplyRFCErrorV
- FErrorCode
- IdReplyRFC
- ReplyExists
- RaiseReplyError
- IsEndMarker
- IdReply
- EIdReplyError
- EIdReplyError
- IdReply
- TIdReplies
- AReply
- UpdateText
- AIgnore
- AReplyClass
- AOwner
- Create
- TIdReplies#
- TIdReplyClass
- NumericCode
- FormattedReply
- IdReply
- TIdReply
- UpdateText

- SetReply
- SetReply
- ReplyExists
- RaiseReplyError
- IsEndMarker
- Destroy
- AReplyTexts
- ACollection
- CreateWithReplyTexts
- ACollection
- Create
- TIdReply%
- FFormattedReply
- OnSocketAllocated
- OnAfterBindp-c
- OnBeforeBindp-c
- BoundPortMinp-c
- BoundPortMax
- Binding
- UseNagle
- TransparentProxy
- ReuseSocketd;o
- IPVersionHSm
- DefaultPort
- BoundPort
- BoundIP
- IdIOHandlerSocket
- TIdIOHandlerSocket
- AEnableTransferFile
- Connected
- BindingAllocated
- Destroy
- TIdIOHandlerSocket'
- FIPVersion
- FReuseSocket
- FUseNagle
- FTransparentProxy
- FOnSocketAllocated
- FOnAfterBind
- FOnBeforeBind
- FDefaultPort
- FBoundPortMin
- FBoundPortMax
- FBoundPort
- FBoundIP
- FBinding
- ChainedProxy
- Versiond;o
- UsernameDUo
- IPVersion\\
- Password
- Authentication\\
- IdSocks
- TIdSocksInfoDVo
- AHandle
- CloseUDP
- SendToUDP9

- RecvFromUDP
- AIPVersion
- AHandle
- OpenUDP
- ATimeOut
- AIOHandler
- Listen
- AIPVersion
- AIOHandler
- Destroy
- ASource
- Assign
- TIdSocksInfo7
- FUDPSocksAssociation
- FVersion
- FAuthentication
- IdSocks
- saUsernamePassword
- saNoAuthentication
- TSocksAuthentication
- IdSocks
- svSocks5
- svSocks4A
- svSocks4
- svNoSocks
- TSocksVersion
- IdSocks
- %EIdSocksUDPNotSupportedBySOCKSVersion
- %EIdSocksUDPNotSupportedBySOCKSVersion
- Terminated
- IdIOHandlerStack
- TIdConnectThread
- ABinding
- Create
- TIdConnectThread8
- FExceptionMessage
- FLastSocketError
- FBinding
- ReadTimeout
- IdIOHandlerStack
- TIdIOHandlerStackLIo
- Readable
- Connected
- AIgnoreBuffer
- ARaiseExceptionIfDisconnected
- CheckForDisconnect
- TIdIOHandlerStackp
- IPAsString
- AddrType\\
- IPv6AsString
- IPv4AsString\\
- IdIPAddress
- TIdIPAddressLAo
- HToNBytes
- CompareAddress
- AIPVersion
- MakeAddressObject

- MakeAddressObject
- Create
- TIdIPAddress&
- FAddrType
- ChainedProxy
- Usernamed;o
- IPVersion\\
- Password
- Enabled\\
- IdCustomTransparentProxy
- TIdCustomTransparentProxy
- ATimeOut
- AIOHandler
- Listen
- AIOHandler
- AIPVersion
- AIOHandler
- AIPVersion
- AIOHandler
- SendToUDPm
- RecvFromUDP
- AHandle
- CloseUDP
- AIPVersion
- AHandle
- OpenUDP
- ASource
- Assign
- TIdCustomTransparentProxy7
- FChainedProxy
- FUsername
- FIPVersion
- FPassword
- IdCustomTransparentProxy
- "EIdTransparentProxyUDPNotSupported
- "EIdTransparentProxyUDPNotSupported
- IdCustomTransparentProxy
- EIdTransparentProxyCircularLink
- EIdTransparentProxyCircularLink
- SocketType
- PeerPort
- PeerIP
- OverLapped\\
- Handle
- HandleAllocated
- UseNagle
- IPVersion
- ClientPortMax\\
- ClientPortMin
- BroadcastEnabled
- IdSocketHandle
- TIdSocketHandle(
- AEnabled
- SetNagleOpt
- AValue
- AValue
- SetMulticastTTL

- AValue
- SetLoopBack
- AGroupIP
- DropMulticastMembership
- AGroupIP
- AddMulticastMembership
- UpdateBindingPeer
- UpdateBindingLocal
- ATimeout
- Select
- AOptVal
- AOptName
- ALevel
- SetSockOpt
- VOptVal
- AOptName
- ALevel
- GetSockOpt
- AIPVersion
- SetBinding
- AIPVersion
- SetPeer
- SendToW
- SendTo
- AByteEncoding
- AIPVersion
- SendTo
- AByteEncoding
- AResetLocal
- RecvFrom:
- Receive
- Readable
- AQueueCount
- Listen
- Destroy
- ACollection
- Create
- CloseSocket
- Broadcast+
- AByteEncoding
- Broadcast
- Source
- Assign
- AProtocol
- ASocketType
- AllocateSocket
- ASocket
- TIdSocketHandle7
- FUseNagle
- FBroadcastEnabled
- FConnectionHandle
- FIPVersion
- FOverLapped
- FSocketType
- FReadSocketList
- FPeerPort
- FPeerIP

- FHandleAllocated
- FHandle
- FClientPortMax
- FClientPortMin
- 08275980AD40CA66E003
- 4EDE7BA250
- 52F86AA050EF0FD30B778E43E7
- 70FC29DE092EC3B125D619BE91CF69DF1D3BFC22CE72B2DBEA69CA046698DF509230DA12C0ED37FE32F450E41825DE0020D172D10735D719D D15B59B5285EA0D2FF50B38F30925031AD3114EFE45E81A1B6BFD518ABD6C829B5AE91EC26095A04CE9192F92F15537D96E83A42AD7A5A0
- 2635B046DB
- Content-Type: application/x-www-form-urlencoded
- C04CAF44D24CCB41B84997
- ACB93DD160F51A3886
- D06E80AB59ED18D37290A344F9669D55934D95AA45FD31E203023992BC
- 2C39BC51E178968E39
- 758BD80538CA699F37E7
- 4CEB070A1C6F93AA3CE40636EA6B80B744CE44D643D9698AAD
- 53DF6083B9
- 2AC53938CAB95E91C67BB8619F3EF3030F1300120E2CF323D9
- 393FB0B4
- 18374AC95C2FD36BFC25C677A928C5719DA1B6A8B457E80F20
- 1F22A040F20F2B
- D5718C8FA390B4489946E71030AE4CFB080A190B1735C569
- F2057E888C9CA0928EE075839DD3A7BE7DB44BF10333FA2F2AAF5CF428CA6C
- 5FF573FD
- 719E3ADF003FF7359A41
- A589C867CD12
- 0C20B65E8A8EA1469D40E614CD0C6E97BE649C5AFE28D97ABB18C9
- 1C2C45D358C84D3F5B35293FC1360215D30D2329CA7BA257F25686DE1638FF
- 30C4222C
- 84B31738D8162ECF71AB
- 50369DBBA146
- 67FD54FB2828DB1CB76688B56BEB4EF71FC47FBC5186BB5C85C779
- SecurityCenter2
- SecurityCenter
- FirewallProduct
- AntiSpywareProduct
- AntiVirusProduct
- 170B097E
- A397FD73
- 0.0.0.0
- 0.0.0.1
- Assertion failure
- Assertion failure
- 0.0.0.0
- 255.255.255.255
- Assertion failure
- Assertion failure
- Assertion failure
- OnWorkEnd
- OnWorkBegin
- OnWork@
- DefStringEncodingX
- WriteBufferThresholdP
- ReadLnTimedout
- ReadTimeout
- Opened

- MaxCapturedLines
- LargeStream
- InputBuffer
- ClosedGracefully|
- ConnectTimeout
- SendBufferSize
- RecvBufferSize
- MaxLineAction
- MaxLineLength
- Intercept
- Destination\\
- IdIOHandler
- TIdIOHandler
- AByteEncoding
- InputBufferAsString
- AByteCount
- AStream
- InputBufferToStream
- InputBufferIsEmpty
- WriteBufferingActive
- AThreshold
- WriteBufferOpen
- WriteBufferOpen
- AByteCount
- WriteBufferFlush
- WriteBufferFlush
- WriteBufferClose
- WriteBufferClear
- WriteBufferCancel
- DiscardAll
- AByteCount
- Discard
- AByteEncoding
- AReadLinesCount
- ReadStrings
- AReadUntilDisconnect
- AByteCount
- AStream
- ReadStream
- AConvert
- ReadSmallInt
- AConvert
- ReadWord
- AConvert
- ReadInt64
- AConvert
- ReadLongInt
- AConvert
- ReadLongWord
- AByteEncoding
- ABytes
- ReadString
- ReadByte
- AByteEncoding
- ReadChar
- AByteEncoding
- AMaxLineLength

- ATimeout
- ATerminator
- AWasSplit
- ReadLnSplit
- AByteEncoding
- AFailCount
- ReadLnWait
- AByteEncoding
- ADelim
- ALineTerminator
- ReadLnRFC
- AByteEncoding
- ReadLnRFC
- AByteEncoding
- AMaxLineLength
- ATimeout
- ATerminator
- ReadLn
- AByteEncoding
- ATerminator
- ReadLn
- AByteEncoding
- ReadLn
- ReadBytesH
- AByteEncoding
- AUsesDotTransparency
- ADelim
- VLineCount
- Capture
- AByteEncoding
- AUsesDotTransparency
- ADelim
- Capture
- AByteEncoding
- Capture
- AByteEncoding
- AUsesDotTransparency
- ADelim
- VLineCount
- Capture
- AByteEncoding
- AUsesDotTransparency
- ADelim
- Capture
- AByteEncoding
- Capture
- AByteEncoding
- AMaxLineLength
- ATabWidth
- InputLn
- AByteEncoding
- AllData
- AEnableTransferFile
- AByteEncoding
- AWriteTerminator
- AStrings
- WriteRFCStrings

- AWriteByteCount
- AStream
- AConvert
- AValue
- AConvert
- AValue
- AConvert
- AValue
- AConvert
- AValue
- AConvert
- AValue
- ByteEncoding
- AValue
- AValue
- ByteEncoding
- AWriteLinesCount
- AValue
- ByteEncoding
- WriteLnRFC
- ByteEncoding
- WriteLn
- AEncoding
- WriteLn
- ByteEncoding
- Readable
- WriteDirect$
- ATimeout
- ByteEncoding
- AInclusive
- ARemoveFromBuffer
- AString
- WaitFor
- SetDefaultClass
- RegisterIOHandler
- AOwner
- ABaseType
- MakeIOHandler
- AOwner
- MakeDefaultIOHandler
- CloseGracefully
- ATimeout
- CheckForDataOnSource
- AIgnoreBuffer
- ARaiseExceptionIfDisconnected
- CheckForDisconnect
- Destroy
- Connected
- AfterAccept
- TIdIOHandler+
- FDefStringEncoding
- FWriteBufferThreshold
- FWriteBuffer
- FSendBufferSize
- FRecvBufferSize
- FReadTimeOut
- FReadLnTimedOut

- FReadLnSplit
- FOpened
- FMaxLineLength
- FMaxLineAction
- FMaxCapturedLines
- FIntercept
- FInputBuffer
- FDestination
- FConnectTimeout
- FClosedGracefully
- FLargeStream
- TIdIOHandlerClass
- IdIOHandler
- EIdIOHandlerStreamDataTooLarge
- EIdIOHandlerStreamDataTooLarge
- IdIOHandler
- EIdIOHandlerRequiresLargeStreamD
- EIdIOHandlerRequiresLargeStreamt
- IdIOHandler
- EIdIOHandler
- EIdIOHandler
- IsClientD
- Connection
- OnSend
- OnReceive
- OnDisconnect
- OnConnectL
- InterceptL
- IdIntercept
- TIdConnectionInterceptp
- Receive
- Disconnect
- AConnection
- TIdConnectionIntercept<
- FOnSend
- FOnReceive
- FOnDisconnect
- FOnConnect
- FIsClient
- FIntercept
- FConnection
- TArray<System.Byte>
- ABuffer
- TIdConnectionIntercept
- ASender
- TIdInterceptStreamEvent
- ASender
- TIdConnectionIntercept
- ASender
- TIdInterceptNotifyEvent
- IdIntercept
- EIdInterceptCircularLink
- EIdInterceptCircularLink
- WorkTargetSV
- OnStatus
- IdComponent
- TIdComponentH

- AWorkMode
- EndWork
- ACount
- AWorkMode
- DoWork
- Destroy
- AWorkMode
- BeginWork
- TIdComponentK
- FWorkTarget
- FWorkInfos
- FOnWorkEnd
- FOnWorkBegin
- FOnWork
- FOnStatus
- AWorkCount
- AWorkMode
- ASender
- AWorkCount
- TWorkMode
- AWorkMode
- TObject
- ASender
- TWorkEvent
- AWorkMode
- ASender
- TWorkMode
- AWorkMode
- TObject
- ASender
- TWorkEndEvent
- AWorkCountMax
- AWorkMode
- ASender
- AWorkCountMax
- TWorkMode
- AWorkMode
- TObject
- ASender
- TWorkBeginEvent
- IdComponent
- wmWrite
- wmRead
- TWorkMode
- AStatusText
- AStatus
- ASender
- AStatusText
- TIdStatus
- AStatus
- TObject
- ASender
- TIdStatusEvent
- IdComponent
- ftpAborted
- ftpReady
- hsStatusText

- hsDisconnected
- hsDisconnecting
- hsConnected
- hsConnecting
- hsResolving
- TIdStatus
- AsString
- GrowthFactor
- Encoding
- CapacityP
- IdBuffer
- TIdBuffer
- ADestIndex
- AValue
- ADestIndex
- AValue
- ADestIndex
- AValue
- ADestIndex
- AValue
- ADestIndex
- AValue
- AByteCount
- AStream
- WriteJ
- ADestIndex
- AByteEncoding
- AString
- AStream
- SaveToStream
- AByteCount
- Remove
- AIndex
- PeekByte
- AByteEncoding
- AStartPos
- AString
- IndexOf
- IndexOfb
- AStartPos
- IndexOf
- VAddress
- AIndex
- ExtractToIPv6
- AIndex
- ExtractToInt64
- AIndex
- ExtractToLongWord
- AIndex
- ExtractToWord
- AIndex
- ExtractToByte
- ExtractToBytes=
- AIndex
- AByteCount
- ABuffer
- ExtractToIdBuffer

- AIndex
- AByteCount
- AStream
- ExtractToStream
- AByteEncoding
- AByteCount
- ExtractToString
- AByteEncoding
- AByteCount
- Destroy
- ACanShrink
- CompactHead
- Create?
- AGrowthFactor
- Create
- AOnBytesRemoved
- Create
- Create
- TIdBuffer%
- FOnBytesRemoved
- FHeadIndex
- FGrowthFactor
- FByteEncoding
- ABytes
- ASender
- Integer
- ABytes
- TObject
- ASender
- TIdBufferBytesRemoved
- IdBuffer
- EIdTooMuchDataInBuffer
- EIdTooMuchDataInBuffer
- IdBuffer
- EIdNotEnoughDataInBuffer0
- EIdNotEnoughDataInBuffer
- OnlyWhenIdle
- IdleTimeOut
- ApplicationHasPriority
- Active
- IdAntiFreezeBase
- TIdAntiFreezeBase@
- ATimeout
- ShouldUse
- AOverride
- DoProcess
- Process
- Destroy
- TIdAntiFreezeBase'
- FOnlyWhenIdle
- FIdleTimeOut
- FApplicationHasPriority
- FActive
- Version
- IdBaseComponent
- TIdBaseComponent
- AOwner

- Create
- TIdBaseComponent6
- IdBaseComponent
- TIdInitializerComponent
- AOwner
- Create
- Create
- TIdInitializerComponent&
- IdExceptionCore
- EIdMaxCaptureLineExceeded
- EIdMaxCaptureLineExceeded
- IdExceptionCore
- EIdSocksServerAddressError4
- EIdSocksServerAddressError
- IdExceptionCore
- EIdSocksServerCommandErrort
- EIdSocksServerCommandError
- IdExceptionCore
- EIdSocksServerTTLExpiredError
- EIdSocksServerTTLExpiredError
- IdExceptionCore
- $EIdSocksServerConnectionRefusedError
- $EIdSocksServerConnectionRefusedError
- IdExceptionCore
- "EIdSocksServerHostUnreachableError
- "EIdSocksServerHostUnreachableError
- IdExceptionCore
- !EIdSocksServerNetUnreachableError4
- !EIdSocksServerNetUnreachableError
- IdExceptionCore
- EIdSocksServerPermissionErrorl
- EIdSocksServerPermissionError
- IdExceptionCore
- EIdSocksServerGeneralError
- EIdSocksServerGeneralError
- IdExceptionCore
- EIdSocksAuthError
- EIdSocksAuthError
- IdExceptionCore
- EIdSocksAuthMethodError@
- EIdSocksAuthMethodErrorh
- IdExceptionCore
- EIdSocksServerRespondError
- EIdSocksServerRespondError
- IdExceptionCore
- EIdSocksUnknownError
- EIdSocksUnknownError
- IdExceptionCore
- EIdSocksRequestIdentFailed
- EIdSocksRequestIdentFailed
- IdExceptionCore
- EIdSocksRequestServerFailedD
- EIdSocksRequestServerFailedp
- IdExceptionCore
- EIdSocksRequestFailed
- EIdSocksRequestFailed
- IdExceptionCore

- EIdSocksError
- EIdSocksError
- IdExceptionCore
- EIdTransparentProxyCantBind
- EIdTransparentProxyCantBindL
- IdExceptionCore
- EIdConnectExceptionl
- EIdConnectException
- IdExceptionCore
- EIdConnectTimeout
- EIdConnectTimeout
- IdExceptionCore
- EIdNotConnected
- EIdNotConnected0
- IdExceptionCore
- EIdFileNotFoundd
- EIdFileNotFound
- IdExceptionCore
- EIdNoDataToRead
- EIdNoDataToRead
- IdExceptionCore
- EIdObjectTypeNotSupported
- EIdObjectTypeNotSupported
- IdExceptionCore
- EIdTCPConnectionError@
- EIdTCPConnectionError
- IdExceptionCore
- EIdHostRequired
- EIdHostRequired
- IdExceptionCore
- EIdPortRequired
- EIdPortRequired
- IdExceptionCore
- EIdReadLnWaitMaxAttemptsExceeded
- EIdReadLnWaitMaxAttemptsExceeded
- IdExceptionCore
- EIdReadLnMaxLineLengthExceededP
- EIdReadLnMaxLineLengthExceeded
- IdExceptionCore
- EIdReadTimeout
- EIdReadTimeout
- IdExceptionCore
- EIdClosedSocket
- EIdClosedSocket
- IdExceptionCore
- EIdAlreadyConnectedH
- EIdAlreadyConnectedl
- LocalAddresses
- LocalAddress
- HostName\\
- IdStack
- TIdStack
- AAddresses
- AddLocalAddressesToList
- WriteChecksumK
- CalcCheckSum
- AIPVersion

- ALocalIP
- AGroupIP
- AHandle
- AddMulticastMembership
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- DropMulticastMembership
- AIPVersion
- AValue
- AHandle
- SetLoopBack
- AIPVersion
- AValue
- AHandle
- SetMulticastTTL
- IsValidIPv6MulticastGroup
- IsValidIPv4MulticastGroup
- SupportsIPv6
- ReceiveMsg,
- SendTo
- SendTo
- ReceiveFrom
- Receive
- AIPVersion
- ResolveHost
- AOptVal
- AOptName
- ALevel
- ASocket
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- GetSocketOption
- AValue
- NetworkToHost
- AValue
- NetworkToHost
- AValue
- NetworkToHost
- AValue
- NetworkToHost
- AOverlapped
- AIPVersion
- AProtocol
- ASocketType
- NewSocketHandle
- RaiseSocketError
- RaiseLastSocketError
- CheckForSocketError4
- AResult
- CheckForSocketError
- WSTranslateSocketErrorMsg
- WSSetLastError

- WSGetLastError
- ABackLog
- ASocket
- Listen
- AValue
- HostToNetwork
- AValue
- HostToNetwork
- AValue
- HostToNetwork
- AValue
- HostToNetwork
- AIPVersion
- AAddress
- HostByAddress
- VIPVersion
- ASocket
- GetSocketName
- ASocket
- GetSocketName
- VIPVersion
- ASocket
- GetPeerName
- ASocket
- GetPeerName
- DecUsage
- IncUsage
- IOControl
- ASocket
- Disconnect
- Destroy
- Create
- AIPVersion
- ASocket
- AIPVersion
- ASocket
- VIPVersion
- ASocket
- ASocket
- TIdStackS
- FLocalAddresses
- IdStack
- TIdSocketListHXn
- Unlock
- ATimeout
- VSocketList
- SelectReadList
- ATimeout
- SelectRead
- ATimeout
- AExceptList
- AWriteList
- AReadList
- Select
- AHandle
- ContainsSocket
- AHandle

- Remove
- CreateSocketList
- AHandle
- Destroy
- Create
- TIdSocketList&
- IdStack
- EIdNotASocket
- EIdNotASocket
- IdStack
- EIdIPVersionUnsupported
- EIdIPVersionUnsupported
- IdStack
- EIdStackErrorPVn
- EIdStackError
- LastError
- IdStack
- EIdSocketError
- CreateError
- EIdSocketErrorG
- FLastError
- IdStackWindows
- TIdStackWindows
- AAddresses
- AddLocalAddressesToList
- WriteChecksumK
- AIPVersion
- CheckIPVersionSupport
- SupportsIPv6
- IOControl
- Aoptlen
- Aoptval
- Aoptname
- Alevel
- ASocket
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- GetSocketOption
- VIPVersion
- ASocket
- GetSocketName
- VIPVersion
- ASocket
- GetPeerName
- ASocket
- Disconnect
- Destroy
- Create
- AIPVersion

- ASocket
- AIPVersion
- ASocket
- AOptlen
- AOptval
- AOptname
- Alevel
- ASocket
- WSGetSockOpt
- WSSetLastError
- WSGetLastError
- WSTranslateSocketErrorMsg
- AOverlapped
- AProtocol
- AStruct
- AFamily
- WSSocket
- AIPVersion
- AFlags
- ABufferLength
- ABuffer
- ASocket
- WSSendTo
- ReceiveMsg
- VIPVersion
- AFlags
- ALength
- VBuffer
- ASocket
- RecvFrom
- APortNumber
- WSGetServByPort
- AServiceName
- WSGetServByName
- AIPVersion
- AAddress
- HostByAddress
- AResult
- WouldBlock
- ABlocking
- ASocket
- SetBlocking
- AValue
- NetworkToHost
- AValue
- NetworkToHost
- AValue
- NetworkToHost
- ABackLog
- ASocket
- Listen
- AValue
- HostToNetwork
- AValue
- HostToNetwork
- AValue
- HostToNetwork

- VIPVersion
- ASocket
- TIdStackWindowsg
- IdStackWindows
- TIdSocketListWindows
- ATimeout
- VSocketList
- SelectReadList
- ATimeout
- SelectRead
- ATimeout
- AExceptList
- AWriteList
- AReadList
- Select
- SetFDSet
- GetFDSet
- AHandle
- ContainsSocket
- AHandle
- Remove
- AHandle
- TIdSocketListWindows4
- IdStackWindows
- EIdIPv6Unavailabled"n
- EIdIPv6Unavailable
- IdStackBSDBase
- EIdStackSetSizeExceeded
- EIdStackSetSizeExceeded
- IdStackBSDBase
- EIdStackInitializationFailed
- EIdStackInitializationFailed
- IdStackBSDBase
- EIdInvalidServiceName
- EIdInvalidServiceName
- IdStackBSDBase
- TIdStackBSDBase
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- AddMulticastMembership
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- DropMulticastMembership
- AIPVersion
- AValue
- AHandle
- SetLoopBack
- AIPVersion
- AValue
- AHandle
- SetMulticastTTL
- AOverlapped
- AIPVersion

- AProtocol
- ASocketType
- NewSocketHandle
- AResult
- WouldBlock
- ABlocking
- ASocket
- SetBlocking
- AOptlen
- AOptval
- AOptname
- Alevel
- ASocket
- WSGetSockOpt
- AOverlapped
- AProtocol
- AStruct
- AFamily
- WSSocket
- AIPVersion
- AFlags
- ABufferLength
- ABuffer
- ASocket
- WSSendTo
- VIPVersion
- AFlags
- ALength
- ABuffer
- ASocket
- RecvFrom
- APortNumber
- WSGetServByPort
- AServiceName
- WSGetServByName
- AIPVersion
- AInAddr
- TranslateStringToTInAddr
- AIPVersion
- AInAddr
- TranslateTInAddrToString
- Aoptlen
- Aoptval
- Aoptname
- Alevel
- ASocket
- SetSocketOption
- SendTo
- ReceiveFrom
- Receive
- AIPVersion
- CheckIPVersionSupport
- Create
- TIdStackBSDBase&
- Assertion failure
- Index out of bounds.
- No bytes in buffer.

- Capacity cannot be smaller than Size
- 10.5.7
- Assertion failure
- Assertion failure
- 127.0.0.1
- LOCALHOST
- WSARevertImpersonation
- WSAQuerySocketSecurity
- WSAImpersonateSocketPeer
- WSADeleteSocketPeerTargetName
- WSASetSocketPeerTargetName
- Wship6.dll
- TransmitPackets
- WSARecvMsg
- DisconnectEx
- ConnectEx
- WSARecvEx
- AcceptEx
- GetAcceptExSockaddrs
- TransmitFile
- fd_array
- fd_count
- Win32ErrorMessage\\
- Win32Error\\
- IdWinsock2
- EIdWinsockStubErrort}m
- EIdWinsockStubError
- FTitle
- FWin32ErrorMessage
- FWin32Error
- IdGlobal
- rsFalse
- rsTrue
- rsOSDependent
- TIdReuseSocket
- IdGlobal
- Id_IPv6
- Id_IPv4
- TIdIPVersion
- IdGlobal
- maSplit
- maException
- TIdMaxLineAction
- TIdIPv6Address
- IdGlobal
- EIdInvalidIPv6AddressHRm
- EIdInvalidIPv6Address
- IdGlobal
- TIdCriticalSection
- TIdCriticalSection
- IdGlobal
- TIdReadFileExclusiveStream
- Create
- TIdReadFileExclusiveStream5
- IdStreamVCL
- TIdStreamHelperVCL
- AOrigin

- AOffset
- AStream
- WriteW
- ReadBytes
- TIdStreamHelperVCL
- IdException
- "EIdCannotSetIPVersionWhenConnected
- "EIdCannotSetIPVersionWhenConnected
- IdException
- EIdInvalidPortRange
- EIdInvalidPortRange4Im
- IdException
- EIdCanNotBindPortInRangeTHm
- EIdCanNotBindPortInRange
- IdException
- EIdCouldNotBindSocket
- EIdCouldNotBindSocket
- IdException
- EIdNotAllBytesSent
- EIdNotAllBytesSent
- IdException
- EIdPackageSizeTooBig@Fm
- EIdPackageSizeTooBig
- IdException
- EIdSocketHandleError
- EIdSocketHandleError
- IdException
- EIdConnClosedGracefully
- EIdConnClosedGracefully
- IdException
- EIdSilentException(Dm
- EIdSilentException
- TClassIdException
- IdException
- EIdException
- Create
- EIdException4
- uListChild
- TWindowList0?m
- handle
- TWindowList@
- UserCrypt
- UserCaption
- Source
- HelpFile\\
- ComObj
- EOleException
- HelpContext
- HelpFile
- Source
- ErrorCode
- Message
- Create
- EOleException
- FHelpFile
- FSource
- ErrorCode

- ComObj
- EOleSysErrorX(m
- HelpContext
- ErrorCode
- Message
- Create
- EOleSysError_
- FErrorCode
- ComObj
- EOleError
- EOleError
- uRegEdit
- Handle
- OnShow
- OnClosep-c
- HelpContextp-c
- Dialogs
- TCommonDialog
- Message
- DefaultHandler
- ParentWnd
- Execute
- Execute
- Destroy
- AOwner
- Create
- TCommonDialog6
- FTemplate
- FObjectInstance
- FOnShow
- FOnClose
- FTemplateModule
- FRedirector
- FHandle
- FHelpContext
- Printers
- TPrinterCanvas
- UpdateFont
- Changing
- CreateHandle
- APrinter
- Create
- TPrinterCanvas
- UpdateFont
- Changing
- CreateHandle
- Printer
- Printer
- Printers
- TPrinterDevice
- ADevice
- ADriver
- IsEqual
- ADevice
- ADriver
- Create
- TPrinterDeviceW

- Device
- Driver
- Printers\\
- Printing
- PrinterIndex
- PageNumber
- PageWidth
- PageHeight
- Orientation
- Handle8
- Copies
- WS2_32.DLL
- Invalid ACharPos
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- December
- November
- October
- September
- August
- February
- January
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- Neutral
- Apartment
- B09D35D900
- B5A032E80F
- 200.98.148.232
- C4BASPR2NRDO9TVPEUPXFRAU3
- commdlg_FindReplace
- YesToAll

- NoToAll
- Ignore
- Cancel
- Capabilities
- Canvas
- AbortedlMe
- Printers
- TPrinterP
- ADeviceMode
- ADriver
- ADevice
- SetPrinter
- ADeviceMode
- ADriver
- ADevice
- GetPrinter
- Refresh
- NewPage
- EndDoc
- BeginDoc
- Destroy
- Create
- TPrinter&
- DeviceMode
- DevMode
- FPrinterHandle
- FCapabilities
- FAborted
- FPrinting
- FTitle
- FPrinterIndex
- FPrinters
- FPageNumber
- FCanvas
- TPrinterCapabilities
- Printers
- pcCollation
- pcOrientation
- pcCopies
- TPrinterCapability
- Printers
- poLandscape
- poPortrait
- TPrinterOrientation
- Printers
- psHandleDC
- psHandleIC
- psNoHandle
- TPrinterState
- Printers
- EPrinter
- EPrinter
- SV:P5t5
- PopupControlWnd
- Handle
- OnSettingChange
- OnShortCuth

- OnShowHint0
- OnRestore
- OnModalEndp-c
- OnModalBeginp-c
- OnMinimizep-c
- OnMessagep-c
- OnHint
- OnHelpp-c
- OnIdle
- OnGetMainFormHandle
- OnGetActiveFormHandle
- OnException
- OnDeactivatex
- OnActivatep-c
- OnActionUpdatep-c
- OnActionExecute
- UpdateMetricSettings
- UpdateFormatSettings
- Terminated\\
- ShowMainForm
- ShowHint
- NonBiDiKeyboard
- BiDiKeyboard\\
- BiDiMode\\
- ModalPopupMode
- ModalLevel(
- MainFormOnTaskBar
- MainFormHandle
- MainForm
- HintShortPause
- HintShortCuts
- HintPause
- HintHidePause
- HintColor
- HelpFile\\
- ExeName\\
- EnumAllWindowsOnActivateHint\\
- DialogHandle
- DefaultFont
- CurrentHelpFileT+e
- AutoDragDocking
- AllowTesting
- ActiveFormHandle
- ActionUpdateDelay
- Active
- TApplication
- Caption
- MessageBox
- UseRightToLeftScrollBar
- UseRightToLeftReading
- UseRightToLeftAlignment
- Action
- UpdateAction
- UnhookSynchronizeWakeup
- UnhookMainWindow
- Terminate
- ShowException

- RestoreTopMosts
- Restore
- APopupForm
- RemovePopupForm
- ProcessMessages
- NormalizeTopMosts
- NormalizeAllTopMosts
- ModalFinished
- ModalStarted
- Minimize
- IsRightToLeft
- Initialize
- HookSynchronizeWakeup
- HookMainWindow
- Message
- Control
- HintMouseMessage
- HideHint
- HelpShowTableOfContents
- Keyword
- HelpKeyword
- JumpID
- HelpJump
- Context
- HelpContext
- Command
- HelpCommand
- HandleMessage
- Sender
- HandleException
- Action
- ExecuteAction
- DoApplicationIdle
- CreateHandle
- Reference
- InstanceClass
- CreateForm
- CancelHint
- Control
- ControlDestroyed
- BringToFront
- APopupForm
- AddPopupForm
- CursorPos
- ActivateHint
- Destroy
- AOwner
- Create
- TApplication6
- user32.dll
- MAINICON
- TApplication
- Default
- layout text
- MDICLIENT
- IgnoreFontProperty
- TextHeight

- PixelsPerInch
- FNeedToUninitialize
- FPopupControlWnd
- FObjectInstance
- FHandle
- FOnSettingChange
- FOnShowHint
- FOnShortCut
- FOnRestore
- FOnMinimize
- FOnActivate
- FOnDeactivate
- FOnIdle
- FOnHint
- FOnHelp
- FOnModalEnd
- FOnModalBegin
- FOnMessage
- FOnGetMainFormHandle
- FOnGetActiveFormHandle
- FOnException
- FOnActionUpdate
- FOnActionExecute
- FInitialMainFormState
- FOwnedAppWnds
- FLastActivePopup
- FMainFormOnTaskBar
- FEnumAllWindowsOnActivateHint
- FCreatingMainForm
- FModalPopupMode
- FPopupForms
- FCurrentPopupID
- FModalLevel
- FActionUpdateDelay
- FAutoDragDocking
- FDialogHandle
- FWindowList
- FWindowHooks
- FRunning
- FHandleCreated
- FTestLib
- FAllowTesting
- FActive
- FTerminate
- FPopupLevel
- FPopupOwners
- FTopMostLevel
- FTopMostList
- FTitle
- FTimerHandle
- FTimerMode
- FShowHint
- FHintWindow
- FHintShortPause
- FHintShortCuts
- FHintPause
- FHintHidePause

- FHintCursorRect
- FHintControl
- FHintColor
- FShowMainForm
- FUpdateMetricSettings
- FUpdateFormatSettings
- FHintActive
- FHelpFile
- FMouseControl
- FMainForm
- FNonBiDiKeyboard
- FDefaultFont
- FBiDiKeyboard
- FBiDiMode
- FAppIconic
- :TApplication.:1
- Result
- Section
- Sender
- Integer
- Result
- Section
- Integer
- TObject
- Sender
- TSettingChangeEvent
- Message
- Boolean
- TMessage
- Message
- TWindowHook
- HintInfo
- CanShow
- THintInfo
- HintInfo
- Boolean
- CanShow
- TShowHintEvent
- Sender
- Boolean
- TObject
- Sender
- TIdleEvent
- Handle
- Handle
- TGetHandleEvent
- Sender
- Exception
- TObject
- Sender
- TExceptionEvent
- Handled
- Boolean
- Handled
- TMessageEvent
- TPopupFormArray
- WasPopup

- FormID
- TPopupForm
- tmHide
- TTimerMode
- OnActiveFormChangeX
- OnActiveControlChangep-c
- PrimaryMonitor
- PixelsPerInch
- Height
- DefaultKbLayout
- DefaultIme
- FormCount
- CaptionFont
- MessageFontT+e
- MenuFontT+e
- IconFontT+e
- HintFontT+e
- WorkAreaWidthT+e
- WorkAreaTop
- WorkAreaLeft
- WorkAreaHeight
- WorkAreaRect
- DesktopWidth
- DesktopTop
- DesktopLeft
- DesktopHeight
- DesktopRect
- MonitorCount
- SaveFocusedList
- FocusedForm
- DataModuleCount
- Cursor
- CursorCount
- CustomFormCount
- ActiveForm
- ActiveCustomForm
- ActiveControl
- TScreen`
- ResetFonts
- Realign
- MonitorDefault
- Handle
- MonitorDefault
- MonitorDefault
- EnableAlign
- DisableAlign
- Destroy
- AOwner
- Create
- TScreen6
- FDefaultCursor
- FCursorList
- FOnActiveFormChange
- FOnActiveControlChange
- FControlState
- FAlignLevel
- FCaptionFont

- FMessageFont
- FMenuFont
- FIconFont
- FHintFont
- FSaveFocusedList
- FFocusedForm
- FLastActiveCustomForm
- FLastActiveControl
- FActiveForm
- FActiveCustomForm
- FActiveControl
- FMonitors
- FDataModules
- FCustomForms
- FCursorCount
- FCursor
- FPixelsPerInch
- FDefaultKbLayout
- FDefaultIme
- mdPrimary
- mdNearest
- TMonitorDefaultTo
- Handle
- TCursorRec
- PCursorRecl
- Primary
- WorkareaRect
- BoundsRect
- Height
- MonitorNum
- Handle
- TMonitor
- TMonitor
- FMonitorNum
- FHandle
- FormStyle
- BorderStyle
- AutoScroll
- PixelsPerInch
- TCustomDockForm
- AOwner
- Create
- TCustomDockForm6
- TileMode
- MDIChildCountT
- DockManager
- ClientHandle
- ActiveMDIChild
- OnUnDockf
- OnStartDock
- OnShow
- OnShortCutp-c
- OnResize0
- OnPaintp-c
- OnMouseWheelUpp-c
- OnMouseWheelDown
- OnMouseWheel

- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnHelp
- OnHide
- OnGetSiteInfop-c
- OnGesture8
- OnEndDock`
- OnDragOver
- OnDragDrop
- OnDockOver
- OnDockDrop
- OnDeactivate
- OnDestroyp-c
- OnCreatep-c
- OnContextPopupp-c
- OnConstrainedResized
- OnCloseQuery
- OnCloseD
- OnClick
- OnCanResizep-c
- OnAlignPosition$
- OnAlignInsertBeforel
- OnActivate
- WindowMenup-c
- WindowState\\ i
- Visible
- VertScrollBar
- Touchh
- SnapBufferh
- ShowHint
- ScreenSnap
- Scaled
- PrintScale
- Position
- PopupParent
- PopupMode
- PopupMenu(
- PixelsPerInch
- ParentBiDiMode
- ObjectMenuItem
- OldCreateOrder\\ i
- Padding
- KeyPreview
- HorzScrollBar
- HelpFileh
- Height\\
- GlassFrame
- FormStyle
- ParentFontT+e
- Enabled

- DragMode
- DragKind
- DoubleBuffered
- DockSite
- DefaultMonitor
- UseDockManager`
- Constraints
- TransparentColorValueD
- TransparentColor
- ClientWidth
- ClientHeight
- Caption
- BorderWidth
- BorderStylep
- BorderIcons
- BiDiMode
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlend
- ActiveControl@
- Action
- Formsa
- Previous
- Cascade
- ArrangeIcons
- PopupParent
- WindowState
- SnapBuffer
- ScreenSnap
- PopupMode
- OleFormObject(
- Monitor`
- ModalResult
- KeyPreview
- HelpFile
- GlassFrame\\
- FormState
- DropTargetT+e
- Designer
- Color,
- Caption
- Canvas
- BorderStylelMe
- ActiveOleControl
- Action
- ActiveControlx
- Active
- TCustomForm
- BeforeDestruction
- AfterConstruction
- set_PopupParent
- Message
- WantChildKey
- ShowModal
- Control

- SetFocusedControl
- Sender
- SendCancelMode
- Release
- AWindowHandle
- RecreateAsPopup
- Message
- MouseWheelHandler
- AMonitor
- MakeFullyVisible
- Message
- IsShortCut
- GetFormImage
- GetChildren
- Control
- FocusControl
- NewDockSite
- Removing
- Control
- DefocusControl
- Message
- DefaultHandler
- CloseQuery
- Destroy
- AOwner
- CreateNew
- AOwner
- Create
- TCustomForm6
- FFormState
- FClientInstance
- FClientHandle
- FOldCreateOrder
- FRefreshGlassFrame
- FGlassFrame
- FCreatingMainForm
- FTransparentColorValue
- FTransparentColor
- FSnapBuffer
- FScreenSnap
- FInternalPopupParentWnd
- FInternalPopupParent
- FPopupWnds
- FRecreateChildren
- FPopupParent
- FPopupMode
- FPopupChildren
- FAlphaBlendValue
- FAlphaBlend
- FOnDestroy
- FOnCreate
- FOnShow
- FOnShortCut
- FOnPaint
- FOnHide
- FOnHelp
- FOnDeactivate

- FOnCloseQuery
- FOnClose
- FOnActivate
- FSavedBorderStyle
- FActiveOleControl
- FDefClientProc
- FTextHeight
- FClientHeight
- FClientWidth
- FOleForm
- FObjectMenuItem
- FPixelsPerInch
- FWindowMenu
- FDesigner
- FModalResult
- FInCMParentBiDiModeChanged
- FHelpFile
- FCanvas
- FPrintScale
- FDropTarget
- FTileMode
- FDefaultMonitor
- FPosition
- FFormStyle
- FActive
- FKeyPreview
- FShowAction
- FWindowState
- FBorderStyle
- FBorderIcons
- FFocusedControl
- FActiveControl
- OnChange
- SheetOfGlass
- Bottom
- Enabled
- TGlassFrame
- Control
- IntersectsControl
- FrameExtended
- Source
- Assign
- Client
- Create
- TGlassFrame6
- FSheetOfGlass
- FOnChange
- FBottom
- FEnabled
- FClient
- pmExplicit
- pmAuto
- pmNone
- TPopupMode
- CallHelp
- Command
- Boolean

- Boolean
- CallHelp
- Integer
- Command
- THelpEvent
- Handled
- Boolean
- Handled
- TShortCutEvent
- TFormState
- fsActivated
- fsCreatedMDIChild
- fsModal
- fsShowing
- fsVisible
- fsCreating
- CanClose
- Sender
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- Action
- Sender
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction
- tbVertical
- tbHorizontal
- TTileMode
- saMaximize
- saMinimize
- saRestore
- saIgnore
- TShowAction
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- dmActiveForm
- dmMainForm
- dmPrimary
- dmDesktop
- TDefaultMonitor
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly

- poDefaultPosOnly
- poDefault
- poDesigned
- TPosition
- TBorderIcons
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- fsStayOnTop
- fsMDIForm
- fsMDIChild
- fsNormal
- TFormStyle
- TPopupWndArray
- ControlWnd
- TPopupWnd
- IOleFormh
- IDesignerHook
- TBorderStyle
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBarh
- OnAlignPositionh
- OnAlignInsertBeforel
- TScrollingWinControl
- AControl
- ScrollInView
- EnableAutoRange
- DisableAutoRange
- Destroy
- AOwner
- Create
- TScrollingWinControl6
- FVertScrollBar
- FUpdatingScrollBars
- FPanPoint
- FHorzScrollBar
- FAutoScroll
- FAutoRangeCount
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- ScrollPos
- Visible
- Tracking
- ThumbSize
- Smooth
- Position

- ParentColor
- Margin
- Increment
- ButtonSize
- TControlScrollBar
- IsScrollBarVisible
- ChangeBiDiPosition
- Source
- Assign
- TControlScrollBar6
- FUpdateNeeded
- FLineDiv
- FPageDiv
- FThumbSize
- FParentColor
- FColor
- FButtonSize
- FDelay
- FSmooth
- FScaled
- FTracking
- FVisible
- FMargin
- FCalcRange
- FRange
- FPosition
- FPageIncrement
- FIncrement
- FControl
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- sbVertical
- sbHorizontal
- TScrollBarKind
- THintAction
- AOwner
- Create
- THintAction6
- TTreeStringsDXk
- Encoding
- Stream
- SaveTreeToStream
- Encoding
- Stream
- LoadTreeFromStream
- Insert
- Delete
- AOwner
- Create
- TTreeStrings6
- FOwner
- u3;P(t.
- Extension
- ConversionClass
- TConversionFormat

- TConversionClasst1k
- TConversion
- ConvertWriteStream
- ConvertReadStream
- Create
- TConversion&
- OnStartDrag.
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnGesture
- OnExit`
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- Visibled
- TabStoph
- TabOrder
- ShowHint
- SmoothReverse
- BackgroundColor
- BarColor
- MarqueeInterval
- Smooth
- Position
- PopupMenu
- ParentShowHint
- ParentDoubleBuffered
- Orientation
- Constraints
- Enabled\\
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- BorderWidth
- Anchorsp
- TProgressBar
- StepIt
- AOwner
- Create
- TProgressBar6
- FState
- FBackgroundColor
- FBarColor
- FMarqueeInterval
- FSmoothReverse
- FSmooth
- FOrientation
- FSavedPosition

- FPosition
- F32BitMode
- pbsPaused
- pbsError
- pbsNormal
- TProgressBarState
- pbstMarquee
- pbstNormal
- TProgressBarStyle
- pbVertical
- pbHorizontal
- TProgressBarOrientation
- ItemsZ
- OnStartDrag
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnHint
- OnGetSelectedIndexD
- OnGetImageIndex
- OnGesture
- OnExpanded`
- OnExpanding
- OnExit
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnEditing
- OnEdited
- OnDragOverT
- OnDragDrop
- OnDeletion
- OnDblClick
- OnCustomDrawItemp-c
- OnCustomDrawd
- OnCreateNodeClass
- OnContextPopup(
- OnCompared
- OnCollapsingt
- OnCollapsedp
- OnClick
- OnChangingp-c
- OnChange
- OnCancelEdit\\
- OnAdvancedCustomDrawItem\\
- OnAdvancedCustomDraw
- OnAddition0
- Visible
- ToolTipsh
- TabStop

- TabOrder
- StateImages
- SortType\\
- ShowRootX
- ShowLines
- ShowHint
- ShowButtons
- RowSelect
- RightClickSelect
- ReadOnly
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MultiSelectStyle
- MultiSelect
- Indent
- Images
- HotTrack\\
- HideSelection
- EnabledT+e
- DragMode
- DragCursor
- DragKind
- DoubleBuffered
- Constraints
- ChangeDelay
- BorderWidth
- BorderStylep
- BiDiMode
- BevelWidth
- BevelKind
- BevelOuter<
- BevelInner
- BevelEdges
- AutoExpand$
- Anchors
- TTreeView
- TTreeView
- SelectionCount
- TopItem
- Selected
- DropTarget
- Canvas
- TCustomTreeView
- ARecurse
- SortProc
- CustomSort
- FindNextToSelect
- GetSelections
- KeepPrimary
- ClearSelection
- Validate
- Subselect

- Deselect
- Select
- Select5
- ShiftState
- Select
- Encoding
- Stream
- SaveToStream
- Stream
- SaveToStream
- Encoding
- FileName
- SaveToFile
- FileName
- SaveToFile
- Encoding
- Stream
- LoadFromStream
- Stream
- LoadFromStream
- Encoding
- FileName
- LoadFromFile
- FileName
- LoadFromFile
- IsEditing
- GetDragImages
- GetNodeAt
- GetHitTestInfoAt
- FullExpand
- FullCollapse
- ARecurse
- AlphaSort
- Destroy
- AOwner
- Create
- TCustomTreeView6
- FChangeTimer
- FOnCreateNodeClass
- FOnHint
- FOnGetSelectedIndex
- FOnGetImageIndex
- FOnExpanding
- FOnExpanded
- FOnEdited
- FOnEditing
- FOnAddition
- FOnDeletion
- FOnCustomDrawItem
- FOnCustomDraw
- FOnCompare
- FOnCollapsing
- FOnCollapsed
- FOnChanging
- FOnChange
- FOnCancelEdit
- FOnAdvancedCustomDrawItem

- FOnAdvancedCustomDraw
- FReading
- FCreateWndRestores
- FStockFont
- FOurFont
- FSelectChanged
- FSelecting
- FShiftAnchor
- FSaveIndexes
- FSelections
- FMultiSelectStyle
- FMultiSelect
- FWideText
- FTreeNodes
- FToolTips
- FStateChangeLink
- FStateImages
- FStateChanging
- FSortType
- FShowRoot
- FShowLines
- FShowButtons
- FSaveTopIndex
- FSaveItems
- FSaveIndent
- FSaveIndex
- FRowSelect
- FReadOnly
- FManualNotify
- FRightClickSelect
- FRClickNode
- FMemStream
- FLastDropTarget
- FInBufferedPrintClient
- FImages
- FImageChangeLink
- FHotTrack
- FHideSelection
- FEditHandle
- FDragNode
- FDragImage
- FDragged
- FEditInstance
- FDefEditProc
- FCanvasChanged
- FCanvas
- FBorderStyle
- FAutoExpand
- NodeClass
- Sender
- TTreeNodeClass
- NodeClass
- TCustomTreeView
- Sender
- TTVCreateNodeClassEvent
- DefaultDraw
- PaintImages

- Sender
- Boolean
- DefaultDraw
- Boolean
- PaintImages
- TCustomDrawStage
- TCustomDrawState
- TTreeNode
- TCustomTreeView
- Sender
- TTVAdvancedCustomDrawItemEvent
- DefaultDraw
- Sender
- Boolean
- DefaultDraw
- TCustomDrawStage
- TCustomTreeView
- Sender
- TTVAdvancedCustomDrawEvent
- DefaultDraw
- Sender
- Boolean
- msctls_progress32
- explorer
- SysTreeView32
- NodeData
- comctl32.dll
- TCustomDrawState
- TTreeNode
- TCustomTreeView
- Sender
- TTVCustomDrawItemEvent
- DefaultDraw
- Sender
- Boolean
- DefaultDraw
- TCustomTreeView
- Sender
- TTVCustomDrawEvent
- Sender
- TTreeNode
- TObject
- Sender
- TTVHintEvent
- Compare
- Sender
- Integer
- Compare
- Integer
- TTreeNode
- TTreeNode
- TObject
- Sender
- TTVCompareEvent
- Sender
- TTreeNode
- TObject

- Sender
- TTVExpandedEvent
- AllowCollapse
- Sender
- Boolean
- AllowCollapse
- TTreeNode
- TObject
- Sender
- TTVCollapsingEvent
- AllowExpansion
- Sender
- Boolean
- AllowExpansion
- TTreeNode
- TObject
- Sender
- TTVExpandingEvent
- Sender
- TTreeNode
- TObject
- Sender
- TTVEditedEvent
- AllowEdit
- Sender
- Boolean
- AllowEdit
- TTreeNode
- TObject
- Sender
- TTVEditingEvent
- Sender
- TTreeNode
- TObject
- Sender
- TTVChangedEvent
- AllowChange
- Sender
- Boolean
- AllowChange
- TTreeNode
- TObject
- Sender
- TTVChangingEvent
- ETreeViewError
- ETreeViewError
- TMultiSelectStyle
- msSiblingOnly
- msVisibleOnly
- msShiftSelect
- msControlSelect
- TMultiSelectStyles
- stData
- stNone
- TSortType
- Handle<
- TTreeNodesH

- ARecurse
- SortProc
- CustomSort
- Sibling
- InsertNode
- Sibling
- InsertObject
- Sibling
- Insert
- ItemId
- GetNode
- GetEnumerator
- GetFirstNode
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- ARecurse
- AlphaSort
- Sibling
- Sibling
- AddFirst
- Method
- Relative
- AddNode
- Sibling
- AddObject
- Sibling
- AddObjectFirst
- Parent
- AddChildObject
- Parent
- AddChildObjectFirst
- Parent
- AddChild
- Parent
- AddChildFirst
- Destroy
- AOwner
- Create
- TTreeNodes6
- FReading
- FNodeCache
- FUpdateCount
- FOwner
- CacheIndex
- CacheNode
- TNodeCache
- Current
- TTreeNodesEnumeratorX
- MoveNext
- GetCurrent
- ATreeNodes
- Create
- TTreeNodesEnumerator:
- FTreeNodes

- FIndex
- TreeView
- StateIndex\\
- Enabled
- SelectedIndex
- Parent
- OverlayIndex
- ItemId
- IsVisible
- ImageIndex
- HasChildren
- Handle
- ExpandedImageIndex
- Expanded
- Selected
- DropTarget
- Focused
- Deleting
- AbsoluteIndex
- TTreeNode
- ARecurse
- SortProc
- CustomSort
- IsFirstNode
- Destination
- MoveTo
- MakeVisible
- IndexOf
- HasAsParent
- GetPrevVisible
- getPrevSibling
- GetPrevChild
- GetPrev
- GetNextVisible
- getNextSibling
- GetNextChild
- GetNext
- GetLastChild
- GetHandle
- getFirstChild
- Recurse
- Expand
- Cancel
- EndEdit
- EditText
- TextOnly
- DisplayRect
- DeleteChildren
- Delete
- Recurse
- Collapse
- Source
- Assign
- ARecurse
- AlphaSort
- Destroy
- AOwner

- Create
- TTreeNode6
- FExpandedImageIndex
- FEnabled
- FInTree
- FDeleting
- FStateIndex
- FOverlayIndex
- FSelectedIndex
- FImageIndex
- FItemId
- FOwner
- TTreeNodeClass
- naInsert
- naAddChildFirst
- naAddChild
- naAddFirst
- TNodeAttachMode
- TCustomDrawState
- cdsDropHilited
- cdsOtherSideHot
- cdsNearHot
- cdsShowKeyboardCues
- cdsIndeterminate
- cdsMarked
- cdsDefault
- cdsFocused
- cdsChecked
- cdsDisabled
- cdsGrayed
- cdsSelected
- cdPostErase
- cdPreErase
- cdPostPaint
- cdPrePaint
- TCustomDrawStage
- THitTests
- htToRight
- htToLeft
- htOnStateIcon
- htOnRight
- htOnLabel
- htOnIndent
- htOnIcon
- htOnButton
- htOnItem
- htNowhere
- htBelow
- htAbove
- THitTest
- DockManager
- OnUnDockF
- OnStartDrag
- OnStartDockp
- OnResize
- OnMouseUpp-c
- OnMouseMove

- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnGetSiteInfo
- OnGesture8
- OnExit`
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnDockOverp-c
- OnDockDrop
- OnContextPopup
- OnConstrainedResized
- OnClick
- OnCanResizep-c
- OnAlignPosition$
- OnAlignInsertBeforel
- Visible
- VerticalAlignment
- Touch ,c
- TabStoph
- TabOrder
- ShowHint
- ShowCaption
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBackground
- ParentBiDiMode
- Padding
- Locked
- FullRepaintT+e
- Enabled
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- DockSite
- UseDockManager
- Constraints
- ColorD
- Caption
- BorderStyle
- BorderWidth
- BiDiModep
- BevelWidth
- BevelOuter
- BevelKind
- BevelInner<
- BevelEdges

- AutoSize$
- Anchors
- Alignment
- Align8+c
- ExtCtrlsE
- TPanel
- TPanel
- ParentBackground
- TCustomPanel
- GetControlsAlignment
- AOwner
- Create
- TCustomPanel6
- FVerticalAlignment
- FShowCaption
- FParentBackgroundSet
- FLocked
- FFullRepaint
- FBorderStyle
- FBorderWidth
- FBevelWidth
- FBevelOuter
- FBevelInner
- FAutoSizeDocking
- FAlignment
- OnTimer
- Intervalp-c
- Enabled
- TTimer
- Destroy
- AOwner
- Create
- TTimer6
- FEnabled
- FOnTimer
- FWindowHandle
- FInterval
- Canvas
- OnStartDrag%
- OnStartDockp
- OnProgress
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnGesture
- OnEndDrag`
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopupp-c
- OnClickd
- Visiblep-c
- Transparent

- ShowHint
- Proportional
- PopupMenu
- Picture
- ParentShowHint
- IncrementalDisplay
- Enabled
- DragMode
- DragKind
- DragCursor
- Constraints
- CenterD
- AutoSize
- Anchors
- TImage4
- Destroy
- AOwner
- Create
- TImage6
- FProportional
- FDrawing
- FTransparent
- FIncrementalDisplay
- FCenter
- FOnProgress
- FPicture
- K0;K(u
- EZCompressionErrorT'j
- EZCompressionError
- EZLibError
- EZLibError
- OnProgress
- CompressionRatep-c
- TZCompressionStream
- origin
- offset
- buffer
- buffer
- Destroy
- compressionLevel
- Create
- compressionLevel
- Create
- TZCompressionStreamN
- TCustomZStream
- TCustomZStream
- FBuffer
- FZStream
- FOnProgress
- FStreamPos
- FStream
- reserved
- data_type
- opaque
- zalloc
- total_out
- avail_out

- next_out
- total_in
- avail_in
- next_in
- TZStreamRec8
- clDefault
- clFastest
- clNone
- TCompressionLevel
- zcDefault
- zcFastest
- zcNone
- TZCompressionLevel
- opaque
- TZFree
- opaque
- TZAlloc
- OnStartDrag1
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- clWebBlack
- clWebDarkGray
- clWebGainsboro
- clWebDarkSlategray
- clWebDarkSlateBlue
- clWebMistyRose
- clWebDimGray
- clWebSilver
- clWebWhiteSmoke
- clWebSlateGray
- clWebSlateBlue
- clWebSteelBlue
- clWebGray
- clWebLightgrey
- clWebWhite
- clWebLightSlateGray
- clWebMediumSlateBlue
- clWebLightSteelBlue
- clWebPink
- clWebHotPink
- clWebThistle
- clWebPlum
- clWebOrchid
- clWebViolet
- clWebLightPink
- clWebDeepPink
- clWebPurple
- clWebMediumPurple
- clWebMediumOrchid
- clWebBlueViolet
- clWebPaleVioletRed
- clWebMediumVioletRed

- clWebDarkMagenta
- clWebMagenta
- clWebDarkOrchid
- clWebDarkViolet
- clWebNavy
- clWebBlue
- clWebDodgerBlue
- clWebDeepskyBlue
- clWebTeal
- clWebDarkCyan
- clWebCadetBlue
- clWebDarkTurquoise
- clWebMidnightBlue
- clWebMediumBlue
- clWebRoyalBlue
- clWebSkyBlue
- clWebPowderBlue
- clWebCyan
- clWebTurquoise
- clWebMediumTurquoise
- clWebIndigo
- clWebDarkBlue
- clWebCornFlowerBlue
- clWebLightSkyBlue
- clWebLightBlue
- clWebLightCyan
- clWebPaleTurquoise
- clWebLightSeaGreen
- clWebDarkSeaGreen
- clWebMediumSpringGreen
- clWebSpringGreen
- clWebLime
- clWebLimeGreen
- clWebDarkgreen
- clWebDarkOliveGreen
- clWebDarkKhaki
- clWebDarkGoldenRod
- clWebMediumSeaGreen
- clWebMediumAquamarine
- clWebPaleGreen
- clWebLawnGreen
- clWebYellowGreen
- clWebGreen
- clWebOliveDrab
- clWebKhaki
- clWebGoldenRod
- clWebSeaGreen
- clWebAquamarine
- clWebLightGreen
- clWebChartreuse
- clWebGreenYellow
- clWebForestGreen
- clWebOlive
- clWebLightGoldenrodYellow
- clWebPaleGoldenrod
- clWebRosyBrown
- clWebDarkSalmon

- clWebPeru
- clWebSienna
- clWebSaddleBrown
- clWebFirebrick
- clWebOrangeRed
- clWebOrange
- clWebLightCoral
- clWebLightSalmon
- clWebSandyBrown
- clWebChocolate
- clWebBrown
- clWebCrimson
- clWebTomato
- clWebGold
- clWebCoral
- clWebSalmon
- clWebIndianRed
- clWebMaroon
- clWebDarkRed
- clWebRed
- clWebDarkOrange
- clWebYellow
- clWebTan
- clWebPeachPuff
- clWebBisque
- clWebBlanchedAlmond
- clWebLemonChiffon
- clWebLinen
- clWebHoneydew
- clWebMintcream
- clWebAzure
- clWebBurlywood
- clWebMoccasin
- clWebNavajoWhite
- clWebPapayaWhip
- clWebLightYellow
- clWebSeashell
- clWebLavender
- clWebGhostWhite
- clWebAliceBlue
- clWebWheat
- clWebAntiqueWhite
- clWebBeige
- clWebCornSilk
- clWebIvory
- clWebOldLace
- clWebLavenderBlush
- clWebFloralWhite
- clWebSnow
- Invalid ZStream operation!
- Invalid ZStream operation!
- incompatible version
- buffer error
- insufficient memory
- data error
- stream error
- file error

- stream end
- need dictionary
- BUTTON
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup
- OnClickd
- Visible
- TabStop
- TabOrder
- ShowHint
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- EnabledT+e
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- Constraints
- ColorD
- Checked
- Caption
- BiDiMode
- Anchors
- AllowGrayed
- Alignment
- Action@
- TCheckBox
- TCheckBox
- TabStop
- TCustomCheckBoxD
- GetControlsAlignment
- AOwner
- Create
- TCustomCheckBox6
- FState
- FAllowGrayed
- FAlignment
- cbGrayed
- cbChecked
- cbUnchecked
- TCheckBoxState
- TButtonControl
- AOwner
- Create

- TButtonControl6
- FWordWrap
- FClicksDisabled
- TButtonActionLink
- TButtonActionLink
- FClient
- OnStartDragB
- OnStartDockp
- OnMouseUp
- OnMouseMove
- OnMouseLeaveX
- OnMouseEnterp-c
- OnMouseDownp-c
- OnMouseActivate
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnGesture
- OnExit`
- OnEnterp-c
- OnEndDragp-c
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopupp-c
- OnClickd
- OnChangep-c
- Visiblep-c
- TextHinth
- TabStop
- TabOrder
- ShowHint
- ReadOnly
- PopupMenu
- PasswordChar
- ParentShowHintL
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- NumbersOnly
- MaxLength
- ImeName
- ImeMode
- HideSelection`
- EnabledT+e
- DragMode
- DragKind
- DragCursor
- DoubleBuffered
- Constraints
- ColorD
- CharCase
- BorderStyle

- BiDiMode
- BevelWidth
- BevelOuter
- BevelKind
- BevelInner<
- BevelEdges
- AutoSize$
- AutoSelect
- Anchors
- Alignment
- Align8+c
- TextHint
- SelText
- SelStart\\
- SelLength
- ReadOnly
- Modified
- CanUndo
- Alignment
- TabStop
- TCustomEditL
- Buffer
- SetSelTextBuf
- BufSize
- Buffer
- GetSelTextBuf
- SelectAll
- SetSelText
- ClearUndo
- PasteFromClipboard
- GetControlsAlignment
- Message
- DefaultHandler
- CutToClipboard
- CopyToClipboard
- ClearSelection
- AOwner
- Create
- TCustomEdit6
- FTextHint
- FNumbersOnly
- FOldSelStart
- FOldSelLength
- FOnChange
- FInBufferedPrintClient
- FModified
- FCreating
- FCharCase
- FOEMConvert
- FHideSelection
- FAutoSelect
- FAutoSize
- FReadOnly
- FPasswordChar
- FBorderStyle
- FMaxLength
- FAlignment

- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- OnStartDrag,
- OnStartDockp
- OnMouseLeave
- OnMouseEnterp-c
- OnMouseUpp-c
- OnMouseMove
- OnMouseDownX
- OnMouseActivate
- OnGesture
- OnEndDrag`
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick
- OnContextPopupp-c
- OnClickd
- Visible
- Layout
- Transparent
- ShowHinth
- ShowAccelChar
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- ParentBiDiMode
- GlowSize
- FocusControlT+e
- Enabled
- EllipsisPosition
- DragMode
- DragKind
- DragCursor
- Constraints
- ColorD
- Caption
- BiDiMode
- AutoSize
- Anchors
- Alignment
- Align8+c
- TLabelX
- TLabel
- GlowSize
- Canvas
- CaptionlMe
- TCustomLabelD
- AOwner
- Create
- TCustomLabel6
- FEllipsisPosition
- FTransparentSet
- FShowAccelChar

- FWordWrap
- FLayout
- FGlowSize
- FDrawTextProc
- FAutoSize
- FAlignment
- FFocusControl
- TextFlags
- TextRect
- Cardinal
- TextFlags
- TextRect
- epWordEllipsis
- epEndEllipsis
- epPathEllipsis
- epNone
- TEllipsisPosition
- tlBottom
- tlCenter
- TTextLayout
- ViewerID
- Viewer
- HelpIntfs
- THelpViewerNode(
- Viewer
- Create
- THelpViewerNode6
- FViewerID
- FViewer
- HelpFile
- Handle\\
- HelpIntfs
- THelpManager,
- ViewerID
- Release
- GetHelpFile
- GetHandle
- Filter
- SetFilter
- GetFilter
- HelpFileName
- Anchor
- ShowTopicHelp
- HelpFileName
- ShowSearch
- HelpFileName
- ShowIndex
- HelpFileName
- HelpKeyword
- UnderstandsKeyword
- Command
- HelpFile
- Handle
- Selector
- AssignHelpSelector
- HelpFileName
- ShowTopicHelp

- ShowTableOfContents
- HelpFileName
- ContextID
- ShowContextHelp
- HelpFileName
- HelpKeyword
- ShowHelp
- newViewer
- RegisterViewer
- Destroy
- Create
- THelpManager&
- FHelpFile
- FHandle
- FMinCookie
- FExtendedViewerList
- FViewerList
- FHelpSelector
- HelpIntfs
- IInternalHelpManagerh
- HelpIntfs
- EHelpSystemException\\
- EHelpSystemException
- HelpIntfs
- IHelpManagerh
- HelpIntfs
- ICustomHelpViewerh
- HelpIntfs
- IHelpSystem3
- HelpIntfs
- IHelpSystem2
- HelpIntfs
- IHelpSystemh
- HelpIntfs
- IHelpSelectorh
- Ih;J8u
- TMenuItemStack<7i
- ClearItem
- TMenuItemStack8
- Window
- TPopupList
- Remove
- TPopupList2
- FWindow
- PopupPoint
- PopupComponent
- OnPopup
- OnChangep-c
- TrackButton
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Imagesh0i
- HelpContext\\
- BiDiMode
- AutoPopup
- AutoLineReduction

- AutoHotkeys
- Alignment
- TPopupMenu
- CloseMenu
- Destroy
- AOwner
- Create
- TPopupMenu6
- FOnPopup
- FMenuAnimation
- FTrackButton
- FPopupComponent
- FAutoPopup
- FAlignment
- FPopupPoint
- TMenuAnimation
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- tbLeftButton
- tbRightButton
- TTrackButton
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiMode\\
- AutoMerge
- AutoLineReduction
- AutoHotkeys
- TMainMenud,i
- Handle
- SetOle2MenuHandle
- GetOle2AcceleratorTableA
- PopulateOle2Menu
- Unmerge
- TMainMenu3
- FAutoMerge
- FOle2Menu
- WindowHandle
- ParentBiDiMode
- OwnerDraw
- Handle
- BiDiMode
- AutoLineReduction
- AutoHotkeys
- Images
- Message
- ProcessMenuChar
- AControl

- ParentBiDiModeChanged
- ParentBiDiModeChanged
- Message
- IsShortCut
- IsRightToLeft
- ByCommand
- GetHelpContext
- GetChildren
- FindItem
- AHandle
- DispatchPopup
- ACommand
- DispatchCommand
- Destroy
- CreateMenuItem
- AOwner
- Create
- TMenu6
- FMenuImage
- FOnChange
- FImages
- FImageChangeLink
- FParentBiDiMode
- FOwnerDraw
- FWindowHandle
- FItems
- FBiDiMode
- fkShortCut
- fkHandle
- fkCommand
- TFindItemKind
- Parent
- MenuIndex\\ i
- Handle
- Command
- OnMeasureItem
- OnAdvancedDrawItem
- OnDrawItem4
- OnClick
- Visiblep-c
- ShortCut
- RadioItemT-c
- ImageIndex
- HelpContext\\
- GroupIndex
- Enabled
- Default
- SubMenuImages
- Checked\\
- Caption
- Break\\
- Bitmap
- AutoLineReductiondpe
- AutoHotkeys
- AutoCheck
- Action
- TMenuItem8

- SetParentComponent
- RethinkLines
- RethinkHotkeys
- Remove
- InsertNewLineAfter
- InsertNewLineBefore
- NewBottomLine
- NewTopLine
- HasParent
- GetParentMenu
- GetParentComponent
- GetImageList
- GetEnumerator
- GetChildren
- IsLine
- IndexOf
- ACaption
- Delete
- Insert
- InitiateAction
- Destroy
- AOwner
- Create
- TMenuItem6
- FHandle
- FAutoCheck
- FOnMeasureItem
- FOnAdvancedDrawItem
- FOnDrawItem
- FOnClick
- FOnChange
- FSubMenuImages
- FImageChangeLink
- FStreamedRebuild
- FMergedWith
- FMerged
- FParent
- FShortCut
- FItems
- FHelpContext
- FCommand
- FBitmap
- FBreak
- FActionLink
- FImageIndex
- FGroupIndex
- FVisible
- FRadioItem
- FAutoLineReduction
- FAutoHotkeys
- FDefault
- FEnabled
- FChecked
- FCaption
- Current8
- TMenuItemEnumerator
- MoveNext

- GetCurrent
- AMenuItem
- Create
- TMenuItemEnumerator9
- FMenuItem
- FIndex
- TMenuActionLinkp
- TMenuActionLink
- FClient
- TMenuAutoFlag
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Height
- ACanvas
- Sender
- Integer
- Height
- Integer
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- ACanvas
- Sender
- TOwnerDrawState
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Selected
- ACanvas
- Sender
- Boolean
- Selected
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Rebuild
- Source
- Sender
- Boolean
- Rebuild
- TMenuItem
- Source
- TObject
- Sender
- TMenuChangeEvent
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak

- EMenuErrort
- EMenuError
- R0;C8}!
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- KbdLayerDescriptor
- Layout File
- ShortCutText
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap
- OnChange
- ShareImages
- Masked
- ImageType
- Height`
- DrawingStyle
- BkColor
- BlendColor
- AllocBy
- Handle
- ColorDepth
- ImgList
- TCustomImageListl
- UnRegisterChanges
- AHeight
- AWidth
- SetSize
- MaskColor
- NewImage
- ReplaceMasked
- ReplaceIcon
- Replace
- MaskColor
- ResType
- Instance
- ResInstLoad
- MaskColor
- ResType
- ResourceLoad
- RegisterChanges
- Overlay
- ImageIndex
- Overlay
- NewIndex
- CurIndex
- MaskColor
- InsertMasked
- InsertIcon
- Insert
- HandleAllocated
- MaskColor
- LoadFlags

- ResType
- Instance
- GetInstRes
- MaskColor
- LoadFlags
- ResType
- Instance
- GetInstRes
- MaskColor
- LoadFlags
- ResType
- GetResource
- GetMaskBitmap
- GetImageBitmap
- AImageType
- ADrawingStyle
- GetIcon
- GetIcon
- GetHotSpot
- GetBitmap
- MaskColor
- ResType
- FileLoad
- EndUpdate
- Enabled
- AImageType
- ADrawingStyle
- Overlay
- ImageIndex
- Canvas
- DrawOverlay
- Enabled
- Overlay
- ImageIndex
- Canvas
- DrawOverlay
- Enabled
- AImageType
- ADrawingStyle
- Canvas
- Enabled
- Canvas
- Delete
- BeginUpdate
- MaskColor
- AddMasked
- AddImages
- AddImage
- AddIcon
- Source
- Assign
- Destroy
- AHeight
- AWidth
- CreateSize
- AOwner
- Create

- TCustomImageList6
- FColorDepth
- FOnChange
- FUpdateCount
- FChanged
- FMonoBitmap
- FBitmap
- FClients
- FBlendColor
- FBkColor
- FImageType
- FShareImages
- FMasked
- FDrawingStyle
- FHandle
- FAllocBy
- FHeight
- ImgList
- cd32Bit
- cd24Bit
- cd16Bit
- cd8Bit
- cd4Bit
- cdDeviceDependent
- cdDefault
- TColorDepth
- TImageIndex
- TLoadResources
- ImgList
- lrMonoChrome
- lrTransparent
- lrMap3DColors
- lrFromFile
- lrDefaultSize
- lrDefaultColor
- TLoadResource
- TOverlay
- ImgList
- rtIcon
- rtCursor
- rtBitmap
- TResType
- ImgList
- itMask
- itImage
- TImageType
- ImgList
- dsTransparent
- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- Sender
- OnChange\\
- ImgList
- TChangeLink
- Change

- Destroy
- TChangeLink'
- FOnChange
- FSender
- OnThemeChange
- ThemesEnabledp-c
- ThemesAvailable
- Themes
- TThemeServices
- UpdateThemes
- EraseLRCorner
- Control
- PaintBorder
- Details
- HasTransparentParts
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails

- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Detail
- GetElementDetails
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- DrawParentBackground
- ClipRect
- Details
- DrawElement
- ContentRect
- Details
- Details
- ColorToRGB
- Flags2
- Details
- DrawText
- Details
- ClipRect
- Details
- DrawElement
- Details
- DrawElement
- Details
- BoundingRect
- Details
- ContentRect
- ColorToRGB
- ApplyThemeChange
- Destroy
- Create
- TThemeServices&
- FOnThemeChange
- FThemeData
- FUseThemes
- FThemesAvailable
- Element
- TThemedElementDetails
- PThemedElementDetails0
- TThemeData`

- Themes
- twFrameBottomSizingTemplate twSmallFrameBottomSizingTemplate
- twSmallFrameRightSizingTemplate
- twFrameRightSizingTemplate
- twSmallFrameLeftSizingTemplate
- twFrameLeftSizingTemplate
- twSmallCaptionSizingTemplate
- twCaptionSizingTemplate
- twDialog
- twVertThumbDisabled
- twVertThumbPushed
- twVertThumbHot
- twVertThumbNormal
- twVertScrollDisabled
- twVertScrollPushed
- twVertScrollHot
- twVertScrollNormal
- twHorzThumbDisabled
- twHorzThumbPushed
- twHorzThumbHot
- twHorzThumbNormal
- twHorzScrollDisabled
- twHorzScrollPushed
- twHorzScrollHot
- twHorzScrollNormal
- twMDIHelpButtonDisabled
- twMDIHelpButtonPushed
- twMDIHelpButtonHot
- twMDIHelpButtonNormal
- twHelpButtonDisabled
- twHelpButtonPushed
- twHelpButtonHot
- twHelpButtonNormal
- twMDIRestoreButtonDisabled
- twMDIRestoreButtonPushed
- twMDIRestoreButtonHot
- twMDIRestoreButtonNormal
- twRestoreButtonDisabled
- twRestoreButtonPushed
- twRestoreButtonHot
- twRestoreButtonNormal
- twMDICloseButtonDisabled
- twMDICloseButtonPushed
- twMDICloseButtonHot
- twMDICloseButtonNormal
- twSmallCloseButtonDisabled
- twSmallCloseButtonPushed
- twSmallCloseButtonHot
- twSmallCloseButtonNormal
- twCloseButtonDisabled
- twCloseButtonPushed
- twCloseButtonHot
- twCloseButtonNormal
- twMaxButtonDisabled
- twMaxButtonPushed
- twMaxButtonHot
- twMaxButtonNormal

- twMDIMinButtonDisabled
- twMDIMinButtonPushed
- twMDIMinButtonHot
- twMDIMinButtonNormal
- twMinButtonDisabled
- twMinButtonPushed
- twMinButtonHot
- twMinButtonNormal
- twMDISysButtonDisabled
- twMDISysButtonPushed
- twMDISysButtonHot
- twMDISysButtonNormal
- twSysButtonDisabled
- twSysButtonPushed
- twSysButtonHot
- twSysButtonNormal
- twSmallFrameBottomInactive
- twSmallFrameBottomActive
- twSmallFrameRightInactive
- twSmallFrameRightActive
- twSmallFrameLeftInactive
- twSmallFrameLeftActive
- twFrameBottomInactive
- twFrameBottomActive
- twFrameRightInactive
- twFrameRightActive
- twFrameLeftInactive
- twFrameLeftActive
- twSmallMaxCaptionDisabled
- twSmallMaxCaptionInactive
- twSmallMaxCaptionActive
- twMaxCaptionDisabled
- twMaxCaptionInactive
- twMaxCaptionActive
- twSmallMinCaptionDisabled
- twSmallMinCaptionInactive
- twSmallMinCaptionActive
- twMinCaptionDisabled
- twMinCaptionInactive
- twMinCaptionActive
- twSmallCaptionDisabled
- twSmallCaptionInactive
- twSmallCaptionActive
- twCaptionDisabled
- twCaptionInactive
- twCaptionActive
- twWindowRoot
- twWindowDontCare
- TThemedWindow
- Themes
- ttGlyphOpened
- ttItemSelectedNotFocus
- ttItemDisabled
- ttItemSelected
- ttItemHot
- ttItemNormal
- ttTreeviewRoot

- ttTreeviewDontCare
- TThemedTreeview
- Themes
- ttnAnimBackground
- ttnBackground
- ttnTrayNotifyRoot
- ttnTrayNotifyDontCare
- TThemedTrayNotify
- Themes
- ttbThumbRightDisabled
- ttbThumbRightFocused
- ttbThumbRightPressed
- ttbThumbRightNormal
- ttbThumbLeftDisabled
- ttbThumbLeftFocused
- ttbThumbLeftPressed
- ttbThumbLeftHot
- ttbThumbLeftNormal
- ttbThumbVertDisabled
- ttbThumbVertFocused
- ttbThumbVertPressed
- ttbThumbVertHot
- ttbThumbVertNormal
- ttbThumbTopDisabled
- ttbThumbTopFocused
- ttbThumbTopPressed
- ttbThumbTopHot
- ttbThumbTopNormal
- ttbThumbBottomDisabled
- ttbThumbBottomFocused
- ttbThumbBottomPressed
- ttbThumbBottomHot
- ttbThumbBottomNormal
- ttbThumbDisabled
- ttbThumbFocused
- ttbThumbPressed
- ttbThumbNormal
- ttbTrackBarRoot
- ttbTrackBarDontCare
- TThemedTrackBar
- Themes
- tttClosePressed
- tttCloseHot
- tttCloseNormal
- tttBaloonStemDownLeft
- tttBaloonStemUpLeft
- tttBaloonTitleLink
- tttBaloonTitleNormal
- tttBaloonLink
- tttBaloonNormal
- tttStandardTitleLink
- tttStandardTitleNormal
- tttStandardLink
- tttStandardNormal
- tttToolTipRoot
- tttToolTipDontCare
- TThemedToolTip

- Themes
- ttbSeparatorVertCheckedHot
- ttbSeparatorVertChecked
- ttbSeparatorVertDisabled
- ttbSeparatorVertPressed
- ttbSeparatorVertHot
- ttbSeparatorVertNormal
- ttbSeparatorCheckedHot
- ttbSeparatorChecked
- ttbSeparatorDisabled
- ttbSeparatorPressed
- ttbSeparatorHot
- ttbSeparatorNormal
- ttbSplitButtonDropDownChecked ttbSplitButtonDropDownCheckedHot
- ttbSplitButtonDropDownDisabled
- ttbSplitButtonDropDownPressed
- ttbSplitButtonDropDownHot
- ttbSplitButtonDropDownNormal
- ttbSplitButtonCheckedHot
- ttbSplitButtonChecked
- ttbSplitButtonDisabled
- ttbSplitButtonPressed
- ttbSplitButtonHot
- ttbSplitButtonNormal
- ttbDropDownButtonCheckedHot
- ttbDropDownButtonChecked
- ttbDropDownButtonDisabled
- ttbDropDownButtonPressed
- ttbDropDownButtonHot
- ttbDropDownButtonNormal
- ttbButtonCheckedHot
- ttbButtonChecked
- ttbButtonDisabled
- ttbButtonPressed
- ttbButtonHot
- ttbButtonNormal
- ttbToolBarRoot
- ttbToolBarDontCare
- TThemedToolBar
- Themes
- ttbTimeNormal
- ttTaskBarRoot
- ttTaskBarDontCare
- TThemedTaskBar
- Themes
- ttpFlashButtonGroupMenu
- ttbFlashButton
- ttbGroupCount
- ttbTaskBandRoot
- ttbTaskBandDontCare
- TThemedTaskBand
- Themes
- ttPane
- ttTopTabItemBothEdgeFocused
- ttTopTabItemBothEdgeDisabled
- ttTopTabItemBothEdgeSelected
- ttTopTabItemBothEdgeHot

- ttTopTabItemBothEdgeNormal
- ttTopTabItemRightEdgeFocused
- ttTopTabItemRightEdgeDisabled
- ttTopTabItemRightEdgeSelected
- ttTopTabItemRightEdgeHot
- ttTopTabItemRightEdgeNormal
- ttTopTabItemLeftEdgeFocused
- ttTopTabItemLeftEdgeDisabled
- ttTopTabItemLeftEdgeSelected
- ttTopTabItemLeftEdgeHot
- ttTopTabItemLeftEdgeNormal
- ttTopTabItemFocused
- ttTopTabItemDisabled
- ttTopTabItemSelected
- ttTopTabItemHot
- ttTopTabItemNormal
- ttTabItemBothEdgeFocused
- ttTabItemBothEdgeDisabled
- ttTabItemBothEdgeSelected
- ttTabItemBothEdgeHot
- ttTabItemBothEdgeNormal
- ttTabItemRightEdgeFocused
- ttTabItemRightEdgeDisabled
- ttTabItemRightEdgeSelected
- ttTabItemRightEdgeHot
- ttTabItemRightEdgeNormal
- ttTabItemLeftEdgeFocused
- ttTabItemLeftEdgeDisabled
- ttTabItemLeftEdgeSelected
- ttTabItemLeftEdgeHot
- ttTabItemLeftEdgeNormal
- ttTabItemFocused
- ttTabItemDisabled
- ttTabItemSelected
- ttTabItemHot
- ttTabItemNormal
- ttTabRoot
- ttTabDontCare
- TThemedTab
- Themes
- tsGripper
- tsGripperPane
- tsPane
- tsStatusRoot
- tsStatusDontCare
- TThemedStatus
- Themes
- tspPreview
- tspUserPicture
- tspLogOffButtonsPressed
- tspLogOffButtonsHot
- tspLogOffButtonsNormal
- tspLogOff
- tspPlacesListSeparator
- tspPlacesList
- tspProgListSeparator
- tspMoreProgramsArrowPressed

- tspMoreProgramsArrowHot
- tspMoreProgramsArrowNormal
- tspMorePrograms
- tspUserPane
- tspStartPanelRoot
- tspStartPanelDontCare
- TThemedStartPanel
- Themes
- tsDownHorzDisabled
- tsDownHorzPressed
- tsDownHorzHot
- tsDownHorzNormal
- tsUpHorzDisabled
- tsUpHorzPressed
- tsUpHorzHot
- tsUpHorzNormal
- tsDownDisabled
- tsDownPressed
- tsDownHot
- tsDownNormal
- tsUpDisabled
- tsUpPressed
- tsUpHot
- tsUpNormal
- tsSpinRoot
- tsSpinDontCare
- TThemedSpin
- Themes
- tsSizeBoxLeftAlign
- tsSizeBoxRightAlign
- tsGripperVertDisabled
- tsGripperVertPressed
- tsGripperVertHot
- tsGripperVertNormal
- tsGripperHorzDisabled
- tsGripperHorzPressed
- tsGripperHorzHot
- tsGripperHorzNormal
- tsUpperTrackVertDisabled
- tsUpperTrackVertPressed
- tsUpperTrackVertHot
- tsUpperTrackVertNormal
- tsLowerTrackVertDisabled
- tsLowerTrackVertPressed
- tsLowerTrackVertHot
- tsLowerTrackVertNormal
- tsUpperTrackHorzDisabled
- tsUpperTrackHorzPressed
- tsUpperTrackHorzHot
- tsUpperTrackHorzNormal
- tsLowerTrackHorzDisabled
- tsLowerTrackHorzPressed
- tsLowerTrackHorzHot
- tsLowerTrackHorzNormal
- tsThumbBtnVertDisabled
- tsThumbBtnVertNormal
- tsThumbBtnHorzDisabled

- tsThumbBtnHorzNormal
- tsArrowBtnRightDisabled
- tsArrowBtnRightPressed
- tsArrowBtnRightHot
- tsArrowBtnRightNormal
- tsArrowBtnLeftDisabled
- tsArrowBtnLeftPressed
- tsArrowBtnLeftHot
- tsArrowBtnLeftNormal
- tsArrowBtnDownDisabled
- tsArrowBtnDownPressed
- tsArrowBtnDownHot
- tsArrowBtnDownNormal
- tsArrowBtnUpDisabled
- tsArrowBtnUpPressed
- tsArrowBtnUpHot
- tsArrowBtnUpNormal
- tsScrollBarRoot
- tsScrollBarDontCare
- TThemedScrollBar
- Themes
- trChevronVertDisabled
- trChevronVertPressed
- trChevronVertHot
- trChevronVertNormal
- trChevronDisabled
- trChevronPressed
- trChevronHot
- trChevronNormal
- trBandHotChecked
- trBandChecked
- trBandDisabled
- trBandPressed
- trBandHot
- trBandNormal
- trGripperVert
- trGripper
- trRebarRoot
- trRebarDontCare
- TThemedRebar
- Themes
- tpBarVert
- tpProgressRoot
- tpProgressDontCare
- TThemedProgress
- Themes
- tpDownHorzDisabled
- tpDownHorzPressed
- tpDownHorzHot
- tpDownHorzNormal
- tpUpHorzDisabled
- tpUpHorzPressed
- tpUpHorzHot
- tpUpHorzNormal
- tpDownDisabled
- tpDownPressed
- tpDownHot

- tpDownNormal
- tpUpDisabled
- tpUpPressed
- tpUpHot
- tpUpNormal
- tpPageRoot
- tpPageDontCare
- TThemedPage
- Themes
- tmSeparator
- tmChevron
- tmMenuBarDropDown
- tmMenuBarItem
- tmMenuDropDown
- tmMenuItemDemoted
- tmMenuItemSelected
- tmMenuItemNormal
- tmMenuRoot
- tmMenuDontCare
- TThemedMenu
- Themes
- tlListSortDetail
- tlListDetail
- tlListGroup
- tlListItemSelectedNotFocus
- tlListItemDisabled
- tlListItemSelected
- tlListItemHot
- tlListItemNormal
- tlListviewRoot
- tlListviewDontCare
- TThemedListview
- Themes
- thHeaderSortArrowSortedDown
- thHeaderSortArrowSortedUp
- thHeaderItemRightPressed
- thHeaderItemRightHot
- thHeaderItemRightNormal
- thHeaderItemLeftPressed
- thHeaderItemLeftHot
- thHeaderItemLeftNormal
- thHeaderItemPressed
- thHeaderItemHot
- thHeaderItemNormal
- thHeaderRoot
- thHeaderDontCare
- TThemedHeader
- Themes
- tebSpecialGroupHead
- tebSpecialGroupExpandPressed
- tebSpecialGroupExpandHot
- tebSpecialGroupExpandSpecial
- tebSpecialGroupCollapsePressed
- tebSpecialGroupCollapseHot
- tebSpecialGroupCollapseSpecial
- tebSpecialGroupBackground
- tebNormalGroupHead

- tebNormalGroupExpandPressed
- tebNormalGroupExpandHot
- tebNormalGroupExpandNormal
- tebNormalGroupCollapsePressed
- tebNormalGroupCollapseHot
- tebNormalGroupCollapseNormal
- tebNormalGroupBackground
- tebIEBarMenuPressed
- tebIEBarMenuHot
- tebIEBarMenuNormal
- tebHeaderPinSelectedPressed
- tebHeaderPinSelectedHot
- tebHeaderPinSelectedNormal
- tebHeaderPinPressed
- tebHeaderPinHot
- tebHeaderPinNormal
- tebHeaderClosePressed
- tebHeaderCloseHot
- tebHeaderCloseNormal
- tebHeaderBackgroundPressed
- tebHeaderBackgroundHot
- tebHeaderBackgroundNormal
- tebExplorerBarRoot
- tebExplorerBarDontCare
- TThemedExplorerBar
- Themes
- teEditCaret
- teEditTextAssist
- teEditTextReadOnly
- teEditTextFocused
- teEditTextDisabled
- teEditTextSelected
- teEditTextHot
- teEditTextNormal
- teEditRoot
- teEditDontCare
- TThemedEdit
- Themes
- tcDropDownButtonDisabled
- tcDropDownButtonPressed
- tcDropDownButtonHot
- tcDropDownButtonNormal
- tcComboBoxRoot
- tcComboBoxDontCare
- TThemedComboBox
- Themes
- tcTimeNormal
- tcClockRoot
- tcClockDontCare
- TThemedClock
- Themes
- tbUserButton
- tbGroupBoxDisabled
- tbGroupBoxNormal
- tbCheckBoxMixedDisabled
- tbCheckBoxMixedPressed
- tbCheckBoxMixedHot

- tbCheckBoxMixedNormal
- tbCheckBoxCheckedDisabled
- tbCheckBoxCheckedPressed
- tbCheckBoxCheckedHot
- tbCheckBoxCheckedNormal
- tbCheckBoxUncheckedDisabled
- tbCheckBoxUncheckedPressed
- tbCheckBoxUncheckedHot
- tbCheckBoxUncheckedNormal
- tbRadioButtonCheckedDisabled
- tbRadioButtonCheckedPressed
- tbRadioButtonCheckedHot
- tbRadioButtonCheckedNormal
- tbRadioButtonUncheckedDisabled
- tbRadioButtonUncheckedPressed
- tbRadioButtonUncheckedHot
- tbRadioButtonUncheckedNormal
- tbPushButtonDefaulted
- tbPushButtonDisabled
- tbPushButtonPressed
- tbPushButtonHot
- tbPushButtonNormal
- tbButtonRoot
- tbButtonDontCare
- TThemedButton
- Themes
- teWindow
- teTreeview
- teTrayNotify
- teTrackBar
- teToolTip
- teToolBar
- teTaskBar
- teTaskBand
- teStatus
- teStartPanel
- teSpin
- teScrollBar
- teRebar
- teProgress
- tePage
- teMenu
- teListView
- teHeader
- teExplorerBar
- teEdit
- teComboBox
- teClock
- teButton
- TThemedElement
- Controls
- :TDockTree.:1
- t';C8u
- t9;w|t4
- Controls
- :TWinControl.:2
- comctl32.dll

- BDSUnthemedDesigner
- window
- treeview
- traynotify
- trackbar
- tooltip
- toolbar
- taskbar
- taskband
- status
- startpanel
- scrollbar
- progress
- listview
- header
- explorerbar
- combobox
- button
- 2001-2006 Mike Lischke
- Theme manager
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringW
- ImmSetCompositionFontW
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- imm32.dll
- USER32
- ,;=Lau
- :GcuQFKu
- Controls
- :TWinControl.:1
- u^;~|u
- Controls
- TSiteList
- GetTopSite
- ParentWnd
- AddSite
- TSiteList6
- ImageIndex
- Description
- Title\\
- ShowingHint\\
- HideAfter
- Images|%g
- Controls
- TCustomHint
- HintWindow
- SetHintSize
- HintWindow

- NCPaintHint
- HintWindow
- PaintHint
- HidingControl
- HideHint
- HideHint
- Control
- ShowHint
- ShowHint
- ShowHint
- ShowHint
- Destroy
- AOwner
- Create
- TCustomHint6
- FWorkComplete
- FLatestHintControl
- FHideAfter
- FShowDelay
- FAnimateThread
- FImageIndex
- FImages
- FDescription
- FTitle
- Controls
- TCustomHintShowHideThreadX*g
- HideHint
- Execute
- ResumeWork
- Destroy
- HintObject
- Create
- TCustomHintShowHideThreadH
- FWaitEvent
- FDisplayTime
- FActive
- FHideHint
- FHintObject
- FHintWindowQueue
- ImageIndex
- Description
- Title\\
- PopAbove\\
- HintParent
- Controls
- TCustomHintWindow
- PositionAtCursor
- PositionAt
- PositionAt
- AutoSize
- AOwner
- Create
- TCustomHintWindow6
- FImageIndex
- FDescription
- FTitle
- FPopAbove

- FHintParent
- Controls
- bhsBalloon
- TBalloonHintStyle
- WheelScrollLines
- WheelPresent
- RegWheelMessage
- PanningWindowClass
- PanningWindow
- IsPanningP g
- IsDragging
- MousePresent
- DragThreshold
- DragImmediate
- CursorPos
- Capture
- Controls
- TMouse
- CreatePanningWindow
- Setting
- SettingChanged
- Destroy
- Create
- TMouse&
- FPanningWindowClass
- FPanningWindow
- FWheelSupportMessage
- FWheelPresent
- FWheelMessage
- FWheelHwnd
- FScrollLinesMessage
- FScrollLines
- FNativeWheelSupport
- FMousePresent
- FDragThreshold
- FDragImmediate
- Controls
- TCustomPanningWindowD
- StopPanning
- AControl
- AHandle
- StartPanning
- GetIsPanning
- TCustomPanningWindow,
- StopPanning
- StartPanning
- GetIsPanning
- TPanningWindowClassP g
- Controls
- TDockTree
- PaintSite
- Destroy
- DockSite
- Create
- TDockTree8
- FRelativeSizes
- FVersion

- FUpdateCount
- FTopXYLimit
- FTopZone
- FSizingZone
- FSizingWnd
- FSizingDC
- FSizePos
- FShiftScaleOrient
- FScaleBy
- FReplacementZone
- FOldRect
- FGrabbersOnTop
- FGrabberSize
- FDockSite
- FBorderWidth
- ZoneLimit
- VisibleChildCount
- Visible
- LimitSize
- LimitBegin
- Height
- ChildControl
- ChildCount`
- Controls
- TDockZone
- Update
- ResetZoneLimits
- ResetChildren
- PrevVisible
- NextVisible
- FirstVisibleChild
- NewLimit
- ExpandZoneLimit
- Create
- TDockZone4
- FOldSize
- FZoneLimit
- FPrevSibling
- FParentZone
- FOrientation
- FNextSibling
- FChildZones
- FChildControl
- ShareImages
- OnChange
- Maskedp-c
- ImageType
- Height`
- DrawingStyle
- ColorDepth
- AllocBy
- BkColor
- BlendColor
- Controls
- TImageList<
- TImageList
- Dragging<

- DragHotspot
- DragCursor
- Controls
- TDragImageList
- ShowDragImage
- HotSpotY
- HotSpotX
- SetDragImage
- HideDragImage
- GetHotSpot
- EndDrag
- DragUnlock
- DragMove
- Window
- DragLock
- Window
- BeginDrag
- TDragImageListO
- FOldCursor
- FDragIndex
- FDragHotspot
- FDragHandle
- FDragging
- FDragCursor
- CanvasT+e
- ColorlMe
- Caption
- BiDiMode
- Controls
- THintWindow
- MaxWidth
- CalcHintRect
- ActivateHintData
- ReleaseHandle
- ShouldHideHint
- IsHintMsg
- ActivateHint
- AOwner
- Create
- THintWindow6
- FLastActive
- FActivating
- Controls
- TCustomControl
- Destroy
- AOwner
- Create
- TCustomControl6
- FCanvas
- Controls
- TGraphicControl4
- Destroy
- AOwner
- Create
- TGraphicControl6
- FCanvas
- UseDockManager

- TabStop
- TabOrder
- Showing
- ParentWindow
- ParentDoubleBuffered
- Padding
- Handle
- ControlCount
- VisibleDockClientCount
- MouseInClient
- AlignDisabled
- DoubleBuffered
- DockManager
- DockSite
- DockClientCount
- Controls
- TWinControl
- UpdateControlState
- Update
- SetDesignVisible
- AHeight
- AWidth
- SetBounds
- DeltaY
- DeltaX
- ScaleBy
- Repaint
- DesignSize
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- IsControl
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- Realign
- AControl
- RemoveControl
- PreProcessMessage
- Canvas
- PaintTo
- PaintTo
- Invalidate

- AControl
- InsertControl
- HandleNeeded
- HandleAllocated
- GetTabOrderList
- GetTabControlList
- GetChildren
- Focused
- AllLevels
- FlipChildren
- ControlName
- FindChildControl
- EnableAlign
- Source
- DockDrop
- DisableAlign
- Message
- DefaultHandler
- AllLevels
- AllowWinControls
- AllowDisabled
- ControlAtPos
- Control
- ContainsControl
- CanFocus
- Message
- Broadcast
- Destroy
- ParentWindow
- CreateParentedControl
- ParentWindow
- CreateParented
- AOwner
- Create
- TWinControl6
- FDesignSize
- FInImeComposition
- FDoubleBuffered
- FObjectInstance
- FHandle
- FTouchControl
- FMouseControl
- FMouseInClient
- FOnAlignPosition
- FOnAlignInsertBefore
- FOnUnDock
- FOnKeyUp
- FOnKeyPress
- FOnKeyDown
- FOnGetSiteInfo
- FOnExit
- FOnEnter
- FOnDockOver
- FOnDockDrop
- FPerformingShowingChanged
- FParentDoubleBuffered
- FParentCtl3D

- FDockSite
- FUseDockManager
- FShowing
- FTabStop
- FTabOrder
- FWinControls
- FControls
- FTabList
- FParentWindow
- FImeName
- FImeMode
- FDockManager
- FDockClients
- FPadding
- FBorderWidth
- FBevelWidth
- FBevelKind
- FBevelOuter
- FBevelInner
- FBevelEdges
- FAlignLevel
- FAlignControlList
- AlignInfo
- AlignRect
- NewHeight
- NewWidth
- NewTop
- NewLeft
- Control
- Sender
- TAlignInfo
- AlignInfo
- AlignRect
- Integer
- NewHeight
- Integer
- NewWidth
- Integer
- NewTop
- Integer
- NewLeft
- TControl
- Control
- TWinControl
- Sender
- TAlignPositionEvent
- Sender
- Boolean
- TControl
- TControl
- TWinControl
- Sender
- TAlignInsertBeforeEvent
- Controls
- IDockManagerh
- TBevelWidth
- Controls

- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- Controls
- beBottom
- beRight
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvLowered
- bvNone
- TBevelCut
- TBorderWidth
- ControlIndex
- AlignList
- TAlignInfo
- TImeName
- Controls
- imHanguel
- imSHanguel
- imChinese
- imKata
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- Controls
- TWinControlActionLinkd
- TWinControlActionLink
- FClient
- OnGesture
- Parent`
- WindowProc
- VisibleX
- UndockWidth
- UndockHeight
- TBDockHeighth
- ShowHint
- HostDockSite
- FloatingDockSiteClass
- Floating
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- DockOrientation
- ControlStyle
- ControlStateL
- Constraints

- ClientWidthD
- ClientRect
- ClientOrigin
- ClientHeight
- BoundsRect
- BiDiMode
- Anchors
- Action@
- Enabledx
- ParentCustomHint,
- CustomHint
- Margins
- HelpContext
- HelpKeyword
- HelpType\\
- Cursor\\
- Height
- AlignWithMargins
- Controls
- TControl
- Buffer
- SetTextBuf
- LParam
- WParam
- Perform
- LParam
- WParam
- Perform
- GetTextLen
- BufSize
- Buffer
- GetTextBuf
- Message
- DefaultHandler
- UseRightToLeftScrollBar
- UseRightToLeftReading
- UseRightToLeftAlignment
- Update
- SetParentComponent
- SetDesignVisible
- AHeight
- AWidth
- SetBounds
- SendToBack
- AParent
- ParentToClient
- ControlSide
- DropControl
- NewDockSite
- Control
- ReplaceDockedControl
- Repaint
- Refresh
- LParam
- WParam
- Perform
- ScreenPos

- ManualFloat
- ControlSide
- DropControl
- NewDockSite
- ManualDock
- IsRightToLeft
- Message
- MouseWheelHandler
- Invalidate
- InitiateAction
- HasParent
- GetParentComponent
- GetControlsAlignment
- EndDrag
- DrawTextBiDiModeFlagsReadingOnly
- DrawTextBiDiModeFlags
- Source
- DragDrop
- Dragging
- NewDockSite
- AParent
- ClientToParent
- BringToFront
- Threshold
- Immediate
- BeginDrag
- Destroy
- AOwner
- Create
- TControl6
- FReserved
- FExplicitHeight
- FExplicitWidth
- FExplicitTop
- FExplicitLeft
- FOriginalParentSize
- FAnchorOrigin
- FAnchorRules
- FAnchorMove
- FParentCustomHint
- FCustomHint
- FHelpContext
- FHelpKeyword
- FHelpType
- FOnGesture
- FOnMouseWheelUp
- FOnMouseWheelDown
- FOnMouseWheel
- FOnMouseEnter
- FOnMouseLeave
- FOnMouseActivate
- FOnContextPopup
- FOnClick
- FOnEndDrag
- FOnStartDrag
- FOnEndDock
- FOnStartDock

- FOnResize
- FOnDragOver
- FOnDragDrop
- FOnMouseUp
- FOnMouseMove
- FOnMouseDown
- FOnConstrainedResize
- FOnCanResize
- FTouchManager
- FFloatingDockSiteClass
- FTBDockHeight
- FUndockHeight
- FUndockWidth
- FWheelAccumulator
- FHostDockSite
- FDockOrientation
- FDragKind
- FParentShowHint
- FShowHint
- FScalingFlags
- FFontHeight
- FPopupMenu
- FDragCursor
- FCursor
- FMargins
- FConstraints
- FColor
- FActionLink
- FAnchors
- FParentBiDiMode
- FBiDiMode
- FIsControl
- FDragMode
- FAutoSize
- FAlign
- FParentColor
- FParentFont
- FEnabled
- FVisible
- FDesktopFont
- FControlState
- FControlStyle
- FHeight
- FWindowProc
- FParent
- Controls
- doVertical
- doHorizontal
- doNoOrient
- TDockOrientation
- Handled
- MousePos
- Sender
- Boolean
- Handled
- TPoint
- MousePos

- TObject
- Sender
- TContextPopupEvent
- Handled
- MousePos
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- TObject
- Sender
- TMouseWheelUpDownEvent
- Handled
- MousePos
- WheelDelta
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- TObject
- Sender
- TMouseWheelEvent
- MaxHeight
- MaxWidth
- MinHeight
- MinWidth
- Sender
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Resize
- NewHeight
- NewWidth
- Sender
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent

- CanDock
- MousePos
- InfluenceRect
- DockClient
- Sender
- Boolean
- CanDock
- TPoint
- MousePos
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- Sender
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- NewTarget
- Client
- Sender
- Boolean
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Source
- Sender
- Boolean
- TDragState
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Source
- Sender
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Target
- Sender
- Integer
- Integer
- TObject
- Target

- TObject
- Sender
- TEndDragEvent
- Sender
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Source
- Sender
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Source
- Sender
- Boolean
- TDragState
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Sender
- TObject
- Sender
- TKeyPressEvent
- Sender
- TShiftState
- TObject
- Sender
- TKeyEvent
- MouseActivate
- HitTest
- Button
- Sender
- TMouseActivate
- MouseActivate
- Integer
- HitTest
- Integer
- Integer
- TShiftState
- TMouseButton
- Button
- TObject
- Sender
- TMouseActivateEvent
- Sender
- Integer
- Integer
- TShiftState

- TObject
- Sender
- TMouseMoveEvent
- Button
- Sender
- Integer
- Integer
- TShiftState
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- TabletOptions
- ParentTabletOptions
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- Controls
- TTouchManagerL
- TTouchManager
- TabletOptionsL
- StandardGestures
- ParentTabletOptions
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- GestureList<
- GestureEngine
- Controls
- TCustomTouchManager
- AGestureID
- UnselectGesture
- SelectGesture
- AGestureID
- SelectGesture
- AControl
- RemoveChangeNotification
- FindGesture
- AGestureID
- FindGesture
- AControl
- ChangeNotification
- Destroy
- AControl
- Create
- TCustomTouchManager8
- FTabletOptions
- FStandardGestures
- FParentTabletOptions
- FNotifyList
- FInteractiveGestureOptions
- FInteractiveGestures
- FGestureManager
- FGestureEngine
- FControl
- Active4

- Controls
- TCustomGestureEngine
- Supported
- Message
- Notification
- AControl
- Create
- TCustomGestureEngine8
- (TCustomGestureEngine.TGestureEngineFlags
- Controls
- efTouchEvents
- efMouseEvents
- 'TCustomGestureEngine.TGestureEngineFlag
- Controls
- TCustomGestureManager
- AGestureID
- AControl
- UnselectGesture
- AControl
- UnregisterControl
- AControl
- SelectGesture
- AGestureID
- AControl
- SelectGesture
- AGesture
- RemoveRecordedGesture
- AGestureID
- RemoveRecordedGesture
- AControl
- RegisterControl
- AControl
- FindGesture
- AGestureID
- AControl
- FindGesture
- FindCustomGesture
- AGestureID
- FindCustomGesture
- AddRecordedGesture
- TCustomGestureManager@
- Action
- Pointsx
- Options\\
- GestureType
- GestureID
- ErrorMargin
- Deviation
- Controls
- TCustomGestureCollectionItem
- TCustomGestureCollectionItem
- Controls
- TGesturePointArray
- Controls
- TGestureArray
- TGestureOptions
- Controls

- goRotate
- goEndpoint
- goSkew
- goUniDirectional
- TGestureOption
- Controls
- gtNone
- gtRegistered
- gtRecorded
- gtStandard
- TGestureType
- TTabletOptions
- Controls
- toFlickFallbackKeys
- toSmoothScrolling
- toFlicks
- toTouchSwitch
- toTouchUIForceOff
- toTouchUIForceOn
- toPenBarrelFeedback
- toPenTapFeedback
- toPressAndHold
- TTabletOption
- TStandardGestures
- Handled
- EventInfo
- Sender
- Boolean
- Handled
- TGestureEventInfo
- EventInfo
- TObject
- Sender
- TGestureEvent
- TapLocation
- Distance
- InertiaVector
- Location
- GestureID
- TGestureEventInfo
- TGestureID
- Bottom
- Controls
- TPadding
- TPadding
- OnChange
- ExplicitHeightp-c
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- ControlHeight
- ControlWidth
- ControlTop
- ControlLeft
- Bottom
- Controls
- TMargins

- ABottom
- ARight
- SetBounds
- Aligning
- SetControlBounds
- Aligning
- AHeight
- AWidth
- SetControlBounds
- Control
- Create
- TMargins7
- FOnChange
- FBottom
- FControl
- TMarginSize
- OnChange
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraintsT
- Control
- Create
- TSizeConstraints7
- FOnChange
- FMinWidth
- FMinHeight
- FMaxWidth
- FMaxHeight
- FControl
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akLeft
- TAnchorKind
- TScalingFlags
- Controls
- sfDesignSize
- sfHeight
- TCaption
- TTabOrder
- Controls
- TDragKind
- Controls
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- Controls
- dmAutomatic
- dmManual
- TDragMode
- Controls

- maNoActivateAndEat
- maNoActivate
- maActivateAndEat
- maActivate
- maDefault
- TMouseActivate
- Controls
- mbMiddle
- TMouseButton
- TControlStyle
- Controls
- csPaintBlackOpaqueOnGlass
- csGestures
- csAlignWithMargins
- csPannable
- csParentBackground
- csNeedsBorderPaint
- csMenuEvents
- csActionClient
- csReflector
- csDisplayDragImage
- csNoStdEvents
- csReplicatable
- csNoDesignVisible
- csFixedHeight
- csFixedWidth
- csDoubleClicks
- csOpaque
- csSetCaption
- csFramed
- csClickEvents
- csDesignInteractive
- csCaptureMouse
- csAcceptsControls
- TControlState
- Controls
- csPrintClient
- csGlassPaint
- csAligning
- csRecreating
- csPanning
- csDesignerHide
- csDocking
- csDestroyingHandle
- csCustomPaint
- csPaintCopy
- csCreating
- csFocusing
- csAlignmentNeeded
- csReadingState
- csPalette
- csClicked
- csLButtonDown
- Controls
- TControlActionLink
- TControlActionLink
- FClient

- Control
- Controls
- TControlCanvasl
- UpdateTextFlags
- FreeHandle
- Destroy
- TControlCanvas'
- FWindowHandle
- FDeviceContext
- FControl
- Controls
- TDragDockObjectExT
- BeforeDestruction
- TDragDockObjectEx1
- FrameWidth
- Floating
- EraseWhenMoving
- EraseDockRect
- DropOnControl
- DropAlign`
- DockRect@
- Controls
- TDragDockObject
- Source
- Assign
- Destroy
- AControl
- Create
- TDragDockObject8
- FFloating
- FEraseDockRect
- FDropOnControl
- FDropAlign
- FDockRect
- Controls
- TDragControlObjectEx
- BeforeDestruction
- TDragControlObjectEx1
- Controls
- TDragControlObject
- ShowDragImage
- HideDragImage
- TDragControlObject-
- Control
- Controls
- TBaseDragControlObject
- Source
- Assign
- AControl
- Create
- TBaseDragControlObject8
- FControl
- RightClickCancels
- MouseDeltaY
- MouseDeltaX
- Dropped
- DragTargetPos

- DragTarget
- DragPos
- DragHandle
- Cancelling
- AlwaysShowDragImages
- Controls
- TDragObject
- BeforeDestruction
- AfterConstruction
- ShowDragImage
- Instance
- HideDragImage
- GetName
- Source
- Assign
- TDragObject6
- FRightClickCancels
- FMouseDeltaY
- FMouseDeltaX
- FDropped
- FDragTargetPos
- FDragTarget
- FDragPos
- FDragHandle
- FCancelling
- FAlwaysShowDragImages
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alNone
- TAlign
- HintData
- HideTimeout
- ReshowTimeout
- CursorPos
- CursorRect
- HintColor
- HintMaxWidth
- HintPos
- HintWindowClass
- HintControl
- THintInfo@
- THintWindowClass
- TWinControlClass
- TInteractiveGestureOptions
- Controls
- igoParentPassthrough
- igoPanGutter
- igoPanInertia
- igoPanSingleFingerVertical
- igoPanSingleFingerHorizontal
- TInteractiveGestureOption
- TInteractiveGestures
- Controls

- igPressAndTap
- igTwoFingerTap
- igRotate
- igZoom
- TInteractiveGesture
- TInteractiveGestureFlags
- Controls
- gfInertia
- gfBegin
- TInteractiveGestureFlag
- TCursor
- TModalResult
- u0;~<u
- ActnList
- TActionLinkhuf
- TActionLink
- OnHint
- Visibletnf
- SecondaryShortCuts
- ImageIndexT-c
- HelpType\\
- HelpKeyword
- HelpContext\\
- GroupIndex
- Enabled
- DisableIfNoHandler
- Checked
- Caption
- AutoCheck\\
- ActnList
- TCustomAction4of
- Execute
- DoHint
- Destroy
- AOwner
- Create
- TCustomAction6
- FImage
- FAutoCheck
- FSavedEnabledState
- FSecondaryShortCuts
- FOnHint
- FVisible
- FShortCut
- FImageIndex
- FHelpKeyword
- FHelpContext
- FHelpType
- FGroupIndex
- FEnabled
- FChecked
- FChecking
- FCaption
- FDisableIfNoHandler
- CanShow
- Boolean
- CanShow

- THintEvent
- ActnList
- TShortCutList
- Shortcut
- IndexOfShortCut
- TShortCutList.
- OnStateChange
- Statep-c
- ImagesHhf
- ActionCount\\
- ActnList
- TCustomActionList
- Action
- UpdateAction
- Message
- IsShortCut
- GetEnumerator
- GetChildren
- Action
- ExecuteAction
- Destroy
- AOwner
- Create
- TCustomActionList6
- FOnStateChange
- FState
- FOnUpdate
- FOnExecute
- FOnChange
- FImages
- FImageChangeLink
- FActions
- ActnList
- asSuspendedEnabled
- asSuspended
- asNormal
- TActionListState
- Handled
- Action
- Boolean
- Handled
- TBasicAction
- Action
- TActionEvent
- Current
- ActnList
- TActionListEnumerator
- MoveNext
- GetCurrent
- AActionList
- Create
- TActionListEnumerator;
- FActionList
- FIndex
- ActionList
- Category
- ActnList

- TContainedAction
- Update
- AParent
- SetParentComponent
- HasParent
- GetParentComponent
- Execute
- Destroy
- TContainedAction'
- FActionList
- FCategory
- HMONITOR
- OnFreeNotify
- TComponentListNexus
- TComponentListNexus
- FOnFreeNotify
- AComponent
- Sender
- TComponent
- AComponent
- TObject
- Sender
- TComponentListNexusEvent
- TOrderedList
- ACount
- AtLeast
- Destroy
- Create
- TOrderedList&
- TComponentList
- AComponent
- Insert
- ADirection
- AComponent
- IndexOfItem
- AComponent
- IndexOf
- ADirection
- AComponent
- RemoveItem
- AComponent
- Remove
- Direction
- ExtractItem
- AComponent
- Destroy
- TComponentList'
- FNexus
- OwnsObjects
- TObjectList
- AObject
- Insert
- AStartAt
- AExact
- AClass
- FindInstanceOf
- ADirection

- AObject
- IndexOfItem
- AObject
- IndexOf
- ADirection
- AObject
- RemoveItem
- AObject
- Remove
- Direction
- ExtractItem
- AObject
- AOwnsObjects
- Create
- Create
- TObjectList&
- FOwnsObjects
- Graphics
- TPatternManager
- Unlock
- FreePatterns
- Destroy
- Create
- FgColor
- BkColor
- AllocPattern
- TPatternManagerN
- FgColorRef
- BkColorRef
- Bitmap
- TPattern
- PPattern
- Graphics
- :TWICImage.:2
- Graphics
- :TWICImage.:1
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties
- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString
- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin

- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition
- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundExtent
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- Tahoma
- Graphics
- TBitmapCanvas
- Destroy
- ABitmap
- Create
- TBitmapCanvas7
- FOldPalette
- FOldBitmap
- FBitmap
- Graphics
- TClipboardFormats
- AClass
- Remove
- FindFormat
- AClass
- Destroy
- Create
- TClipboardFormats&
- FFormats
- FClasses
- Graphics
- TFileFormatsList
- Filters
- Descriptions
- AGraphicClass
- BuildFilterStrings
- AClass
- Remove
- Classname

- FindClassName
- FindExt
- AClass
- DescID
- Destroy
- Create
- TFileFormatsList&
- DescResID
- Description
- Extension
- GraphicClass
- TFileFormat
- K4h,`u
- C4h,`u
- Graphics
- TBrushResourceManager
- TBrushResourceManager
- Graphics
- TResourceManager
- Unlock
- AResource
- GraphicsObject
- AssignResource
- ResData
- GraphicsObject
- ChangeResource
- Resource
- ResData
- AllocResource
- Destroy
- AResDataSize
- Create
- TResourceManager<
- ResDataSize
- ResList
- EncoderContainerFormat
- ImageFormat
- Handledxe
- Graphics
- TWICImage$ye
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Stream
- LoadFromStream
- Source
- Assign
- Destroy
- Create
- TWICImage&
- FFormatChanged
- FEncoderContainerFormat

- FImageFormat
- FWicBitmap
- FBitmap
- FHeight
- Graphics
- wifOther
- wifWMPhoto
- wifTiff
- wifGif
- wifJpeg
- TWICImageFormat
- Handlehxe
- Graphics
- Instance
- LoadFromResourceID
- ResName
- Instance
- LoadFromResourceName
- AHeight
- AWidth
- SetSize
- Stream
- SaveToStream
- APalette
- Format
- SaveToClipboardFormat
- ReleaseHandle
- Stream
- LoadFromStream
- APalette
- AFormat
- LoadFromClipboardFormat
- HandleAllocated
- AssignTo
- Source
- Assign
- Destroy
- Create
- TIcon&
- FRequestedSize
- FImage
- Graphics
- TIconImage
- Destroy
- TIconImage'
- FHandle
- FMemoryImage
- AlphaFormat
- TransparentMode
- TransparentColor
- PixelFormat
- Monochrome(ie
- MaskHandle
- IgnorePalette
- HandleType
- Handle
- Canvas

- Graphics
- TBitmap
- Instance
- LoadFromResourceID
- ResName
- Instance
- LoadFromResourceName
- AHeight
- AWidth
- SetSize
- Stream
- SaveToStream
- APalette
- Format
- SaveToClipboardFormat
- ReleasePalette
- ReleaseMaskHandle
- ReleaseHandle
- TransparentColor
- Stream
- LoadFromStream
- APalette
- AFormat
- LoadFromClipboardFormat
- HandleAllocated
- FreeImage
- Dormant
- Source
- Assign
- Destroy
- Create
- TBitmap&
- FAlphaFormat
- FTransparentMode
- FTransparentColor
- FMaskValid
- FMaskBitsValid
- FIgnorePalette
- FCanvas
- FImage
- Graphics
- tmFixed
- tmAuto
- TTransparentMode
- Graphics
- afPremultiplied
- afDefined
- afIgnored
- TAlphaFormat
- Graphics
- pfCustom
- pf32bit
- pf24bit
- pf16bit
- pf15bit
- pf8bit
- pf4bit

- pf1bit
- pfDevice
- TPixelFormat
- Graphics
- TBitmapHandleType
- Graphics
- TBitmapImage
- Destroy
- TBitmapImage'
- FOS2Format
- FHalftone
- FSaveStream
- FDIBHandle
- FPalette
- FMaskHandle
- FHandle
- MMHeight
- Handle
- Enhanced
- Description
- CreatedBy\\
- Graphics
- TMetafileHbe
- AHeight
- AWidth
- SetSize
- ReleaseHandle
- Source
- Assign
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Filename
- SaveToFile
- Stream
- LoadFromStream
- HandleAllocated
- Destroy
- Create
- TMetafile&
- FEnhanced
- FImage
- Graphics
- TMetafileImage
- Destroy
- TMetafileImage'
- FTempHeight
- FTempWidth
- FPalette
- FHeight
- FHandle
- Graphics

- TSharedImage
- Destroy
- TSharedImage'
- FRefCount
- Graphics
- TMetafileCanvas
- Destroy
- Description
- CreatedBy
- ReferenceDevice
- AMetafile
- CreateWithComment
- ReferenceDevice
- AMetafile
- Create
- TMetafileCanvasR
- FMetafile
- OnProgress
- OnChange
- Metafile
- Icon(fe
- Height
- PictureAdapter
- Graphic
- Bitmap
- Graphics
- TPicture
- AGraphicClass
- ADescriptionResID
- AExtension
- RegisterFileFormatRes
- AClass
- UnregisterGraphicClass
- AGraphicClass
- AFormat
- RegisterClipboardFormat
- AGraphicClass
- ADescription
- AExtension
- RegisterFileFormat
- Source
- Assign
- AFormat
- SupportsClipboardFormat
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Filename
- SaveToFile
- Filename
- LoadFromFile
- Destroy
- Create
- TPicture&

- FOnProgress
- FNotify
- FOnChange
- FGraphic
- TGraphicClass
- SupportsPartialTransparency
- OnProgress
- OnChange
- Transparent
- PaletteModified
- Palette
- Modified
- Height
- Graphics
- TGraphicdPe
- AHeight
- AWidth
- SetSize
- APalette
- AFormat
- SaveToClipboardFormat
- APalette
- AFormat
- LoadFromClipboardFormat
- Stream
- SaveToStream
- Stream
- LoadFromStream
- Filename
- SaveToFile
- Filename
- LoadFromFile
- Equals
- Create
- TGraphic&
- FPaletteModified
- FTransparent
- FModified
- FOnProgress
- FOnChange
- RedrawNow
- PercentDone
- Sender
- Boolean
- RedrawNow
- PercentDone
- TProgressStage
- TObject
- Sender
- TProgressEvent
- Graphics
- psEnding
- psRunning
- psStarting
- TProgressStage
- Handle
- CopyModeT+e

- Graphics
- TCanvasHBe
- TextRect
- TextFormat
- TextRect
- TextOut
- TextExtent
- Graphic
- RoundRect
- Refresh
- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- MoveTo
- LineTo
- HandleAllocated
- FillStyle
- FloodFill
- Ellipse
- Opacity
- Graphic
- Graphic
- Source
- Canvas
- Source
- Bitmap
- BrushCopy
- SweepAngle
- StartAngle
- Radius
- AngleArc
- Destroy
- Create
- TCanvas&
- FCopyMode
- FPenPos
- FHandle
- OnChanging
- OnChangep-c
- PenPos
- CanvasOrientation
- LockCount
- ClipRect
- Graphics
- TCustomCanvas
- Unlock
- TextWidth
- TextRect
- TextFormat
- TextRect
- TextOut
- TextHeight
- TextExtent
- Graphic
- RoundRect

- RoundRect
- Refresh
- Rectangle
- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- MoveTo
- LineTo
- FillStyle
- FloodFill
- Ellipse
- Ellipse
- Opacity
- Graphic
- Graphic
- Source
- Bitmap
- BrushCopy
- SweepAngle
- StartAngle
- Radius
- AngleArc
- TCustomCanvas
- FLockCount
- FTextFlags
- FOnChanging
- FOnChange
- TTextFormat
- Graphics
- tfWordBreak
- tfVerticalCenter
- tfSingleLine
- tfRtlReading
- tfNoPrefix
- tfNoClip
- tfModifyString
- tfExternalLeading
- tfExpandTabs
- tfPathEllipsis
- tfEndEllipsis
- tfEditControl
- tfCenter
- tfCalcRect
- tfBottom
- TTextFormats
- Graphics
- coRightToLeft
- coLeftToRight
- TCanvasOrientation
- TCanvasState
- Graphics
- csBrushValid
- csPenValid
- csFontValid
- csHandleValid

- TCanvasStates
- Graphics
- fsBorder
- fsSurface
- TFillStyle
- Handle
- Bitmap8
- ColorT&e;
- Graphics
- Source
- Assign
- Destroy
- Create
- Handle
- Color4%e
- Graphics
- Source
- Assign
- Destroy
- Create
- PixelsPerInch
- Handle
- FontAdapterd
- Quality
- Orientation`"e
- Height
- Charset
- Graphics
- TFontD*e
- Source
- Assign
- Destroy
- Create
- FNotify
- FPixelsPerInch
- FColor
- Graphics
- IChangeNotifierh
- OnChange
- OwnerCriticalSectionp-c
- Graphics
- TGraphicsObject|(e
- HandleAllocated
- TGraphicsObject/
- FOwnerLock
- FResource
- FOnChange
- HashCode
- Handle
- RefCount
- TResource
- PResourceh'e
- OwnsBitmap
- Bitmap
- Handle
- TBrushData
- Graphics

- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Handle
- TPenData
- Graphics
- pmNotXor
- pmNotMask
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNotCopy
- pmWhite
- TPenMode
- Graphics
- psAlternate
- psUserStyle
- psInsideFrame
- psClear
- psDashDotDot
- psDashDot
- psSolid
- TPenStyle
- Quality
- Charset
- Orientation
- Height
- Handle
- TFontData
- TFontStylesBase
- TFontDataName|
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- Graphics
- fqClearTypeNatural
- fqClearType
- fqAntialiased
- fqNonAntialiased
- fqProof
- fqDefault
- TFontQuality
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault

- TFontPitch
- Handle
- TResData
- Graphics
- EInvalidGraphicOperation
- EInvalidGraphicOperation
- Graphics
- EInvalidGraphic4!e
- EInvalidGraphicP!e
- TColor
- Registry
- :TRegistry.:2
- Access
- RootKeyName
- RootKey\\
- LastErrorMsg
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight
- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText

- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- HKEY_DYN_DATA
- HKEY_CURRENT_CONFIG
- HKEY_PERFORMANCE_DATA
- HKEY_USERS
- HKEY_LOCAL_MACHINE
- HKEY_CURRENT_USER
- HKEY_CLASSES_ROOT
- LastError\\
- LazyWrite
- CurrentPath
- CurrentKey\\
- Registry
- TRegistry
- WriteTime
- WriteExpandString
- WriteString
- WriteInteger
- WriteFloat
- WriteDateTime
- WriteDate
- WriteBool
- BufSize
- Buffer
- WriteBinaryData
- WriteCurrency
- ValueExists
- UnLoadKey
- FileName
- SaveKey
- FileName
- RestoreKey
- BackUpFileName
- FileName
- ReplaceKey
- NewName
- OldName

- RenameValue
- UNCName
- RegistryConnect
- ReadTime
- ReadString
- ReadInteger
- ReadFloat
- ReadDateTime
- ReadDate
- ReadBool
- BufSize
- Buffer
- ReadBinaryData
- ReadCurrency
- OpenKeyReadOnly
- CanCreate
- OpenKey
- Delete
- NewName
- OldName
- MoveKey
- FileName
- LoadKey
- KeyExists
- HasSubKeys
- GetValueNames
- GetKeyNames
- GetKeyInfo
- ValueName
- GetDataType
- ValueName
- GetDataSize
- ValueName
- GetDataInfo
- PrefixType
- ValueName
- GetDataAsString
- DeleteValue
- DeleteKey
- CreateKey
- CloseKey
- Destroy
- AAccess
- Create
- Create
- TRegistry&
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- Registry

- rdBinary
- rdInteger
- rdExpandString
- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen
- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- Registry
- ERegistryException
- ERegistryException
- :THandleObject.:1
- TCriticalSection@
- TryEnter
- Release
- Acquire
- Destroy
- Create
- TCriticalSection&
- FSection
- TEventp
- UseCOMWait
- Create
- UseCOMWait
- InitialState
- ManualReset
- EventAttributes
- Create
- TEvent
- Handle
- LastError
- THandleObject
- UseCOMWait
- SignaledObj
- Timeout
- HandleObjs
- WaitForMultiple
- Timeout
- WaitFor
- Destroy
- UseCOMWait
- Create
- THandleObject:
- FUseCOMWait
- FLastError
- FHandle
- THandleObjectArray
- TSynchroObject
- Timeout
- WaitFor
- Timeout
- WaitFor
- Release

- Acquire
- TSynchroObject'
- wrIOCompletion
- wrError
- wrAbandoned
- wrTimeout
- wrSignaled
- TWaitResult
- TTimeSpan
- Wincodec
- IWICBitmap
- Wincodec
- IWICBitmapSourceh
- lParamSort
- lParam2
- lParam1
- _TREEITEM
- HTREEITEM
- Classes
- $TComponent.FindComponent$1499$ActRec4
- $TComponent.FindComponent$1499$ActRec
- Classes
- $TComponent.FindComponent$1499$0$Intfh
- Classes
- TAnonymousThread$
- Create
- TAnonymousThread5
- Classes
- TExternalThreadP
- Create
- TExternalThread&
- Classes
- :TReader.:1
- Classes
- TPropIntfFixup
- Reference
- ResolveReference
- TPropIntfFixupC
- Classes
- TPropFixup
- Reference
- ResolveReference
- MakeGlobalReference
- RootName
- PropInfo
- InstanceRoot
- Instance
- Create
- TPropFixup
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- C0;C4u
- kernel32.dll
- Assertion failure
- CoWaitForMultipleHandles

- ole32.dll
- OleMainThreadWndClass
- .%4:.7d
- %1:.2d:%2:.2d:%3:.2d
- InitCommonControlsEx
- comctl32.dll
- TPUtilWindow
- ClassName:
- Component already destroyed:
- Component reference name should always be non blank
- .Owner
- Classes
- TList.Sort876ActRecX
- TList.Sort876ActRec
- Compare
- Classes
- TList.Sort$876$0$Intfh
- Classes
- TIntConst
- AIntToIdent
- AIdentToInt
- AIntegerType
- Create
- TIntConstf
- IntToIdent
- IdentToInt
- IntegerType
- ActiveClass
- Classes
- TRegGroups
- Module
- UnregisterModuleClasses
- AClass
- UnregisterClass
- Unlock
- AClass
- StartGroup
- AClass
- Registered
- AClass
- RegisterClassAlias
- AClass
- RegisterClass
- AGroupClass
- AClass
- GroupWith
- AClass
- GroupedWith
- AClassName
- GetClass
- AClass
- AddClass
- AClass
- Activate
- Destroy
- Create
- TRegGroups&

- FActiveClass
- FGroups
- Active
- Classes
- TRegGroup
- Module
- UnregisterModuleClasses
- AClass
- UnregisterClass
- AClass
- Registered
- AClass
- RegisterClassAlias
- AClass
- RegisterClass
- AClass
- InGroup
- GetClasses
- AClassName
- GetClass
- AClass
- AddClass
- AClass
- Group2
- Group1
- BestGroup
- Destroy
- AClass
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- Message
- TMessage
- Message
- TWndMethod
- TIntToIdent
- TIdentToInt
- TIdentMapEntry
- TArray<System.TObject>
- OnUpdate,
- OnExecutep-c
- ActionComponentp-c
- Classes
- TBasicActiont
- Update
- UnRegisterChanges
- RegisterChanges
- Execute
- Target
- ExecuteTarget
- Target
- UpdateTarget
- Target
- HandlesTarget

- Destroy
- AOwner
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChanget
- Actionp-c
- Classes
- TBasicActionLinkX
- Update
- AComponent
- Execute
- Destroy
- AClient
- Create
- TBasicActionLink7
- FAction
- FOnChange
- VCLComObject
- DesignInfo
- ComponentStyle
- ComponentStateT
- ComponentIndex
- ComponentCount
- ComObject
- Classes
- TComponent
- Operation
- ReferenceInterface
- IsImplementorOf
- Action
- UpdateAction
- ExceptAddr
- ExceptObject
- SafeCallException
- IsSubComponent
- SetSubComponent
- AComponent
- RemoveComponent
- AComponent
- InsertComponent
- HasParent
- GetNamePath
- GetParentComponent
- GetEnumerator
- FreeOnRelease
- AComponent
- RemoveFreeNotification
- AComponent
- FreeNotification
- FindComponent
- Action
- ExecuteAction

- Destroying
- DestroyComponents
- BeforeDestruction
- Destroy
- AOwner
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FOwner
- Classes
- IDesignerNotifyh
- TComponentName
- TComponent
- TGetChildProc
- TComponentStyle
- Classes
- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- Classes
- csDesignInstance
- csInline
- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying
- csWriting
- csReading
- csLoading
- Classes
- opRemove
- opInsert
- TOperation
- Current
- Classes
- TComponentEnumerator
- MoveNext
- GetCurrent
- AComponent
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- OnTerminate
- ThreadIDp-c
- Suspended
- Priority
- Handle<

- Finished
- FreeOnTerminate
- FatalException
- ExternalThreadD
- Classes
- TThread
- Timeout
- Iterations
- SpinWait
- AThreadID
- AThreadName
- NameThreadForDebugging
- AMethod
- RemoveQueuedEvents
- AThread
- RemoveQueuedEvents
- AThreadProc
- AThread
- Synchronize
- AThreadProc
- AThread
- AMethod
- AThread
- StaticSynchronize
- AMethod
- AThread
- Synchronize
- AMethod
- AThread
- StaticQueue
- AMethod
- AThread
- RemoveQueuedEvents
- AMethod
- AThread
- SetReturnValue
- CheckTerminated
- WaitFor
- Terminate
- Suspend
- Resume
- AfterConstruction
- ThreadProc
- CreateAnonymousThread
- Destroy
- CreateSuspended
- Create
- Create
- TThread&
- FExternalThread
- FFatalException
- FSynchronize
- FOnTerminate
- FReturnValue
- FFinished
- FFreeOnTerminate
- FSuspended

- FTerminated
- FCreateSuspended
- FThreadID
- FHandle
- FSynchronizeException
- FProcedure
- FMethod
- FThread
- TThread.TSynchronizeRecord
- Classes
- tpTimeCritical
- tpHighest
- tpHigher
- tpNormal
- tpLower
- tpLowest
- tpIdle
- TThreadPriority
- Classes
- TThreadProcedureh
- TThreadMethod
- Classes
- EThreadExternalException
- EThreadExternalException
- Classes
- EThread
- EThread
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor
- RootAncestor
- Position
- Classes
- TWriter
- WriteVariant
- WriteWideString
- WriteString
- WriteUTF8Str
- WriteStr
- WriteSignature
- WriteRootComponent
- Instance
- WriteProperties
- WriteListEnd
- WriteListBegin
- WriteInteger
- WriteInteger
- WriteIdent
- WriteDate
- WriteCurrency
- WriteDouble
- WriteSingle
- WriteFloat
- AAncestor
- WriteDescendent
- WriteWideChar
- WriteChar

- Component
- WriteComponent
- WriteCollection
- WriteBoolean
- FlushBuffer
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList
- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- Ancestor
- Component
- Writer
- TComponent
- RootAncestor
- TComponent
- Ancestor
- TComponent
- Component
- TWriter
- Writer
- TFindAncestorEvent
- OnFindComponentInstance
- OnFindComponentClass
- OnCreateComponentx
- OnAncestorNotFound,
- OnReferenceName
- OnSetNameL
- OnFindMethodInstance
- OnFindMethod
- OnError
- Position
- Parent
- Owner

- Classes
- TReader
- SkipValue
- Writer
- CopyValue
- ReadVariant
- ReadValue
- ReadWideString
- ReadString
- ReadStr
- ReadSignature
- ReadRootComponent
- AChildPos
- ReadPrefix
- ReadListEnd
- ReadListBegin
- ReadInt64
- ReadInteger
- ReadIdent
- ReadDate
- ReadCurrency
- ReadDouble
- ReadSingle
- ReadFloat
- AParent
- AOwner
- ReadComponents
- Component
- ReadComponent
- Collection
- ReadCollection
- ReadWideChar
- ReadChar
- ReadBoolean
- NextValue
- FlushBuffer
- FixupReferences
- EndReferences
- EndOfList
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- CheckValue
- BeginReferences
- Destroy
- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance
- FOnCreateComponent
- FOnFindComponentClass

- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Reader
- Pointer
- Instance
- TReader
- Reader
- TFindComponentInstanceEvent
- AMethod
- MethodName
- Reader
- Boolean
- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- ComponentClass
- Reader
- TComponent
- Component
- TComponentClass
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader
- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean
- Handled
- Message
- TReader
- Reader
- TReaderError
- Component
- TComponent

- Component
- TReadComponentsProc
- Component
- ComponentClass
- ComponentName
- Reader
- TComponent
- Component
- TPersistentClass
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Reader
- TReader
- Reader
- TReferenceNameEvent
- Component
- Reader
- TComponent
- Component
- TReader
- Reader
- TSetNameEvent
- Address
- MethodName
- Reader
- Boolean
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClass
- IgnoreChildren
- Ancestor
- LookupRootIGc
- Classes
- TFilerx
- FlushBuffer
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- Destroy
- BufSize
- Stream
- Create
- TFilerG
- FIgnoreChildren
- FAncestor

- FLookupRoot
- FBufEnd
- FBufPos
- FBufSize
- FBuffer
- FStream
- Classes
- IInterfaceComponentReferenceh
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags
- Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaWString
- vaDate
- vaCurrency
- vaSingle
- vaCollection
- vaLString
- vaBinary
- vaTrue
- vaFalse
- vaIdent
- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- Classes
- TClassFinder\\
- GetClasses
- AClassName
- GetClass
- Destroy
- AIncludeActiveGroups
- AClass
- Create

- TClassFinderT
- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- StreamOwnership
- Stream
- Classes
- TStreamAdapter
- dwLockType
- libOffset
- UnlockRegion
- dwLockType
- libOffset
- LockRegion
- Revert
- grfCommitFlags
- Commit
- cbWritten
- cbRead
- CopyTo
- libNewSize
- SetSize
- libNewPosition
- dwOrigin
- dlibMove
- pcbWritten
- pcbRead
- Destroy
- Ownership
- Stream
- Create
- TStreamAdapterI
- FOwnership
- FStream
- Classes
- soOwned
- soReference
- TStreamOwnership
- Classes
- TResourceStream,zc
- Buffer
- Destroy
- ResType
- Instance
- CreateFromID
- ResType
- ResName
- Instance
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- Classes
- TMemoryStream
- Buffer

- NewSize
- SetSize
- FileName
- LoadFromFile
- Stream
- LoadFromStream
- Destroy
- TMemoryStream'
- FCapacity
- Memory
- Classes
- TCustomMemoryStream
- FileName
- SaveToFile
- Stream
- SaveToStream
- Origin
- Offset
- Buffer
- TCustomMemoryStreamC
- FPosition
- FMemory
- FileName
- Classes
- TFileStream
- Destroy
- AFileName
- Create
- AFileName
- Create
- TFileStreamG
- FFileName
- Handle
- Classes
- THandleStream
- Origin
- Offset
- Buffer
- Buffer
- AHandle
- Create
- THandleStream7
- FHandle
- Classes
- IStreamPersisth
- Position
- Classes
- TStream\\kc
- ReadResHeader
- FixupInfo
- FixupResourceHeader
- FixupInfo
- ResName
- WriteResourceHeader
- Ancestor
- Instance
- ResName

- WriteDescendentRes
- Ancestor
- Instance
- WriteDescendent
- Instance
- ResName
- WriteComponentRes
- Instance
- WriteComponent
- Instance
- ReadComponentRes
- Instance
- ReadComponent
- Source
- CopyFrom
- Buffer
- WriteBuffer
- Buffer
- ReadBuffer
- Origin
- Offset
- Origin
- Offset
- Buffer
- Buffer
- TStreamC
- OwnsObjects
- OnChanging
- OnChangep-c
- CaseSensitivep-c
- Sorted
- Duplicates
- Classes
- Compare
- CustomSort
- AObject
- InsertObject
- Insert
- IndexOf
- Index2
- Index1
- Exchange
- Delete
- Source
- Assign
- AObject
- AddObject
- Destroy
- OwnsObjects
- Create
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted

- FCapacity
- FCount
- Index2
- Index1
- TStringListSortCompare"
- TStringItemList
- PStringItemList
- FObject
- TStringItem
- WriteBOM
- StringsAdapter
- StrictDelimiter\\
- NameValueSeparator
- QuoteCharL
- LineBreakL
- Encoding\\
- DelimitedTextP
- Delimiter\\
- DefaultEncodingL
- CountP
- CommaText
- Capacity\\
- Classes
- ToObjectArray
- ToStringArray
- SetText
- Encoding
- Stream
- SaveToStream
- Stream
- SaveToStream
- Encoding
- FileName
- SaveToFile
- FileName
- SaveToFile
- NewIndex
- CurIndex
- Encoding
- Stream
- LoadFromStream
- Stream
- LoadFromStream
- Encoding
- FileName
- LoadFromFile
- FileName
- LoadFromFile
- AObject
- InsertObject
- Insert
- AObject
- IndexOfObject
- IndexOfName
- IndexOf
- GetText
- GetEnumerator

- Index2
- Index1
- Exchange
- Equals
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- Objects
- AddStrings
- AddStrings
- AddStrings
- Append
- AObject
- AddObject
- Destroy
- Create
- FWriteBOM
- FAdapter
- FUpdateCount
- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefaultEncoding
- FDefined
- FEncoding
- Current
- Classes
- TStringsEnumeratortTc
- MoveNext
- GetCurrent
- AStrings
- Create
- TStringsEnumerator8
- FIndex
- TStringsDefined
- Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- Classes
- IStringsAdapterh
- Classes
- TOwnedCollection|Rc
- ItemClass
- AOwner
- Create
- TOwnedCollectionI
- FOwner
- ItemClass
- Capacity
- Classes

- TCollection
- Insert
- GetNamePath
- GetEnumerator
- FindItemID
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- Destroy
- ItemClass
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current
- Classes
- TCollectionEnumerator@Lc
- MoveNext
- GetCurrent
- ACollection
- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClass
- DisplayName
- Index\\
- Collection
- Classes
- TCollectionItem
- GetNamePath
- Destroy
- Collection
- Create
- TCollectionItem:
- FCollection
- Classes
- TInterfacedPersistent`Hc
- AfterConstruction
- QueryInterface
- TInterfacedPersistentH
- FOwnerInterface
- TPersistentClasslGc
- Classes
- TPersistent
- GetNamePath
- Source
- Assign
- Destroy
- TPersistent'
- Classes
- TBits\\Ec

- OpenBit
- Destroy
- Duplicates
- Classes
- TThreadList
- UnlockList
- Direction
- RemoveItem
- Remove
- LockList
- Destroy
- Create
- TThreadList&
- FDuplicates
- CountH8c
- Capacity
- Classes
- AOperator
- Assign
- Compare
- SortList
- Compare
- Direction
- RemoveItem
- Remove
- NewIndex
- CurIndex
- Insert
- Direction
- IndexOfItem
- IndexOf
- GetEnumerator
- Direction
- ExtractItem
- Expand
- Index2
- Index1
- Exchange
- Delete
- Destroy
- FCapacity
- FCount
- Classes
- FromEnd
- FromBeginning
- TList.TDirection
- Current
- Classes
- TListEnumerator
- MoveNext
- GetCurrent
- Create
- TListEnumerator5
- FIndex
- Classes
- laDestUnique
- laSrcUnique

- laCopy
- TListAssignOp
- Classes
- TListSortCompareFunch
- TListSortCompare
- TPointerList
- PPointerList`8c
- Classes
- dupError
- dupAccept
- dupIgnore
- TDuplicates
- Classes
- EInvalidOperation
- EInvalidOperation
- Classes
- EOutOfResources
- EOutOfResources07c
- Classes
- EComponentErrort6c
- EComponentError
- Classes
- EStringListError
- EStringListError
- Classes
- EBitsError<5c
- EBitsError
- Classes
- EListError
- EListError
- Classes
- EResNotFound
- EResNotFound
- Classes
- EInvalidImagep3c
- EInvalidImage
- Classes
- EClassNotFound
- EClassNotFound
- Classes
- EWriteError<2c
- EWriteErrorT2c
- Classes
- EReadError
- EReadError
- Classes
- EFilerError
- EFilerError(1c
- Classes
- EFOpenErrorx0c
- EFOpenError
- Classes
- EFCreateError
- EFCreateError
- Classes
- EFileStreamError
- FileName

- ResStringRec
- Create
- EFileStreamErrorN
- Classes
- EStreamErrorD.c
- EStreamError
- Sender
- TObject
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htContext
- htKeyword
- THelpType
- THelpContext
- TShiftState
- Classes
- ssTouch
- ssDouble
- ssMiddle
- Classes
- taVerticalCenter
- taAlignBottom
- taAlignTop
- TVerticalAlignment
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- TLeftRight
- Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- Classes
- soCurrent
- soBeginning
- TSeekOrigin
- NameIndex
- Default
- StoredProc
- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfop
- TTypeInfo
- PTypeInfo
- PPTypeInfo
- TypInfo
- tkProcedure
- tkPointer

- tkClassRef
- tkUString
- tkDynArray
- tkInt64
- tkInterface
- tkRecord
- tkArray
- tkVariant
- tkMethod
- tkFloat
- tkEnumeration
- tkInteger
- tkUnknown
- TTypeKind
- Variants
- Assertion failure
- ByRef
- Array
- UnicodeString
- UInt64
- LongWord
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Dispatch
- OleStr
- Currency
- Double
- Single
- Integer
- Smallint
- Variants
- EVariantInvalidNullOpError
- EVariantInvalidNullOpError
- Variants
- EVariantDispatchError
- EVariantDispatchError
- Variants
- EVariantUnexpectedError\\
- EVariantUnexpectedError
- Variants
- EVariantOutOfMemoryError
- EVariantOutOfMemoryError
- Variants
- EVariantNotImplError
- EVariantNotImplError
- Variants
- EVariantArrayCreateErrorH
- EVariantArrayCreateError
- Variants
- EVariantArrayLockedError
- EVariantArrayLockedError
- Variants
- EVariantBadIndexError
- EVariantBadIndexError

- Variants
- EVariantBadVarTypeError8
- EVariantBadVarTypeError\\
- Variants
- EVariantInvalidArgError
- EVariantInvalidArgError
- Variants
- EVariantOverflowError
- EVariantOverflowError
- Variants
- EVariantTypeCastError0
- EVariantTypeCastError
- Variants
- EVariantInvalidOpError
- EVariantInvalidOpError
- VarType
- Variants
- TCustomVariantTypep
- Relationship
- Compare
- Operator
- CompareOp
- Operator
- UnaryOp
- Operator
- BinaryOp
- Indirect
- Source
- Source
- CastToOle
- AVarType
- Source
- CastTo
- Source
- IsClear
- Destroy
- RequestedVarType
- Create
- Create
- TCustomVariantType&
- FVarType
- Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarAnd
- VarMod
- VarIdiv

- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- TArray<SysUtils.TUnitHashEntry>
- UnitHashArray
- Validated
- TModuleInfo
- FullHash
- DupsAllowed
- UnitName
- LibModule
- TUnitHashEntry
- PUnitHashEntry
- TErrorRec
- SysUtils0
- oleaut32.dll
- 1201 (Unicode - Big-Endian)
- 1200 (Unicode)
- StartIndex
- StartIndex
- StartIndex
- RemLength
- StartIndex
- CharCount
- StartIndex
- DestinationIndex
- Assertion failure
- kernel32.dll
- Assertion failure
- Assertion failure
- TStrData
- .u:EOu
- maccroatian
- macturkish
- maciceland
- maccentraleurope
- macthai
- macukraine
- macromania
- maccyrillic
- macgreek
- machebrew
- macarabic
- macroman
- macintosh
- cp1361
- tis620.2533-1
- tis620.2533-0
- tis620.2529-1
- tis620-0
- tis620
- tis-620
- iso-ir-166

- windows-874
- csibm869
- ibm869
- csibm866
- ibm866
- csibm865
- ibm865
- csibm864
- ibm864
- csibm863
- ibm863
- cspc862latinhebrew
- ibm862
- csibm861
- ibm861
- csibm860
- ibm860
- csibm857
- ibm857
- csibm855
- ibm855
- cspcp852
- ibm852
- cspc850multilingual
- ibm850
- cspc775baltic
- ibm775
- cspc8codepage437
- ibm437
- gb18030
- hz-gb-2312
- cseuctw
- euc-tw
- euc-kr
- euc-cn
- cseucpkdfmtjapanese
- euc-jp
- iso-2022-cn
- csiso2022kr
- iso-2022-kr
- csiso2022jp
- iso-2022-jp
- koi8-u
- csiso58gb231280
- iso-ir-58
- gb_2312-80
- chinese
- koi8-r
- windows-1258
- cp1258
- windows-1257
- cp1257
- windows-1256
- cp1256
- windows-1255
- cp1255
- windows-1254

- cp1254
- windows-1253
- cp1253
- windows-1252
- cp1252
- windows-1251
- cp1251
- windows-1250
- cp1250
- utf-16be
- utf-16le
- utf-16
- csunicode
- csbig5
- cn-big5
- bigfive
- big-five
- csksc56011987
- ks_c_5601-1989
- ks_c_5601-1987
- ksc_5601
- korean
- iso-ir-149
- csgb2312
- gb2312
- windows-936
- csshiftjis
- shift_jis
- shift-jis
- iso_8859-16:2001
- iso_8859-16
- iso8859-16
- iso-ir-226
- iso-8859-16
- iso_8859-15:1998
- iso_8859-15
- iso8859-15
- iso-ir-203
- iso-8859-15
- iso_8859-14:1998
- iso_8859-14
- iso8859-14
- iso-ir-199
- iso-celtic
- iso-8859-14
- iso_8859-13
- iso8859-13
- iso-ir-179
- iso-8859-13
- iso_8859-11
- iso8859-11
- iso-8859-11
- csisolatin6
- iso_8859-10:1992
- iso_8859-10
- iso8859-10
- iso-ir-157

- iso-8859-10
- csisolatin5
- iso_8859-9:1989
- iso_8859-9
- iso8859-9
- iso-ir-148
- iso-8859-9
- csisolatinhebrew
- iso_8859-8:1988
- iso_8859-8
- iso8859-8
- iso-ir-138
- iso-8859-8
- hebrew
- iso_8859-7:2003
- iso_8859-7:1987
- iso_8859-7
- iso8859-7
- iso-8859-7
- greek8
- csisolatinarabic
- iso_8859-6:1987
- iso_8859-6
- iso8859-6
- iso-ir-127
- iso-8859-6
- ecma-114
- asmo-708
- arabic
- csisolatincyrillic
- iso_8859-5:1988
- iso_8859-5
- iso8859-5
- iso-ir-144
- iso-8859-5
- cyrillic
- csisolatin4
- iso_8859-4:1988
- iso_8859-4
- iso8859-4
- iso-ir-110
- iso-8859-4
- csisolatin3
- iso_8859-3:1988
- iso_8859-3
- iso8859-3
- iso-ir-109
- iso-8859-3
- csisolatin2
- iso_8859-2:1987
- iso_8859-2
- iso8859-2
- iso-ir-101
- iso-8859-2
- csisolatin1
- iso_8859-1:1987
- iso_8859-1

- iso8859-1
- iso-ir-100
- iso-8859-1
- ibm819
- csunicode11utf7
- csascii
- us-ascii
- SysUtils
- SysUtils
- TBigEndianUnicodeEncoding
- GetPreamble
- TBigEndianUnicodeEncoding%
- SysUtils
- TUnicodeEncoding
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUnicodeEncoding&
- SysUtils
- TUTF8Encoding
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUTF8Encoding&
- SysUtils
- TUTF7EncodingH
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUTF7Encoding&
- SysUtils
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Create
- CodePage
- Create
- Create
- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- EncodingName
- CodePage\\

- SysUtils
- TEncoding
- GetStringT
- GetString
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- EncodingName
- GetEncoding
- CodePage
- GetEncoding
- GetChars/
- GetChars
- GetChars
- GetCharCount
- GetCharCount
- GetBytes
- GetBytes
- GetBytes
- GetBytes
- GetBytes
- CharCount
- CharIndex
- GetByteCount
- GetByteCount
- GetByteCount7
- GetByteCount
- GetBufferEncoding
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- FreeEncodings
- Convert-
- Convert
- TEncoding%
- FMaxCharSize
- FIsSingleByte
- SysUtils
- EEncodingError
- EEncodingError
- MaxCapacity
- Capacity
- SysUtils
- TStringBuilder(
- StartIndex
- ToString
- ToString
- StartIndex
- NewValue
- OldValue
- Replace
- StartIndex
- NewChar
- OldChar
- Replace

- NewValue
- OldValue
- Replace
- NewChar
- OldChar
- Replace
- RemLength
- StartIndex
- Remove
- InsertM
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- InsertD
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- StringBuilder
- Equals
- aCapacity
- EnsureCapacity
- CopyToA
- AppendLine
- AppendLine
- AppendFormat*
- StartIndex
- Append
- AppendX
- RepeatCount
- Append
- Append
- Append
- Append
- Append
- Append5
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append

- Append
- aCapacity
- StartIndex
- Create
- aCapacity
- Create
- aMaxCapacity
- aCapacity
- Create
- Create
- aCapacity
- Create
- Create
- TStringBuilder&
- FMaxCapacity
- TArray<System.Char>
- RevisionLevel
- SysUtils
- $TMultiReadExclusiveWriteSynchronizer
- EndWrite
- BeginWrite
- EndRead
- BeginRead
- Destroy
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- SysUtils
- TThreadLocalCounter
- Thread
- Thread
- Delete
- Thread
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- TThreadInfo
- PThreadInfo(
- SysUtils
- IReadWriteSynch
- SysUtils\\
- SysUtils\\
- NegCurrFormat
- TwoDigitYearCenturyWindow
- DecimalSeparator
- ThousandSeparator
- LongDayNames
- ShortDayNames

- LongMonthNames
- ShortMonthNames
- LongTimeFormat
- ShortTimeFormat
- TimePMString
- TimeAMString
- LongDateFormat
- ShortDateFormat
- ListSeparator
- TimeSeparator
- DateSeparator
- CurrencyDecimals
- CurrencyFormat
- CurrencyString
- TFormatSettings
- :TFormatSettings.:4
- :TFormatSettings.:3
- :TFormatSettings.:20
- :TFormatSettings.:10
- System0sa
- TArray<SysUtils.TLangRec>
- SysUtils
- ENotImplemented
- ENotImplemented
- SysUtils
- ENoMonitorSupportException
- ENoMonitorSupportException
- SysUtils
- EMonitorLockExceptionP
- EMonitorLockException
- SysUtils
- EMonitor
- EMonitor
- SysUtils
- ESafecallException
- ESafecallException
- SysUtils
- EOSErrord
- EOSError
- ErrorCode
- SysUtils
- EIntfCastError
- EIntfCastError
- SysUtils
- EAbstractError$
- EAbstractError
- SysUtils
- EAssertionFailed
- EAssertionFailed
- SysUtils
- EVariantError
- EVariantError
- SysUtils
- EControlCP
- EControlC
- SysUtils
- EStackOverflow

- EStackOverflow
- SysUtils
- EPrivilege
- EPrivilege
- SysUtils
- EAccessViolationt
- EAccessViolation
- SysUtils
- EConvertError
- EConvertError
- SysUtils
- EInvalidCast<
- EInvalidCast
- SysUtils
- EInvalidPointer
- EInvalidPointer
- SysUtils
- EUnderflow
- EUnderflow
- SysUtils
- EOverflowp
- EOverflow
- SysUtils
- EZeroDivide
- EZeroDivide
- SysUtils
- EInvalidOp@
- EInvalidOp
- SysUtils
- EMathError
- EMathError
- SysUtils
- EIntOverflow
- EIntOverflow
- SysUtils
- ERangeErrort
- ERangeError
- SysUtils
- EDivByZero
- EDivByZero
- SysUtils
- EIntErrorH
- EIntError
- SysUtils
- EExternalException
- EExternalException
- SysUtils
- EExternal
- EExternal
- ExceptionRecord
- SysUtils
- EInOutError0
- EInOutError
- ErrorCode
- SysUtils
- EOutOfMemory
- EOutOfMemory

- SysUtils
- EHeapException
- FreeInstance
- EHeapException,
- AllowFree
- SysUtils
- EAbort
- EAbort
- ExceptClass
- SysUtils
- EArgumentOutOfRangeException<|a
- EArgumentOutOfRangeException
- SysUtils
- EArgumentException
- EArgumentException
- StackInfo
- StackTrace
- Message\\
- InnerException\\
- HelpContext
- BaseException
- SysUtils
- Exception
- ThrowOuterException
- RaiseOuterException
- ToString
- GetBaseException
- Destroy
- CreateResFmtHelp'
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- CreateResHelp
- AHelpContext
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- CreateRes
- CreateRes
- CreateFmt8
- Create
- Exception3
- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- SysUtils
- TLanguages
- LocaleName
- IndexOf
- IndexOf
- Destroy

- Create
- TLanguages&
- FLocaleName
- TLangRec
- TArray<System.Byte>
- EIdent
- EClass
- TExceptRec
- ExcUtils
- etNotImplemented
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege
- etAccessViolation
- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- ?tE)!XU
- ?tE)!XU
- ?333333
- aINFNAN
- 111QQQ
- ActiveX
- IServiceProviderh
- ActiveX
- IPictureh
- ActiveX
- IPerPropertyBrowsingh
- ActiveX
- IConnectionPointh
- ActiveX
- IPropertyNotifySinkh
- ActiveX
- IPersistStreamInit
- ActiveX
- ISimpleFrameSiteh
- ActiveX
- IOleControlSiteh
- ActiveX
- IOleControlh
- ActiveX
- IOleInPlaceSite
- ActiveX
- IOleInPlaceObject

- ActiveX
- IOleInPlaceFrame
- ActiveX
- IOleInPlaceActiveObject
- ActiveX
- IOleInPlaceUIWindow
- ActiveX
- IOleWindowh
- ActiveX
- IOleObjecth
- ActiveX
- IOleClientSiteh
- ActiveX
- ITypeInfoh
- pfnDeferredFillIn
- pvReserved
- dwHelpContext
- bstrHelpFile
- bstrDescription
- bstrSource
- wReserved
- tagEXCEPINFO
- ExInfo
- TFNDeferredFillIn
- PExcepInfo
- TDispIDList
- PDispIDListp
- ActiveX
- IStream
- ActiveX
- ISequentialStreamh
- reserved
- grfStateBits
- grfLocksSupported
- grfMode
- cbSize
- pwcsName
- ActiveX
- IPersisth
- cAccel
- hAccel
- tagCONTROLINFO
- tagMULTI_QI
- Result
- MenuFlag
- TWMMenuChar
- Result
- KeyData
- Unused
- CharCode
- ResultHi
- ResultLo
- LParamHi
- LParamLo
- WParamHi
- WParamLo
- Result

- LParam
- WParam
- TMessage
- GESTURECONFIG
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odNoAccel
- odInactive
- odHotLight
- odDefault
- odFocused
- odChecked
- odDisabled
- odGrayed
- odSelected
- lParam
- wParam
- message
- dsOffset
- dshSection
- dsBitfields
- tagDIBSECTIONT
- dmPanningHeight
- dmPanningWidth
- dmICCModel
- dmICCManufacturer
- dmDitherType
- dmMediaType
- dmICMIntent
- dmICMMethod
- dmDisplayFrequency
- dmDisplayFlags
- dmPelsHeight
- dmBitsPerPel
- dmLogPixels
- dmFormName
- dmCollate
- dmTTOption
- dmYResolution
- dmDuplex
- dmColor
- dmPrintQuality
- dmDefaultSource
- dmCopies
- dmScale
- dmPaperWidth
- dmPaperLength
- dmPaperSize
- dmOrientation
- dmFields
- dmDriverExtra
- dmSize
- dmDriverVersion

- dmSpecVersion
- dmDeviceName
- _devicemodeW
- PDeviceModeW
- biClrImportant
- biClrUsed
- biYPelsPerMeter
- biXPelsPerMeter
- biSizeImage
- biCompression
- biBitCount
- biPlanes
- biHeight
- biWidth
- biSize
- tagBITMAPINFOHEADER(
- bmBitsPixel
- bmPlanes
- bmHeight
- tagBITMAP
- dwHighDateTime
- dwLowDateTime
- _FILETIME
- bInheritHandle
- lpSecurityDescriptor
- _SECURITY_ATTRIBUTES
- PSecurityAttributes
- HPALETTE
- HBITMAP
- HACCEL
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex
- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- PListEntry
- TSmallPoint
- tagSIZE
- BottomRight
- TopLeft
- Bottom
- TPoint
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA

- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- Unexpected Memory Leak
- UnicodeString
- AnsiString
- Unknown
- The sizes of unexpected leaked medium and large blocks are:
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress
- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecord
- Identifier
- Module
- TResStringRec
- Reserved
- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- TLibModule
- PLibModulep#`
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfo
- PTypeTable
- TTypeTable
- RawData
- VUString
- VPointer
- VArray
- VUInt64
- VInt64
- VLongWord
- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch

- VOleStr
- VCurrency
- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- TVarData
- Bounds
- LockCount
- ElementSize
- DimCount
- TVarArray
- PVarArray
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TDateTime
- PLongInt
- RawByteString
- RefCount
- TInterfacedObjectx
- NewInstance
- BeforeDestruction
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IDispatchh
- IInterface
- TObject
- Destroy
- FreeInstance
- NewInstance
- Message
- DefaultHandler
- Message
- Dispatch
- BeforeDestruction
- AfterConstruction
- ExceptAddr
- ExceptObject
- SafeCallException
- ToString
- GetHashCode
- Equals
- UnitName
- GetInterfaceTable
- GetInterfaceEntry
- GetInterface
- FieldAddress
- FieldAddress
- Address
- MethodName
- MethodAddress

- MethodAddress
- AClass
- InheritsFrom
- InstanceSize
- ClassInfo
- ClassParent
- ClassNameIs
- ClassName
- ClassType
- CleanupInstance
- Instance
- InitInstance
- Create
- TObject&
- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTable
- ImplGetter
- IOffset
- VTable
- TInterfaceEntry
- PInterfaceEntryh
- HRESULT
- OleVariant
- Variant
- AnsiString
- WideString
- LongBool
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- NativeUInt
- UInt64
- Cardinal
- Pointer
- Integer
- SmallInt
- ShortInt
- AnsiChar
- Boolean
- @.reloc
- .rdata
- .didata
- .idata
- `.data
- `.itext
- This program must be run under Win32
- 0@P`p
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ

- Magellan MSWHEEL
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- Software\\Embarcadero\\Locales
- kernel32.dll
- kernel32.dll
- _^[YY]
- Sd^[Y]
- _^[YY]
- _^[YY]
- _^[YY]
- S`_^[]
- SendCmd
- SendCmdf
- SendCmd
- FReplyClass
- QQQQQQQSVW
- QQQQQQQSVW
- TIdReplyRFC
- TIdReplyRFC:
- YZ]_^[
- FReplyTexts
- QQQQSV
- _^[YY]
- QQQQQQQQSVW
- _^[YY]
- _^[YY]
- QQQQSV
- _^[YY]
- SL^[YY]
- !:P-t*
- Sd_^[]
- C-_^[]
- C-_^[]
- _^[YY]
- St_^[]
- Sx_^[]
- Sh_^[]
- Sp_^[]
- SetTTL
- SH_^[Y]
- SHZ_^[
- SH_^[]
- SH_^[]
- _^[YY]
- jjjjjjjj
- jjjjjj
- _^[YY]
- VMsgEnd
- VMsgEnd
- string
- ftpTransfer
- _^[YY]
- _^[YY]
- _^[YY]
- ^]_^[

- _^[YY]
- _^[YY]
- FBytes
- _^[YY]
- _^[YY]
- FFDSet
- _^[YY]
- _^[YY]
- QQQQQS3
- jjjjjjjj
- Fwpuclnt.dll
- MSWSOCK.DLL
- TFDSet
- _^[YY]
- PQRh$zt
- _^[YY]
- QQQQQQ3
- FDefWndProc
- FCtl3D
- _^[YY]
- FontsP
- h:mm AMPM
- h:mm:ss AMPM
- dddd, MMMM dd, yyyy
- M/d/yyyy
- %s, ProgID: "%s"
- %s, ClassID: %s
- WndProcPtr%.8X%.8X
- commdlg_help
- FFonts
- Jt'Jt5
- YZ]_^[
- $Z]_^[
- _^[YY]
- Y_^[Y]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- $Z]_^[
- YZ]_^[
- st;P`u
- XD;PHu
- _^[YY]
- C`;Clt
- Cd;Cpt
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- S0_^[]
- _^[YY]
- +WH+W@
- HelpSystem\\
- FHelpSystem
- string

- HintStr
- string
- HintStr
- tagMSG
- tmShow
- Widthp-c
- FForms
- FFonts
- mdNull
- OnDblClickp-c
- TForm,
- FRight
- TWMKey
- FStyle
- ssFlat
- StdActns
- _^[YY]
- R _^[Y]
- ComCtrls
- uB;P t=
- uC:P&t;>
- ComCtrls
- ComCtrls.
- StepBy
- FStyle
- ComCtrls
- ComCtrls
- ComCtrls
- Ctl3DD
- ComCtrlsZ
- ComCtrls
- ltDraw
- string
- string
- ComCtrls
- ComCtrls
- ComCtrls
- stBoth
- stText
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- cdsHot
- ComCtrls
- ComCtrls
- ExtCtrls
- ExtCtrls
- Stretchh
- ExtCtrls$
- FStretch
- _^[YY]
- L$%#T$
- L$%#T$
- Sh;S\\r
- P(;S@v

- P ;S@v
- D$(;C$v
- S,;S(s
- T$$J;D$ v0
- `;t$ v?
- l$()t$,
- ;t$,v:
- l$()t$,
- L$(#L$<
- l$()t$,
- t:;t$,v
- l$()t$,
- D$(#D$8
- SxJ)St
- Sl#S4f
- Sl#S4f
-)sp)sl)k\\
- ;ClwpV
- {<+{t+{l
- YZ]_^[
- _^[YY]
- WordWrapp-c
- StdCtrls1
- StdCtrls
- StdCtrls
- StdCtrls
- StdCtrls
- StdCtrlsB
- StdCtrls
- StdCtrls
- WordWrapp-c
- StdCtrls,
- StdCtrls
- string
- TFNDrawText
- StdCtrls
- StdCtrls
- _^[YY]
- PdYZ_^
- YZ]_^[
- _^[YY]
- $YZ]_^[
- Q@]_^[
- @?:F?v
- Q@]_^[
- P?:S?u
- Q@]_^[
- _^[YY]
- _^[YY]
- Sh]_^[
- _^[YY]
- R$;C4|
- _^[YY]
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- S4_^[Y]
- S4_^[]
- Rp]_^[

- Widthp-c
- FWidth
- !"#$%
- FNewComCtrls
- ttBranch
- ttGlyphClosed
- ttbThumbTicsVert
- ttbThumbTics
- ttbThumbRightHot
- ttbThumbHot
- ttbTrackVert
- ttbTrack
- ttBody
- tspProgList
- tsThumbBtnVertPressed
- tsThumbBtnVertHot
- tsThumbBtnHorzPressed
- tsThumbBtnHorzHot
- tpChunkVert
- tpChunk
- tlEmptyText
- _^[YY]
- _^[YY]
- Jt'Jt5
- BP_^[]
- t ;^dt
- G Z_^[
- QQQQQSVW
- S`_^[Y]
- _^[YY]
- G VhXPh
- FLVh(Oh
- ^dVhdJh
- ^dVhdJh
- $Z]_^[
- S<_^[]
- YZ]_^[
- YZ]_^[
- YZ]_^[
- YZ]_^[
- YZ]_^[
- _^[YY]
- YZ]_^[
- YZ]_^[
- _^[YY]
- _^[YY]
- YZ]_^[
- +WH+W@
- _^[YY]
- ;s4t=;
- _^[YY]
- YZ]_^[
- ;FLt_3
- ty;^@u
- RhZ_^[
- YZ]_^[
- t%Jt?Jt[

- YZ]_^[
- S$_^[]
- SPhT>g
- _^[YY]
- FStyle
- bhsStandard
- FShiftBy
- FOldWndProc
- FBrush
- ScrollBy
- %s (%s)
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- FDefWndProc
- FCtl3D
- FBrush
- bkFlat
- bkSoft
- Scratch
- LRDockWidth
- FOnDblClick
- FLRDockWidth
- FWidth
- RightH
- RightH
- FRight
- sfFont
- sfWidth
- sfLeft
- dkDock
- dkDrag
- mbRight
- mbLeft
- FBrush
- HintStr
- $Z]_^[
- R4Z_^[
- R4Z_^[
- R4Z_^[
- R4Z_^[
- R4Z_^[
- $;Ctt?
- R4]_^[
- R4]_^[
- R4Z_^[
- $;Clt?
- R4Z_^[
- $:Cjtc
- R4Z_^[
- R4]_^[
- S`Z]_^[
- YZ]_^[
- ShortCutHnf
- HintStr

- HintStr
- string
- HintStr
- Contnrs
- Contnrs
- TStack
- TStack
- Contnrs
- Contnrs
- Contnrs
- _^[YY]
- Sh_^[]
- C(_^[Y]
- ;x t9VW
- _^[YY]
- MS Shell Dlg 2
- D$LPkD$XdPW
- D$HPkD$TdPV
- |$(EMFt
- D$HPkD$TdPV
- D$LPkD$XdPV
- T$$+T$
- T$ +T$
- kD$PdP
- kD$TdP
- _^[YY]
- Sh_^[]
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- QQQQQQSV
- C ;C$s
- E$PVSj
- R$_^[]
- SdYZ_^[
- R$_^[YY]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[Y]
- R$_^[]
- R$_^[]
- R$_^[]
- R$_^[]
- FWidth
- wifPng
- wifBmp
- MMWidth
- FWidth
- Widthp-c
- Widthp-c
- string
- StretchDraw
- FBrush

- TextFlagsp-c
- TryLock
- StretchDraw
- tfRight
- tfLeft
- TBrush
- TBrush&
- TFont&
- bsCross
- TBrushStyle
- pmMask
- pmCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- fqDraft
- %s (%s)|%1:s|
- %s (*.%s)|*.%1:s
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- dword:
- Strings
- Strings
- rdString
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- FTicks
- PFNTVCOMPARE
- _^[YY]
- R4_^[]
- _^[YY]
- QQQQQS3
- QQQQQQQQS3
- _^[YY]
- QQQQS3
- _^[YY]
- QQQQQQQS
- QQQQQSV
- _^[YY]
- _^[YY]
- $YZ_^[
- _^[YY]
- $Z]_^[
- _^[YY]
- QQQQQQQSVW

- Sd]_^[
- S$_^[Y]
- _^[YY]
- \\\\?\\UNC\\
- jjjjjj
- Strings
- %s[%d]
- _^[YY]
- _^[YY]
- $Z]_^[
- $Z]_^[
- YZ]_^[
- SystemD
- System\\
- TArray<System.string>
- FVCLComObject
- string
- string
- string
- string
- string
- string
- string
- string
- string
- string
- grfStatFlag
- statstg
- Rights
- TStringList
- TStringList&
- FString
- Text\\Sc
- TStrings
- Strings
- Strings
- Strings
- Strings
- TStrings&
- FStrings
- TBits'
- TList'
- string
- TGetStrProc
- ssRight
- ssLeft
- ssCtrl
- ssShift
- _^[YY]
- _^[YY]
- tkWString
- tkLString
- tkWChar
- tkClass
- tkString
- tkChar
- t~h@_u

- _^[YY]
- String
- _^[YY]
- r!t2Ht[
- QQQQSV
- _^[YY]
- _^[YY]
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- _^[YY]
- YZ]_^[
- YZ]_^[
- YZ]_^[
- (Z]_^[
- System
- $Z]_^[
- $YZ_^[
- _^[YY]
- $Z]_^[
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- $Z]_^[
- t,HtYH
- jjjjjj
- StrLength
- jjjjjjj
- jjjjjjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- _^[YY]
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[YY]
- _^[YY]
- $Z]_^[
- _^[YY]
- YZ]_^[
- TProch
- TMBCSEncodingp
- TMBCSEncoding&
- Length
- StrLength
- Length
- FLength
- SystemL
- FSysLangs
- System
- dwType
- tagSTATSTGH
- dwFlags
- TWMKey
- dwBlock
- dwWant

- tagMSG
- dsBmih
- dmPelsWidth
- bmBits
- bmWidthBytes
- bmWidth
- bmType
- nLength
- HBRUSH
- PRTLCriticalSectionDebug\\
- PRTLCriticalSection<
- _LIST_ENTRY
- _^[YY]
- ,tdBHu
- QQQQSV
- sr-Cyrl-ME
- sr-Cyrl-RS
- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh
- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb
- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- Z_^[XX
- SVWRPj
- ;Z]_^[
- _^[YY]
- _^[YY]
- ZTUWVSPR
- YZXtm1
- _^[YY]
-
- ~]x[])
- Ht Ht.
- bytes:
- PResStringRec@$`
- VBytes
- VWords
- VLongs
- VString

- PShortString
- System
- System
- System
- System
- TClassD
- string
- System
- System
- ShortString
- System
- B.rsrc
- MSH_SCROLL_LINES_MSG
- jjjjjj

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Random (Look for Random function)
- Delphi_CompareCall (Look for Compare string function)

• Module 2 strings

• Module 2 most interesting strings

- path | path unit: C:\\Builds\\TP\\rtl\\common\\SyncObjs.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\Classes.pas
- path | path unit: C:\\Builds\\TP\\rtl\\common\\TypInfo.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- path | path unit: C:\\Builds\\TP\\rtl\\sys\\SysUtils.pas
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | urlmon: Extract
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage

• api | kernel32: SetThreadPreferredUILanguages
• api | kernel32: GetThreadPreferredUILanguages

• Module 2 other strings

• LastErrorMsg
• LastError\\
• LazyWrite
• CurrentPath
• CurrentKey\\
• Registry
• TRegistry
• WriteTime
• WriteExpandString
• WriteString
• WriteInteger
• WriteFloat
• WriteDateTime
• WriteDate
• WriteBool
• BufSize
• Buffer
• WriteBinaryData
• WriteCurrency
• ValueExists
• UnLoadKey
• FileName
• SaveKey
• FileName
• RestoreKey
• BackUpFileName
• FileName
• ReplaceKey
• NewName
• OldName
• RenameValue
• UNCName
• RegistryConnect
• ReadTime
• ReadString
• ReadInteger
• ReadFloat
• ReadDateTime
• ReadDate
• ReadBool
• BufSize
• Buffer
• ReadBinaryData
• ReadCurrency
• OpenKeyReadOnly
• CanCreate
• OpenKey
• Delete
• NewName
• OldName
• MoveKey

- FileName
- LoadKey
- KeyExists
- HasSubKeys
- GetValueNames
- GetKeyNames
- GetKeyInfo
- ValueName
- GetDataType
- ValueName
- GetDataSize
- ValueName
- GetDataInfo
- PrefixType
- ValueName
- GetDataAsString
- DeleteValue
- DeleteKey
- CreateKey
- CloseKey
- Destroy
- AAccess
- Create
- Create
- TRegistry&
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- Registry
- rdBinary
- rdInteger
- rdExpandString
- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen
- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- Registry
- ERegistryException
- ERegistryException
- :THandleObject.:1
- TCriticalSection@
- TryEnter
- Release
- Acquire
- Destroy

- Create
- TCriticalSection&
- FSection
- TEventp
- UseCOMWait
- Create
- UseCOMWait
- InitialState
- ManualReset
- EventAttributes
- Create
- TEvent
- Handle
- LastError
- THandleObject
- UseCOMWait
- SignaledObj
- Timeout
- HandleObjs
- WaitForMultiple
- Timeout
- WaitFor
- Destroy
- UseCOMWait
- Create
- THandleObject:
- FUseCOMWait
- FLastError
- FHandle
- THandleObjectArray
- TSynchroObject
- Timeout
- WaitFor
- Timeout
- WaitFor
- Release
- Acquire
- TSynchroObject'
- wrIOCompletion
- wrError
- wrAbandoned
- wrTimeout
- wrSignaled
- TWaitResult
- TTimeSpan
- Wincodec
- IWICBitmap
- Wincodec
- IWICBitmapSourceh
- lParamSort
- lParam2
- lParam1
- _TREEITEM
- HTREEITEM
- Classes
- $TComponent.FindComponent$1499$ActRec4
- $TComponent.FindComponent$1499$ActRec

- Classes
- $TComponent.FindComponent$1499$0$Intfh
- Classes
- TAnonymousThread$
- Create
- TAnonymousThread5
- Classes
- TExternalThreadP
- Create
- TExternalThread&
- Classes
- :TReader.:1
- Classes
- TPropIntfFixup
- Reference
- ResolveReference
- TPropIntfFixupC
- Classes
- TPropFixup
- Reference
- ResolveReference
- MakeGlobalReference
- RootName
- PropInfo
- InstanceRoot
- Instance
- Create
- TPropFixup
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- C0;C4u
- kernel32.dll
- Assertion failure
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass
- .%4:.7d
- %1:.2d:%2:.2d:%3:.2d
- InitCommonControlsEx
- comctl32.dll
- TPUtilWindow
- ClassName:
- Component already destroyed:
- Component reference name should always be non blank
- .Owner
- Classes
- TList.Sort876ActRecX
- TList.Sort876ActRec
- Compare
- Classes
- TList.Sort$876$0$Intfh
- Classes
- TIntConst
- AIntToIdent
- AIdentToInt

- AIntegerType
- Create
- TIntConstf
- IntToIdent
- IdentToInt
- IntegerType
- ActiveClass
- Classes
- TRegGroups
- Module
- UnregisterModuleClasses
- AClass
- UnregisterClass
- Unlock
- AClass
- StartGroup
- AClass
- Registered
- AClass
- RegisterClassAlias
- AClass
- RegisterClass
- AGroupClass
- AClass
- GroupWith
- AClass
- GroupedWith
- AClassName
- GetClass
- AClass
- AddClass
- AClass
- Activate
- Destroy
- Create
- TRegGroups&
- FActiveClass
- FGroups
- Active
- Classes
- TRegGroup
- Module
- UnregisterModuleClasses
- AClass
- UnregisterClass
- AClass
- Registered
- AClass
- RegisterClassAlias
- AClass
- RegisterClass
- AClass
- InGroup
- GetClasses
- AClassName
- GetClass
- AClass

- AddClass
- AClass
- Group2
- Group1
- BestGroup
- Destroy
- AClass
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- Message
- TMessage
- Message
- TWndMethod
- TIntToIdent
- TIdentToInt
- TIdentMapEntry
- TArray<System.TObject>
- OnUpdate,
- OnExecutep-c
- ActionComponentp-c
- Classes
- TBasicActiont
- Update
- UnRegisterChanges
- RegisterChanges
- Execute
- Target
- ExecuteTarget
- Target
- UpdateTarget
- Target
- HandlesTarget
- Destroy
- AOwner
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChanget
- Actionp-c
- Classes
- TBasicActionLinkX
- Update
- AComponent
- Execute
- Destroy
- AClient
- Create
- TBasicActionLink7
- FAction

- FOnChange
- VCLComObject
- DesignInfo
- ComponentStyle
- ComponentStateT
- ComponentIndex
- ComponentCount
- ComObject
- Classes
- TComponent
- Operation
- ReferenceInterface
- IsImplementorOf
- Action
- UpdateAction
- ExceptAddr
- ExceptObject
- SafeCallException
- IsSubComponent
- SetSubComponent
- AComponent
- RemoveComponent
- AComponent
- InsertComponent
- HasParent
- GetNamePath
- GetParentComponent
- GetEnumerator
- FreeOnRelease
- AComponent
- RemoveFreeNotification
- AComponent
- FreeNotification
- FindComponent
- Action
- ExecuteAction
- Destroying
- DestroyComponents
- BeforeDestruction
- Destroy
- AOwner
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FOwner
- Classes
- IDesignerNotifyh
- TComponentName
- TComponent
- TGetChildProc
- TComponentStyle
- Classes

- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- Classes
- csDesignInstance
- csInline
- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying
- csWriting
- csReading
- csLoading
- Classes
- opRemove
- opInsert
- TOperation
- Current
- Classes
- TComponentEnumerator
- MoveNext
- GetCurrent
- AComponent
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- OnTerminate
- ThreadIDp-c
- Suspended
- Priority
- Handle<
- Finished
- FreeOnTerminate
- FatalException
- ExternalThreadD
- Classes
- TThread
- Timeout
- Iterations
- SpinWait
- AThreadID
- AThreadName
- NameThreadForDebugging
- AMethod
- RemoveQueuedEvents
- AThread
- RemoveQueuedEvents
- AThreadProc
- AThread
- Synchronize
- AThreadProc
- AThread

- AMethod
- AThread
- StaticSynchronize
- AMethod
- AThread
- Synchronize
- AMethod
- AThread
- StaticQueue
- AMethod
- AThread
- RemoveQueuedEvents
- AMethod
- AThread
- SetReturnValue
- CheckTerminated
- WaitFor
- Terminate
- Suspend
- Resume
- AfterConstruction
- ThreadProc
- CreateAnonymousThread
- Destroy
- CreateSuspended
- Create
- Create
- TThread&
- FExternalThread
- FFatalException
- FSynchronize
- FOnTerminate
- FReturnValue
- FFinished
- FFreeOnTerminate
- FSuspended
- FTerminated
- FCreateSuspended
- FThreadID
- FHandle
- FSynchronizeException
- FProcedure
- FMethod
- FThread
- TThread.TSynchronizeRecord
- Classes
- tpTimeCritical
- tpHighest
- tpHigher
- tpNormal
- tpLower
- tpLowest
- tpIdle
- TThreadPriority
- Classes
- TThreadProcedureh
- TThreadMethod

- Classes
- EThreadExternalException
- EThreadExternalException
- Classes
- EThread
- EThread
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor
- RootAncestor
- Position
- Classes
- TWriter
- WriteVariant
- WriteWideString
- WriteString
- WriteUTF8Str
- WriteStr
- WriteSignature
- WriteRootComponent
- Instance
- WriteProperties
- WriteListEnd
- WriteListBegin
- WriteInteger
- WriteInteger
- WriteIdent
- WriteDate
- WriteCurrency
- WriteDouble
- WriteSingle
- WriteFloat
- AAncestor
- WriteDescendent
- WriteWideChar
- WriteChar
- Component
- WriteComponent
- WriteCollection
- WriteBoolean
- FlushBuffer
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList

- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- Ancestor
- Component
- Writer
- TComponent
- RootAncestor
- TComponent
- Ancestor
- TComponent
- Component
- TWriter
- Writer
- TFindAncestorEvent
- OnFindComponentInstance
- OnFindComponentClass
- OnCreateComponentx
- OnAncestorNotFound,
- OnReferenceName
- OnSetNameL
- OnFindMethodInstance
- OnFindMethod
- OnError
- Position
- Parent
- Owner
- Classes
- TReader
- SkipValue
- Writer
- CopyValue
- ReadVariant
- ReadValue
- ReadWideString
- ReadString
- ReadStr
- ReadSignature
- ReadRootComponent
- AChildPos
- ReadPrefix
- ReadListEnd
- ReadListBegin
- ReadInt64
- ReadInteger
- ReadIdent
- ReadDate
- ReadCurrency

- ReadDouble
- ReadSingle
- ReadFloat
- AParent
- AOwner
- ReadComponents
- Component
- ReadComponent
- Collection
- ReadCollection
- ReadWideChar
- ReadChar
- ReadBoolean
- NextValue
- FlushBuffer
- FixupReferences
- EndReferences
- EndOfList
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- CheckValue
- BeginReferences
- Destroy
- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance
- FOnCreateComponent
- FOnFindComponentClass
- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Reader
- Pointer
- Instance
- TReader
- Reader
- TFindComponentInstanceEvent
- AMethod
- MethodName
- Reader
- Boolean

- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- ComponentClass
- Reader
- TComponent
- Component
- TComponentClass
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader
- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean
- Handled
- Message
- TReader
- Reader
- TReaderError
- Component
- TComponent
- Component
- TReadComponentsProc
- Component
- ComponentClass
- ComponentName
- Reader
- TComponent
- Component
- TPersistentClass
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Reader
- TReader
- Reader
- TReferenceNameEvent
- Component
- Reader
- TComponent

- Component
- TReader
- Reader
- TSetNameEvent
- Address
- MethodName
- Reader
- Boolean
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClass
- IgnoreChildren
- Ancestor
- LookupRootIGc
- Classes
- TFilerx
- FlushBuffer
- HasData
- WriteData
- ReadData
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- DefineProperty
- Destroy
- BufSize
- Stream
- Create
- TFilerG
- FIgnoreChildren
- FAncestor
- FLookupRoot
- FBufEnd
- FBufPos
- FBufSize
- FBuffer
- FStream
- Classes
- IInterfaceComponentReferenceh
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags

- Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaWString
- vaDate
- vaCurrency
- vaSingle
- vaCollection
- vaLString
- vaBinary
- vaTrue
- vaFalse
- vaIdent
- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- Classes
- TClassFinder\\
- GetClasses
- AClassName
- GetClass
- Destroy
- AIncludeActiveGroups
- AClass
- Create
- TClassFinderT
- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- StreamOwnership
- Stream
- Classes
- TStreamAdapter
- dwLockType
- libOffset
- UnlockRegion
- dwLockType
- libOffset
- LockRegion
- Revert
- grfCommitFlags
- Commit
- cbWritten
- cbRead

- CopyTo
- libNewSize
- SetSize
- libNewPosition
- dwOrigin
- dlibMove
- pcbWritten
- pcbRead
- Destroy
- Ownership
- Stream
- Create
- TStreamAdapterI
- FOwnership
- FStream
- Classes
- soOwned
- soReference
- TStreamOwnership
- Classes
- TResourceStream,zc
- Buffer
- Destroy
- ResType
- Instance
- CreateFromID
- ResType
- ResName
- Instance
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- Classes
- TMemoryStream
- Buffer
- NewSize
- SetSize
- FileName
- LoadFromFile
- Stream
- LoadFromStream
- Destroy
- TMemoryStream'
- FCapacity
- Memory
- Classes
- TCustomMemoryStream
- FileName
- SaveToFile
- Stream
- SaveToStream
- Origin
- Offset
- Buffer
- TCustomMemoryStreamC
- FPosition

- FMemory
- FileName
- Classes
- TFileStream
- Destroy
- AFileName
- Create
- AFileName
- Create
- TFileStreamG
- FFileName
- Handle
- Classes
- THandleStream
- Origin
- Offset
- Buffer
- Buffer
- AHandle
- Create
- THandleStream7
- FHandle
- Classes
- IStreamPersisth
- Position
- Classes
- TStream\\kc
- ReadResHeader
- FixupInfo
- FixupResourceHeader
- FixupInfo
- ResName
- WriteResourceHeader
- Ancestor
- Instance
- ResName
- WriteDescendentRes
- Ancestor
- Instance
- WriteDescendent
- Instance
- ResName
- WriteComponentRes
- Instance
- WriteComponent
- Instance
- ReadComponentRes
- Instance
- ReadComponent
- Source
- CopyFrom
- Buffer
- WriteBuffer
- Buffer
- ReadBuffer
- Origin
- Offset

- Origin
- Offset
- Buffer
- Buffer
- TStreamC
- OwnsObjects
- OnChanging
- OnChangep-c
- CaseSensitivep-c
- Sorted
- Duplicates
- Classes
- Compare
- CustomSort
- AObject
- InsertObject
- Insert
- IndexOf
- Index2
- Index1
- Exchange
- Delete
- Source
- Assign
- AObject
- AddObject
- Destroy
- OwnsObjects
- Create
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted
- FCapacity
- FCount
- Index2
- Index1
- TStringListSortCompare"
- TStringItemList
- PStringItemList
- FObject
- TStringItem
- WriteBOM
- StringsAdapter
- StrictDelimiter\\
- NameValueSeparator
- QuoteCharL
- LineBreakL
- Encoding\\
- DelimitedTextP
- Delimiter\\
- DefaultEncodingL
- CountP
- CommaText

- Capacity\\
- Classes
- ToObjectArray
- ToStringArray
- SetText
- Encoding
- Stream
- SaveToStream
- Stream
- SaveToStream
- Encoding
- FileName
- SaveToFile
- FileName
- SaveToFile
- NewIndex
- CurIndex
- Encoding
- Stream
- LoadFromStream
- Stream
- LoadFromStream
- Encoding
- FileName
- LoadFromFile
- FileName
- LoadFromFile
- AObject
- InsertObject
- Insert
- AObject
- IndexOfObject
- IndexOfName
- IndexOf
- GetText
- GetEnumerator
- Index2
- Index1
- Exchange
- Equals
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- Objects
- AddStrings
- AddStrings
- AddStrings
- Append
- AObject
- AddObject
- Destroy
- Create
- FWriteBOM
- FAdapter
- FUpdateCount

- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefaultEncoding
- FDefined
- FEncoding
- Current
- Classes
- TStringsEnumeratortTc
- MoveNext
- GetCurrent
- AStrings
- Create
- TStringsEnumerator8
- FIndex
- TStringsDefined
- Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- Classes
- IStringsAdapterh
- Classes
- TOwnedCollection|Rc
- ItemClass
- AOwner
- Create
- TOwnedCollectionI
- FOwner
- ItemClass
- Capacity
- Classes
- TCollection
- Insert
- GetNamePath
- GetEnumerator
- FindItemID
- EndUpdate
- Delete
- BeginUpdate
- Source
- Assign
- Destroy
- ItemClass
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current
- Classes

- TCollectionEnumerator@Lc
- MoveNext
- GetCurrent
- ACollection
- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClass
- DisplayName
- Index\\
- Collection
- Classes
- TCollectionItem
- GetNamePath
- Destroy
- Collection
- Create
- TCollectionItem:
- FCollection
- Classes
- TInterfacedPersistent`Hc
- AfterConstruction
- QueryInterface
- TInterfacedPersistentH
- FOwnerInterface
- TPersistentClasslGc
- Classes
- TPersistent
- GetNamePath
- Source
- Assign
- Destroy
- TPersistent'
- Classes
- TBits\\Ec
- OpenBit
- Destroy
- Duplicates
- Classes
- TThreadList
- UnlockList
- Direction
- RemoveItem
- Remove
- LockList
- Destroy
- Create
- TThreadList&
- FDuplicates
- CountH8c
- Capacity
- Classes
- AOperator
- Assign
- Compare
- SortList

- Compare
- Direction
- RemoveItem
- Remove
- NewIndex
- CurIndex
- Insert
- Direction
- IndexOfItem
- IndexOf
- GetEnumerator
- Direction
- ExtractItem
- Expand
- Index2
- Index1
- Exchange
- Delete
- Destroy
- FCapacity
- FCount
- Classes
- FromEnd
- FromBeginning
- TList.TDirection
- Current
- Classes
- TListEnumerator
- MoveNext
- GetCurrent
- Create
- TListEnumerator5
- FIndex
- Classes
- laDestUnique
- laSrcUnique
- laCopy
- TListAssignOp
- Classes
- TListSortCompareFunch
- TListSortCompare
- TPointerList
- PPointerList`8c
- Classes
- dupError
- dupAccept
- dupIgnore
- TDuplicates
- Classes
- EInvalidOperation
- EInvalidOperation
- Classes
- EOutOfResources
- EOutOfResources07c
- Classes
- EComponentErrort6c
- EComponentError

- Classes
- EStringListError
- EStringListError
- Classes
- EBitsError<5c
- EBitsError
- Classes
- EListError
- EListError
- Classes
- EResNotFound
- EResNotFound
- Classes
- EInvalidImagep3c
- EInvalidImage
- Classes
- EClassNotFound
- EClassNotFound
- Classes
- EWriteError<2c
- EWriteErrorT2c
- Classes
- EReadError
- EReadError
- Classes
- EFilerError
- EFilerError(1c
- Classes
- EFOpenErrorx0c
- EFOpenError
- Classes
- EFCreateError
- EFCreateError
- Classes
- EFileStreamError
- FileName
- ResStringRec
- Create
- EFileStreamErrorN
- Classes
- EStreamErrorD.c
- EStreamError
- Sender
- TObject
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htContext
- htKeyword
- THelpType
- THelpContext
- TShiftState
- Classes
- ssTouch
- ssDouble
- ssMiddle

- Classes
- taVerticalCenter
- taAlignBottom
- taAlignTop
- TVerticalAlignment
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- TLeftRight
- Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- Classes
- soCurrent
- soBeginning
- TSeekOrigin
- NameIndex
- Default
- StoredProc
- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfop
- TTypeInfo
- PTypeInfo
- PPTypeInfo
- TypInfo
- tkProcedure
- tkPointer
- tkClassRef
- tkUString
- tkDynArray
- tkInt64
- tkInterface
- tkRecord
- tkArray
- tkVariant
- tkMethod
- tkFloat
- tkEnumeration
- tkInteger
- tkUnknown
- TTypeKind
- Variants
- Assertion failure
- ByRef
- Array
- UnicodeString
- UInt64
- LongWord

- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Dispatch
- OleStr
- Currency
- Double
- Single
- Integer
- Smallint
- Variants
- EVariantInvalidNullOpError
- EVariantInvalidNullOpError
- Variants
- EVariantDispatchError
- EVariantDispatchError
- Variants
- EVariantUnexpectedError\\
- EVariantUnexpectedError
- Variants
- EVariantOutOfMemoryError
- EVariantOutOfMemoryError
- Variants
- EVariantNotImplError
- EVariantNotImplError
- Variants
- EVariantArrayCreateErrorH
- EVariantArrayCreateError
- Variants
- EVariantArrayLockedError
- EVariantArrayLockedError
- Variants
- EVariantBadIndexError
- EVariantBadIndexError
- Variants
- EVariantBadVarTypeError8
- EVariantBadVarTypeError\\
- Variants
- EVariantInvalidArgError
- EVariantInvalidArgError
- Variants
- EVariantOverflowError
- EVariantOverflowError
- Variants
- EVariantTypeCastError0
- EVariantTypeCastError
- Variants
- EVariantInvalidOpError
- EVariantInvalidOpError
- VarType
- Variants
- TCustomVariantTypep
- Relationship
- Compare
- Operator

- CompareOp
- Operator
- UnaryOp
- Operator
- BinaryOp
- Indirect
- Source
- Source
- CastToOle
- AVarType
- Source
- CastTo
- Source
- IsClear
- Destroy
- RequestedVarType
- Create
- Create
- TCustomVariantType&
- FVarType
- Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- TArray<SysUtils.TUnitHashEntry>
- UnitHashArray
- Validated
- TModuleInfo
- FullHash
- DupsAllowed
- UnitName
- LibModule
- TUnitHashEntry
- PUnitHashEntry
- TErrorRec
- SysUtils0
- oleaut32.dll
- 1201 (Unicode - Big-Endian)

- 1200 (Unicode)
- StartIndex
- StartIndex
- StartIndex
- RemLength
- StartIndex
- CharCount
- StartIndex
- DestinationIndex
- Assertion failure
- kernel32.dll
- Assertion failure
- Assertion failure
- TStrData
- .u:EOu
- maccroatian
- macturkish
- maciceland
- maccentraleurope
- macthai
- macukraine
- macromania
- maccyrillic
- macgreek
- machebrew
- macarabic
- macroman
- macintosh
- cp1361
- tis620.2533-1
- tis620.2533-0
- tis620.2529-1
- tis620-0
- tis620
- tis-620
- iso-ir-166
- windows-874
- csibm869
- ibm869
- csibm866
- ibm866
- csibm865
- ibm865
- csibm864
- ibm864
- csibm863
- ibm863
- cspc862latinhebrew
- ibm862
- csibm861
- ibm861
- csibm860
- ibm860
- csibm857
- ibm857
- csibm855
- ibm855

- cspcp852
- ibm852
- cspc850multilingual
- ibm850
- cspc775baltic
- ibm775
- cspc8codepage437
- ibm437
- gb18030
- hz-gb-2312
- cseuctw
- euc-tw
- euc-kr
- euc-cn
- cseucpkdfmtjapanese
- euc-jp
- iso-2022-cn
- csiso2022kr
- iso-2022-kr
- csiso2022jp
- iso-2022-jp
- koi8-u
- csiso58gb231280
- iso-ir-58
- gb_2312-80
- chinese
- koi8-r
- windows-1258
- cp1258
- windows-1257
- cp1257
- windows-1256
- cp1256
- windows-1255
- cp1255
- windows-1254
- cp1254
- windows-1253
- cp1253
- windows-1252
- cp1252
- windows-1251
- cp1251
- windows-1250
- cp1250
- utf-16be
- utf-16le
- utf-16
- csunicode
- csbig5
- cn-big5
- bigfive
- big-five
- csksc56011987
- ks_c_5601-1989
- ks_c_5601-1987
- ksc_5601

- korean
- iso-ir-149
- csgb2312
- gb2312
- windows-936
- csshiftjis
- shift_jis
- shift-jis
- iso_8859-16:2001
- iso_8859-16
- iso8859-16
- iso-ir-226
- iso-8859-16
- iso_8859-15:1998
- iso_8859-15
- iso8859-15
- iso-ir-203
- iso-8859-15
- iso_8859-14:1998
- iso_8859-14
- iso8859-14
- iso-ir-199
- iso-celtic
- iso-8859-14
- iso_8859-13
- iso8859-13
- iso-ir-179
- iso-8859-13
- iso_8859-11
- iso8859-11
- iso-8859-11
- csisolatin6
- iso_8859-10:1992
- iso_8859-10
- iso8859-10
- iso-ir-157
- iso-8859-10
- csisolatin5
- iso_8859-9:1989
- iso_8859-9
- iso8859-9
- iso-ir-148
- iso-8859-9
- csisolatinhebrew
- iso_8859-8:1988
- iso_8859-8
- iso8859-8
- iso-ir-138
- iso-8859-8
- hebrew
- iso_8859-7:2003
- iso_8859-7:1987
- iso_8859-7
- iso8859-7
- iso-8859-7
- greek8
- csisolatinarabic

- iso_8859-6:1987
- iso_8859-6
- iso8859-6
- iso-ir-127
- iso-8859-6
- ecma-114
- asmo-708
- arabic
- csisolatincyrillic
- iso_8859-5:1988
- iso_8859-5
- iso8859-5
- iso-ir-144
- iso-8859-5
- cyrillic
- csisolatin4
- iso_8859-4:1988
- iso_8859-4
- iso8859-4
- iso-ir-110
- iso-8859-4
- csisolatin3
- iso_8859-3:1988
- iso_8859-3
- iso8859-3
- iso-ir-109
- iso-8859-3
- csisolatin2
- iso_8859-2:1987
- iso_8859-2
- iso8859-2
- iso-ir-101
- iso-8859-2
- csisolatin1
- iso_8859-1:1987
- iso_8859-1
- iso8859-1
- iso-ir-100
- iso-8859-1
- ibm819
- csunicode11utf7
- csascii
- us-ascii
- SysUtils
- SysUtils
- TBigEndianUnicodeEncoding
- GetPreamble
- TBigEndianUnicodeEncoding%
- SysUtils
- TUnicodeEncoding
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUnicodeEncoding&

- SysUtils
- TUTF8Encoding
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUTF8Encoding&
- SysUtils
- TUTF7EncodingH
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- Create
- TUTF7Encoding&
- SysUtils
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Create
- CodePage
- Create
- Create
- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- EncodingName
- CodePage\\
- SysUtils
- TEncoding
- GetStringT
- GetString
- GetPreamble
- ByteCount
- GetMaxCharCount
- CharCount
- GetMaxByteCount
- EncodingName
- GetEncoding
- CodePage
- GetEncoding
- GetChars/
- GetChars
- GetChars
- GetCharCount
- GetCharCount
- GetBytes
- GetBytes
- GetBytes

- GetBytes
- GetBytes
- CharCount
- CharIndex
- GetByteCount
- GetByteCount
- GetByteCount7
- GetByteCount
- GetBufferEncoding
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- FreeEncodings
- Convert-
- Convert
- TEncoding%
- FMaxCharSize
- FIsSingleByte
- SysUtils
- EEncodingError
- EEncodingError
- MaxCapacity
- Capacity
- SysUtils
- TStringBuilder(
- StartIndex
- ToString
- ToString
- StartIndex
- NewValue
- OldValue
- Replace
- StartIndex
- NewChar
- OldChar
- Replace
- NewValue
- OldValue
- Replace
- NewChar
- OldChar
- Replace
- RemLength
- StartIndex
- Remove
- InsertM
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- InsertD
- Insert

- Insert
- Insert
- Insert
- Insert
- Insert
- Insert
- StringBuilder
- Equals
- aCapacity
- EnsureCapacity
- CopyToA
- AppendLine
- AppendLine
- AppendFormat*
- StartIndex
- Append
- AppendX
- RepeatCount
- Append
- Append
- Append
- Append
- Append
- Append5
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- Append
- aCapacity
- StartIndex
- Create
- aCapacity
- Create
- aMaxCapacity
- aCapacity
- Create
- Create
- aCapacity
- Create
- Create
- TStringBuilder&
- FMaxCapacity
- TArray<System.Char>
- RevisionLevel
- SysUtils
- $TMultiReadExclusiveWriteSynchronizer
- EndWrite
- BeginWrite

- EndRead
- BeginRead
- Destroy
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- SysUtils
- TThreadLocalCounter
- Thread
- Thread
- Delete
- Thread
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- TThreadInfo
- PThreadInfo(
- SysUtils
- IReadWriteSynch
- SysUtils\\
- SysUtils\\
- NegCurrFormat
- TwoDigitYearCenturyWindow
- DecimalSeparator
- ThousandSeparator
- LongDayNames
- ShortDayNames
- LongMonthNames
- ShortMonthNames
- LongTimeFormat
- ShortTimeFormat
- TimePMString
- TimeAMString
- LongDateFormat
- ShortDateFormat
- ListSeparator
- TimeSeparator
- DateSeparator
- CurrencyDecimals
- CurrencyFormat
- CurrencyString
- TFormatSettings
- :TFormatSettings.:4
- :TFormatSettings.:3
- :TFormatSettings.:20
- :TFormatSettings.:10
- System0sa
- TArray<SysUtils.TLangRec>

- SysUtils
- ENotImplemented
- ENotImplemented
- SysUtils
- ENoMonitorSupportException
- ENoMonitorSupportException
- SysUtils
- EMonitorLockExceptionP
- EMonitorLockException
- SysUtils
- EMonitor
- EMonitor
- SysUtils
- ESafecallException
- ESafecallException
- SysUtils
- EOSErrord
- EOSError
- ErrorCode
- SysUtils
- EIntfCastError
- EIntfCastError
- SysUtils
- EAbstractError$
- EAbstractError
- SysUtils
- EAssertionFailed
- EAssertionFailed
- SysUtils
- EVariantError
- EVariantError
- SysUtils
- EControlCP
- EControlC
- SysUtils
- EStackOverflow
- EStackOverflow
- SysUtils
- EPrivilege
- EPrivilege
- SysUtils
- EAccessViolationt
- EAccessViolation
- SysUtils
- EConvertError
- EConvertError
- SysUtils
- EInvalidCast<
- EInvalidCast
- SysUtils
- EInvalidPointer
- EInvalidPointer
- SysUtils
- EUnderflow
- EUnderflow
- SysUtils
- EOverflowp

- EOverflow
- SysUtils
- EZeroDivide
- EZeroDivide
- SysUtils
- EInvalidOp@
- EInvalidOp
- SysUtils
- EMathError
- EMathError
- SysUtils
- EIntOverflow
- EIntOverflow
- SysUtils
- ERangeErrort
- ERangeError
- SysUtils
- EDivByZero
- EDivByZero
- SysUtils
- EIntErrorH
- EIntError
- SysUtils
- EExternalException
- EExternalException
- SysUtils
- EExternal
- EExternal
- ExceptionRecord
- SysUtils
- EInOutError0
- EInOutError
- ErrorCode
- SysUtils
- EOutOfMemory
- EOutOfMemory
- SysUtils
- EHeapException
- FreeInstance
- EHeapException,
- AllowFree
- SysUtils
- EAbort
- EAbort
- ExceptClass
- SysUtils
- EArgumentOutOfRangeException<|a
- EArgumentOutOfRangeException
- SysUtils
- EArgumentException
- EArgumentException
- StackInfo
- StackTrace
- Message\\
- InnerException\\
- HelpContext
- BaseException

- SysUtils
- Exception
- ThrowOuterException
- RaiseOuterException
- ToString
- GetBaseException
- Destroy
- CreateResFmtHelp’
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- CreateResHelp
- AHelpContext
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- CreateRes
- CreateRes
- CreateFmt8
- Create
- Exception3
- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- SysUtils
- TLanguages
- LocaleName
- IndexOf
- IndexOf
- Destroy
- Create
- TLanguages&
- FLocaleName
- TLangRec
- TArray<System.Byte>
- EIdent
- EClass
- TExceptRec
- ExcUtils
- etNotImplemented
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege
- etAccessViolation

- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- ?tE)!XU
- ?tE)!XU
- ?333333
- aINFNAN
- 111QQQ
- ActiveX
- IServiceProviderh
- ActiveX
- IPictureh
- ActiveX
- IPerPropertyBrowsingh
- ActiveX
- IConnectionPointh
- ActiveX
- IPropertyNotifySinkh
- ActiveX
- IPersistStreamInit
- ActiveX
- ISimpleFrameSiteh
- ActiveX
- IOleControlSiteh
- ActiveX
- IOleControlh
- ActiveX
- IOleInPlaceSite
- ActiveX
- IOleInPlaceObject
- ActiveX
- IOleInPlaceFrame
- ActiveX
- IOleInPlaceActiveObject
- ActiveX
- IOleInPlaceUIWindow
- ActiveX
- IOleWindowh
- ActiveX
- IOleObjecth
- ActiveX
- IOleClientSiteh
- ActiveX
- ITypeInfoh
- pfnDeferredFillIn
- pvReserved
- dwHelpContext
- bstrHelpFile
- bstrDescription
- bstrSource
- wReserved

- tagEXCEPINFO
- ExInfo
- TFNDeferredFillIn
- PExcepInfo
- TDispIDList
- PDispIDListp
- ActiveX
- IStream
- ActiveX
- ISequentialStreamh
- reserved
- grfStateBits
- grfLocksSupported
- grfMode
- cbSize
- pwcsName
- ActiveX
- IPersisth
- cAccel
- hAccel
- tagCONTROLINFO
- tagMULTI_QI
- Result
- MenuFlag
- TWMMenuChar
- Result
- KeyData
- Unused
- CharCode
- ResultHi
- ResultLo
- LParamHi
- LParamLo
- WParamHi
- WParamLo
- Result
- LParam
- WParam
- TMessage
- GESTURECONFIG
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odNoAccel
- odInactive
- odHotLight
- odDefault
- odFocused
- odChecked
- odDisabled
- odGrayed
- odSelected
- lParam
- wParam

- message
- dsOffset
- dshSection
- dsBitfields
- tagDIBSECTIONT
- dmPanningHeight
- dmPanningWidth
- dmICCModel
- dmICCManufacturer
- dmDitherType
- dmMediaType
- dmICMIntent
- dmICMMethod
- dmDisplayFrequency
- dmDisplayFlags
- dmPelsHeight
- dmBitsPerPel
- dmLogPixels
- dmFormName
- dmCollate
- dmTTOption
- dmYResolution
- dmDuplex
- dmColor
- dmPrintQuality
- dmDefaultSource
- dmCopies
- dmScale
- dmPaperWidth
- dmPaperLength
- dmPaperSize
- dmOrientation
- dmFields
- dmDriverExtra
- dmSize
- dmDriverVersion
- dmSpecVersion
- dmDeviceName
- _devicemodeW
- PDeviceModeW
- biClrImportant
- biClrUsed
- biYPelsPerMeter
- biXPelsPerMeter
- biSizeImage
- biCompression
- biBitCount
- biPlanes
- biHeight
- biWidth
- biSize
- tagBITMAPINFOHEADER(
- bmBitsPixel
- bmPlanes
- bmHeight
- tagBITMAP
- dwHighDateTime

- dwLowDateTime
- _FILETIME
- bInheritHandle
- lpSecurityDescriptor
- _SECURITY_ATTRIBUTES
- PSecurityAttributes
- HPALETTE
- HBITMAP
- HACCEL
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex
- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- PListEntry
- TSmallPoint
- tagSIZE
- BottomRight
- TopLeft
- Bottom
- TPoint
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA
- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- Unexpected Memory Leak
- UnicodeString
- AnsiString
- Unknown
- The sizes of unexpected leaked medium and large blocks are:
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress

- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecord
- Identifier
- Module
- TResStringRec
- Reserved
- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- TLibModule
- PLibModulep#`
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfo
- PTypeTable
- TTypeTable
- RawData
- VUString
- VPointer
- VArray
- VUInt64
- VInt64
- VLongWord
- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch
- VOleStr
- VCurrency
- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- TVarData
- Bounds
- LockCount
- ElementSize
- DimCount
- TVarArray
- PVarArray
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TDateTime

- PLongInt
- RawByteString
- RefCount
- TInterfacedObjectx
- NewInstance
- BeforeDestruction
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IDispatchh
- IInterface
- TObject
- Destroy
- FreeInstance
- NewInstance
- Message
- DefaultHandler
- Message
- Dispatch
- BeforeDestruction
- AfterConstruction
- ExceptAddr
- ExceptObject
- SafeCallException
- ToString
- GetHashCode
- Equals
- UnitName
- GetInterfaceTable
- GetInterfaceEntry
- GetInterface
- FieldAddress
- FieldAddress
- Address
- MethodName
- MethodAddress
- MethodAddress
- AClass
- InheritsFrom
- InstanceSize
- ClassInfo
- ClassParent
- ClassNameIs
- ClassName
- ClassType
- CleanupInstance
- Instance
- InitInstance
- Create
- TObject&
- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTable
- ImplGetter
- IOffset

- VTable
- TInterfaceEntry
- PInterfaceEntryh
- HRESULT
- OleVariant
- Variant
- AnsiString
- WideString
- LongBool
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- NativeUInt
- UInt64
- Cardinal
- Pointer
- Integer
- SmallInt
- ShortInt
- AnsiChar
- Boolean
- @.reloc
- .rdata
- .didata
- .idata
- `.data
- `.itext
- This program must be run under Win32
- 0@P`p
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- Software\\Embarcadero\\Locales
- kernel32.dll
- kernel32.dll
- Strings
- Strings
- rdString
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- FTicks
- PFNTVCOMPARE
- _^[YY]
- R4_^[]

- _^[YY]
- QQQQQS3
- QQQQQQQQS3
- _^[YY]
- QQQQS3
- _^[YY]
- QQQQQQQS
- QQQQQSV
- _^[YY]
- _^[YY]
- $YZ_^[
- _^[YY]
- $Z]_^[
- _^[YY]
- QQQQQQQSVW
- Sd]_^[
- S$_^[Y]
- _^[YY]
- \\\\?\\UNC\\
- jjjjjj
- Strings
- %s[%d]
- _^[YY]
- _^[YY]
- $Z]_^[
- $Z]_^[
- YZ]_^[
- SystemD
- System\\
- TArray<System.string>
- FVCLComObject
- string
- string
- string
- string
- string
- string
- string
- string
- string
- string
- grfStatFlag
- statstg
- Rights
- TStringList
- TStringList&
- FString
- Text\\Sc
- TStrings
- Strings
- Strings
- Strings
- Strings
- TStrings&
- FStrings
- TBits'
- TList'

- string
- TGetStrProc
- ssRight
- ssLeft
- ssCtrl
- ssShift
- _^[YY]
- _^[YY]
- tkWString
- tkLString
- tkWChar
- tkClass
- tkString
- tkChar
- t~h@_u
- _^[YY]
- String
- _^[YY]
- r!t2Ht[
- QQQQSV
- _^[YY]
- _^[YY]
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- _^[YY]
- YZ]_^[
- YZ]_^[
- YZ]_^[
- (Z]_^[
- System
- $Z]_^[
- $YZ_^[
- _^[YY]
- $Z]_^[
- _^[YY]
- _^[YY]
- _^[YY]
- _^[YY]
- $Z]_^[
- t,HtYH
- jjjjjj
- StrLength
- jjjjjjj
- jjjjjjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- _^[YY]
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[YY]
- _^[YY]
- $Z]_^[
- _^[YY]
- YZ]_^[
- TProch

- TMBCSEncodingp
- TMBCSEncoding&
- Length
- StrLength
- Length
- FLength
- SystemL
- FSysLangs
- System
- dwType
- tagSTATSTGH
- dwFlags
- TWMKey
- dwBlock
- dwWant
- tagMSG
- dsBmih
- dmPelsWidth
- bmBits
- bmWidthBytes
- bmWidth
- bmType
- nLength
- HBRUSH
- PRTLCriticalSectionDebug\\
- PRTLCriticalSection<
- _LIST_ENTRY
- _^[YY]
- ,tdBHu
- QQQQSV
- sr-Cyrl-ME
- sr-Cyrl-RS
- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh
- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb
- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- Z_^[XX
- SVWRPj

- ;Z]_^[
- _^[YY]
- _^[YY]
- ZTUWVSPR
- YZXtm1
- _^[YY]
-
- ~]x[]
- Ht Ht.
- bytes:
- PResStringRec@$`
- VBytes
- VWords
- VLongs
- VString
- PShortString
- System
- System
- System
- System
- TClassD
- string
- System
- System
- ShortString
- System
- B.rsrc
- MSH_SCROLL_LINES_MSG
- jjjjjj

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000009ea0c70001000000f1c6cd0033000000f1c6ce00b1000000f1c6cf0032000000009788300090000000097893002500000000000001001202000066eed8004d00000066eecd000200000066eec900010000000000097000100000066eecc00

• Module 3 yara matches

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: This is a compiled AutoIt script. AV researchers please email avsupport@autoitscript.com for support.
- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: Gt.Ht$
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CoCreateInstance

- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetCapture
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetAsyncKeyState
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: DeviceIoControl
- api | frequently used by malware: LoadResource
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: DllGetClassObject
- api | frequently used by malware: GetNativeSystemInfo
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- path | path unit: Y:/(A6>
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEndOfFile
- api | kernel32: WriteConsoleW
- api | kernel32: HeapReAlloc
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW

- api | kernel32: LCMapStringW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetDateFormatW
- api | kernel32: SetFilePointer
- api | kernel32: ReadConsoleW
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: GetStartupInfoW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetCommandLineW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetModuleHandleExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: InitiateSystemShutdownExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegQueryValueExW

- api | kernel32: RegOpenKeyExW
- api | user32: ReleaseCapture
- api | user32: CallWindowProcW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu
- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: DrawMenuBar
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: FillRect
- api | user32: DrawFrameControl
- api | user32: FrameRect
- api | user32: DrawTextW
- api | user32: DrawFocusRect
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetLayeredWindowAttributes
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: ClientToScreen
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage
- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput

- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: MonitorFromRect
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: CopyRect
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: ScreenToClient
- api | user32: SendMessageTimeoutW

- api | user32: EnumChildWindows
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: GetUserObjectSecurity
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: SetFocus
- api | user32: PostQuitMessage
- api | user32: KillTimer
- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: GetSystemDirectoryW
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: SetEvent
- api | kernel32: CreateEventW
- api | kernel32: GetShortPathNameW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW

- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange
- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: CopyFileW
- api | kernel32: MoveFileW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryA

- api | kernel32: FreeLibrary
- api | kernel32: GetSystemInfo
- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapFree
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThread
- api | kernel32: CloseHandle
- api | kernel32: GetLastError
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: lstrcmpiW
- api | kernel32: RaiseException
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | psapi: GetProcessMemoryInfo
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetProcessId
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: GetModuleHandleExW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: IsWow64Process
- api | kernel32: CreateFile2
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait

- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc

• Module 3 other strings

- 0 0$0p0t0x0|0
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 1 1$1(1,1014181<1H1L1P1T1X1\\1`1d1l1p1
- 9 9@9`9l9
- 808P8p8|8
- 707P7p7
- 6(6H6d6h6
- 80<0@0D0H0L0P0
- 8 888H8L8\\8`8p8t8|8
- (8,80848@8D8H8
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 83<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 9 9(90989@9H9P9X9`9h9p9x9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- \\8`8d8h8l8p8t8x8|8
- 7 8:8B8
- 4#4'4+4/43474;4?4C4G4K4O4S4W4[4_4c4g4k4o4s4w4{4
- 3#3'3+3/33373;3?3C3G3K3O3S3W3[3_3c3g3k3o3s3w3{3
- 0T1n1v1}1N2i2q2x2U3p3x3
- 8S9o9w9
- 2"2*212
- 0&1A1I1P1
- V0p0x0
- >6>>>E>
- 5$6?6I6w<O=i=q=
- R1p1w1?4Z4d4
- 7-747v7}7
- 2#2G2K2O2S2W2[2_2c2g2k2o2s2w2{2
- ;1;8;U<\\<c<
- 474Q4k4
- Z0X2r2
- 2N4[4a4
- 2<2G2S2e2k2w2
- 1L1W1^1

- 9'949<9O9t9
- 8#858C8S8e8
- 5,585G5_5
- 6663;m;~;
- 2"2&2*2.22262:2>2B2F2J2N2R2V2Z2^2b2f2j2n2r2v2z2~2
- 8"8&8*8.82868:8>8B8F8J8N8R8V8Z8^8b8f8j8n8r8v8z8~8
- 121Z1d1
- R0t0{0
- 9"9&9*9.92969:9>9B9F9J9N9R9V9Z9^9b9f9j9n9r9v9z9~9
- 3?4T4Y4c4
- 8j9V:g:&;8;
- 7<8I8\\8
- 2!2%2)2-2125292=2A2E2I2M2.5
- 7"7&7*7.72767:7>7B7F7J7N7R7V7Z7^7b7f7j7n7r7v7z7E9U9Z9d9
- 5f6j6n6r6v6z6~6
- 5#5'5+5/53575;5?5C5G5K5O5S5W5[5_5c5g5k5o5s5w5{5
- 8@<l>1?
- 8 8W8c8
- 7"7;7G7Y7e7
- 4(5J5P5[5f5y5
- =1=7=5>>>G>
- 4(5I5x5
- 0N1T1Z1/3G3M3W3\\3f3n4v4
- 708D8b8|8
- 6*6Z6{6
- 3$3<3H3f3v3
- 24292M2X2
- 1<1D1J1P1e1
- ?$?0?:?a?
- 2#40484C4f4s4z485>5w5
- 7#7'7+7>7b7<8
- 6(626;6Q6X6
- 2)3T3E4
- 2$262_2
- :<:I:a:
- 9"929B9R9X9c9i9r9~9
- 797^7o7
- 585Z5r5
- 4,4R4a4
- 2+2D2[2}2
- 151M1i1
- 0C0H0y0
- 7b8o8u8
- 223R3u3
- 1 1H1W1j1p1
- 0E0Z0{0
- ??7?b?i?x?
- 9 9k9}9
- 8$8,8:8G8W8e8}8
- 606I6T6
- 5$505@5W5a5
- 4*4V4m4
- 3%343@3U3_3j3u3
- 2 2K2u2
- 1*151D1S1~1
- ?0F0Q0U0Y0]0a0e0i0m0q0u0y0}0
- 8'9K9Q9m9x9

- 787T7`7
- 5P6k6}6
- 4B4H4x4
- 040?0i0{0
- 324\\4i4
- 72797f7
- 2!3&3O3y3
- 010i0p0
- <!=7=A=r=
- 8(9<9V9k9z9
- 838V8t8
- 4*5H5Q5
- 172]2x2
- 0\\1p1g2?3v3
- 6/7U7o7
- 636T6\\6b6
- 2"383Y3c3
- 0(0F0e0
- n1s1x1
- 6"626b7
- 4 4$4(4,4044484<4@4D4H4L4P4T4z4
- 757[7i8
- 2 2m2)4
- 6<7^7y7
- 7)999N9[9x9
- 6D6J6U6h6
- 4)5;5W5o5x5
- 3!4,424
- 2%262W2
- &0-0_0
- 172F2b2q2
- 6<7H7V7y7
- 687;9o:s:w:{:
- 30363<3B3K3w3
- 1%2F2g2
- 1"171D1x1
- 2K3>4N4w4
- 7W8\\9i9
- 1"2J2O2b2j2
- 0B1U1f1
- 4(555P5
- 2(2>2M2d2{2
- 151f1v1
- 8=9G9Q9Y9
- 3l4;7U8
- 5I6\\6o6
- ,0>0O0Y0b0h0
- =4=4?Z?
- 6#6*61686?6F6M6T6[6b6i6p6w6~6
- 4/5M5l5v5
- 4?4`4h4
- 283R3u3
- 1.1A1:2
- 6A7S7C8j8z8
- 626K6X6r6
- 4/5N5c5
- 434W4d4~4

- 0 00070k1G3f3{3
- 9 9$9(9,9094989<9@9
- 6)787R7t7
- 4W4o4x4
- 91R1Y1d1
- 7)8-8185898*>>?B?F?J?N?R?V?Z?^?b?
- 323C3P3]3p3w387A7M7
- 2#2G2S2
- :9:H:i:
- 5+5:5D5K5
- 4'4;4Q4t4~4
- 3/3A3s3
- 1)1/1=1C1V1\\1g1m1s1~1
- ?0l0w0
- ;0;:;\\;i;
- 9%929S9x9
- 758>8h8
- 7<7G7]7h7
- 5#6K6R6b6s6z6
- 2$3)3X4{4W5
- 2 2_2k2x2
- =#=9=U=c=
- 2%2Y2x2
- 7-757@7L7T8^8y8
- 2(2/2:2?2E2P2g2{5
- ;$;,;2;A;
- ?2C2G2K2O2S2W2[2_2c2g2k2o2s2w2
- 4'4=4J4
- 3&3<3d3|3
- 202=2W2h2
- 0-1?1I1
- 9>9h9r9
- 888Y8b8|8
- 6-7_7}7
- 0+1e1{1
- *0L0h0
- 838<8G8M8S8
- 6K7h7~7
- 424B4Y4i4~4
- 7 8*8X8
- 5%575C5V5_5r5
- 2*2L2c2t2
- ,0f0Z1a1h1z1
- 7F8g8n8
- 6B6U6\\6c6|6
- 23304e4w4
- >(>I>R>u>
- 9*9D9^9}9
- 7)8]8v8
- 2 2O2n2
- 0'0B0T0\\0s0
- 9%9<9Y9`9p9
- 8!8(8>8Y8`8
- 6#7I7]7
- 5-6>6{6
- 4(5N5b5
- 273@3J3O3U3`3e3m3

- 212H2R2
- 6l7(8b8u8H9
- 5,696I6V6
- 7A8Z8i8
- 3I7M7Q7U7Y7]7a7e7i7m7q7u7
- 0 171]1
- 2k396H6g6K7g7
- 2;3A3O3^3
- 7 7,7:7@7O7V7f7l7r7z7
- 6!616:6
- 5.5f5l5r5x5~5
- 898E8K8Q8W8
- 6B6h6v6|6
- 1%181>1D1
- 434<4E4
- 3 3N3Z3f3|3
- I0U0e0q0
- 758A8a8q8}8
- 7!7M7U7x7
- 3W4_4g4s4
- 3 3,353
- 0B1J1V1
- 0(040@0L0
- 7+7O7[7
- 4"5?5^5
- 2"2G2U2c2
- 0'0D0Z0
- 6E6Q6\\7
- 3%32373D3I3
- 0,0=0E0U0f0
- 8+838T8
- 4D4h4q4|4
- 0'000;0C0a0m0
- 9*919}9
- 8O8U8]8
- 5"5(5,52565<5@5
- 5<8@8D8H8L8P8T8X899E9
- 2)21272C2H2M2R2[2
- 9%9G9L9g9I9
- 858N8_8t8
- 7'767[7w7
- 2+2>2X2`2k2
- 011>1H1V1_1i1
- 8O91:o:z:
- 7\\8d8{8
- 7#717Q7n7
- 656>6L6h6
- 0?0q0x0|0
- ;3<[<i<
- 394G4Y4d4
- 3+363e3p3
- 2.292K2b2
- >I?S?e?
- 616@6 7
- 738:8\\8c8
- 60>0J0P0W0b0g0m0w0}0
- >Z?a?i?u?{?

- 8W9b9j<+=
- 3090D0K0_0e0
- 1:1D1O1a1s6
- 5.6@6E6J6O6T6Y6_6d6i6
- 7 7@7E7L7X7]7h7u7
- 3I4l4q4
- 3#3'3+3/33373;3?3C3G3K3O3S3W3[3_3c3g3k3o3s3w3{3
- 2#2'2+2/23272;2?2C2G2K2O2S2W2[2_2c2g2k2o2s2w2{2
- 1;1B1I1
- 4)438l8$;D;N;
- 3"3-383C3N3Y3d3o3z3
- 1#1+131;1G1R1]1h1s1~1
- 7+7X8q859:9{9
- 4J4p5u5:6Y6m6w6
- 3"3&3*3.32363:3>3B3F3J3N3R3V3Z3^3b3f3j3n3r3v3z3~3
- 8(939>9g9|9
- 8!8=8L8f8r8
- 5(525D5I5W5]5c5j5p5w5
- 2'2D2U2
- 1!1%1)1-11151h1
- 0C0S0i0
- 9-9I9T9\\9g9o9{9
- 7;8C8n8v8
- 5(5:5E5
- 4'41454;4?4E4O4Y4c4m4q4w4{4
- 3#3-373A3E3K3O3U3_3i3s3}3
- 2#2)232=2G2Q2U2[2_2e2o2y2
- 1%1)1/13191C1M1W1a1e1k1o1u1
- 0!0+05090?0C0I0S0]0g0q0u0{0
- 9#9-91979;9A9K9U9_9i9m9s9w9}9
- 8)838=8A8G8K8Q8[8e8o8y8}8
- 7%7/797C7M7Q7W7[7a7k7u7
- 6!6%6+6/656?6I6S6]6a6g6k6q6{6
- 5'51555;5?5E5O5Y5c5m5q5w5{5
- 4#4-474A4E4K4O4U4_4i4s4}4
- 3#3)333=3G3Q3U3[3_3e3o3y3
- 2%2)2/23292C2M2W2a2e2k2o2u2
- 1!1+15191?1C1I1S1]1g1q1u1{1
- 0'010;0E0I0O0S0Y0c0m0w0
- 9)939=9A9G9K9Q9[9e9o9y9}9
- 8%8/898C8M8Q8W8[8a8k8u8
- 7!7%7+7/757?7I7S7]7a7g7k7q7{7
- 6'61656;6?6E6O6Y6c6m6q6w6{6
- 5#5-575A5E5K5O5U5_5i5s5}5
- 4#4)434=4G4Q4U4[4_4e4o4y4
- 3%3)3/33393C3M3W3a3e3k3o3u3
- 2!2+25292?2C2I2S2]2g2q2u2{2
- 1'111;1E1I1O1S1Y1c1m1w1
- 0#0'0-070A0K0U0Y0_0c0i0s0}0
- 9%9/999C9M9Q9W9[9a9k9u9
- 8!8%8+8/858?8I8S8]8a8g8k8q8{8
- 7'71757;7?7E7O7Y7c7m7q7w7{7
- 6#6-676A6E6K6O6U6_6i6s6}6
- 5#5)535=5G5Q5U5[5_5e5o5y5
- 4%4)4/43494C4M4W4a4e4k4o4u4
- 3!3+35393?3C3I3S3]3g3q3u3{3
- 2'212;2E2I2O2S2Y2c2m2w2

- 1#1'1-171A1K1U1Y1_1c1i1s1}1
- 0)0-03070=0G0Q0[0e0i0o0s0y0
- 9!9%9+9/959?9I9S9]9a9g9k9q9{9
- 8'81858;8?8E8O8Y8c8m8q8w8{8
- 7#7-777A7E7K7O7U7_7i7s7}7
- 6#6)636=6G6Q6U6[6_6e6o6y6
- 5%5)5/53595C5M5W5a5e5k5o5u5
- 4!4+45494?4C4I4S4]4g4q4u4{4
- 3'313;3E3I3O3S3Y3c3m3w3
- 2#2'2-272A2K2U2Y2_2c2i2s2}2
- 1)1-13171=1G1Q1[1e1i1o1s1y1
- 0%0/090=0C0G0M0W0a0k0u0y0
- 9'91959;9?9E9O9Y9c9m9q9w9{9
- 8#8-878A8E8K8O8U8_8i8s8}8
- 7#7)737=7G7Q7U7[7_7e7o7y7
- 6%6)6/63696C6M6W6a6e6k6o6u6
- 5!5+55595?5C5I5S5]5g5q5u5{5
- 4'414;4E4I4O4S4Y4c4m4w4
- 3#3'3-373A3K3U3Y3_3c3i3s3}3
- 2)2-23272=2G2Q2[2e2i2o2s2y2
- 1%1/191=1C1G1M1W1a1k1u1y1
- 0!0+050?0I0M0S0W0]0g0q0{0
- 9#9-979A9E9K9O9U9_9i9s9}9
- 8#8)838=8G8Q8U8[8_8e8o8y8
- 7)7/73797C7M7W7a7e7k7o7u7
- 4'595I6
- 3$4&7K7
- 6j7r7~7
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 3\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3l3p3t3x3|3
- 1<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 5$6N6`6
- 030=0I0Q0
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 3'3<3H3
- 8T9X9\\9`9d9h9l9p9t9x9|9
- 5!646H6S6
- 1<2T2a2
- 5R7W7a7(;[;
- 5'515<5C5
- 2 3(393@3
- 5)6a6<7T7l7
- 186<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 7-7;7U7`7q7
- 0S1\\1b1.5
- 77:R:j:q:
- l5l6p6t6x6|6
- 252L2c2z2
- 4%5\\5k566K7
- 7+858?8I8S8]8g8q8{8
- 2L3a3v3
- 60A0U0
- 929M9k9
- 7$8*898D8b8o8x8
- 7(7.7o7
- 6V6i6o6

- 3,585E5l5y5
- 1#151Y1c1i1o1u1{1
- 9!:5:_:d:
- 8!8%8)8-818G9Q9[9e9o9y9
- 6K7S718k8T9
- 6)676;6A6G6M6R6\\6a6k6
- 5.575T5Z5`5f5l5r5x5~5
- 4$4*40464:4@4F4L4R4V4\\4b4h4n4r4x4~4
- 0^1i1n1y1~1(31353E3N3R3W3f3k3u3
- </compatibility>
- </application>
- <supportedOS Id="{1f676c76-80e1-4239-95bb-83d0f6d0da78}"/>
- <supportedOS Id="{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}"/>
- <supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/>
- <supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"/>
- <application>
- <compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1">
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- <assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" language="*" processorArchitecture="*" publicKeyToken="6595b64144ccf1df"/>
- <dependentAssembly>
- <dependency>
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- JAU3!EA06
- dE:*77
- I<HpE1
- bTQ:4A
- J\\:00T
- >PewR2
- e9O)xr
- 4QbU/D1
- eoA%F6!
- fsh3a4|
- o^IcGa
- 5n#oKu
- [f9po\\
- !1GV8aQc
- l6t87=^
- Rk3u)@
- 9xe7y>
- H}AU3!EA06M
- 11111111111
- 1111111111
- 11111111
- [111111
- [11111
- [11111
- [11111
- Translation

• VarFileInfo
• 080904B0
• StringFileInfo
• VS_VERSION_INFO
• String missing closing quote.!Badly formated variable or macro.*Missing separator character after keyword.
• Unable to open the script file.
• Unable to parse line.
• Func reassign not allowed.*Func reassign on global level not allowed.
• Obsolete function/parameter.4Invalid Exitcode (reserved for AutoIt internal use).+Variable cannot be accessed in this manner.
• Assert Failed!
• Can not redeclare a constant.5Can not redeclare a parameter inside a user function.HCan pass constants by reference only to parameters with "Const" keyword.*Can not initialize a variable with itself.$Incorrect way to use this parameter.:"EndSwitch" statement with no matching "Switch" statement.>"Switch" statement is missing "EndSwitch" or "Case" statement.H"ContinueCase" statement with no matching "Select"or "Switch" statement.
• 3This keyword cannot be used after a "Then" keyword.>"Select" statement is missing "EndSelect" or "Case" statement.+"If" statements must have a "Then" keyword. Badly formated Struct statement."Cannot assign values to constants..Cannot make existing variables into constants.9Only Object-type variables allowed in a "With" statement.v"long_ptr", "int_ptr" and "short_ptr" DllCall() types have been deprecated. Use "long*", "int*" and "short*" instead.-Object referenced outside a "With" statement.)Nested "With" statements are not allowed."Variable must be of type "Object".1The requested action with this object has failed.8Variable appears more than once in function declaration.2ReDim array can not be initialized in this manner.1An array variable can not be used in this manner.
• Badly formated Enum statement
• Invalid file filter given.*Expected a variable in user function call.1"Do" statement has no matching "Until" statement.2"Until" statement with no matching "Do" statement.#"For" statement is badly formatted.2"Next" statement with no matching "For" statement.N"ExitLoop/ContinueLoop" statements only valid from inside a For/Do/While loop.1"For" statement has no matching "Next" statement.@"Case" statement with no matching "Select"or "Switch" statement.:"EndSelect" statement with no matching "Select" statement.ORecursion level has been exceeded - AutoIt will quit to prevent stack overflow.&Cannot; make existing variables static.4Cannot make static variables into regular variables.
• Invalid element in a DllStruct.*Unknown option or bad parameter specified.&Unable; to load the internet libraries./"Struct" statement has no matching "EndStruct".HUnable to open file, the maximum number of open files has been exceeded.K"ContinueLoop" statement with no matching "While", "Do" or "For" statement.
• *Unable to get a list of running processes.
• Unknown macro.
• Unknown function name.
• Duplicate function name.
• Array maximum size exceeded.+"Func" statement has no matching "EndFunc".
• 0Expected a "=" operator in assignment statement.*Invalid keyword at the start of this line.
• Error parsing function call.0Incorrect number of parameters in function call.\"ReDim" used without an array variable.>Illegal text at the end of statement (one statement per line).1"If" statement has no matching "EndIf" statement.1"Else" statement with no matching "If" statement.2"EndIf" statement with no matching "If" statement.7Too many "Else" statements for matching "If" statement.3"While" statement has no matching "Wend" statement.4"Wend" statement with no matching "While" statement.%Variable used without being declared.XArray variable has incorrect number of subscripts or subscript dimension range exceeded.#Variable subscript badly formatted.*Subscript used on non-accessible variable.&Too; many subscripts used for an array.0Missing subscript dimensions in "Dim" statement.NNo variable given for "Dim", "Local", "Global", "Struct" or "Const" statement.
• Error in expression.
• Missing operator in expression."Unbalanced brackets in expression.
• "With" missing "EndWith".(Missing right bracket \')\' in expression.
• "EndWith" missing "With".!Badly formatted "Func" statement.
• AutoIt supports the __stdcall (WINAPI) and __cdecl calling conventions. The __stdcall (WINAPI) convention is used by default but __cdecl can be used instead. See the DllCall() documentation for details on changing the calling convention.
• Stack corruption typically occurs when either the wrong calling convention is used or when the function is called with the wrong number of arguments.
• AutoIt has detected the stack has become corrupt.
• AutoIt Error
• (Paused)
• Script &Paused;
• Context1
• `abcdefghijkmno]
• .?AVtype_info@@
• .?AVexception@std@@
• .?AVbad_alloc@std@@
• OLEAUT32.dll

- ole32.dll
- CoSetProxyBlanket
- CoCreateInstanceEx
- CoInitializeSecurity
- CoGetObject
- CoGetInstanceFromFile
- GetRunningObjectTable
- CoUninitialize
- CoInitialize
- CreateStreamOnHGlobal
- StringFromGUID2
- IIDFromString
- OleSetContainedObject
- MkParseDisplayName
- OleSetMenuDescriptor
- CLSIDFromProgID
- ProgIDFromCLSID
- CLSIDFromString
- CoTaskMemFree
- CoTaskMemAlloc
- SHELL32.dll
- DragFinish
- DragQueryPoint
- ShellExecuteExW
- DragQueryFileW
- SHEmptyRecycleBinW
- SHBrowseForFolderW
- SHGetFolderPathW
- SHFileOperationW
- SHGetPathFromIDListW
- SHGetDesktopFolder
- SHGetMalloc
- ExtractIconExW
- Shell_NotifyIconW
- ShellExecuteW
- ADVAPI32.dll
- COMDLG32.dll
- GetSaveFileNameW
- GetOpenFileNameW
- GDI32.dll
- ExtCreatePen
- StrokeAndFillPath
- StrokePath
- EndPath
- SetPixel
- CloseFigure
- LineTo
- AngleArc
- MoveToEx
- Ellipse
- PolyDraw
- BeginPath
- Rectangle
- SetViewportOrgEx
- GetObjectW
- SetBkMode
- RoundRect

- SetBkColor
- CreatePen
- CreateSolidBrush
- SetTextColor
- CreateFontW
- GetTextFaceW
- GetStockObject
- CreateDCW
- GetPixel
- DeleteDC
- GetDIBits
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- GetTextExtentPoint32W
- DeleteObject
- GetDeviceCaps
- USER32.dll
- KERNEL32.dll
- UxTheme.dll
- IsThemeActive
- USERENV.dll
- DestroyEnvironmentBlock
- UnloadUserProfile
- CreateEnvironmentBlock
- LoadUserProfileW
- IPHLPAPI.DLL
- PSAPI.DLL
- WININET.dll
- WNetGetConnectionW
- WNetCancelConnection2W
- WNetUseConnectionW
- WNetAddConnection2W
- COMCTL32.dll
- ImageList_DragMove
- ImageList_EndDrag
- ImageList_DragLeave
- ImageList_DragEnter
- ImageList_BeginDrag
- ImageList_SetDragCursorImage
- ImageList_Remove
- ImageList_Destroy
- ImageList_ReplaceIcon
- ImageList_Create
- InitCommonControlsEx
- waveOutSetVolume
- mciSendStringW
- VERSION.dll
- VerQueryValueW
- GetFileVersionInfoW
- GetFileVersionInfoSizeW
- WSOCK32.dll
- Ugaritic
- Tifinagh
- Tibetan
- Thaana
- Telugu

- Tai_Viet
- Tai_Tham
- Tai_Le
- Tagbanwa
- Tagalog
- Syriac
- Syloti_Nagri
- Sundanese
- Sora_Sompeng
- Sinhala
- Shavian
- Sharada
- Saurashtra
- Samaritan
- Rejang
- Phoenician
- Phags_Pa
- Osmanya
- Old_Turkic
- Old_South_Arabian
- Old_Persian
- Old_Italic
- Ol_Chiki
- New_Tai_Lue
- Myanmar
- Mongolian
- Meroitic_Hieroglyphs
- Meroitic_Cursive
- Meetei_Mayek
- Mandaic
- Malayalam
- Lydian
- Lycian
- Linear_B
- Lepcha
- Kharoshthi
- Kayah_Li
- Katakana
- Kannada
- Kaithi
- Javanese
- Inscriptional_Parthian
- Inscriptional_Pahlavi
- Inherited
- Imperial_Aramaic
- Hiragana
- Hebrew
- Hanunoo
- Hangul
- Gurmukhi
- Gujarati
- Gothic
- Glagolitic
- Georgian
- Ethiopic
- Egyptian_Hieroglyphs
- Devanagari

- Deseret
- Cyrillic
- Cypriot
- Cuneiform
- Coptic
- Common
- Cherokee
- Chakma
- Carian
- Canadian_Aboriginal
- Buginese
- Braille
- Brahmi
- Bopomofo
- Bengali
- Balinese
- Avestan
- Armenian
- Arabic
- setting UTF is disabled by the application
- invalid UTF-32 string
- character value in \\u.... sequence is too large
- name is too long in (*MARK), (*PRUNE), (*SKIP), or (*THEN)
- invalid UTF-16 string
- disallowed Unicode code point (>= 0xd800 && <= 0xdfff)
- too many forward references
- \\N is not supported in a class
- internal error: unknown opcode in find_fixedlength()
- \\k is not followed by a braced, angle-bracketed, or quoted name
- \\c must be followed by an ASCII character
- this version of PCRE is not compiled with Unicode property support
- (*MARK) must have an argument
- different names for subpatterns of the same number are not allowed
-] is an invalid data character in JavaScript compatibility mode
- digit expected after (?+
- subpattern name expected
- number is too big
- (*VERB) not recognized or malformed
- an argument is not allowed for (*ACCEPT), (*FAIL), or (*COMMIT)
- a numbered reference must not be zero
- \\g is not followed by a braced, angle-bracketed, or quoted name/number or by a plain number
- inconsistent NEWLINE options
- repeating a DEFINE group is not allowed
- DEFINE group contains more than one branch
- internal error: previously-checked referenced subpattern not found
- internal error: overran compiling workspace
- octal value is greater than \\377 in 8-bit non-UTF-8 mode
- repeated subpattern is too long
- too many named subpatterns (maximum 10000)
- subpattern name is too long (maximum 32 characters)
- unknown property name after \\P or \\p
- malformed \\P or \\p sequence
- support for \\P, \\p, and \\X has not been compiled
- invalid UTF-8 string
- two named subpatterns have the same name
- syntax error in subpattern name (missing terminator)
- unrecognized character after (?P

- recursive call could loop indefinitely
- closing) for (?C expected
- number after (?C is > 255
- PCRE does not support \\L, \\l, \\N{name}, \\U, or \\u
- \\C not allowed in lookbehind assertion
- invalid condition (?(0)
- character value in \\x{...} sequence is too large
- spare error
- this version of PCRE is compiled without UTF support
- POSIX collating elements are not supported
- unknown POSIX class name
- assertion expected after (?(
- conditional group contains more than two branches
- malformed number or name after (?(
- lookbehind assertion is not fixed length
- unrecognized character after (?<
- internal error: code overflow
- unmatched parentheses
- failed to get memory
- regular expression is too large
- parentheses nested too deeply
- missing) after comment
- unknown option bit(s) set
- erroffset passed as NULL
- reference to non-existent subpattern
- missing)
- POSIX named classes are supported only within a class
- unrecognized character after (? or (?-
- internal error: unexpected repeat
- operand of unlimited repeat could match the empty string
- nothing to repeat
- range out of order in character class
- invalid escape sequence in character class
- missing terminating] for character class
- number too big in {} quantifier
- numbers out of order in {} quantifier
- unrecognized character follows \\
- \\c at end of pattern
- \\ at end of pattern
- no error
- xdigit
- COMMIT
- ACCEPT
- BSR_UNICODE)
- DEFINE
- Error text not found (please report)
- advapi32.dll
- oleaut32.dll
- RegisterTypeLibForUser
- UnRegisterTypeLibForUser
- kernel32.dll
- LIMIT_RECURSION=
- LIMIT_MATCH=
- NO_START_OPT)
- UTF16)
- wparam
- lparam

- lresult
- ulong_ptr
- uint_ptr
- double
- handle
- uint64
- ushort
- boolean
- endstruct
- @GUI_DRAGFILE
- @GUI_DROPID
- @GUI_DRAGID
- SysListView32
- SysTreeView32
- SysTabControl32
- msctls_updown32
- SysAnimate32
- msctls_trackbar32
- Msctls_Progress32
- SysMonthCal32
- SysDateTimePick32
- Listbox
- Combobox
- button
- %d/%02d/%02d
- tooltips_class32
- msctls_statusbar321
- EXPAND
- EXISTS
- COLLAPSE
- GETTOTALCOUNT
- VIEWCHANGE
- FINDITEM
- DESELECT
- SELECTINVERT
- SELECTCLEAR
- SELECTALL
- ISSELECTED
- GETSELECTEDCOUNT
- GETTEXT
- GETSUBITEMCOUNT
- GETITEMCOUNT
- SENDCOMMANDID
- GETLINE
- EDITPASTE
- GETCURRENTCOL
- GETCURRENTLINE
- GETLINECOUNT
- GETSELECTED
- UNCHECK
- ISCHECKED
- GETCURRENTSELECTION
- SETCURRENTSELECTION
- DELSTRING
- HIDEDROPDOWN
- SHOWDROPDOWN
- CURRENTTAB

- TABRIGHT
- TABLEFT
- ISENABLED
- ISVISIBLE
- REG_BINARY
- REG_QWORD
- REG_DWORD
- REG_MULTI_SZ
- REG_EXPAND_SZ
- HKEY_USERS
- HKEY_CURRENT_USER
- HKEY_CURRENT_CONFIG
- HKEY_CLASSES_ROOT
- HKEY_LOCAL_MACHINE
- winapi
- SeDebugPrivilege
- USERDOMAIN
- USERPROFILE
- 3, 3, 10, 2
- Control Panel\\Appearance
- SchemeLangID
- InstallLanguage
- WIN_XPe
- WIN_2003
- WIN_VISTA
- WIN_2008
- WIN_2008R2
- WIN_2012
- WIN_2012R2
- WIN_81
- WIN32_NT
- Incorrect parameters to object property !
- Variable is not of type 'Object'.
- Invalid characters behind Object assignment!
- Variable must be of type 'Object'.
- CALLARGARRAY
- Invalid parameter
- Failed to create object
- Not an Object type
- get__NewEnum
- _NewEnum
- AUTOIT.ERROR
- Incorrect Parameter format
- NULL Pointer assignment
- UserFunction
- Function
- Binary
- Keyword
- Object
- Reference
- Double
- 255.255.255.255
- AUTOITCALLVARIABLE%d
- msctls_progress32
- DISPLAY
- Environment
- <local>

- GUI_RUNDEFMSG
- UNKNOWN
- READONLY
- NOTREADY
- INVALID
- FileBackedVirtual
- Virtual
- Unknown
- RAMDisk
- Network
- Removable
- PhysicalDrive
- close cd wait
- set cd door
- type cdaudio alias cd wait
- closed
- unknown
- ramdisk
- network
- removable
- ^ ERROR
- Default
- %4d%02d%02d%02d%02d%02d
- SECONDARY
- PRIMARY
- MIDDLE
- SeShutdownPrivilege
- play PlayMe
- play PlayMe wait
- close PlayMe
- status PlayMe mode
- alias PlayMe
- 0.0.0.0
- %u.%u.%u.%u
- DefaultLangCodepage
- 04090000
- \\VarFileInfo\\Translation
- StringFileInfo\\
- #32770
- BUTTON
- Line:
- warning
- question
- REMOVE
- Unterminated group of comments
- Cannot parse #include
- Unterminated string
- Bad directive syntax error
- >>>AUTOIT SCRIPT<<<
- Error opening the file
- #include depth exceeded. Make sure there are no recursive includes
- All files (*.*)
- *.au3;*.a3x
- AutoIt script files (*.au3, *.a3x)
- Error:
- ^ ERROR
- Error:

- Line %d:
- Release
- AddRef
- QueryInterface
- InterfaceDispatch
- object
- idispatch
- wparam
- ulong_ptr
- uint_ptr
- lparam
- lresult
- handle
- hresult
- double
- uint64
- variant
- ushort
- boolean
- @COM_EVENTOBJ
- RETCODE
- SCRIPTLINE
- HELPCONTEXT
- HELPFILE
- SOURCE
- DESCRIPTION
- WINDESCRIPTION
- Container
- AutoIt3GUI
- ThumbnailClass
- REGEXPTITLE
- HANDLE
- CLASSNAME=
- [REGEXPTITLE:
- REGEXP=
- [HANDLE:
- HANDLE=
- [ACTIVE
- ACTIVE
- INSTANCE
- REGEXPCLASS
- smallicons
- details
- largeicons
- ListBox
- ComboBox
- winsta0\\default
- default
- winsta0
- SeRestorePrivilege
- SeBackupPrivilege
- SeIncreaseQuotaPrivilege
- SeAssignPrimaryTokenPrivilege
- Error allocating memory.
- AutoIt v3 GUI
- MUILANG
- UNICODE

- AUTOITX64
- AUTOITUNICODE
- AUTOITPID
- HOTKEYPRESSED
- NUMPARAMS
- INETGETACTIVE
- INETGETBYTESREAD
- LOGONDOMAIN
- LOGONSERVER
- HOMESHARE
- HOMEPATH
- HOMEDRIVE
- USERPROFILEDIR
- TEMPDIR
- USERNAME
- COMSPEC
- COMPILED
- DESKTOPREFRESH
- DESKTOPDEPTH
- DESKTOPHEIGHT
- DESKTOPWIDTH
- IPADDRESS4
- IPADDRESS3
- IPADDRESS2
- IPADDRESS1
- AUTOITEXE
- AUTOITVERSION
- KBLAYOUT
- CPUARCH
- OSARCH
- PROCESSORARCH
- OSLANG
- OSSERVICEPACK
- OSBUILD
- OSVERSION
- OSTYPE
- WORKINGDIR
- SCRIPTLINENUMBER
- SCRIPTDIR
- SCRIPTNAME
- SCRIPTFULLPATH
- TRAYICONFLASHING
- TRAYICONVISIBLE
- SW_UNLOCK
- SW_SHOWNORMAL
- SW_SHOWNOACTIVATE
- SW_SHOWNA
- SW_SHOWMINNOACTIVE
- SW_SHOWMINIMIZED
- SW_SHOWMAXIMIZED
- SW_DISABLE
- SW_ENABLE
- SW_SHOWDEFAULT
- SW_RESTORE
- SW_MAXIMIZE
- SW_MINIMIZE
- SW_HIDE

- SYSTEMDIR
- WINDOWSDIR
- COMPUTERNAME
- STARTUPDIR
- STARTMENUDIR
- PROGRAMSDIR
- FAVORITESDIR
- DESKTOPDIR
- APPDATADIR
- LOCALAPPDATADIR
- STARTUPCOMMONDIR
- STARTMENUCOMMONDIR
- PROGRAMSCOMMONDIR
- FAVORITESCOMMONDIR
- DOCUMENTSCOMMONDIR
- DESKTOPCOMMONDIR
- APPDATACOMMONDIR
- MYDOCUMENTSDIR
- COMMONFILESDIR
- PROGRAMFILESDIR
- EXTENDED
- WinWaitDelay
- WinTitleMatchMode
- d1r1,2
- WinTextMatchMode
- WinSearchChildren
- WinDetectHiddenText
- TrayOnEventMode
- TrayMenuMode
- TrayIconHide
- TrayIconDebug
- TrayAutoPause
- d100m0
- TCPTimeout
- SetExitCode
- SendKeyDownDelay
- SendKeyDelay
- SendCapsLockMode
- SendAttachMode
- PixelCoordMode
- MustDeclareVars
- MouseCoordMode
- d250m0
- MouseClickDragDelay
- MouseClickDownDelay
- MouseClickDelay
- d0r0,1023
- GUIResizeMode
- GUIOnEventMode
- d0r0,3
- GUIEventOptions
- GUIDataSeparatorChar
- GUICoordMode
- GUICloseOnESC
- ExpandVarStrings
- ExpandEnvStrings
- d1r0,2

- CaretCoordMode
- static
- WINWAITNOTACTIVE
- WINWAITCLOSE
- WINWAITACTIVE
- WINWAIT
- WINSETTRANS
- WINSETTITLE
- WINSETSTATE
- WINSETONTOP
- WINMOVE
- WINMINIMIZEALLUNDO
- WINMINIMIZEALL
- WINMENUSELECTITEM
- WINLIST
- WINKILL
- WINGETTITLE
- WINGETTEXT
- WINGETSTATE
- WINGETPROCESS
- WINGETPOS
- WINGETHANDLE
- WINGETCLIENTSIZE
- WINGETCLASSLIST
- WINGETCARETPOS
- WINFLASH
- WINEXISTS
- WINCLOSE
- WINACTIVE
- WINACTIVATE
- VARGETTYPE
- UDPSTARTUP
- UDPSHUTDOWN
- UDPSEND
- UDPRECV
- UDPOPEN
- UDPCLOSESOCKET
- UDPBIND
- UBOUND
- TRAYTIP
- TRAYSETTOOLTIP
- TRAYSETSTATE
- TRAYSETPAUSEICON
- TRAYSETONEVENT
- TRAYSETICON
- TRAYSETCLICK
- TRAYITEMSETTEXT
- TRAYITEMSETSTATE
- TRAYITEMSETONEVENT
- TRAYITEMGETTEXT
- TRAYITEMGETSTATE
- TRAYITEMGETHANDLE
- TRAYITEMDELETE
- TRAYGETMSG
- TRAYCREATEMENU
- TRAYCREATEITEM
- TOOLTIP

- TIMERINIT
- TIMERDIFF
- TCPNAMETOIP
- TCPLISTEN
- TCPCONNECT
- TCPACCEPT
- STRINGUPPER
- STRINGTRIMRIGHT
- STRINGTRIMLEFT
- STRINGTOBINARY
- STRINGTOASCIIARRAY
- STRINGREVERSE
- STRINGREPLACE
- STRINGREGEXPREPLACE
- STRINGREGEXP
- STRINGMID
- STRINGLOWER
- STRINGLEN
- STRINGLEFT
- STRINGISXDIGIT
- STRINGISUPPER
- STRINGISSPACE
- STRINGISLOWER
- STRINGISINT
- STRINGISFLOAT
- STRINGISDIGIT
- STRINGISASCII
- STRINGISALPHA
- STRINGISALNUM
- STRINGFROMASCIIARRAY
- STRINGFORMAT
- STRINGCOMPARE
- STDOUTREAD
- STDIOCLOSE
- STDINWRITE
- STDERRREAD
- STATUSBARGETTEXT
- SRANDOM
- SPLASHTEXTON
- SPLASHOFF
- SPLASHIMAGEON
- SOUNDSETWAVEVOLUME
- SOUNDPLAY
- SHUTDOWN
- SHELLEXECUTEWAIT
- SHELLEXECUTE
- SETEXTENDED
- SETERROR
- SENDKEEPACTIVE
- RUNWAIT
- RUNASWAIT
- REGWRITE
- REGREAD
- REGENUMVAL
- REGENUMKEY
- REGDELETE
- RANDOM

- PROGRESSSET
- PROGRESSON
- PROGRESSOFF
- PROCESSWAITCLOSE
- PROCESSWAIT
- PROCESSSETPRIORITY
- PROCESSLIST
- PROCESSGETSTATS
- PROCESSEXISTS
- PROCESSCLOSE
- PIXELSEARCH
- PIXELGETCOLOR
- PIXELCHECKSUM
- ONAUTOITEXITUNREGISTER
- ONAUTOITEXITREGISTER
- OBJNAME
- OBJGET
- OBJEVENT
- OBJCREATEINTERFACE
- OBJCREATE
- MOUSEWHEEL
- MOUSEUP
- MOUSEMOVE
- MOUSEGETPOS
- MOUSEGETCURSOR
- MOUSEDOWN
- MOUSECLICKDRAG
- MOUSECLICK
- MEMGETSTATS
- ISTABLE
- ISSTRING
- ISNUMBER
- ISKEYWORD
- ISFUNC
- ISFLOAT
- ISDECLARED
- ISBOOL
- ISBINARY
- ISARRAY
- ISADMIN
- INPUTBOX
- INIWRITESECTION
- INIWRITE
- INIRENAMESECTION
- INIREADSECTIONNAMES
- INIREADSECTION
- INIREAD
- INIDELETE
- INETREAD
- INETGETSIZE
- INETGETINFO
- INETGET
- INETCLOSE
- HOTKEYSET
- GUISWITCH
- GUISTARTGROUP
- GUISETSTATE

- GUISETONEVENT
- GUISETICON
- GUISETHELP
- GUISETFONT
- GUISETCURSOR
- GUISETCOORD
- GUISETBKCOLOR
- GUISETACCELERATORS
- GUIREGISTERMSG
- GUIGETMSG
- GUIGETCURSORINFO
- GUIDELETE
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- OOOO

OOOO

- FILEOPEN
- FILEMOVE
- FILEINSTALL
- FILEGETVERSION
- FILEGETTIME
- FILEGETSIZE
- FILEGETSHORTNAME
- FILEGETSHORTCUT
- FILEGETPOS
- FILEGETLONGNAME
- FILEGETENCODING
- FILEGETATTRIB
- FILEFLUSH
- FILEFINDNEXTFILE
- FILEFINDFIRSTFILE
- FILEEXISTS
- FILEDELETE
- FILECREATESHORTCUT
- FILECOPY
- FILECLOSE
- FILECHANGEDIR
- EXECUTE
- ENVUPDATE
- ENVSET
- ENVGET
- DRIVESTATUS
- DRIVESPACETOTAL
- DRIVESPACEFREE
- DRIVESETLABEL
- DRIVEMAPGET
- DRIVEMAPDEL
- DRIVEMAPADD
- DRIVEGETTYPE
- DRIVEGETSERIAL
- DRIVEGETLABEL
- DRIVEGETFILESYSTEM
- DRIVEGETDRIVE
- DLLOPEN
- DLLCALLBACKREGISTER
- DLLCALLBACKFREE
- DLLCALLADDRESS
- DIRREMOVE
- DIRMOVE
- DIRGETSIZE
- DIRCREATE
- DIRCOPY
- CONTROLTREEVIEW
- CONTROLSHOW
- CONTROLSETTEXT
- CONTROLSEND
- CONTROLMOVE
- CONTROLLISTVIEW
- CONTROLHIDE
- CONTROLGETTEXT
- CONTROLGETPOS
- CONTROLGETHANDLE
- CONTROLGETFOCUS

- CONTROLFOCUS
- CONTROLENABLE
- CONTROLDISABLE
- CONTROLCOMMAND
- CONTROLCLICK
- CONSOLEWRITEERROR
- CONSOLEWRITE
- CONSOLEREAD
- CLIPPUT
- CLIPGET
- CEILING
- BLOCKINPUT
- BITXOR
- BITSHIFT
- BITROTATE
- BITNOT
- BITAND
- BINARYTOSTRING
- BINARYMID
- BINARYLEN
- BINARY
- AUTOITWINSETTITLE
- AUTOITWINGETTITLE
- AUTOITSETOPTION
- ASSIGN
- ADLIBUNREGISTER
- ADLIBREGISTER
- @TRAY_ID
- @GUI_WINHANDLE
- @GUI_CTRLID
- @EXITMETHOD
- @EXITCODE
- close all
- VOLATILE
- DEFAULT
- ENDWITH
- RETURN
- ENDFUNC
- STATIC
- GLOBAL
- CONTINUECASE
- ENDSWITCH
- ENDSELECT
- SELECT
- CONTINUELOOP
- EXITLOOP
- ELSEIF
- 0123456789ABCDEF
- Control Panel\\Mouse
- SwapMouseButtons
- !!!!!ee
- meeeeeeeeeeeeemmm
- !!!!!!!!!!!!!!!!!!!!!!!!!!!!eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeenhhh

- Complete Object Locator'
- Class Hierarchy Descriptor'
- Base Class Array'
- Base Class Descriptor at (
- Type Descriptor'
- `local static thread guard'
- `managed vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `vector copy constructor iterator'
- `dynamic atexit destructor for '
- `dynamic initializer for '
- `eh vector vbase copy constructor iterator'
- `eh vector copy constructor iterator'
- `managed vector destructor iterator'
- `managed vector constructor iterator'
- `placement delete[] closure'
- `placement delete closure'
- `omni callsig'
- delete[]
- new[]
- `local vftable constructor closure'
- `local vftable'
- `udt returning'
- `copy constructor closure'
- `eh vector vbase constructor iterator'
- `eh vector destructor iterator'
- `eh vector constructor iterator'
- `virtual displacement map'
- `vector vbase constructor iterator'
- `vector destructor iterator'
- `vector constructor iterator'
- `scalar deleting destructor'
- `default constructor closure'
- `vector deleting destructor'
- `vbase destructor'
- `local static guard'
- `typeof'
- `vbtable'
- `vftable'
- operator
- delete
- restrict(
- __unaligned
- __restrict
- __ptr64
- __eabi
- __fastcall
- __thiscall
- __pascal
- __based(
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- ?UUUUUU
- ?UUUUUU
- ?uZEeu
- ?uZEeu

- ?UUUUUU
- ?UUUUUU
- ?uZEeu
- ?uZEeu
- &2@UUUUUU
- UUUUUU
- &2@UUUUUU
- |u?!u$
- ?UUUUUU
- ?UUUUUU
- ?333333
- ?333333
- UUUUUU
- ?765@Z
- ?UUUUUU
- ?333333
- 333333
- UUUUUU
- ?765@Z
- RUUUUU
- 5s3R6=
- <8bunz8
- <8bunz8
- sU0&?W
- F0$?3=1
- r7Yr7=
- Ax#?uN}*
- @H#?43
- ?|I7Z#
- u?^p?o4
- Eb2]A=
- qqqmrmsstuvuuwuuxyzu{uuu|}m~uu
- !!!!!!!!!!!!!!!!!!!!!!!!!!eeeeeeeeeffffffff
- 789:;<=>?
- /!-012
- Script Paused
- RWINUP
- RWINDOWN
- LWINUP
- LWINDOWN
- SHIFTUP
- SHIFTDOWN
- ALTDOWN
- MOUSE_XBUTTON2
- MOUSE_XBUTTON1
- MOUSE_MBUTTON
- MOUSE_RBUTTON
- MOUSE_LBUTTON
- LAUNCH_APP2
- LAUNCH_APP1
- LAUNCH_MEDIA
- LAUNCH_MAIL
- MEDIA_PLAY_PAUSE
- MEDIA_STOP
- MEDIA_PREV
- MEDIA_NEXT
- VOLUME_UP

- VOLUME_DOWN
- VOLUME_MUTE
- BROWSER_HOME
- BROWSER_FAVORTIES
- BROWSER_SEARCH
- BROWSER_STOP
- BROWSER_REFRESH
- BROWSER_FORWARD
- BROWSER_BACK
- NUMPADENTER
- APPSKEY
- NUMPADDIV
- NUMPADDOT
- NUMPADSUB
- NUMPADADD
- NUMPADMULT
- NUMPAD9
- NUMPAD8
- NUMPAD7
- NUMPAD6
- NUMPAD5
- NUMPAD4
- NUMPAD3
- NUMPAD2
- NUMPAD1
- NUMPAD0
- CAPSLOCK
- NUMLOCK
- SCROLLLOCK
- INSERT
- ESCAPE
- DELETE
- BACKSPACE
- #comments-end
- #comments-start
- #include-once
- #OnAutoItStartRegister
- #requireadmin
- #notrayicon
- #pragma compile
- #include
- Software\\AutoIt v3\\AutoIt
- Include
- NUMBER
- WM_GETCONTROLNAME
- AutoIt
- TaskbarCreated
- /AutoIt3ExecuteScript
- /AutoIt3ExecuteLine
- /AutoIt3OutputDebug
- /ErrorStdOut
- CMDLINE
- CMDLINERAW
- >>>AUTOIT NO CMDEXECUTE<<<
- AutoIt v3
- CONOUT$
- USER32.DLL

- uz-uz-latn
- uz-uz-cyrl
- sr-ba-latn
- sma-se
- sma-no
- quz-pe
- quz-ec
- quz-bo
- kok-in
- bs-ba-latn
- az-az-latn
- az-az-cyrl
- sma-SE
- sma-NO
- sr-BA-Latn
- bs-BA-Latn
- quz-PE
- quz-EC
- uz-UZ-Cyrl
- az-AZ-Cyrl
- quz-BO
- kok-IN
- uz-UZ-Latn
- az-AZ-Latn
- UNICODE
- UTF-16LE
- |)P!?Ua0
- _nextafter
- December
- November
- October
- September
- August
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- Unknown exception
- RoUninitialize
- RoInitialize
- CorExitProcess
- bad allocation
- NvAwMv0
- wQ3.vO!.v9>-v
- ,v99.v
- 1vM)v2
- 1vsn2v
- ,v05,v
- ,v1#-v1
- 9Q,~1;
- u?f9D^
- G(9O,~>

- B9A$vL
- B9A$vL
- [r0f9E
- j-Yf9O
- j0Yj9Xj
- r3j9Xf9E
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:
- Runtime Error!
- - floating point support not loaded
- runtime error
- TLOSS error
- SING error
- DOMAIN error
- - inconsistent onexit begin-end variables
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- - not enough space for locale information
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- - CRT not initialized
- - unable to initialize heap
- - not enough space for lowio initialization
- - not enough space for stdio initialization
- - pure virtual function call
- - not enough space for _onexit/atexit table
- - unable to open console device
- - unexpected heap error
- - unexpected multithread lock error
- - not enough space for thread data
- - abort() has been called
- - not enough space for environment
- - not enough space for arguments
- kernel32.dll
- December
- November
- October
- September
- August
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- combase.dll
- mscoree.dll
- ttNtUNt7Nt
- 7t;Ht5Ht"H
- j3Zf9P
- HuqIyx
- Hu+Iy2
- D$0;D$4

- SVWj0[3
- rEj9_f;
- D$0Ft6
- HtZHtEHt2
- uS9q4uN
- tDf91t?
- tCHt8HuO
- 8SVWj,3
- f91t%QV
- f90u;j
- j\\^f90uJj
- 9t$<t0
- j5Yf9H
- j3Zf9P
- @uOAj3
- t8HHt0
- f94Xu=
- j XAf9
- t$4f9D$<uM
- 8f;D$8u
- |$<9D$T~e
- {f;D$luilyq
- &f;D$8u
- |$<9T$4}+
- 9f;D$lu'Iy/
- ^09^(t
- ^,9^0t
- ^<9^4t
- Q,8^=u
- j#_f98u
- u3SVh+
- f-00f=
- f-00f=
- PP9E u
- >0t<Nj0X
- uWjAXf;
- uHjAXf;
- nteluM3
- ineIuV
- Genuu_
- YYHtIHt8
- 9u(v?VSj
- 9E v\\PWj
- uBjAYjZ+
- _8C0tN
- ~89~4~)
- 9^Xt99^\\tA
- t$8]4t
- |$L9D$4
- 9t$xv7
- 9D$xu;
- t@Hu39
- D$49G8
- ^$9^,u
- @.reloc
- @.data
- `.rdata

- !This program cannot be run in DOS mode.
- 7h;p?t?x?|?
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?h?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- >D>L>T>\\>d>l>t>|>
- <(<,<0<4<P<T<`<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- 30:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ;(;H;h;
- :(:H:h:
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>
- 8P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<<<@<
- ? ?(?0?8?@?H?P?X?`?h?p?x?
- > >(>0>8>@>H>P>X>`>h>p>x>
- = =(=0=8=@=H=P=X=`=h=p=x=
- < <(<0<8<@<H<P<X<`<h<p<x<
- ; ;(;0;8;@;H;P;X;`;h;p;x;
- : :(:0:8:@:H:P:X:`:h:p:x:
- <$<,<L=
- <L<P<T<X<\\<`<
- : ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;
- =??Y?a?
- :.:6:=:
- >0?K?R?
- 8&;-;:;A;Y=t={=
- ? ?(?/?
- =3=;=B=
- ;d;v;};*</=
- <!=.=5=
- 9M:Z:b:
- ="=;=[=f=
- <4<K<W<f<x<
- :":?:K:Q:
- =D>q>^?
- ?&?5?H?X?b?{?
- =+>5>O>Y>c>m>
- ;L<c<u<
- >&>2>C>:?I?
- ;C;T;p;
- :^:e:z:
- ;(;^;g;
- :R:}:P<U<
- >)>V>b>
- 9C:G<S<
- <!<3<`<k<}<
- ;$;D;H;L;P;T;X;\\;`;d;h;%<b<y<
- ?!?1?;?F?
- =,=>=Y=^=
- <B<g<y<
- <<<J<|<
- ;=;L;Z;
- :(:6:<:F:V:c:
- >!>E>`>
- <&=D=X=d=w=
- ;";\';=;J;R;`;
- ;5;F;S;

- >*?D?R?`?{?
- =->]>n>{>
- <,=@=T=e=
- <.<4<R<q<
- : :$:(:,:0:4:8:<:@:
- =4=\\=~=
- >3>Y>q>
- ;D;v;1<
- :?:T:j:p:
- >E?_?r?
- >)>B>^>l>z>
- >_?m?z?
- <,<1<R=X=]={=
- =-=P=s=
- ;(;M;^;s;
- =!>'>h>
- ;}<)=|=
- ;&;^<}=
- :-:E:M:U:h:
- >&?D?O?
- ?_?e?p?w?
- >X?c?n?
- ;(;1;;;C;S;\\;f;5<@<F<S<Y<b<
- :(:/:::L:U:b:r:
- ?"?&?*?.?2?6?:?>?B?F?J?N?R?V?
- <S<>>a>
- ::;G;q;
- 9#:/:j:
- :0;G<G?
- <<<B=C>]>
- <&=]=0?
- :(;-;;;N;u;
- ;&<<<M<_<
- > ?,?6?j?v?
- <==E=L=
- ;.<F<R<i<
- ;\\;j;s;
- =&>1>G>c>
- =*=?=U=j={=
- <9<\\<g<n<
- >2?:?d?
- >n?r?v?z?~?
- :A:X:l:
- <.<A<L<Z<c<{<
- :*<Y<l<
- =T?Z?g?q?
- <'<6<W<
- ?&?8?J?\\?n?
- <%<4<}<
- ;$;/;M;i;q;v;
- =/=N=_=d=j=|=
- ;&;.;7;@;H;V;^;
- =#>+>;>
- ;=<M<Y<e<s<
- :G:v;~;
- ?$?0?<?H?T?`?
- =Z>b>v>

- <(=R=Z=w=
- <(=?=T=n=
- ?>?s?{?
- ='>2>B>t>
- >!?0?N?
- :T:`:i:
- ?9?@?F?T?Z?o?
- >!>/>6>C>L>m>
- =!=)=.=4=<=A=G=O=T=Z=b=g=m=u=z=
- <$<*<2<7<=<E<J<P<X<]<c<k<p<v<~<
- ;%;4;>;D;S;];c;u;
- >$?^?y?
- >)>:>d>k>r>y>
- >B?H?L?P?T?
- >3>L>S>[>`>d>h>
- :";\';1;t;
- :):6:B:R:a:h:y:
- >$>T>x>
- <8=B=R=
- >J?W?g?t?
- ?%?+?<?[?q?{?
- >(>>>_>
- ;<=D=M=V=v=
- : :7:|:
- ? ?$?n?t?x?|?
- =J>U>p>w>|>
- <!=G=e=l=p=t=x=|=
- <$<:<K<w<
- :):;:d:
- ='>,>1>7>=>C>H>N>X>^>d>j>p>v>|>
- =&=5=J=q=
- <"<*<0<6<<<B<H<N<T<Z<_<
- 9::';.;7;<;B;H;S;Y;`;j;t;y;
- ?'?1?;?E?I?O?S?Y?c?m?w?
- >#>'>->7>A>K>U>Y>_>c>i>s>}>
- =)=-=3=7===G=Q=[=e=i=o=s=y=
- <%</<9<=<C<G<M<W<a<k<u<y<
- ;!;+;5;?;I;M;S;W;];g;q;{;
- :!:':+:1:;:E:O:Y:]:c:g:m:w:
- ?#?'?-?7?A?K?U?Y?_?c?i?s?}?
- >)>->3>7>=>G>Q>[>e>i>o>s>y>
- =%=/=9===C=G=M=W=a=k=u=y=
- <!<+<5<?<I<M<S<W<]<g<q<{<
- ;!;';+;1;;;E;O;Y;];c;g;m;w;
- :#:-:1:7:;:A:K:U:_:i:m:s:w:}:
- ?)?-?3?7?=?G?Q?[?e?i?o?s?y?
- >%>/>9>=>C>G>M>W>a>k>u>y>
- =!=+=5=?=I=M=S=W=]=g=q={=
- <!<'<+<1<;<E<O<Y<]<c<g<m<w<
- ;#;-;1;7;;;A;K;U;_;i;m;s;w;};
- :):3:=:A:G:K:Q:[:e:o:y:}:
- ?%?/?9?=?C?G?M?W?a?k?u?y?
- >!>+>5>?>I>M>S>W>]>g>q>{>
- =!='=+=1=;=E=O=Y=]=c=g=m=w=
- <#<-<1<7<;<A<K<U<_<i<m<s<w<}<
- ;);3;=;A;G;K;Q;[;e;o;y;};
- :%:/:9:C:M:Q:W:[:a:k:u:

- ?!?+?5???I?M?S?W?]?g?q?{?
- >!>'>+>1>;>E>O>Y>]>c>g>m>w>
- =#=-=1=7=;=A=K=U=_=i=m=s=w=}=
- <)<3<=<A<G<K<Q<[<e<o<y<}<
- ;%;/;9;C;M;Q;W;[;a;k;u;
- :!:%:+:/:5:?:I:S:]:a:g:k:q:{:
- ?!?'?+?1?;?E?O?Y?]?c?g?m?w?
- >#>->1>7>;>A>K>U>_>i>m>s>w>}>
- =)=3===A=G=K=Q=[=e=o=y=}=
- <%</<9<C<M<Q<W<[<a<k<u<
- ;!;%;+;/;5;?;I;S;];a;g;k;q;{;
- :':1:5:;:?:E:O:Y:c:m:q:w:{:
- =0>=>J>X>j>t>
- ;$<+<Q<Y<p<
- :Z:r:g;
- : :$:(:,:0:4:8:M:
- <g=v={=
- ; ;';.;
- >0>R>Y>
- ?I?u?{?
- :/;E;];
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- ;M=T=r=y=
- ?<?B?M?T?
- <#<3<;<F<P<Z<i<Y=Y>
- </assembly>
-]7-m(|Ff
- qVNG q
- lmH#G4
- j[[vwz
- p!@L|^
- <C/EGF
- q.%y+=T
- NDcO~G
- SCRIPT
- Qkkbal
- pqrstuvwxyz{$--%"!\'
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- StretchBlt
- MPR.dll
- WINMM.dll
- (?R or (?[+-]digits must be followed by)
- BSR_ANYCRLF)
- ANYCRLF)
- dword_ptr
- long_ptr
- int_ptr
- struct
- \\p{Ll}
- \\p{Lu}

- \\P{Ll}
- t\\p{Nd}
- \\p{Xan}
- \\P{Xsp}
- \\p{Xwd}
- \\p{Xsp}
- \\P{Xwd}
- \\P{Xps}
- \\p{Xps}
- \\P{Xan}
- \\P{Nd}
- \\P{Lu}
- SELECTSTRING
- FINDSTRING
- ADDSTRING
- (*UCP)\\X
- REG_SZ
- stdcall
- USERDNSDOMAIN
- WIN_XP
- DLLStruct
- String
- \\??\\%s
- "%s" (%d) : ==> %s:
- "%s" (%d) : ==> %s:
- Shell_TrayWnd
- Run Script:
- %s (%d) : ==> %s:
- Line %d (File "%s"):
- %s (%d) : ==> %s.:
- struct
- dword_ptr
- long_ptr
- int_ptr
- LASTDLLERROR
- [CLASS:
- CLASSNN
- SHELLDLL_DefView
- \\CLSID
- \\\\[\\\\nrt]|%%|%[-+ 0#]?([0-9]*|*)?(\\.[0-9]*|\\.*)?[hlL]?[diouxXeEfgGs]
- LOGONDNSDOMAIN
- SW_LOCK
- SW_SHOW
- TCPSTARTUP
- TCPSHUTDOWN
- TCPSEND
- TCPRECV
- TCPCLOSESOCKET
- STRINGSTRIPWS
- STRINGSTRIPCR
- STRINGSPLIT
- STRINGRIGHT
- STRINGINSTR
- STRINGADDCR
- STRING
- MSGBOX
- ISHWND

• ISDLLSTRUCT
• HTTPSETUSERAGENT
• HTTPSETPROXY
• GUISETSTYLE
• GUIGETSTYLE
• GUICTRLSETTIP
• GUICTRLSETSTYLE
• GUICTRLSETSTATE
• GUICTRLSETRESIZING
• GUICTRLSETPOS
• GUICTRLSETONEVENT
• GUICTRLSETLIMIT
• GUICTRLSETIMAGE
• GUICTRLSETGRAPHIC
• GUICTRLSETFONT
• GUICTRLSETDEFCOLOR
• GUICTRLSETDEFBKCOLOR
• GUICTRLSETDATA
• GUICTRLSETCURSOR
• GUICTRLSETCOLOR
• GUICTRLSETBKCOLOR
• GUICTRLSENDTODUMMY
• GUICTRLSENDMSG
• GUICTRLREGISTERLISTVIEWSORT
• GUICTRLRECVMSG
• GUICTRLREAD
• GUICTRLGETSTATE
• GUICTRLGETHANDLE
• GUICTRLDELETE
• GUICTRLCREATEUPDOWN
• GUICTRLCREATETREEVIEWITEM
• GUICTRLCREATETREEVIEW
• !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
• {{{{

- GUICTRLCREATELABEL
- GUICTRLCREATEINPUT
- GUICTRLCREATEICON
- GUICTRLCREATEGROUP
- GUICTRLCREATEGRAPHIC
- GUICTRLCREATEEDIT
- GUICTRLCREATEDUMMY
- GUICTRLCREATEDATE
- GUICTRLCREATECONTEXTMENU
- GUICTRLCREATECOMBO
- GUICTRLCREATECHECKBOX
- GUICTRLCREATEBUTTON
- GUICTRLCREATEAVI
- FTPSETPROXY
- FILECREATENTFSLINK
- DUMMYSPEEDTEST
- DLLSTRUCTSETDATA
- DLLSTRUCTGETSIZE
- DLLSTRUCTGETPTR
- DLLSTRUCTGETDATA
- DLLSTRUCTCREATE
- DLLCLOSE
- DLLCALLBACKGETPTR
- DLLCALL
- CDTRAY
- @GUI_CTRLHANDLE
- SCRIPT
- SWITCH
- hhhh

- hhhhhhh
- hhhhhhhh
- mmmmmmmmmm
- mmmmmmmmm

- mmmmmmmmm
- mmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmee!
- mmmmmmmmmmmmm
- e!!!!!!!!
- ffffffffff
- mmmmmmmmm
- mmmmmmmm
- mmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmm

- mmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmm
- mmmmmmmmm
- mmmmmmmmm
- `string'
- `vcall'
- __clrcall
- __stdcall
- __cdecl
- i^^?(>
- xppwpp
- `h`hhh
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- Nu?-HF
- #wi#:=
- d? cf>
- Nu?-HF
- ?$rxxx
- ?e')lW
- ?{yK+;
- ?ZEM-'^
- ?$rxxx
- ?e')lW
- ?{yK+;
- ?ZEM-'^
- ?Dj0Q:W$=
- <@En[vP
- l,kg<i
- <@En[vP
- F||<##
- ?#%X.y
- &?~YK|
- H`$?h|
- :h"?bC
- ?g)([|X>=
- >,'1D=
- y1~?|"
- mmmmmmmmmmmmmm
- mmmmmmmm
- mmmmmmmm
- mmmmmmmm
- mmmmmm
- mmmmmmm
- mmmmmm
- mmmmmmmmmmmmmm
- mmmmmm
- mmmmmmmmmm
- mmmmmmmm
- mmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmm
- mmmmmmmmmmm
- mmmmmmm
- mmmmmmm
- mmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmm

- hhhhhhhhhhh
- mmmmmmmmmmm
- mmmmmmmm
- mmmmmmmmm
- jkjkjkjkjk
- mmmmml
- hhhhhhhhhh

- .v2},v
- ".vuG-v
- w]7.v`w
- >-v)~/v
- "-va>-vM
- g,v%9-vjX,v
- -vM7.v
- 3.vQJ.v
- -v\\9.v
- ;-v(7.v
- -v+E.v
- $vfd'v
- vIkv
- &v;<j$v
- vhuv
- I'v]c'v@f$vg
- QQQQQ3
- }u;C|sB
- f;C6tM
- ;s|s'f
- t.;S|r)
- ;s|s'f
- t.;S|r)
- -;s|s5f
- ;s|s$f
- ;s|s$f
- (;s|s-f
- ;s|s$f
- ;s|s'f
- t.;S|r)
- t$;C|r
- GH;OD~
- 4F;y,}#
- tBj9[j-_f;E
- (null)
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- HtnHtWHt@Ht$Ht
- 9PltJf
- QPQWVS
- QPQWVS
- QPQWVS
- QPQWVS
- T$4+|$
- ~Bj _j.Y
- t jHYf;
- t-jOYf;
- t5jGYf;
- D$HhL6
- t/Ht%H
- PVSShD
- PSSShD
- CYY;X<
- t-j'Zf;
- |D"\\Yt
- SVWj0Zf;

- t4j|Yf;
- f;Grt>
- j)Yf9F
- (SVWj)
- jHX_^[
- tXj]Zf
- uLPPRj
- D$TPSh>
- D$(PSh
- D$|PShK
- D$@PSh
- D$TPSh>
- D$|PShK
- D$TPSh>
- D$TPSh>
- +G<+W@
- ;|$<}+
- D$\\PWV
- T$L;t$
- D$(PVS
- PPj PPP
-)GHjG3
- HHt,Ht,
- HHtPHt,H
- D$\\PVhL
- Wj!j j
- u<@PPj!j
- @PPj!j
- SSSSPSh,L
- QQQQQP
- 4SVWj,
- QQSVWj$
- |$,+|$$
- \\$(+\\$
- D$,+D$$S
- D$4+D$,
- L$<+L$
- D$L+D$Dj
- t$H+t$@
- L$PQVh9
- L$PQVh2
- QQQQPVh
- HtEHt#Ht
- HthHtSHt?H
- SVWjD^V3
- t/Ht%Ht
- j;YFf9
- X+D$$PW
- D$0;D$|
- j$Yj@FZf;
- j%YFf;
- +jHXf;
- RtMHt0Ht
- t&jOZf;
- t.jGZf;
- tKHt:HuQ
- jG^f9p

- t$0;t$$t"F
- @9D$ v=
- PPPPGW
- u&VVWSh;
- D$8PQQ
- D$<PQW
- D$<PSW
- HtyHtvHusj
- BtFHHt>
- QQSVW3
- HtQHtL
- tfHtYHt8Ht,Ht
- Nt,NNt
- D$0hl=
- t7Ht"Ht
- D$<PhP
- t@Ht'Ht
- t$ SSj
- D$@h`:
- D$0h`:
- Yj\\Yf9
- D$phL:
- D$xh(9
- D$Dhh:
- HHt@Ht3Ht&Ht;
- WWWWWh
- PWWWWW
- jDj$X+
- u+Sj)^j
- HtYHt!
- Ht^Ht)Ht
- JtsJJt8
- D$,Yu)
- QQSPVWQQ
- PPPPVWPP
- YSPVWj
- WWWh 8
- PPPh 8
- SVWj*X3
- (j.^f9
- PPPPGW
- <SVWj,
- DSVWj,3
- G)QSPj[
- G%QSPj
- G$QSPj
- G(QSPh
- G'QSPh
- G)QSPj[
- G%QSPj
- G$QSPj
- G(QSPh
- G'QSPh
- tP<_tL<
- <"t|<%tx<\'tt<$tp<&tl;<!th<otd<]t`<[t\\<\\tX<
- t$j'Zf;
- j;_f9;j

- ~%j;[f9
- j;XCf9
- Oj;_f;
- Oj XCf;
- D$<;D$$
- t$0QVPR
- t$<^f;
- |$<9D$$
- f91t,SWj,[j.
- f;D$hu
- f;D$hu
- D$$+D$
- D$ +D$
- t)j]Yf;
- t1j;Yf;
- QQSVWh
- PSSSSSSh
- \\SVWQQ
- t$j\\Xf9
- Gf;x,r
- Gf;x,r
- f;H,sC
- Cj$Xj(f
- &j;$Xj(f
- Mj$Xj(f
- j$Xj(f
- +t"HHt
- bWWWWj
- UQPXY]Y[
- ;t$,v-
- tHHt*Ht#
- Ht+Ht$Ht
- Wj0XPV
- ,SVWj0X
- ~';_t|%3
- j"_f9y
- QQSVWh
- jA[jZZ+
- ?:uBGW
- SSPQSW
- tfHtWHtHHt/
- f- 8f=
- URPQQh
- HHtVHHt
- j@j _W
- +t"HHt
- -t*j0X;
- YYjgXf9
- nt'joY;
- HHtXHHt
- htHjlY;
- ~pjCXf
- HthHt3
- HHtPHHt-H
- jAZjZ^+
- SVjA[jZ^+
- uPVWhd

- SVWjA_jZ+
- PPPPGW
- Ht;Ht.H
- <uGj>Y
- j+Yj^f;
- +t\\HHtT
- F;t$ r
- 9t$ v-
- F;t$Xr
- F;t$xr
- D$@;D$Dr
- D$$PVj
- D$ PVj
- Ht8HtRHt
- Yj?Yj0Z
- t4j"Yf;
- !"#$%%%%%%&&\'()*+%%%%%%&&\'()*+,,,,,,--./012QQQQQQQ334556789999:;<;<=>=?@AB=?@ABQQQQQCDEFGHIJKLMN
- L$D;t$8
- D$<9D$ tZj
- D$$;D$0
- L$LjrXf
- ~+FVSj
- L$$9N@
- PWWWWh
- WWjdh,
- FY;w r
- FY;5$#