Analysis report for sample: 265460caeb5195d4140a98403dc671a9

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 9382 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 265460caeb5195d4140a98403dc671a9

AV detections

• Microsoft:
• Kaspersky:
• Symantec:
• Malwarebytes:

Original source url

• hxxp://edone.org/wp-admin/user/http.exe

Virustotal url

• https://virustotal.com/es/file/752c1f6f7d3f7de42db781e6b4851d95132bf55b7bbb1dd1e067d2e701e4f4ab/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

• IsPE32 ()
• IsWindowsGUI ()
• IsPacked (Entropy Check)
• HasOverlay (Overlay Check)
• HasModified_DOS_Message (DOS Message Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• suspicious_packer_section (The packer/protector section names/keywords)
• UPX ()
• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• Str_Win32_Internet_API (Match Windows Inet API call)
• Str_Win32_Http_API (Match Windows Http API call)
• UPXv20MarkusLaszloReiser ()
• UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
• UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
• ThreadControl__Context ()
• network_http (Communications over HTTP)
• win_mutex (Create or check mutex)
• win_files_operation (Affect private profile)
• with_urls (Rule to detect the presence of an or several urls)
• MD5_Constants (Look for MD5 constants)
• BASE64_table (Look for Base64 table)
• VC8_Random (Look for Random function)
• PackerUPX_CompresorGratuito_wwwupxsourceforgenet ()
• UPX_wwwupxsourceforgenet_additional ()
• yodas_Protector_v1033_dllocx_Ashkbiz_Danehkar_h ()
• UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay ()
• UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay_additional ()

- UPX_wwwupxsourceforgenet ()

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name reg.exe Alias P2
- Name reg.exe Alias P3

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe

- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name msnat7bf62af.exe
- Name msnat7bf62af.exe
- Name svchost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name UI0Detect.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\reg.exe PID: P2, Command line: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows" /t REG_SZ /f /v load /d "C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe")
- Process Create (C:\\Windows\\system32\\reg.exe PID: P3, Command line: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run" /t REG_SZ /f /v msnat292f1abf /d "C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows\\load Type: REG_SZ, Length: 102, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\msnat292f1abf Type: REG_SZ, Length: 102, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: http://whoer.net
- url | http tag | valid domain | tlds: http://www.microsoft.com
- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0b; Windows NT 5.0; .NET CLR 1.0.2914)
- url | valid domains | tlds: l2.apews.org
- url | valid domains | tlds: proxy.bl.gweep.ca
- url | valid domains | tlds: virbl.bit.nl
- url | valid domains | tlds: b.barracudacentral.org
- url | valid domains | tlds: ips.backscatterer.org
- url | valid domains | tlds: orvedb.aupads.org
- url | valid domains | tlds: duinv.aupads.org
- url | valid domains | tlds: cdl.anti-spam.org.cn
- url | valid domains | tlds: tor.ahbl.org
- url | valid domains | tlds: dnsbl.ahbl.org
- url | valid domains | tlds: cbl.abuseat.org
- url | valid domains | tlds: spam.abuse.ch
- url | valid domains | tlds: drone.abuse.ch
- url | valid domains | tlds: dnsbl.abuse.ch
- url | valid domains | tlds: combined.abuse.ch
- url | valid domains | tlds: owps.dnsbl.net.au
- url | valid domains | tlds: owfs.dnsbl.net.au
- url | valid domains | tlds: osrs.dnsbl.net.au
- url | valid domains | tlds: osps.dnsbl.net.au
- url | valid domains | tlds: omrs.dnsbl.net.au
- url | valid domains | tlds: ohps.dnsbl.net.au
- url | valid domains | tlds: ix.dnsbl.manitu.net
- url | valid domains | tlds: bl.deadbeef.com
- url | valid domains | tlds: bogons.cymru.com
- url | valid domains | tlds: dnsbl.cyberlogic.net
- url | valid domains | tlds: fl.chickenboner.biz
- url | valid domains | tlds: residential.block.transip.nl
- url | valid domains | tlds: proxy.block.transip.nl
- url | valid domains | tlds: relays.bl.kundenserver.de
- url | valid domains | tlds: relays.bl.gweep.ca
- url | valid domains | tlds: dul.ru
- url | valid domains | tlds: zombie.dnsbl.sorbs.net
- url | valid domains | tlds: web.dnsbl.sorbs.net
- url | valid domains | tlds: spam.dnsbl.sorbs.net
- url | valid domains | tlds: socks.dnsbl.sorbs.net
- url | valid domains | tlds: smtp.dnsbl.sorbs.net
- url | valid domains | tlds: misc.dnsbl.sorbs.net
- url | valid domains | tlds: http.dnsbl.sorbs.net
- url | valid domains | tlds: dul.dnsbl.sorbs.net
- url | valid domains | tlds: tor.dnsbl.sectoor.de
- url | valid domains | tlds: t3direct.dnsbl.net.au
- url | valid domains | tlds: rmst.dnsbl.net.au
- url | valid domains | tlds: ricn.dnsbl.net.au
- url | valid domains | tlds: rdts.dnsbl.net.au
- url | valid domains | tlds: probes.dnsbl.net.au
- url | valid domains | tlds: spam.rbl.msrbl.net
- url | valid domains | tlds: phishing.rbl.msrbl.net

- url | valid domains | tlds: images.rbl.msrbl.net
- url | valid domains | tlds: combined.rbl.msrbl.net
- url | valid domains | tlds: virus.rbl.jp
- url | valid domains | tlds: short.rbl.jp
- url | valid domains | tlds: spamlist.or.kr
- url | valid domains | tlds: dnsbl.njabl.org
- url | valid domains | tlds: relays.nether.net
- url | valid domains | tlds: ubl.lashback.com
- url | valid domains | tlds: rbl.interserver.net
- url | valid domains | tlds: dnsbl.inps.de
- url | valid domains | tlds: wormrbl.imp.ch
- url | valid domains | tlds: spamrbl.imp.ch
- url | valid domains | tlds: blackholes.five-ten-sg.com
- url | valid domains | tlds: bl.emailbasura.org
- url | valid domains | tlds: dnsbl-3.uceprotect.net
- url | valid domains | tlds: dnsbl-2.uceprotect.net
- url | valid domains | tlds: dnsbl-1.uceprotect.net
- url | valid domains | tlds: torserver.tor.dnsbl.sectoor.de
- url | valid domains | tlds: psbl.surriel.com
- url | valid domains | tlds: spam.spamrats.com
- url | valid domains | tlds: noptr.spamrats.com
- url | valid domains | tlds: dyna.spamrats.com
- url | valid domains | tlds: zen.spamhaus.org
- url | valid domains | tlds: xbl.spamhaus.org
- url | valid domains | tlds: sbl.spamhaus.org
- url | valid domains | tlds: pbl.spamhaus.org
- url | valid domains | tlds: bl.spamcop.net
- url | valid domains | tlds: bl.spamcannibal.org
- url | valid domains | tlds: dnsbl.sorbs.net
- url | valid domains | tlds: korea.services.net
- url | valid domains | tlds: dynip.rothen.com
- url | valid domains | tlds: virus.rbl.msrbl.net
- url | valid domains | tlds: blacklist.woody.ch
- url | valid domains | tlds: ubl.unsubscore.com
- url | valid domains | tlds: f1.faisrl.net,hs.kjaro.it,ssl.agenziapenati.it,
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- path | frequently modified by malware: C:\\Windows\\system32\\msnat7bf62af.exe
- path | frequently modified by malware: C:\\Windows\\system32\\
- registry | frequently modified by malware: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run" /t REG_SZ /f /v %s /d "%s"
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetVersion
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WinExec
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: SetThreadContext

- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: QueryPerformanceCounter
- url | http tag: https://
- path | path unit: C:\\Windows
- path | path unit: C:\\Windows\\TEMP\\
- registry: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows" /t REG_SZ /f /v load /d "%s"
- api | wininet: InternetOpenA
- api | wininet: InternetConnectA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetSetOptionA
- api | wininet: HttpSendRequestA
- api | wininet: HttpQueryInfoA
- api | advapi32: OpenServiceA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | advapi32: CloseServiceHandle
- api | advapi32: CreateServiceA
- api | advapi32: OpenSCManagerA
- api | advapi32: StartServiceA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: SetEndOfFile
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: CreateFileA
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: HeapSize
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetFilePointer
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: ReadFile
- api | kernel32: GetLastError

- api | kernel32: RtlUnwind
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: lstrcpyA
- api | kernel32: LockResource
- api | kernel32: lstrcmpiA
- api | kernel32: CloseHandle
- api | kernel32: WaitForSingleObject
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: GetModuleFileNameA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: GetVersionExA
- api | kernel32: GetFileAttributesA
- api | kernel32: SetFileAttributesA
- api | kernel32: FindResourceA
- api | kernel32: SizeofResource
- api | kernel32: CreateProcessA
- api | kernel32: GetExitCodeThread
- api | kernel32: lstrlenA
- api | kernel32: GetModuleHandleA
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: IsBadWritePtr
- api | kernel32: TlsFree
- api | kernel32: RaiseException
- api | advapi32: GetUserNameA
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: SetSecurityDescriptorDacl
- api | user32: GetSystemMetrics
- api | kernel32: GetComputerNameA
- api | kernel32: GetSystemWindowsDirectoryA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalFree
- api | kernel32: CreateMutexA
- api | kernel32: DeleteFileA
- api | kernel32: ReleaseMutex
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | kernel32: GetSystemInfo
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetSystemTimeAsFileTime

- api | kernel32: GetCurrentProcessId
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedExchange
- api | kernel32: GetSystemTime
- api | kernel32: GetProcessHeap
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

Involved hosts

- 192.168.133.132:49194
- 192.168.133.132:49196
- 192.168.133.132:49199
- 192.168.133.132:49200
- 192.168.133.132:49203
- 192.168.133.132:55335
- 192.168.133.132:62920
- 192.168.133.132:64731
- 192.168.133.132:65378
- 192.168.133.132:68
- 192.168.133.254:67
- 192.168.133.2:53
- 2.20.202.119:443 (www.microsoft.com)
- 2.20.202.119:80 (www.microsoft.com)
- 23.37.171.27:80 (s2.symcb.com)
- 5.9.147.113:2352 (f1.faisrl.net)
- 77.209.227.24:80 (crl.microsoft.com)

Dns queries

- www.microsoft.com ---> 2.20.202.119
- 254.133.168.192.in-addr.arpa ---> no answers
- 119.202.20.2.in-addr.arpa ---> no answers
- s2.symcb.com ---> 23.37.171.27
- f1.faisrl.net ---> 5.9.147.113
- 65.108.25.46.combined.abuse.ch ---> no answers
- 65.108.25.46.dnsbl.abuse.ch ---> no answers
- 65.108.25.46.drone.abuse.ch ---> no answers
- 65.108.25.46.spam.abuse.ch ---> no answers
- 65.108.25.46.cbl.abuseat.org ---> no answers
- 65.108.25.46.dnsbl.ahbl.org ---> 127.0.0.5, 127.0.0.4, 127.0.0.3, 127.0.0.2
- 65.108.25.46.tor.ahbl.org ---> 127.0.0.2
- 65.108.25.46.cdl.anti-spam.org.cn ---> no answers
- 27.171.37.23.in-addr.arpa ---> no answers
- 113.147.9.5.in-addr.arpa ---> no answers
- 65.108.25.46.duinv.aupads.org ---> no answers
- 65.108.25.46.orvedb.aupads.org ---> no answers
- 65.108.25.46.ips.backscatterer.org ---> no answers
- 65.108.25.46.b.barracudacentral.org ---> no answers
- 65.108.25.46.virbl.bit.nl ---> no answers
- 65.108.25.46.proxy.bl.gweep.ca ---> no answers
- 65.108.25.46.relays.bl.gweep.ca ---> no answers
- 65.108.25.46.relays.bl.kundenserver.de ---> no answers
- 65.108.25.46.proxy.block.transip.nl ---> no answers
- 65.108.25.46.residential.block.transip.nl ---> no answers
- 65.108.25.46.fl.chickenboner.biz ---> 69.64.147.28
- 65.108.25.46.dnsbl.cyberlogic.net ---> no answers
- 65.108.25.46.bogons.cymru.com ---> no answers
- 65.108.25.46.bl.deadbeef.com ---> no answers
- 65.108.25.46.ix.dnsbl.manitu.net ---> no answers
- 65.108.25.46.ohps.dnsbl.net.au ---> no answers
- 65.108.25.46.omrs.dnsbl.net.au ---> no answers
- 65.108.25.46.osps.dnsbl.net.au ---> no answers
- 65.108.25.46.osrs.dnsbl.net.au ---> no answers
- 65.108.25.46.owfs.dnsbl.net.au ---> no answers
- 65.108.25.46.owps.dnsbl.net.au ---> no answers
- 65.108.25.46.probes.dnsbl.net.au ---> no answers
- 65.108.25.46.rdts.dnsbl.net.au ---> no answers
- 65.108.25.46.ricn.dnsbl.net.au ---> no answers
- 65.108.25.46.rmst.dnsbl.net.au ---> no answers
- 65.108.25.46.t3direct.dnsbl.net.au ---> no answers
- 65.108.25.46.tor.dnsbl.sectoor.de ---> no answers
- 65.108.25.46.dul.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.http.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.misc.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.smtp.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.socks.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.spam.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.web.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.zombie.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.dul.ru ---> no answers
- 65.108.25.46.bl.emailbasura.org ---> no answers
- 65.108.25.46.blackholes.five-ten-sg.com ---> no answers
- 65.108.25.46.spamrbl.imp.ch ---> no answers

- 65.108.25.46.wormrbl.imp.ch ---> no answers
- 65.108.25.46.dnsbl.inps.de ---> no answers
- 65.108.25.46.rbl.interserver.net ---> no answers
- 65.108.25.46.ubl.lashback.com ---> no answers
- 65.108.25.46.relays.nether.net ---> no answers
- 65.108.25.46.dnsbl.njabl.org ---> no answers
- 65.108.25.46.spamlist.or.kr ---> no answers
- 65.108.25.46.short.rbl.jp ---> no answers
- 65.108.25.46.virus.rbl.jp ---> no answers
- 65.108.25.46.combined.rbl.msrbl.net ---> no answers
- 65.108.25.46.images.rbl.msrbl.net ---> no answers
- 65.108.25.46.phishing.rbl.msrbl.net ---> no answers
- 65.108.25.46.spam.rbl.msrbl.net ---> no answers
- 65.108.25.46.virus.rbl.msrbl.net ---> no answers
- 65.108.25.46.dynip.rothen.com ---> no answers
- 65.108.25.46.korea.services.net ---> no answers
- 65.108.25.46.dnsbl.sorbs.net ---> no answers
- 65.108.25.46.bl.spamcannibal.org ---> no answers
- 65.108.25.46.bl.spamcop.net ---> no answers
- 65.108.25.46.pbl.spamhaus.org ---> no answers
- 65.108.25.46.sbl.spamhaus.org ---> no answers
- 65.108.25.46.xbl.spamhaus.org ---> no answers
- 65.108.25.46.zen.spamhaus.org ---> no answers
- 65.108.25.46.dyna.spamrats.com ---> no answers
- 65.108.25.46.noptr.spamrats.com ---> no answers
- 65.108.25.46.spam.spamrats.com ---> no answers
- 65.108.25.46.psbl.surriel.com ---> no answers
- 65.108.25.46.torserver.tor.dnsbl.sectoor.de ---> no answers
- 65.108.25.46.dnsbl-1.uceprotect.net ---> no answers
- 65.108.25.46.dnsbl-2.uceprotect.net ---> no answers
- 65.108.25.46.dnsbl-3.uceprotect.net ---> no answers
- 65.108.25.46.ubl.unsubscore.com ---> no answers
- 65.108.25.46.blacklist.woody.ch ---> no answers
- 65.108.25.46.db.wpbl.info ---> no answers
- 65.108.25.46.l2.apews.org ---> no answers
- crl.microsoft.com ---> 77.209.227.24, 77.209.227.8
- 24.227.209.77.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.132:49194 ---> 2.20.202.119 (www.microsoft.com) :80

GET / HTTP/1.1[...]Content-Type: application/x-www-form-urlencoded[...]User-Agent: Mozilla/4.0 (compatible; MSIE 6.0b; Windows NT 5.0; .NET CLR 1.0.2914)[...]Host: www.microsoft.com[...]Connection: Keep-Alive[...]GET /es-es/ HTTP/1.1[...]User-Agent: Mozilla/4.0 (compatible; MSIE 6.0b; Windows NT 5.0; .NET CLR 1.0.2914)[...]Host: www.microsoft.com[...]Connection: Keep-Alive

• tcp 2.20.202.119 (www.microsoft.com) :80 ---> 192.168.133.132:49194

HTTP/1.1 302 Moved Temporarily[...]Server: AkamaiGHost[...]Content-Length: 0[...]Location: http://www.microsoft.com/es-es/[...]Date: Fri, 26 May 2017 23:37:47 GMT[...]Connection: keep-alive[...]X-CCC: BE[...]X-CID: 2[...]HTTP/1.1 301 Moved Permanently[...]Server: AkamaiGHost[...]Content-Length: 0[...]Location: https://www.microsoft.com/es-es/[...]Date: Fri, 26 May 2017 23:37:47 GMT[...]Connection: keep-alive[...]Set-Cookie: akacd_OneRF=1503617867~rv=25~id=f0d33845b168479782099fffd2efb2d8; path=/; Expires=Thu, 24 Aug 2017 23:37:47 GMT[...]X-CCC: BE[...]X-CID: 2[...]HTTP/1.1 301 Moved Permanently[...]Server: AkamaiGHost[...]Content-Length: 0[...]Location: https://www.microsoft.com/es-es/[...]Date: Fri, 26 May 2017 23:37:47 GMT[...]Connection: keep-alive[...]Set-Cookie: akacd_OneRF=1503617867~rv=25~id=f0d33845b168479782099fffd2efb2d8; path=/; Expires=Thu, 24 Aug 2017 23:37:47 GMT[...]X-CCC: BE[...]X-CID: 2

• tcp 192.168.133.132:49196 ---> 2.20.202.119 (www.microsoft.com) :443

www.microsoft.com[...]YvCUs30[...]%3TWVN_

• tcp 2.20.202.119 (www.microsoft.com) :443 ---> 192.168.133.132:49196

Symantec Corporation1[...]Symantec Trust Network1/0-[...]&Symantec; Class 3 Secure Server CA - G40[...]170407000000Z[...]190408235959Z0[...]Washington1[...]Redmond1[...]Microsoft Corporation1[...]MSCOM1[...]www.microsoft.com0[...]+`D*B2[...]privacy.microsoft.com[...]c.s-microsoft.com[...]microsoft.com[...]i.s-microsoft.com[...]staticview.microsoft.com[...]www.microsoft.com[...]wwwqa.microsoft.com0[...]https://d.symcb.com/cps0%[...]https://d.symcb.com/rpa0[...]http://ss.symcb.com/ss.crl0W[...]http://ss.symcd.com0&[...]http://ss.symcb.com/ss.crt0[...]K7aQ^G>/[...]^akU&.[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]131031000000Z[...]231030235959Z0~1[...]Symantec Corporation1[...]Symantec Trust Network1/0-[...]&Symantec; Class 3 Secure Server CA - G40[...]zR!cu/[...]http://s1.symcb.com/pca3-g5.crl0[...]http://s2.symcb.com0k[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0)[...]SymantecPKI-1-5340[...]o)cf-?[...]20170525054607Z0s0q0I0[...]20170525054607Z[...]20170601054607Z0[...]Xc1>]Z[...]Symantec Corporation1[...]Symantec Trust Network1/0-[...]&Symantec; Class 3 Secure Server CA - G40[...]170426000000Z[...]170725235959Z0@1>0<[...]5Symantec Class 3 Secure Server CA - G4 OCSP Responder0[...]TGV-E-9770[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]*c?zE$[...]10qq0)N[...]eR{2)U[...]`w:,QD[...]tF\'s2-[...]|/Os0;E[...]<]@lC6[...]*"y5cB[...]1k:=+i[...]6IubUv[...]1^a"~T[...]ip?"+m[...]Ug;ywEG[...]+89`Gq[...]Beq5SY[...]C$pj^`[...]AFIh.n[...]{Cq:UD[...]};9^o[...]fSWF+0[...]aw7EUh9[...]\';*}hR[...]`SV~uL[...]&Rw;~]\\[...]Te*W~O[...]3qS~^`Q[...]ra;4)W[...]1*VfeN[...]#gg<W]"[...]qQa77U[...]#*k^^No[...]fbLA@&[...]lLs*4)u2[...]\'_k]Vy[...]J}=#)_[...]S4T\'0nD"[...]CAZ~1y[...]*YZmxQ{6o[...]4n[Poi$5[...]O^kRfd"[...]4Pl3n6L[...]Prk1,I[...]>Q*E2T[...]1VV+zp[...]klUM;/`|[...]E>,n.5[...]&9x/U*1[...]meS)iu[...]D^8xI?[...]<)(@"a[...]\',:t+J[...]t]:ADxD~[...]v{J$Nw[...];8/~\'W[...]b\'0,JT[...]b$xAyKD[...]taehuh,[...]=.4t<0h[...]KCoLAh:[...]Yg9j.3[...]CKrar"I[...]:&W;\'F\\[...]7[YH3*[...]G~tUI?[...])Bg+!*<A[...]?O+Kx<[...]R/Kcew[...]SxMn3[[...]<)T48Z[...]%Kq\'w2[...]z}<n4&[[...]\\fQVw@[...]C^[]a-sj[...]+ih:R2[...]d,I!SY[...][{sAGt[...]ug9bH*[...]Wv55^b[...]B>E]{iX[...]L-_7Kq}[...]@lI8ol[...]H!oBte[...]Rahh:&[...]h[5$*aiBm[...]yqz:Ci[...]otCE=b[...]K&981:~[...]`y326/[...]B,hKvz[...]v|Q?wn[...]8S/gf^[...]]C$6/|j[...]~Q|YC4IN[...]EIM9~b[...]%dRpoh[...]O+T>L{+[...]D-v59J</I[...]>T$g*?fN[...]YJxCx7[...]eOU_6pV[...]r\'s~Gx[...]YxpSeK0l[...]"N<lp0a.[...]y?{!,m[...]e6(>B&[...].%S;0F[...]*ltk3Z[...]w,FldC[...]:bK 2S[...]93j?v2[...]5V\'Q.w`[...]|(.`d)[...]IavZY[...]sxLPF!{[...]0gGWg3[...]UXQ\\~`[...]Tg13>1[...]o.0}W&bQQu8;[...][+j[~G[...]ID-2q<[...]gyVoYax[...]"0OCv;S[...],._I8-[...].Xl-]B[...]NB ?^_{[...]4&1IkQ[...]M M>d7D[...]L80!^Vo7xo[...]@}&h.Z;[...]$`!z\':[...]%S)9.A@[...]TQ_FL}[...]9==}&i;[...]y+-3[>/[...]9\\q{YY[...]9?l.}r[...]UW)K0&[...]G?gpMN[...]`fJ~@:[...]LnCD/}[...]1?.o:[...]jHvjtV[...]Z++QD+[...]X\\Dd*8[...].k<~C\\[...]7d&&WB;[...]}yT2H*[...]mNyjt^h2[...]3p3Bzn[...]dm@b-2[...]=0j$sbe[...]hVZ^TJ9[...]w(bS(?|[...]dXDA(N[...]|b, >o[...]_5$`>!"E^[...]QCMzsN[...]kV^Z,;#[...]>5*XMME[...]Qx]=V5[...]prOc|!:`[...]Sl<JD#[...]Sj4NXf[...]OI0WP;[...]/(*lfp[...]MXYgCM[...]n{TP\\,[...]VL<R%OsB[...]1nf=@D[...]Q[6`GE[...]bow^oo[...]:7UCT][...];]@#}@[...]3Yyh/[...]1HA85X^?[...]p!:<Z}6[...]T#z4I]R[...]0TtT6el[

• tcp 192.168.133.132:49199 ---> 23.37.171.27 (s2.symcb.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEFE%2FuXQ4cLc0QEGNMJMGmf8%3D HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com

• tcp 23.37.171.27 (s2.symcb.com) :80 ---> 192.168.133.132:49199

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=569271, public, no-transform, must-revalidate[...]Last-Modified: Fri, 26 May 2017 13:42:28 GMT[...]Expires: Fri, 2 Jun 2017 13:42:28 GMT[...]Date: Fri, 26 May 2017 23:37:49 GMT[...]Connection: keep-alive[...]20170526134228Z0s0q0I0[...]20170526134228Z[...]20170602134228Z0[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]+S^0<6[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500

• tcp 192.168.133.132:49200 ---> 5.9.147.113 (f1.faisrl.net) :2352

<id>srv_6079c28081d9a5312513e9b5cd0baaa3</id><msg from='srv_6079c28081d9a5312513e9b5cd0baaa3' to='MASTER001'>ON LINE:ts=$TS:jid=$JID:sid=6079c28081d9a5312513e9b5cd0baaa3:ver=70:login=xxx:pass=xxx:port=10:ports=10:ip=46.25.108.65:isp=:ct=:sc=180.3 kbps:uptime=18:osid=Windows 7 Service Pack 1:inuse=false:back=back:rbl=3/82:END</msg><msg from='srv_6079c28081d9a5312513e9b5cd0baaa3' to='MASTER001'>ALIVE:</msg>

• tcp 5.9.147.113 (f1.faisrl.net) :2352 ---> 192.168.133.132:49200

OK46.25.108.65[...]<msg from='' to='srv_6079c28081d9a5312513e9b5cd0baaa3'>GEOINFO:http://whoer.net</msg>

• tcp 192.168.133.132:49203 ---> 77.209.227.24 (crl.microsoft.com) :80

GET /pki/crl/products/WinPCA.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Wed, 02 Dec 2015 18:30:06 GMT[...]If-None-Match: "0cb60772f2dd11:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com

• tcp 77.209.227.24 (crl.microsoft.com) :80 ---> 192.168.133.132:49203

HTTP/1.1 200 OK[...]Content-Length: 530[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:31 GMT[...]ETag: 0x8D491AA00DDEA76[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: b48def78-0001-003e-2351-c4f151000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 26 May 2017 23:38:21 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1+0)[...]"Microsoft Windows Verification PCA[...]151202080000Z[...]430418080000Z[...]Hi`N=j[...]HTTP/1.1 200 OK[...]Content-Length: 530[...]Content-Type: application/pkix-crl[...]Last-Modified: Tue, 02 May 2017 22:24:31 GMT[...]ETag: 0x8D491AA00DDEA76[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: b48def78-0001-003e-2351-c4f151000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 26 May 2017 23:38:21 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1+0)[...]"Microsoft Windows Verification PCA[...]151202080000Z[...]430418080000Z[...]Hi`N=j

• udp 192.168.133.254:67 ---> 192.168.133.132:68

localdomain

• udp 192.168.133.132:65378 ---> 192.168.133.2:53

relays

• udp 192.168.133.132:64731 ---> 192.168.133.2:53

residenti

- **udp 192.168.133.132:62920 ---> 192.168.133.2:53**

  blackho

- **udp 192.168.133.132:55335 ---> 192.168.133.2:53**

  torserver

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
    - Thread T5 (in process P2, reg.exe)
    - Thread T7 (in process P3, reg.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
    - Process Create (C:\\Windows\\system32\\reg.exe PID: P2, Command line: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows" /t REG_SZ /f /v load /d "C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe")
    - Process Create (C:\\Windows\\system32\\reg.exe PID: P3, Command line: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run" /t REG_SZ /f /v msnat292f1abf /d "C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe")
- **Thread T4 (in process P1, cebo.exe) description**

- **Thread's childs**
  - Thread T9 (in process P1, cebo.exe)
- **Thread' events**
  - Thread Create (Thread ID: T9)

• Thread T5 (in process P2, reg.exe) description

- **Thread's childs**
  - Thread T6 (in process P2, reg.exe)
- **Thread' events**
  - Thread Create (Thread ID: T6)

• Thread T6 (in process P2, reg.exe) description

- **Thread's childs**
- **Thread' events**
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows\\load Type: REG_SZ, Length: 102, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe)

• Thread T7 (in process P3, reg.exe) description

- **Thread's childs**
  - Thread T8 (in process P3, reg.exe)
- **Thread' events**
  - Thread Create (Thread ID: T8)

• Thread T8 (in process P3, reg.exe) description

- **Thread's childs**
- **Thread' events**
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\msnat292f1abf Type: REG_SZ, Length: 102, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe)

- **Thread T9 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T10 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T10)
- **Thread T10 (in process P1, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e5300000000000000000000000036260b0003000000831c0e001400000036260a005d00000083085d000500000000000010065000000362616000300000c7060600

• Module 1 yara matches

• suspicious_packer_section (The packer/protector section names/keywords)
• UPX ()
• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• Str_Win32_Internet_API (Match Windows Inet API call)
• Str_Win32_Http_API (Match Windows Http API call)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• UPXv20MarkusLaszloReiser ()
• UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
• UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
• ThreadControl__Context ()
• network_http (Communications over HTTP)
• win_mutex (Create or check mutex)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• with_urls (Rule to detect the presence of an or several urls)
• contentis_base64 (This rule finds for base64 strings)
• MD5_Constants (Look for MD5 constants)
• BASE64_table (Look for Base64 table)
• VC8_Random (Look for Random function)

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds: http://whoer.net
• url | http tag | valid domain | tlds: http://www.microsoft.com
• url | valid domains | tlds: 3.vA#-v
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0b; Windows NT 5.0; .NET CLR 1.0.2914)
• url | valid domains | tlds: l2.apews.org
• url | valid domains | tlds: proxy.bl.gweep.ca
• url | valid domains | tlds: virbl.bit.nl
• url | valid domains | tlds: b.barracudacentral.org
• url | valid domains | tlds: ips.backscatterer.org
• url | valid domains | tlds: orvedb.aupads.org
• url | valid domains | tlds: duinv.aupads.org

- url | valid domains | tlds: cdl.anti-spam.org.cn
- url | valid domains | tlds: tor.ahbl.org
- url | valid domains | tlds: dnsbl.ahbl.org
- url | valid domains | tlds: cbl.abuseat.org
- url | valid domains | tlds: spam.abuse.ch
- url | valid domains | tlds: drone.abuse.ch
- url | valid domains | tlds: dnsbl.abuse.ch
- url | valid domains | tlds: combined.abuse.ch
- url | valid domains | tlds: owps.dnsbl.net.au
- url | valid domains | tlds: owfs.dnsbl.net.au
- url | valid domains | tlds: osrs.dnsbl.net.au
- url | valid domains | tlds: osps.dnsbl.net.au
- url | valid domains | tlds: omrs.dnsbl.net.au
- url | valid domains | tlds: ohps.dnsbl.net.au
- url | valid domains | tlds: ix.dnsbl.manitu.net
- url | valid domains | tlds: bl.deadbeef.com
- url | valid domains | tlds: bogons.cymru.com
- url | valid domains | tlds: dnsbl.cyberlogic.net
- url | valid domains | tlds: fl.chickenboner.biz
- url | valid domains | tlds: residential.block.transip.nl
- url | valid domains | tlds: proxy.block.transip.nl
- url | valid domains | tlds: relays.bl.kundenserver.de
- url | valid domains | tlds: relays.bl.gweep.ca
- url | valid domains | tlds: dul.ru
- url | valid domains | tlds: zombie.dnsbl.sorbs.net
- url | valid domains | tlds: web.dnsbl.sorbs.net
- url | valid domains | tlds: spam.dnsbl.sorbs.net
- url | valid domains | tlds: socks.dnsbl.sorbs.net
- url | valid domains | tlds: smtp.dnsbl.sorbs.net
- url | valid domains | tlds: misc.dnsbl.sorbs.net
- url | valid domains | tlds: http.dnsbl.sorbs.net
- url | valid domains | tlds: dul.dnsbl.sorbs.net
- url | valid domains | tlds: tor.dnsbl.sectoor.de
- url | valid domains | tlds: t3direct.dnsbl.net.au
- url | valid domains | tlds: rmst.dnsbl.net.au
- url | valid domains | tlds: ricn.dnsbl.net.au
- url | valid domains | tlds: rdts.dnsbl.net.au
- url | valid domains | tlds: probes.dnsbl.net.au
- url | valid domains | tlds: spam.rbl.msrbl.net
- url | valid domains | tlds: phishing.rbl.msrbl.net
- url | valid domains | tlds: images.rbl.msrbl.net
- url | valid domains | tlds: combined.rbl.msrbl.net
- url | valid domains | tlds: virus.rbl.jp
- url | valid domains | tlds: short.rbl.jp
- url | valid domains | tlds: spamlist.or.kr
- url | valid domains | tlds: dnsbl.njabl.org
- url | valid domains | tlds: relays.nether.net
- url | valid domains | tlds: ubl.lashback.com
- url | valid domains | tlds: rbl.interserver.net
- url | valid domains | tlds: dnsbl.inps.de
- url | valid domains | tlds: wormrbl.imp.ch
- url | valid domains | tlds: spamrbl.imp.ch
- url | valid domains | tlds: blackholes.five-ten-sg.com
- url | valid domains | tlds: bl.emailbasura.org
- url | valid domains | tlds: dnsbl-3.uceprotect.net
- url | valid domains | tlds: dnsbl-2.uceprotect.net
- url | valid domains | tlds: dnsbl-1.uceprotect.net

• url | valid domains | tlds: torserver.tor.dnsbl.sectoor.de
• url | valid domains | tlds: psbl.surriel.com
• url | valid domains | tlds: spam.spamrats.com
• url | valid domains | tlds: noptr.spamrats.com
• url | valid domains | tlds: dyna.spamrats.com
• url | valid domains | tlds: zen.spamhaus.org
• url | valid domains | tlds: xbl.spamhaus.org
• url | valid domains | tlds: sbl.spamhaus.org
• url | valid domains | tlds: pbl.spamhaus.org
• url | valid domains | tlds: bl.spamcop.net
• url | valid domains | tlds: bl.spamcannibal.org
• url | valid domains | tlds: dnsbl.sorbs.net
• url | valid domains | tlds: korea.services.net
• url | valid domains | tlds: dynip.rothen.com
• url | valid domains | tlds: virus.rbl.msrbl.net
• url | valid domains | tlds: blacklist.woody.ch
• url | valid domains | tlds: ubl.unsubscore.com
• url | valid domains | tlds: f1.faisrl.net,hs.kjaro.it,ssl.agenziapenati.it,
• path | frequently modified by malware: C:\\Windows\\system32\\msnat7bf62af.exe
• path | frequently modified by malware: C:\\Windows\\system32\\
• registry | frequently modified by malware: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run" /t REG_SZ /f /v %s /d "%s"
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetVersion
• api | frequently used by malware: CreateRemoteThread
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: WinExec
• api | frequently used by malware: LoadResource
• api | frequently used by malware: ResumeThread
• api | frequently used by malware: VirtualAllocEx
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WriteProcessMemory
• api | frequently used by malware: GetThreadContext
• api | frequently used by malware: SetThreadContext
• api | frequently used by malware: WriteFile
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetVersion
• api | frequently used by malware: InternetCloseHandle
• api | frequently used by malware: InternetReadFile
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: CreateThread
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: ExitThread
• url | http tag: https://
• path | path unit: C:\\Windows
• path | path unit: C:\\Windows\\TEMP\\
• registry: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows" /t REG_SZ /f /v load /d "%s"
• api | wininet: InternetOpenA
• api | wininet: InternetConnectA
• api | wininet: HttpOpenRequestA
• api | wininet: InternetSetOptionA

- api | wininet: HttpSendRequestA
- api | wininet: HttpQueryInfoA
- api | advapi32: OpenServiceA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | advapi32: OpenServiceA
- api | advapi32: CloseServiceHandle
- api | advapi32: CreateServiceA
- api | advapi32: OpenSCManagerA
- api | advapi32: StartServiceA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: SetEndOfFile
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: CreateFileA
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: HeapSize
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetFilePointer
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: ReadFile
- api | kernel32: GetLastError
- api | kernel32: RtlUnwind
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA

- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: lstrcpyA
- api | kernel32: LockResource
- api | kernel32: lstrcmpiA
- api | kernel32: CloseHandle
- api | kernel32: WaitForSingleObject
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: GetModuleFileNameA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: GetVersionExA
- api | kernel32: GetFileAttributesA
- api | kernel32: SetFileAttributesA
- api | kernel32: FindResourceA
- api | kernel32: SizeofResource
- api | kernel32: CreateProcessA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: GetExitCodeThread
- api | kernel32: lstrlenA
- api | kernel32: GetModuleHandleA
- api | kernel32: CloseHandle
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: SetFilePointer
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: DeleteCriticalSection
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetModuleHandleA
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsFree

- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: RtlUnwind
- api | advapi32: GetUserNameA
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: SetSecurityDescriptorDacl
- api | user32: GetSystemMetrics
- api | kernel32: GetComputerNameA
- api | kernel32: GetSystemWindowsDirectoryA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetLastError
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: CreateMutexA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetModuleFileNameA
- api | kernel32: DeleteFileA
- api | kernel32: WaitForSingleObject
- api | kernel32: ReleaseMutex
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: GetVersionExA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | kernel32: GetModuleHandleA
- api | kernel32: LoadLibraryA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup

• Module 1 other strings

- ADVAPI32.dll
- KERNEL32.DLL
- ibuTNG
- A+#d3G
- 2(2X2l2x
- <L{\\0d0l
- o!P4X4\\3hm
- (3,N3438.6b

- [8.868>?a
- E9K9P9l
- X5^5j5z5
- G/o9y9
- l7p7tM
- X6p6w6
- 3'3Yp3
- n7c0wM
- J1P1o1
- Z7e7~7
- 1%?9?{?
- 8D8O8h8|-
- &4f4x4
- G9q9~9
- =7E8J8
- =2=9=F=
- 7-7s7z
- 21A1b1g1
- @.data
- `.rdata
- 5$5,545<5
- 0H1L1`3d3h3l3p3t3
- 000@0D0T0X0`0d0h0l0
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0
- 5$505L5
- 4$4,404<4D4P4l4x4
- 3$3,343<3D3L3T3\\3p3|3
- 2 2(2X2l2x2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0,040<0D0L0T0\\0d0l0t0|0
- 4 4,484@4D4P4X4\\4d4h4x4
- 3 3$3(3,3034383`3p3|3
- ?!?5?l?]?
- 9B9c9z9
- 9F:e:~:
- 6!6.6:6
- 5$5^5e5
- 2H3M3j3p3
- 1+181H1i1u1
- >0>9>E>w>
- 556G6.;D;
- 5#5?5R5Y5k5s5
- 0!000B0K0g0
- 7.8B8`8l8
- 6$767E7W7}7
- 6(646D6
- 212[2i2
- 9$9*9D9S9
- 536(8.868>8F8R8W8c8k8s8{8
- 3:4@4Y4
- Z1f1u1{1
- 9'9:9E9K9P9V9c9
- 6 6'646;6C6I6O6Z6b6
- 5&555X5^5j5z5
- 9#9A9G9X9o9y9
- 9V9a9f9p9u9
- 7b7h7l7p7t7

- 6X6p6w6
- 3'3-3p3
- 1%1+1l1
- 10c0w0
- <5<[<u<|<
- 7!8c8h8
- 677=7Z7u7
- 465P5Y5m6r6
- 0&0/040?0D0
- 2&232b5
- Q0f0s0
- ;4<e<y<
- 9 9Z9n9
- 3>3R3c3
- 222C2j2p2
- 1#1J1P1o1
- 0.0:0J0V0g0s0
- ;7<e<p<
- 8E8P8i8
- 6+7Z7e7~7
- 525D5`5
- 1;1O1e1
- 0&0D0X0k0}0
- 9!:5:g:{:
- 8D8O8h8|8
- 6#777i7}7
- 5A5S5w5
- 4&4f4x4
- 0M1T1Z1s1
- 9%:9:P:
- 858^8k8s8=9T9p9
- 575e5y5
- 3"464W4k4
- 2-3A3b3v3
- 2<2C2H2f2p2
- 1 14191\\1|1
-)0T0f0
- 9*9G9q9~9
- 6!70777=7E8J8
- 0*000R0
- =2=9=F=M=
- ;6;h;o;
- 9.959:9@9
- 7%7-7s7z7
- 4'5,595P5U5Z5_5e5
- 121A1b1g1
- 0%0/0O0b0s0
- 7$7)7V9r9
- 6#6*666C6K6W6d6l6x6
- 5.53585R5_5f5r5
- 4$41484D4Q4Y4e4r4z4
- 3+333?3L3T3`3m3t3
- 2"20292K2c2u2
- 6/7:7S7
- 6(6?6~6
- 4+565O5
- 0G1R1k1

- 0$080Q0Y0n0y0
- 9A9N9V9
- "040f0x0
- 849;9f9
- 8F9X9v9
- 6$7Q7\\7j7}7
- 5 6-6C6I6l6u6
- 5"5,565?5
- 4-484R4k4u4
- 3%313?3U3c3
- 1K2T2c2{2
- 1%1/1\\1h1s1
- 0/0:0X0^0
- =4=a=l=z=
- ;2;<;F;O;
- 9,959A9O9e9s9
- 7[8d8s8
- 7+757?7l7x7
- 6#6?6J6h6n6
- 5#5;5U5l5
- 4(434B4T4`4y4
- 3D3q3|3
- 2@2M2c2i2
- 1)1B1L1V1_1
- !0,0:0M0X0r0
- 9(9.9T9
- 8,8P8]8s8y8
- 7 797R7\\7f7o7
- 616<6J6]6h6
- 5#5)5L5U5a5o5
- 323K3U3_3
- 252C2_2j2
- 0+141C1[1u1
- 0<0H0S0b0t0
- ;3;9;\\;e;q;
- 242F2V6
- >4>a>l>z>
- <2<<<F<O<
- :,:5:A:O:e:s:
- 8[9d9s9
- 8+858?8l8x8
- 7#7?7J7h7n7
- 6#6;6U6l6
- 5(535B5T5`5y5
- 4D4q4|4
- 3@3M3c3i3
- 2)2B2L2V2_2
- 0!1,1:1M1X1r1
- 0<0E0Q0_0u0
- 949a9l9z9
- 808=8S8Y8|8
- 727<7F7O7
- 6*6=6H6b6{6
- 5,555A5O5e5s5
- 3[4d4s4
- 3+353?3l3x3
- 2#2?2J2h2n2

- 1#1;1U1l1
- 0(030B0T0`0y0
- .?AVtype_info@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVexception@@
- HTTP/1.0
- MS_UNAT_MODULE_TO_START
- SIMPLE
- <!-- Region -->
- <!-- Time zone -->
- GEOINFO:http
- 0.0.0.
- 192.168.
- \\system32\\
- MS_UNAT_MODULE_FILE
- Start_MAIN_JSM_Complete
- direct
- ON LINE:ts=%s:jid=%s:sid=%s:ver=%s:login=%s:pass=%s:port=%u:ports=%u:ip=%s:isp=%s:country=%s:ccode=%s:region=%s:city=%s:time_zone=%s:ct=%s:sc=%s:uptime=%u:osid=%s:inuse=%s:back=%s:rbl=%s:END
- Content-Type: application/x-www-form-urlencoded
- 5.0 kbps
- %.01f kbps
- UNKNOWN
- Windows 8
- Windows 7
- Windows Server 2008 R2
- Windows Server 2008
- Windows Vista
- Windows Server 2003 R2
- Windows Home Server
- Windows Server 2003
- Windows XP Professional x64 Edition
- Windows XP
- Windows 2000
- Microsoft Windows 95
- Microsoft Windows 98
- Microsoft Windows WinNT351
- Microsoft Windows WinNT4
- ALIVE:
- MASTER001
- S5R:%u:ERROR
- S5R:%u:OK
- S5T:%u:
- [S5T:%u:
- [S5D:%u:
- S5D:%u:00
- ON LINE
- 50.0 kbps
- Yjdne783nbGGwt73h
- 74hhdsfbweyuYGHuiebwedwedwINDWNBDW
- srv_666
- 0000000000000
- WININET.dll
- WS2_32.dll
- ADVAPI32.dll
- USER32.dll

- KERNEL32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- 1#SNAN
- 1#QNAN
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- abnormal program termination
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- KERNEL32
- GAIsProcessorFeaturePresent
- __GLOBAL_HEAP_SELECTED
- Unknown exception
- invalid string position
- string too long
- IMAGE_BIN
- VC20XC00U
- ^}%95TS
- .reloc
- @.data
- `.rdata
- !This program cannot be run in DOS mode.
- IMAGE_BIN
- ndows\\system32\\msnat7bf62af.exe
- \\system32\\

- %s%x%x.exe
- MS_UNAT_MODULE_FILE
- SIMPLE
- MS_UNAT_MODULE_TO_START
- MS UNat Service
- MSUNatService
- svchost.exe
- IMAGE_BIN
- kernel32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- abnormal program termination
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- 3.vej/v
- .va8.v!
- VC20XC00U
- *,5.v
- !This program cannot be run in DOS mode.
- .vO!.v
- XPTPSW
- _T<\\<du
- ;P;!<9<k<

- <?D?O?}
- =yV:_Y
- >$s,>0
- ?(?1?=?F}
- q7!Mw;
- ; ;7;m;
- >!>S>g>{
- <,=@=^
- ;&KJ;<^<
- +CG>Q>]
- G=N=]=
- >(>I>[
- k <B<_<
- '?@?J?c?m?
- >&>^>d>
- :G:N:m:
- K?]?b?r?
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- ?,?8?T?\\?h?
- >(>D>P>I>t>|>
- =$=,=4=<=D=L=T=\\=d=I=t=|=
- <4<<<D<L<T<\\<d<p<
- ;,;<;@;H;`;d;h;|;
- :4;P;I<9<k<
- ?.?4?<?D?O?}?
- ?*?G?_?
- :(;#</<S=
- :":=:P:V:_:f:
- =.=?=E=X=
- >"?=?N?
- =g>m>v?{?
- =/=p=v=
- :;:A:y:~:
- > >$>(>,>0>z>
- ?(?1?=?F?Q?]?v?
- >4>?>]>
- <1<Z<b<m<
- 9.:\\:p:
- <F<L<S<x<
- <"=P=[=t=
- ; ;7;m;
- >%?9?{?
- >!>S>g>{>
- <,=@=^=r=
- ;&<1<J<^<
- =+>2>G>Q>]>|>
- <)=G=N=]=
- ?"???S?X?u?
- >(>I>[>|>
- =)=/=h=n=
- < <B<_<
- :$;+;H;N;n;
- :(:N:T:
- ?'?@?J?c?m?
- >&>^>d>
- :G:N:m:
- ?*?K?]?b?r?

- =/=<=D=W=\\=r=z=
- :*:J:T:f:k:
- :%:9:]:q:
- ;#<E<l<|<
- <*=W=g=y=
- <#<C<t<
- ;/;L;];v;
- =$>L>`>
- :);V;f;x;
- :":C:t:
- ?+?E?\\?
- >#>2>D>P>i>
- <0<=<S<Y<|<
- :*:=:H:b:{:
- ?<?E?Q?_?u?
- ="=;=E=O=|=
- <%<3<O<Z<x<~<
- ;$;3;K;e;|;
- 9,:8:C:R:d:p:
- ?8?>?d?
- >%><>`>m>
- =$=0=l=b=l=v=
- <A<L<Z<m<x<
- =0===S=Y=|=
- ;*;=;H;b;{;
- >">;>E>O>|>
- =%=3=O=Z=x=~=
- <$<3<K<e<|<
- :$:D:M:,;8;C;R;d;p;
- .?AVlength_error@std@@
- v%s.%s.%s.%08x
- <!-- IP address -->
-
- <!-- Country -->
- <!-- City -->
- [%s:%s:%u]
- [%s:%u]
- PING:</msg>
- from='
- <msg from='%s' to='%s'>
- </msg>
- <id>%s</id>
- ON LINE:ts=%s:jid=%s:sid=%s:ver=%s:login=%s:pass=%s:port=%u:ports=%u:ip=%s:isp=%s:ct=%s:sc=%s:uptime=%u:osid=%s:inuse=%s:back=%s:rbl=%s:END
- uenef37uehdnbeBBDWY99
- db.wpbl.info
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- __MSVCRT_HEAP_SELECT
- (null)
- ppxxxx
- `h```
- AABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- (((((H
- (null)
- +ttHHtd

- HSVHWtgHHtF
- PPPPPPPP
- PPPPPPPP
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- HHtpHHtl
- sO;>|C;~
- t.;t$$t(
- QQSVWd
- ?vXj?j
- ?vWj?j
- ?vWj?j
- ?vXj?j
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- %s%x%x
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- (null)
- ppxxxx
- `h```
- __MSVCRT_HEAP_SELECT
- #-v+E.v=
- =-v\\9.v
- -v1#-v
- -vO!.v.
- -vl"-v)
- m,vA#-v
- PPPPPPPP
- PPPPPPPP
- _^][YY
- QQSUVWj
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- HHtpHHtl
- btHHt.
- t.;t$$t(
- Mjs.V"
- VXZ\\Os
- r>@'B1B
- `.rsrc
- (((((H
- (null)

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: MultiByteToWideChar
- api | kernel32: LCMapStringA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSize
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedExchange
- api | kernel32: RtlUnwind
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: LoadLibraryA
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: HeapFree
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: TlsFree
- api | kernel32: GetCurrentThreadId

- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetLastError
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetSystemTime
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: GetModuleHandleA
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: GetModuleFileNameA

• Module 2 other strings

- KERNEL32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- Unknown security failure detected!
- continue execution and must now be terminated.
- corrupted the program's internal state. The program cannot safely

- A security error of unknown cause has been detected which has
- Buffer overrun detected!
- now be terminated.
- internal state. The program cannot safely continue execution and must
- A buffer overrun has been detected which has corrupted the program's
- Program:
- user32.dll
- kernel32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- Please contact the application's support team for more information.
- This application has requested the Runtime to terminate it in an unusual way.
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- Please contact the application's support team for more information.
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- CorExitProcess
- ,vA#-v(7.v
- .va8.vO!.v1#-v
- GWh<oA
- FVh<oA
- j8h@oA
- F,98uX
- VWumh@fA
- VC20XC00U
- @.data
- `.rdata
- ,#*2vu
- 0,dOhU3n
- A=[aX&
-]F#3?2
- QwcZv59
- ET0G-YQb
- oXspET
- IH)$lr)HI0 I
- <GS44PWK8
- E"CAK
- AiZ!HiA%
- 4Q6Z4w
- C:!ki8&Gm;
- EJ(+'uf=

- @lplae{b
- /o2203p
- o9>Z4d.
- +5CQ&0I^
- ^uc>Cuc
- 2XW?EO*7IHei
- 37jRe5o
- bzI<-O
- I{8U@!Y
- 3GJ#8G1xq
- 9YPG2oP
- n6nj<r`eY;
- 3}p0$h` 1uJ-
- :nu-0H
- tR1AtR/]
- &2doXN
- s`a_Ui
- 01[R9(
- }+.5s6
- &u5wpp;
- REt9x
- BEgg:
- X:Y0K1H6
- cIEY`rzbiMd>
- Oi e.n
- \\UVK*A
- R`f)5E
- L*xa^u
- URP Sk6
- L>sJw3.4^T^q1
- :z3zc(0
- DgKaD:u
- r?U2[1
- c8R4&1
- g!%I@E)
- !`8eJ<
- :1z@ib
- ~b{T[vMKuPAde
- =wq0iv|4d
- zi%6\\<
- cB584{
- m8CG2SvOw
- a$owif
- ZaibO{X
- uEFvK&
- ^4vh6\\#B
- 4AB[Hln~
- LLaEkD&6
- o?No[N
- wMIUzp
- -6x5lo
- xtYs8O
- b%I8]G
- zEzS7Y
- i<9f,e[
- @\\\\Zo_8N:
- a}Z3|2

- P5Xbe+SA^
- 0DS@fA
- `%*7;_sd4
- oIsDA7j
- [uUiJr-t
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- .v+E.v
- t2WWVPVSW
- WWWWVSW
- PPPPPPPP
- PPPPPPPP
- t!SS9]
- t.;t$$t(
- t|h$fA
- _^][YY
- t$$VSS
- t#SSUP
- QQSVW3
- H
- h((((H
- (((((H
- h((((H
- N.<>B}
- +&?)hy
- db&$4@"<kX
- Zvt'v &
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWX
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- mpqrsuvwxyz{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- qrstuvwxyz{|}~
- [q+$t=
- H;HyH[:
- puvwb`abcdefghijklijklmnopqrstuvwxyz{|}~
- !LFþ-PJ^-
- tuflQf
- ym_Pr g
- %9|Zyd
- :W]3hy
- yQVtaFW
- VJcj&d;
- P#>(zh
- qv7r*t
- HLHMvNu
- #UYD[CT^
- .H/K!X
- y/fDQzEp
- Z=XV:Q
- rt>pP<\\Ul

- [x"w3x
- XiP)!g
- =~tPyS<[&Z;|vk
- aGg n?
- U%L;j"
- %[RS]],B
- $cdi*k
- fff!kJ
- f1#K<b
- ^O!Vkm
- "cf4y*
- GR:h<S
- b+}P|=
- xQ#^uRt
- x<l|bl
- QLYKe`
- *"X\'==v$
- $dfD|Z
- AnNXH\\
- 8-y%>:
- I;Jfn?
- }Jp%(} T=
-)m!Z>'
- :|FQt&
- &=<Sh\\%
- PhY`-l0
-)`Q:C3
- NPbflp
- #f S5S
- KFlOqc
- yy@c_Q
- wp;{Sh
- J";s*f
- YYbJ C*=
- eLfKvN
- =q{Y7j
- '=4`((
- RL&*Dv
- w)^!W-
- |.z_rd~
- m:Rs%`
- S>DC9'
- }V>,}f
- wG!H.5
- j%Q)r-S<
- sf-ybym
- S'(3H>B-
- ?KSq/y
- ?>R,/A(

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000036260b0003000000831c0e001400000036260a005d00000083085d000500000000000010065000000362616000300000c7060600

• Module 3 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- PackerUPX_CompresorGratuito_wwwupxsourceforgenet ()
- UPX_wwwupxsourceforgenet_additional ()
- yodas_Protector_v1033_dllocx_Ashkbiz_Danehkar_h ()
- UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay ()
- UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay_additional ()
- UPX_wwwupxsourceforgenet ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 3 strings

• Module 3 most interesting strings

- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | advapi32: OpenServiceA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA

• Module 3 other strings

- E O1K=
- ar>2V
- :88M=v
- 2n@n$I
- 48B. ^
- ds~A,36
- #>1H_Ju
-)0?BU\\c
- 9TK~IP_"5<
- nypO&90
- 3.!XOzE(7:
- 9 /RELs
- /:5L[Vi
- rmdSNA8/
- d{nY@O2%,
- nqxOZU,;6
- =POBulc&18
- +ZEL{fi

- sneTOB9
- edoZAH3&-
- ory@[V-<7
- >QHCvm\\'29
- jaX7*!hs~
- i`kV9 +
- V`4Ny9
- ivGpjehz_
- ME=B55u;
- KO=1:n]4B
- oL`'3%8
- 3w~AOJf>?
- 9gZnb+oZ
- {0q1Kj
- ;e]ta)%83
- 68jN`%
- BeC)t4g
- ~a2Fnv&=
-]9LL5
- Es2&Lo3;,
- Ad34[m
- <Fkf2Sza
- Vl[85cjl
- 0)|{8]n{)
- i7984>
- +,ZBZB9QEO
- &wEre5pWg;$SdNqp0{o@L@>
- 7P,:lEw
- 8$Uu**
- iZTO,$
- :58..
- P1~)^3
- oz*sRi
- F}Avsa5
- 8NWOtd
- scUu9;
- 21lY<9
- oWoWyb
- wXwp9GEg{
- f[pLI=A
- A>V% r6.@
- <(98xV
- "tbU7v0
- 00VG?BB
- Icj$_y3<
- U+Iw3N
- 3cgl{e*,
- O ;GaBj
- rgE3_D}
- BnWKE1
- f8}rZs8
- At@;2:|
- Mi8fS-r
- ?;!Yoh-doa
-)7tA_r!QU.A
- 3t_laF
- |Sr8g9

- i3zbGW,
- XI2lhg
- qo/!1(lH
- i_nkup
- mT0bNa
- E_$\\a0
- wt3I8c
- qpi3gW
- eB-L u<
- a)vzio
- GiMGG_y4(
- Sh5eX+nq
- 8TiM_8Ji
- bIP\\,1F[~j3
- sI&+pU1
- (|=FP7e
- 0(2<GPZd
- >(2<6PZd
- (2<IPZd
- (2<OPZd
- (2<OPZd
- (2<FPZdI
- (2<APZdr
- f(2<61
- (2<FPI&K;
- 5.7sgjM_u(65d
- x`kI^l4?.
- YMFo2"3
- oWvI@<}R
- 5.0cwuk]I($Zd1
- HA@H3165
- fAp_[R"PEfCzjM@P)31
- x`kI^}*<5
- i`wG\\<5S
- 5.+OY]x2<
- xWlAFU%167owjA]RFP
- ~}}I^o#3.
- kdZMAH4?#d
- d`M\\@U(7)3
- gqp\\aH494
- eMqjm\\J/"5
- ~GjLz](46
- \\WI4?9
- 5.2ofmA]R
- ~WqE_](4
- eMqj{F]4$/
- (9&0L^PFP
- eMqj{KO2570cy{(yy
- YMFl4?9
-]3<n%[d4a
- 0\\3<z$[d@`
- vZ3<F0[d
- (2<FPZd.e
- zT]^}37
- GuliBN
- %?3opJ@Gz49
- dYape]R

- nug(2<
- J@GN54;
- MIFI44;
- 5*dKay(xI*P
- (}_2?8
- E?)#dGY1LV
- AOFPZdnpzL
-)0=DQXe
- (0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
- *p{\\W_25>E
- o4nZ][417Cy4wFFY4>;
- Q]3#?Dbum
- ialAFEf5(
- (pI 6?
- *`{Z_U(1.
- gj"\\S1p8
- g4}I\\R)$z
- A\\H#"4
- efl]BH#4z
- ^#54DnqjMQH#4z
- of>GDY4"/
- NZ][417^*
- sneTOB9P
- edoZAH3&-
- ory@[V-<7
- >QHCvm\\'29
- jaX7*!hs~
- i`kV9 +
- ,7:AXSn
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
- c`wI^U<5
- 5.1yqlgPV#3.-drqZ_]295
- ygIA\\X)'

- YMFl4?9
- 9&0L^PFPZd
- XDA}*<5
- o4[Z@S4qPnZfqO@]+jzd
- (`I($3
- qO*FkFFU+5z(cvlI@EFPZd
- ozj%8<
- x4{FDU4?4
- gujA]Rh]Pd
- zdrAQ]295
- K')tnZx{IAYf35
- kg>ZWM35)
- f}}IFU)>z
- J@[Of1*
- n4vMSLf5(
- ~]PI*apMJL#3.
- pujA]RKZZd
- e4wF[H/16
- curAH]295
- ?(Df{iA]
- e`>M\\S372Dyd
- xq>A\\Z)"7
- f}}IFU)>}
- i`>\\ZYf1*
- z>]AU(7z
- d4}I\\R)$z
- WN4?(i
- xQfAFl4?9
- Z3<`"[d0f
- xbXA0.
- xb@A0.
- mb2_0f
- :8^0lZC
- $h3]BN~ak
- $i0I_Z
- /_<F3}U
- %i"HIk_
- s02_aa
- /_.F3}U
- GPZ_O4
- i2>FPZ]W
- 6{_(Z<GPZ7
- @*=FP2L`U
- ADVAPI32.dll
- KERNEL32.DLL
- ibuTNG
- A+#d3G
- 2(2X2l2x
- <L{\\0d0l
- o!P4X4\\3hm
- (3,N3438.6b
- [8.868>?a
- E9K9P9l
- X5^5j5z5
- G/o9y9
- l7p7tM
- X6p6w6

- 3'3Yp3
- n7c0wM
- J1P1o1
- Z7e7~7
- 1%?9?{?
- 8D8O8h8|-
- &4f4x4
- G9q9~9
- =7E8J8
- =2=9=F=
- 7-7s7z
- 21A1b1g1
- #6AK6W6d
- @R5_5f5r5
- Q4Y4e4r4z4
- 1"20292K
- 0G1R1k1
- x"040f0x0
- cp7v1B
- F9X9v9
- 6$7Q#j7}7
- 5 6fC6
- 4-484R4k4u4
- 1%1/1\\1h1s1
- =4=a%z=
- ;2;<;F;O;
- y959A9O9e
- 4(434B4T4`4y4
- 2@2M2c2i2
- 1)1B1L1V1_1
- !0,0:0M0X0r0
- 978:C:R:d:p:
- 9(9.9T9
- 8,8P8]8s8y8
- 7\\7f7o7
- 7 797R
- 616<6J
- 5L5U5a5o5
- 323K3U3_7
- 252C1j2
- H0S0b0t0
- 242FM6
- >4>a>l>z>
- ,:5:A:O:e:s:
- 8[9d9s9
- 8+858?8l8x8
- 7#7?7J7h7n7
- 6#6;6U6l6
- 5B5T5`5y5
- 4D4q4|4
- 3@3M3c3i3
- 2)2B2L2V2_2
- 0!1,1:1M1X1r1
- E0Q0_0u0
- >E>O>|>
- 949a9l9z
- 808=8S8Y8|8

- 727<7F7O7
- 6*6=6H6b6{6
- A5O5e5s5
- T3[4d4s4
- 2J2h2n2
- 0(030B0T0`0y0
- @<840i
- LR C.2914
- ; DIE 6
- G:H[5O]
- GETgu/
- x64 Ed;#S6&
- _351983
- %02x@
- ERROR#(
- 5D:%u:
- kbpsoON L
- D<wWx'Y99
- GGwt73h
- u4ohpad[H
- u2 [2g
- xothkEkNa.
- 3}>-sId[
- kedDS i
- /A2WINIT
- ADVAPIWS2_
- Wa:ForS
- Cr6calSec
- 1#QNAN
- nt KERN@32
- AIsbessorFe[k
- excep
- |posiD
- 7invalid
- too lo
- 23456789+/Ox
- XYZabcdefghijklmnopqrstuvwxyz01
- aTH*0
- l0RAU"`P
- AvuH.l
- IMAGE_BIN
- I&xFD2Ls;
- =Y1CGU
- 6FU7Wx
- sKHTQ64
- >U$R. 6
- Ge2O%n@
- LeZr 8t
- .5(k} o#
- ,UBM}
- \\ao /.=jFl4
- Ew [\\6
- ddH000
- \\22LLL
- b@DAEFFDH[A
- Klh`22
- 2222pttx32

- p|22rrxp
- 9d(`8
- H32 Oj
- 0:$"qda
- l0alb@
- a8F.9d\\4\\4
- `|acA-
- 2222;tt$
- $2222\\
- ?lyONI
- \\2r
- 9dd0f,,$
- 2 0,NF
- 1wj P3
- 4<4B&yB;
- 440H>G
- `\\pIK.@6
- @.a6(a%
- lptPC6'
- OS mode.
- be \\ i
- N-USER\\SOFTWKE\\7
- "HKEY_CURRE
- _AT_MODULHTO
- IMAGE_BIN
- kdFeH\\"e
- M?chFeJu
- s=32.d
- B>+8argu(s
- h4CA*+0.|
- p@gram Jm6Ka/
- a/lock`+
- o+virtu!3
- Sstd5pur
- g@spac#f{lowi8
- f7'7not=
- ablto iniValiz
- runtime error
- 50/ Z
- ELECTED
- __GLOBAL_HEAP_S
- /Li{!
- KOMx(@aW
- puaZufVt^R
- mAK81&<
- 49=g}V
- %q@E_2
- m-\\90`
- -(_U9}
- MOY]^8
- 0n295P`
- I;\\+\\9
- %z0@J8
- _>tI6*7)
- DS88iL
- QH Ai+
- oKn9x}

- oQhP1Y
- *,5.v
- !This program cannot be run in DOS mode.
- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- M<-~cm(
- $4t;D#J
- gKRrmz^LJ!c
- N2`hvlP
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- N(2<FPZd
- (2<FPZd
- :|R[d~
- =$+^I@
- xgj]DK>)
- b}tC^Q(?*
- -@_Re|s
- zmd[JU\\kvy
- tcnQ<#&
- <M\\Wbxw
- :!(SFM|
- ;6M\\Wj
- 4[FM|gj
- "M\\Wbyp
- cv}L#>5
- 0+&]LGz
- &=,WBIp
- T}3)]F
- :xnZEFm
- -X;)jB
- H%SN Q
- -g>\\m#F
- n<=C6p
- *}?Bb!
- }`RfZ4
- (Q\\)I-
- #zXIgc
- :p%9b$m
- qs;'4Z
- <HP(pw|O
- [gmkSP5
- jh}6/X-FG
- "j=_mh
- te"z$%
- <;{ME`
- N?h/rHf
- 9$;~="
- >%Zo&*
- I&_KRGq}b
- %km'Y\\C
- T) 2Fn:
- oN=!V}

- Gz]PNc
- z{yH}t
- '_&*EV
- TB>zR-
- f}4k$S
- 3gxZV.
- Z(8T}TJVP
- v:gs`c!
- ^He}Mz
- @mjY!2t
- f'~rfg
- DGyPj]
- =l`<|m
- 0p~K["
- Vhn%SzvMma4
- ^Vzh$g3Z
- LS4 `W
- Kd:m(o
- f*ZA%r
- yicR-^,r
- k i@?z
- i]zN*>
- p;u=+/
- [qCBMX
- Wtk,bo
- jg&pF.YI;
- *'+V.u
- N^+:><
- $,B9|b
- a`$xlw
- (fSks`
- q4X?Pj
- pkNOYR
- B?|=j~
- ?%X;VPbW
- K(QBEM
- VVV0}-WPqm$j
- "{bNS\\
- w@VHw3F
- nh[H(Y
- *0)pT|W
- `5qQLg
- E*tG_v{;.
- !j%Llk%
- GI;Rm(
- W{S:Y:s
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (k<FP-d
- (2<WQZd:
- D(2<>PZd
- ,<FPad
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- FPZdZGJ(2<FPZd
- (3<FPZd
- >Xs<Z
- *Xs<v
- d~d_(^L
- &Cs;<|=
- (*;FPVd
- (2<KPZd
- (2<KPZd
- (2<PPZd
- (@<FPSd
- (?<FP7d
- G(2<MPZdf
- (e<FPLd
-](2<DPZdZ
- (s<FPWd
- (2<sPZd
- (0<FP{d
- (2<TPZd
- ("<FPWd
- ($<FPWd
- (2<NPZd
- (8<FP]d
- (><FPRd
- (7<FPWd
- (2<BPZd
- (0<FPYd
- (2<PPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (q<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- _(2<FP[d
- s<FPZd
- (2<FPb
- s<FPZd
- (2<FPZd
- (2<GPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<GPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- >(2<FPZd
- (2<FPZd
- 2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (3<FPZd
- (2<GPZd
- (2<FP[d
- (2<FPZd
- (3<FPZd
- (2<GPZd
- (2<FPZd
- (2<FPZd
- (3<FPZd
- (2<GPZd

- (2<FP[d
- (2<FPZd
- (3<FPZd
- (2<FPZd
- (2<FP[d
- (2<FPZd
- (2<FPZd
- (2<FPZd
- "2<FPZd
- :<FPZd
- (2<FPZd
- :<FPZd
- (2<FPZd
- PZdFu_(
- RJs<ZPZd.v_(/<FP
- w_(*<FP
- VKs<UPZd
- Ls<OPZdjp_(8<FP
- =;s<DPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- L~U$";
- XtN#5ZdM
- urn@Y#PVfBq
- \\ur]W<LR
- g^xm{WH
- g^xmn@Y#P
- ~WkZ@Y($
- MMFp'#.!xfqZ2<xQ
- g^xmi^P)3Zd
- Yq}\\[S(P
- ~q]Z[H/3;
- YMFz/<?0sd{(H<
- nx{k]I($ZdT
- ~Qp^[N)>7
- YMFp'#.!xfqZ2<
- Gar\\[~?$?dc
- g]}zMqT\'"
- |}IG\\Q#>.7~fwFUO
- |}IG\\Q#>.7~fwFUO
- ~}qFtU*$?
- dprMVy>3?
- x{n[P#
- oRwDW<
- ogm(}?
- CzxGs<NQ
- ygVMSLFP
- XsP*?9d
- YMFl4?9%nplMAOFP-eMqje]X3<?,kzzDW}FP\\fBq
- ,^3<FPZd
- (<JGPz
- (jHGP<
- (<HGP~
- (zOGP:
- Z3<T#[d$g
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- z[}\\|S0
- %?dG{p(aI(P
- M]\\X')ZdYuj(tN/P
- (eY">?
- (tN/4;
- (dGul(tY$P
- kfg(vY%P
- (tY$"/
- x}r(2<
- T]^EFPZd@apM2<FP
- (sI!%)
- MMBH#=8
- PGDY+2?
- ZdNq}M_^#"Zd
- _(ht
-)3=GQJd
- ("<VPJd
- ("<VPNd
- (&<RPJd

- ("<VPJd
- ("<VPJd
- ("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
-)"<VPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- V("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
- <.Prd"
- <fPzd*
- (2<FPzd*
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- ("<VPzd
- (0<DPXd
- (0<DPXd
- (0<DPXd
- (0<DPXd
- (3<VPJd
- (3<GP[d
- (3<GP[d
- (3<GP[d
- ("<VPJd

- ("<VPJd
- ("<VPJd
- ("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <nPrd"
- <fPzd*
- <fPzd*
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- V_(2<FPZd
- ~m>NSU*%(
- y`>F]Kf2?D~qlE[R'$?
- lqrQ8_)>.
- F\\S2p)
- *gjIFYhpz0bq>X@S!";
- xfkXFY"p.
- o`{KFY"p-
- o`{KFY"qZd
- *{hM@N3>z
- f4m\\SH#~zD^|{
- bq>X@S!";
- 2<FP]&K;
- Nis<FPZd
- 4[FM|gj
- "M\\Wbyp
- cv}L#>5
- 0+&]LGz
- &=,WBlp
- ("<fPZd
-)0=DQJd
-)"<VPJd
- ("<VPJd

- ("<VPJd
- ("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <nPrd*
- <fPzdb
- <fPzd*
- ;_(2<FP
- I{kFF<FPZd
- c{pi\\X
- c`wKSP
- s<FPZd
- k[WNubt
- [R"?-dGqm[S[#
- ~U}\\[J#
- k`wG\\<
- 2<FPq@K
- s<FPZd
- (YY4>?
- yG{\\d]*%?dLxmoWH
- dLxmn@Y#P
- 4s<FPZd
- zuF]K(nZd
- kp{L?6FPZdG}}Z]O)6.D\\}m]SPf
- \\[R!p*
- gqp\\A1LPZdX".
- b4mXS_#p<
-]PI*zq\\
- ?(Dg{lM
- -g>[GL6?(
- xywFSH#p3
- op>\\ZYf
- kp>LSH']Pd
- f`w\\ZN#1>Df{}C
- rd{KFY"p7
- R:%)%8
- d4}G\\O)<?DnqhAQYKZZd
- R:%'%8
- x4AG\\Y>9.Kk`{P[Hf$;
- b4mXS_#p<
- r]PI*zq\\
- ez>KSP*]Pd
- s]PI*dkZW
- X?6FPZdX".
- d}jASP/*?Dbq
- 1LPZdX".
- *gkXBS4$z
- DXap\\[Q#Z
- bq>IQH/&?D|ql[[S(p5
- h.9)DkdnD[_'$3
- xfqZ?6FPZdN[Si{rf5(
- o:zD^<
- (_O%?(
- oRwDWr'=?%
- YMFq)4/
-]3<H&[d*b

- (.IGPr
- [3<H$[d.`
- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- Hs<FPZd
- dZE_(Vm
- db[_(Rs
- ZDNxbl
- 1<FP/X
- ZDNxbl
- F",P0d
- XPTPSW
- _T<\\<du
- ;P;!<9<k<
- <?D?O?}
- =yV:_Y
- >$s,>0
- ?(?1?=?F}
- q7!Mw;
- ; ;7;m;
- >!>S>g>{
- <,=@=^
- ;&KJ;<^<

- +CG>Q>]
- G=N=]=
- >(>I>[
- k <B<_<
- '?@?J?c?m?
- >&>^>d>
- :G:N:m:
- K?]?b?r?
- J:T:f:k
- :%:9:]:q:
- <*=W=g=y=
- :);V;f;x
- >#>2>D>P>i>
- <=<S<Y
- %*:=:H:b:{:
- ?<?E?Q?
- J?>?d?
- ><>`>m>
- I=b=l=v=
- <A<L<Z<m<x<
- \\;e;q;
- H;b;{;
- O=Z=x=~=
- <$<3<K<e<|<
- :$:D:M:,;8;C;R;
- 4tl`TP
- CHTTP/1-
- [g!-- T
- sc}X"x
- 4hhdfb
- #icnFt
- -,n-sg
- #xzenbKc
- klSt.wo@
- .v,hs.kj
- 4JMPTW6
- <3 @pC
- DshyBuff
-)+t8MWlV
- Ty1gtg
- n/id'h
- WYlsSha$V
- tlUnwk]
- l"[#Usy
- @6 H'T
-]!`OCp
- CDEFGHIJKLMNOPQRSTk
- sx\\w4P
- -t,0tRC
- sLhr.O
- B N@"r
- BmnC$@
- bkP\\Ym_
- xSFAVl,D
- HQf*))
- sO;>|C;
- TTPIFF.

- _I?Qj\\
- {6:+J+
- %#<<'T
- b\\P\\>GN
- gp?.l4
- dt||pnEFFpt
- AT(.M &
- yB<$lK2
- K<=H0wFJ-D
- yl+xB
- JeBQtg_
- phg!#r
- JFFLLL
- ,HN$/J
- <A#P|Z|
- ``FF&9
- H_j%/+b
- L@NFFL<
- _[.IPj
- p[!"vl
- ___@.9
- dJ.$,$
- N"D`&@
- GrBD`L`
- @`D`D`
- <O\\\\\\>S
- \\llt&y;!
- h&dH;>h
- 'llL!C
- B;-dB.
- ||2 Sr|
- \\d\\1B&y;
- |&dHdX;
- Ld\\VCI
- \\2\\\\\\^
- K.lll/
- KPpl@6'@
- LThi*>
- PSTPD?I
- s "vW+
- _STARTSMP
- svcht.
- SKGC7yC
- %,klwn>
- _*ex\VX
- MSVCRT
- s.n$,4
- g8Py!:H
- L}Ht7J
- PSYMRK
- !\\x#xe
- /PWylt
- ~+,A.W?
- 4Mdlt|
- VLJF;s|
- Y^D<S.
- .;G$t(

- w+!v'+
- ;ACF?Qs
- k;DR;;r
- K&yHayN;
- xk-|N!
- t[!HLW
- <mt>j,
- ^h,||_
- K;M;.,/
- ^].Q5}
- #F!]w _G?
- (}Yk` #m
- s@F0Xk
- Mjs.V"
- VXZ\\Os
- r>@'B1B

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000036260b0003000000831c0e001400000036260a005d00000083085d000500000000000010065000000362616000300000c7060600

• Module 4 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
- ThreadControl__Context ()
- network_http (Communications over HTTP)
- win_mutex (Create or check mutex)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- BASE64_table (Look for Base64 table)
- VC8_Random (Look for Random function)

• Module 4 strings

- **Module 4 most interesting strings**

- url | http tag | valid domain | tlds: http://whoer.net
- url | http tag | valid domain | tlds: http://www.microsoft.com
- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0b; Windows NT 5.0; .NET CLR 1.0.2914)
- url | valid domains | tlds: l2.apews.org
- url | valid domains | tlds: proxy.bl.gweep.ca
- url | valid domains | tlds: virbl.bit.nl
- url | valid domains | tlds: b.barracudacentral.org
- url | valid domains | tlds: ips.backscatterer.org
- url | valid domains | tlds: orvedb.aupads.org
- url | valid domains | tlds: duinv.aupads.org
- url | valid domains | tlds: cdl.anti-spam.org.cn
- url | valid domains | tlds: tor.ahbl.org
- url | valid domains | tlds: dnsbl.ahbl.org
- url | valid domains | tlds: cbl.abuseat.org
- url | valid domains | tlds: spam.abuse.ch
- url | valid domains | tlds: drone.abuse.ch
- url | valid domains | tlds: dnsbl.abuse.ch
- url | valid domains | tlds: combined.abuse.ch
- url | valid domains | tlds: owps.dnsbl.net.au
- url | valid domains | tlds: owfs.dnsbl.net.au
- url | valid domains | tlds: osrs.dnsbl.net.au
- url | valid domains | tlds: osps.dnsbl.net.au
- url | valid domains | tlds: omrs.dnsbl.net.au
- url | valid domains | tlds: ohps.dnsbl.net.au
- url | valid domains | tlds: ix.dnsbl.manitu.net
- url | valid domains | tlds: bl.deadbeef.com
- url | valid domains | tlds: bogons.cymru.com
- url | valid domains | tlds: dnsbl.cyberlogic.net
- url | valid domains | tlds: fl.chickenboner.biz
- url | valid domains | tlds: residential.block.transip.nl
- url | valid domains | tlds: proxy.block.transip.nl
- url | valid domains | tlds: relays.bl.kundenserver.de
- url | valid domains | tlds: relays.bl.gweep.ca
- url | valid domains | tlds: dul.ru
- url | valid domains | tlds: zombie.dnsbl.sorbs.net
- url | valid domains | tlds: web.dnsbl.sorbs.net
- url | valid domains | tlds: spam.dnsbl.sorbs.net
- url | valid domains | tlds: socks.dnsbl.sorbs.net
- url | valid domains | tlds: smtp.dnsbl.sorbs.net
- url | valid domains | tlds: misc.dnsbl.sorbs.net
- url | valid domains | tlds: http.dnsbl.sorbs.net
- url | valid domains | tlds: dul.dnsbl.sorbs.net
- url | valid domains | tlds: tor.dnsbl.sectoor.de
- url | valid domains | tlds: t3direct.dnsbl.net.au
- url | valid domains | tlds: rmst.dnsbl.net.au
- url | valid domains | tlds: ricn.dnsbl.net.au
- url | valid domains | tlds: rdts.dnsbl.net.au
- url | valid domains | tlds: probes.dnsbl.net.au
- url | valid domains | tlds: spam.rbl.msrbl.net
- url | valid domains | tlds: phishing.rbl.msrbl.net
- url | valid domains | tlds: images.rbl.msrbl.net
- url | valid domains | tlds: combined.rbl.msrbl.net
- url | valid domains | tlds: virus.rbl.jp
- url | valid domains | tlds: short.rbl.jp
- url | valid domains | tlds: spamlist.or.kr
- url | valid domains | tlds: dnsbl.njabl.org

- url | valid domains | tlds: relays.nether.net
- url | valid domains | tlds: ubl.lashback.com
- url | valid domains | tlds: rbl.interserver.net
- url | valid domains | tlds: dnsbl.inps.de
- url | valid domains | tlds: wormrbl.imp.ch
- url | valid domains | tlds: spamrbl.imp.ch
- url | valid domains | tlds: blackholes.five-ten-sg.com
- url | valid domains | tlds: bl.emailbasura.org
- url | valid domains | tlds: dnsbl-3.uceprotect.net
- url | valid domains | tlds: dnsbl-2.uceprotect.net
- url | valid domains | tlds: dnsbl-1.uceprotect.net
- url | valid domains | tlds: torserver.tor.dnsbl.sectoor.de
- url | valid domains | tlds: psbl.surriel.com
- url | valid domains | tlds: spam.spamrats.com
- url | valid domains | tlds: noptr.spamrats.com
- url | valid domains | tlds: dyna.spamrats.com
- url | valid domains | tlds: zen.spamhaus.org
- url | valid domains | tlds: xbl.spamhaus.org
- url | valid domains | tlds: sbl.spamhaus.org
- url | valid domains | tlds: pbl.spamhaus.org
- url | valid domains | tlds: bl.spamcop.net
- url | valid domains | tlds: bl.spamcannibal.org
- url | valid domains | tlds: dnsbl.sorbs.net
- url | valid domains | tlds: korea.services.net
- url | valid domains | tlds: dynip.rothen.com
- url | valid domains | tlds: virus.rbl.msrbl.net
- url | valid domains | tlds: blacklist.woody.ch
- url | valid domains | tlds: ubl.unsubscore.com
- url | valid domains | tlds: f1.faisrl.net,hs.kjaro.it,ssl.agenziapenati.it,
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\
- path | frequently modified by malware: C:\\Windows\\system32\\
- registry | frequently modified by malware: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run" /t REG_SZ /f /v %s /d "%s"
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetVersion
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: WinExec
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetVersion
- api | frequently used by malware: InternetCloseHandle

- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitThread
- url | http tag: https://
- path | path unit: C:\\Windows
- registry: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows" /t REG_SZ /f /v load /d "%s"
- api | wininet: InternetOpenA
- api | wininet: InternetConnectA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetSetOptionA
- api | wininet: HttpSendRequestA
- api | wininet: HttpQueryInfoA
- api | advapi32: OpenServiceA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | advapi32: OpenServiceA
- api | advapi32: CloseServiceHandle
- api | advapi32: CreateServiceA
- api | advapi32: OpenSCManagerA
- api | advapi32: StartServiceA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: SetEndOfFile
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: CreateFileA
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: HeapSize
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetFilePointer
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount

- api | kernel32: ReadFile
- api | kernel32: GetLastError
- api | kernel32: RtlUnwind
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: lstrcpyA
- api | kernel32: LockResource
- api | kernel32: lstrcmpiA
- api | kernel32: CloseHandle
- api | kernel32: WaitForSingleObject
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: GetModuleFileNameA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: GetVersionExA
- api | kernel32: GetFileAttributesA
- api | kernel32: SetFileAttributesA
- api | kernel32: FindResourceA
- api | kernel32: SizeofResource
- api | kernel32: CreateProcessA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: GetExitCodeThread
- api | kernel32: lstrlenA
- api | kernel32: GetModuleHandleA
- api | kernel32: CloseHandle
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: SetFilePointer
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount

- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: DeleteCriticalSection
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetModuleHandleA
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: RtlUnwind
- api | advapi32: GetUserNameA
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: SetSecurityDescriptorDacl
- api | user32: GetSystemMetrics
- api | kernel32: GetComputerNameA
- api | kernel32: GetSystemWindowsDirectoryA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetLastError
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: CreateMutexA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetModuleFileNameA
- api | kernel32: DeleteFileA
- api | kernel32: WaitForSingleObject
- api | kernel32: ReleaseMutex
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: GetVersionExA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | kernel32: GetModuleHandleA
- api | kernel32: LoadLibraryA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow

• api | user32: GetLastActivePopup

• Module 4 other strings

• ADVAPI32.dll
• KERNEL32.DLL
• ibuTNG
• A+#d3G
• 2(2X2l2x
• <L{\\0d0l
• o!P4X4\\3hm
• (3,N3438.6b
• [8.868>?a
• E9K9P9l
• X5^5j5z5
• G/o9y9
• l7p7tM
• X6p6w6
• 3'3Yp3
• n7c0wM
• J1P1o1
• Z7e7~7
• 1%?9?{?
• 8D8O8h8|-
• &4f4x4
• G9q9~9
• =7E8J8
• =2=9=F=
• 7-7s7z
• 21A1b1g1
• @.data
• `.rdata
• 5$5,545<5
• 0H1L1`3d3h3l3p3t3
• 000@0D0T0X0`0d0h0l0
• 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0
• 5$505L5
• 4$4,404<4D4P4l4x4
• 3$3,343<3D3L3T3\\3p3|3
• 2 2(2X2l2x2
• 1$1,141<1D1L1T1\\1d1l1t1|1
• 0,040<0D0L0T0\\0d0l0t0|0
• 4 4,484@4D4P4X4\\4d4h4x4
• 3 3$3(3,3034383`3p3|3
• ?!?5?l?]?
• 9B9c9z9
• 9F:e:~:
• 6!6.6:6
• 5$5^5e5
• 2H3M3j3p3
• 1+181H1i1u1
• >0>9>E>w>
• 556G6.;D;
• 5#5?5R5Y5k5s5
• 0!000B0K0g0
• 7.8B8`8l8

- 6$767E7W7}7
- 6(646D6
- 212[2i2
- 9$9*9D9S9
- 536(8.868>8F8R8W8c8k8s8{8
- 3:4@4Y4
- Z1f1u1{1
- 9'9:9E9K9P9V9c9
- 6 6'646;6C6I6O6Z6b6
- 5&555X5^5j5z5
- 9#9A9G9X9o9y9
- 9V9a9f9p9u9
- 7b7h7l7p7t7
- 6X6p6w6
- 3'3-3p3
- 1%1+1l1
- 10c0w0
- <5<[<u<|<
- 7!8c8h8
- 677=7Z7u7
- 465P5Y5m6r6
- 0&0/040?0D0
- 2&232b5
- Q0f0s0
- ;4<e<y<
- 9 9Z9n9
- 3>3R3c3
- 222C2j2p2
- 1#1J1P1o1
- 0.0:0J0V0g0s0
- ;7<e<p<
- 8E8P8i8
- 6+7Z7e7~7
- 525D5`5
- 1;1O1e1
- 0&0D0X0k0}0
- 9!:5:g:{:
- 8D8O8h8|8
- 6#777i7}7
- 5A5S5w5
- 4&4f4x4
- 0M1T1Z1s1
- 9%:9:P:
- 858^8k8s8=9T9p9
- 575e5y5
- 3"464W4k4
- 2-3A3b3v3
- 2<2C2H2f2p2
- 1 14191\\1|1
-)0T0f0
- 9*9G9q9~9
- 6!70777=7E8J8
- 0*000R0
- =2=9=F=M=
- ;6;h;o;
- 9.959:9@9
- 7%7-7s7z7

- 4'5,595P5U5Z5_5e5
- 121A1b1g1
- 0%0/0O0b0s0
- 7$7)7V9r9
- 6#6*666C6K6W6d6l6x6
- 5.53585R5_5f5r5
- 4$41484D4Q4Y4e4r4z4
- 3+333?3L3T3`3m3t3
- 2"20292K2c2u2
- 6/7:7S7
- 6(6?6~6
- 4+565O5
- 0G1R1k1
- 0$080Q0Y0n0y0
- 9A9N9V9
- "040f0x0
- 849;9f9
- 8F9X9v9
- 6$7Q7\\7j7}7
- 5 6-6C6I6l6u6
- 5"5,565?5
- 4-484R4k4u4
- 3%313?3U3c3
- 1K2T2c2{2
- 1%1/1\\1h1s1
- 0/0:0X0^0
- =4=a=l=z=
- ;2;<;F;O;
- 9,959A9O9e9s9
- 7[8d8s8
- 7+757?7l7x7
- 6#6?6J6h6n6
- 5#5;5U5l5
- 4(434B4T4`4y4
- 3D3q3|3
- 2@2M2c2i2
- 1)1B1L1V1_1
- !0,0:0M0X0r0
- 9(9.9T9
- 8,8P8]8s8y8
- 7 797R7\\7f7o7
- 616<6J6]6h6
- 5#5)5L5U5a5o5
- 323K3U3_3
- 252C2_2j2
- 0+141C1[1u1
- 0<0H0S0b0t0
- ;3;9;\\;e;q;
- 242F2V6
- >4>a>l>z>
- <2<<<F<O<
- :,:5:A:O:e:s:
- 8[9d9s9
- 8+858?8l8x8
- 7#7?7J7h7n7
- 6#6;6U6l6
- 5(535B5T5`5y5

- 4D4q4|4
- 3@3M3c3i3
- 2)2B2L2V2_2
- 0!1,1:1M1X1r1
- 0<0E0Q0_0u0
- 949a9l9z9
- 808=8S8Y8|8
- 727<7F7O7
- 6*6=6H6b6{6
- 5,555A5O5e5s5
- 3[4d4s4
- 3+353?3l3x3
- 2#2?2J2h2n2
- 1#1;1U1l1
- 0(030B0T0`0y0
- .?AVtype_info@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVexception@@
- HTTP/1.0
- MS_UNAT_MODULE_TO_START
- SIMPLE
- <!-- Region -->
- <!-- Time zone -->
- GEOINFO:http
- 0.0.0.
- 192.168.
- \\system32\\
- MS_UNAT_MODULE_FILE
- Start_MAIN_JSM_Complete
- direct
- ON LINE:ts=%s:jid=%s:sid=%s:ver=%s:login=%s:pass=%s:port=%u:ports=%u:ip=%s:isp=%s:country=%s:ccode=%s:region=%s:city=%s:time_zone=%s:ct=%s:sc=%s:uptime=%u:osid=%s:inuse=%s:back=%s:rbl=%s:END
- Content-Type: application/x-www-form-urlencoded
- 5.0 kbps
- %.01f kbps
- UNKNOWN
- Windows 8
- Windows 7
- Windows Server 2008 R2
- Windows Server 2008
- Windows Vista
- Windows Server 2003 R2
- Windows Home Server
- Windows Server 2003
- Windows XP Professional x64 Edition
- Windows XP
- Windows 2000
- Microsoft Windows 95
- Microsoft Windows 98
- Microsoft Windows WinNT351
- Microsoft Windows WinNT4
- ALIVE:
- MASTER001
- S5R:%u:ERROR
- S5R:%u:OK
- S5T:%u:

- [S5T:%u:
- [S5D:%u:
- S5D:%u:00
- ON LINE
- 50.0 kbps
- Yjdne783nbGGwt73h
- 74hhdsfbweyuYGHuiebwedwedwINDWNBDW
- srv_666
- 0000000000000
- WININET.dll
- WS2_32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- 1#SNAN
- 1#QNAN
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- abnormal program termination
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- KERNEL32
- GAIsProcessorFeaturePresent
- __GLOBAL_HEAP_SELECTED

- Unknown exception
- invalid string position
- string too long
- IMAGE_BIN
- VC20XC00U
- ^}%95TS
- .reloc
- @.data
- `.rdata
- !This program cannot be run in DOS mode.
- IMAGE_BIN
- msnat292f1abf
- \\system32\\
- %s%x%x.exe
- MS_UNAT_MODULE_FILE
- SIMPLE
- MS_UNAT_MODULE_TO_START
- MS UNat Service
- MSUNatService
- svchost.exe
- IMAGE_BIN
- kernel32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- abnormal program termination
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- DOMAIN error

- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- 3.vej/v
- .va8.v!
- VC20XC00U
- *,5.v
- !This program cannot be run in DOS mode.
- .vO!.v
- XPTPSW
- _T<\\<du
- ;P;!<9<k<
- <?D?O?}
- =yV:_Y
- >$s,>0
- ?(?1?=?F}
- q7!Mw;
- ; ;7;m;
- >!>S>g>{
- <,=@=^
- ;&KJ;<^<
- +CG>Q>]
- G=N=]=
- >(>I>[
- k <B<_<
- '?@?J?c?m?
- >&>^>d>
- :G:N:m:
- K?]?b?r?
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- ?,?8?T?\\?h?
- >(>D>P>I>t>|>
- =$=,=4=<=D=L=T=\\=d=I=t=|=
- <4<<<D<L<T<\\<d<p<
- ;,;<;@;H;`;d;h;|;
- :4;P;!<9<k<
- ?.?4?<?D?O?}?
- ?*?G?_?
- :(;#</<S=
- :":=:P:V:_:f:
- =.=?=E=X=
- >"?=?N?
- =g>m>v?{?
- =/=p=v=
- :;:A:y:~:
- > >$>(>,>0>z>
- ?(?1?=?F?Q?]?v?
- >4>?>]>
- <1<Z<b<m<
- 9.:\\:p:
- <F<L<S<x<
- <"=P=[=t=
- ; ;7;m;
- >%?9?{?
- >!>S>g>{>
- <,=@=^=r=

- ;&<1<J<^<
- =+>2>G>Q>]>|>
- <)=G=N=]=
- ?"???S?X?u?
- >(>I>[>|>
- =)=/=h=n=
- < <B<_<
- :$;+;H;N;n;
- :(:N:T:
- ?'?@?J?c?m?
- >&>^>d>
- :G:N:m:
- ?*?K?]?b?r?
- =/=<=D=W=\\=r=z=
- :*:J:T:f:k:
- :%:9:]:q:
- ;#<E<I<|<
- <*=W=g=y=
- <#<C<t<
- ;/;L;];v;
- =$>L>`>
- :);V;f;x;
- :":C:t:
- ?+?E?\\?
- >#>2>D>P>i>
- <0<=<S<Y<|<
- :*:=:H:b:{:
- ?<?E?Q?_?u?
- ="=;=E=O=|=
- <%<3<O<Z<x<~<
- ;$;3;K;e;|;
- 9,:8:C:R:d:p:
- ?8?>?d?
- >%><>`>m>
- =$=0=I=b=l=v=
- <A<L<Z<m<x<
- =0===S=Y=|=
- ;*;=;H;b;{;
- >">;>E>O>|>
- =%=3=O=Z=x=~=
- <$<3<K<e<|<
- :$:D:M:,;8;C;R;d;p;
- .?AVlength_error@std@@
- v%s.%s.%s.%08x
- <!-- IP address -->
-
- <!-- Country -->
- <!-- City -->
- [%s:%s:%u]
- [%s:%u]
- PING:</msg>
- from='
- <msg from='%s' to='%s'>
- </msg>
- <id>%s</id>
- ON LINE:ts=%s:jid=%s:sid=%s:ver=%s:login=%s:pass=%s:port=%u:ports=%u:ip=%s:isp=%s:ct=%s:sc=%s:uptime=%u:osid=%s:inuse=%s:back=%s:rbl=%s:END

- uenef37uehdnbeBBDWY99
- db.wpbl.info
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- __MSVCRT_HEAP_SELECT
- (null)
- ppxxxx
- `h''''
- AABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- (((((H
- (null)
- +ttHHtd
- HSVHWtgHHtF
- PPPPPPPP
- PPPPPPPP
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- HHtpHHtl
- sO;>|C;~
- t.;t$$t(
- QQSVWd
- ?vXj?j
- ?vWj?j
- ?vWj?j
- ?vXj?j
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- %s%x%x
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- (null)
- ppxxxx
- `h''''
- __MSVCRT_HEAP_SELECT
- #-v+E.v=
- =-v\\9.v
- -v1#-v
- -vO!.v.
- -vI"-v)
- m,vA#-v
- PPPPPPPP
- PPPPPPPP
- _^][YY
- QQSUVWj
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- HHtpHHtl
- btHHt.

- t.;t$$t(
- Mjs.V"
- VXZ\\Os
- r>@'B1B
- `.rsrc
- (((((H
- (null)

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

- 44616e530000000000000000000000000036260b0003000000831c0e001400000036260a005d00000083085d000500000000000010065000000362616000300000c7060600

• Module 5 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
- ThreadControl__Context ()
- network_http (Communications over HTTP)
- win_mutex (Create or check mutex)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- BASE64_table (Look for Base64 table)
- VC8_Random (Look for Random function)

• Module 5 strings

• Module 5 most interesting strings

- url | http tag | valid domain | tlds: http://whoer.net
- url | http tag | valid domain | tlds: http://www.microsoft.com
- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0b; Windows NT 5.0; .NET CLR 1.0.2914)
- url | valid domains | tlds: l2.apews.org
- url | valid domains | tlds: proxy.bl.gweep.ca
- url | valid domains | tlds: virbl.bit.nl
- url | valid domains | tlds: b.barracudacentral.org
- url | valid domains | tlds: ips.backscatterer.org

- url | valid domains | tlds: orvedb.aupads.org
- url | valid domains | tlds: duinv.aupads.org
- url | valid domains | tlds: cdl.anti-spam.org.cn
- url | valid domains | tlds: tor.ahbl.org
- url | valid domains | tlds: dnsbl.ahbl.org
- url | valid domains | tlds: cbl.abuseat.org
- url | valid domains | tlds: spam.abuse.ch
- url | valid domains | tlds: drone.abuse.ch
- url | valid domains | tlds: dnsbl.abuse.ch
- url | valid domains | tlds: combined.abuse.ch
- url | valid domains | tlds: owps.dnsbl.net.au
- url | valid domains | tlds: owfs.dnsbl.net.au
- url | valid domains | tlds: osrs.dnsbl.net.au
- url | valid domains | tlds: osps.dnsbl.net.au
- url | valid domains | tlds: omrs.dnsbl.net.au
- url | valid domains | tlds: ohps.dnsbl.net.au
- url | valid domains | tlds: ix.dnsbl.manitu.net
- url | valid domains | tlds: bl.deadbeef.com
- url | valid domains | tlds: bogons.cymru.com
- url | valid domains | tlds: dnsbl.cyberlogic.net
- url | valid domains | tlds: fl.chickenboner.biz
- url | valid domains | tlds: residential.block.transip.nl
- url | valid domains | tlds: proxy.block.transip.nl
- url | valid domains | tlds: relays.bl.kundenserver.de
- url | valid domains | tlds: relays.bl.gweep.ca
- url | valid domains | tlds: dul.ru
- url | valid domains | tlds: zombie.dnsbl.sorbs.net
- url | valid domains | tlds: web.dnsbl.sorbs.net
- url | valid domains | tlds: spam.dnsbl.sorbs.net
- url | valid domains | tlds: socks.dnsbl.sorbs.net
- url | valid domains | tlds: smtp.dnsbl.sorbs.net
- url | valid domains | tlds: misc.dnsbl.sorbs.net
- url | valid domains | tlds: http.dnsbl.sorbs.net
- url | valid domains | tlds: dul.dnsbl.sorbs.net
- url | valid domains | tlds: tor.dnsbl.sectoor.de
- url | valid domains | tlds: t3direct.dnsbl.net.au
- url | valid domains | tlds: rmst.dnsbl.net.au
- url | valid domains | tlds: ricn.dnsbl.net.au
- url | valid domains | tlds: rdts.dnsbl.net.au
- url | valid domains | tlds: probes.dnsbl.net.au
- url | valid domains | tlds: spam.rbl.msrbl.net
- url | valid domains | tlds: phishing.rbl.msrbl.net
- url | valid domains | tlds: images.rbl.msrbl.net
- url | valid domains | tlds: combined.rbl.msrbl.net
- url | valid domains | tlds: virus.rbl.jp
- url | valid domains | tlds: short.rbl.jp
- url | valid domains | tlds: spamlist.or.kr
- url | valid domains | tlds: dnsbl.njabl.org
- url | valid domains | tlds: relays.nether.net
- url | valid domains | tlds: ubl.lashback.com
- url | valid domains | tlds: rbl.interserver.net
- url | valid domains | tlds: dnsbl.inps.de
- url | valid domains | tlds: wormrbl.imp.ch
- url | valid domains | tlds: spamrbl.imp.ch
- url | valid domains | tlds: blackholes.five-ten-sg.com
- url | valid domains | tlds: bl.emailbasura.org
- url | valid domains | tlds: dnsbl-3.uceprotect.net

• url | valid domains | tlds: dnsbl-2.uceprotect.net
• url | valid domains | tlds: dnsbl-1.uceprotect.net
• url | valid domains | tlds: torserver.tor.dnsbl.sectoor.de
• url | valid domains | tlds: psbl.surriel.com
• url | valid domains | tlds: spam.spamrats.com
• url | valid domains | tlds: noptr.spamrats.com
• url | valid domains | tlds: dyna.spamrats.com
• url | valid domains | tlds: zen.spamhaus.org
• url | valid domains | tlds: xbl.spamhaus.org
• url | valid domains | tlds: sbl.spamhaus.org
• url | valid domains | tlds: pbl.spamhaus.org
• url | valid domains | tlds: bl.spamcop.net
• url | valid domains | tlds: bl.spamcannibal.org
• url | valid domains | tlds: dnsbl.sorbs.net
• url | valid domains | tlds: korea.services.net
• url | valid domains | tlds: dynip.rothen.com
• url | valid domains | tlds: virus.rbl.msrbl.net
• url | valid domains | tlds: blacklist.woody.ch
• url | valid domains | tlds: ubl.unsubscore.com
• url | valid domains | tlds: f1.faisrl.net,hs.kjaro.it,ssl.agenziapenati.it,
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\msnat72cf386f.exe
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\
• path | frequently modified by malware: C:\\Windows\\system32\\
• registry | frequently modified by malware: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run" /t REG_SZ /f /v %s /d "%s"
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetVersion
• api | frequently used by malware: CreateRemoteThread
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: WinExec
• api | frequently used by malware: LoadResource
• api | frequently used by malware: ResumeThread
• api | frequently used by malware: VirtualAllocEx
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WriteProcessMemory
• api | frequently used by malware: GetThreadContext
• api | frequently used by malware: SetThreadContext
• api | frequently used by malware: WriteFile
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetVersion
• api | frequently used by malware: InternetCloseHandle
• api | frequently used by malware: InternetReadFile
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: CreateThread
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: ExitThread
• url | http tag: https://
• path | path unit: C:\\Windows
• registry: reg.exe add "HKEY_CURRENT_USER\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows" /t REG_SZ /f /v load /d "%s"

- api | wininet: InternetOpenA
- api | wininet: InternetConnectA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetSetOptionA
- api | wininet: HttpSendRequestA
- api | wininet: HttpQueryInfoA
- api | advapi32: OpenServiceA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | advapi32: OpenServiceA
- api | advapi32: CloseServiceHandle
- api | advapi32: CreateServiceA
- api | advapi32: OpenSCManagerA
- api | advapi32: StartServiceA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: SetEndOfFile
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: CreateFileA
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: HeapSize
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetFilePointer
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: ReadFile
- api | kernel32: GetLastError
- api | kernel32: RtlUnwind
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapCreate

- api | kernel32: HeapDestroy
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: lstrcpyA
- api | kernel32: LockResource
- api | kernel32: lstrcmpiA
- api | kernel32: CloseHandle
- api | kernel32: WaitForSingleObject
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetTempPathA
- api | kernel32: GetModuleFileNameA
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: GetVersionExA
- api | kernel32: GetFileAttributesA
- api | kernel32: SetFileAttributesA
- api | kernel32: FindResourceA
- api | kernel32: SizeofResource
- api | kernel32: CreateProcessA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: GetExitCodeThread
- api | kernel32: lstrlenA
- api | kernel32: GetModuleHandleA
- api | kernel32: CloseHandle
- api | kernel32: FlushFileBuffers
- api | kernel32: SetStdHandle
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: SetFilePointer
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: MultiByteToWideChar
- api | kernel32: DeleteCriticalSection
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy

- api | kernel32: GetModuleHandleA
- api | kernel32: TlsGetValue
- api | kernel32: SetLastError
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: TlsSetValue
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: RtlUnwind
- api | advapi32: GetUserNameA
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: SetSecurityDescriptorDacl
- api | user32: GetSystemMetrics
- api | kernel32: GetComputerNameA
- api | kernel32: GetSystemWindowsDirectoryA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetLastError
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: CreateMutexA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetModuleFileNameA
- api | kernel32: DeleteFileA
- api | kernel32: WaitForSingleObject
- api | kernel32: ReleaseMutex
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: GetVersionExA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | kernel32: GetModuleHandleA
- api | kernel32: LoadLibraryA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup

• Module 5 other strings

- ADVAPI32.dll
- KERNEL32.DLL
- ibuTNG
- A+#d3G

- 2(2X2l2x
- <L{\\0d0l
- o!P4X4\\3hm
- (3,N3438.6b
- [8.868>?a
- E9K9P9l
- X5^5j5z5
- G/o9y9
- l7p7tM
- X6p6w6
- 3'3Yp3
- n7c0wM
- J1P1o1
- Z7e7~7
- 1%?9?{?
- 8D8O8h8|-
- &4f4x4
- G9q9~9
- =7E8J8
- =2=9=F=
- 7-7s7z
- 21A1b1g1
- @.data
- `.rdata
- 5$5,545<5
- 0H1L1`3d3h3l3p3t3
- 000@0D0T0X0`0d0h0l0
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0
- 5$505L5
- 4$4,404<4D4P4l4x4
- 3$3,343<3D3L3T3\\3p3|3
- 2 2(2X2l2x2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0,040<0D0L0T0\\0d0l0t0|0
- 4 4,484@4D4P4X4\\4d4h4x4
- 3 3$3(3,3034383`3p3|3
- ?!?5?l?]?
- 9B9c9z9
- 9F:e:~:
- 6!6.6:6
- 5$5^5e5
- 2H3M3j3p3
- 1+181H1i1u1
- >0>9>E>w>
- 556G6.;D;
- 5#5?5R5Y5k5s5
- 0!000B0K0g0
- 7.8B8`8l8
- 6$767E7W7}7
- 6(646D6
- 212[2i2
- 9$9*9D9S9
- 536(8.868>8F8R8W8c8k8s8{8
- 3:4@4Y4
- Z1f1u1{1
- 9'9:9E9K9P9V9c9
- 6 6'646;6C6I6O6Z6b6

- 5&555X5^5j5z5
- 9#9A9G9X9o9y9
- 9V9a9f9p9u9
- 7b7h7l7p7t7
- 6X6p6w6
- 3'3-3p3
- 1%1+1l1
- 10c0w0
- <5<[<u<|<
- 7!8c8h8
- 677=7Z7u7
- 465P5Y5m6r6
- 0&0/040?0D0
- 2&232b5
- Q0f0s0
- ;4<e<y<
- 9 9Z9n9
- 3>3R3c3
- 222C2j2p2
- 1#1J1P1o1
- 0.0:0J0V0g0s0
- ;7<e<p<
- 8E8P8i8
- 6+7Z7e7~7
- 525D5`5
- 1;1O1e1
- 0&0D0X0k0}0
- 9!:5:g:{:
- 8D8O8h8|8
- 6#777i7}7
- 5A5S5w5
- 4&4f4x4
- 0M1T1Z1s1
- 9%:9:P:
- 858^8k8s8=9T9p9
- 575e5y5
- 3"464W4k4
- 2-3A3b3v3
- 2<2C2H2f2p2
- 1 14191\\1|1
-)0T0f0
- 9*9G9q9~9
- 6!70777=7E8J8
- 0*000R0
- =2=9=F=M=
- ;6;h;o;
- 9.959:9@9
- 7%7-7s7z7
- 4'5,595P5U5Z5_5e5
- 121A1b1g1
- 0%0/0O0b0s0
- 7$7)7V9r9
- 6#6*666C6K6W6d6l6x6
- 5.53585R5_5f5r5
- 4$41484D4Q4Y4e4r4z4
- 3+333?3L3T3`3m3t3
- 2"20292K2c2u2

- 6/7:7S7
- 6(6?6~6
- 4+565O5
- 0G1R1k1
- 0$080Q0Y0n0y0
- 9A9N9V9
- "040f0x0
- 849;9f9
- 8F9X9v9
- 6$7Q7\\7j7}7
- 5 6-6C6I6l6u6
- 5"5,565?5
- 4-484R4k4u4
- 3%313?3U3c3
- 1K2T2c2{2
- 1%1/1\\1h1s1
- 0/0:0X0^0
- =4=a=l=z=
- ;2;<;F;O;
- 9,959A9O9e9s9
- 7[8d8s8
- 7+757?7l7x7
- 6#6?6J6h6n6
- 5#5;5U5l5
- 4(434B4T4`4y4
- 3D3q3|3
- 2@2M2c2i2
- 1)1B1L1V1_1
- !0,0:0M0X0r0
- 9(9.9T9
- 8,8P8]8s8y8
- 7 797R7\\7f7o7
- 616<6J6]6h6
- 5#5)5L5U5a5o5
- 323K3U3_3
- 252C2_2j2
- 0+141C1[1u1
- 0<0H0S0b0t0
- ;3;9;\\;e;q;
- 242F2V6
- >4>a>l>z>
- <2<<<F<O<
- :,:5:A:O:e:s:
- 8[9d9s9
- 8+858?8l8x8
- 7#7?7J7h7n7
- 6#6;6U6l6
- 5(535B5T5`5y5
- 4D4q4|4
- 3@3M3c3i3
- 2)2B2L2V2_2
- 0!1,1:1M1X1r1
- 0<0E0Q0_0u0
- 949a9l9z9
- 808=8S8Y8|8
- 727<7F7O7
- 6*6=6H6b6{6

- 5,555A5O5e5s5
- 3[4d4s4
- 3+353?3l3x3
- 2#2?2J2h2n2
- 1#1;1U1l1
- 0(030B0T0`0y0
- .?AVtype_info@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVexception@@
- HTTP/1.0
- MS_UNAT_MODULE_TO_START
- SIMPLE
- <!-- Region -->
- <!-- Time zone -->
- GEOINFO:http
- 0.0.0.
- 192.168.
- \\system32\\
- MS_UNAT_MODULE_FILE
- Start_MAIN_JSM_Complete
- direct
- ON LINE:ts=%s:jid=%s:sid=%s:ver=%s:login=%s:pass=%s:port=%u:ports=%u:ip=%s:isp=%s:country=%s:ccode=%s:region=%s:city=%s:time_zone=%s:ct=%s:sc=%s:uptime=%u:osid=%s:inuse=%s:back=%s:rbl=%s:END
- Content-Type: application/x-www-form-urlencoded
- 5.0 kbps
- %.01f kbps
- UNKNOWN
- Windows 8
- Windows 7
- Windows Server 2008 R2
- Windows Server 2008
- Windows Vista
- Windows Server 2003 R2
- Windows Home Server
- Windows Server 2003
- Windows XP Professional x64 Edition
- Windows XP
- Windows 2000
- Microsoft Windows 95
- Microsoft Windows 98
- Microsoft Windows WinNT351
- Microsoft Windows WinNT4
- ALIVE:
- MASTER001
- S5R:%u:ERROR
- S5R:%u:OK
- S5T:%u:
- [S5T:%u:
- [S5D:%u:
- S5D:%u:00
- ON LINE
- 50.0 kbps
- Yjdne783nbGGwt73h
- 74hhdsfbweyuYGHuiebwedwedwINDWNBDW
- srv_666
- 0000000000000

- WININET.dll
- WS2_32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- 1#SNAN
- 1#QNAN
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- abnormal program termination
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- KERNEL32
- GAIsProcessorFeaturePresent
- __GLOBAL_HEAP_SELECTED
- Unknown exception
- invalid string position
- string too long
- IMAGE_BIN
- VC20XC00U
- ^}%95TS
- .reloc
- @.data
- `.rdata

- !This program cannot be run in DOS mode.
- IMAGE_BIN
- msnat292f1abf
- \\system32\\
- %s%x%x.exe
- MS_UNAT_MODULE_FILE
- SIMPLE
- MS_UNAT_MODULE_TO_START
- MS UNat Service
- MSUNatService
- svchost.exe
- IMAGE_BIN
- kernel32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- August
- September
- October
- November
- December
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- - not enough space for arguments
- - not enough space for environment
- abnormal program termination
- - not enough space for thread data
- - unexpected multithread lock error
- - unexpected heap error
- - unable to open console device
- - not enough space for _onexit/atexit table
- - pure virtual function call
- - not enough space for stdio initialization
- - not enough space for lowio initialization
- - unable to initialize heap
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- 3.vej/v
- .va8.v!
- VC20XC00U
- *,5.v
- !This program cannot be run in DOS mode.

- .vO!.v
- XPTPSW
- _T<\\<du
- ;P;!<9<k<
- <?D?O?}
- =yV:_Y
- >$s,>0
- ?(?1?=?F}
- q7!Mw;
- ; ;7;m;
- >!>S>g>{
- <,=@=^
- ;&KJ;<^<
- +CG>Q>]
- G=N=]=
- >(>I>[
- k <B<_<
- '?@?J?c?m?
- >&>^>d>
- :G:N:m:
- K?]?b?r?
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- ?,?8?T?\\?h?
- >(>D>P>I>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <4<<<D<L<T<\\<d<p<
- ;,;<;@;H;`;d;h;|;
- :4;P;!<9<k<
- ?.?4?<?D?O?}?
- ?*?G?_?
- :(;#</<S=
- :":=:P:V:_:f:
- =.=?=E=X=
- >"?=?N?
- =g>m>v?{?
- =/=p=v=
- :;:A:y:~:
- > >$>(>,>0>z>
- ?(?1?=?F?Q?]?v?
- >4>?>]>
- <1<Z<b<m<
- 9.:\\:p:
- <F<L<S<x<
- <"=P=[=t=
- ; ;7;m;
- >%?9?{?
- >!>S>g>{>
- <,=@=^=r=
- ;&<1<J<^<
- =+>2>G>Q>]>|>
- <)=G=N=]=
- ?"???S?X?u?
- >(>I>[>|>
- =)=/=h=n=
- < <B<_<
- :$;+;H;N;n;
- :(:N:T:

- ?'?@?J?c?m?
- >&>^>d>
- :G:N:m:
- ?*?K?]?b?r?
- =/=<=D=W=\\=r=z=
- :*:J:T:f:k:
- :%:9:]:q:
- ;#<E<l<|<
- <*=W=g=y=
- <#<C<t<
- ;/;L;];v;
- =$>L>`>
- :);V;f;x;
- :":C:t:
- ?+?E?\\?
- >#>2>D>P>i>
- <0<=<S<Y<|<
- :*:=:H:b:{:
- ?<?E?Q?_?u?
- ="=;=E=O=|=
- <%<3<O<Z<x<~<
- ;$;3;K;e;|;
- 9,:8:C:R:d:p:
- ?8?>?d?
- >%><>`>m>
- =$=0=I=b=l=v=
- <A<L<Z<m<x<
- =0===S=Y=|=
- ;*;=;H;b;{;
- >">;>E>O>|>
- =%=3=O=Z=x=~=
- <$<3<K<e<|<
- :$:D:M:,;8;C;R;d;p;
- .?AVlength_error@std@@
- v%s.%s.%s.%08x
- <!-- IP address -->
-
- <!-- Country -->
- <!-- City -->
- [%s:%s:%u]
- [%s:%u]
- PING:</msg>
- from='
- <msg from='%s' to='%s'>
- </msg>
- <id>%s</id>
- ON LINE:ts=%s:jid=%s:sid=%s:ver=%s:login=%s:pass=%s:port=%u:ports=%u:ip=%s:isp=%s:ct=%s:sc=%s:uptime=%u:osid=%s:inuse=%s:back=%s:rbl=%s:END
- uenef37uehdnbeBBDWY99
- db.wpbl.info
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- __MSVCRT_HEAP_SELECT
- (null)
- ppxxxx
- `h''''

- AABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- (((((H
- (null)
- +ttHHtd
- HSVHWtgHHtF
- PPPPPPPP
- PPPPPPPP
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- HHtpHHtl
- sO;>|C;~
- t.;t$$t(
- QQSVWd
- ?vXj?j
- ?vWj?j
- ?vWj?j
- ?vXj?j
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- %s%x%x
- M/d/yy
- dddd, MMMM dd, yyyy
- H:mm:ss
- (null)
- ppxxxx
- `h``
- __MSVCRT_HEAP_SELECT
- #-v+E.v=
- =-v\\9.v
- -v1#-v
- -vO!.v.
- -vl"-v)
- m,vA#-v
- PPPPPPPP
- PPPPPPPP
- _^][YY
- QQSUVWj
- _^][YY
- t$$VSS
- t#SSUP
- SS@SSPVSS
- HHtpHHtl
- btHHt.
- t.;t$$t(
- Mjs.V"
- VXZ\\Os
- r>@'B1B
- `.rsrc
- (((((H
- (null)

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

• 44616e530000000000000000000000000036260b0003000000831c0e001400000036260a005d00000083085d000500000000000010065000000362616000300000c7060600

• Module 6 yara matches

• suspicious_packer_section (The packer/protector section names/keywords)
• UPX ()
• PackerUPX_CompresorGratuito_wwwupxsourceforgenet ()
• UPX_wwwupxsourceforgenet_additional ()
• yodas_Protector_v1033_dllocx_Ashkbiz_Danehkar_h ()
• UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay ()
• UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay_additional ()
• UPX_wwwupxsourceforgenet ()
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• UPXv20MarkusLaszloReiser ()
• UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
• UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)

• Module 6 strings

• Module 6 most interesting strings

• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | advapi32: OpenServiceA
• api | kernel32: VirtualFree
• api | kernel32: VirtualAlloc
• api | kernel32: VirtualProtect
• api | kernel32: LoadLibraryA

• Module 6 other strings

• E O1K=
• ar>2V
• :88M=v
• 2n@n$l
• 48B. ^
• ds~A,36
• #>1H_Ju
•)0?BU\\c
• 9TK~IP_"5<
• nypO&90
• 3.!XOzE(7:
• 9 /RELs

- /:5L[Vi
- rmdSNA8/
- d{nY@O2%,
- nqxOZU,;6
- =POBulc&18
- +ZEL{fi
- sneTOB9
- edoZAH3&-
- ory@[V-<7
- >QHCvm\\'29
- jaX7*!hs~
- i`kV9 +
- V`4Ny9
- ivGpjehz_
- ME=B55u;
- KO=1:n]4B
- oL`'3%8
- 3w~AOJf>?
- 9gZnb+oZ
- {0q1Kj
- ;e]ta)%83
- 68jN`%
- BeC)t4g
- ~a2Fnv&=
-]9LL5
- Es2&Lo3;,
- Ad34[m
- <Fkf2Sza
- Vl[85cjl
- 0)|{8]n{)
- i7984>
- +,ZBZB9QEO
- &wEre5pWg;$SdNqp0{o@L@>
- 7P,:lEw
- 8$Uu**
- iZTO,$
- :58..
- P1~)^3
- oz*sRi
- F}Avsa5
- 8NWOtd
- scUu9;
- 21lY<9
- oWoWyb
- wXwp9GEg{
- f[pLI=A
- A>V% r6.@
- <(98xV
- "tbU7v0
- 00VG?BB
- Icj$_y3<
- U+Iw3N
- 3cgl{e*,
- O ;GaBj
- rgE3_D}
- BnWKE1
- f8}rZs8

- At@;2:|
- Mi8fS-r
- ?;!Yoh-doa
-)7tA_r!QU.A
- 3t_laF
- |Sr8g9
- i3zbGW,
- XI2lhg
- qo/!1(lH
- i_nkup
- mT0bNa
- E_$\\a0
- wt3I8c
- qpi3gW
- eB-L u<
- a)vzio
- GiMGG_y4(
- Sh5eX+nq
- 8TiM_8Ji
- bIP\\,1F[~j3
- sI&+pU1
- (|=FP7e
- 0(2<GPZd
- >(2<6PZd
- (2<IPZd
- (2<OPZd
- (2<OPZd
- (2<FPZdI
- (2<APZdr
- f(2<61
- (2<FPI&K;
- 5.7sgjM_u(65d
- x`kI^I4?.
- YMFo2"3
- oWvI@<}R
- 5.0cwuk]I($Zd1
- HA@H3165
- fAp_[R"PEfCzjM@P)31
- x`kI^}*<5
- i`wG\\<5S
- 5.+OY]x2<
- xWIAFU%167owjA]RFP
- ~}}I^o#3.
- kdZMAH4?#d
- d`M\\@U(7)3
- gqp\\aH494
- eMqjm\\J/"5
- ~GjLz](46
- \\WI4?9
- 5.2ofmA]R
- ~WqE_](4
- eMqj{F]4$/
- (9&0L^PFP
- eMqj{KO2570cy{(yy
- YMFI4?9
-]3<n%[d4a
- 0\\3<z$[d@`

- vZ3<F0[d
- (2<FPZd.e
- zT]^}37
- GuliBN
- %?3opJ@Gz49
- dYape]R
- nug(2<
- J@GN54;
- MIFI44;
- 5*dKay(xI*P
- (}_2?8
- E?)#dGY1LV
- AOFPZdnpzL
-)0=DQXe
- (0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
- *p{\\W_25>E
- o4nZ][417Cy4wFFY4>;
- Q]3#?Dbum
- ialAFEf5(
- (pI 6?
- *`{Z_U(1.
- gj"\\S1p8
- g4}I\\R)$z
- A\\H#"4
- efl]BH#4z
- ^#54DnqjMQH#4z
- of>GDY4"/
- NZ][417^*
- sneTOB9P
- edoZAH3&-
- ory@[V-<7
- >QHCvm\\'29
- jaX7*!hs~
- i`kV9 +
- ,7:AXSn
-)0=DQXe
-)0=DQXe
-)0=DQXe
-)3=GQ[e

-)3=GQ[e
-)3=GQ[e
-)3=GQ[e
- c`wI^U<5
- 5.1yqlgPV#3.-drqZ_]295
- ygIA\\X)'
- YMFl4?9
- 9&0L^PFPZd
- XDA}*<5
- o4[Z@S4qPnZfqO@]+jzd
- (`I($3
- qO*FkFFU+5z(cvlI@EFPZd
- ozj%8<
- x4{FDU4?4
- gujA]Rh]Pd
- zdrAQ]295
- K')tnZx{IAYf35
- kg>ZWM35)
- f}}IFU)>z
- J@[Of1*
- n4vMSLf5(
- ~]PI*apMJL#3.
- pujA]RKZZd
- e4wF[H/16
- curAH]295
- ?(Df{iA]
- e`>M\\S372Dyd
- xq>A\\Z)"7
- f}}IFU)>}
- i`>\\ZYf1*
- z>]AU(7z
- d4}I\\R)$z
- WN4?(i
- xQfAFl4?9
- Z3<`"[d0f
- xbXA0.
- xb@A0.
- mb2_0f
- :8^0lZC
- $h3]BN~ak
- $i0I_Z
- /_<F3}U
- %i"HIk_
- s02_aa
- /_,F3}U
- GPZ_O4
- i2>FPZ]W
- 6{_(Z<GPZ7
- @*=FP2L`U
- ADVAPI32.dll
- KERNEL32.DLL
- ibuTNG
- A+#d3G
- 2(2X2l2x
- <L{\\0d0l
- o!P4X4\\3hm
- (3,N3438.6b

- [8.868>?a
- E9K9P9l
- X5^5j5z5
- G/o9y9
- l7p7tM
- X6p6w6
- 3'3Yp3
- n7c0wM
- J1P1o1
- Z7e7~7
- 1%?9?{?
- 8D8O8h8|-
- &4f4x4
- G9q9~9
- =7E8J8
- =2=9=F=
- 7-7s7z
- 21A1b1g1
- #6AK6W6d
- @R5_5f5r5
- Q4Y4e4r4z4
- 1"20292K
- 0G1R1k1
- x"040f0x0
- cp7v1B
- F9X9v9
- 6$7Q#j7}7
- 5 6fC6
- 4-484R4k4u4
- 1%1/1\\1h1s1
- =4=a%z=
- ;2;<;F;O;
- y959A9O9e
- 4(434B4T4`4y4
- 2@2M2c2i2
- 1)1B1L1V1_1
- !0,0:0M0X0r0
- 978:C:R:d:p:
- 9(9.9T9
- 8,8P8]8s8y8
- 7\\7f7o7
- 7 797R
- 616<6J
- 5L5U5a5o5
- 323K3U3_7
- 252C1j2
- H0S0b0t0
- 242FM6
- >4>a>l>z>
- ,:5:A:O:e:s:
- 8[9d9s9
- 8+858?8l8x8
- 7#7?7J7h7n7
- 6#6;6U6l6
- 5B5T5`5y5
- 4D4q4|4
- 3@3M3c3i3

- 2)2B2L2V2_2
- 0!1,1:1M1X1r1
- E0Q0_0u0
- >E>O>|>
- 949a9l9z
- 808=8S8Y8|8
- 727<7F7O7
- 6*6=6H6b6{6
- A5O5e5s5
- T3[4d4s4
- 2J2h2n2
- 0(030B0T0`0y0
- @<840i
- LR C.2914
- ; DIE 6
- G:H[5O]
- GETgu/
- x64 Ed;#S6&
- _351983
- %02x@
- ERROR#(
- 5D:%u:
- kbpsoON L
- D<wWx'Y99
- GGwt73h
- u4ohpad[H
- u2 [2g
- xothkEkNa.
- 3}>-sId[
- kedDS i
- /A2WINIT
- ADVAPIWS2_
- Wa:ForS
- Cr6calSec
- 1#QNAN
- nt KERN@32
- AIsbessorFe[k
- excep
- |posiD
- 7invalid
- too lo
- 23456789+/Ox
- XYZabcdefghijklmnopqrstuvwxyz01
- aTH*0
- l0RAU"`P
- AvuH.l
- IMAGE_BIN
- I&xFD2Ls;
- =Y1CGU
- 6FU7Wx
- sKHTQ64
- >U$R. 6
- Ge2O%n@
- LeZr 8t
- .5(k} o#
- ,UBM}
- \\ao /.=jFl4

- Ew [\\6
- ddH000
- \\22LLL
- b@DAEFFDH[A
- Klh`22
- 2222pttx32
- p|22rrxp
- 9d(`8
- H32 Oj
- 0:$"qda
- l0alb@
- a8F.9d\\4\\4
- `|acA-
- 2222;tt$
- $2222\\
- ?lyONI
- \\2r
- 9dd0f,,$
- 2 0,NF
- 1wj P3
- 4<4B&yB;
- 440H>G
- `\\pIK.@6
- @.a6(a%
- IptPC6'
- OS mode.
- be \\ i
- N-USER\\SOFTWKE\\7
- "HKEY_CURRE
- _AT_MODULHTO
- IMAGE_BIN
- kdFeH\\"e
- M?chFeJu
- s=32.d
- B>+8argu(s
- h4CA*+0.|
- p@gram Jm6Ka/
- a/lock`+
- o+virtu!3
- Sstd5pur
- g@spac#f{lowi8
- f7'7not=
- ablto iniValiz
- runtime error
- 50/ Z
- ELECTED
- __GLOBAL_HEAP_S
- /Li{!
- KOMx(@aW
- puaZufVt^R
- mAK81&<
- 49=g}V
- %q@E_2
- m-\\90`
- -(_U9}
- MOY]^8
- 0n295P`

- I;\\+\\9
- %z0@J8
- _>tI6*7)
- DS88iL
- QH Ai+
- oKn9x}
- oQhP1Y
- *,5.v
- !This program cannot be run in DOS mode.
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- M<-~cm(
- $4t;D#J
- gKRrmz^LJ!c
- N2`hvlP
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- N(2<FPZd
- (2<FPZd
- :|R[d~
- =$+^I@
- xgj]DK>)
- b}tC^Q(?*
- -@_Re|s
- zmd[JU\\kvy
- tcnQ<#&
- <M\\Wbxw
- :!(SFM|
- ;6M\\Wj
- 4[FM|gj
- "M\\Wbyp
- cv}L#>5
- 0+&]LGz
- &=,WBIp
- T}3)]F
- :xnZEFm
- -X;)jB
- H%SN Q
- -g>\\m#F
- n<=C6p
- *}?Bb!
- }`RfZ4
- (Q\\)l-
- #zXIgc
- :p%9b$m
- qs;'4Z
- <HP(pw|O
- [gmkSP5
- jh}6/X-FG
- "j=_mh
- te"z$%
- <;{ME`
- N?h/rHf

- 9$;~="
- >%Zo&*
- I&_KRGq}b
- %km'Y\\C
- T) 2Fn:
- oN=!V}
- Gz]PNc
- z{yH}t
- '_&*EV
- TB>zR-
- f}4k$S
- 3gxZV.
- Z(8T}TJVP
- v:gs`c!
- ^He}Mz
- @mjY!2t
- f'~rfg
- DGyPj]
- =I`<|m
- 0p~K["
- Vhn%SzvMma4
- ^Vzh$g3Z
- LS4 `W
- Kd:m(o
- f*ZA%r
- yicR-^,r
- k i@?z
- i]zN*>
- p;u=+/
- [qCBMX
- Wtk,bo
- jg&pF.YI;
- *'+V.u
- N^+:><
- $,B9|b
- a`$xlw
- (fSks`
- q4X?Pj
- pkNOYR
- B?|=j~
- ?%X;VPbW
- K(QBEM
- VVV0}-WPqm$j
- "{bNS\\
- w@VHw3F
- nh[H(Y
- *0)pT|W
- `5qQLg
- E*tG_v{;.
- !j%Llk%
- GI;Rm(
- W{S:Y:s
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (k<FP-d
- (2<WQZd:
- D(2<>PZd
- ,<FPad
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- FPZdZGJ(2<FPZd
- (3<FPZd
- >Xs<Z
- *Xs<v
- d~d_(^L
- &Cs;<|=
- (*;FPVd
- (2<KPZd
- (2<KPZd
- (2<PPZd
- (@<FPSd
- (?<FP7d
- G(2<MPZdf
- (e<FPLd
-](2<DPZdZ
- (s<FPWd
- (2<sPZd
- (0<FP{d
- (2<TPZd
- ("<FPWd
- ($<FPWd
- (2<NPZd
- (8<FP]d
- (><FPRd
- (7<FPWd
- (2<BPZd
- (0<FPYd
- (2<PPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (q<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- _(2<FP[d
- s<FPZd
- (2<FPb
- s<FPZd
- (2<FPZd
- (2<GPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<GPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- >(2<FPZd
- (2<FPZd
- 2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (3<FPZd
- (2<GPZd
- (2<FP[d
- (2<FPZd

- (3<FPZd
- (2<GPZd
- (2<FPZd
- (2<FPZd
- (3<FPZd
- (2<GPZd
- (2<FP[d
- (2<FPZd
- (3<FPZd
- (2<FPZd
- (2<FP[d
- (2<FPZd
- (2<FPZd
- (2<FPZd
- "2<FPZd
- :<FPZd
- (2<FPZd
- :<FPZd
- (2<FPZd
- PZdFu_(
- RJs<ZPZd.v_(/<FP
- w_(*<FP
- VKs<UPZd
- Ls<OPZdjp_(8<FP
- =;s<DPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- kdMAHYFP
- qlQ2<TR
- nQfKZ](7?dq
- KxrGQ<
- Ifw\\[_'<
- ~WNa\\Z)PCfCzw\\[]*9
- L~U$";
- XtN#5ZdM
- urn@Y#PVfBq
- \\ur]W<LR
- g^xm{WH
- g^xmn@Y#P
- ~WkZ@Y($
- MMFp'#.!xfqZ2<xQ
- g^xmi^P)3Zd
- Yq}\\[S(P
- ~q]Z[H/3;
- YMFz/<?0sd{(H<
- nx{k]I($ZdT
- ~Qp^[N)>7
- YMFp'#.!xfqZ2<
- Gar\\[~?$?dc
- g]}zMqT\'"
- |}IG\\Q#>.7~fwFUO
- |}IG\\Q#>.7~fwFUO
- ~}qFtU*$?
- dprMVy>3?
- x{n[P#
- oRwDW<
- ogm(}?
- CzxGs<NQ
- ygVMSLFP
- XsP*?9d
- YMFl4?9%nplMAOFP-eMqje]X3<?,kzzDW}FP\\fBq
- ,^3<FPZd
- (<JGPz
- (jHGP<
- (<HGP~
- (zOGP:
- Z3<T#[d$g
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- z[}\\|S0
- %?dG{p(aI(P
- M]\\X')ZdYuj(tN/P
- (eY">?
- (tN/4;
- (dGul(tY$P
- kfg(vY%P
- (tY$"/
- x}r(2<
- T]^EFPZd@apM2<FP
- (sI!%)
- MMBH#=8
- PGDY+2?

- ZdNq}M_^#"Zd
- _(ht
-)3=GQJd
- ("<VPJd
- ("<VPNd
- (&<RPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
-)"<VPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- V("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <fPzd*
- <.Prd"
- <fPzd*
- (2<FPzd*
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- ("<VPzd
- (0<DPXd
- (0<DPXd
- (0<DPXd

- (0<DPXd
- (3<VPJd
- (3<GP[d
- (3<GP[d
- (3<GP[d
- ("<VPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <nPrd"
- <fPzd*
- <fPzd*
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- V_(2<FPZd
- ~m>NSU*%(
- y`>F]Kf2?D~qlE[R'$?
- lqrQ8_)>.
- F\\S2p)
- *gjIFYhpz0bq>X@S!";
- xfkXFY"p.
- o`{KFY"p-
- o`{KFY"qZd
- *{hM@N3>z
- f4m\\SH#~zD^|{
- bq>X@S!";
- 2<FP]&K;
- Nis<FPZd
- 4[FM|gj
- "M\\Wbyp
- cv}L#>5

- 0+&]LGz
- &=,WBIp
- ("<fPZd
-)0=DQJd
-)"<VPJd
- ("<VPJd
- ("<VPJd
- ("<VPJd
- <fPzd*
- <fPzd*
- <fPzd*
- <nPrd*
- <fPzdb
- <fPzd*
- ;_(2<FP
- I{kFF<FPZd
- c{pi\\X
- c`wKSP
- s<FPZd
- k[WNubt
- [R"?-dGqm[S[#
- ~U}\\[J#
- k`wG\\<
- 2<FPq@K
- s<FPZd
- (YY4>?
- yG{\\d]*%?dLxmoWH
- dLxmn@Y#P
- 4s<FPZd
- zuF]K(nZd
- kp{L?6FPZdG}}Z]O)6.D\\}m]SPf
- \\[R!p*
- gqp\\A1LPZdX".
- b4mXS_#p<
-]PI*zq\\
- ?(Dg{lM
- -g>[GL6?(
- xywFSH#p3
- op>\\ZYf
- kp>LSH']Pd
- f`w\\ZN#1>Df{}C
- rd{KFY"p7
- R:%)%8
- d4}G\\O)<?DnqhAQYKZZd
- R:%'%8
- x4AG\\Y>9.Kk`{P[Hf$;
- b4mXS_#p<
- r]PI*zq\\
- ez>KSP*]Pd
- s]PI*dkZW
- X?6FPZdX".
- d}jASP/*?Dbq
- 1LPZdX".
- *gkXBS4$z
- DXap\\[Q#Z
- bq>IQH/&?D|ql[[S(p5
- h.9)DkdnD[_'$3

- xfqZ?6FPZdN[Si{rf5(
- o:zD^<
- (_O%?(
- oRwDWr'=?%
- YMFq)4/
-]3<H&[d*b
- (.IGPr
- [3<H$[d.`
- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2

- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- (2<FPZd
- Hs<FPZd
- dZE_(Vm
- db[_(Rs
- ZDNxbl
- 1<FP/X
- ZDNxbl
- F",P0d
- XPTPSW
- _T<\\<du
- ;P;!<9<k<
- <?D?O?}
- =yV:_Y
- >$s,>0

- ?(?1?=?F}
- q7!Mw;
- ; ;7;m;
- >!>S>g>{
- <,=@=^
- ;&KJ;<^<
- +CG>Q>]
- G=N=]=
- >(>I>[
- k <B<_<
- '?@?J?c?m?
- >&>^>d>
- :G:N:m:
- K?]?b?r?
- J:T:f:k
- :%:9:]:q:
- <*=W=g=y=
- :);V;f;x
- >#>2>D>P>i>
- <=<S<Y
- %*:=:H:b:{:
- ?<?E?Q?
- J?>?d?
- ><>`>m>
- I=b=l=v=
- <A<L<Z<m<x<
- \\;e;q;
- H;b;{;
- O=Z=x=~=
- <$<3<K<e<|<
- :$:D:M:,;8;C;R;
- 4tl`TP
- CHTTP/1-
- [g!-- T
- sc}X"x
- 4hhdfb
- #icnFt
- -,n-sg
- #xzenbKc
- klSt.wo@
- .v,hs.kj
- 4JMPTW6
- <3 @pC
- DshyBuff
-)+t8MWlV
- Ty1gtg
- n/id'h
- WYlsSha$V
- tlUnwk]
- l"[#Usy
- @6 H'T
-]!`OCp
- CDEFGHIJKLMNOPQRSTk
- sx\\w4P
- -t,0tRC
- sLhr.O
- B N@"r

- BmnC$@
- bkP\\Ym_
- xSFAVl,D
- HQf*))
- sO;>|C;
- TTPIFF.
- _I?Qj\\
- {6:+J+
- %#<<'T
- b\\P\\>GN
- gp?.l4
- dt||pnEFFpt
- AT(.M &
- yB<$lK2
- K<=H0wFJ-D
- yl+xB
- JeBQtg_
- phg!#r
- JFFLLL
- ,HN$/J
- <A#P|Z|
- ``FF&9
- H_j%/+b
- L@NFFL<
- _[.IPj
- p[!"vl
- ___@.9
- dJ.$,$
- N"D`&@
- GrBD`L`
- @`D`D`
- <O\\\\\\>S
- \\llt&y;!
- h&dH;>h
- 'llL!C
- B;-dB.
- ||2 Sr|
- \\d\\1B&y;
- |&dHdX;
- Ld\\VCI
- \\2\\\\\\^
- K.lll/
- KPpl@6'@
- LThi*>
- PSTPD?I
- s "vW+
- _STARTSMP
- svcht.
- SKGC7yC
- %,klwn>
- _*ex\\/X
- MSVCRT
- s.n$,4
- g8Py!:H
- L}Ht7J
- PSYMRK
- !\\x#xe

- /PWylt
- ~+,A.W?
- 4Mdlt|
- VLJF;s|
- Y^D<S.
- .;G$t(
- w+!v'+
- ;ACF?Qs
- k;DR;;r
- K&yHayN;
- xk-|N!
- t[!HLW
- <mt>j,
- ^h,||_
- K;M;../
- ^].Q5}
- #F!]w _G?
- {}Yk` #m
- s@F0Xk
- Mjs.V"
- VXZ\\Os
- r>@'B1B