# Analysis report for sample: 2a2aac2b2a8d42d1b9ad6872ea824fbb

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 8226 (indicates the level of interest of the report, based on the amount of information collected about the sample).

## Index


- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

## Sample

- md5: 2a2aac2b2a8d42d1b9ad6872ea824fbb

## AV detections

- Microsoft: Ransom:Win32/Cerber.F
- Kaspersky: Trojan-Ransom.Win32.Zerber.anth
- Symantec: Trojan.Gen
- Malwarebytes:

## Original source url

-

## Virustotal url

- https://virustotal.com/es/file/5315fcee281f6ccfc4300069e4c46dfa69234ee85764cc60fd59671ed452f7ee/analysis

## Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Prime_Constants_long (List of primes [long])
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- Check_OutputDebugStringA_iat ()

## Snapshot


Computer
C:\Windows\s...
Recycle Bin
Start
8:44 AM
Saturday
6/17/2017

## Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



# Running processes

Here it is the list of running processes after sample execution.

## Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name cmd.exe Alias P2
- Name WMIC.exe Alias P3

## Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name WmiPrvSE.exe

- Name VSSVC.exe
- Name svchost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

## Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe")
- Process Create (C:\\Windows\\system32\\wbem\\WMIC.exe PID: P3, Command line: C:\\Windows\\system32\\wbem\\wmic.exe shadowcopy delete)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" )
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

## Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: .cy!D
- url | valid domains | tlds: tF.pt
- url | valid domains | tlds: g.vI"-v
- url | valid domains | tlds: L.CX
- url | valid domains | tlds: *O.SM
- url | valid domains | tlds: name="Microsoft.Windows.Net.ping"
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: g.vA#-v(7.vJ
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
- registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\{89820200-ECBD-11CF-8B85-00AA005B4383}
- registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\Services\\Tcpip\\Parameters
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: Could not connect object.\'Could not create object named "%1!ls!".1Initialization of the Windows Script Host failed.6Can\'t find script engine "%2!ls!" for script "%1!ls!".!Can\'t change default script host.=An attempt at saving your settings via the //S option failed.(Loading script "%1!ls!" failed (%2!ls!).
- api | frequently used by malware: MoveFile
- api | frequently used by malware: SetTimer
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetVersion
- registry: Software\\Microsoft\\Windows Script Host\\Settings
- registry: SOFTWARE\\Classes\\%s\\%s
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | ws2_32: getnameinfo

- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _chkstk
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc
- api | kernel32: lstrcmpiA
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetCurrentThreadId
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW
- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | kernel32: MultiByteToWideChar
- api | ntdll: tolower
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW
- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc

- api | kernel32: HeapReAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: RegOpenKeyExW
- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: lstrlenA
- api | kernel32: SetFilePointer
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | user32: wsprintfA
- api | kernel32: GetLastError
- api | kernel32: GetTempPathW
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW
- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW

- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | kernel32: lstrcatW
- api | advapi32: CryptDestroyKey
- api | kernel32: CreateEventW
- api | kernel32: EnterCriticalSection
- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: SetEvent
- api | kernel32: WaitForSingleObject
- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileSize
- api | kernel32: GetDateFormatW
- api | ntdll: bsearch
- api | ntdll: _wcsicmp
- api | ntdll: _wcsnicmp
- api | ntdll: wcsncmp
- api | ntdll: _itow
- api | ntdll: wcsrchr
- api | ntdll: _itoa
- api | ntdll: _snprintf
- api | ntdll: _vsnprintf
- api | ntdll: _errno
- api | ntdll: _vsnwprintf
- api | user32: GetClassNameA
- api | user32: IsWindowVisible
- api | user32: EnumThreadWindows
- api | user32: KillTimer
- api | user32: PostQuitMessage
- api | user32: DefWindowProcA
- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: CreateWindowExA
- api | user32: RegisterClassA
- api | user32: GetClassInfoA
- api | user32: CharNextA
- api | user32: LoadStringA
- api | user32: LoadStringW
- api | user32: PostMessageA
- api | user32: SendMessageA
- api | user32: MsgWaitForMultipleObjects
- api | user32: PeekMessageA
- api | user32: GetParent

- api | user32: PostThreadMessageA
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: DispatchMessageA
- api | user32: GetMessageA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStartupInfoA
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedIncrement
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: FreeLibrary
- api | kernel32: LoadLibraryA
- api | kernel32: GetVersionExA
- api | kernel32: FormatMessageA
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: CreateEventA
- api | kernel32: GetACP
- api | kernel32: FindFirstFileA
- api | kernel32: GetFileAttributesA
- api | kernel32: GetCPInfo
- api | kernel32: GetUserDefaultLCID
- api | kernel32: CreateFileA
- api | kernel32: GetTempFileNameA
- api | kernel32: GetTempPathA
- api | kernel32: GetConsoleMode
- api | kernel32: GetStdHandle
- api | kernel32: LoadLibraryExA
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetFullPathNameW
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: CreateFileMappingA
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: GetLocaleInfoW
- api | kernel32: GetSystemDefaultUILanguage
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetProcessHeap
- api | kernel32: GetCommandLineA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: IsTextUnicode
- api | advapi32: DeregisterEventSource
- api | advapi32: ReportEventW
- api | advapi32: LookupAccountNameW
- api | advapi32: GetUserNameW
- api | advapi32: RegisterEventSourceW

- api | advapi32: ImpersonateLoggedOnUser
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegSetValueExW
- api | advapi32: RegDeleteKeyA
- api | advapi32: RegQueryValueA
- api | advapi32: RegOpenKeyA
- api | advapi32: RegSetValueA
- api | advapi32: RegCreateKeyA
- api | kernel32: SetThreadUILanguage
- api | urlmon: CreateURLMonikerEx
- api | advapi32: SaferRecordEventLogEntry
- api | advapi32: SaferIdentifyLevel
- api | advapi32: SaferComputeTokenFromLevel
- api | advapi32: SaferCloseLevel
- api | user32: CharNextExA
- api | ntdll: strpbrk
- api | ntdll: _stricmp
- api | ntdll: strspn
- api | ntdll: strncmp
- api | ntdll: strchr
- api | ntdll: atoi
- api | ntdll: atol
- api | ntdll: toupper
- api | ntdll: isdigit
- api | ntdll: _strnicmp
- api | kernel32: DosDateTimeToFileTime
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SetFileAttributesA
- api | kernel32: GetFileAttributesExA
- api | kernel32: FileTimeToDosDateTime
- api | ntdll: RtlIpv4StringToAddressA
- api | user32: CharToOemBuffA
- api | iphlpapi: GetIpForwardTable
- api | iphlpapi: IcmpCreateFile
- api | iphlpapi: Icmp6CreateFile
- api | iphlpapi: IcmpSendEcho2Ex
- api | iphlpapi: Icmp6SendEcho2
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: GetIpErrorString
- api | ntdll: _except_handler4_common
- api | ntdll: strtoul
- api | kernel32: SetConsoleCtrlHandler
- api | kernel32: SetStdHandle
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: GetOEMCP
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: IsValidCodePage
- api | kernel32: IsValidLocale
- api | kernel32: EnumSystemLocalesA
- api | kernel32: IsBadCodePtr
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW

- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: HeapSize
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQuery
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: GlobalAlloc
- api | kernel32: GetSystemTime
- api | kernel32: RaiseException
- api | user32: MessageBoxA
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA

## Involved hosts

- 127.0.0.0:6892
- 127.0.0.10:6892
- 127.0.0.11:6892
- 127.0.0.12:6892
- 127.0.0.13:6892
- 127.0.0.14:6892
- 127.0.0.15:6892
- 127.0.0.16:6892
- 127.0.0.17:6892
- 127.0.0.18:6892
- 127.0.0.19:6892
- 127.0.0.20:6892
- 127.0.0.21:6892
- 127.0.0.22:6892
- 127.0.0.23:6892
- 127.0.0.24:6892
- 127.0.0.25:6892
- 127.0.0.26:6892
- 127.0.0.27:6892
- 127.0.0.28:6892
- 127.0.0.29:6892
- 127.0.0.2:6892
- 127.0.0.30:6892
- 127.0.0.31:6892
- 127.0.0.3:6892
- 127.0.0.4:6892
- 127.0.0.5:6892
- 127.0.0.6:6892
- 127.0.0.7:6892
- 127.0.0.8:6892
- 127.0.0.9:6892
- 192.168.0.0:6892
- 192.168.0.10:6892
- 192.168.0.11:6892
- 192.168.0.12:6892
- 192.168.0.13:6892
- 192.168.0.14:6892
- 192.168.0.15:6892
- 192.168.0.16:6892
- 192.168.0.17:6892
- 192.168.0.18:6892
- 192.168.0.19:6892
- 192.168.0.1:6892
- 192.168.0.20:6892
- 192.168.0.21:6892
- 192.168.0.22:6892
- 192.168.0.23:6892
- 192.168.0.24:6892
- 192.168.0.25:6892
- 192.168.0.26:6892
- 192.168.0.27:6892
- 192.168.0.28:6892
- 192.168.0.29:6892
- 192.168.0.2:6892

- 192.168.0.30:6892
- 192.168.0.31:6892
- 192.168.0.3:6892
- 192.168.0.4:6892
- 192.168.0.5:6892
- 192.168.0.6:6892
- 192.168.0.7:6892
- 192.168.0.8:6892
- 192.168.0.9:6892
- 194.165.16.0:6892
- 194.165.17.0:6892
- 194.165.17.100:6892
- 194.165.17.101:6892
- 194.165.17.102:6892
- 194.165.17.103:6892
- 194.165.17.104:6892
- 194.165.17.105:6892
- 194.165.17.106:6892
- 194.165.17.107:6892
- 194.165.17.108:6892
- 194.165.17.109:6892
- 194.165.17.10:6892
- 194.165.17.110:6892
- 194.165.17.111:6892
- 194.165.17.112:6892
- 194.165.17.113:6892
- 194.165.17.114:6892
- 194.165.17.115:6892
- 194.165.17.116:6892
- 194.165.17.117:6892
- 194.165.17.118:6892
- 194.165.17.119:6892
- 194.165.17.11:6892
- 194.165.17.120:6892
- 194.165.17.121:6892
- 194.165.17.122:6892
- 194.165.17.123:6892
- 194.165.17.124:6892
- 194.165.17.125:6892
- 194.165.17.126:6892
- 194.165.17.127:6892
- 194.165.17.128:6892
- 194.165.17.129:6892
- 194.165.17.12:6892
- 194.165.17.130:6892
- 194.165.17.131:6892
- 194.165.17.132:6892
- 194.165.17.133:6892
- 194.165.17.134:6892
- 194.165.17.135:6892
- 194.165.17.136:6892
- 194.165.17.137:6892
- 194.165.17.138:6892
- 194.165.17.139:6892
- 194.165.17.13:6892
- 194.165.17.140:6892
- 194.165.17.141:6892

- 194.165.17.142:6892
- 194.165.17.143:6892
- 194.165.17.144:6892
- 194.165.17.145:6892
- 194.165.17.146:6892
- 194.165.17.147:6892
- 194.165.17.148:6892
- 194.165.17.149:6892
- 194.165.17.14:6892
- 194.165.17.150:6892
- 194.165.17.151:6892
- 194.165.17.152:6892
- 194.165.17.153:6892
- 194.165.17.154:6892
- 194.165.17.155:6892
- 194.165.17.156:6892
- 194.165.17.157:6892
- 194.165.17.158:6892
- 194.165.17.159:6892
- 194.165.17.15:6892
- 194.165.17.160:6892
- 194.165.17.161:6892
- 194.165.17.162:6892
- 194.165.17.163:6892
- 194.165.17.164:6892
- 194.165.17.165:6892
- 194.165.17.166:6892
- 194.165.17.167:6892
- 194.165.17.168:6892
- 194.165.17.169:6892
- 194.165.17.16:6892
- 194.165.17.170:6892
- 194.165.17.171:6892
- 194.165.17.172:6892
- 194.165.17.173:6892
- 194.165.17.174:6892
- 194.165.17.175:6892
- 194.165.17.176:6892
- 194.165.17.177:6892
- 194.165.17.178:6892
- 194.165.17.179:6892
- 194.165.17.17:6892
- 194.165.17.180:6892
- 194.165.17.181:6892
- 194.165.17.182:6892
- 194.165.17.183:6892
- 194.165.17.184:6892
- 194.165.17.185:6892
- 194.165.17.186:6892
- 194.165.17.187:6892
- 194.165.17.188:6892
- 194.165.17.189:6892
- 194.165.17.18:6892
- 194.165.17.190:6892
- 194.165.17.191:6892
- 194.165.17.192:6892
- 194.165.17.193:6892

- 194.165.17.194:6892
- 194.165.17.195:6892
- 194.165.17.196:6892
- 194.165.17.197:6892
- 194.165.17.198:6892
- 194.165.17.199:6892
- 194.165.17.19:6892
- 194.165.17.1:6892
- 194.165.17.200:6892
- 194.165.17.201:6892
- 194.165.17.202:6892
- 194.165.17.203:6892
- 194.165.17.204:6892
- 194.165.17.205:6892
- 194.165.17.206:6892
- 194.165.17.207:6892
- 194.165.17.208:6892
- 194.165.17.209:6892
- 194.165.17.20:6892
- 194.165.17.210:6892
- 194.165.17.211:6892
- 194.165.17.212:6892
- 194.165.17.213:6892
- 194.165.17.214:6892
- 194.165.17.215:6892
- 194.165.17.216:6892
- 194.165.17.217:6892
- 194.165.17.218:6892
- 194.165.17.219:6892
- 194.165.17.21:6892
- 194.165.17.220:6892
- 194.165.17.221:6892
- 194.165.17.222:6892
- 194.165.17.223:6892
- 194.165.17.224:6892
- 194.165.17.225:6892
- 194.165.17.226:6892
- 194.165.17.227:6892
- 194.165.17.228:6892
- 194.165.17.229:6892
- 194.165.17.22:6892
- 194.165.17.230:6892
- 194.165.17.231:6892
- 194.165.17.232:6892
- 194.165.17.233:6892
- 194.165.17.234:6892
- 194.165.17.235:6892
- 194.165.17.236:6892
- 194.165.17.237:6892
- 194.165.17.238:6892
- 194.165.17.239:6892
- 194.165.17.23:6892
- 194.165.17.240:6892
- 194.165.17.241:6892
- 194.165.17.242:6892
- 194.165.17.243:6892
- 194.165.17.244:6892

- 194.165.17.245:6892
- 194.165.17.246:6892
- 194.165.17.247:6892
- 194.165.17.248:6892
- 194.165.17.249:6892
- 194.165.17.24:6892
- 194.165.17.250:6892
- 194.165.17.251:6892
- 194.165.17.252:6892
- 194.165.17.253:6892
- 194.165.17.254:6892
- 194.165.17.255:6892
- 194.165.17.25:6892
- 194.165.17.26:6892
- 194.165.17.27:6892
- 194.165.17.28:6892
- 194.165.17.29:6892
- 194.165.17.2:6892
- 194.165.17.30:6892
- 194.165.17.31:6892
- 194.165.17.32:6892
- 194.165.17.33:6892
- 194.165.17.34:6892
- 194.165.17.35:6892
- 194.165.17.36:6892
- 194.165.17.37:6892
- 194.165.17.38:6892
- 194.165.17.39:6892
- 194.165.17.3:6892
- 194.165.17.40:6892
- 194.165.17.41:6892
- 194.165.17.42:6892
- 194.165.17.43:6892
- 194.165.17.44:6892
- 194.165.17.45:6892
- 194.165.17.46:6892
- 194.165.17.47:6892
- 194.165.17.48:6892
- 194.165.17.49:6892
- 194.165.17.4:6892
- 194.165.17.50:6892
- 194.165.17.51:6892
- 194.165.17.52:6892
- 194.165.17.53:6892
- 194.165.17.54:6892
- 194.165.17.55:6892
- 194.165.17.56:6892
- 194.165.17.57:6892
- 194.165.17.58:6892
- 194.165.17.59:6892
- 194.165.17.5:6892
- 194.165.17.60:6892
- 194.165.17.61:6892
- 194.165.17.62:6892
- 194.165.17.63:6892
- 194.165.17.64:6892
- 194.165.17.65:6892

- 194.165.17.66:6892
- 194.165.17.67:6892
- 194.165.17.68:6892
- 194.165.17.69:6892
- 194.165.17.6:6892
- 194.165.17.70:6892
- 194.165.17.71:6892
- 194.165.17.72:6892
- 194.165.17.73:6892
- 194.165.17.74:6892
- 194.165.17.75:6892
- 194.165.17.76:6892
- 194.165.17.77:6892
- 194.165.17.78:6892
- 194.165.17.79:6892
- 194.165.17.7:6892
- 194.165.17.80:6892
- 194.165.17.81:6892
- 194.165.17.82:6892
- 194.165.17.83:6892
- 194.165.17.84:6892
- 194.165.17.85:6892
- 194.165.17.86:6892
- 194.165.17.87:6892
- 194.165.17.88:6892
- 194.165.17.89:6892
- 194.165.17.8:6892
- 194.165.17.90:6892
- 194.165.17.91:6892
- 194.165.17.92:6892
- 194.165.17.93:6892
- 194.165.17.94:6892
- 194.165.17.95:6892
- 194.165.17.96:6892
- 194.165.17.97:6892
- 194.165.17.98:6892
- 194.165.17.99:6892
- 194.165.17.9:6892
- extremegw12.adm-service.org:6892
- hostby.adm-service.org:6892
- javi-PC:6892
- jupiter-core-532.adm-service.org:6892
- 192.168.133.175:57438
- 192.168.133.175:62467
- 192.168.133.1:5355

## Dns queries

- 0.0.0.127.in-addr.arpa ---> no answers
- 2.0.0.127.in-addr.arpa ---> no answers
- 4.0.0.127.in-addr.arpa ---> no answers
- 8.0.0.127.in-addr.arpa ---> no answers
- 6.0.0.127.in-addr.arpa ---> no answers
- 10.0.0.127.in-addr.arpa ---> no answers
- 12.0.0.127.in-addr.arpa ---> no answers
- 14.0.0.127.in-addr.arpa ---> no answers
- 16.0.0.127.in-addr.arpa ---> no answers
- 18.0.0.127.in-addr.arpa ---> no answers
- 20.0.0.127.in-addr.arpa ---> no answers
- 22.0.0.127.in-addr.arpa ---> no answers
- 24.0.0.127.in-addr.arpa ---> no answers
- 26.0.0.127.in-addr.arpa ---> no answers
- 28.0.0.127.in-addr.arpa ---> no answers
- 30.0.0.127.in-addr.arpa ---> no answers
- 3.0.0.127.in-addr.arpa ---> no answers
- 5.0.0.127.in-addr.arpa ---> no answers
- 7.0.0.127.in-addr.arpa ---> no answers
- 9.0.0.127.in-addr.arpa ---> no answers
- 11.0.0.127.in-addr.arpa ---> no answers
- 13.0.0.127.in-addr.arpa ---> no answers
- 15.0.0.127.in-addr.arpa ---> no answers
- 0.0.168.192.in-addr.arpa ---> no answers
- 17.0.0.127.in-addr.arpa ---> no answers
- 19.0.0.127.in-addr.arpa ---> no answers
- 21.0.0.127.in-addr.arpa ---> no answers
- 23.0.0.127.in-addr.arpa ---> no answers
- 25.0.0.127.in-addr.arpa ---> no answers
- 2.0.168.192.in-addr.arpa ---> no answers
- 27.0.0.127.in-addr.arpa ---> no answers
- 29.0.0.127.in-addr.arpa ---> no answers
- 4.0.168.192.in-addr.arpa ---> no answers
- 31.0.0.127.in-addr.arpa ---> no answers
- 6.0.168.192.in-addr.arpa ---> no answers
- 1.0.168.192.in-addr.arpa ---> no answers
- 10.0.168.192.in-addr.arpa ---> no answers
- 3.0.168.192.in-addr.arpa ---> no answers
- 8.0.168.192.in-addr.arpa ---> no answers
- 5.0.168.192.in-addr.arpa ---> no answers
- 12.0.168.192.in-addr.arpa ---> no answers
- 7.0.168.192.in-addr.arpa ---> no answers
- 14.0.168.192.in-addr.arpa ---> no answers
- 9.0.168.192.in-addr.arpa ---> no answers
- 16.0.168.192.in-addr.arpa ---> no answers
- 11.0.168.192.in-addr.arpa ---> no answers
- 18.0.168.192.in-addr.arpa ---> no answers
- 13.0.168.192.in-addr.arpa ---> no answers
- 15.0.168.192.in-addr.arpa ---> no answers
- 22.0.168.192.in-addr.arpa ---> no answers
- 20.0.168.192.in-addr.arpa ---> no answers
- 24.0.168.192.in-addr.arpa ---> no answers
- 17.0.168.192.in-addr.arpa ---> no answers
- 26.0.168.192.in-addr.arpa ---> no answers

- 19.0.168.192.in-addr.arpa ---> no answers
- 28.0.168.192.in-addr.arpa ---> no answers
- 21.0.168.192.in-addr.arpa ---> no answers
- 30.0.168.192.in-addr.arpa ---> no answers
- 23.0.168.192.in-addr.arpa ---> no answers
- 25.0.168.192.in-addr.arpa ---> no answers
- 2.16.165.194.in-addr.arpa ---> no answers
- 27.0.168.192.in-addr.arpa ---> no answers
- 4.16.165.194.in-addr.arpa ---> no answers
- 0.16.165.194.in-addr.arpa ---> no answers
- 6.16.165.194.in-addr.arpa ---> no answers
- 29.0.168.192.in-addr.arpa ---> no answers
- 31.0.168.192.in-addr.arpa ---> no answers
- 8.16.165.194.in-addr.arpa ---> no answers
- 1.16.165.194.in-addr.arpa ---> no answers
- 10.16.165.194.in-addr.arpa ---> no answers
- 3.16.165.194.in-addr.arpa ---> no answers
- 12.16.165.194.in-addr.arpa ---> no answers
- 5.16.165.194.in-addr.arpa ---> no answers
- 14.16.165.194.in-addr.arpa ---> no answers
- 7.16.165.194.in-addr.arpa ---> no answers
- 16.16.165.194.in-addr.arpa ---> no answers
- 9.16.165.194.in-addr.arpa ---> no answers
- 18.16.165.194.in-addr.arpa ---> no answers
- 20.16.165.194.in-addr.arpa ---> no answers
- 11.16.165.194.in-addr.arpa ---> no answers
- 22.16.165.194.in-addr.arpa ---> no answers
- 13.16.165.194.in-addr.arpa ---> no answers
- 24.16.165.194.in-addr.arpa ---> no answers
- 15.16.165.194.in-addr.arpa ---> no answers
- 17.16.165.194.in-addr.arpa ---> no answers
- 26.16.165.194.in-addr.arpa ---> no answers
- 21.16.165.194.in-addr.arpa ---> no answers
- 19.16.165.194.in-addr.arpa ---> no answers
- 23.16.165.194.in-addr.arpa ---> no answers
- 28.16.165.194.in-addr.arpa ---> no answers
- 25.16.165.194.in-addr.arpa ---> no answers
- 27.16.165.194.in-addr.arpa ---> no answers
- 32.16.165.194.in-addr.arpa ---> no answers
- 30.16.165.194.in-addr.arpa ---> no answers
- 29.16.165.194.in-addr.arpa ---> no answers
- 31.16.165.194.in-addr.arpa ---> no answers
- 34.16.165.194.in-addr.arpa ---> no answers
- 36.16.165.194.in-addr.arpa ---> no answers
- 38.16.165.194.in-addr.arpa ---> no answers
- 33.16.165.194.in-addr.arpa ---> no answers
- 35.16.165.194.in-addr.arpa ---> no answers
- 37.16.165.194.in-addr.arpa ---> no answers
- 42.16.165.194.in-addr.arpa ---> no answers
- 40.16.165.194.in-addr.arpa ---> no answers
- 39.16.165.194.in-addr.arpa ---> no answers
- 44.16.165.194.in-addr.arpa ---> no answers
- 41.16.165.194.in-addr.arpa ---> no answers
- 46.16.165.194.in-addr.arpa ---> no answers
- 43.16.165.194.in-addr.arpa ---> no answers
- 48.16.165.194.in-addr.arpa ---> no answers
- 45.16.165.194.in-addr.arpa ---> no answers

- 47.16.165.194.in-addr.arpa ---> no answers
- 50.16.165.194.in-addr.arpa ---> no answers
- 49.16.165.194.in-addr.arpa ---> no answers
- 52.16.165.194.in-addr.arpa ---> no answers
- 54.16.165.194.in-addr.arpa ---> no answers
- 51.16.165.194.in-addr.arpa ---> no answers
- 56.16.165.194.in-addr.arpa ---> no answers
- 53.16.165.194.in-addr.arpa ---> no answers
- 57.16.165.194.in-addr.arpa ---> no answers
- 60.16.165.194.in-addr.arpa ---> no answers
- 58.16.165.194.in-addr.arpa ---> no answers
- 59.16.165.194.in-addr.arpa ---> no answers
- 55.16.165.194.in-addr.arpa ---> no answers
- 62.16.165.194.in-addr.arpa ---> no answers
- 61.16.165.194.in-addr.arpa ---> no answers
- 64.16.165.194.in-addr.arpa ---> no answers
- 63.16.165.194.in-addr.arpa ---> no answers
- 66.16.165.194.in-addr.arpa ---> no answers
- 65.16.165.194.in-addr.arpa ---> no answers
- 68.16.165.194.in-addr.arpa ---> no answers
- 67.16.165.194.in-addr.arpa ---> no answers
- 70.16.165.194.in-addr.arpa ---> no answers
- 69.16.165.194.in-addr.arpa ---> no answers
- 72.16.165.194.in-addr.arpa ---> no answers
- 71.16.165.194.in-addr.arpa ---> no answers
- 74.16.165.194.in-addr.arpa ---> no answers
- 73.16.165.194.in-addr.arpa ---> no answers
- 76.16.165.194.in-addr.arpa ---> no answers
- 75.16.165.194.in-addr.arpa ---> no answers
- 77.16.165.194.in-addr.arpa ---> no answers
- 78.16.165.194.in-addr.arpa ---> no answers
- 80.16.165.194.in-addr.arpa ---> no answers
- 79.16.165.194.in-addr.arpa ---> no answers
- 81.16.165.194.in-addr.arpa ---> no answers
- 82.16.165.194.in-addr.arpa ---> no answers
- 83.16.165.194.in-addr.arpa ---> no answers
- 85.16.165.194.in-addr.arpa ---> no answers
- 84.16.165.194.in-addr.arpa ---> no answers
- 86.16.165.194.in-addr.arpa ---> no answers
- 87.16.165.194.in-addr.arpa ---> no answers
- 89.16.165.194.in-addr.arpa ---> no answers
- 90.16.165.194.in-addr.arpa ---> no answers
- 88.16.165.194.in-addr.arpa ---> no answers
- 92.16.165.194.in-addr.arpa ---> no answers
- 94.16.165.194.in-addr.arpa ---> no answers
- 96.16.165.194.in-addr.arpa ---> no answers
- 98.16.165.194.in-addr.arpa ---> no answers
- 100.16.165.194.in-addr.arpa ---> no answers
- 102.16.165.194.in-addr.arpa ---> no answers
- 104.16.165.194.in-addr.arpa ---> no answers
- 106.16.165.194.in-addr.arpa ---> no answers
- 108.16.165.194.in-addr.arpa ---> no answers
- 110.16.165.194.in-addr.arpa ---> no answers
- 91.16.165.194.in-addr.arpa ---> no answers
- 112.16.165.194.in-addr.arpa ---> no answers
- 93.16.165.194.in-addr.arpa ---> no answers
- 114.16.165.194.in-addr.arpa ---> no answers

- 95.16.165.194.in-addr.arpa ---> no answers
- 116.16.165.194.in-addr.arpa ---> no answers
- 97.16.165.194.in-addr.arpa ---> no answers
- 118.16.165.194.in-addr.arpa ---> no answers
- 99.16.165.194.in-addr.arpa ---> no answers
- 101.16.165.194.in-addr.arpa ---> no answers
- 120.16.165.194.in-addr.arpa ---> no answers
- 103.16.165.194.in-addr.arpa ---> no answers
- 122.16.165.194.in-addr.arpa ---> no answers
- 105.16.165.194.in-addr.arpa ---> no answers
- 124.16.165.194.in-addr.arpa ---> no answers
- 107.16.165.194.in-addr.arpa ---> no answers
- 126.16.165.194.in-addr.arpa ---> no answers
- 109.16.165.194.in-addr.arpa ---> no answers
- 128.16.165.194.in-addr.arpa ---> no answers
- 111.16.165.194.in-addr.arpa ---> no answers
- 130.16.165.194.in-addr.arpa ---> no answers
- 113.16.165.194.in-addr.arpa ---> no answers
- 132.16.165.194.in-addr.arpa ---> no answers
- 115.16.165.194.in-addr.arpa ---> no answers
- 134.16.165.194.in-addr.arpa ---> no answers
- 117.16.165.194.in-addr.arpa ---> no answers
- 136.16.165.194.in-addr.arpa ---> no answers
- 138.16.165.194.in-addr.arpa ---> no answers
- 119.16.165.194.in-addr.arpa ---> no answers
- 121.16.165.194.in-addr.arpa ---> no answers
- 140.16.165.194.in-addr.arpa ---> no answers
- 123.16.165.194.in-addr.arpa ---> no answers
- 142.16.165.194.in-addr.arpa ---> no answers
- 125.16.165.194.in-addr.arpa ---> no answers
- 144.16.165.194.in-addr.arpa ---> no answers
- 129.16.165.194.in-addr.arpa ---> no answers
- 127.16.165.194.in-addr.arpa ---> no answers
- 146.16.165.194.in-addr.arpa ---> no answers
- 131.16.165.194.in-addr.arpa ---> no answers
- 148.16.165.194.in-addr.arpa ---> no answers
- 133.16.165.194.in-addr.arpa ---> no answers
- 150.16.165.194.in-addr.arpa ---> no answers
- 135.16.165.194.in-addr.arpa ---> no answers
- 152.16.165.194.in-addr.arpa ---> no answers
- 137.16.165.194.in-addr.arpa ---> no answers
- 154.16.165.194.in-addr.arpa ---> no answers
- 139.16.165.194.in-addr.arpa ---> no answers
- 156.16.165.194.in-addr.arpa ---> no answers
- 141.16.165.194.in-addr.arpa ---> no answers
- 158.16.165.194.in-addr.arpa ---> no answers
- 143.16.165.194.in-addr.arpa ---> no answers
- 160.16.165.194.in-addr.arpa ---> no answers
- 145.16.165.194.in-addr.arpa ---> no answers
- 162.16.165.194.in-addr.arpa ---> no answers
- 147.16.165.194.in-addr.arpa ---> no answers
- 164.16.165.194.in-addr.arpa ---> no answers
- 149.16.165.194.in-addr.arpa ---> no answers
- 166.16.165.194.in-addr.arpa ---> no answers
- 168.16.165.194.in-addr.arpa ---> no answers
- 151.16.165.194.in-addr.arpa ---> no answers
- 170.16.165.194.in-addr.arpa ---> no answers

- 153.16.165.194.in-addr.arpa ---> no answers
- 155.16.165.194.in-addr.arpa ---> no answers
- 172.16.165.194.in-addr.arpa ---> no answers
- 157.16.165.194.in-addr.arpa ---> no answers
- 174.16.165.194.in-addr.arpa ---> no answers
- 159.16.165.194.in-addr.arpa ---> no answers
- 176.16.165.194.in-addr.arpa ---> no answers
- 161.16.165.194.in-addr.arpa ---> no answers
- 178.16.165.194.in-addr.arpa ---> no answers
- 163.16.165.194.in-addr.arpa ---> no answers
- 165.16.165.194.in-addr.arpa ---> no answers
- 180.16.165.194.in-addr.arpa ---> no answers
- 182.16.165.194.in-addr.arpa ---> no answers
- 184.16.165.194.in-addr.arpa ---> no answers
- 167.16.165.194.in-addr.arpa ---> no answers
- 186.16.165.194.in-addr.arpa ---> no answers
- 188.16.165.194.in-addr.arpa ---> no answers
- 169.16.165.194.in-addr.arpa ---> no answers
- 171.16.165.194.in-addr.arpa ---> no answers
- 190.16.165.194.in-addr.arpa ---> no answers
- 192.16.165.194.in-addr.arpa ---> no answers
- 175.16.165.194.in-addr.arpa ---> no answers
- 173.16.165.194.in-addr.arpa ---> no answers
- 194.16.165.194.in-addr.arpa ---> no answers
- 177.16.165.194.in-addr.arpa ---> no answers
- 181.16.165.194.in-addr.arpa ---> no answers
- 198.16.165.194.in-addr.arpa ---> no answers
- 183.16.165.194.in-addr.arpa ---> no answers
- 196.16.165.194.in-addr.arpa ---> no answers
- 200.16.165.194.in-addr.arpa ---> no answers
- 179.16.165.194.in-addr.arpa ---> no answers
- 185.16.165.194.in-addr.arpa ---> no answers
- 187.16.165.194.in-addr.arpa ---> no answers
- 189.16.165.194.in-addr.arpa ---> no answers
- 191.16.165.194.in-addr.arpa ---> no answers
- 193.16.165.194.in-addr.arpa ---> no answers
- 195.16.165.194.in-addr.arpa ---> no answers
- 197.16.165.194.in-addr.arpa ---> no answers
- 199.16.165.194.in-addr.arpa ---> no answers
- 201.16.165.194.in-addr.arpa ---> no answers
- 203.16.165.194.in-addr.arpa ---> no answers
- 205.16.165.194.in-addr.arpa ---> no answers
- 207.16.165.194.in-addr.arpa ---> no answers
- 202.16.165.194.in-addr.arpa ---> no answers
- 209.16.165.194.in-addr.arpa ---> no answers
- 204.16.165.194.in-addr.arpa ---> no answers
- 206.16.165.194.in-addr.arpa ---> no answers
- 211.16.165.194.in-addr.arpa ---> no answers
- 208.16.165.194.in-addr.arpa ---> no answers
- 213.16.165.194.in-addr.arpa ---> no answers
- 210.16.165.194.in-addr.arpa ---> no answers
- 215.16.165.194.in-addr.arpa ---> no answers
- 212.16.165.194.in-addr.arpa ---> no answers
- 219.16.165.194.in-addr.arpa ---> no answers
- 217.16.165.194.in-addr.arpa ---> no answers
- 214.16.165.194.in-addr.arpa ---> no answers
- 216.16.165.194.in-addr.arpa ---> no answers

- 223.16.165.194.in-addr.arpa ---> no answers
- 218.16.165.194.in-addr.arpa ---> no answers
- 225.16.165.194.in-addr.arpa ---> no answers
- 220.16.165.194.in-addr.arpa ---> no answers
- 227.16.165.194.in-addr.arpa ---> no answers
- 224.16.165.194.in-addr.arpa ---> no answers
- 226.16.165.194.in-addr.arpa ---> no answers
- 229.16.165.194.in-addr.arpa ---> no answers
- 231.16.165.194.in-addr.arpa ---> no answers
- 228.16.165.194.in-addr.arpa ---> no answers
- 233.16.165.194.in-addr.arpa ---> no answers
- 230.16.165.194.in-addr.arpa ---> no answers
- 237.16.165.194.in-addr.arpa ---> no answers
- 221.16.165.194.in-addr.arpa ---> no answers
- 222.16.165.194.in-addr.arpa ---> no answers
- 232.16.165.194.in-addr.arpa ---> no answers
- 235.16.165.194.in-addr.arpa ---> no answers
- 234.16.165.194.in-addr.arpa ---> no answers
- 236.16.165.194.in-addr.arpa ---> no answers
- 239.16.165.194.in-addr.arpa ---> no answers
- 238.16.165.194.in-addr.arpa ---> no answers
- 240.16.165.194.in-addr.arpa ---> no answers
- 242.16.165.194.in-addr.arpa ---> no answers
- 244.16.165.194.in-addr.arpa ---> no answers
- 246.16.165.194.in-addr.arpa ---> no answers
- 248.16.165.194.in-addr.arpa ---> no answers
- 250.16.165.194.in-addr.arpa ---> no answers
- 252.16.165.194.in-addr.arpa ---> no answers
- 254.16.165.194.in-addr.arpa ---> no answers
- 0.17.165.194.in-addr.arpa ---> no answers
- 2.17.165.194.in-addr.arpa ---> no answers
- 4.17.165.194.in-addr.arpa ---> no answers
- 6.17.165.194.in-addr.arpa ---> no answers
- 8.17.165.194.in-addr.arpa ---> no answers
- 10.17.165.194.in-addr.arpa ---> no answers
- 12.17.165.194.in-addr.arpa ---> no answers
- 14.17.165.194.in-addr.arpa ---> no answers
- 16.17.165.194.in-addr.arpa ---> no answers
- 20.17.165.194.in-addr.arpa ---> no answers
- 18.17.165.194.in-addr.arpa ---> no answers
- 22.17.165.194.in-addr.arpa ---> no answers
- 24.17.165.194.in-addr.arpa ---> no answers
- 26.17.165.194.in-addr.arpa ---> no answers
- 28.17.165.194.in-addr.arpa ---> no answers
- 30.17.165.194.in-addr.arpa ---> no answers
- 32.17.165.194.in-addr.arpa ---> no answers
- 34.17.165.194.in-addr.arpa ---> no answers
- 38.17.165.194.in-addr.arpa ---> no answers
- 36.17.165.194.in-addr.arpa ---> no answers
- 40.17.165.194.in-addr.arpa ---> no answers
- 42.17.165.194.in-addr.arpa ---> no answers
- 44.17.165.194.in-addr.arpa ---> no answers
- 46.17.165.194.in-addr.arpa ---> no answers
- 48.17.165.194.in-addr.arpa ---> no answers
- 50.17.165.194.in-addr.arpa ---> no answers
- 52.17.165.194.in-addr.arpa ---> no answers
- 54.17.165.194.in-addr.arpa ---> no answers

- 56.17.165.194.in-addr.arpa ---> no answers
- 58.17.165.194.in-addr.arpa ---> no answers
- 60.17.165.194.in-addr.arpa ---> no answers
- 62.17.165.194.in-addr.arpa ---> no answers
- 64.17.165.194.in-addr.arpa ---> no answers
- 66.17.165.194.in-addr.arpa ---> no answers
- 241.16.165.194.in-addr.arpa ---> no answers
- 243.16.165.194.in-addr.arpa ---> no answers
- 68.17.165.194.in-addr.arpa ---> no answers
- 245.16.165.194.in-addr.arpa ---> no answers
- 247.16.165.194.in-addr.arpa ---> no answers
- 249.16.165.194.in-addr.arpa ---> no answers
- 70.17.165.194.in-addr.arpa ---> no answers
- 251.16.165.194.in-addr.arpa ---> no answers
- 72.17.165.194.in-addr.arpa ---> no answers
- 255.16.165.194.in-addr.arpa ---> no answers
- 253.16.165.194.in-addr.arpa ---> no answers
- 74.17.165.194.in-addr.arpa ---> no answers
- 76.17.165.194.in-addr.arpa ---> no answers
- 1.17.165.194.in-addr.arpa ---> no answers
- 78.17.165.194.in-addr.arpa ---> no answers
- 3.17.165.194.in-addr.arpa ---> no answers
- 80.17.165.194.in-addr.arpa ---> no answers
- 5.17.165.194.in-addr.arpa ---> no answers
- 82.17.165.194.in-addr.arpa ---> no answers
- 7.17.165.194.in-addr.arpa ---> no answers
- 9.17.165.194.in-addr.arpa ---> no answers
- 84.17.165.194.in-addr.arpa ---> no answers
- 86.17.165.194.in-addr.arpa ---> no answers
- 11.17.165.194.in-addr.arpa ---> no answers
- 88.17.165.194.in-addr.arpa ---> no answers
- 90.17.165.194.in-addr.arpa ---> no answers
- 13.17.165.194.in-addr.arpa ---> no answers
- 92.17.165.194.in-addr.arpa ---> no answers
- 15.17.165.194.in-addr.arpa ---> no answers
- 17.17.165.194.in-addr.arpa ---> no answers
- 94.17.165.194.in-addr.arpa ---> no answers
- 19.17.165.194.in-addr.arpa ---> no answers
- 96.17.165.194.in-addr.arpa ---> no answers
- 21.17.165.194.in-addr.arpa ---> no answers
- 98.17.165.194.in-addr.arpa ---> no answers
- 100.17.165.194.in-addr.arpa ---> no answers
- 23.17.165.194.in-addr.arpa ---> no answers
- 25.17.165.194.in-addr.arpa ---> no answers
- 102.17.165.194.in-addr.arpa ---> no answers
- 27.17.165.194.in-addr.arpa ---> no answers
- 104.17.165.194.in-addr.arpa ---> no answers
- 106.17.165.194.in-addr.arpa ---> no answers
- 29.17.165.194.in-addr.arpa ---> no answers
- 31.17.165.194.in-addr.arpa ---> no answers
- 108.17.165.194.in-addr.arpa ---> no answers
- 110.17.165.194.in-addr.arpa ---> no answers
- 33.17.165.194.in-addr.arpa ---> no answers
- 35.17.165.194.in-addr.arpa ---> no answers
- 112.17.165.194.in-addr.arpa ---> no answers
- 37.17.165.194.in-addr.arpa ---> no answers
- 114.17.165.194.in-addr.arpa ---> no answers

- 39.17.165.194.in-addr.arpa ---> no answers
- 116.17.165.194.in-addr.arpa ---> no answers
- 41.17.165.194.in-addr.arpa ---> no answers
- 43.17.165.194.in-addr.arpa ---> no answers
- 45.17.165.194.in-addr.arpa ---> no answers
- 118.17.165.194.in-addr.arpa ---> no answers
- 120.17.165.194.in-addr.arpa ---> no answers
- 47.17.165.194.in-addr.arpa ---> no answers
- 122.17.165.194.in-addr.arpa ---> no answers
- 51.17.165.194.in-addr.arpa ---> no answers
- 49.17.165.194.in-addr.arpa ---> no answers
- 124.17.165.194.in-addr.arpa ---> no answers
- 53.17.165.194.in-addr.arpa ---> no answers
- 126.17.165.194.in-addr.arpa ---> no answers
- 55.17.165.194.in-addr.arpa ---> no answers
- 128.17.165.194.in-addr.arpa ---> no answers
- 130.17.165.194.in-addr.arpa ---> no answers
- 57.17.165.194.in-addr.arpa ---> no answers
- 59.17.165.194.in-addr.arpa ---> no answers
- 132.17.165.194.in-addr.arpa ---> no answers
- 61.17.165.194.in-addr.arpa ---> no answers
- 63.17.165.194.in-addr.arpa ---> no answers
- 134.17.165.194.in-addr.arpa ---> no answers
- 65.17.165.194.in-addr.arpa ---> no answers
- 136.17.165.194.in-addr.arpa ---> no answers
- 69.17.165.194.in-addr.arpa ---> no answers
- 138.17.165.194.in-addr.arpa ---> no answers
- 67.17.165.194.in-addr.arpa ---> no answers
- 71.17.165.194.in-addr.arpa ---> no answers
- 140.17.165.194.in-addr.arpa ---> no answers
- 73.17.165.194.in-addr.arpa ---> no answers
- 142.17.165.194.in-addr.arpa ---> no answers
- 144.17.165.194.in-addr.arpa ---> no answers
- 75.17.165.194.in-addr.arpa ---> no answers
- 77.17.165.194.in-addr.arpa ---> no answers
- 146.17.165.194.in-addr.arpa ---> no answers
- 79.17.165.194.in-addr.arpa ---> no answers
- 148.17.165.194.in-addr.arpa ---> no answers
- 81.17.165.194.in-addr.arpa ---> no answers
- 150.17.165.194.in-addr.arpa ---> no answers
- 83.17.165.194.in-addr.arpa ---> no answers
- 152.17.165.194.in-addr.arpa ---> no answers
- 85.17.165.194.in-addr.arpa ---> no answers
- 154.17.165.194.in-addr.arpa ---> no answers
- 87.17.165.194.in-addr.arpa ---> no answers
- 156.17.165.194.in-addr.arpa ---> no answers
- 89.17.165.194.in-addr.arpa ---> no answers
- 158.17.165.194.in-addr.arpa ---> no answers
- 91.17.165.194.in-addr.arpa ---> no answers
- 160.17.165.194.in-addr.arpa ---> no answers
- 93.17.165.194.in-addr.arpa ---> no answers
- 95.17.165.194.in-addr.arpa ---> no answers
- 162.17.165.194.in-addr.arpa ---> no answers
- 97.17.165.194.in-addr.arpa ---> no answers
- 164.17.165.194.in-addr.arpa ---> no answers
- 99.17.165.194.in-addr.arpa ---> no answers
- 166.17.165.194.in-addr.arpa ---> no answers

- 168.17.165.194.in-addr.arpa ---> no answers
- 101.17.165.194.in-addr.arpa ---> no answers
- 170.17.165.194.in-addr.arpa ---> no answers
- 103.17.165.194.in-addr.arpa ---> no answers
- 172.17.165.194.in-addr.arpa ---> no answers
- 105.17.165.194.in-addr.arpa ---> no answers
- 107.17.165.194.in-addr.arpa ---> no answers
- 174.17.165.194.in-addr.arpa ---> no answers
- 176.17.165.194.in-addr.arpa ---> no answers
- 180.17.165.194.in-addr.arpa ---> no answers
- 109.17.165.194.in-addr.arpa ---> no answers
- 111.17.165.194.in-addr.arpa ---> no answers
- 182.17.165.194.in-addr.arpa ---> no answers
- 113.17.165.194.in-addr.arpa ---> no answers
- 178.17.165.194.in-addr.arpa ---> no answers
- 184.17.165.194.in-addr.arpa ---> no answers
- 115.17.165.194.in-addr.arpa ---> no answers
- 186.17.165.194.in-addr.arpa ---> no answers
- 117.17.165.194.in-addr.arpa ---> no answers
- 188.17.165.194.in-addr.arpa ---> no answers
- 121.17.165.194.in-addr.arpa ---> no answers
- 119.17.165.194.in-addr.arpa ---> no answers
- 190.17.165.194.in-addr.arpa ---> no answers
- 123.17.165.194.in-addr.arpa ---> no answers
- 192.17.165.194.in-addr.arpa ---> no answers
- 194.17.165.194.in-addr.arpa ---> no answers
- 125.17.165.194.in-addr.arpa ---> no answers
- 127.17.165.194.in-addr.arpa ---> no answers
- 196.17.165.194.in-addr.arpa ---> no answers
- 198.17.165.194.in-addr.arpa ---> no answers
- 129.17.165.194.in-addr.arpa ---> no answers
- 200.17.165.194.in-addr.arpa ---> no answers
- 202.17.165.194.in-addr.arpa ---> no answers
- 204.17.165.194.in-addr.arpa ---> no answers
- 131.17.165.194.in-addr.arpa ---> no answers
- 135.17.165.194.in-addr.arpa ---> no answers
- 206.17.165.194.in-addr.arpa ---> no answers
- 141.17.165.194.in-addr.arpa ---> no answers
- 208.17.165.194.in-addr.arpa ---> no answers
- 133.17.165.194.in-addr.arpa ---> no answers
- 210.17.165.194.in-addr.arpa ---> no answers
- 143.17.165.194.in-addr.arpa ---> no answers
- 137.17.165.194.in-addr.arpa ---> no answers
- 214.17.165.194.in-addr.arpa ---> no answers
- 145.17.165.194.in-addr.arpa ---> no answers
- 216.17.165.194.in-addr.arpa ---> no answers
- 147.17.165.194.in-addr.arpa ---> no answers
- 149.17.165.194.in-addr.arpa ---> no answers
- 218.17.165.194.in-addr.arpa ---> no answers
- 220.17.165.194.in-addr.arpa ---> no answers
- 153.17.165.194.in-addr.arpa ---> no answers
- 212.17.165.194.in-addr.arpa ---> no answers
- 222.17.165.194.in-addr.arpa ---> no answers
- 139.17.165.194.in-addr.arpa ---> no answers
- 151.17.165.194.in-addr.arpa ---> no answers
- 155.17.165.194.in-addr.arpa ---> no answers
- 224.17.165.194.in-addr.arpa ---> no answers

- 157.17.165.194.in-addr.arpa ---> no answers
- 226.17.165.194.in-addr.arpa ---> no answers
- 159.17.165.194.in-addr.arpa ---> no answers
- 228.17.165.194.in-addr.arpa ---> no answers
- 161.17.165.194.in-addr.arpa ---> no answers
- 230.17.165.194.in-addr.arpa ---> no answers
- 163.17.165.194.in-addr.arpa ---> no answers
- 232.17.165.194.in-addr.arpa ---> no answers
- 165.17.165.194.in-addr.arpa ---> no answers
- 236.17.165.194.in-addr.arpa ---> no answers
- 234.17.165.194.in-addr.arpa ---> no answers
- 167.17.165.194.in-addr.arpa ---> no answers
- 238.17.165.194.in-addr.arpa ---> no answers
- 169.17.165.194.in-addr.arpa ---> no answers
- 240.17.165.194.in-addr.arpa ---> no answers
- 171.17.165.194.in-addr.arpa ---> no answers
- 242.17.165.194.in-addr.arpa ---> no answers
- 173.17.165.194.in-addr.arpa ---> no answers
- 244.17.165.194.in-addr.arpa ---> no answers
- 175.17.165.194.in-addr.arpa ---> no answers
- 246.17.165.194.in-addr.arpa ---> no answers
- 177.17.165.194.in-addr.arpa ---> no answers
- 179.17.165.194.in-addr.arpa ---> no answers
- 248.17.165.194.in-addr.arpa ---> no answers
- 181.17.165.194.in-addr.arpa ---> no answers
- 250.17.165.194.in-addr.arpa ---> no answers
- 252.17.165.194.in-addr.arpa ---> no answers
- 183.17.165.194.in-addr.arpa ---> no answers
- 185.17.165.194.in-addr.arpa ---> no answers
- 254.17.165.194.in-addr.arpa ---> no answers
- 187.17.165.194.in-addr.arpa ---> no answers
- 189.17.165.194.in-addr.arpa ---> no answers
- 191.17.165.194.in-addr.arpa ---> no answers
- 193.17.165.194.in-addr.arpa ---> no answers
- 195.17.165.194.in-addr.arpa ---> no answers
- 197.17.165.194.in-addr.arpa ---> no answers
- 201.17.165.194.in-addr.arpa ---> no answers
- 199.17.165.194.in-addr.arpa ---> no answers
- 205.17.165.194.in-addr.arpa ---> no answers
- 203.17.165.194.in-addr.arpa ---> no answers
- 207.17.165.194.in-addr.arpa ---> no answers
- 209.17.165.194.in-addr.arpa ---> no answers
- 211.17.165.194.in-addr.arpa ---> no answers
- 213.17.165.194.in-addr.arpa ---> no answers
- 217.17.165.194.in-addr.arpa ---> no answers
- 215.17.165.194.in-addr.arpa ---> no answers
- 219.17.165.194.in-addr.arpa ---> no answers
- 221.17.165.194.in-addr.arpa ---> no answers
- 223.17.165.194.in-addr.arpa ---> no answers
- 225.17.165.194.in-addr.arpa ---> no answers
- 227.17.165.194.in-addr.arpa ---> no answers
- 229.17.165.194.in-addr.arpa ---> no answers
- 233.17.165.194.in-addr.arpa ---> no answers
- 231.17.165.194.in-addr.arpa ---> no answers
- 235.17.165.194.in-addr.arpa ---> no answers
- 237.17.165.194.in-addr.arpa ---> no answers
- 239.17.165.194.in-addr.arpa ---> no answers

- 243.17.165.194.in-addr.arpa ---> no answers
- 241.17.165.194.in-addr.arpa ---> no answers
- 245.17.165.194.in-addr.arpa ---> no answers
- 247.17.165.194.in-addr.arpa ---> no answers
- 249.17.165.194.in-addr.arpa ---> no answers
- 251.17.165.194.in-addr.arpa ---> no answers
- 253.17.165.194.in-addr.arpa ---> no answers
- 255.17.165.194.in-addr.arpa ---> no answers

## Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.175:62467**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.175:57438**

  arpa

## Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T2)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" )
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T4)
- **Thread T4 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, cebo.exe)
    - Thread T6 (in process P2, cmd.exe)

- **Thread' events**
  - Thread Create ( Thread ID: TUNKALIAS)
  - Thread Create ( Thread ID: T5)
  - Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe")

- **Thread T5 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T11 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T11)

- **Thread T6 (in process P2, cmd.exe) description**
  - **Thread's childs**
    - Thread T7 (in process P2, cmd.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T7)

- **Thread T7 (in process P2, cmd.exe) description**
  - **Thread's childs**
    - Thread T8 (in process P3, WMIC.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\wbem\\WMIC.exe PID: P3, Command line: C:\\Windows\\system32\\wbem\\wmic.exe shadowcopy delete)

- **Thread T8 (in process P3, WMIC.exe) description**
  - **Thread's childs**
    - Thread T9 (in process P3, WMIC.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T9)

- **Thread T9 (in process P3, WMIC.exe) description**
  - **Thread's childs**
    - Thread T10 (in process P3, WMIC.exe)

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)
  - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create ( Thread ID: T10)
  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T10 (in process P3, WMIC.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)
  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T12 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T12)

## • Thread T12 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

### Process P1 (cebo.exe)'s network events

- UDP Send (javi-PC:dynport-> 127.0.0.0:6892 (10))
- UDP Send (javi-PC:dynport-> javi-PC:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.2:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.3:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.4:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.5:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.6:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.7:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.8:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.9:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.10:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.11:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.12:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.13:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.14:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.15:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.16:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.17:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.18:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.19:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.20:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.21:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.22:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.23:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.24:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.25:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.26:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.27:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.28:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.29:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.30:6892 (10))
- UDP Send (javi-PC:dynport-> 127.0.0.31:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.0:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.1:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.2:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.3:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.4:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.5:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.6:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.7:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.8:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.9:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.10:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.11:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.12:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.13:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.14:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.15:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.16:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.17:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.18:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.19:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.20:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.21:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.22:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.23:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.24:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.25:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.26:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.27:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.28:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.29:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.30:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 192.168.0.31:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.16.0:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> jupiter-core-532.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> extremegw12.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> hostby.adm-service.org:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.0:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.1:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.2:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.3:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.4:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.5:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.6:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.7:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.8:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.9:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.10:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.11:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.12:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.13:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.14:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.15:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.16:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.17:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.18:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.19:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.20:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.21:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.22:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.23:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.24:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.25:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.26:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.27:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.28:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.29:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.30:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.31:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.32:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.33:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.34:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.35:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.36:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.37:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.38:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.39:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.40:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.41:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.42:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.43:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.44:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.45:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.46:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.47:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.48:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.49:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.50:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.51:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.52:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.53:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.54:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.55:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.56:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.57:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.58:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.59:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.60:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.61:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.62:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.63:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.64:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.65:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.66:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.67:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.68:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.69:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.70:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.71:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.72:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.73:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.74:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.75:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.76:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.77:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.78:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.79:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.80:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.81:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.82:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.83:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.84:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.85:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.86:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.87:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.88:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.89:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.90:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.91:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.92:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.93:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.94:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.95:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.96:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.97:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.98:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.99:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.100:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.101:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.102:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.103:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.104:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.105:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.106:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.107:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.108:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.109:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.110:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.111:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.112:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.113:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.114:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.115:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.116:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.117:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.118:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.119:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.120:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.121:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.122:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.123:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.124:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.125:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.126:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.127:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.128:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.129:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.130:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.131:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.132:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.133:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.134:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.135:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.136:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.137:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.138:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.139:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.140:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.141:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.142:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.143:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.144:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.145:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.146:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.147:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.148:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.149:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.150:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.151:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.152:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.153:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.154:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.155:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.156:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.157:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.158:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.159:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.160:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.161:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.162:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.163:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.164:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.165:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.166:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.167:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.168:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.169:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.170:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.171:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.172:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.173:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.174:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.175:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.176:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.177:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.178:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.179:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.180:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.181:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.182:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.183:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.184:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.185:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.186:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.187:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.188:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.189:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.190:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.191:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.192:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.193:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.194:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.195:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.196:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.197:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.198:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.199:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.200:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.201:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.202:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.203:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.204:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.205:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.206:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.207:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.208:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.209:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.210:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.211:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.212:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.213:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.214:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.215:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.216:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.217:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.218:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.219:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.220:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.221:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.222:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.223:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.224:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.225:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.226:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.227:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.228:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.229:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.230:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.231:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.232:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.233:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.234:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.235:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.236:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.237:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.238:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.239:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.240:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.241:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.242:6892 (10))

- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.243:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.244:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.245:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.246:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.247:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.248:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.249:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.250:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.251:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.252:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.253:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.254:6892 (10))
- UDP Send (javi-PC.localdomain:dynport-> 194.165.17.255:6892 (10))

## Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

### • Module 1 (probably unpacked / injected by the sample)

#### • Module 1 rich signatures

• 44616e530000000000000000000000000c30f0f0003000000c30f5f0001000000c30f5d000200000000978830001000000097893001b00000000000100520100001b9daf003d0000001b9d9d00

#### • Module 1 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• IsPacked (Entropy Check)
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• anti_dbg (Checks if being debugged)
• escalate_priv (Escalade priviledges)
• screenshot (Take screenshot)
• win_mutex (Create or check mutex)
• win_registry (Affect system registries)
• win_token (Affect system token)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
• MD5_Constants (Look for MD5 constants)
• RIPEMD160_Constants (Look for RIPEMD-160 constants)
• SHA1_Constants (Look for SHA1 constants)
• Prime_Constants_long (List of primes [long])

#### • Module 1 strings

##### • Module 1 most interesting strings

• url | valid domains | tlds: .cy!D
• url | valid domains | tlds: tF.pt
• url | valid domains | tlds: g.vI"-v
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: CreateToolhelp32Snapshot
• api | frequently used by malware: ZwOpenProcess
• api | frequently used by malware: OpenProcess
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: GetNativeSystemInfo

- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WSAStartup
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _chkstk
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc
- api | kernel32: lstrcmpiA
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetCurrentThreadId
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW
- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | kernel32: MultiByteToWideChar
- api | ntdll: tolower
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW

- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: RegOpenKeyExW
- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: lstrlenA
- api | kernel32: SetFilePointer
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | user32: wsprintfA

- api | kernel32: GetLastError
- api | kernel32: GetTempPathW
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW
- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW
- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | kernel32: lstrcatW
- api | advapi32: CryptDestroyKey
- api | kernel32: CreateEventW
- api | kernel32: EnterCriticalSection
- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: SetEvent
- api | kernel32: WaitForSingleObject
- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileSize
- api | kernel32: GetDateFormatW

**• Module 1 other strings**

- 9e3a
- 5036
- 4f18
- shell.{E9122D88-53C6-39CF-9609-68BAB20E065B}
- shell.{76BF4271-6363-0293-2F1D-54E34C016282}
- @C:\\Users\\javi\\Downloads\\
- MUP7*m
- %C|IG

- WS2_32.dll
- KD94
- |^U
- ZiFP
- !% 9
- w2kL
- kn6GdU
- 35XtL
- HelV
- :0hP
- )8'3
- @t/k8
- +,O*
- 2R@y,
- uwYjr
- .)|4`4
- Ie+
- .UJw
- W1oVO4n~
- LEL`
- r}CuQ
- o&Kd;
- fOthPo
- rJE\\G<2
- C|>U^
- b&9G
- I1
- =tt0
- gAm^
- dUL`
- S2):
- WS0~
- |OiB
- P4`&m;
- Ceie
- M\\9O+S
- R*4<f
- 01ko
- NumnN7
- pA3E
- a0y@
- uP%T
- XF/1
- Briu
- Qta}
- /GpoA
- =d|8
- Z',3
- ~4Xt
- :KU]Q
- 9`%"
- P9^h
- 9F16'u
- AR,I
- 8b=A1
- &02lA
- >4dF

- %3<
- 2=H!
- A*,i
- 0@y@I
- #'- 5
- N-ZE2
- e4/._
- J1YM
- A~C(1
- @cUE#
- qSOA|
- (O2T
- A!~+4v
- 5uPe
- I(-?
- Q{AS
- 2TV=
- $8;5
- ?,7M{
- A,/c,
- 9NYub
- huo6
- F4.
- i{7#
- LI"HIOh6
- M7IN
- @\t7Y
- 8z~'
- E|t
- gU4.7
- f8|y
- ii?68L
- X#U5?J
- 7EFX
- TO]j
- zug*
- Um!5
- `}UG
- 7}"
- ca.R{8
- z&HJI;
- 0pEn
- 5VCI
- 7e<I
- ECA^
- T2d_
- 3 j4
- %8)e
- vE'9
- JcUV
- 51.(
- kkb3S
- ~II;
- ;3Ga
- Ft#i
- K8N]
- J)if

- Xa(gN
- *^)5
- ^0n
- /O/X
- 4)m?
- R`yE
- t43P
- M2LX
- t6"r
- +O!@
- h`ZE
- #NA$
- !w$jsU6Y
- l0n[
- E#75?
- 52GS
- \\D|5
- ,Cij
- hBfl2
- YEy36
- 0A\t.
- j*0"
- i'9f?
- OFxgZ8
- g5p
- 6oYQw
- %pIr
- -H;j1
- K2G+
- y= I
- APru
- <E(#}
- d3qB8Q
- 7q6TE
- B,On
- V0'6
- U'`I
- bUPL{
- =3WvrE
- elLjS
- 6|AYy^
- wa6JH~
- NU![
- A[{0F
- O}qA
- TXi3=
- DfFE
- ufSl~
- 3x-S
- 55f$
- [~U,
- !!Fou
- AAHD\\
- #2]f
- uLP'
- MR-9
- u>]B

- O(J=d
- J=5/
- 8!#`
- _~ka
- u*_r*
- {RRU\\
- j/D2
- IxAL
- Axy"
- 8WGI
- `UiN/[/|
- ;!9I
- )}]E
- #a)e
- 2"^\'
- f{hW0
- zw73
- oX*d
- xbE}
- IprR
- -/%U
- fo_TM
- ?'2Ek>
- }!~8
- K`q(5
- F8.@
- <ikAL
- ZR"5
- 8IatA
- +ig-
- P4H
- :sAO
- uSew
- SwI2zJ
- Dh4}
- eyI2
- P5-q
- 6%2M
- #$aU
- ](^8
- A:Kw
- .=5V
- ?Jw7
- <HUE
- V&.Op3Y`
- e2i'
- S1tI%
- !7y>?u[
- Xy3kr6
- [>5uq
- $8K.
- t{IZ
- '&e2;
- 8B1rEB
- 'i$l
- ;#2C
- PI9\\V

- G)$9-
- 4K9@+
- yoM(
- J%MA
- ^7I=
- EP{A
- eh=5
- $"7=
- 2a)X
- egQm
- 8z0)
- w6#p
- ~Qe0
- I8\t"
- !^"1
- s:O1
- ekPy
- *o^5W
- i^R
- UM:*
- 4u*Z7j
- _+8[
- F7B\t8
- x_2=
- \\<jI
- 349$
- gPUC
- S4EJ
- !\t'E
- 9Hs}
- }^3*%
- "FU2;&(
- 1LQ/
- m5wHuv
- ~R$0
- VZD5
- LQo8j
- {O^.
- W[0B9>Q(8!
- ({yi
- 4E|^
- isuLo
- be52
- s\\`a
- 5>Js
- B\tj94.
- ]%3L0
- iTK3I
- J#8/?
- qNi$
- fUwA\t)G
- IF>Fr
- Z5!y
- ,&Co;
- EL;]k
- #Ha?
- |8/}51,

- Ex*g
- IVx</
- O@li
- M`o}
- DDa_`2
- yt7-
- lQ2*
- oV\\m
- 65nI]
- ln{6
- O`B)
- 1BJ
- 2;B^f
- Jw3O
- :MWau
- O1K{
- ~@EL
- 2Sg|
- ?x_P5
- <zOC<u
- 5k[!
- {U!~
- M&a;*
- teE-B
- 00tQ
- GO,p\\
- ys0P
- 87pc
- f9d(
- xiT"
- 5~.%
- |e7m
- O5>m
- qU%S
- ,4$6
- ?iKq
- ?dn2
- },L3N
- '9wlp
- iG(h
- u\\Bc
- l0A6
- Q0&)[
- ;S4,
- |/IL
- OuZzD~
- 1,0R
- brAg
- Se=f
- +|uR
- uKXr
- e\tN3
- Qxt3
- &5_r
- A):5
- lul*
- V>.XU

- 0 ZA
- yn24
- 3/MU
- l"5X{
- :'6h
- XA+L
- &+zP8
- jiX"
- :U41
- 0L?T
- \\{\t7
- 6>93
- Y0**
- z@oo"Sv
- 1w\tl
- hZ a7
- YVG2Z
- UG}e
- \\'8w
- 3Iop
- 54%rj
- "aEY
- BdI_
- G3FE
- mp`1
- 1Ad$
- 1ha=
- o-^Z,
- ;bsU
- n2=8
- \\<"B6
- NAmB
- U8P(
- MUv5
- 6LI@@
- l7]w>
- n}6S
- $8]F
- [ 4Y
- r7Hf
- Oo"7
- ic
- HQAw7
- 89/TT
- ')P8f4
- 7<vX
- sY0,
- RebT
- @ICV
- LA:-y
- A"X[
- I nO
- >Voa
- :iIn
- 4AcQ
- V0g3
- 2B7~

- M0%d
- v_\ta
- :p/3V
- TUky
- c 4_
- :is3
- nQU|
- s7=&
- OOsh~
- +6`P
- C&*E
- rK5*
- )NOE
- eR@V
- {a%L
- e{p^
- 05Fg
- Jqh5
- iU>M
- %`7kf
- 8-%$
- =W"O
- lyAmk
- U0s$
- A)`]
- C'OH
- NCo5s
- c!7lA<
- oc{=
- LYNa
- la0_
- ?q'I
- W(U2V
- '&&@I
- 4u4a<
- Sy\toK
- \\qwO=
- (,OU
- *saT
- YPf6
- >-0oew
- aP36W
- 5."
- Hv%I
- R6w]
- x0)hg
- z/4r
- 5v#e}
- u>"
- or-j
- {%^1
- +\\4A
- {Mpu"I
- mo-q
- dq^Ca
- 9_NO
- 0?D"

- ^[u&
- Qk8o
- xoW-{
- SE!?
- Xxu[T
- ?]Z0
- \\gEJ_
- ,n4[
- N6yx
- 4 H2
- fAZx\\
- }%zU
- 5O/l2
- FK3{
- 5c,f)
- :K{8
- w3\t1}
- oCD$
- !fVAN
- =5}?
- 5l[t1
- M9H#
- l-M1
- r8S^;
- pDb9
- O51'
- ,Us ;
- #u4D}
- lS|g
- j 9]
- }8nn
- 2p<W
- rhE}
- ~1:<G
- N9>A
- 6:`Z
- ,j?7
- l@1y
- }}h18
- #lk~
- 6"ZL
- */k2yO<
- 1i#+,4
- g4z,
- ()<l
- %G\\5
- *3['|3c
- 2o*N
- Ke=e
- E+AX
- #awk
- 6@q*r
- }la>>
- B^pl
- 3--p
- {0VQ
- J=CO

- +hG2=
- B6+W
- "oax
- }x/e
- 4f=\\'6
- 0sr].
- to=f
- ~O};
- ]8!`
- DO'5@
- dh25
- i\\l"
- -wEW
- .giu
- l{}U
- tT{1ed
- S%3
- ){4o>NJG
- ^!&9
- Je%&OQ;
- T64vQ
- Loof
- ?<9r
- lUg>U
- =->7G
- Y`-E
- ~/3w
- n~%3
- }e5N
- dAc
- Uf+T
- f2%u
- i\t_-
- ]>ya
- 14vV
- Vtm\\a
- v5VI
- \\sZj0
- 6CU
- 7Ok{
- xp`ie)
- T6{i|
- GOYo
- kQ.a
- 0FKaK
- ^Bf2Af
- o,O=
- 1;Z`
- ugv}
- VAUp
- "iSZ)
- E%}+:s3
- n?(6
- jTZb4
- 4\\~/
- dIW6
- ccG3,

- dtjO
- ]^!*u
- eTX&
- ^12<9
- 0U.N1Js<
- !!`o
- T1u%
- 4QU_f
- V)PO
- S&D9;
- A]xj
- OgSU
- TI!8
- K6hN
- F*85
- v314
- O"0\\q(
- ]E\tMR
- 4a~V
- Xk'5
- 7,f$
- (hqi
- zCh0
- hA2Fbn,d
- n`0O
- u#^`
- HEfE
- X\\^a
- }W<0Z
- q)s4
- ;]}4w
- *U/2L
- II>EwyA
- uVF8
- dq,\t%]"0;I
- VOcC
- us9k
- v3j(A
- ACaLn"\\
- 8Qsge
- bbT4*
- UD*q
- iUD<
- u&v6;
- #Oqm
- tX14
- frI
- 5Hz]L
- ri#<D03
- 03Q$
- &n;\tMe
- N4m-
- e+8W
- 0p>A
- C{o*
- 81:1D
- TE@r

- gS37
- rx16R/
- uOOI
- -M?o
- &{V3
- 7n"|
- xe<I><
- -~4H
- 6TMB
- +3yn
- (X/I
- He5l
- ^77\\
- rTSE
- %qa1
- AP<a/
- ,8\tC
- vu'f
- Akba
- NJ80
- 26JryE
- q966
- ;Wa4
- j6dju
- "Ddw8
- &ma5;
- ;d~I
- |y96_
- 8bUF?
- xpTiu
- WgeLId%
- tG9UlL{%
- 2lt
- j02+
- W%RU
- d2ck
- 82_Z8
- ^43r
- \\wC2
- q j9
- O#(y
- W_24tP
- cPajMIU
- *7lnXEy
- <;`E
- v$0q
- 64l'
- u WV
- ~7LOzw
- ':C7
- gZa$
- EvZR
- 3m_D
- ok??
- qDce
- ?Ao8
- 1zQb

- ^6RFUte
- OGv2Y
- 4##0
- [>U2{
- w)ijOpv
- f-qa
- }0-b
- ]&A1;>
- OZ8yW
- 6~p(b
- @&)0
- 86Z~
- Empr
- [FB4
- ,X6h
- "0JU4}^
- yt(]I
- G`Ba
- CIlq
- "y:7AC
- 0y 7
- :DB6w
- Llx6
- O]A
- %iX!
- 'R, a
- VERSION.dll
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- StrToInt64ExA
- PathCombineW
- PathSkipRootW
- GDI32.dll
- SHELL32.dll
- ole32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- ShellExecuteW
- SetTextColor
- DeleteDC
- GetDeviceCaps
- GetDIBits
- SetBkColor
- SetPixel
- DeleteObject
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- CreateFontW
- GetObjectW
- GetStockObject
- SHChangeNotify
- CoInitialize
- CommandLineToArgvW
- SHGetFolderPathW

- CoInitializeEx
- ShellExecuteExW
- CoUninitialize
- WS2_32.dll
- PathMatchSpecW
- PathFindFileNameA
- StrCmpNIA
- StrToIntA
- PathFindFileNameW
- StrFormatByteSizeW
- c"5o
- T1`m
- 4d(2d
- iPoj
- M[U"
- n!6P
- 1o%Z/
- 2H%M
- <ENP
- OS.z
- c]AgA
- 72gn?
- -NlnE
- 7Qzn
- \\`,1)4
- g2a|
- xobc
- JIA N(8)J
- 'fmA
- {Jh>I
- yyx1~
- &AAO;
- 3C3S
- P6,%b
- 8W"%E
- x4}F
- >+Aj
- o3PdI}
- hRe}P
- n+69
- INg@
- X/We
- $Rno
- z[E8=-
- ,vA#-v5
- a/vI
- 3.v]7.v
- wM7.v
- 5/v`
- H-v3
- o$v;
- %<!A
- SVWUj
- %H#A
- %l#A
- %p#A
- %|#A

- tYVU
- SVWU
- VC20XC00U
- %x#A
- %t#A
- 7<{t
- <9~9<[u
- ]<-tA<0|
- ?:u!
- ?,uo3
- 8{ujP3
- >,u<3
- u)ShC
- u3S8_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- >nosju
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- hp9A
- w\t9E
- SUVW
- tG9M
- SVW3
- 5|QA
- 5TPA
- 5xPA
- vIjk
- 5$PA
- 5pQA
- YY;E
- 5$QA
- _^]3
- v5jr
- 5PQA
- 5@QA
- 5$QA
- D$4i
- D$,3
- 5 QA
- 58QA
- 58PA
- T$$3
- 5 QA
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3

- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- <%u_
- t3Sj
- >.uB
- t5Sj
- >0uBF
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY_3
- SVW3
- h0:A
- uaSU
- h@:A
- h :A
- h<8A
- tE9}
- 5< A
- h<8A
- j4XP
- tESh
- SVW3
- hp:A
- =8!A
- hP:A
- h`:A
- ht8A
- hX8A
- hT8A
- ?-u.h
- hL8A
- =xV4
- t2VVj
- Hu"9\\$
- SUVW3
- QSUV
- Y_^3

- >F;u
- 97vBS
- tISV
- t-Iu
- t08]
- -x"A
- SUVW
- HSVW3
- UVW3
- u"Ph
- t#9]
- r0j.
- L$4;
- YY_3
- u29]
- ht7A
- hl7A
- h`7A
- WQhP^EMj;h$7A
- t0Sh
- hT1A
- SUVW3
- ShF7
- SVW3
- FY;5
- hL5A
- h|6A
- 5I A
- ht6A
- h`6A
- Z#1j\thT6A
- SVW3
- h82A
- uvj8
- j\thH6A
- 5j9h
- 5,!A
- VWf9
- QSU3
- 9jOh
- hp5A
- SVW3
- hh5A
- h\\5A
- =(!A
- SVW3
- hX5A
- Shg}a
- hT5A
- hH5A
- h<5A
- h45A
- j\th(5A
- t3Sh~
- h 5A
- u3Sh
- hT1A

- QQSV3
- SVW3
- h@4A
- uTVh
- hp4A
- h|4A
- ht4A
- hp4A
- hh4A
- h`4A
- hP4A
- h@4A
- hD4A
- h@4A
- h44A
- u2jY
- 50\\A
- 54\\A
- h(4A
- 50\\A
- 54\\A
- % \\A
- hESB
- % \\A
- QQS3
- = \\A
- 50\\A
- 54\\A
- % \\A
- =0\\A
- 54\\A
- 50\\A
- 54\\A
- 50\\A
- 54\\A
- % \\A
- YY:E
- 5H\\A
- 5L\\A
- YY:E
- u#Vh
- 50\\A
- 54\\A
- 5 \\A
- 5H\\A
- 5L\\A
- % \\A
- 50\\A
- 50\\A
- 54\\A
- % \\A
- - \\A
- 50\\A
- 54\\A
- v%je
- = \\A
- 50\\A

- 54\\A
- )5 \\A
- !5 \\A
- % \\A
- % \\A
- % \\A
- QPNu
- tOSh
- Sh`*A
- Ph@%A
- SVW3
- hh3A
- t3Sh
- XSVW3
- hGj,h03A
- uj"h
- SVW3
- D$8P
- D$8P
- D$8P
- D$80
- hl2A
- PQh19
- j&hx2A;
- hl2A
- PQh19
- hL2A
- zj\th@2A
- h82A
- t6Wh
- t0Sh8f06j
- QQV3
- hx1A
- hh1A
- h\\1A
- VhV>I
- (j\thH1A
- (j\thH1A
- NYYu
- h@1A
- tU9;vI
- lBj\th41A
- hx0A
- hl0A
- h`0A
- j\thT0A
- hH0A
- h<0A
- h00A
- h$0A
- D$0P
- SVW3
- E;l$
- QQSUVW3
- =d\\A
- hX\\A
- t7Phh\\A

- @.data
- `.rdata
- .text
- V5Richz
- V5aW
- V5aW
- !This program cannot be run in DOS mode.
- ?rt9,L^
- =RL~B~
- RFm"
- Pw,
- $Dv:
- C(v@
- XdKbt
- v?yW
- Y;q"V
- y<lR"
- R_ ]V
- xqS}\\it
- D>, w
- +,TnQ
- V\\w^
- v)w<.
- vfc.ZU!S
- dT]N
- ==N`
- }hCv
- ,&My;?
- nmFt
- GT!
- R*V
- tGyw
- Qn>#
- _k*:
- XN@G`
- r'_|
- m@;q
- sB+n
- )w+x
- c?zH
- W=p%
- #>n-4V
- P fh(
- BggR
- b_B#
- Y%rg
- P\tP>
- /=.
- `#Xj
- LY<n
- x)x
- *m{z
- !XEBRQ>
- xd[ '^
- n+P!
- QN\\$
- QrH*|

- ^Cj.
- [GjX
- ;rN}
- Knl`E`
- W:+%
- VBMj
- S'pp
- CrXS
- tnQ
- F(_.
- G[K
- fH\\q
- +& T8V
- R*O? r
- cCqZH
- y|~y
- ZYY|
- :|g~
- hszL
- !C;t
- '!X^Q
- ++H}"
- d;TW!
- H")ky
- B~X{p
- v``q
- VbDy
- zcd]K
- @YyPky_U
- .k,l
- fq;fwZ
- VyX-
- c^ !{
- VK]
- DDwY
- y\tzL
- ~j)Yr
- )*)F
- Y%Tm
- +lNf
- `C[`
- w*Jv
- "-W({
- Dzhz,
- xzL<}
- fx`Z
- X>q@
- z[x`
- *x'^
- K&M;[
- cp`@Q
- dZJ
- J"TE-S
- %.Q4+k
- trdp
- lD~$
- DDLn

- ?NTfl
- yWx_C
- ]qW<
- j'WP
- ;l"y1vr
- s)CVXA
- $>m-4Xp
- rcJ~Q_l+
- #!${|
- EzNQ?]
- Z/Y'
- XWC&
- Pcyqd
- J-@&
- *Nzf
- Z!sW
- k}glnuP
- |-Fj
- ).#K|iJ@
- P-`
- F%h{k
- ' %KQ[V
- [(W.
- );R-
- hSW2gB
- rF^F
- *t?N
- gK^b
- .R#^
- Z'JV
- @n#.
- lFyD
- jl`N=
- 'TRm
- y!DS)"m
- ,R[Xz
- K_y[
- Jkj&G;
- -s\t&
- pqcT
- =TB;
- ][lN
- s%Zr
- !RX&n;
- >^^@
- {vr@
- ,]x=
- Kf./
- C`$^
- ]j\t:
- w`P`
- j%S-
- QJm${,
- YC;{G0
- -{MGg
- =[>IM:
- wcFG

- V#DL
- -Z.D
- W+V\\][
- @MxS
- }#-S
- M\\(fd
- (:*q
- MR]-ht
- Z]Dc
- G+_)#
- !bpZ
- %^N(
- ^-+q
- Tzcs
- CZ,='
- x^<t
- bWQH
- K^ZH
- Q:Xc
- Z"l\\
- [C#R
- 'N&@5l
- CQ^'
- w$Hq
- jbYx
- \\Q\tV
- - w.
- c#_uLR[/kIVx
- S]T\\
- \\-wN.
- dP,w
- "gsC
- Wvq!
- h>N{l
- wSc|
- \'L"/
- (}n+
- gT&!r
- ]n}Z}
- g\t\\0lf?H
- b;)}
- &=HVJ
- DQ\\r
- d,w|
- ~rF7dVj$
- VNdmH
- DCSR`
- FzP>
- M"M"q0
- TGN{
- ;*pG
- l_~_
- }h'PR
- F&Q0;d
- \\H -
- m/mR
- :m

- WCxJF
- y|Qx
- R`Hc?b
- K@\tz
- fNx+
- `SL)
- x%T:
- C;fh
- M[^^P
- PZ(fL
- @MN!
- //j\\X
- ?sHL
- C*:bV
- g@NZ
- -y?h'=<S
- *c>}c
- >rk|
- t^,s
- sm^j
- wyR`\\
- <X-F
- d~Xw
- &B;\tBxK
- vpb
- rh;J?T
- KM)]
- ?]L&
- rWDNC
- bb @
- y}+m
- *tB!\\
- 'J)}Ne
- h$G!
- _T*c
- M[sW
- NQLb
- "Zps
- jddsGz
- ]PjTk
- ^'g\\
- f@JjaH
- QR;<l
- #^F(
- b!hs
- ?Lv=
- q/-J,d
- }z'b
- #/S)
- VQq`b
- fDy`
- j[[K
- L^!&@2
- s<rJq
- ]h>`B
- mv-Y
- =xyp

- ~;"L*B
- dX!z
- 8X,W^@
- [r#[
- !7J""k
- +hp"V
- j?^,
- |g>)
- \\w#-z
- X/]z
- !S/C
- mx=?_
- :y;fD
- evfYvR
- +]vs
- -(rZ
- N)Wc
- [cy'}U
- f-{F
- =)Xt
- SRQN^$
- $ ||[J
- s[.}
- m{,$
- {\\m++
- r*["
- tl|-X;Z
- yY>BD"
- z?{wVD
- PT4K;.
- @#B0Z'
- :m$W{B
- 5-yLL _
- d#*b
- v.Lp
- {vNY,
- ksT+
- Vj]k
- R(S.]i
- {]w~
- >%_V
- {cJm
- )dNV
- lppD
- #wB'T
- [<W(
- F#l]
- Z}%FB
- "ajnPr\'
- +k~`
- TL[q
- f{B>L
- :t=L
- DHl
- l)g(
- ZY9<DP
- n<QW

- (/}*
- ):<VcNn
- I"\t=^k
- @`hw
- B[]Y
- S}*Bv
- ,_'SPN
- ri%{Y"
- =zrt
- #gNEnp'
- y/(W
- z^^M
- Z.y'/0l
- m~]z
- 2sr{^@
- {]g)d
- g$G(~
- DTR!
- ryBV7yN
- f!N(mi
- Z8|S$G!
- WN!-
- @[~Uyx
- w;q-
- Hqfj
- X'.%
- qwQqZ
- R.{DH
- t*Dk
- N\tF=
- #"h\'
- :D@(
- =zv`
- dH"(
- Jyc(@
- CM3@_;
- NQp3xM
- Bx(,f
- ~OL`H'
- `);
- D<s;
- :=k_6"V?
- zHw[v
- GBfg
- I>!{
- \\;$K*
- |+f@
- ~pLT^
- <%=j
- w\t_]
- GGqD
- j&KH;&
- nf**Y
- w5svbm
- .C{Ss
- vKz~(
- wdEc~D

- nNDvn
- q$#~]
- -xLS>
- R!]|<p
- k#>N(
- ZD(JY<
- vCyZ
- ]*+G
- c-GCK
- &c;{;
- c/h%
- JS'xc
- st['
- %PH$
- Zm<@
- [$HL
- Qhf%
- n{+H
- #XC}
- PsPY
- KPwZ
- +g&:
- M>J)~y
- ntRC
- @:=\\
- w>FT
- dq"z
- j]$@
- twDy
- yW;^
- B}=R
- hG [
- #@)@
- prv[
- Vt^,y
- Zd?K
- r@}{
- !O<'v#k)
- z|7 g+
- VxJJ
- *+LiDL
- .p:D
- {n!+
- p_j,f
- hfTP
- -l>V.
- (^dZ
- ,ptzZ
- vg>=
- K~|cHr
- Cmr}
- QRp&Ya;
- NQhjS
- f_r]
- {"[+
- t:NC
- $~V)

- g K9f:
- v^E}|-
- H?nTDW<
- lFF/^
- S|-D
- By*(
- FWnv
- ~TvXd
- ZWV()b
- <sSVyu^
- ^|!:
- ep>z'q
- ]p@J
- kPVZ}
- Q?W'
- <?"t
- !#,s
- |Eq/NJ
- @gkC
- h\\mH
- JY7THbX
- Vjb:l
- h),f
- F\t/J
- L,[J
- r>$V
- NbD'
- #G'N
- @@@@AI@@@@LB@@@@@@@@ODS@@@DWC\\@`@@@@@@@@@@@@@@dfnk@@jF@@DF@@[D@@
-
- PPPP
- vv[[[[[[[[[[[
- [[p[z
- [RRRR[[[[w|w
- [[[[[[[[[[[[]s
- d[[[[[
- JJJJKRJJJJOLJJJJJJJJUE@JJJEYMFJ]JJJJJJJJJJJJJacgNJJkmJJEmJJDEJJ
-
- PPPP
- ``YYYYYYYYYYY
- }YPPPPYYYYa
- YYYYYYYYYYYY
- YY`}
- YYYYY
- StrSpnA
- StrPBrkA
- StrStrIW
- ntdll.dll
- SHLWAPI.dll
- StrCmpNW
- StrCmpNIW
- StrChrW
- StrChrA
- StrCmpNA
- StrStrA
- StrCpyNW
- CRYPT32.dll

- BsQTt@
- YDVs
- W(,k
- qFv.
- y+Xz
- X\\HR]
- #C(
- s Xf
- lCr
- _]G|
- }-zfD
- _yd@
- ]3<djb
- dH:.
- M(zxF
- `b}V
- -+$VA-_
- )G/K
- ]qBD
- L=rS
- gNbF
- dvt)cz~
- X!PN
- .=R
- .x%;
- s#Kj
- >v@F>vEG>v
- \\>v[
- ,v(7.v
- -v${,v
- .v+E.v
- K/v`w
- d.v)
- -v%9-v
- \\/vWA.v
- <.vQ
- J,vV
- /.vb
- S.vw
- ,vO!.vd
- T/vK
- ,v\t>-v6
- -vQ3.v1#-v&<.v
- *-vQJ.v
- $vhu$v
- _$v@f$v
- $v<j$v
- t+@;
- UQPXY]Y[
- ;t$(v(
- ]_^[
- ]_^[
- t?xH
- Y_^[
- @#Sh
- QSVWj
- _^[]

- SVWj
- tqWVS
- >]ty
- SVWj
- ?"tB
- SVWj
- SVWj
- QQSV
- ][YY
- QQSUVW
- t`SV
- X_^[
- ]$VW
- _^[]
- X_^[]
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- _^[Y
- QQSWj
- _^][Y
- YYVj
- QSVW
- v.VW
- @;D$
- QQSW
- SVWj [;
- j Y+
- @;D$
- <SVW
- t<VW
- t.VW
- YYt$j
- Y_[]
- 9T$,t)
- 9L$(s>
- 9l$ w'jn
- l$ 9L$$
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[]
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\l$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf

- ^@[]
- D$$@Y
- $SVW
- <+uH<-
- t%Sj
- _^@[
- ]tRF:
- t[j@
- SPR
- Y_^[Y]
- sPVW
- D$ SS
- PPVh`
- [_^]
- tMSS
- txhmp
- tKVh
- j Y+
- PSSSSSSh
- tZVWS
- t!SW
- tRVh@
- t\tWSV
- FVSW
- t*VS
- *.~j
- S)qj
- t-WS
- t+WS
- _^[Y]
- jdY^
- tbh(
- YYt$
- _^[]
- jxX+
- QZ^&
- HSVWj
- YY_^[]
- Y_^[
- SVWj
- tC@=
- ?@s"9t$
- QQSV
- FYf;
- wDr
- _^][
- @PVh
- @PVh
- @PVh
- D$ P
- PWSS
- PSSS
- QQSW
- j:Xf
- VSSSS
- QQSV
- D$DP

- PWWh6bf
- YShsJ#
- ;D$$
- ;D$ r
- %Qh{
- SVWj
- u\tG;>r
- Shfk
- SPh%=
- t?SSj
- SSSSSSSV
- jHjZ
- Sh"p
- PSSh
- t&Sh;=
- VSSS
- PSSj
- Sh}N
- %>wj
- t-ShD
- uMSh+nD
- tVSh
- h$p]
- tBWS
- t_Whz
- WhsJ#
- Vh(Y
- j\tPS
- t>Ht)Ht
- v"ShM|h
- t Vh
- r j,
- Vh!HSMj
- SSWP
- tySh
- rRVSh
- SSSj
- SSSj
- Shb(@
- @PVh
- PSSSS
- D$HP
- SVVW
- D$pVVSSSSh
- D$`h
- D$@VP
- PQhdn
- $SVW
- _^Y]
- %f+j
- QVWhM
- @_^[
- Vh![
- t(h|
- tRSP
- QQSV
- G;;r

- `SVW
- t$ QhA
- D$LP
- D$pP
- h<gX[j
- D$<Pj
- D$lPW
- D$<Pj
- D$DPW
- D$,P
- D$$P
- D$(P
- DrbRf
- vG+M
- VVVhS
- FYY;5d
- _^][YY
- C,?Wj
- .CRT

## • Module 2 (probably unpacked / injected by the sample)

### • Module 2 rich signatures

- 44616e530000000000000000000000000c30f0f0003000000c30f5f0001000000c30f5d000200000000978830001000000097893001b0000000000001005201000001b9daf003d0000001b9d9d00

### • Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Prime_Constants_long (List of primes [long])

### • Module 2 strings

- **Module 2 most interesting strings**

- url | valid domains | tlds: .cy!D
- url | valid domains | tlds: tF.pt
- url | valid domains | tlds: g.vl"-v
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WSAStartup
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _chkstk
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc
- api | kernel32: lstrcmpiA
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetCurrentThreadId
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW

- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | kernel32: MultiByteToWideChar
- api | ntdll: tolower
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW
- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: RegOpenKeyExW
- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA

- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: lstrlenA
- api | kernel32: SetFilePointer
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | user32: wsprintfA
- api | kernel32: GetLastError
- api | kernel32: GetTempPathW
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW
- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW
- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | kernel32: lstrcatW
- api | advapi32: CryptDestroyKey
- api | kernel32: CreateEventW
- api | kernel32: EnterCriticalSection
- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: SetEvent
- api | kernel32: WaitForSingleObject

• api | kernel32: SetFilePointerEx
• api | kernel32: GetFileSize
• api | kernel32: GetDateFormatW

**• Module 2 other strings**

• 9e3a
• 5036
• 4f18
• shell.{E9122D88-53C6-39CF-9609-68BAB20E065B}
• shell.{76BF4271-6363-0293-2F1D-54E34C016282}
• @C:\\Users\\javi\\Downloads\\
• MUP7*m
• %C|IG
• WS2_32.dll
• KD94
• |^U
• ZiFP
• !% 9
• w2kL
• kn6GdU
• 35XtL
• HelV
• :0hP
• )8'3
• @t/k8
• +,O*
• 2R@y,
• uwYjr
• .)|4`4
• Ie+
• .UJw
• W1oVO4n~
• LEL`
• r}CuQ
• o&Kd;
• fOthPo
• rJE\\G<2
• C|>U^
• b&9G
• I1
• =tt0
• gAm^
• dUL`
• S2):
• WS0~
• |OiB
• P4`&m;
• Ceie
• M\\9O+S
• R*4<f
• 01ko
• NumnN7
• pA3E
• a0y@
• uP%T

- XF/1
- Briu
- Qta}
- /GpoA
- =d|8
- Z',3
- ~4Xt
- :KU]Q
- 9`%"
- P9^h
- 9F16'u
- AR,I
- 8b=A1
- &02lA
- >4dF
- %3<
- 2=H!
- A*,i
- 0@y@I
- #'- 5
- N-ZE2
- e4/._
- J1YM
- A~C(1
- @cUE#
- qSOA|
- (O2T
- A!~+4v
- 5uPe
- I(-?
- Q{AS
- 2TV=
- $8;5
- ?,7M{
- A,/c,
- 9NYub
- huo6
- F4.
- i{7#
- LI"HIOh6
- M7IN
- @\t7Y
- 8z~'
- E|t
- gU4.7
- f8|y
- ii?68L
- X#U5?J
- 7EFX
- TO]j
- zug*
- Um!5
- `}UG
- 7}"
- ca.R{8
- z&HJI;
- 0pEn

- 5VCl
- 7e<l
- ECA^
- T2d_
- 3 j4
- %8)e
- vE'9
- JcUV
- 51.(
- kkb3S
- ~Il;
- ;3Ga
- Ft#i
- K8N]
- J)if
- Xa(gN
- *^)5
- ^0n
- /O/X
- 4)m?
- R`yE
- t43P
- M2LX
- t6"r
- +O!@
- h`ZE
- #NA$
- !w$jsU6Y
- l0n[
- E#75?
- 52GS
- \\D|5
- ,Cij
- hBfI2
- YEy36
- 0A\t.
- j*0"
- i'9f?
- OFxgZ8
- g5p
- 6oYQw
- %pIr
- -H;j1
- K2G+
- y= I
- APru
- <E(#}
- d3qB8Q
- 7q6TE
- B,On
- V0'6
- U'`I
- bUPL{
- =3WvrE
- elLjS
- 6|AYy^
- wa6JH~

- NU![
- A[{0F
- O}qA
- TXi3=
- DfFE
- ufSl~
- 3x-S
- 55f$
- [~U,
- !!Fou
- AAHD\\
- #2]f
- uLP'
- MR-9
- u>]B
- O(J=d
- J=5/
- 8!#`
- _~ka
- u*_r*
- {RRU\\
- j/D2
- IxAL
- Axy"
- 8WGI
- `UiN/[/|
- ;!9I
- )}]E
- #a)e
- 2"^\'
- f{hW0
- zw73
- oX*d
- xbE}
- IprR
- -/%U
- fo_TM
- ?'2Ek>
- }!~8
- K`q(5
- F8.@
- <ikAL
- ZR"5
- 8IatA
- +ig-
- P4H
- :sAO
- uSew
- SwI2zJ
- Dh4}
- eyI2
- P5-q
- 6%2M
- #$aU
- ]{^8
- A:Kw
- .=5V

- ?Jw7
- <HUE
- V&.Op3Y`
- e2i'
- S1tl%
- !7y>?u[
- Xy3kr6
- [>5uq
- $8K.
- t{IZ
- '&e2;
- 8B1rEB
- 'i$l
- ;#2C
- Pl9\\V
- G)$9-
- 4K9@+
- yoM(
- J%MA
- ^7I=
- EP{A
- eh=5
- $"7=
- 2a)X
- egQm
- 8z0)
- w6#p
- ~Qe0
- I8\t"
- !^"1
- s:O1
- ekPy
- *o^5W
- i^R
- UM:*
- 4u*Z7j
- _+8[
- F7B\t8
- x_2=
- \\<jI
- 349$
- gPUC
- S4EJ
- !\t'E
- 9Hs}
- }^3*%
- "FU2;&(
- 1LQ/
- m5wHuv
- ~R$0
- VZD5
- LQo8j
- {O^.
- W[0B9>Q(8!
- ({yi
- 4E|^
- isuLo

- be52
- s\\`a
- 5>Js
- B\tj94.
- ]%3L0
- iTK3I
- J#8/?
- qNi$
- fUwA\t)G
- IF>Fr
- Z5!y
- ,&Co;
- EL;]k
- #Ha?
- |8/}51,
- Ex*g
- IVx</
- O@li
- M`o}
- DDa_`2
- yt7-
- lQ2*
- oV\\m
- 65nI]
- ln{6
- O`B)
- 1BJ
- 2;B^f
- Jw3O
- :MWau
- O1K{
- ~@EL
- 2Sg|
- ?x_P5
- <zOC<u
- 5k[!
- {U!~
- M&a;*
- teE-B
- 00tQ
- GO,p\\
- ys0P
- 87pc
- f9d(
- xiT"
- 5~.%
- |e7m
- O5>m
- qU%S
- ,4$6
- ?iKq
- ?dn2
- },L3N
- '9wlp
- iG(h
- u\\Bc
- l0A6

- Q0&)[
- ;S4,
- |/IL
- OuZzD~
- 1,0R
- brAg
- Se=f
- +|uR
- uKXr
- e\tN3
- Qxt3
- &5_r
- A):5
- lul*
- V>.XU
- 0 ZA
- yn24
- 3/MU
- l"5X{
- :'6h
- XA+L
- &+zP8
- jiX"
- :U41
- 0L?T
- \\{\t7
- 6>93
- Y0**
- z@oo"Sv
- 1w\tl
- hZ a7
- YVG2Z
- UG}e
- \\'8w
- 3lop
- 54%rj
- "aEY
- BdI_
- G3FE
- mp`1
- 1Ad$
- 1ha=
- o-^Z,
- ;bsU
- n2=8
- \\<"B6
- NAmB
- U8P(
- MUv5
- 6LI@@
- l7]w>
- n}6S
- $8]F
- [ 4Y
- r7Hf
- Oo"7
- ic

- HQAw7
- 89/TT
- ')P8f4
- 7<vX
- sY0,
- RebT
- @ICV
- LA:-y
- A"X[
- I nO
- >Voa
- :iIn
- 4AcQ
- V0g3
- 2B7~
- M0%d
- v_\ta
- :p/3V
- TUky
- c 4_
- :is3
- nQU|
- s7=&
- OOsh~
- +6`P
- C&*E
- rK5*
- )NOE
- eR@V
- {a%L
- e{p^
- 05Fg
- Jqh5
- iU>M
- %`7kf
- 8-%$
- =W"O
- lyAmk
- U0s$
- A)`]
- C'OH
- NCo5s
- c!7lA<
- oc{=
- LYNa
- la0_
- ?q'I
- W(U2V
- '&&@I
- 4u4a<
- Sy\toK
- \\qwO=
- (,OU
- *saT
- YPf6
- >-0oew
- aP36W

- 5."
- Hv%I
- R6w]
- x0)hg
- z/4r
- 5v#e}
- u>"
- or-j
- {%^1
- +\\4A
- {Mpu"I
- mo-q
- dq^Ca
- 9_NO
- 0?D"
- ^[u&
- Qk8o
- xoW-{
- SE!?
- Xxu[T
- ?]Z0
- \\gEJ_
- ,n4[
- N6yx
- 4 H2
- fAZx\\
- }%zU
- 5O/l2
- FK3{
- 5c,f)
- :K{8
- w3\t1}
- oCD$
- !fVAN
- =5}?
- 5l[t1
- M9H#
- l-M1
- r8S^;
- pDb9
- O51'
- ,Us ;
- #u4D}
- lS|g
- j 9]
- }8nn
- 2p<W
- rhE}
- ~1:<G
- N9>A
- 6:`Z
- ,j?7
- l@1y
- }}h18
- #lk~
- 6"ZL
- */k2yO<

- 1i#+,4
- g4z,
- (]<I
- %G\\5
- *3['|3c
- 2o*N
- Ke=e
- E+AX
- #awk
- 6@q*r
- }Ia>>
- B^pI
- 3--p
- {0VQ
- J=CO
- +hG2=
- B6+W
- "oax
- }x/e
- 4f=\\'6
- 0sr].
- to=f
- ~O};
- ]8!`
- DO'5@
- dh25
- i\\I"
- -wEW
- .giu
- I(}U
- tT{1ed
- S%3
- ){4o>NJG
- ^!&9
- Je%&OQ;
- T64vQ
- Loof
- ?<9r
- IUg>U
- =->7G
- Y`-E
- ~/3w
- n~%3
- }e5N
- dAc
- Uf+T
- f2%u
- i\t_-
- ]>ya
- 14vV
- Vtm\\a
- v5VI
- \\sZj0
- 6CU
- 7Ok{
- xp`ie)
- T6{i|

- GOYo
- kQ.a
- 0FKaK
- ^Bf2Af
- o,O=
- 1;Z`
- ugv}
- VAUp
- "iSZ)
- E%}+:s3
- n?(6
- jTZb4
- 4\\~/
- dIW6
- ccG3,
- dtjO
- ]^!*u
- eTX&
- ^12<9
- 0U.N1Js<
- !!`o
- T1u%
- 4QU_f
- V)PO
- S&D9;
- A]xj
- OgSU
- TI!8
- K6hN
- F*85
- v314
- O"0\\q(
- ]E\tMR
- 4a~V
- Xk'5
- 7,f$
- (hqi
- zCh0
- hA2Fbn,d
- n`0O
- u#^`
- HEfE
- X\\^a
- }W<0Z
- q)s4
- ;]}4w
- *U/2L
- II>EwyA
- uVF8
- dq,\t%]"0;I
- VOcC
- us9k
- v3j(A
- ACaLn"\\
- 8Qsge
- bbT4*
- UD*q

- iUD<
- u&v6;
- #Oqm
- tX14
- frI
- 5Hz]L
- ri#<D03
- 03Q$
- &n;\tMe
- N4m-
- e+8W
- 0p>A
- C{o*
- 81:1D
- TE@r
- gS37
- rx16R/
- uOOI
- -M?o
- &{V3
- 7n"|
- xe<I><
- -~4H
- 6TMB
- +3yn
- (X/I
- He5I
- ^77\\
- rTSE
- %qa1
- AP<a/
- ,8\tC
- vu'f
- Akba
- NJ80
- 26JryE
- q966
- ;Wa4
- j6dju
- "Ddw8
- &ma5;
- ;d~I
- |y96_
- 8bUF?
- xpTiu
- WgeLId%
- tG9UIL{%
- 2lt
- j02+
- W%RU
- d2ck
- 82_Z8
- ^43r
- \\wC2
- q j9
- O#(y
- W_24tP

- cPajMIU
- *7lnXEy
- <;`E
- v$0q
- 64l'
- u WV
- ~7LOzw
- ':C7
- gZa$
- EvZR
- 3m_D
- ok??
- qDce
- ?Ao8
- 1zQb
- ^6RFUte
- OGv2Y
- 4##0
- [>U2{
- w)ijOpv
- f-qa
- }0-b
- ]&A1;>
- OZ8yW
- 6~p(b
- @&)0
- 86Z~
- Empr
- [FB4
- ,X6h
- "0JU4}^
- yt(]I
- G`Ba
- CIlq
- "y:7AC
- 0y 7
- :DB6w
- Llx6
- O]A
- %iX!
- 'R, a
- VERSION.dll
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- StrToInt64ExA
- PathCombineW
- PathSkipRootW
- GDI32.dll
- SHELL32.dll
- ole32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- ShellExecuteW
- SetTextColor
- DeleteDC

- GetDeviceCaps
- GetDIBits
- SetBkColor
- SetPixel
- DeleteObject
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- CreateFontW
- GetObjectW
- GetStockObject
- SHChangeNotify
- CoInitialize
- CommandLineToArgvW
- SHGetFolderPathW
- CoInitializeEx
- ShellExecuteExW
- CoUninitialize
- WS2_32.dll
- PathMatchSpecW
- PathFindFileNameA
- StrCmpNIA
- StrToIntA
- PathFindFileNameW
- StrFormatByteSizeW
- c"5o
- T1`m
- 4d(2d
- iPoj
- M[U"
- n!6P
- 1o%Z/
- 2H%M
- <ENP
- OS.z
- c]AgA
- 72gn?
- -NlnE
- 7Qzn
- \\`,1)4
- g2a|
- xobc
- JIA N(8)J
- 'fmA
- {Jh>I
- yyx1~
- &AAO;
- 3C3S
- P6,%b
- 8W"%E
- x4}F
- >+Aj
- o3PdI}
- hRe}P
- n+69
- INg@
- X/We

- $Rno
- z[E8=-
- ,vA#-v5
- a/vI
- 3.v]7.v
- wM7.v
- 5/v`
- H-v3
- o$v;
- %<!A
- SVWUj
- %H#A
- %l#A
- %p#A
- %|#A
- tYVU
- SVWU
- VC20XC00U
- %x#A
- %t#A
- 7<{t
- <9~9<[u
- ]<-tA<0|
- ?:u!
- ?,uo3
- 8{ujP3
- >,u<3
- u)ShC
- u3S8_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- >nosju
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- hp9A
- w\t9E
- SUVW
- tG9M
- SVW3
- 5|QA
- 5TPA
- 5xPA
- vIjk
- 5$PA
- 5pQA
- YY;E
- 5$QA
- _^]3
- v5jr
- 5PQA
- 5@QA
- 5$QA

- D$4i
- D$,3
- 5 QA
- 58QA
- 58PA
- T$$3
- 5 QA
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- <%u_
- t3Sj
- >.uB
- t5Sj
- >0uBF
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY_3
- SVW3
- h0:A
- uaSU
- h@:A
- h :A
- h<8A
- tE9}
- 5< A
- h<8A
- j4XP
- tESh
- SVW3

- hp:A
- =8!A
- hP:A
- h`:A
- ht8A
- hX8A
- hT8A
- ?-u.h
- hL8A
- =xV4
- t2VVj
- Hu"9\\$
- SUVW3
- QSUV
- Y_^3
- >F;u
- 97vBS
- tISV
- t-Iu
- t08]
- -x"A
- SUVW
- HSVW3
- UVW3
- u"Ph
- t#9]
- r0j.
- L$4;
- YY_3
- u29]
- ht7A
- hI7A
- h`7A
- WQhP^EMj;h$7A
- t0Sh
- hT1A
- SUVW3
- ShF7
- SVW3
- FY;5
- hL5A
- h|6A
- 5I A
- ht6A
- h`6A
- Z#1j\thT6A
- SVW3
- h82A
- uvj8
- j\thH6A
- 5j9h
- 5,!A
- VWf9
- QSU3
- 9jOh
- hp5A
- SVW3

- hh5A
- h\\5A
- =(!A
- SVW3
- hX5A
- Shg}a
- hT5A
- hH5A
- h<5A
- h45A
- j\th(5A
- t3Sh~
- h 5A
- u3Sh
- hT1A
- QQSV3
- SVW3
- h@4A
- uTVh
- hp4A
- h|4A
- ht4A
- hp4A
- hh4A
- h`4A
- hP4A
- h@4A
- hD4A
- h@4A
- h44A
- u2jY
- 50\\A
- 54\\A
- h(4A
- 50\\A
- 54\\A
- % \\A
- hESB
- % \\A
- QQS3
- = \\A
- 50\\A
- 54\\A
- % \\A
- =0\\A
- 54\\A
- 50\\A
- 54\\A
- 50\\A
- 54\\A
- % \\A
- YY:E
- 5H\\A
- 5L\\A
- YY:E
- u#Vh
- 50\\A

- 54\\A
- 5 \\A
- 5H\\A
- 5L\\A
- % \\A
- 50\\A
- 50\\A
- 54\\A
- % \\A
- - \\A
- 50\\A
- 54\\A
- v%je
- = \\A
- 50\\A
- 54\\A
- )5 \\A
- !5 \\A
- % \\A
- % \\A
- % \\A
- QPNu
- tOSh
- Sh`*A
- Ph@%A
- SVW3
- hh3A
- t3Sh
- XSVW3
- hGj,h03A
- uj"h
- SVW3
- D$8P
- D$8P
- D$8P
- D$80
- hl2A
- PQh19
- j&hx2A;
- hl2A
- PQh19
- hL2A
- zj\th@2A
- h82A
- t6Wh
- t0Sh8f06j
- QQV3
- hx1A
- hh1A
- h\\1A
- VhV>I
- (j\thH1A
- (j\thH1A
- NYYu
- h@1A
- tU9;vI
- lBj\th41A

- hx0A
- hl0A
- h`0A
- j\thT0A
- hH0A
- h<0A
- h00A
- h$0A
- D$0P
- SVW3
- E;l$
- QQSUVW3
- =d\\A
- hX\\A
- t7Phh\\A
- @.data
- `.rdata
- .text
- V5Richz
- V5aW
- V5aW
- !This program cannot be run in DOS mode.
- ?rt9,L^
- =RL~B~
- RFm"
- Pw,
- $Dv:
- C(v@
- XdKbt
- v?yW
- Y;q"V
- y<lR"
- R_ ]V
- xqS}\\it
- D>, w
- +,TnQ
- V\\w^
- v)w<.
- vfc.ZU!S
- dT]N
- ==N`
- }hCv
- ,&My;?
- nmFt
- GT!
- R*V
- tGyw
- Qn>#
- _k*:
- XN@G`
- r'_|
- m@;q
- sB+n
- )w+x
- c?zH
- W=p%
- #>n-4V

- P fh(
- BggR
- b_B#
- Y%rg
- P\tP>
- /=.
- `#Xj
- LY<n
- x)x
- *m{z
- !XEBRQ>
- xd[ '^
- n+P!
- QN\\$
- QrH*|
- ^Cj.
- [GjX
- ;rN}
- Knl`E`
- W:+%
- VBMj
- S'pp
- CrXS
- tnQ
- F(_.
- G[K
- fH\\q
- +& T8V
- R*O? r
- cCqZH
- y|~y
- ZYY|
- :|g~
- hszL
- !C;t
- '!X^Q
- ++H}"
- d;TW!
- H")ky
- B~X{p
- v``q
- VbDy
- zcd]K
- @YyPky_U
- .k,l
- fq;fwZ
- VyX-
- c^ !{
- VK]
- DDwY
- y\tzL
- ~j)Yr
- )*)F
- Y%Tm
- +lNf
- `C[`
- w*Jv

- "-W({
- Dzhz,
- xzL<}
- fx`Z
- X>q@
- z[x`
- *x'^
- K&M;[
- cp`@Q
- dZJ
- J"TE-S
- %.Q4+k
- trdp
- lD~$
- DDLn
- ?NTfl
- yWx_C
- ]qW<
- j'WP
- ;l"y1vr
- s)CVXA
- $>m-4Xp
- rcJ~Q_l+
- #!${|
- EzNQ?]
- Z/Y'
- XWC&
- Pcyqd
- J-@&
- *Nzf
- Z!sW
- k}glnuP
- |-Fj
- ).#K|iJ@
- P-`
- F%h{k
- ' %KQ[V
- [(W.
- );R-
- hSW2gB
- rF^F
- *t?N
- gK^b
- .R#^
- Z'JV
- @n#.
- lFyD
- jl`N=
- 'TRm
- y!DS)"m
- ,R[Xz
- K_y[
- Jkj&G;
- -s\t&
- pqcT
- =TB;
- ][lN

- s%Zr
- !RX&n;
- >^^@
- {vr@
- ,]x=
- Kf./
- C`$^
- ]j\t:
- w`P`
- j%S-
- QJm${,
- YC;{G0
- -{MGg
- =[>IM:
- wcFG
- V#DL
- -Z.D
- W+V\\][
- @MxS
- }#-S
- M\\(fd
- (:*q
- MR]-ht
- Z]Dc
- G+_)#
- !bpZ
- %^N(
- ^-+q
- Tzcs
- CZ,='
- x^<t
- bWQH
- K^ZH
- Q:Xc
- Z"l\\
- [C#R
- 'N&@5l
- CQ^'
- w$Hq
- jbYx
- \\Q\tV
- - w.
- c#_uLR[/klVx
- S]T\\
- \\-wN.
- dP,w
- "gsC
- Wvq!
- h>N{l
- wSc|
- \'L"/
- {}n+
- gT&!r
- ]n}Z}
- g\t\\0lf?H
- b;)}
- &=HVJ

- DQ\\r
- d,w|
- ~rF7dVj$
- VNdmH
- DCSR`
- FzP>
- M"M"q0
- TGN{
- ;*pG
- l_~_
- }h'PR
- F&Q0;d
- \\H -
- m/mR
- :m
- WCxJF
- y|Qx
- R`Hc?b
- K@\tz
- fNx+
- `SL)
- x%T:
- C;fh
- M[^^P
- PZ(fL
- @MN!
- //j\\X
- ?sHL
- C*:bV
- g@NZ
- -y?h'=<S
- *c>}c
- >rk|
- t^,s
- sm^j
- wyR`\\
- <X-F
- d~Xw
- &B;\tBxK
- vpb
- rh;J?T
- KM)]
- ?]L&
- rWDNC
- bb @
- y}+m
- *tB!\\
- 'J)}Ne
- h$G!
- _T*c
- M[sW
- NQLb
- "Zps
- jddsGz
- ]PjTk
- ^'g\\
- f@JjaH

- QR;<l
- #^F(
- b!hs
- ?Lv=
- q/-J,d
- }z'b
- #/S)
- VQq`b
- fDy`
- j[[K
- L^!&@2
- s<rJq
- ]h>`B
- mv-Y
- =xyp
- ~;"L*B
- dX!z
- 8X,W^@
- [r#[
- !7J""k
- +hp"V
- j?^,
- |g>)
- \\w#-z
- X/]z
- !S/C
- mx=?_
- :y;fD
- evfYvR
- +]vs
- -(rZ
- N)Wc
- [cy'}U
- f-{F
- =)Xt
- SRQN^$
- $ ||[J
- s[.}
- m{,$
- {\\m++
- r*["
- tl|-X;Z
- yY>BD"
- z?{wVD
- PT4K;.
- @#B0Z'
- :m$W{B
- 5-yLL _
- d#*b
- v.Lp
- {vNY,
- ksT+
- Vj]k
- R(S.]i
- {]w~
- >%_V
- {cJm

- )dNV
- lppD
- #wB'T
- [<W(
- F#l]
- Z}%FB
- "ajnPr\'
- +k~`
- TL[q
- f{B>L
- :t=L
- DHl
- l)g(
- ZY9<DP
- n<QW
- (/}*
- ):<VcNn
- I"\t=^k
- @`hw
- B[]Y
- S}*Bv
- ,_'SPN
- ri%{Y"
- =zrt
- #gNEnp'
- y/(W
- z^^M
- Z.y'/0l
- m~]z
- 2sr{^@
- {]g)d
- g$G(~
- DTR!
- ryBV7yN
- f!N(mi
- Z8|S$G!
- WN!-
- @[~Uyx
- w;q-
- Hqfj
- X'.%
- qwQqZ
- R.{DH
- t*Dk
- N\tF=
- #"h\'
- :D@(
- =zv`
- dH"(
- Jyc(@
- CM3@_;
- NQp3xM
- Bx(,f
- ~OL`H'
- `);
- D<s;
- :=k_6"V?

- zHw[v
- GBfg
- l>!{
- \\;$K*
- |+f@
- ~pLT^
- <%=j
- w\t_]
- GGqD
- j&KH;&
- nf**Y
- w5svbm
- .C{Ss
- vKz~(
- wdEc~D
- nNDvn
- q$#~]
- -xLS>
- R!]|<p
- k#>N(
- ZD(JY<
- vCyZ
- ]*+G
- c-GCK
- &c;{;
- c/h%
- JS'xc
- st['
- %PH$
- Zm<@
- [$HL
- Qhf%
- n{+H
- #XC}
- PsPY
- KPwZ
- +g&:
- M>J)~y
- ntRC
- @:=\\
- w>FT
- dq"z
- j]$@
- twDy
- yW;^
- B}=R
- hG [
- #@)@
- prv[
- Vt^,y
- Zd?K
- r@}{
- !O<'v#k)
- z|7 g+
- VxJJ
- *+LiDL
- .p:D

- {n!+
- p_j,f
- hfTP
- -l>V.
- (^dZ
- ,ptzZ
- vg>=
- K~|cHr
- Cmr}
- QRp&Ya;
- NQhjS
- f_r]
- {"[+
- t:NC
- $~V)
- g K9f:
- v^E}|-
- H?nTDW<
- IFF/^
- S|-D
- By*(
- FWnv
- ~TvXd
- ZWV(}b
- <sSVyu^
- ^|!:
- ep>z'q
- ]p@J
- kPVZ}
- Q?W'
- <?"t
- !#,s
- |Eq/NJ
- @gkC
- h\\mH
- JY7THbX
- Vjb:l
- h),f
- F\t/J
- L,[J
- r>$V
- NbD'
- #G'N
- @@@@AI@@@@LB@@@@@@@@ODS@@@DWC\\@`@@@@@@@@@@@@@@dfnk@@jF@@DF@@[D@@
-
- PPPP
- vv[[[[[[[[[[[
- [[p[z
- [RRRR[[[[w|w
- [[[[[[[[[[[[js
- d[[[[[[
- JJJJKRJJJJOLJJJJJJJJUE@JJJEYMFJ]JJJJJJJJJJJJJJacgNJJkmJJEmJJDEJJ
-
- PPPP
- ``YYYYYYYYYYY
- }YPPPPYYYYa
- YYYYYYYYYYYY

- YY`}
- YYYYY
- StrSpnA
- StrPBrkA
- StrStrIW
- ntdll.dll
- SHLWAPI.dll
- StrCmpNW
- StrCmpNIW
- StrChrW
- StrChrA
- StrCmpNA
- StrStrA
- StrCpyNW
- CRYPT32.dll
- BsQTt@
- YDVs
- W(,k
- qFv.
- y+Xz
- X\\HR]
- #C(
- s Xf
- lCr
- _]G|
- }-zfD
- _yd@
- ]3<djb
- dH:.
- M(zxF
- `b}V
- -+$VA-_
- )G/K
- ]qBD
- L=rS
- gNbF
- dvt)cz~
- X!PN
- .=R
- .x%;
- s#Kj
- >v@F>vEG>v
- \\>v[
- ,v(7.v
- -v${,v
- .v+E.v
- K/v`w
- d.v)
- -v%9-v
- \\/vWA.v
- <.vQ
- J,vV
- /.vb
- S.vw
- ,vO!.vd
- T/vK
- ,v\t>-v6

- -vQ3.v1#-v&<.v
- *-vQJ.v
- $vhu$v
- _$v@f$v
- $v<j$v
- t+@;
- UQPXY]Y[
- ;t$(v(
- ]_^[
- ]_^[
- t?xH
- Y_^[
- @#Sh
- QSVWj
- _^[]
- SVWj
- tqWVS
- >]ty
- SVWj
- ?"tB
- SVWj
- SVWj
- QQSV
- ][YY
- QQSUVW
- t`SV
- X_^[
- ]$VW
- _^[]
- X_^[]
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- _^[Y
- QQSWj
- _^][Y
- YYVj
- QSVW
- v.VW
- @;D$
- QQSW
- SVWj [;
- j Y+
- @;D$
- <SVW
- t<VW
- t.VW
- YYt$j
- Y_[]
- 9T$,t)
- 9L$(s>
- 9l$ w'jn
- l$ 9L$$
- @SPW

- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[]
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\l$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- ^@[]
- D$$@Y
- $SVW
- <+uH<-
- t%Sj
- _^@[
- ]tRF:
- t[j@
- SPR
- Y_^[Y]
- sPVW
- D$ SS
- PPVh`
- [_^]
- tMSS
- txhmp
- tKVh
- j Y+
- PSSSSSSh
- tZVWS
- t!SW
- tRVh@
- t\tWSV
- FVSW
- t*VS
- *.~j
- S)qj
- t-WS
- t+WS
- _^[Y]
- jdY^
- tbh(
- YYt$
- _^[]
- jxX+
- QZ^&
- HSVWj
- YY_^[]
- Y_^[
- SVWj
- tC@=
- ?@s"9t$

- QQSV
- FYf;
- wDr
- _^][
- @PVh
- @PVh
- @PVh
- D$ P
- PWSS
- PSSS
- QQSW
- j:Xf
- VSSSS
- QQSV
- D$DP
- PWWh6bf
- YShsJ#
- ;D$$
- ;D$ r
- %Qh{
- SVWj
- u\tG;>r
- Shfk
- SPh%=
- t?SSj
- SSSSSSSV
- jHjZ
- Sh"p
- PSSh
- t&Sh;=
- VSSS
- PSSj
- Sh}N
- %>wj
- t-ShD
- uMSh+nD
- tVSh
- h$p]
- tBWS
- t_Whz
- WhsJ#
- Vh(Y
- j\tPS
- t>Ht)Ht
- v"ShM|h
- t Vh
- r j,
- Vh!HSMj
- SSWP
- tySh
- rRVSh
- SSSj
- SSSj
- Shb(@
- @PVh
- PSSSS
- D$HP

- SVVW
- D$pVVSSSSh
- D$`h
- D$@VP
- PQhdn
- $SVW
- _^Y]
- %f+j
- QVWhM
- @_^[
- Vh![
- t(h|
- tRSP
- QQSV
- G;;r
- `SVW
- t$ QhA
- D$LP
- D$pP
- h<gX[j
- D$<Pj
- D$lPW
- D$<Pj
- D$DPW
- D$,P
- D$$P
- D$(P
- DrbRf
- vG+M
- VVVhS
- FYY;5d
- _^][YY
- C,?Wj
- .CRT

## • Module 3 (probably unpacked / injected by the sample)

### • Module 3 rich signatures

- 44616e530000000000000000000000000050c0f0016000000050c5f006100000013085d0002000000000000100510000008308 5d0007000000050c600017000000ec0b5e0001000000050c5a00

### • Module 3 yara matches

### • Module 3 strings

#### • Module 3 most interesting strings

- url | valid domains | tlds: L.CX
- url | valid domains | tlds: *O.SM
- url | valid domains | tlds: name="Microsoft.Windows.Net.ping"
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: g.vA#-v(7.vJ
- registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\{89820200-ECBD-11CF-8B85-00AA005B4383}

• registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\Services\\Tcpip\\Parameters
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: Could not connect object.\'Could not create object named "%1!ls!".1Initialization of the Windows Script Host failed.6Can\'t find script engine "%2!ls!" for script "%1!ls!".!Can\'t change default script host.=An attempt at saving your settings via the //S option failed.(Loading script "%1!ls!" failed (%2!ls!).
• api | frequently used by malware: MoveFile
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: SetTimer
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: CreateThread
• api | frequently used by malware: WriteFile
• api | frequently used by malware: MapViewOfFile
• api | frequently used by malware: LoadResource
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: SetFileTime
• api | frequently used by malware: Sleep
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetVersion
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: Sleep
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: WriteFile
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetTickCount
• registry: Software\\Microsoft\\Windows Script Host\\Settings
• registry: SOFTWARE\\Classes\\%s\\%s
• api | ws2_32: freeaddrinfo
• api | ws2_32: getaddrinfo
• api | ws2_32: getnameinfo
• api | ntdll: bsearch
• api | ntdll: memset
• api | ntdll: _wcsicmp
• api | ntdll: _wcsnicmp
• api | ntdll: wcsncmp
• api | ntdll: _itow
• api | ntdll: wcsrchr
• api | ntdll: _itoa
• api | ntdll: _snprintf
• api | ntdll: memmove
• api | ntdll: memcpy
• api | ntdll: _vsnprintf
• api | ntdll: _errno
• api | ntdll: _vsnwprintf
• api | user32: GetClassNameA
• api | user32: IsWindowVisible
• api | user32: EnumThreadWindows

- api | user32: KillTimer
- api | user32: PostQuitMessage
- api | user32: DefWindowProcA
- api | user32: SetWindowLongA
- api | user32: GetWindowLongA
- api | user32: CreateWindowExA
- api | user32: RegisterClassA
- api | user32: GetClassInfoA
- api | user32: CharNextA
- api | user32: LoadStringA
- api | user32: LoadStringW
- api | user32: PostMessageA
- api | user32: SendMessageA
- api | user32: MsgWaitForMultipleObjects
- api | user32: PeekMessageA
- api | user32: GetParent
- api | user32: PostThreadMessageA
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: DispatchMessageA
- api | user32: GetMessageA
- api | kernel32: GetModuleFileNameA
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetLastError
- api | kernel32: GetStartupInfoA
- api | kernel32: GetModuleHandleA
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedIncrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: OutputDebugStringA
- api | kernel32: RtlUnwind
- api | kernel32: TerminateProcess
- api | kernel32: GetCurrentProcess
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: lstrlenA
- api | kernel32: FreeLibrary
- api | kernel32: LoadLibraryA
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetVersionExA
- api | kernel32: FormatMessageA
- api | kernel32: LocalFree
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetEvent
- api | kernel32: CloseHandle
- api | kernel32: CreateEventA
- api | kernel32: GetACP
- api | kernel32: FindClose

- api | kernel32: FindFirstFileA
- api | kernel32: GetFileAttributesA
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: GetCPInfo
- api | kernel32: GetUserDefaultLCID
- api | kernel32: FlushFileBuffers
- api | kernel32: CreateFileA
- api | kernel32: GetTempFileNameA
- api | kernel32: GetTempPathA
- api | kernel32: GetSystemDirectoryA
- api | kernel32: GetConsoleMode
- api | kernel32: GetStdHandle
- api | kernel32: HeapReAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: LoadLibraryExA
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetFullPathNameA
- api | kernel32: GetFullPathNameW
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetPrivateProfileIntA
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateFileMappingA
- api | kernel32: GetFileSize
- api | kernel32: CreateFileW
- api | kernel32: FindResourceExW
- api | kernel32: SetLastError
- api | kernel32: LoadLibraryExW
- api | kernel32: CreateFileMappingW
- api | kernel32: GetVersionExW
- api | kernel32: GetLocaleInfoW
- api | kernel32: GetSystemDefaultUILanguage
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: SearchPathW
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: GetCommandLineW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExA
- api | kernel32: RegQueryValueExA
- api | advapi32: IsTextUnicode
- api | advapi32: DeregisterEventSource
- api | advapi32: ReportEventW
- api | advapi32: LookupAccountNameW
- api | advapi32: GetUserNameW
- api | advapi32: RegisterEventSourceW
- api | advapi32: ImpersonateLoggedOnUser
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegQueryValueExW

- api | kernel32: RegSetValueExW
- api | advapi32: RegDeleteKeyA
- api | advapi32: RegQueryValueA
- api | advapi32: RegOpenKeyA
- api | advapi32: RegSetValueA
- api | advapi32: RegCreateKeyA
- api | kernel32: SetThreadUILanguage
- api | urlmon: CreateURLMonikerEx
- api | advapi32: SaferRecordEventLogEntry
- api | kernel32: HeapSetInformation
- api | advapi32: SaferIdentifyLevel
- api | advapi32: SaferComputeTokenFromLevel
- api | advapi32: SaferCloseLevel
- api | user32: CharNextExA
- api | ntdll: strpbrk
- api | ntdll: memcpy
- api | ntdll: _stricmp
- api | ntdll: strspn
- api | ntdll: strncmp
- api | ntdll: strchr
- api | ntdll: atoi
- api | ntdll: atol
- api | ntdll: toupper
- api | ntdll: _errno
- api | ntdll: memset
- api | ntdll: memmove
- api | ntdll: isdigit
- api | ntdll: tolower
- api | ntdll: _vsnprintf
- api | ntdll: _strnicmp
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedCompareExchange
- api | kernel32: OutputDebugStringA
- api | kernel32: RtlUnwind
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: TerminateProcess
- api | kernel32: GetCurrentProcess
- api | kernel32: DosDateTimeToFileTime
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SetFileAttributesA
- api | kernel32: GetFileAttributesExA
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: CreateFileA
- api | kernel32: GetLastError
- api | kernel32: CloseHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: HeapSetInformation
- api | ntdll: RtlIpv4StringToAddressA
- api | user32: CharToOemBuffA
- api | kernel32: FormatMessageA
- api | kernel32: UnhandledExceptionFilter

- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | iphlpapi: GetIpForwardTable
- api | iphlpapi: IcmpCreateFile
- api | iphlpapi: Icmp6CreateFile
- api | iphlpapi: IcmpSendEcho2Ex
- api | iphlpapi: Icmp6SendEcho2
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: GetIpErrorString
- api | ntdll: _except_handler4_common
- api | ntdll: memset
- api | ntdll: isspace
- api | ntdll: strtoul
- api | ntdll: memcpy
- api | kernel32: SetThreadUILanguage
- api | kernel32: HeapSetInformation
- api | kernel32: GetLastError
- api | kernel32: LocalAlloc
- api | kernel32: SetConsoleCtrlHandler
- api | kernel32: LocalFree
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: GetLocaleInfoW
- api | kernel32: ReadFile
- api | kernel32: SetStdHandle
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: GetOEMCP
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: IsValidCodePage
- api | kernel32: IsValidLocale
- api | kernel32: EnumSystemLocalesA
- api | kernel32: GetUserDefaultLCID
- api | kernel32: CloseHandle
- api | kernel32: SetFilePointer
- api | kernel32: FlushFileBuffers
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter

• api | kernel32: GetStdHandle
• api | kernel32: HeapSize
• api | kernel32: GetCurrentProcess
• api | kernel32: TerminateProcess
• api | kernel32: IsBadWritePtr
• api | kernel32: VirtualAlloc
• api | kernel32: VirtualFree
• api | kernel32: HeapCreate
• api | kernel32: HeapDestroy
• api | kernel32: VirtualQuery
• api | kernel32: GetModuleFileNameA
• api | kernel32: GetSystemTimeAsFileTime
• api | kernel32: GetCurrentThreadId
• api | kernel32: HeapReAlloc
• api | kernel32: GetCPInfo
• api | kernel32: LCMapStringW
• api | kernel32: GetLastError
• api | kernel32: MultiByteToWideChar
• api | kernel32: LCMapStringA
• api | kernel32: GetCommandLineA
• api | kernel32: GetStartupInfoA
• api | kernel32: GetModuleHandleA
• api | kernel32: HeapFree
• api | kernel32: HeapAlloc
• api | kernel32: RtlUnwind
• api | kernel32: GlobalAlloc
• api | kernel32: GetSystemTime
• api | kernel32: GetModuleHandleW
• api | kernel32: LoadLibraryA
• api | kernel32: GetCurrentProcessId
• api | kernel32: DeleteCriticalSection
• api | kernel32: InitializeCriticalSection
• api | kernel32: RaiseException
• api | kernel32: GetVersionExA
• api | kernel32: GetLocaleInfoA
• api | kernel32: GetACP
• api | kernel32: InterlockedExchange
• api | user32: MessageBoxA
• api | user32: GetActiveWindow
• api | user32: GetLastActivePopup
• api | user32: GetUserObjectInformationA

**• Module 3 other strings**

• en-US
• TYPELIB
• Source: \t%6!ls! WScript - Script Execution Error!Windows Script Host Remote Script/Remote script object can only be executed once. Unable to execute remote script.
• Code:\t%5!lX!
• Error:\t%4!ls!
• Line:\t%2!lu!
• Please use the ANSI version of WScript.
• #WScript Error - Windows Script Host!Input Error - Windows Script Host!This Unicode version of WScript will only execute under Windows NT.
• //X\t\tExecute script in debugger
• //T:nn\t\tTime out in seconds: Maximum time a script is permitted to run
• //S\t\tSave current command line options for this user

• //Nologo\t\tPrevent logo display: No banner will be shown at execution time
• //Logo\t\tDisplay logo (default)
• //Job:xxxx\tExecute a WSF job
• //I\t\tInteractive mode (default, opposite of //B)
• //H:WScript\tChanges the default script host to WScript.exe (default)
• //H:CScript\tChanges the default script host to CScript.exe
• //E:engine\tUse engine for executing script
• //D\t\tEnable Active Debugging
• //B\t\tBatch mode: Suppresses script errors and prompts from displaying
• Options:
• Usage: WScript scriptname.extension [option...] [arguments...]
• Windows Script Host(Windows Script Host (debugging disabled)
• Win32 Error 0x%X
• Invalid #codepage directive.
• (Script setting file "%1!ls!" is invalid.
• Command line options are saved.4The default script host is now set to "wscript.exe".4The default script host is now set to "cscript.exe".,Successful execution of Windows Script Host.3Successful remote execution of Windows Script Host.
• <The Windows Script Host settings have been reset to default.
• Unable to find job "%1!ls!".
• Missing job name.*Unicode is not supported on this platform.
• Can't read script from stdin.%//CP option requires code page value.(Invalid code page value for //CP option.
• Need -E option.)-E option requires name of script engine.
• Invalid pathname.
• //H option requires host name.8Host name for //H option must be "cscript" or "wscript".6There is no script engine for file extension "%1!ls!"."Can not find script file "%1!ls!".
• Command line option mismatch.\'There is no file extension in "%1!ls!".
• "//T option requires timeout value.%Invalid timeout value for //T option."Unknown option "%1!ls!" specified.,Extra argument specified to option "%1!ls!"."There is no script file specified.
• Loading your settings failed.,Execution of the Windows Script Host failed.,Unexpected error of the Windows Script Host._Windows Script Host access is disabled on this machine. Contact your administrator for details.<Attempt to execute Windows Script Host while it is disabled.SAttempt to execute Windows Script Host remotely while remote execution is disabled.
• Script execution was terminated.1Could not locate automation class named "%1!ls!".
• WScript execution time was exceeded on script "%1!ls!".
• value
• Options:
• Usage:
• Please use the ANSI version of Windows Script Host."
• This Unicode version of Windows Script Host will only execute under Windows NT.
• Windows Script Host Input Error
• Windows Script Host Error
• (Windows Script Host (debugging disabled)
• Windows Script Host
• Translation
• VarFileInfo
• 5.8.7600.16385
• ProductVersion
• Windows Script Host
• Microsoft
• ProductName
• wscript.exe
• OriginalFilename
• Microsoft Corporation. All rights reserved.
• LegalCopyright
• wscript.exe
• InternalName
• 5.8.7600.16385
• FileVersion

- Windows Based Script Host
- Microsoft
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- TYPELIB
- MUI\\%04hx
- MUI\\0409
- %s\\%s.mui
- .\\%s.mui
- Locale
- kernel32.dll
- null
- Options
- Path
- ScriptFile
- Remote
- 0x%8X
- WSHRemote.Execute
- ar-SA
- ca-ES
- da-DK
- de-DE
- el-GR
- en-US
- es-ES_tradnl
- fi-FI
- he-IL
- hu-HU
- is-IS
- it-IT
- ja-JP
- ko-KR
- nb-NO
- ro-RO
- ru-RU
- sq-AL
- sv-SE
- ur-PK
- id-ID
- uk-UA
- be-BY
- sl-SI
- et-EE
- fa-IR
- vi-VN
- hy-AM
- az-Latn-AZ
- eu-ES
- tn-ZA
- xh-ZA
- zu-ZA
- af-ZA
- ka-GE

- fo-FO
- hi-IN
- se-NO
- sw-KE
- uz-Latn-UZ
- tt-RU
- bn-IN
- pa-IN
- gu-IN
- or-IN
- ta-IN
- te-IN
- kn-IN
- ml-IN
- as-IN
- mr-IN
- sa-IN
- bo-CN
- lo-LA
- gl-ES
- kok-IN
- si-LK
- iu-Cans-CA
- am-ET
- ne-NP
- ps-AF
- ha-Latn-NG
- yo-NG
- quz-BO
- nso-ZA
- ba-RU
- lb-LU
- ig-NG
- ii-CN
- moh-CA
- ug-CN
- mi-NZ
- oc-FR
- co-FR
- sah-RU
- wo-SN
- qps-ploca
- ar-IQ
- de-CH
- en-GB
- es-MX
- fr-BE
- it-CH
- nl-BE
- nn-NO
- sv-FI
- az-Cyrl-AZ
- se-SE
- ga-IE
- uz-Cyrl-UZ
- quz-EC
- ar-EG

- de-AT
- en-AU
- es-ES
- fr-CA
- se-FI
- quz-PE
- ar-LY
- de-LU
- en-CA
- es-GT
- hr-BA
- ar-DZ
- zh-MO
- de-LI
- en-NZ
- es-CR
- fr-LU
- ar-MA
- en-IE
- es-PA
- sma-NO
- ar-TN
- en-ZA
- es-DO
- sma-SE
- ar-OM
- en-JM
- es-VE
- ar-YE
- en-029
- es-CO
- ar-SY
- en-BZ
- es-PE
- ar-JO
- en-TT
- es-AR
- sr-Latn-ME
- ar-LB
- en-ZW
- es-EC
- ar-KW
- en-PH
- es-CL
- ar-AE
- es-UY
- ar-BH
- es-PY
- ar-QA
- en-IN
- es-BO
- en-MY
- es-SV
- en-SG
- es-HN
- es-NI
- es-PR

- es-US
- az-Latn
- iu-Cans
- uz-Latn
- iu-Latn
- ha-Latn
- bs-BA-Latn
- sr-BA-Latn
- sr-Latn-BA
- iu-CA-Latn
- iu-Latn-CA
- bs-Latn-BA
- WScript.CreateObject
- WScript_OnScriptTerminate
- Windows Script Host
- LogSecurityFailures
- regserver
- unregserver
- embedding
- logo
- nologo
- IgnoreUserSettings
- LogSecuritySuccesses
- UseWINSAFER
- TrustPolicy
- false
- DisplayLogo
- Timeout
- Enabled
- \\ScriptEngine
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- makecab.exe
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- makecab.exe
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Cabinet Maker
- Microsoft
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- Kernel32.dll
- en-US
- Translation

- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- ping.exe
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- ping.exe
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- TCP/IP Ping Command
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- kernel32.dll
- aD 3
- h+;(E
- p4+S
- NEr&
- p,a#
- WC3G}[o
- p;z58p
- |iA/;
- &9lm
- k#ip
- Pokn
- !NA5
- oQA63
- gU(5
- 2[,
- S]V.1,jL1
- t+55
- >i2u
- b8Ik
- U_F)
- }ebk
- do#?
- w">0~+a
- YJAX=is
- k9HAVDI
- n;8v
- /AW6
- q\\u^S
- s.T_o
- iR52
- wT9F
- ,A)v
- OZD/"
- Q" #e

- hk9n
- wo!S5
- `3q:
- X93uD`
- )QB9kN5
- &9SdrI
- tfj4=
- ROmS
- qZdi
- [U!i
- o|Lp
- Cj1#
- *E^+
- Ya{g
- "*k5
- n^,A8
- ]?zOd
- @JN0
- aU$zH
- -'6OD
- ly9FO
- V'Di
- _TNAB
- %@Jo
- OZ}*
- /UC\\
- 3T."
- 2u3o
- 3W|s
- nOTi
- l\\?c=!H4
- E7}gD
- " Uk
- ?6T1
- [A\\w
- P`9K
- oGd%
- Y4:=
- 8n8M{#1
- HP}i
- ? 9q
- V4o#
- u:dG
- zmI
- AH ej
- LM0*
- <"OI
- {96bh
- .xU4
- JAY]
- E~;V
- o4GC
- x^8xH
- e<,h
- m54tT6rH
- `-Ca
- k3H@

- V73wq<i\\
- h3ta
- ,i%k
- V8l8
- "vR9
- KZ~7G
- i3/h
- ?8'
- 72t8m
- x{/46
- [F(a
- |RaJ
- H75_h
- 3%m_
- 9ph7
- ra:N
- ,5s9
- {[05d
- pUDz
- 0 MNY
- \\9-v
- EAvT
- ] Zo
- L4t~#6?
- ":2Ps
- I,^B
- uSfrj
- MoSp
- E[0"
- 09m8
- )pad
- b9.;7
- 7]6W%
- inzN
- !WRE
- V5("7
- if`85
- 0z=U
- P9JE$
- A}TE=
- PE^h
- $~yu$
- Ibf`
- \"':U
- &0]
- ?!MUy
- #PM5
- Dusg
- 6Rg`
- &Qza7;
- +jeWv
- id-tn
- OB,S
- 7hW>
- 8s#6
- /gA|
- f!{e

- ..0W
- jL5r
- etnr
- iKd}
- }b4_p
- {@V4
- ?8J(7Z
- ].1?o
- t(5S
- `P6T
- 5>O'I
- (t2Aa_P
- q!(9
- Gm9O
- &(A3
- 3\tPQ(
- 3lg.t3u
- {)a,
- 2({1
- U[dJ
- wbai
- A<XP
- urdW
- 6!5M
- <4V?
- UGHv(
- [D}e>
- Pcl1
- t6;g
- ;4\t~
- l"|=-
- ~IOD
- TEvC
- uy}PTd3
- VoHX
- ]>)9
- orCB
- &\\2,Wa
- vtie
- URQ:
- Jq}1
- '5A-!7
- j@.E
- dW32
- Ml5G
- e=kN
- r'EuE
- uR z
- I@V&x;
- 1abj
- uCu{%g
- PUN7
- GNp=u
- 3GP
- 2*{c
- Asz%
- Z<'OMA

- coQa
- XY1S
- *0R'
- (HoN
- $L[8
- =E2b
- T$1O%
- <4yv
- 3<V5`H
- u-x&%
- 6ldj%
- 4N)-
- KiYsO>
- _JI
- f0r@s
- E_=k
- '5op.
- ulST
- 7-v7
- ylnELReL!l
- ,WAm
- 51Ta
- A9D'
- ce)m
- P`H4
- u.y]
- i'n)
- hp8j
- h`e8(
- bCL4
- :(e}
- 3W`f
- r3PA
- g;10
- ~97y
- |u'9
- uq6U"
- )1qC#
- O0{kB
- E{c=
- ie,-
- 9\\+(
- hO{ol
- 6>QS
- ;EPk
- cj-9K
- [ U^Z
- tkh5r
- CKiD
- qw79
- a<xLn
- t9%g
- U+,<5
- J1x#
- moBq
- _U"A
- wHh8C

- i?ZgU
- f9dW(
- cFS0
- %n'u
- 5j(RQ
- WX:I
- 3YtS
- sE=l
- %cuQd
- Rno~
- %zl8
- 2PWx
- ocmBe@
- EOgq
- mzek
- =1P;^
- e"Ml
- t^l4/
- BJeF04
- "4EP
- e?RaCT
- j8sQ
- CgvI
- cD|.3
- .1oN
- lw}&
- 14s4K
- Emf.0H
- [`6%
- l86*
- =GE'
- CsIc
- vAV.S
- ysaa
- ;'A<
- p`4S5
- tp5<!
- t7mU
- A\t*wt
- @&ke0;
- `y;U63
- ??4'
- x;IbC
- [wAQ
- ul";i
- Oj--
- :3v!
- =]-O
- tR1x
- dzE+
- 8IZ/
- BE'M
- ^B5T
- I(W&>
- r6 (N2
- ~)qqO
- D/82

- XD|>E
- 6A|9
- EFW{
- L%(Pe
- w$94
- kUu$
- CxEE6
- }mEl_
- ItT1
- eHZB
- bDUl
- kxeN
- DL4]h
- HDiJ]0d
- Yig!I
- M1fq
- 'i1:
- OSlx
- u<Hm
- U 9h
- O}!M
- k;'^I
- 8 L4
- 0q'U[#
- iQ0j
- CO_mY
- uySf
- CO[5
- 7l{K
- wmZi
- x8_e
- ?cN82
- abf1
- S1w\\
- aVpXI<XL
- #WQ3E
- +Bs4
- fugS
- EG}y
- .;~i
- a;74
- b7Q3
- A[>UM!
- susV
- Fs@o
- @tTI
- i8#i
- oDyesQ
- ikX.k8
- aK[3
- peg/s
- sL!3
- 2Q>m
- V k{i
- I6;N
- a0o^
- gJ)2

- >0=@
- 3A>$
- EMos
- L_6>:1
- 7(8n
- h!j:U9
- D]u/
- s:@O
- o+4I
- zY0{E
- -:Ho
- }uHNc
- T{O\ta
- (c7/
- M31C
- :\\\ta
- l\\D+2
- :D+E?
- 1&>/@
- CA-[x
- fWo9uPc
- U:P
- <hfi
- RE?l
- SZ!z2
- g2k84=
- .1kU
- $7vA
- oHp2
- 3!pf4
- QA-<
- IKQn
- "RI-z
- %U)Ls
- +GEg
- ei`<
- $LC2L
- Y!9EW
- |)uT
- bp\ti
- \\KG8
- 2:6*
- 4VlQ
- m 6I|
- PgOq
- f4;a
- nl0CG
- >4o=
- OTjY
- Ckj1N5<Vm
- ZzCA
- :oI7
- 5UkF
- 6o(-
- WFt4i
- D)1/J
- #0^A

- h!Nu`
- &^d2AXKDO
- 8Per
- 3]s+
- %OS:Z
- !aqi+
- i2YY
- Wq*u
- oSz"e
- @Kxu
- FnI!
- ^;&!2
- n4Zg"
- ?*y3
- >OSv
- Q0YY0
- q:>12
- 2OKrr
- BG"8o
- Az\\X
- w~|1
- }X3$
- !D(0
- [2P?
- {!iC
- UM:9b<V
- [Z7M
- 7\\?f
- aN=~
- e,yP
- 0&l;*7
- \\3T:
- 'D`e
- vb1L`
- V:V6
- czue\\8se
- (l8o0g~b?I
- Ie@]
- pe5@
- a/l)
- 'm0m
- ?.M7
- HU{3
- 9pO*E
- 0;/de
- iV-p
- f.aQ0
- |HAw~
- #.tUj
- !7`z
- *I,/,
- Rsn1
- )k0}9
- wU]?
- =-35
- =:Et
- H<Ju

- zQ0
- U$I
- z#9Q
- oAQq
- #"no
- g"-1
- H#A-
- /1@_
- ^6G!
- :\\Jo
- &3/*
- 0P\tG
- ExO"
- {'?i
- jQAr
- NCwI8
- MO1$
- ?Q]Ip
- 4WeQ2
- GO\tIV
- \\^<U
- @|9E
- ;3M`AV
- ^x[B1
- ;7Di6
- (1}I
- +:5cl
- W]joL
- BI/#
- \\c8h`yad
- /wEP
- YYfO
- aR7/
- ye4n
- vC6kF
- h8%:
- U7U#
- ~~J6
- #OvZ
- |oN0
- e4pP
- Ga]9
- 2@O.
- RM5y
- *fD2
- S(6Y
- 4B~wB
- hIQ}
- X3SD
- 9{Q)*
- 2h,s
- '|s2
- %/HE
- /$iL
- TUjl
- 0aMh5C
- E&n6;_

- Q4 `r
- Eoe.F
- Gyk_.5[o0
- i:.f
- !Aj'
- vqQ9R
- UPQ>
- g"oI
- qWF0t
- BU_DM
- ]|=u
- L!o'y
- U6\t@
- wtNA
- `E}\\
- Guj*
- Eky|e
- AnK8
- 1zJB
- UXSf
- ga#t
- ~IhH
- UShM-
- -Ahk
- MrV=A
- ,8,C
- oLVi
- 8]`MA>cBA
- 71ya
- 4?)}
- 35z7
- e&;{w
- :*5L1g-
- /#0=
- U]n::
- \\i]
- Ba$+
- 641U1
- 3q`o-
- MRJu
- hYf3
- &(u{
- <\tF9
- Px8%CLih<
- }8u&K;
- ,0jl,
- $FuL
- .8[@
- Ca}M
- (Gv8
- X4g?
- 35tE
- E_n#
- Ls&En;*T&U;
- /Avm
- Am\t;
- \\jwka

- IoZX
- *UPB
- x8zN0
- D5(,
- ;"As
- 3*d7
- O[}GD
- Ub\\9
- %~C;I
- z|KA
- e^(U\t-]
- ^\\WI
- a.45|$-0
- 0K)y
- #1N5#
- T7[=
- |T4z
- Uc}B
- '}9w
- EEEMz
- 4vTl
- L{0s
- xRAS
- _i+bZ
- 0sO$
- 3Xj_
- 8/m7
- 9R0]
- <)6#
- e c]4%|t
- QYZ1
- ]BeD
- CT@6|
- cL6O
- .i%!
- W>J1
- 1+}"
- B:pA
- OKsS
- C&4c
- /:o|
- V&O;(
- 5gJ9
- OSMV3
- U[!
- neyj
- ({M1
- T9{N
- +s30P
- uf-#
- B'(eW
- O}>.?
- O){y
- 3Q@h\\
- 7WQj
- j&lj;
- s0/H

- E88.
- ::XU
- {U$^
- Hz u
- c6/qV
- 2x{bC
- 'Oh
- -Q5Q
- DMe+A8
- .x_i
- b /9
- aw5N
- 7~A]
- | HI
- bJ66
- N|T3>
- A&YS;
- buD-
- ?3)H_
- Y+UZ
- 5-NL
- E5\\E&W;
- ;(3z
- zZamG
- &icDJ;
- pD1D
- z2DM
- 1aA/
- 33n3:
- Aq8^o)
- &X45;
- y/cu
- -^8n
- l/aP1-`)B
- I>Rn
- 4C8e
- XH5`
- )fe|
- @)Of
- IU5/
- uh3-lG6
- C`[[1
- 9pD#
- "ko8
- 73?r
- Qer*
- mM3&L;
- H{|0
- J{Ukf
- $E;%
- IHrt
- ;62{Jo
- Cyow
- Te%Y0l
- 44)
- hcJchAhcJchAhcJcaCaaCaaCga[aTvTT\\hhMaaSa]Cca*
- 44zk

- 441j
- HHe
- O.2G
- "A/B
- 3vXW
- >f9oq
- he?}
- 464Q
- nyL2o
- FVj2
- e9~(
- #9Ec
- 2:87
- ;-|9
- U'=T
- Rle.
- 0dZfE1
- E-)'
- SMUy
- &^1x
- L3qu
- E2\\k[
- hh/I
- *tNko0
- -U!w
- \\wQu
- 3%ZW
- kzI0
- 9\\\tk3
- f~/I
- ouPlf
- Qi9}Dk
- E-)\tl
- fRlE
- &{aQ
- @8h-
- D es
- #\\74
- 44b;@
- j44j
- m44b
- 44l4
- 44b3H-
- @7#@
- #|l44b
- 44b;
- 44b;
- b3#}M4
- #5z44
- #K|44b;H-
- n44d
- u(H#
- `44b
- #K`44
- #U`44
- ?#0B4
- @*#a

- @/#e
- 44b;
- BH3
- w44b
- 2@<`
- 7#<74
- #p64
- b3@.
- 44b3
- 4#~54
- #h44
- b;#[54
- 44b0N2
- 44b;
- #7g44
- I44b3
- b08L@
- Np34
- [E54
- b2@3
- b2@3
- [M54
- 2bC+
- b2@3
- b2@3
- [u54
- b2@3
- b2@3
- []54
- Ca54
- Ci54
- b2@3
- ?b2@3
- 2@a{
- :@2b
- ;@3@2
- 44b{[
- b2@3
- b2@3
- 4@YC
- @y75
- :@2b
- @y'5
- :@2b
- @a+5
- 3@y/5
- #"54
- 5HM
- 444b
- 4#U!4
- 3@?#
- V%64
- /#|'4
- V!64
- 44`
- #594
- #0\t44b

- ;#%%4
- 7@?#n
- F44a
- 3#f)4
- ##?4
- ;#8)4
- #d?4
- 7@/4
- #m/4
- #y/4
- 7#)/4
- #"=4
- 7N)@
- @.#o
- #%34
- 3@/#
- 3@/#
- 4@1@
- ##[-4
- ;#6-4
- +#i#4
- #e#4
- 7@/#]
- 7#'#4
- 7#c>4
- #W04
- #M74
- )8`j
- FE54
- ?b0B
- 3#g>4
- 0h"Q
- #~<4
- 44h1q|
- H)4H84N
- ;@.4
- #_24
- 4H!4
- @9J)y
- Yh2(|
- b!#474
- #r64
- H44j
- #9v44
- 0"S54
- =8K*
- H(0H
- 7H)3B
- H(0H
- 8 5F
- 7H)3B
- O)";
- u*H#
- #'74
- '<3H
- #\\64
- #O)4

- H'4F
- @1(4
- u H2
- #^64
- R44j
- U44b
- ##B(4
- U44b
- p# (4
- @5(,
- @8(%
- #O74
- #]64
- #754
- #$44
- FN%04
- FN%04
- b3@.
- Fl?6
- #3"4
- Fl'0
- b;<7
- @;j54
- FNq54
- 4:@3
- /44b;
- #6.44`
- #44b;N
- #44b;
- #I84
- #-84
- #3$44
- =#R64
- #~'44
- 44b;H-
- b3@.
- 44b;
- #0944
- 3@*4
- b8N2
- #[54
- #i24
- #-54
- +8BF
- 3 >#j?44
- #3?44
- 4<6#
- N=64
- FN164
- @;j54
- 44bG
- H)4H84N
- :+@e
- :+@e
- b9H'
- @'j/3
- 4?@Fq54

- o55qS.
- IB`$$
- 5@#<
- J@3(
- b1<>
- b5<>
- b2<>
- @9dO
- Utu(
- 3J$7(
- '@3FO
- b2<>
- b1<>
- @3FO
- @3FO
- b2<>
- s@0F
- ;@0F_
- 3b;<?
- @0F_
- b2<>
- b5<>
- #!64
- #'?4
- 7b;B
- b5#Z44
- 44b;
- 44b;
- @58$
- H!4"
- 3b3#
- b3#[
- b8#E
- b<#>84
- 44b;
- ey+@
- #m<4
- i@3: N
- 44H/
- #d<4
- #)14
- #(24
- QCIc
- #[24
- 44H/
- #264
- =H+4H?4N
- @3H/
- @8H)
- 44l4
- #'64
- #~44
- #I44
- 4<p#
- 34?N
- #t54
- #+24

- 3B``B4
- <b0F
- 83@
- Fl'0
- #j54
- ;b;4
- b3#0l
- ?j34
- 44bF
- 8`bN
- HTo5
- BVI54
- Flo5
- b#4?t
- FN564
- Fl/5
- #2244
- Fl#0
- asko
- 44`N
- 44`N
- 44`N
- 3#,64
- b3#^74
- HT#5
- @l/5
- F\\+5
- #P84
- #w?4
- #J?4
- #]>4
- #;>4
- #e=4
- #:<4
- 44pH
- @;b1J/O
- V3H-
- 4@|'7
- Fl{5
- FdK6
- j7)+
- @3(,
- b;#A
- 4jQ<
- 2FN564
- =FNY04
- Fl{0
- @*#@7
- @*#s7
- 44b;
- @;b3#
- 7#.44
- 7j34
- b3#V
- 4>FO
- @;j54
- 4@1N

- ;4>H3
- @.data
- `.rdata
- .text
- .?AVtype_info@@
- .?AVbad_alloc@std@@
- Copyright (c) 1992-2001 by P.J. Plauger, licensed by Dinkumware, Ltd. ALL RIGHTS RESERVED.
- .?AV_Locimp@locale@std@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVcodecvt_base@std@@
- .?AV?$basic_filebuf@DU?$char_traits@D@std@@@std@@
- .?AVbad_cast@@
- .?AV?$basic_ostream@DU?$char_traits@D@std@@@std@@
- .?AV?$basic_ios@DU?$char_traits@D@std@@@std@@
- .?AUctype_base@std@@
- .?AVfacet@locale@std@@
- .?AVfailure@ios_base@std@@
- .?AVruntime_error@std@@
- .?AVexception@@
- .?AVios_base@std@@
- 4$404<4H4T4`4l4x4
- D0T0X0d0t0x0
- 2N3a3l3w3
- 0J0 1,1G1d1
- 8$979K9p9
- 7)8<8Q8X8
- 5,6H6p6
- 4 4(40484@4H4P4X4`4h4p4x4
- 3/3A3U3^3i3w3
- 2+2@2m2y2
- 1$1I1e1s1
- &0/0^0
- ? ?8?
- =W>e>
- 8\t999I9]9h9
- 7h7x7
- 555m5s5~5
- 0A0Q0r0
- 6L7c7
- 5J6a6
- 9\t:6:
- 3K4e4
- (1-1
- ;o;w;
- 6)6:667D7
- 455\\5
- 373[3
- 1"2+252
- 8#9D9d9
- 353]3
- 0\\1p1
- =9=E=
- :O;b;
- 9[:n:
- 878[8q8
- 7b7{7

- 5%6?6L6Y6t6
- 2!383M3
- 1T1b1
- 0S0f0
- >->I>
- 2+5Z5
- 4W5o5
- 4&4V4
- 2-3k3
- !0)0A0C1I1O1U1[1a1g1m1s1y1
- <2<8<
- 8&919\\9x9
- 8*8>8J8
- 777y7
- 535_5q5}5
- 3(4g4
- 3%3W3
- 2%2e2
- 7Z7h7m7
- <$=5=
- 9P:Z:
- 7K7q7
- 6 6(60686@6H6P6X6`6h6p6x6
- 5 5(50585@5H5P5X5`5h5p5x5
- 4 4(40484@4H4P4X4`4h4p4x4
- 3 3(30383@3H3P3X3`3h3p3x3
- 2 2(20282@2H2P2X2`2h2p2x2
- 1 1(10181@1H1P1X1`1h1p1x1
- 0 0(00080@0H0P0X0`0h0p0x0
- 9 9,989D9P9\\9h9t9
- 8$808<8H8T8`8l8x8
- 7(747@7L7X7d7p7|7
- 6 6,686D6P6\\6h6t6
- 5$505<5H5T5`5l5x5
- 4(444@4L4X4d4p4|4
- 3 3,383D3P3\\3h3t3
- 2$202<2H2T2`2l2x2
- 1(141@1L1X1d1p1|1
- 0 0,080D0P0\\0h0t0
- 4H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 484P4
- 1!292R2
- ,090
- 8%9*9H9M9g9l9
- 8=8Y8l8
- 577B7
- 4=5Z5
- 4A4P4l4
- =?>I>
- 839`9
- 6R7z7
- 5&5H5\\5
- 2o3/4
- 1p2v2
- <4=I=
- 9&9-939
- 8Z8a8g8

- 7[7k7r7x7
- 34484Q5W5
- 353<3C3V3d3l3v3|3
- 2+222]2
- 8Z9q9
- 6!8L8n8s8
- 5C6|6
- 3a5z5
- 3'3u3
- 1.191>1[1
- !0-0S0n0
- ?U?e?
- ;@;E;
- :i:|:
- 7#737
- 5N6j6
- 2.242
- 050K0W0`0
- >2>I>O>x>|>
- =E=m=
- 5j6q6
- 4*4y4
- 2F3[3
- 1,2Q2q2
- 0h1|1
- )0B0K0}0
- 8 8$8(8,8084888<8@8s8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5
- ;WSHRemoteWWW
- EndW
- IWSHRemoteEvents,
- punkSourceWW,
- ebstrCmdLineW
- CreateScript
- 'BpperrorW
- ErrorWWW
- pstatusW
- +StatusWW
- yLTerminateWWW
- ExecuteW
- 8nBIWSHRemoteWW
- 'pulErrNumWWW
- -NumberWW
- pbstrSourceTextWd
- 19SourceTextWW
- HpbstrSourceWd
- SourceWW
- iCCharacterWWW
- ypcLineWWd
- Line
- DescriptionW
- IWSHRemoteErrorWd
- 8Finishedd
- RunningW
- &NoTaskWW;
- WSHRemoteLibrary

- stdole2.tlbWWW
- Unnamed Arguments Collection ObjectWWW
- Named Arguments Collection ObjectW#
- Arguments Collection ObjectWWW!
- Windows Script Host Object
- Unnamed Arguments Collection Object InterfaceW
- Named Arguments Collection Object InterfaceWWW-
- Arguments Collection Object InterfaceW+
- Windows Script Host Application InterfaceW%
- Windows Script Host (Ver 5.6)W)
- IWSHUnnamedArguments_ClassWW
- 8KaIWSHNamedArguments_Class
- 8bgIArguments_Class
- IHost_ClassWH
- gTextStreamWW
- File
- FoldersW
- QFolderWWT
- 8NUFileSystemObject
- FileVersionW
- !GetFileVersionWW
- StandardStreamTypeWW
- GetStandardStreamWWW
- __MIDL___MIDL_itf_ihost_0001_0000_0004WW
- StandardStreamTypesW`
- UIFileSystem3
- MCreateWW
- OpenTextFile
- CreateFolderL
- %CopyFolderWWL
- CopyFileL
- MoveFolderWWL
- SourceWWL
- DeleteFolderL
- DeleteFileWWL
- _#SpecialFolderWWWL
- Q\\GetSpecialFolder
- TemporaryFolderWL
- SystemFolder4
- WindowsFolderWWW4
- __MIDL___MIDL_itf_ihost_0001_0000_0003WW4
- SpecialFolderConstWW4
- FolderPathWW
- GetFolderWWW
- OFilePathL
- :GetFileW
- ?+GetDriveL
- AFolderSpecWWL
- FolderExists
- FileSpecL
- FileExistsWW
- pfExistsL
- DriveSpecWWW
- DriveExistsW
- GetTempNameWL
- GetAbsolutePathNameWL
- GetExtensionNameL

- wcGetBaseNameWL
- GetFileNameWL
- GetParentFolderNameWL
- N(GetDriveNameL
- $BuildPathWWW
- ppdrivesL
- DrivesWW
- {qpfReadyW
- IsReadyW
- pulSerialNumberW
- SerialNumber
- TFileSystemWW
- VolumeNameWW
- pvarTotalWWW
- pTotalSizeWWW
- {pvarFree
- FreeSpaceWWW
- pvarAvailWWW
- AvailableSpaceWW
- |RootFolderWW
- UnicodeW
- OverwriteWWW
- FileName
- CreateTextFileWW
- ppfilesW@
- @ppfileWW
- 7#FormatWW
- 5OpenAsTextStream
- IFileWWWI
- IFileCollectionWI
- x=SubFoldersWW
- plCountW@
- ppenumWW
- KeyW
- rAddW
- NIFolderCollectionWWW
- -XpvarSize
- Size
- lpfRootFolder@
- IsRootFolder
- >yMove@
- OverWriteFilesWW@
- DestinationW
- Copy
- ForceWWW@
- xDeleteWW
- Type
- DateLastAccessed@
- DateLastModified@
- pdateWWW@
- DateCreatedW
- pfaW@
- AttributesWW
- ppfolder@
- 7@ParentFolder
- ppdriveW@
- DriveWWW

- rShortNameWWW(
- }IFolderW
- DriveTypeWWW
- RamDiskW
- RemoteWW
- FixedWWW
- RemovableWWW
- UnknownTypeW
- __MIDL___MIDL_itf_ihost_0001_0000_0002WW
- @DriveTypeConstWW
- pbstrShareNameWWx
- gxShareNameWWW
- DriveLetterW
- IDriveWW
- IDriveCollection
- IFileSystemW
- CompressedWWL
- AliasWWW
- ArchiveW
- 0mGDirectoryWWW
- VolumeWW
- HiddenWW
- 04<ReadOnly
- NormalWW
- __MIDL___MIDL_itf_ihost_0001_0000_0001WW
- FileAttributeWWW
- <TristateMixedWWW
- 9TristateUseDefaultWW
- TristateFalseWWW
- HTristateTrue
- 8@=Tristate
- ForAppending
- 0e9ForWritingWW
- 8ForReadingWW
- IOModeWW
- DatabaseCompareW
- TextCompareWX
- CBinaryCompareWWWX
- CompareMethodWWWX
- aStdOutWW
- out_ppts
- CloseWWW
- SkipLine
- Skip
- LinesWWW
- WriteBlankLinesW
- WriteLineWWW
- .\\WriteWWW
- UReadAllW
- ReadLine
- Text
- rgCharactersWW
- Read
- EOLW
- AtEndOfLineW
- EOSW
- AtEndOfStreamWWW

- iColumnWW
- Line
- ITextStreamW
- ConnectObjectWWW
- Time
- SleepWWW
- .ObjectWW
- bDisconnectObject
- 'Pathname
- GetObjectWWW
- Echo
- PrefixWW
- KProgIDWW
- CreateObject
- out_TimeoutW
- TimeoutW
- out_BuildWWW
- BuildVersion
- 4[out_VersionW
- VersionW
- zout_ArgumentsWWW
- j}ArgumentsWWW
- *ShowUsageWWW
- ?UnnamedWd
- /IWSHUnnamedArgumentsd
- out_ppnamedW
- NamedWWW
- rout_ExistsWWd
- ]ExistsWW
- IWSHNamedArgumentsWW
- rout_Enum,
- xA_NewEnum
- out_CountWWW
- 0vCountWWW
- out_ValueWWW
- IndexWWW
- zItem
- tIArgumentsWW
- NIArguments2W
- out_ScriptFullNameWWd
- ScriptFullNameWW
- 7Uout_ScriptNameWW
- ScriptNameWW
- o{ExitCode
- Quit
- >Gout_InteractiveW
- InteractiveW
- Path
- out_Path
- FullName
- 5out_Dispatch
- *ApplicationW
- out_Name
- Name
- ZIHostWWW
- stdole2.tlbWWW
- ffop

- ffop
- 33?p
- 33?p
- GetFileVersionInfoSizeA
- VerQueryValueW
- GetFileVersionInfoW
- VerQueryValueA
- GetFileVersionInfoA
- GetFileVersionInfoSizeW
- CoRegisterMessageFilter
- CoGetMalloc
- StringFromCLSID
- CoRegisterClassObject
- CoRevokeClassObject
- CoInitialize
- CoUninitialize
- CoGetInterfaceAndReleaseStream
- CoMarshalInterThreadInterfaceInStream
- CreateBindCtx
- CreateFileMoniker
- CoInitializeSecurity
- CoGetClassObject
- MkParseDisplayName
- CLSIDFromProgID
- CLSIDFromString
- _endthread
- ??2@YAPAXI@Z
- ??3@YAXPAX@Z
- _isatty
- _write
- _lseeki64
- _fileno
- __pioinfo
- __badioinfo
- _swab
- ferror
- isleadbyte
- free
- malloc
- _beginthread
- _iob
- ADVAPI32.dll
- KERNEL32.dll
- USER32.dll
- OLEAUT32.dll
- ole32.dll
- VERSION.dll
- 1AAf;
- @@Nu
- _u/j
- F@W3
- F<W3
- F8W3
- u,hXL
- 8X!t
- 8X't
- 8X&t;

- 8X t
- Z8X#t
- @Qm6t
- RhP5
- |c9]
- |m9]
- VWj0
- @@8X%u
- @@8X%u
- WintrustGetRegPolicyFlags
- WintrustSetRegPolicyFlags
- j0^V
- |$9]
- |uhd
- j0^V
- ;r$r6
- ;H$r4
- t5;H,w0
- SVW3
- urlmon.dll
- "h8
- u1hL
- 0x%8X
- @9F(u
- 9^(u
- |O9}
- WSHFile
- WSFFile
- Open2
- Open
- SVW3
- ScriptEngine
- u\\9u
- SVj0
- 80tS
- j0Xf
- WSj0
- >If90t
- 90tV
- 8csm
- Invalid parameter passed to C runtime function.
- |9SVW
- th8^'u%
- |2h*
- 8^'u
- 8X t
- V0Rh
- SVh0
- t^8^EtY8^DuT
- SVW3
- WinVerifyTrust
- Shell
- 700PP
- ('8PW
- TypeLib
- Version
- CLSID

- ProgID
- LocalServer32
- tCf9
- Hu:j
- f;:u
- F,8X#
- t\t8F
- u&8]
- t\t8F
- f9Ls
- 8^$t
- UVWS
- L$,3
- t*9]
- F0PS
- AAFFf;
- SVW3
- V0Rh
- /uwf9O
- tUf9
- uV9M
- QQSV3
- kernel32.dll
- f9\\F
- AAFFf;
- AAKu
- f99t
- SVW3
- WSH-Timer
- wscript.exe
- 9~4t$
- SVW3
- 8B@@f
- 2Sjd[3
- QQW3
- |3WW
- OWFV
- advapi32.dll
- t2f;
- SVWu
- WYru*Ur
- UrHOVr
- VERSION.dll
- ole32.dll
- OLEAUT32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- 7 7$70787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 60646D6H6X6\\6h6l6p6|6
- 5,505@5D5T5X5d5h5l5|5
- 4$4(4,484<4@4L4P4T4d4h4t4x4|4

- (0`3d3p3t3x3
- 2a4y=
- 7]7~?
- 6!6'6-63696?6E6K6Q6W6^6f6n6v6
- 4L5Z5
- 0.363N3^4
- 0W0l0
- <+=I=
- 9`:e:
- 9#90959}9
- 7I8N8~8
- 6P7U7
- 5>5Q5d5i5o5
- 3-3H3O3
- 192>2`2w2
- 1>1C1b1r1
- )0.0l0
- >8???
- =O>T>
- ;8;=;
- 9!:1:B:]:u:}:
- 7[8^9c9
- 6#6a7
- 50555`5y5~5
- 2#3(3H3M3o3t3
- 1g2v2
- ?/?I?
- =6>A>V>
- 93:8:
- 7>8C8n8
- 354:4O4T4g4l4
- 0a1t1y1
- 0#0O0
- 9-:I:N:
- 9,9O9y9
- 7 7c7h7
- 6a6x6~6
- 3)393>3R3@4O4$5
- 30s0i2w2
- 99:>:q:
- 859:9`9w9|9
- 7r8w8|8
- 5$5)5H5M5X5]5h5m5w5|5
- 3&3+303
- 2I2O2|2
- =4===I=f=
- 9,9f9k9}9
- 7A8Z8
- 7"7.73787Q7^7c7h7w7
- 6,6u6
- 2-373A3K3U3g3n3u3|3
- 0<1K1
- 9%9B9o9t9y9
- 8`8t8
- 6E7J7a7g7
- 6/666H6M6q6v6
- 5Z5_5p5v5

- 3C4J4
- 3/3m3r3
- 1@2E2J2
- H0M0W0\\0s0x0
- =A=F=i=q=
- <2<]<
- :-;2;
- 5"6"8
- 445Y5q5
- 3^4c4v4
- 3G3L3
- 051:1
- 080=0r0w0
- 9 9+9
- 6(6:6L6m6u6
- 5 5,5c5
- 304;4F4Q4b4g4
- 1:2c2h2
- 01161_1d1
- 70<0~0
- 54686m6
- 5 5'50565>5D5Q5y5
- 3C3H3a3n3Q4a4i4v4
- 1(2/2>2C2T2g2{2
- 0%1-121
- 9U:e:l:
- 8b9g9
- 7E7y7
- 2,3&5g5
- 1C2`2n2
- 1"141H1\\1
- 9X;e;p;
- 9.9\\9
- 5"5(5.545o5
- 2#212
- ^021y1
- 566;7]9
- 8F9F=
- 0_1g1l1
- 0!0&0+030
- 4!6H6
- 122K2o2
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- publicKeyToken="6595b64144ccf1df"
- processorArchitecture="*"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"

- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Cabinet</description>
- type="win32"/>
- version="5.1.0.0"
- processorArchitecture="x86"
- name="Microsoft.Windows.base.makecab"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- +o*7
- MGiI
- 9a&g;
- i]Wb
- makecab.pdb
- GetFileVersionInfoSizeA
- VerQueryValueA
- GetFileVersionInfoA
- free
- malloc
- _open_osfhandle
- ctime
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- _exit
- _cexit
- __getmainargs
- time
- feof
- ferror
- fread
- fwrite
- _tempnam
- __doserrno
- _unlink
- _stat
- _iob
- setvbuf
- exit
- clock
- fopen
- fclose
- _open
- _eof
- remove
- _lseek
- _close
- _write
- _read

- KERNEL32.dll
- VERSION.dll
- USER32.dll
- QSV3
- 49_[^]
- _^[9E
- BBIu
- SVW3
- P8A;
- G@;E
- BF;u
- N$vE
- ;A(s
- sH9E
- F$S3
- F$+E
- F$9E
- F4V;
- 8LCICt
- 8LCICt
- 8LCICt
- LCIC
- u SW
- uShTC
- 8csm
- 8csm
- Invalid parameter passed to C runtime function.
- namet#C;
- 0123456789
- >.YYu
- Tried to read from write-only file: %1
- tV9]
- Invalid open mode %1 for file %2
- Could not open file %1
- Out of memory opening file: %1
- N 9}
- t1Ht"
- Wildcard (%1) limit (%2) exceeded in %3
- %1 length exceeded limit (%2): %3
- Out of memory creating INF file
- Vh(6
- InfFileLineFormat*
- !~(3
- InfCabinetLineFormat*
- InfDiskLineFormat*
- Undefined parameter: %1
- date
- u:9E
- Undeclared parameter: /%1
- @2QPh
- Phx8
- t-V3
- Bad character (%1) in file attribute: %2
- Missing separator (%1) in time: %2
- Bad AM/PM character (%1) in time: %2
- Odd second (%1) in time: %2
- Bad hour (%1) in time: %2

- Bad minute (%1) in time: %2
- Bad second (%1) in time: %2
- %02d%02d%02d%c
- %1:%2:%3%4
- Missing separator (%1) in date: %2
- Year (%1) lower than minimum (%2) in date: %3
- Year (%1) higher than maximum (%2) in date: %3
- Bad month (%1) in date: %2
- Bad day (%1) in date: %2
- Bad date format: %1
- %02d%02d%02d
- %1/%2/%3
- %04d%02d%02d
- %1-%2-%3
- Value of paramter '%1' must be between -32768 and 32767: %2
- Out of memory copying %1 %2 to %3
- Read failed copying %1 %2 to %3
- Write failed copying %1 %2 to %3
- Write of %1 failed on INF file: %2
- Undefined %1: %2
- Out of memory duplicating %1
- uJ9E
- %1 already exists: %2
- Out of memory adding %1: %2
- 2W|<
- Out of memory creating %1 list
- Missing right brace (%1)
- Right brace (%1) with no left brace (%2): %3
- Nested braces (%1) not allowed: %2
- Missing %1 after parameter name: %2
- 9{t%;
- 9}tP;
- Qt/HHuYA
- Out of memory allocating version buffer for file %1
- GetFileVersionInfo returned %1 on file %2
- \\VarFileInfo\\Translation
- Out of memory duplicating language string for file %1
- \\StringFileInfo\\%04x%04x\\FileVersion
- Out of memory duplicating version string for file %1
- u*Sh
- VerQueryValue on key %2 returned %1 on file %3
- No value for key %1 on file %2
- Cannot create %1
- Out of memorying creating %1
- Cannot open file: %1
- Could not allocate buffer to copy %1 to %2
- Cannot read file: %1
- Cannot write file: %1
- Cannot set date/time/attributes for file: %1
- CAB%5.5d.TMP
- EnsureDirectory: Cant create file: %s, errno=%d, _doserrno=%d, GLE=%d
- Path is invalid: %1
- Ran out of temp file names after %1 attempts: %2
- Could not create file in directory: %1
- Cannot delete %1: %2
- Cannot open %1: %2
- Cannot close %1

- Parsing directives
- PASS 1: Checking directive file(s)
- MakeCAB aborted: %1 errors encountered
- INF file
- RPT file
- %1 bytes in %2 files
- Executing directives
- PASS 2: Processing directive file(s)
- 9^@u
- MakeCAB aborted.
- No such file in layout section: %1
- Directive '%1' not valid in INF section
- Directive '%1 %2' not valid outside of a cabinet
- %1 exceeds maximum length (%2): %3
- u hT
- (%1)Out of memory
- (%1)Unknown compression type
- (%1)Failure compressing data from file %2
- (%1)User aborted
- (%1)Failure opening source file %2: %3
- (%1)Failure reading source file %2: %3
- (%1)Failure on temporary file: %2
- (%1)Failure creating or writing cabinet file: %2
- (%1)Data-size or file-count exceeded CAB format limits
- (%1)Unknown error(%2)
- MaxDiskSize(%1) is not a multiple of ClusterSize(%2)
- Cannot %1 a variable twice : %2
- Cannot %1 a standard variable: %2
- Define
- Cannot change INF generation setting
- Ht5HtFHu
- Cannot create report file: %1
- MakeCAB Report: %1
- %,13ld
- Total files: %1
- Bytes before: %1
- Bytes after: %1
- After/Before: %1%% compression
- %9.2f%2d%2d%5.2f
- %9.2f
- Sh49
- Out of memory doing CRC on file: %1
- Read failure doing CRC on file: %1
- File in layout section not referenced in INF section: %1
- Unique
- /unique=OFF not allowed for relational INF generation
- file info
- tracking files
- Duplicate file name: %1 already defined at %2(%3)
- file
- u$h(
- Illegal to write to INF file area in layout section
- INF file line
- tracking INF file lines
- size
- bad file handle/incompatible I/O operation
- invalid executable format

- arg list too long/out of environment space
- file/path does not exist
- no child processes
- permission denied
- out of memory
- create process failed
- file already exists
- <unknown C run-time error>
- deadlock would occur?
- math argument out of range
- bad argument to math function
- out of disk space
- out of file handles
- invalid argument
- cannot move file across devices
- ERROR
- G8^_]
- MaxDiskSize*
- MakeCAB Variables (in order of their definition)
- Standard
- Defined
- INTERR: GetNextCab called for %1
- PVW9
- Command name too long: %1
- Unexpected parameters on %1 command: %2
- File
- Disk
- Unknown keyword in %1 directive: %2
- %1 command without %2 command
- Delete
- InfBegin
- InfEnd
- 8h(9
- ==> Setting variable %1 to '%2'
- variable value
- source file name
- Multiple file lines specify /RUN flag
- Missing source file name
- </u.
- /RUN directive on reference line
- Missing destination file name
- ==> Reference dst=%1
- Missing %1 after variable name: %2
- Variable not defined: %1
- Buffer overflow while substituting variable: %1
- 6Sj%h
- Missing parameter name
- parameter value
- Out of memory saving %1
- u"Sh
- u(Ph
- Unknown command: %1
- Missing closing quote(%1) in %2
- VuYh
- Buffer overflow expanding '%1' parameter value: %2
- Value of paramter '%1' must be a number: %2
- INF header variable template

- INF disks temporary file
- INF cabinets temporary file
- INF files temporary file
- Cannot create %1: %2
- No more file handles: %1
- Out of memory: %1
- FCIFlushFolder
- FCICreate
- FCIAddFile
- FCIFlushCabinet
- FCIDestroy
- File name too long: %1
- Could not open file: %1
- OOut of memory %1
- InfDiskHeader*
- InfCabinetHeader*
- InfFileHeader*
- attr
- cab#
- cabfile
- csum
- disk#
- file#
- label
- lang
- time
- unique
- vers
- Folder
- Explicit
- No variable name in %1 command
- destination file name
- Unexpected text: %1
- InfWrite string
- Buffer overflow while copying: %1
- Variable name exceeds maximum length(%1): %2
- file parameter
- %1 assignment operator missing
- Parameter name exceeds maximum length(%1): %2
- %1 exceeded maximum length(%2)
- Dump
- InfWrite
- InfWriteCabinet
- InfWriteDisk
- Option
- N4f;
- [f9xJ
- E PV
- [INTERR] Variable already created: %1
- attempting to create variable: %1
- Variable value is longer than maximum (%1 chars): %2
- attempting to set variable: %1
- 6QhT
- Variable name is longer than maximum (%1 chars): %2
- attempting to create a variable list
- [INTERR] Format specifier missing %
- [INTERR] Format specifier has unknown type

- Cannot get date/time/attributes from file: %1
- Missing file name: %1
- Could not find file: %1
- %1 is not a file
- Changing destination
- Creating file list
- Adding a file
- Could not allocate SESSION
- /L dir Location to place destination (default is current directory).
- /D var=value Defines variable with specified value.
- Microsoft Cabinet SDK for information on directive_file.
- /F directives A file with MakeCAB directives (may be repeated). Refer to
- with an underscore (_) and used as the destination.
- last character of the source file name is replaced
- destination File name to give compressed file. If omitted, the
- source File to compress.
- MAKECAB [/V[n]] [/D var=value ...] /F directive_file [...]
- MAKECAB [/V[n]] [/D var=value ...] [/L dir] source [destination]
- Location too long: %1
- Invalid parameter: %1
- Too many parameters: %1
- Variable definition missing
- Directive file name missing
- Location missing
- Switch not expected: %1
- Invalid switch: %1
- ** %1 placed in cabinet %2(%3) on disk %4 - CONTINUATION
- ** %1 placed in cabinet %2(%3) on disk %4
- %1 %2 and variable not defined: %3
- [%.19s] File open error (Win32Error=0x%X), retrying %s
- _open_osfhandle(%s) failed errno=%d
- %1%% - raw=%2 compressed=%3
- Section order too long: %1
- Bad section order character '%1' in '%2'
- Duplicate section order character '%1' in '%2'
- Value of variable '%1' must be a number: %2
- Failure creating standard variable %1: %2
- Compression Memory not in range (%1..%2): %3
- Compression Level not in range (%1..%2): %3
- Invalid Compression Type: %1
- Checksum Width not in range (%1..%2): %3
- True
- Invalid boolean value: %1
- UVWS
- L$,3
- FdH9
- t6h"
- t?9N
- tD9N
- tI9N
- MCIC
- t5!E
- Cannot create INF file: %1
- InfHeader*
- InfFooter*
- InfCommentString
- InfFooter

- InfHeader
- Wh(6
- YPj2
- MaxDiskFileCount
- disk directory name
- disk label name
- DiskDirectory*
- DiskLabel*
- DiskDirectoryTemplate
- DiskLabelTemplate
- 9F,}
- CompressedFileExtensionChar
- MSZIP
- Parsing directives (%1: %2 lines)
- MakeCAB aborted: MaxErrors (%1) exceeded
- MaxErrors
- cabinet file name
- CabinetName*
- CabinetNameTemplate
- FolderSizeThreshold
- MaxCabinetSize
- ReservePerCabinetSize
- ReservePerDataBlockSize
- ReservePerFolderSize
- Compress
- CompressionType
- t3Wh
- CompressionLevel
- CompressionMemory
- UniqueFiles must be ON for relational INF generation
- CopyCommand: %1 to %2
- NOT IMPLEMENTED YET: compressing single files: %1
- DestinationDir
- DoNotCopyFiles
- FolderFileCountThreshold
- SourceDir
- u5Wh
- SXf9
- @@Iu
- 8M$tV
- !C0f
- tFVW3
- SVW3
- >MCIC
- False
- Hu)3
- !H0^f
- Undefined variable: %1
- test
- Bad format in %1: %2
- a test
- *cab#*,*disk#*,*cabfile*
- *disk#*,*label*
- *disk#*,*cab#*,*file*,*size*
- xphH8
- f9HH
- Af9HJ

- N4f;
- N$9^$
- F$9E
- ~8 }=
- H0Vj
- [INTERR] Format specifier %% is invalid
- ChecksumWidth
- %1%% - %2 (%3 of %4)
- 6.1.7600.16385
- Cabinet
- CabinetFileCountThreshold
- *.cab
- ClusterSize
- 1.44M
- disk*
- GenerateInf
- InfCabinetHeader
- [cabinet list]
- InfCabinetLineFormat
- InfDateFormat
- InfDiskHeader
- InfDiskLineFormat
- InfFileHeader
- [file list]
- InfFileLineFormat
- InfFileName
- setup.inf
- InfFooter1
- InfFooter2
- %1** Automatically generated on: %2 **
- InfFooter3
- InfFooter4
- InfHeader1
- InfHeader2
- InfHeader3
- InfHeader4
- InfHeader5
- InfHeader6
- InfSectionOrder
- MaxDiskSize
- RptFileName
- setup.rpt
- UniqueFiles
- 360K
- 1024
- 362496
- 720K
- 730112
- 1.2M
- 1213952
- 1.25M
- 1250304
- 1457664
- 1.68M
- 2048
- 1716224
- DMF168

- CDROM
- 65535
- 681984000
- >MCIC
- E Ph
- E PW
- E PW
- E PSS
- _%u_
- t19E
- 8MCIC
- %1%% [flushing current folder]
- ^$9]
- Cabinet Maker - Lossless Data Compression Tool
- <%u'G
- !CAB
- |0SVW
- %6.2f
- USER32.dll
- VERSION.dll
- KERNEL32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- 0*060B0N0l0p0
- 9)9:9@9G9[9a9g9m9z9
- 7=8B8H8M8R8W8\\8b8j8w8
- 7)757D7S7`7
- 5%6@6L6]6t6
- 4\\5h5o5x5
- 434=4b4u4
- 0L0S0Z0{0|1
- 878M8V8m8
- 7+747I7N7T7Z7`7
- 2V3i3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"/>
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <!-- Identify the application security requirements. -->
- <description>ping - ping command line tool.</description>
- type="win32"/>
- processorArchitecture="x86"
- <assemblyIdentity version="5.1.0.0"
- manifestVersion="1.0">
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1"
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- _setmode
- _write

- WS2_32.dll
- USER32.dll
- IPHLPAPI.DLL
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- _exit
- _cexit
- __getmainargs
- exit
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- A=*+
- WWjA
- WWjA
- HHte
- u5Qj
- </uN
- 8] t
- PhO'
- PhA'
- 3hL'
- YY9}
- 7hM'
- YY9]
- u!f9H
- u'f9H
- IPv4
- IPv6
- DefaultTTL
- WS2_32.dll
- USER32.dll
- IPHLPAPI.DLL
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Richm
- !This program cannot be run in DOS mode.
- WINSPOOL.DRV
- DocumentPropertiesW
- USER32.dll
- KERNEL32.dll
- WS2_32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday

- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- user32.dll
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- Please contact the application's support team for more information.
- R6029
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- CorExitProcess
- Unknown security failure detected!
- continue execution and must now be terminated.
- corrupted the program's internal state. The program cannot safely
- A security error of unknown cause has been detected which has
- Buffer overrun detected!
- now be terminated.
- internal state. The program cannot safely continue execution and must
- A buffer overrun has been detected which has corrupted the program's
- <program name unknown>
- Program:
- Microsoft Visual C++ Runtime Library
- LC_COLLATE
- LC_MONETARY
- LC_NUMERIC
- LC_TIME
- Unknown exception
- =L9o<
- bad allocation
- string too long

- invalid string position
- bad cast
- ios_base::badbit set
- ios_base::failbit set
- ios_base::eofbit set
- kernel32.dll
- ForceRemove
- NoRemove
- Delete
- T\\jo
- E.v+E.v
- 1vO!.vp
- -v\\9.vM7.v
- ,va8.v`
- ^_[3
- =`@E
- s"95`@E
- t!VV9u
- u.VV3
- =(<E
- VWsU
- A#D$
- YYt8
- Y|F9
- uU9]
- t6S
- Wj@3
- ~>9]
- ~+9]
- M 9}
- 9} u
- j@h`0A
- h 0A
- t|h40A
- hD0A
- VWumhP0A
- ,0FF
- =`@E
- 6PWS
- t2j@
- uVh\\
- u PV
- u"WV
- )9=L
- Yu9j
- uU9=X
- It[IItM
- YYu(j
- E+PjUVS
- E)Pj
- E(Pj
- VWu39
- v$;5
- VWu.9
- 5 DE
- VtUh
- FlPj9

- FhPj8
- FdPjO
- FLPjI
- F<PjE
- F8PjD
- F4Pj/
- F0Pj.
- Qj13
- YF;5@
- Yu+Vj
- SUVW
- SVWse
- u";U
- 8csm
- t&:a
- tyf9
- SUVW
- 8"u&
- t7VP
- 0<=t
- t$<"u\t3
- =(<E
- hx!A
- =(<E
- QQSV3
- uiSj
- wHVSU
- @@8X
- 8ABB;
- ~98]
- =`@E
- @@8X
- ~,8]
- VWu#
- 5X@E
- 9] u
- t-9]
- E SS
- 9] u
- u8SS3
- j8hp
- 9uxt
- YYu
- >Cu4
- _^[u
- 5 @E
- ,u3P
- OYYu
- F;5@
- SVW3
- u,9x
- 8csm
- 8csm
- 8csm
- YYu"
- 8MZu
- <8=u

- tYVU
- SVWU
- VC20XC00U
- SVWUj
- hX=A
- =`@E
- =`@E
- u\\j4
- 9^Pv
- hL<A
- 9^Xt=
- YYuP
- YYu{9E
- YYu9
- tk9]
- uJ9^<u
- 9~<u
- HHuQ
- HHuF
- 9V<u
- u@Vj
- G4)0
- ~'9u
- G0)0
- ~'9u
- t&97u"j
- h$:A
- h$:A
- t-h0
- SVW3
- u>f9
- u0f9
- u.f9
- u4f9
- =HFE
- u)f9
- u f9
- u(f9
- u f9
- =HFE
- =JFE
- u j@h
- =JFE
- f9=HFE
- u&f9;=HFE
- u#f9=HFE
- u#f9=HFE
- tu"f9=HFE
- f9=HFE
- f9=HFE
- f9=HFE
- f9=HFE
- 5JFE
- f9=HFE
- =HFE
- =HFE
- hHFE

- f95JFE
- f95JFE
- f95JFE
- f95JFE
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- Char:\t%3!ld!
- SScript:\t%1!ls!
- %1!ls! (%2!ls!)
- %s\\%s
- %s\\%s\\%s.mui
- .\\%s\\%s.mui
- [+|-]
- bg-BG
- zh-TW
- cs-CZ
- fr-FR
- nl-NL
- pl-PL
- pt-BR
- rm-CH
- hr-HR
- sk-SK
- th-TH
- tr-TR
- lv-LV
- lt-LT
- tg-Cyrl-TJ
- hsb-DE
- mk-MK
- mt-MT
- ms-MY
- kk-KZ
- ky-KG
- tk-TM
- mn-MN
- cy-GB
- km-KH
- syr-SY
- fy-NL
- fil-PH
- dv-MV
- kl-GL
- arn-CL
- br-FR
- gsw-FR
- qut-GT
- rw-RW
- prs-AF
- gd-GB
- qps-ploc
- zh-CN
- pt-PT
- dsb-DE

- ms-BN
- bn-BD
- mn-Mong-CN
- tzm-Latn-DZ
- qps-plocm
- zh-HK
- zh-SG
- fr-CH
- smj-NO
- smj-SE
- fr-MC
- sms-FI
- sr-Latn-RS
- smn-FI
- sr-Cyrl-RS
- sr-Cyrl-ME
- bs-Cyrl
- bs-Latn
- sr-Cyrl
- sr-Latn
- az-Cyrl
- uz-Cyrl
- mn-Cyrl
- tg-Cyrl
- mn-Mong
- tzm-Latn
- zh-CHT
- zh-CHS
- bs-BA-Cyrl
- sr-SP-Latn
- sr-SP-Cyrl
- sr-BA-Cyrl
- sr-Latn-CS
- sr-Cyrl-CS
- sr-Cyrl-BA
- bs-Cyrl-BA
- zh-Hant
- zh-Hans
- (null)
- wscript
- cscript
- .wsf
- SCRIPT
- WScript
- H
- h(((( H
- ((((( H
- h(((( H
- jjjjj
- jjjjjj
- @-l|
- j[\\"
- /ny;
- v"Tz\'8~
- @NN&
- V&b;
- )BYT

- #;@S
- q-}*
- C`w(
- %[n}
- "d+c
- ;c~;"
- vj$&b;
- h,r`
- >#M>+
- THMUlV
- ![Pl
- vM-m
- ?n~*^'
- lV:sts5
- ~|%S
- N*R*^
- pgCs
- -$M'
- ]|YH
- @Fsb
- ')XJ
- x*>p
- MNtR
- tYyy
- ;v$w
- y}n"
- k.?\t?
- DWc"
- Ls^>
- j]Qr
- SZbH
- LB&)
- sDbV[
- yxkv
- KrY~w
- #J@KV
- B<)
- zPB`
- Y'px
- vB@.
- =C{"
- ]&K;^
- .l^\\
- GWZ{$%
- !<Vf
- \\Z[T
- _`s>B
- -DY/
- wC#
- D>OS%_
- Jvsl'
- VS?Z
- ?XZr
- zq/_
- &]*~
- 'RzY
- B<;Y

- (J+R
- KS,jV
- HH_v
- bx*R
- ::Zv
- )WnS
- Vr\t?
- b_Tv
- W{:B
- :q~B
- Tm'TG
- ,.|P
- H}p[
- *|S-bD
- _*OsD#
- /,Wh
- f*S^P/
- G%#G
- #C5+KgX
- jHhJ
- K\\Q-
- (ggW
- kMF
- GJKn
- sgp@G
- _?o>mH
- T;rn
- vp\tP
- w,Zz
- %??M
- q}/
- G]!z
- ":/n
- :Q?$\\Q
- w>)z
- vQtg}g
- 'K-p
- s'C!,d
- ~'KJ
- N_"
- mB`:
- NT~arb
- tkB^T[T
- PfN!IP6OC'V
- _Rq&U;^
- lnRm
- $=":
- K>\\T
- Zbw {
- RG}C
- VTdJ
- XB_\\
- ?xPb
- &WPz;
- yfq:
- }y*G4tJdY
- ?y}\\~S;

- kmzl
- _]Hx
- ?<WT}jyP
- \\;YM
- $Vhrc
- 2[\\R<}?$
- vPmk
- t:"9<!
- /`Iyj+|
- "Yf&
- ;(M-vC
- P\tWn
- |F*[
- C$Y,Ec
- Q>(*f4V
- P-\\G
- z,!d
- f<w0|p
- wJg@
- )5#WGFl
- X~Rl
- |x&*
- K^j=
- r#M_
- LNjh
- D@Vs
- z">N
- 6yxt;[
- &L;^k
- rDpf
- wW$!
- `c<r
- 3`N$)Y
- _#j
- q_r|@
- C_D=
- (>"v
- #"gf
- k=X<
- b*S<_
- *`@[ a
- F]'/
- /H]X
- y)`Q
- NQ**K
- tT,r)
- WBpW
- FK<%j
- 'z?+R
- *!s-
- #(#*
- ~Fq}
- Pv@}z+
- >"w
- &|$:>
- HSxp
- ZdCKr

- )WJcXy
- _j".X
- /h=@
- KCbP
- Kw/j
- KzRm
- %zW{
- rM^S
- Zfww
- KTH,
- :q.c
- :sJg
- vn&\\
- !b~v
- R*^S5V
- $_`f
- Tw|&
- ,"& DD
- f?"s
- qQ?$
- qbzNkE%
- cP$Q
- +nCb
- FrY\\
- D1"c.g
- N.\\=
- cG"Fu/{
- 'ccf
- zwz^
- ]x\\ck
- KF[$
- zCHP
- l,w]R/}
- wZXH
- et^[:g
- xQXdP
- yf=(
- p&rz;
- ,~TWeq
- {(Y
- ;=F+H
- }-;p
- GpVR
- 0)@#+=
- T?\\`
- G_RR
- %n'~
- y* <^\\
- .nsv\\
- ,KQ&
- _q,'L
- ;grM
- V:h;
- ?{BwN
- MlH`c
- r("g\'7
- w$(;

- {<)\\
- S+QB
- _!p]
- ~Yy'
- (T}3H~
- P]Lrr
- 'pDsN
- ^_V^q3
- Zd(?]
- =J('a;
- k.|''
- R G
- ,Jf>
- c))s
- Lk^V
- l.nKB
- YL|(
- s!?=p
- x@?XP
- },>[
- wfC$
- [gs$
- J"](
- Pt\t`b
- ?n[gH;
- P$&P;
- >=fs
- FFk;
- p6~#jt
- FJg+
- !)^{}
- \'B''w
- C:.r
- BBPV
- ~(qZW@
- F;jg|
- ''tJw
- vkMT
- Hbfa@L
- +rZc
- `>gv
- sXWc
- <M(?
- LJ(M
- d;.)T
- p[Mwh:
- P.fy+
- =|bXHO
- `?KmX
- &;mx
- ;f~#
- SM!c
- ZY+:
- _YChy
- j`>h
- -[?$
- ;VzkUK&}

- kz!\\
- -!;,
- {QYW
- P{|d
- :s_6M[
- Zsg\\-
- m!{W
- X"v(
- +PFZC
- j,kv
- .-WZ
- kxm*C7
- B7Kdf<
- ysS;.f~
- ;-*b~F
- K|<]
- ;Xk\t1V
- "XwH
- +cF~
- <!#;
- G_mP
- 5Zjl%q
- bRZ<
- 7dx&@(
- &k;%T
- Y|l{
- Hl?PeH
- %r"/
- r"}&
- Tm>t&
- KFW
- `<v\\In
- =!Y`
- nX>r
- `({}
- L&?f
- Kh;H
- T<)N_
- C#Nr`-
- 8`nw#gC
- ~\ty&d;
- /!R@/
- W[*HX-Ne~
- pX't
- BP\t5QY
- *y$Y;
- jx;C
- .`*'s
- iPdd^g&z;
- \\=Sl
- k6pW*IYh vL
- %CLWY#]
- ;$P\tDX<
- *\tH Q7
- "?mrgB
- f.,<
- ^p']

- &MS;#
- [jjhiS
- l&N;!
- x+#V
- Qk~k
- =Ddm
- #'=v'
- 2\\R{H/
- V3hC_S
- Hk@_
- NEl"K&;
- KCfd
- vd;d
- r\\@+y9
- syUBR>(K
- c_l"
- h;:lY
- _Tq}
- )!||
- WqP]
- Q/y&gP;
- b\\gG
- HJ]CIs
- kc)2H!
- ?j>,
- J?Wk
- >KH<"
- <-D[
- x{mt
- n/cz
- X#~
- \\tx-@n
- ^+MT
- {Q'}
- !Jc?
- X<j`
- mfs%
- _h,J
- |F\t%MUJ^
- NqhJ
- cJ-?
- Y&j.xK;*t
- ts#}
- (R]L
- _ry
- ^|#m
- Q.c'cG
- *K.
- {Y\\g
- Lm>M
- vwY#
- xwK
- d'!v
- 7v!b@cM
- +w+Ids
- L(h+
- S>]s

- ?>J`;l
- ">gk
- nt+Y
- ]!PP-
- :L!n
- *krZ`
- >,@^U*
- +-R^
- ~[WS
- xWr~
- WDt[
- }c&Nn;
- @$#/|V
- )\t`R
- hl)f)
- >f.@
- o!CVZk}
- jL)#
- RDyk?&
- ,xl/
- +mMFAl
- D;WlMt
- )GW$
- @%L`
- `nNY
- q}'V]
- Zd~w
- (NrkS
- }lgH
- gB,S^
- )D|%
- y>W$#/
- V.{
- _fG/>p
- `P/wg
- pMY>
- """`HC
- h%>p%
- q@NK
- Ncn-hS
- #x.V
- b'|v
- -S!z
- +m+r
- )y^L
- u(kDB^
- PWtyV@x
- .s/[\\
- ">s<
- <BY/
- YD`H.
- qqltM
- :Rd&
- {D,_
- pv*w
- >]Wyf>
- z]Yk)

- :FX[
- _S^Z
- :G,C
- zqbf
- @dV%G
- qk[
- XK-X
- >T[{L
- nLj!w
- /)!!\t+S!%:L
- HjjHznLm
- nCnsLanCnsLsnQns)
- WCagCt
- |e?vh,hhv
- $$`B
- ?n~z
- .[TX
- .q-Wc
- R|,V|
- D:Q_
- !+Uq|?P
- t/M"=
- Sx]d
- ZSxc
- pldw
- Rd3ff#
- B[J^S;v
- v\\Gy
- nRTrFV
- QT<?}
- [,"-
- H'$p
- @'j'
- @'j'
- @>#l
- @.#^
- R`@w
- n@!@
- h*J+
- :@:b
- @'j'
- "@;(-
- @G*;
- &@;b
- :b$@&@
- /@*#
- @/#?
- ;@*#
- @/#+
- ?@'#~
- ?@/#
- @/#C
- ;@/#
- @/#%
- @?#F
- ?@?@
- #@/#]

- ;@/#
- :,H(
- *@\t*
- @'j'
- :-N)
- =!)+
- :+H-
- @'j'
- @#RH-
- @(H;
- R@&B;
- W @,
- @*#;
- ``BB
- b0`B`B
- _( mj"
- @'h'
- H\t$H!
- b0`B```
- @/#%
- @.#D
- @'#L
- @.##
- @'h'
- @'j'
- @;l=
- =@*#<
- b'N)
- b'N)
- @"#t
- @;l=
- =dN;
- `B`F
- @'j'
- @'h'+
- b;J'_
- Z:M (
- p=(
- @'j'
- @/#Z
- # Nb
- :+@'
- +dC^
- @!j/
- yRH-
- @/RJ
- z\\="
- nnLn
- r$Wf
- PqqS`B
- PqqS`B
- QqqS`
- 4>@;l=
- *J'=
- b;@/
- @'j'
- C@/#5K

- @'#^
- K``B@
- @!@
- @'h'c
- b;H-
- @/#s]
- b;H-
- @/#t_
- LR?`
- @'h'
- @'h'
- b;@!
- @*##
- ^)CN
- @*#V
- @*#s
- G``B
- @*#}
- @*#(
- @'h''
- @'j'
- clj]
- b;H-
- @'j'
- @'j'
- @'j/3h'W
- @'h'W
- @'j/3h'
- @'j'
- @*#D
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- .CRT
- .?AVlength_error@std@@
- .?AV?$codecvt@DDH@std@@
- .?AV?$basic_streambuf@DU?$char_traits@D@std@@@std@@
- .?AV?$ctype@D@std@@
- .?AV?$_Iosb@H@std@@
- >@?V?
- =?>X>
- <.=7=j=s=
- ;.;N;W;t;
- 9.:`:}:
- >6?>?D?\\?
- <X?z?
- <+<@<
- <(<R<`<h<
- :-;7;<;Q;c;
- :':7:w:
- ?)?<?a?
- ;,<m={=
- ?"?Z?^?b?f?j?n?r?v?
- ;0;H;^;e;x;
- <%<.<L<U<[<

- ;B;i;z;
- :s:z:
- ?.?F?h?
- >->L>}>
- ;H;c;
- ? ?(?0?8?@?H?P?X?`?h?p?x?
- > >(>0>8>@>H>P>X>`>h>p>x>
- = =(=0=8=@=H=P=X=`=h=p=x=
- < <(<0<8<@<H<P<X<`<h<p<x<
- ;$;0;<;H;T;`;p;x;
- :(:4:@:L:X:d:p:|:
- ?$?0?<?H?T?`?l?x?
- >(>4>@>L>X>d>p>|>
- = =,=8=D=P=\\=h=t=
- <$<0<<<H<T<`<l<x<
- ;(;4;@;L;X;d;p;|;
- : :$:(:,:0:4:8:<:
- =<=L=j=u=
- <T<l<x<
- :7;[;g;
- >+?1?Q?
- ;(</<M<[<Q=X=
- ?<?@?
- <Q<n<y<
- :Q:X:_:e:p:
- <B=[=a=
- <9<L<_<h<
- :,;0;B;\\;
- : :$:(:,:0:F:
- =">.>4>C>J>^>
- ;R<|=
- ?J?O?Y?`?u?
- :E;W;d;
- 8<:O:V:]:h:l:p:t:
- ><?@?
- =.=3=K=c=
- ;<<Q<f<{<
- : :$:(:,:0:4:8:<:@:W:}:+;1;I;R;`;d;h;
- StartWWW,
- pcCharWWd
- 5pbstrDescWWWd
- WSHStatusWWW
- MSFT
- pbstrResultWL
- pbstrFileSystemW
- (wXFilesWWW
- ,ppfoldersWWW
- pbstrTypeWWW@
- ShortPathWWW@
- pbstrNameWWW@
- pdtW@
- CDRomWWW
- N<pbstrLetterW
- dpbstrPathWWW
- SystemWW
- ,StdErrWWX
- ppts

- StdInWWW
- pArgsWWW
- 6zSwitchWW,
- lengthWW
- L%`;
- L%`;
- L%`;
- L%`;
- MSFT
- wwwwwwp
- wwww
- wwwwwwwwwwwwp
- wwwwwwp
- wwww
- wwwwwwwwwwwwp
- wwwwwwp
- wwww
- wwwwwwwwwwwwp
- wscript.pdb
- RSDS
- __mb_cur_max
- wctomb
- mbtowc
- msvcrt.dll
- t!SW
- ^_[]
- PVVhPe
- t?Ht)Ht
- ^txH
- _^[]
- VVVj
- VVVj
- tVVVj
- QSVW
- @_^]
- SSSSW
- SSSSW
- SSSS
- ~ASSSSW
- SSSSW
- SSSSW
- SSSS
- SSSSj
- _^[]
- r!VW
- _^[]
- _^[]
- Y_^]
- _[^]
- _[^]
- |VhpL
- ChlL
- j\tXf
- HVtfHt
- _^[]
- SVWj
- @@8X%t

- t1SSSSj
- P<VW
- K,VW
- [_^]
- PhP=
- Ph@=
- SSSSj
- PhP=
- WPh@=
- ;x,_w'
- _^[]
- H VR
- H$;M
- ;rDv
- _^[]
- j\tYf
- _^H%V
- _^}\th
- PWVh
- SPSS
- SSSSj
- SPSS
- t Vj
- SSSS
- PSSh
- SSSS
- t-Wh
- SSSSS
- _^[]
- X^_[
- SSSSS
- j Yf
- RPSW
- HHtXHHt
- t$HHt
- WWWWW
- X^[_
- PPPPP
- WWWWW
- PPPPP
- WSj
- RPSW
- HHty+
- HHtXHHt
- t%HHt
- , <Xw
- VVVVV
- YY}%;
- YSSSSS
- $QPW
- VVVVV
- SSSSS
- PWWj
- %d.%d
- SSVPj
- YSSSSj
- QPht

- L%`;
- L%`;
- V,Rh
- F(PW
- ^_[]
- N<SW
- tJSP
- _^[]
- _^[]
- Q,^]
- Q(^]
- _^[]
- SVWj
- V$Rh
- Q,^]
- Q(^]
- wintrust.dll
- xppwpp
- ```hhh
- (null)
- SSSj
- SSSSj
- SSSSj
- SSSSj
- SSSj
- SSSSj
- PWSS
- SSSSj
- %s%s.DLL
- j\tXf;
- j/Yf;
- j/Zf;
- t:Ht
- t$j-_f;
- j+_f;
- 'j:Zf;
- j/Yf;
- j/Zf;
- NLQh v
- B 8X t
- YG;~
- ~<WP
- j.Xf
- ~,Wj
- Ph
- SSSSj
- 0WWWWW
- 0WWWWW
- 0SSSSS
- FhPc
- UQPXY]Y[
- v\tN+D$
- _^[]
- SVWj
- [_^]
- URPQQh
- tMVW

- ,SWj,
- SVWj(
- F,PS
- VWjL
- _^[]
- Ph<N
- PWVh
- SSSj
- SSSj
- PWVh
- PWVh
- Ph<N
- PhP=
- Ph@=
- |[SW
- QSWP
- >_^]
- \\tNFF
- /tTf
- Q@PV
- "t&FFf9;
- t[f
- tMSW
- t\tSSj
- Vh|>
- L%`;
- L%`;
- L%`;
- N(Qh
- ^$Sh
- _^[]
- _^[]
- _^[]
- PSVh%/
- SSSS
- SVWj
- ~,Wf
- j/Yf;
- j-Yf;
- PVVV
- WWWW
- mg.$B
- ^_[]
- _^[]
- v WWWQP
- SVjH
- NDQOWV
- _^[]
- _^[]
- [_^]
- YWWWQP
- WPWSW
- _^[]
- L%`;
- _^[]
- H_^[]
- t.f;

- _^[]
- _^[]
- Y__^[
- \\XrC?Vrr@Vr
- WrX$\\r
- msvcrt.dll
- NTDLL.DLL
- .rsrc
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=h=l=p=t=x=|=
- < <0<4<8<<<@<D<H<L<P<T<X<\\<h<l<p<t<x<|<
- :1:@<x<^>t>
- <B=i=n=
- ;r<w<
- <"<~<
- >C?V?[?
- >\t>+>0>
- =6=;=m=
- ;`<l<
- ;&;7;P;h;
- ?&?4?H?Y?g?
- >7>@>M>
- <k=o=s=w={=
- ;$;);.;3;;;Q;
- ?5?E?M?[?`?
- >">H>O>j>s>~>
- <"<:<\\<t<~<
- ?W?d?q?}?
- ;";&;*;.;2;
- :.:H:c:h:m:
- >*>?>Z>
- :':L:b:p:
- <)<H?d?i?n?
- 7!<?<k<|>
- ?H?M?
- ;f<|<
- ;?;D;P;
- ?[?g?
- >$>O>l>q>v>
- <!<2<Q<r<w<
- >f?}?
- >X>x>
- =%=<=Q=_=
- =k>p>v>{>
- <$<5<;<G<M<S<`<f<s<y<
- </assembly>
- />
- #.zf
- wn>Jj
- Qkkbal
- n;^
- RSDS<
- _strdup
- printf
- _XcptFilter
- _mkdir
- fprintf
- msvcrt.dll

- _^[]
- xSVW}$
- _^[]
- }+;M
- GB;}
- ~?;]
- [_^]
- _^[]
- _^[]
- SVWj`
- ^_[]
- PCSV
- v$SV
- )F(V
- $_^[]
- _^[]
- >LCICt
- [_^]
- s:Pj
- _^[]
- 0SSSSS
- .TTF
- (s*j
- _[^]
- [_^]
- %c%d%s
- PKSVhT
- PPPP
- @_^[]
- CYt!Ht
- @^_[
- @_^[]
- %d.%d.%d.%d
- (null)
- Y@^_]
- _^[]
- QQSV
- PQRVh
- RQPh
- PRQh
- @_^]
- Y^_]
- Y_^]
- |WWh@
- M WP
- @^[_]
- _^[]
- _^[]
- Y_^]
- Y_^[]
- %c%c%s
- >Sj*h
- Qj{h
- 0Qj{j}hD
- tlj}h|
- SPhT
- %d%s%s

- @_^]
- Y_^[
- ] SW
- @_^[
- Y@_^]
- %s%d%d
- @PWh
- <\\t"</t
- _@^]
- ----------
- %,ld%,ld
- ----------
- tTWh
- v\\h\\
- ~ Ph
- @_^]
- FHPh\\
- FHPhh
- _[^]
- FHPh
- FHPhh
- [tbHt
- @_^[]
- %ld%ld
- QWhL
- _^[]
- $SVW
- Time: %1 seconds (%2 hr %3 min %4 sec)
- Throughput: %1 Kb/second
- Gx+Gt
- Y_^[
- %s%s%d
- _^[]
- _^[]
- @^[]
- t?HHt4
- @t7HHt)
- %s(%d): %s: %s
- %s: %s
- _^[]
- ----------
- %s
- =<%s>
- tsSW
- %d: %s
- t$<\\t
- t WhL
- @_^]
- ^[_]
- j=h|
- j=h|
- ==> FileSpec src=%1 dst=%2
- @_^[
- @_^[
- tp</u&
- @_^[]
- t,WV

- >/YY
- r Sj
- j=h|
- ^_[]
- FG@@
- Y^_]
- %s%d%s
- %s%s
- %d%d%s
- %s%s%s
- %d%s
- %s%d
- %c%s
- HKKf
- VhQ'
- j hT
- /V[n] Verbosity level (1..3).
- HHtR
- FHPh\\
- FHPhh
- FHPhx
- FHPh
- %s%s%d%s
- %6.2f%,ld%,ld
- RQQQ
- yyyy-mm-dd
- %s%s
- UQPXY]Y[
- _^[]
- SVWj
- [_^]
- URPQQh
- _^[]
- _^[]
- _^[]
- Y__^[
- FpWP
- )~ V
- @^_]
- t%SVW
- _^[]
- SVWj
- mm/dd/yy
- QQSV
- QQSV
- QQSV
- Ft&j;
- @_^[]
- tcVW
- _[^]
- ;F v
- ^@[]
- @_^]
- Wh(b
- Ht<Ht
- QPPj
- FHPhx

- FHPh
- ~L9F$|Gh
- FhPWSV
- |/WSh
- XPVf
- Yj\t^f
- M(@@
- _jCZ
- @_^[
- _^[]
- @_^]
- @_^[
- @_^]
- @_^[]
- tShPR
- @^[_]
- tMSQ
- SVWj
- CX_^
- Ct@P
- QBWf
- VSV}
- f;HH
- N<~;
- f\tp,
- f\tP,
- _^[]
- %s%lx
- Vhd=
- @_^]
- %6.2f%s%,ld%,ld
- $h@;
- vlPQQ
- @_^]
- Disk *
- [disk list]
- %1*** END ********************************************************
- %1** **
- %1*** BEGIN ********************************************************
- %1** MakeCAB Version: %3 **
- _^[]
- w,Vh
- Y_^[]
- Y@_^[
- MSCF
- @_^[
- _@^]
- @_^[
- QQSV
- @^_]
- }$f;
- _^[]
- Y@^]
- >_^]
- %s%s
- FT^]
- @_^[]

- [_^]
- |/SVW
- @_^[
- @_^[
- msvcrt.dll
- .rsrc
- ?#?0?W?b?
- >$>1>9>S>Y>_>e>k>q>x>
- ;L<X<e<
- ;*;0;>;
- 9D:P:V:]:f:l:t:z:
- >C?I?P?W?
- ;&;Q<V<q<z<
- </assembly>
- ntdll.dll
- msvcrt.dll
- _XcptFilter
- Y__^[
- _^[]
- t;Ph&'
- Ph#'
- PWWW
- Ph('
- t;Ph&'
- Qh%'
- Ph<'
- Ph"\'
- PWWW
- ShZ'
- PhY'
- Ph '
- j X;
- tjf;
- tt?HHt
- <-tm</ti
- 4t'HHt
- PhJ'
- PVhP
- Hu!hP'
- PWVQ
- t/hB'
- QhD'
- PhC'
- t/hB'
- ping.pdb
- RSDSt
- ntdll.dll
- msvcrt.dll
- .rsrc
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- LC_ALL
- LC_CTYPE
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- yjgjg jj g j
- ntdll.dll

- =-v!
- e.vJ^/v
- ,v1#-v
- v\tN+D$
- u+WWSW
- VWsr
- YYtC
- tSj=V
-
- PVPWW
- HHtXHHtF
- Yt:SVW
- zu^SSS
- LSVWj
- t2WWVPVSW
- tCVj
- WWWWVSW
- t WW
- PPPPPPPP
- GWhh
- F@Ph
- j@Vh
- _^[]
- SVWj
- |FVW
- PPPPPPPP
- _^][
- E/PjSVS
- E.PjRVS
- E-PjWVS
- E,PjVVS
- E*PjTVS
- E$PjQVj
- E PjPVj
- YY_^][
- F|Pj=
- FxPj<
- FtPj;
- FpPj:
- F`PjN
- F\\PjM
- FXPjL
- FTPjK
- FPPjJ
- FHPjH
- FDPjG
- F@PjF
- F,Pj-
- F(Pj,
- F$Pj+
- F Pj*
- _^][
- Yt\tV
- _^][YY
- t$$VSS
- t#SSUP
- @PVSS

- SSS+
- QQSVW3
- Y]_^[
- >=Yt
- <Yv"
- tLVV
- VVVVj
- j?^;
- @_^[
- ^_][
- FVSj
- Y_^[
- h(|@
- t!SS9]
- FVhh
- Ml_^[
- t"9]|t
- YYty
- s"Vh
- [_^]
- _tPP
- .tgPV
- t%<.u(
- YYt%
- ~'WP
- @_^]
- YY_^[
- ;csm
- >csm
- ;csm
- sVS;7|B;w
- >csm
- ~=;F
- j@hh
- QQSVWd
- ]_^[
- t?xH
- t.;t$$t(
- hP{@
- ]_^[
- hH{@
- YYSj
- F@PS
- FP_9^Xtv
- QQSV
- vXWj
- tfHt
- NHPj
- NHSj
- PQWP
- X_^d
- F;t$
- F;t$
- j@QRP
- h(|@
-
-

- @
- .rsrc
- .tls

## • Module 4 (probably unpacked / injected by the sample)

### • Module 4 rich signatures

- 44616e530000000000000000000000000c30f0f0003000000c30f5f0001000000c30f5d000200000000978830001000000097893001b0000000000001005201000001b9daf003d0000001b9d9d00

### • Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- Check_OutputDebugStringA_iat ()
- anti_dbg (Checks if being debugged)
- escalate_priv (Escalade priviledges)

- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Prime_Constants_long (List of primes [long])

## • Module 4 strings

### • Module 4 most interesting strings

- url | valid domains | tlds: .cy!D
- url | valid domains | tlds: tF.pt
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WSAStartup
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _chkstk
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc

- api | kernel32: lstrcmpiA
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetCurrentThreadId
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW
- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | kernel32: MultiByteToWideChar
- api | ntdll: tolower
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW
- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: CreateDirectoryW
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: RegOpenKeyExW
- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree

- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: lstrlenA
- api | kernel32: SetFilePointer
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | user32: wsprintfA
- api | kernel32: GetLastError
- api | kernel32: GetTempPathW
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW
- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW
- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | kernel32: lstrcatW
- api | advapi32: CryptDestroyKey
- api | kernel32: CreateEventW
- api | kernel32: EnterCriticalSection

- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: SetEvent
- api | kernel32: WaitForSingleObject
- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileSize
- api | kernel32: GetDateFormatW

**• Module 4 other strings**

- MUP7*m
- %C|IG
- WS2_32.dll
- KD94
- |^U
- ZiFP
- !% 9
- w2kL
- kn6GdU
- 35XtL
- HelV
- :0hP
- )8'3
- @t/k8
- +,O*
- 2R@y,
- uwYjr
- .)|4`4
- Ie+
- .UJw
- W1oVO4n~
- LEL`
- r}CuQ
- o&Kd;
- fOthPo
- rJE\\G<2
- C|>U^
- b&9G
- I1
- =tt0
- gAm^
- dUL`
- S2):
- WS0~
- |OiB

- P4`&m;
- Ceie
- M\\9O+S
- R*4<f
- 01ko
- NumnN7
- pA3E
- a0y@
- uP%T
- XF/1
- Briu
- Qta}
- /GpoA
- =d|8
- Z',3
- ~4Xt
- :KU]Q
- 9`%"
- P9^h
- 9F16'u
- AR,I
- 8b=A1
- &02lA
- >4dF
- %3<
- 2=H!
- A*,i
- 0@y@I
- #'- 5
- N-ZE2
- e4/._
- J1YM
- A~C(1
- @cUE#
- qSOA|
- (O2T
- A!~+4v
- 5uPe
- I(-?
- Q{AS
- 2TV=
- $8;5
- ?,7M{
- A,/c,
- 9NYub
- huo6
- F4.
- i{7#
- LI"HIOh6
- M7IN
- @\t7Y
- 8z~'
- E|t
- gU4.7
- f8|y
- ii?68L
- X#U5?J

- 7EFX
- TO]j
- zug*
- Um!5
- `}UG
- 7}"
- ca.R{8
- z&HJI;
- 0pEn
- 5VCI
- 7e<l
- ECA^
- T2d_
- 3 j4
- %8)e
- vE'9
- JcUV
- 51.(
- kkb3S
- ~Il;
- ;3Ga
- Ft#i
- K8N]
- J)if
- Xa(gN
- *^)5
- ^0n
- /O/X
- 4)m?
- R`yE
- t43P
- M2LX
- t6"r
- +O!@
- h`ZE
- #NA$
- !w$jsU6Y
- l0n[
- E#75?
- 52GS
- \\D|5
- ,Cij
- hBfI2
- YEy36
- 0A\t.
- j*0"
- i'9f?
- OFxgZ8
- g5p
- 6oYQw
- %pIr
- -H;j1
- K2G+
- y= I
- APru
- <E(#}
- d3qB8Q

- 7q6TE
- B,On
- V0'6
- U'`I
- bUPL{
- =3WvrE
- elLjS
- 6|AYy^
- wa6JH~
- NU![
- A[{0F
- O}qA
- TXi3=
- DfFE
- ufSl~
- 3x-S
- 55f$
- [~U,
- !!Fou
- AAHD\\
- #2]f
- uLP'
- MR-9
- u>]B
- O(J=d
- J=5/
- 8!#`
- _~ka
- u*_r*
- {RRU\\
- j/D2
- IxAL
- Axy"
- 8WGI
- `UiN/[/|
- ;!9I
- )}]E
- #a)e
- 2"^\'
- f{hW0
- zw73
- oX*d
- xbE}
- IprR
- -/%U
- fo_TM
- ?'2Ek>
- }!~8
- K`q(5
- F8.@
- <ikAL
- ZR"5
- 8IatA
- +ig-
- P4H
- :sAO
- uSew

- SwI2zJ
- Dh4}
- eyI2
- P5-q
- 6%2M
- #$aU
- ]{^8
- A:Kw
- .=5V
- ?Jw7
- <HUE
- V&.Op3Y`
- e2i'
- S1tl%
- !7y>?u[
- Xy3kr6
- [>5uq
- $8K.
- t{lZ
- '&e2;
- 8B1rEB
- 'i$l
- ;#2C
- Pl9\\V
- G)$9-
- 4K9@+
- yoM(
- J%MA
- ^7I=
- EP{A
- eh=5
- $"7=
- 2a)X
- egQm
- 8z0)
- w6#p
- ~Qe0
- I8\t"
- !^"1
- s:O1
- ekPy
- *o^5W
- i^R
- UM:*
- 4u*Z7j
- _+8[
- F7B\t8
- x_2=
- \\<jI
- 349$
- gPUC
- S4EJ
- !\t'E
- 9Hs}
- }^3*%
- "FU2;&(
- 1LQ/

- m5wHuv
- ~R$0
- VZD5
- LQo8j
- {O^.
- W[0B9>Q(8!
- ({yi
- 4E|^
- isuLo
- be52
- s\\`a
- 5>Js
- B\tj94.
- ]%3L0
- iTK3I
- J#8/?
- qNi$
- fUwA\t)G
- IF>Fr
- Z5!y
- ,&Co;
- EL;]k
- #Ha?
- |8/}51,
- Ex*g
- IVx</
- O@Ii
- M`o}
- DDa_`2
- yt7-
- lQ2*
- oV\\m
- 65nI]
- ln{6
- O`B)
- 1BJ
- 2;B^f
- Jw3O
- :MWau
- O1K{
- ~@EL
- 2Sg|
- ?x_P5
- <zOC<u
- 5k[!
- {U!~
- M&a;*
- teE-B
- 00tQ
- GO,p\\
- ys0P
- 87pc
- f9d(
- xiT"
- 5~.%
- |e7m
- O5>m

- qU%S
- ,4$6
- ?iKq
- ?dn2
- },L3N
- '9wlp
- iG(h
- u\\Bc
- l0A6
- Q0&)[
- ;S4,
- |/IL
- OuZzD~
- 1,0R
- brAg
- Se=f
- +|uR
- uKXr
- e\tN3
- Qxt3
- &5_r
- A):5
- lul*
- V>.XU
- 0 ZA
- yn24
- 3/MU
- l"5X{
- :'6h
- XA+L
- &+zP8
- jiX"
- :U41
- 0L?T
- \\{\t7
- 6>93
- Y0**
- z@oo"Sv
- 1w\tl
- hZ a7
- YVG2Z
- UG}e
- \\'8w
- 3lop
- 54%rj
- "aEY
- BdI_
- G3FE
- mp`1
- 1Ad$
- 1ha=
- o-^Z,
- ;bsU
- n2=8
- \\<"B6
- NAmB
- U8P(

- MUv5
- 6LI@@
- l7]w>
- n}6S
- $8]F
- [ 4Y
- r7Hf
- Oo"7
- ic
- HQAw7
- 89/TT
- ')P8f4
- 7<vX
- sY0,
- RebT
- @ICV
- LA:-y
- A"X[
- I nO
- >Voa
- :iIn
- 4AcQ
- V0g3
- 2B7~
- M0%d
- v_\ta
- :p/3V
- TUky
- c 4_
- :is3
- nQU|
- s7=&
- OOsh~
- +6`P
- C&*E
- rK5*
- )NOE
- eR@V
- {a%L
- e{p^
- 05Fg
- Jqh5
- iU>M
- %`7kf
- 8-%$
- =W"O
- lyAmk
- U0s$
- A)`]
- C'OH
- NCo5s
- c!7lA<
- oc{=
- LYNa
- la0_
- ?q'I
- W(U2V

- '&&@I
- 4u4a<
- Sy\toK
- \\qwO=
- (,OU
- *saT
- YPf6
- >-0oew
- aP36W
- 5."
- Hv%I
- R6w]
- x0)hg
- z/4r
- 5v#e}
- u>"
- or-j
- {%^1
- +\\4A
- {Mpu"I
- mo-q
- dq^Ca
- 9_NO
- 0?D"
- ^[u&
- Qk8o
- xoW-{
- SE!?
- Xxu[T
- ?]Z0
- \\gEJ_
- ,n4[
- N6yx
- 4 H2
- fAZx\\
- }%zU
- 5O/I2
- FK3{
- 5c,f)
- :K{8
- w3\t1}
- oCD$
- !fVAN
- =5}?
- 5l[t1
- M9H#
- l-M1
- r8S^;
- pDb9
- O51'
- ,Us ;
- #u4D}
- IS|g
- j 9]
- }8nn
- 2p<W
- rhE}

- ~1:<G
- N9>A
- 6:`Z
- .j?7
- l@1y
- }}h18
- #Ik~
- 6"ZL
- */k2yO<
- 1i#+,4
- g4z,
- (]<I
- %G\\5
- *3['|3c
- 2o*N
- Ke=e
- E+AX
- #awk
- 6@q*r
- }la>>
- B^pI
- 3--p
- {0VQ
- J=CO
- +hG2=
- B6+W
- "oax
- }x/e
- 4f=\\'6
- 0sr].
- to=f
- ~O};
- ]8!`
- DO'5@
- dh25
- i\\l"
- -wEW
- .giu
- l(}U
- tT{1ed
- S%3
- ){4o>NJG
- ^!&9
- Je%&OQ;
- T64vQ
- Loof
- ?<9r
- lUg>U
- =->7G
- Y`-E
- ~/3w
- n~%3
- }e5N
- dAc
- Uf+T
- f2%u
- i\t_-

- ]>ya
- 14vV
- Vtm\\a
- v5VI
- \\sZj0
- 6CU
- 7Ok{
- xp`ie)
- T6{i|
- GOYo
- kQ.a
- 0FKaK
- ^Bf2Af
- o,O=
- 1;Z`
- ugv}
- VAUp
- "iSZ)
- E%}+:s3
- n?(6
- jTZb4
- 4\\~/
- dIW6
- ccG3,
- dtjO
- ]^!*u
- eTX&
- ^12<9
- 0U.N1Js<
- !!`o
- T1u%
- 4QU_f
- V)PO
- S&D9;
- A]xj
- OgSU
- TI!8
- K6hN
- F*85
- v314
- O"0\\q(
- ]E\tMR
- 4a~V
- Xk'5
- 7,f$
- (hqi
- zCh0
- hA2Fbn,d
- n`0O
- u#^`
- HEfE
- X\\^a
- }W<0Z
- q)s4
- ;]}4w
- *U/2L
- II>EwyA

- uVF8
- dq,\t%]"0;I
- VOcC
- us9k
- v3j(A
- ACaLn"\\
- 8Qsge
- bbT4*
- UD*q
- iUD<
- u&v6;
- #Oqm
- tX14
- frI
- 5Hz]L
- ri#<D03
- 03Q$
- &n;\tMe
- N4m-
- e+8W
- 0p>A
- C{o*
- 81:1D
- TE@r
- gS37
- rx16R/
- uOOI
- -M?o
- &{V3
- 7n"|
- xe<I><
- -~4H
- 6TMB
- +3yn
- (X/I
- He5l
- ^77\\
- rTSE
- %qa1
- AP<a/
- ,8\tC
- vu'f
- Akba
- NJ80
- 26JryE
- q966
- ;Wa4
- j6dju
- "Ddw8
- &ma5;
- ;d~I
- |y96_
- 8bUF?
- xpTiu
- WgeLId%
- tG9UlL{%
- 2lt

- j02+
- W%RU
- d2ck
- 82_Z8
- ^43r
- \\wC2
- q j9
- O#(y
- W_24tP
- cPajMIU
- *7lnXEy
- <;`E
- v$0q
- 64l'
- u WV
- ~7LOzw
- ':C7
- gZa$
- EvZR
- 3m_D
- ok??
- qDce
- ?Ao8
- 1zQb
- ^6RFUte
- OGv2Y
- 4##0
- [>U2{
- w)ijOpv
- f-qa
- }0-b
- ]&A1;>
- OZ8yW
- 6~p(b
- @&)0
- 86Z~
- Empr
- [FB4
- ,X6h
- "0JU4}^
- yt(]I
- G`Ba
- CIlq
- "y:7AC
- 0y 7
- :DB6w
- Llx6
- O]A
- %iX!
- 'R, a
- VERSION.dll
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- StrToInt64ExA
- PathCombineW
- PathSkipRootW

- GDI32.dll
- SHELL32.dll
- ole32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- ShellExecuteW
- SetTextColor
- DeleteDC
- GetDeviceCaps
- GetDIBits
- SetBkColor
- SetPixel
- DeleteObject
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- CreateFontW
- GetObjectW
- GetStockObject
- SHChangeNotify
- CoInitialize
- CommandLineToArgvW
- SHGetFolderPathW
- CoInitializeEx
- ShellExecuteExW
- CoUninitialize
- WS2_32.dll
- PathMatchSpecW
- PathFindFileNameA
- StrCmpNIA
- StrToIntA
- PathFindFileNameW
- StrFormatByteSizeW
- c"5o
- T1`m
- 4d(2d
- iPoj
- M[U"
- n!6P
- 1o%Z/
- 2H%M
- <ENP
- OS.z
- c]AgA
- 72gn?
- -NlnE
- 7Qzn
- \\`,1)4
- g2a|
- xobc
- JIA N(8)J
- 'fmA
- {Jh>I
- yyx1~
- &AAO;
- 3C3S

- P6,%b
- 8W"%E
- x4}F
- >+Aj
- o3PdI}
- hRe}P
- n+69
- INg@
- X/We
- $Rno
- z[E8=-
- %<!A
- SVWUj
- %H#A
- %l#A
- %p#A
- %|#A
- tYVU
- SVWU
- VC20XC00U
- %x#A
- %t#A
- 7<{t
- <9~9<[u
- ]<-tA<0|
- ?:u!
- ?,uo3
- 8{ujP3
- >,u<3
- u)ShC
- u3S8_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- >nosju
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- hp9A
- w\t9E
- SUVW
- tG9M
- SVW3
- 5|QA
- 5TPA
- 5xPA
- vIjk
- 5$PA
- 5pQA
- YY;E
- 5$QA
- _^]3
- v5jr
- 5PQA

- 5@QA
- 5$QA
- D$4i
- D$,3
- 5 QA
- 58QA
- 58PA
- T$$3
- 5 QA
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- <%u_
- t3Sj
- >.uB
- t5Sj
- >0uBF
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY_3
- SVW3
- h0:A
- uaSU
- h@:A
- h :A
- h<8A
- tE9}
- 5< A
- h<8A
- j4XP

- tESh
- SVW3
- hp:A
- =8!A
- hP:A
- h`:A
- ht8A
- hX8A
- hT8A
- ?-u.h
- hL8A
- =xV4
- t2VVj
- Hu"9\\$
- SUVW3
- QSUV
- Y_^3
- >F;u
- 97vBS
- tISV
- t-Iu
- t08]
- -x"A
- SUVW
- HSVW3
- UVW3
- u"Ph
- t#9]
- r0j.
- L$4;
- YY_3
- u29]
- ht7A
- hl7A
- h`7A
- WQhP^EMj;h$7A
- t0Sh
- hT1A
- SUVW3
- ShF7
- SVW3
- FY;5
- hL5A
- h|6A
- 5I A
- ht6A
- h`6A
- Z#1j\thT6A
- SVW3
- h82A
- uvj8
- j\thH6A
- 5j9h
- 5,!A
- VWf9
- QSU3
- 9jOh

- hp5A
- SVW3
- hh5A
- h\\5A
- =(!A
- SVW3
- hX5A
- Shg}a
- hT5A
- hH5A
- h<5A
- h45A
- j\th(5A
- t3Sh~
- h 5A
- u3Sh
- hT1A
- QQSV3
- SVW3
- h@4A
- uTVh
- hp4A
- h|4A
- ht4A
- hp4A
- hh4A
- h`4A
- hP4A
- h@4A
- hD4A
- h@4A
- h44A
- u2jY
- 50\\A
- 54\\A
- h(4A
- 50\\A
- 54\\A
- % \\A
- hESB
- % \\A
- QQS3
- = \\A
- 50\\A
- 54\\A
- % \\A
- =0\\A
- 54\\A
- 50\\A
- 54\\A
- 50\\A
- 54\\A
- % \\A
- YY:E
- 5H\\A
- 5L\\A
- YY:E

- u#Vh
- 50\\A
- 54\\A
- 5 \\A
- 5H\\A
- 5L\\A
- % \\A
- 50\\A
- 50\\A
- 54\\A
- % \\A
- - \\A
- 50\\A
- 54\\A
- v%je
- = \\A
- 50\\A
- 54\\A
- )5 \\A
- !5 \\A
- % \\A
- % \\A
- % \\A
- QPNu
- tOSh
- Sh`*A
- Ph@%A
- SVW3
- hh3A
- t3Sh
- XSVW3
- hGj,h03A
- uj"h
- SVW3
- D$8P
- D$8P
- D$8P
- D$80
- hI2A
- PQh19
- j&hx2A;
- hI2A
- PQh19
- hL2A
- zj\th@2A
- h82A
- t6Wh
- t0Sh8f06j
- QQV3
- hx1A
- hh1A
- h\\1A
- VhV>I
- (j\thH1A
- (j\thH1A
- NYYu
- h@1A

- tU9;vI
- lBj\th41A
- hx0A
- hl0A
- h`0A
- j\thT0A
- hH0A
- h<0A
- h00A
- h$0A
- D$0P
- SVW3
- E;l$
- QQSUVW3
- =d\\A
- hX\\A
- t7Phh\\A
- @.data
- `.rdata
- .text
- V5Richz
- V5aW
- V5aW
- !This program cannot be run in DOS mode.
- ?rt9,L^
- =RL~B~
- RFm"
- $Dv:
- C(v@
- XdKbt
- v?yW
- Y;q"V
- y<lR"
- R_ ]V
- xqS}\\it
- D>, w
- +,TnQ
- V\\w^
- v)w<.
- vfc.ZU!S
- dT]N
- ==N`
- }hCv
- ,&My;?
- nmFt
- GT!
- R*V
- tGyw
- Qn>#
- _k*:
- XN@G`
- r'_|
- m@;q
- sB+n
- )w+x
- c?zH
- W=p%

- #>n-4V
- P fh(
- BggR
- b_B#
- Y%rg
- P\tP>
- /=.
- `#Xj
- LY<n
- x)x
- *m{z
- !XEBRQ>
- xd[ '^
- n+P!
- QN\\$
- QrH*|
- ^Cj.
- [GjX
- ;rN}
- Knl`E`
- W:+%
- VBMj
- S'pp
- CrXS
- tnQ
- F(_.
- G[K
- fH\\q
- +& T8V
- R*O? r
- cCqZH
- y|~y
- ZYY|
- :|g~
- hszL
- !C;t
- '!X^Q
- ++H}"
- d;TW!
- H")ky
- B~X{p
- v``q
- VbDy
- zcd]K
- @YyPky_U
- .k,l
- fq;fwZ
- VyX-
- c^ !{
- VK]
- DDwY
- y\tzL
- ~j)Yr
- )*)F
- Y%Tm
- +INf
- `C[`

- w*Jv
- "-W({
- Dzhz,
- xzL<}
- fx`Z
- X>q@
- z[x`
- *x'^
- K&M;[
- cp`@Q
- dZJ
- J"TE-S
- %.Q4+k
- trdp
- lD~$
- DDLn
- ?NTfl
- yWx_C
- ]qW<
- j'WP
- ;l"y1vr
- s)CVXA
- $>m-4Xp
- rcJ~Q_l+
- #!${|
- EzNQ?]
- Z/Y'
- XWC&
- Pcyqd
- J-@&
- *Nzf
- Z!sW
- k}glnuP
- |-Fj
- ).#K|iJ@
- P-`
- F%h{k
- ' %KQ[V
- [(W.
- );R-
- hSW2gB
- rF^F
- *t?N
- gK^b
- .R#^
- Z'JV
- @n#.
- lFyD
- jl`N=
- 'TRm
- y!DS)"m
- ,R[Xz
- K_y[
- Jkj&G;
- -s\t&
- pqcT
- =TB;

- ][lN
- s%Zr
- !RX&n;
- >^^@
- {vr@
- ,]x=
- Kf./
- C`$^
- ]j\t:
- w`P`
- j%S-
- QJm${,
- YC;{G0
- -{MGg
- =[>IM:
- wcFG
- V#DL
- -Z.D
- W+V\\][
- @MxS
- }#-S
- M\\(fd
- (:*q
- MR]-ht
- Z]Dc
- G+_)#
- !bpZ
- %^N(
- ^-+q
- Tzcs
- CZ,='
- x^<t
- bWQH
- K^ZH
- Q:Xc
- Z"l\\
- [C#R
- 'N&@5l
- CQ^'
- w$Hq
- jbYx
- \\Q\tV
- - w.
- c#_uLR[/kIVx
- S]T\\
- \\-wN.
- dP,w
- "gsC
- Wvq!
- h>N{l
- wSc|
- \'L"/
- (}n+
- gT&!r
- ]n}Z}
- g\t\\0lf?H
- b;)}

- &=HVJ
- DQ\\r
- d,w|
- ~rF7dVj$
- VNdmH
- DCSR`
- FzP>
- M"M"q0
- TGN{
- ;*pG
- l_~_
- }h'PR
- F&Q0;d
- \\H -
- m/mR
- :m
- WCxJF
- y|Qx
- R`Hc?b
- K@\tz
- fNx+
- `SL)
- x%T:
- C;fh
- M[^^P
- PZ(fL
- @MN!
- //j\\X
- ?sHL
- C*:bV
- g@NZ
- -y?h'=<S
- *c>}c
- >rk|
- t^,s
- sm^j
- wyR`\\
- <X-F
- d~Xw
- &B;\tBxK
- vpb
- rh;J?T
- KM)]
- ?]L&
- rWDNC
- bb @
- y}+m
- *tB!\\
- 'J)}Ne
- h$G!
- _T*c
- M[sW
- NQLb
- "Zps
- jddsGz
- ]PjTk
- ^'g\\

- f@JjaH
- QR;<l
- #^F(
- b!hs
- ?Lv=
- q/-J,d
- }z'b
- #/S)
- VQq`b
- fDy`
- j[[K
- L^!&@2
- s<rJq
- ]h>`B
- mv-Y
- =xyp
- ~;"L*B
- dX!z
- 8X,W^@
- [r#[
- !7J""k
- +hp"V
- j?^,
- |g>)
- \\w#-z
- X/]z
- !S/C
- mx=?_
- :y;fD
- evfYvR
- +]vs
- -(rZ
- N)Wc
- [cy'}U
- f-{F
- =)Xt
- SRQN^$
- $ ||[J
- s[.}
- m{,$
- {\\m++
- r*["
- tl|-X;Z
- yY>BD"
- z?{wVD
- PT4K;.
- @#B0Z'
- :m$W{B
- 5-yLL _
- d#*b
- v.Lp
- {vNY,
- ksT+
- Vj]k
- R(S.]i
- {]w~
- >%_V

- {cJm
- )dNV
- lppD
- #wB'T
- [<W(
- F#l]
- Z}%FB
- "ajnPr\'
- +k~`
- TL[q
- f{B>L
- :t=L
- DHl
- l)g(
- ZY9<DP
- n<QW
- (/}*
- ):<VcNn
- l"\t=^k
- @`hw
- B[]Y
- S}*Bv
- ,_'SPN
- ri%{Y"
- =zrt
- #gNEnp'
- y/(W
- z^^M
- Z.y'/0l
- m~]z
- 2sr{^@
- {]g)d
- g$G(~
- DTR!
- ryBV7yN
- f!N(mi
- Z8|S$G!
- WN!-
- @[~Uyx
- w;q-
- Hqfj
- X'.%
- qwQqZ
- R.{DH
- t*Dk
- N\tF=
- #"h\'
- :D@(
- =zv`
- dH"(
- Jyc(@
- CM3@_;
- NQp3xM
- Bx(,f
- ~OL`H'
- `);
- D<s;

- :=k_6"V?
- zHw[v
- GBfg
- l>!{
- \\;$K*
- |+f@
- ~pLT^
- <%=j
- w\t_]
- GGqD
- j&KH;&
- nf**Y
- w5svbm
- .C{Ss
- vKz~(
- wdEc~D
- nNDvn
- q$#~]
- -xLS>
- R!]|<p
- k#>N(
- ZD(JY<
- vCyZ
- ]*+G
- c-GCK
- &c;{;
- c/h%
- JS'xc
- st['
- %PH$
- Zm<@
- [$HL
- Qhf%
- n{+H
- #XC}
- PsPY
- KPwZ
- +g&:
- M>J)~y
- ntRC
- @:=\\
- w>FT
- dq"z
- j]$@
- twDy
- yW;^
- B}=R
- hG [
- #@)@
- prv[
- Vt^,y
- Zd?K
- r@}{
- !O<'v#k)
- z|7 g+
- VxJJ
- *+LiDL

- .p:D
- {n!+
- p_j,f
- hfTP
- -l>V.
- (^dZ
- ,ptzZ
- vg>=
- K~|cHr
- Cmr}
- QRp&Ya;
- NQhjS
- f_r]
- {"[+
- t:NC
- $~V)
- g K9f:
- v^E}|-
- H?nTDW<
- lFF/^
- S|-D
- By*(
- FWnv
- ~TvXd
- ZWV(}b
- <sSVyu^
- ^|!:
- ep>z'q
- ]p@J
- kPVZ}
- Q?W'
- <?"t
- !#,s
- |Eq/NJ
- @gkC
- h\\mH
- JY7THbX
- Vjb:l
- h),f
- F\t/J
- L,[J
- r>$V
- NbD'
- #G'N
- @@@@AI@@@@LB@@@@@@@@ODS@@@DWC\\@`@@@@@@@@@@@@@@dfnk@@jF@@DF@@[D@@
-
- PPPP
- vv[[[[[[[[[[[
- [[p[z
- [RRRR[[[[w|w
- [[[[[[[[[[[[js
- d[[[[[
- JJJJKRJJJJOLJJJJJJJJUE@JJJEYMFJ]JJJJJJJJJJJJJJacgNJJkmJJEmJJDEJJ
-
- PPPP
- ``YYYYYYYYYYY
- }YPPPPYYYYa

- YYYYYYYYYYYY
- YY`}
- YYYYY
- StrSpnA
- StrPBrkA
- StrStrIW
- ntdll.dll
- SHLWAPI.dll
- StrCmpNW
- StrCmpNIW
- StrChrW
- StrChrA
- StrCmpNA
- StrStrA
- StrCpyNW
- CRYPT32.dll
- BsQTt@
- YDVs
- W(,k
- qFv.
- y+Xz
- X\\HR]
- #C(
- s Xf
- lCr
- _]G|
- }-zfD
- _yd@
- ]3<djb
- dH:.
- M(zxF
- `b}V
- -+$VA-_
- )G/K
- ]qBD
- L=rS
- gNbF
- dvt)cz~
- X!PN
- .=R
- .x%;
- s#Kj
- t+@;
- UQPXY]Y[
- ;t$(v(
- ]_^[
- ]_^[
- t?xH
- Y_^[
- @#Sh
- QSVWj
- _^[]
- SVWj
- tqWVS
- >]ty
- SVWj
- ?"tB

- SVWj
- SVWj
- QQSV
- ][YY
- QQSUVW
- t`SV
- X_^[
- ]$VW
- _^[]
- X_^[]
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- _^[Y
- QQSWj
- _^][Y
- YYVj
- QSVW
- v.VW
- @;D$
- QQSW
- SVWj [;
- j Y+
- @;D$
- <SVW
- t<VW
- t.VW
- YYt$j
- Y_[]
- 9T$,t)
- 9L$(s>
- 9l$ w'jn
- l$ 9L$$
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[]
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- ^@[]
- D$$@Y
- $SVW
- <+uH<-
- t%Sj

- _^@[
- ]tRF:
- t[j@
- SPR
- Y_^[Y]
- sPVW
- D$ SS
- PPVh`
- [_^]
- tMSS
- txhmp
- tKVh
- j Y+
- PSSSSSSh
- tZVWS
- t!SW
- tRVh@
- t\tWSV
- FVSW
- t*VS
- *.~j
- S)qj
- t-WS
- t+WS
- _^[Y]
- jdY^
- tbh(
- YYt$
- _^[]
- jxX+
- QZ^&
- HSVWj
- YY_^[]
- Y_^[
- SVWj
- tC@=
- ?@s"9t$
- QQSV
- FYf;
- wDr
- _^][
- @PVh
- @PVh
- @PVh
- D$ P
- PWSS
- PSSS
- QQSW
- j:Xf
- VSSSS
- QQSV
- D$DP
- PWWh6bf
- YShsJ#
- ;D$$
- ;D$ r
- %Qh{

- SVWj
- u\tG;>r
- Shfk
- SPh%=
- t?SSj
- SSSSSSSV
- jHjZ
- Sh"p
- PSSh
- t&Sh;=
- VSSS
- PSSj
- Sh}N
- %>wj
- t-ShD
- uMSh+nD
- tVSh
- h$p]
- tBWS
- t_Whz
- WhsJ#
- Vh(Y
- j\tPS
- t>Ht)Ht
- v"ShM|h
- t Vh
- r j,
- Vh!HSMj
- SSWP
- tySh
- rRVSh
- SSSj
- SSSj
- Shb(@
- @PVh
- PSSSS
- D$HP
- SVVW
- D$pVVSSSSh
- D$`h
- D$@VP
- PQhdn
- $SVW
- _^Y]
- %f+j
- QVWhM
- @_^[
- Vh![
- t(h|
- tRSP
- QQSV
- G;;r
- `SVW
- t$ QhA
- D$LP
- D$pP
- h<gX[j

- D$<Pj
- D$lPW
- D$<Pj
- D$DPW
- D$,P
- D$$P
- D$(P
- DrbRf
- vG+M
- VVVhS
- FYY;5d
- _^][YY
- C,?Wj
- .CRT