Analysis report for sample: 1fcdeabfe2bdc3c3c52d3498ed7cc0e4

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 4117 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 1fcdeabfe2bdc3c3c52d3498ed7cc0e4

AV detections

- Microsoft:
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec:
- Malwarebytes: Trojan.MalPack.NSPack

Original source url

-

Virustotal url

- https://virustotal.com/es/file/e29e7b865705f07ef2926be2d7dd426df82789f4125cf7dd1bb534c34f251690/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe

- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: .ls=text/javascript
- url | valid domains | tlds: .cc=text/x-c++src
- url | valid domains | tlds: .xps=application/vnd.ms-xpsdocument
- url | valid domains | tlds: .wps=application/vnd.ms-works
- url | valid domains | tlds: .wpl=application/vnd.ms-wpl
- url | valid domains | tlds: .wks=application/vnd.ms-works
- url | valid domains | tlds: .wdb=application/vnd.ms-works
- url | valid domains | tlds: .wcm=application/vnd.ms-works
- url | valid domains | tlds: .tr=application/x-troff
- url | valid domains | tlds: .stl=application/vnd.ms-pki.stl
- url | valid domains | tlds: .sst=application/vnd.ms-pki.certstore
- url | valid domains | tlds: .sh=application/x-sh
- url | valid domains | tlds: .ps=application/postscript
- url | valid domains | tlds: .pl=application/x-perl
- url | valid domains | tlds: .pko=application/vnd.ms-pki.pko
- url | valid domains | tlds: .ms=application/x-troff-ms
- url | valid domains | tlds: .me=application/x-troff-me
- url | valid domains | tlds: .mpp=application/vnd.ms-project
- url | valid domains | tlds: .lrm=application/vnd.ms-lrm
- url | valid domains | tlds: .ims=application/vnd.ms-ims
- url | valid domains | tlds: .com=application/x-msdos-program
- url | valid domains | tlds: .cil=application/vnd.ms-artgalry
- url | valid domains | tlds: .chm=application/vnd.ms-htmlhelp
- url | valid domains | tlds: .cat=application/vnd.ms-pki.seccat
- url | valid domains | tlds: .cab=application/vnd.ms-cab-compressed
- url | valid domains | tlds: .asf=application/vnd.ms-asf
- url | valid domains | tlds: .ai=application/postscript
- url | valid domains | tlds: .au=audio/basic
- url | valid domains | tlds: Uh.SI
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: WSASend
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Bind
- api | frequently used by malware: Connect
- api | frequently used by malware: Send
- api | frequently used by malware: Accept
- api | frequently used by malware: Sleep
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Protocols\\IdGlobalProtocols.pas

- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdStreamVCL.pas
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- api | ws2_32: FreeAddrInfoExW
- api | ws2_32: SetAddrInfoExW
- api | ws2_32: GetAddrInfoExW
- api | ws2_32: InetNtopW
- api | ws2_32: InetPtonW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: GetNameInfoW
- api | ws2_32: GetAddrInfoW
- api | ws2_32: WSAPoll
- api | ws2_32: WSASendMsg
- api | ws2_32: WSAProviderConfigChange
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceA
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdA
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersA
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoA
- api | ws2_32: WSARemoveServiceClass
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassA
- api | ws2_32: WSANSPIoctl
- api | ws2_32: WSALookupServiceEnd
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextA
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginA
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressA
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketA
- api | ws2_32: WSASetEvent
- api | ws2_32: WSASendTo
- api | ws2_32: WSASendDisconnect
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSARecvFrom
- api | ws2_32: WSARecvDisconnect
- api | ws2_32: WSARecv
- api | ws2_32: WSANtohs
- api | ws2_32: WSANtohl
- api | ws2_32: WSAJoinLeaf
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAHtons
- api | ws2_32: WSAHtonl
- api | ws2_32: WSAGetQOSByName

- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsA
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketA
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAConnect
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSAAccept
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSASetLastError
- api | ws2_32: getprotobyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getservbyname
- api | ws2_32: getservbyport
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: ioctlsocket
- api | ws2_32: WSACleanup
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors

- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | urlmon: Extract
- api | user32: SetFocus
- api | user32: DrawEdge
- api | user32: DrawIcon
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | ntdll: %log
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages

Involved hosts

- 192.168.133.177:56889
- 192.168.133.177:57724
- 192.168.133.1:5355

Dns queries

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.177:56889**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.177:57724**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: .ls=text/javascript
- url | valid domains | tlds: .cc=text/x-c++src
- url | valid domains | tlds: .xps=application/vnd.ms-xpsdocument
- url | valid domains | tlds: .wps=application/vnd.ms-works
- url | valid domains | tlds: .wpl=application/vnd.ms-wpl
- url | valid domains | tlds: .wks=application/vnd.ms-works
- url | valid domains | tlds: .wdb=application/vnd.ms-works
- url | valid domains | tlds: .wcm=application/vnd.ms-works
- url | valid domains | tlds: .tr=application/x-troff
- url | valid domains | tlds: .stl=application/vnd.ms-pki.stl
- url | valid domains | tlds: .sst=application/vnd.ms-pki.certstore
- url | valid domains | tlds: .sh=application/x-sh
- url | valid domains | tlds: .ps=application/postscript
- url | valid domains | tlds: .pl=application/x-perl
- url | valid domains | tlds: .pko=application/vnd.ms-pki.pko
- url | valid domains | tlds: .ms=application/x-troff-ms
- url | valid domains | tlds: .me=application/x-troff-me
- url | valid domains | tlds: .mpp=application/vnd.ms-project
- url | valid domains | tlds: .lrm=application/vnd.ms-lrm
- url | valid domains | tlds: .ims=application/vnd.ms-ims
- url | valid domains | tlds: .com=application/x-msdos-program
- url | valid domains | tlds: .cil=application/vnd.ms-artgalry
- url | valid domains | tlds: .chm=application/vnd.ms-htmlhelp
- url | valid domains | tlds: .cat=application/vnd.ms-pki.seccat
- url | valid domains | tlds: .cab=application/vnd.ms-cab-compressed
- url | valid domains | tlds: .asf=application/vnd.ms-asf
- url | valid domains | tlds: .ai=application/postscript
- url | valid domains | tlds: .au=audio/basic
- url | valid domains | tlds: Uh.SI
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: WSASend
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv

- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Bind
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Bind
- api | frequently used by malware: Connect
- api | frequently used by malware: WriteFile
- api | frequently used by malware: Send
- api | frequently used by malware: Connect
- api | frequently used by malware: Send
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Accept
- api | frequently used by malware: Sleep
- api | frequently used by malware: Send
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Connect
- api | frequently used by malware: Bind
- api | frequently used by malware: Accept
- api | frequently used by malware: Send
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Protocols\\IdGlobalProtocols.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandlerStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\Core\\IdIOHandler.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdStack.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas

- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdGlobal.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdStreamVCL.pas
- path | path unit: C:\\Builds\\TP\\indysockets\\lib\\System\\IdStreamVCL.pas
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- registry: \\SYSTEM\\CurrentControlSet\\Control\\Keyboard Layouts\\
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\FontSubstitutes
- api | ws2_32: FreeAddrInfoExW
- api | ws2_32: SetAddrInfoExW
- api | ws2_32: GetAddrInfoExW
- api | ws2_32: InetNtopW
- api | ws2_32: InetPtonW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: GetNameInfoW
- api | ws2_32: GetAddrInfoW
- api | ws2_32: WSAPoll
- api | ws2_32: WSASendMsg
- api | ws2_32: WSAProviderConfigChange
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceW
- api | ws2_32: WSASetServiceA
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdW
- api | ws2_32: WSAGetServiceClassNameByClassIdA
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersW
- api | ws2_32: WSAEnumNameSpaceProvidersA
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoW
- api | ws2_32: WSAGetServiceClassInfoA
- api | ws2_32: WSARemoveServiceClass
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassW
- api | ws2_32: WSAInstallServiceClassA
- api | ws2_32: WSANSPIoctl
- api | ws2_32: WSALookupServiceEnd
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextW
- api | ws2_32: WSALookupServiceNextA
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginW
- api | ws2_32: WSALookupServiceBeginA
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressW
- api | ws2_32: WSAStringToAddressA
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAAddressToStringA
- api | ws2_32: WSAWaitForMultipleEvents
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketW
- api | ws2_32: WSASocketA
- api | ws2_32: WSASetEvent
- api | ws2_32: WSASendTo
- api | ws2_32: WSASendDisconnect
- api | ws2_32: WSAResetEvent
- api | ws2_32: WSARecvFrom

- api | ws2_32: WSARecvDisconnect
- api | ws2_32: WSARecv
- api | ws2_32: WSANtohs
- api | ws2_32: WSANtohl
- api | ws2_32: WSAJoinLeaf
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAHtons
- api | ws2_32: WSAHtonl
- api | ws2_32: WSAGetQOSByName
- api | ws2_32: WSAGetOverlappedResult
- api | ws2_32: WSAEventSelect
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsW
- api | ws2_32: WSAEnumProtocolsA
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketW
- api | ws2_32: WSADuplicateSocketA
- api | ws2_32: WSACreateEvent
- api | ws2_32: WSAConnect
- api | ws2_32: WSACloseEvent
- api | ws2_32: WSAAccept
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSASetLastError
- api | ws2_32: getprotobyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getservbyname
- api | ws2_32: getservbyport
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: ioctlsocket
- api | ws2_32: WSACleanup
- api | user32: SetLayeredWindowAttributes

- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: SleepConditionVariableCS
- api | kernel32: WakeAllConditionVariable
- api | kernel32: WakeConditionVariable
- api | kernel32: InitializeConditionVariable
- api | kernel32: GetDiskFreeSpaceExW
- api | urlmon: Extract
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: MonitorFromPoint
- api | user32: SetFocus
- api | user32: DrawEdge
- api | user32: DrawIcon
- api | user32: DrawEdge
- api | user32: SetFocus
- api | user32: ScreenToClient
- api | user32: ClientToScreen
- api | user32: DragObject
- api | user32: DragObject
- api | user32: DragObject
- api | user32: DragObject
- api | kernel32: FreeResource
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | user32: CopyRect
- api | user32: FrameRect
- api | user32: FillRect
- api | user32: DrawFocusRect
- api | urlmon: Extract
- api | kernel32: ResetEvent
- api | kernel32: SetEvent
- api | urlmon: Extract
- api | ntdll: %log
- api | kernel32: GetLongPathNameW
- api | kernel32: GetThreadUILanguage
- api | kernel32: SetThreadPreferredUILanguages
- api | kernel32: GetThreadPreferredUILanguages

• Module 1 other strings

• Assertion failure
• application/octet-stream
• Extension
• \\MIME\\Database\\Content Type\\
• \\MIME\\Database\\Content Type
• Content Type
• .mocha=text/javascript
• .js=text/javascript
• .java=text/x-java
• .pas=text/x-pascal
• .wmlc=application/vnd.wap.wmlc
• .zip=application/x-zip-compressed
• .zoo=application/x-zoo
• .z=application/x-compress
• .xul=application/vnd.mozilla.xul+xml
• .xsd=application/vnd.sun.xml.draw
• .xpi=application/x-xpinstall
• .xlb=application/x-msexcel
• .xls=application/x-msexcel
• .xfdf=application/vnd.adobe.xfdf
• .wri=application/x-mswrite
• .wpd=application/wordperfect
• .wp5=application/wordperfect5.1
• .wmz=application/x-ms-wmz
• .wms=application/x-ms-wms
• .wmd=application/x-ms-wmd
• .wb3=application/x-quattropro
• .wb2=application/x-quattropro
• .wb1=application/x-quattropro
• .vsl=application/x-cnet-vsl
• .vor=application/vnd.stardivision.writer
• .vcd=application/x-cdlink
• .ustar=application/x-ustar
• .urls=application/x-url-list
• .uin=application/x-icq
• .ttz=application/t-time
• .torrent=application/x-bittorrent
• .tgz=application/x-compressed
• .tsp=application/dsptype
• .troff=application/x-troff
• .trm=application/x-msterminal
• .texinfo=application/x-texinfo
• .texi=application/x-texinfo
• .tex=application/x-tex
• .tcl=application/x-tcl
• .tar=application/x-tar
• .t=application/x-troff
• .sxg=application/vnd.sun.xml.writer.global
• .sxw=application/vnd.sun.xml.writer
• .sxm=application/vnd.sun.xml.math
• .sxi=application/vnd.sun.xml.impress
• .sxc=application/vnd.sun.xml.calc
• .swf=application/x-shockwave-flash

- .sv4crc=application/x-sv4crc
- .sv4cpio=application/x-sv4cpio
- .svi=application/softvision
- .stw=application/vnd.sun.xml.writer.template
- .sti=application/vnd.sun.xml.impress.template
- .std=application/vnd.sun.xml.draw.template
- .stc=application/vnd.sun.xml.calc.template
- .ssm=application/streamingmedia
- .spl=application/futuresplash
- .smil=application/smil
- .smi=application/smil
- .smf=application/vnd.stardivision.math
- .skt=application/x-koan
- .skp=application/x-koan
- .skm=application/x-koan
- .skd=application/x-koan
- .sit=application/x-stuffit
- .shw=application/presentations
- .setreg=application/set-registration-initiation
- .setpay=application/set-payment-initiation
- .sdp=application/x-sdp
- .sdd=application/vnd.stardivision.impress
- .sdc=application/vnd.stardivision.calc
- .sda=application/vnd.stardivision.draw
- .scd=application/x-msschedule
- .shar=application/x-shar
- .ser=application/java-serialized-object
- .scm=application/x-icq-scm
- .rss=application/rss+xml
- .rtsp=application/x-rtsp
- .rpm=application/x-redhat-package-manager
- .rnx=application/vnd.rn-realplayer
- .rmx=application/vnd.rn-realsystem-rmx
- .rmp=application/vnd.rn-rn_music_package
- .rmf=application/vnd.rmf
- .rm=application/vnd.rn-realmedia
- .rjs=application/vnd.rn-realsystem-rjs
- .rdf=application/rdf+xml
- .rar=application/rar
- .qtl=application/x-quicktimeplayer
- .qpw=application/x-quattropro
- .pub=application/x-mspublisher
- .ppz=application/mspowerpoint
- .ppt=application/mspowerpoint
- .pps=application/mspowerpoint
- .pot=application/mspowerpoint
- .pnq=application/x-icq-pnq
- .pdf=application/pdf
- .pfr=application/font-tdpfr
- .package=application/vnd.autopackage
- .p7s=application/pkcs7-signature
- .p7r=application/x-pkcs7-certreqresp
- .p7m=application/pkcs7-mime
- .p7b=application/x-pkcs7-certificates
- .p12=application/x-pkcs12
- .p10=application/pkcs10
- .ott=application/vnd.oasis.opendocument.text-template

- .ots=application/vnd.oasis.opendocument.spreadsheet-template
- .otp=application/vnd.oasis.opendocument.presentation-template
- .oth=application/vnd.oasis.opendocument.text-web
- .otg=application/vnd.oasis.opendocument.graphics-template
- .odt=application/vnd.oasis.opendocument.text
- .ogg=application/ogg
- .ods=application/vnd.oasis.opendocument.spreadsheet
- .odp=application/vnd.oasis.opendocument.presentation
- .odm=application/vnd.oasis.opendocument.text-master
- .odi=application/vnd.oasis.opendocument.image
- .odg=application/vnd.oasis.opendocument.graphics
- .odf=application/vnd.oasis.opendocument.formula
- .odc=application/vnd.oasis.opendocument.chart
- .odb=application/vnd.oasis.opendocument.database
- .oda=application/oda
- .o=application/x-object
- .nix=application/x-mix-transfer
- .mny=application/x-msmoney
- .msi=application/x-msi
- .mdb=application/x-msaccess
- .man=application/x-troff-man
- .mvb=application/x-msmediaview
- .m14=application/x-msmediaview
- .m13=application/x-msmediaview
- .lzh=application/x-lzh
- .lcc=application/fastman
- .lha=application/x-lzh
- .latex=application/x-latex
- .kwt=application/vnd.kde.kword
- .kwd=application/vnd.kde.kword
- .kpt=application/vnd.kde.kpresenter
- .kpr=application/vnd.kde.kpresenter
- .kon=application/vnd.kde.kontour
- .kfo=application/vnd.kde.kformula
- .karbon=application/vnd.kde.karbon
- .jar=application/java-archive
- .iso=application/x-iso9660-image
- .iii=application/x-iphone
- .ins=application/x-internet-signup
- .hta=application/hta
- .hqx=application/mac-binhex40
- .hpf=application/x-icq-hpf
- .hlp=application/winhlp
- .hdf=application/x-hdf
- .gz=application/x-gzip
- .gtar=application/x-gtar
- .gnumeric=application/x-gnumeric
- .fml=application/x-file-mirror-list
- .flm=application/vnd.kde.kivio
- .fif=application/fractals
- .fdf=application/vnd.fdf
- .exe=application/x-msdos-program
- .evy=application/envoy
- .eps=application/postscript
- .ebk=application/x-expandedbook
- .dxr=application/x-director
- .dvi=application/x-dvi

- .dot=application/msword
- .doc=application/msword
- .dmg=application/x-apple-diskimage
- .dll=application/x-msdos-program
- .distz=vnd.apple.installer+xml
- .dist=vnd.apple.installer+xml
- .dir=application/x-director
- .deb=application/x-debian-package
- .dcr=application/x-director
- .dbf=application/x-dbase
- .csh=application/x-csh
- .crl=application/pkix-crl
- .crd=application/x-mscardfile
- .cqk=application/x-calquick
- .cpt=application/mac-compactpro
- .cpio=application/x-cpio
- .clp=application/x-msclip
- .class=application/java-vm
- .chrt=application/vnd.kde.kchart
- .cer=application/x-x509-ca-cert
- .cdf=application/x-cdf
- .cco=application/x-cocoa
- .ccn=application/x-cnc
- .bz2=application/x-bzip2
- .bcpio=application/x-bcpio
- .bat=application/x-msdos-program
- .arj=application/x-arj
- .abw=application/x-abiword
- .aas=application/x-authorware-seg
- .aam=application/x-authorware-map
- .aab=application/x-authorware-bin
- .movie=video/x-sgi-movie
- .asx=video/x-ms-asf-plugin
- .rms=video/vnd.rn-realvideo-secure
- .ivf=video/x-ivf
- .rv=video/vnd.rn-realvideo
- .mov=video/quicktime
- .mpg=video/mpeg
- .mpe=video/mpeg
- .mpa=video/mpeg
- .mpeg=video/x-mpeg2a
- .mp4=video/mpeg
- .mp3=video/mpeg
- .mp2=video/mpeg
- .flc=video/flc
- .avi=video/x-msvideo
- .txt=text/plain
- .uls=text/iuls
- .323=text/h323
- .xwd=image/x-xwindowdump
- .xpm=image/x-xpixmap
- .xbm=image/x-xbitmap
- .ppm=image/x-portable-pixmap
- .pgm=image/x-portable-graymap
- .pbm=image/x-portable-bitmap
- .pnm=image/x-portable-anymap
- .xbm=image/xbm

- .targa=image/x-targa
- .sgi=image/x-sgi
- .qtif=image/x-quicktime
- .pntg=image/x-macpaint
- .art=image/x-jg
- .ico=image/x-icon
- .rp=image/vnd.rn-realpix
- .rf=image/vnd.rn-realflash
- .tif=image/x-tiff
- .pict=image/x-pict
- .jpe=image/jpeg
- .jpeg=image/jpeg
- .jpg=image/jpeg
- .gif=image/gif
- .bmp=image/bmp
- .mjf=audio/x-vnd.AudioExplosion.MjuiceMediaFile
- .ram=audio/x-pn-realaudio
- .wma=audio/x-ms-wma
- .wax=audio/x-ms-wax
- .gsm=audio/x-gsm
- .wav=audio/x-wav
- .ra=audio/x-realaudio
- .qcp=audio/vnd.qcelp
- .m3u=audio/x-mpegurl
- .mp3=audio/x-mpg
- .mid=midi/mid
- .aiff=audio/x-aiff
- .nml=animation/narrative
- -0000
- -1200
- -1100
- WEST
- WEDT
- -0200
- +1130
- -0100
- MESZ
- MEHSZ
- +1200
- -0330
- -0230
- -1000
- HAST
- -0700
- HADT
- +0000
- +0600
- EEST
- EEDT
- +0500
- +0400
- +0700
- -0600
- CEST
- CEDT
- -0500
- +0300

- +0200
- +0800
- AWST
- +0900
- AWDT
- -0400
- -0900
- AKST
- -0800
- AKDT
- +1000
- AEST
- +1100
- AEDT
- -0300
- +0930
- ACST
- +1030
- ACDT
- +0100
- JUIL
- JUIN
- MARS
- JANV
- DBRE
- NBRE
- OBRE
- SBRE
- AGTO
- FBRO
- SEPT
- JULY
- JUNE
- HZ-GB-2312
- TIS-620
- windows-1258
- windows-1257
- windows-1256
- windows-1255
- windows-1254
- windows-1253
- windows-1252
- windows-1251
- windows-1250
- Big5
- csBig5
- GB2312
- csGB2312
- csWindows31J
- Windows-31J
- csMicrosoftPublishing
- Microsoft-Publishing
- csVenturaMath
- Ventura-Math
- HP-DeskTop
- Adobe-Symbol-Encoding
- csHPMath8

- HP-Math8
- csHPPiFont
- HP-Pi-font
- csHPLegal
- HP-Legal
- csIBMThai
- IBM-Thai
- csPC8Turkish
- PC8-Turkish
- csPC8DanishNorwegian
- PC8-Danish-Norwegian
- csVenturaInternational
- Ventura-International
- csVenturaUS
- Ventura-US
- csAdobeStandardEncoding
- Adobe-Standard-Encoding
- csWindows31Latin5
- ISO-8859-9-Windows-Latin-5
- csWindows31Latin2
- ISO-8859-2-Windows-Latin-2
- csWindows31Latin1
- ISO-8859-1-Windows-3.1-Latin-1
- csWindows30Latin1
- ISO-8859-1-Windows-3.0-Latin-1
- csUnicodeIBM1265
- ISO-Unicode-IBM-1265
- csUnicodeIBM1264
- ISO-Unicode-IBM-1264
- csUnicodeIBM1276
- ISO-Unicode-IBM-1276
- csUnicodeIBM1268
- ISO-Unicode-IBM-1268
- csUnicodeIBM1261
- ISO-Unicode-IBM-1261
- ISO-10646-J-1
- ISO-10646
- csUnicodeLatin1
- ISO-10646-Unicode-Latin1
- csUnicodeASCII
- ISO-10646-UCS-Basic
- csEUCFixWidJapanese
- Extended_UNIX_Code_Fixed_Width_for_Japanese
- csEUCPkdFmtJapanese
- Extended_UNIX_Code_Packed_Format_for_Japanese
- EUC-JP
- MS_Kanji
- Shift_JIS
- csShiftJIS
- csJISEncoding
- JIS_Encoding
- GB18030
- windows-936
- MS936
- CP936
- ISO-8859-16
- ISO_8859-15

- ISO-8859-15
- iso-celtic
- latin8
- ISO_8859-14
- ISO_8859-14:1998
- iso-ir-199
- ISO-8859-14
- ISO-8859-13
- UTF-8
- csUnicode11UTF7
- UNICODE-1-1-UTF-7
- UTF-32LE
- UTF-32BE
- UTF-32
- csCESU-8
- CESU-8
- UTF-16
- UTF-16LE
- UTF-16BE
- UTF-7
- SCSU
- csUnicode11
- UNICODE-1-1
- Big5-HKSCS
- ebcdic-is-871+euro
- CP01149
- CCSID01149
- IBM01149
- ebcdic-international-500+euro
- CP01148
- CCSID01148
- IBM01148
- ebcdic-fr-297+euro
- CP01147
- CCSID01147
- IBM01147
- ebcdic-gb-285+euro
- CP01146
- CCSID01146
- IBM01146
- ebcdic-es-284+euro
- CP01145
- CCSID01145
- IBM01145
- ebcdic-it-280+euro
- CP01144
- CCSID01144
- IBM01144
- ebcdic-se-278+euro
- ebcdic-fi-278+euro
- CP01143
- CCSID01143
- IBM01143
- ebcdic-no-277+euro
- ebcdic-dk-277+euro
- CP01142
- CCSID01142

- IBM01142
- ebcdic-de-273+euro
- CP01141
- CCSID01141
- IBM01141
- ebcdic-us-37+euro
- CP01140
- CCSID01140
- IBM01140
- ebcdic-Latin9--euro
- CP00924
- CCSID00924
- IBM00924
- PC-Multilingual-850+euro
- CP00858
- CCSID00858
- IBM00858
- KOI8-U
- KOI8-R
- csKOI8R
- VIQR
- csVISCII
- VISCII
- MNEM
- csMnemonic
- MNEMONIC
- csUnknown8BiT
- UNKNOWN-8BIT
- csEBCDICUS
- EBCDIC-US
- csEBCDICUK
- EBCDIC-UK
- csEBCDICESS
- EBCDIC-ES-S
- csEBCDICESA
- EBCDIC-ES-A
- csEBCDICES
- EBCDIC-ES
- csEBCDICPT
- EBCDIC-PT
- csEBCDICIT
- EBCDIC-IT
- csEBCDICFR
- EBCDIC-FR
- csEBCDICFISEA
- EBCDIC-FI-SE-A
- csEBCDICFISE
- EBCDIC-FI-SE
- csEBCDICDKNOA
- EBCDIC-DK-NO-A
- csEBCDICDKNO
- EBCDIC-DK-NO
- csEBCDICCAFR
- EBCDIC-CA-FR
- csEBCDICATDEA
- EBCDIC-AT-DE-A
- csIBMEBCDICATDE

- EBCDIC-AT-DE
- csIBM1026
- CP1026
- IBM1026
- csIBM918
- ebcdic-cp-ar2
- CP918
- IBM918
- csIBM905
- CP905
- IBM905
- csIBBM904
- cp904
- IBM904
- csIBM903
- cp903
- IBM903
- csIBM891
- cp891
- IBM891
- csIBM880
- EBCDIC-Cyrillic
- cp880
- IBM880
- csIBM871
- ebcdic-cp-is
- CP871
- IBM871
- csIBM870
- ebcdic-cp-yu
- ebcdic-cp-roece
- CP870
- IBM870
- csIBM869
- cp869
- IBM869
- csIBM868
- cp-ar
- CP868
- IBM868
- csIBM866
- cp866
- IBM866
- csIBM865
- cp865
- IBM865
- csIBM864
- cp864
- IBM864
- csIBM863
- cp863
- IBM863
- csPC862LatinHebrew
- cp862
- IBM862
- csIBM861
- cp-is

- cp861
- IBM861
- csIBM860
- cp860
- IBM860
- csIBM857
- cp857
- IBM857
- csIBM855
- cp855
- IBM855
- csPCp852
- cp852
- IBM852
- csIBM851
- cp851
- IBM851
- csPC850Multilingual
- cp850
- IBM850
- csPC775Baltic
- cp775
- IBM775
- csIBM500
- ebcdic-cp-be
- CP500
- IBM500
- csPC8CodePage437
- cp437
- IBM437
- csIBM424
- ebcdic-cp-he
- cp424
- IBM424
- csIBM423
- cp423
- IBM423
- csIBM420
- ebcdic-cp-ar1
- cp420
- IBM420
- csIBM297
- cp297
- IBM297
- csIBM290
- EBCDIC-JP-kana
- cp290
- IBM290
- csIBM285
- CP285
- IBM285
- csIBM284
- ebcdic-cp-es
- CP284
- IBM284
- csIBM281
- cp281

- EBCDIC-JP-E
- IBM281
- csIBM280
- ebcdic-cp-it
- CP280
- IBM280
- csIBM278
- ebcdic-cp-se
- ebcdic-cp-fi
- CP278
- IBM278
- csIBM277
- EBCDIC-CP-NO
- IBM277
- csIBM275
- cp275
- EBCDIC-BR
- IBM275
- csIBM274
- CP274
- EBCDIC-BE
- IBM274
- csIBM273
- CP273
- IBM273
- csIBM038
- cp038
- EBCDIC-INT
- IBM038
- csIBM037
- ebcdic-cp-ca
- ebcdic-cp-us
- cp037
- IBM037
- csMacintosh
- macintosh
- csHPRoman8
- roman8
- hp-roman8
- csUCS4
- ISO-10646-UCS-4
- csUnicode
- ISO-10646-UCS-2
- csKSC5636
- ISO646-KR
- KSC5636
- csHalfWidthKatakana
- X0201
- JIS_X0201
- dk-us
- us-dk
- csISO646Danish
- ISO646-DK
- DS2089
- DS_2089
- csISO159JISX02121990
- iso-ir-159

- x0212
- JIS_X0212-1990
- csISO158Lap
- iso-ir-158
- latin-lap
- csISOLatin6
- ISO_8859-10:1992
- iso-ir-157
- ISO-8859-10
- latin6
- csISO10367Box
- iso-ir-155
- ISO_10367-box
- csISO8859Supp
- latin1-2-5
- iso-ir-154
- ISO_8859-supp
- csISO153GOST1976874
- iso-ir-153
- ST_SEV_358-88
- GOST_19768-74
- csISO6937Add
- iso-ir-152
- ISO_6937-2-25
- csISO151Cuba
- ISO646-CU
- iso-ir-151
- cuba
- NC_NC00-10:81
- csISO150GreekCCITT
- csISO150
- iso-ir-150
- greek-ccitt
- csISOLatin5
- latin5
- ISO_8859-9
- iso-ir-148
- ISO_8859-9:1989
- ISO-8859-9
- csISO147Macedonian
- iso-ir-147
- macedonian
- JUS_I.B1.003-mac
- csISO146Serbian
- serbian
- iso-ir-146
- JUS_I.B1.003-serb
- csISOLatinCyrillic
- cyrillic
- ISO_8859-5
- iso-ir-144
- ISO_8859-5:1988
- ISO-8859-5
- csISO143IECP271
- iso-ir-143
- IEC_P27-1
- csISOTextComm

- iso-ir-142
- ISO_6937-2-add
- csISO141JUSIB1002
- ISO646-YU
- iso-ir-141
- JUS_I.B1.002
- csISO139CSN369103
- iso-ir-139
- CSN_369103
- csISO88598I
- ISO_8859-8-I
- ISO-8859-8-I
- csISO88598E
- ISO_8859-8-E
- ISO-8859-8-E
- csISOLatinHebrew
- hebrew
- ISO_8859-8
- iso-ir-138
- ISO_8859-8:1988
- ISO-8859-8
- csISO128T101G2
- iso-ir-128
- T.101-G2
- csISOLatinGreek
- greek8
- greek
- ECMA-118
- ELOT_928
- ISO_8859-7
- iso-ir-126
- ISO_8859-7:1987
- ISO-8859-7
- csISO88596I
- ISO_8859-6-I
- ISO-8859-6-I
- csISO88596E
- ISO_8859-6-E
- ISO-8859-6-E
- csISOLatinArabic
- arabic
- ASMO-708
- ECMA-114
- ISO_8859-6
- iso-ir-127
- ISO_8859-6:1987
- ISO-8859-6
- csISO123CSAZ24341985gr
- iso-ir-123
- CSA_Z243.4-1985-gr
- csISO122Canadian2
- csa7-2
- ISO646-CA2
- iso-ir-122
- CSA_Z243.4-1985-2
- csISO121Canadian1
- csa7-1

- ISO646-CA
- iso-ir-121
- CSA_Z243.4-1985-1
- csISO111ECMACyrillic
- iso-ir-111
- ECMA-cyrillic
- csISOLatin4
- latin4
- ISO_8859-4
- iso-ir-110
- ISO_8859-4:1988
- ISO-8859-4
- csISOLatin3
- latin3
- ISO_8859-3
- iso-ir-109
- ISO_8859-3:1988
- ISO-8859-3
- csISO103T618bit
- iso-ir-103
- T.61
- T.61-8bit
- csISO102T617bit
- iso-ir-102
- T.61-7bit
- csISOLatin2
- latin2
- ISO_8859-2
- iso-ir-101
- ISO_8859-2:1987
- ISO-8859-2
- csISOLatin1
- CP819
- IBM819
- latin1
- ISO_8859-1
- iso-ir-100
- ISO_8859-1:1987
- ISO-8859-1
- csISO99NAPLPS
- CSA_T500-1983
- iso-ir-99
- ANSI_X3.110-1983
- csISO2033
- e13b
- iso-ir-98
- ISO_2033-1983
- csISO96JISC62291984kana
- iso-ir-96
- JIS_C6229-1984-kana
- csISO95JIS62291984handadd
- jp-ocr-hand-add
- iso-ir-95
- JIS_C6229-1984-hand-add
- csISO94JIS62291984hand
- iso-ir-94
- JIS_C6229-1984-hand

- csISO93JIS62291984badd
- iso-ir-93
- JIS_C6229-1984-b-add
- csISO92JISC62991984b
- ISO646-JP-OCR-B
- iso-ir-92
- JIS_C6229-1984-b
- csISO91JISC62291984a
- jp-ocr-a
- iso-ir-91
- JIS_C6229-1984-a
- csISO90
- iso-ir-90
- csISO89ASMO449
- iso-ir-89
- arabic7
- ISO_9036
- ASMO_449
- csISO88Greek7
- iso-ir-88
- greek7
- csISO87JISX0208
- JIS_X0208-1983
- x0208
- iso-ir-87
- JIS_C6226-1983
- csISO86Hungarian
- ISO646-HU
- iso-ir-86
- MSZ_7795.3
- csISO85Spanish2
- ISO646-ES2
- iso-ir-85
- csISO84Portuguese2
- ISO646-PT2
- iso-ir-84
- csISO70VideotexSupp1
- iso-ir-70
- videotex-suppl
- csISO69French
- ISO646-FR
- iso-ir-69
- NF_Z_62-010
- csISO61Norwegian2
- iso-ir-61
- ISO646-NO2
- NS_4551-2
- csISO60Norwegian1
- csISO60DanishNorwegian
- ISO646-NO
- iso-ir-60
- NS_4551-1
- csISO58GB231280
- chinese
- iso-ir-58
- GB_2312-80
- csISO57GB1988

- ISO646-CN
- iso-ir-57
- GB_1988-80
- csISO5428Greek
- iso-ir-55
- ISO_5428:1980
- ISO5427Cyrillic1981
- iso-ir-54
- ISO_5427:1981
- csISO51INISCyrillic
- iso-ir-51
- INIS-cyrillic
- csISO50INIS8
- iso-ir-50
- INIS-8
- csISO49INIS
- iso-ir-49
- INIS
- csISO47BSViewdata
- iso-ir-47
- BS_viewdata
- csISO42JISC62261978
- iso-ir-42
- JIS_C6226-1978
- csISO5427Cyrillic
- iso-ir-37
- ISO_5427
- csISO27LatinGreek1
- iso-ir-27
- Latin-greek-1
- ISO646-FR1
- iso-ir-25
- NF_Z_62-010_
- csISO25French
- csISO21German
- ISO646-DE
- iso-ir-21
- DIN_66003
- csISO19LatinGreek
- iso-ir-19
- latin-greek
- csISO18Greek7Old
- iso-ir-18
- greek7-old
- csISO17Spanish
- ISO646-ES
- iso-ir-17
- csISO16Portuguese
- ISO646-PT
- iso-ir-16
- csISO15Italian
- ISO646-IT
- iso-ir-15
- csISO14JISC6220ro
- ISO646-JP
- iso-ir-14
- JIS_C6220-1969-ro

- csISO13JISC6220jp
- x0201-7
- katakana
- iso-ir-13
- JIS_C6220-1969
- JIS_C6220-1969-jp
- ISO-2022-CN-EXT
- ISO-2022-CN
- ISO-2022-JP-2
- csISO2022JP2
- ISO-2022-JP
- csISO2022JP
- EUC-KR
- csEUCKR
- ISO-2022-KR
- csISO2022KR
- csKSC56011987
- korean
- KSC_5601
- KS_C_5601-1989
- iso-ir-149
- KS_C_5601-1987
- csISO11SwedishForNames
- ISO646-SE2
- iso-ir-11
- SEN_850200_C
- csISO10Swedish
- ISO646-SE
- ISO646-FI
- iso-ir-10
- SEN_850200_B
- csNATSDANOADD
- iso-ir-9-2
- NATS-DANO-ADD
- csNATSDANO
- iso-ir-9-1
- NATS-DANO
- csNATSSEFIADD
- iso-ir-8-2
- NATS-SEFI-ADD
- csNATSSEFI
- iso-ir-8-1
- NATS-SEFI
- csISO4UnitedKingdom
- ISO646-GB
- iso-ir-4
- BS_4730
- csISO2IntlRefVersion
- iso-ir-2
- ISO_646.irv:1983
- csINVARIANT
- INVARIANT
- csISO646basic1983
- ISO_646.basic:1983
- csISO10646UTF1
- ISO-10646-UTF-1
- csASCII

- cp367
- IBM367
- ISO646-US
- ASCII
- ISO_646.irv:1991
- ANSI_X3.4-1986
- iso-ir-6
- ANSI_X3.4-1968
- US-ASCII
- Assertion failure
- Assertion failure
- 0.0.0.0
- 0.0.0.1
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Capacity cannot be smaller than Size
- 10.5.5
- Assertion failure
- Assertion failure
- 127.0.0.1
- LOCALHOST
- WSARevertImpersonation
- WSAQuerySocketSecurity
- WSAImpersonateSocketPeer
- WSADeleteSocketPeerTargetName
- WSASetSocketPeerTargetName
- Wship6.dll
- TransmitPackets
- WSARecvMsg
- DisconnectEx
- ConnectEx
- WSARecvEx
- AcceptEx
- GetAcceptExSockaddrs
- TransmitFile
- WS2_32.DLL
- Invalid ACharPos
- Invalid ACharPos
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday

- Sunday
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- Assertion failure
- user32.dll
- MAINICON
- TApplication
- Default
- layout text
- MDICLIENT
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- ImageList_WriteEx
- comctl32.dll
- comctl32.dll
- Bitmap
- comctl32.dll
- BDSUnthemedDesigner
- window
- treeview
- traynotify
- trackbar
- tooltip
- toolbar
- taskbar
- taskband
- status
- startpanel
- spin
- scrollbar
- rebar
- progress
- page
- menu
- listview
- header
- explorerbar
- edit
- combobox
- clock
- button
- 2001-2006 Mike Lischke
- Theme manager

- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringW
- ImmSetCompositionFontW
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- imm32.dll
- USER32
- DesignSize
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- IsControl
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- 9-+,
- KbdLayerDescriptor
- Layout File
- ShortCutText
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- commdlg_FindReplace
- Message
- Image
- Close
- Help
- YesToAll
- NoToAll
- Ignore
- Retry
- Abort

- Cancel
- RICHEDIT20W
- RICHED20.DLL
- BUTTON
- EDIT
- clWebBlack
- clWebDarkGray
- clWebGainsboro
- clWebDarkSlategray
- clWebDarkSlateBlue
- clWebMistyRose
- clWebDimGray
- clWebSilver
- clWebWhiteSmoke
- clWebSlateGray
- clWebSlateBlue
- clWebSteelBlue
- clWebGray
- clWebLightgrey
- clWebWhite
- clWebLightSlateGray
- clWebMediumSlateBlue
- clWebLightSteelBlue
- clWebPink
- clWebHotPink
- clWebThistle
- clWebPlum
- clWebOrchid
- clWebViolet
- clWebLightPink
- clWebDeepPink
- clWebPurple
- clWebMediumPurple
- clWebMediumOrchid
- clWebBlueViolet
- clWebPaleVioletRed
- clWebMediumVioletRed
- clWebDarkMagenta
- clWebMagenta
- clWebDarkOrchid
- clWebDarkViolet
- clWebNavy
- clWebBlue
- clWebDodgerBlue
- clWebDeepskyBlue
- clWebTeal
- clWebDarkCyan
- clWebCadetBlue
- clWebDarkTurquoise
- clWebMidnightBlue
- clWebMediumBlue
- clWebRoyalBlue
- clWebSkyBlue
- clWebPowderBlue
- clWebCyan
- clWebTurquoise
- clWebMediumTurquoise

- clWebIndigo
- clWebDarkBlue
- clWebCornFlowerBlue
- clWebLightSkyBlue
- clWebLightBlue
- clWebLightCyan
- clWebPaleTurquoise
- clWebLightSeaGreen
- clWebDarkSeaGreen
- clWebMediumSpringGreen
- clWebSpringGreen
- clWebLime
- clWebLimeGreen
- clWebDarkgreen
- clWebDarkOliveGreen
- clWebDarkKhaki
- clWebDarkGoldenRod
- clWebMediumSeaGreen
- clWebMediumAquamarine
- clWebPaleGreen
- clWebLawnGreen
- clWebYellowGreen
- clWebGreen
- clWebOliveDrab
- clWebKhaki
- clWebGoldenRod
- clWebSeaGreen
- clWebAquamarine
- clWebLightGreen
- clWebChartreuse
- clWebGreenYellow
- clWebForestGreen
- clWebOlive
- clWebLightGoldenrodYellow
- clWebPaleGoldenrod
- clWebRosyBrown
- clWebDarkSalmon
- clWebPeru
- clWebSienna
- clWebSaddleBrown
- clWebFirebrick
- clWebOrangeRed
- clWebOrange
- clWebLightCoral
- clWebLightSalmon
- clWebSandyBrown
- clWebChocolate
- clWebBrown
- clWebCrimson
- clWebTomato
- clWebGold
- clWebCoral
- clWebSalmon
- clWebIndianRed
- clWebMaroon
- clWebDarkRed
- clWebRed

- clWebDarkOrange
- clWebYellow
- clWebTan
- clWebPeachPuff
- clWebBisque
- clWebBlanchedAlmond
- clWebLemonChiffon
- clWebLinen
- clWebHoneydew
- clWebMintcream
- clWebAzure
- clWebBurlywood
- clWebMoccasin
- clWebNavajoWhite
- clWebPapayaWhip
- clWebLightYellow
- clWebSeashell
- clWebLavender
- clWebGhostWhite
- clWebAliceBlue
- clWebWheat
- clWebAntiqueWhite
- clWebBeige
- clWebCornSilk
- clWebIvory
- clWebOldLace
- clWebLavenderBlush
- clWebFloralWhite
- clWebSnow
- incompatible version
- buffer error
- insufficient memory
- data error
- stream error
- file error
- stream end
- need dictionary
- Tahoma
- Data
- tiff
- Data
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET

- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenuHighlight
- clMenuBar
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHotLight
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- HKEY_DYN_DATA
- HKEY_CURRENT_CONFIG
- HKEY_PERFORMANCE_DATA
- HKEY_USERS
- HKEY_LOCAL_MACHINE
- HKEY_CURRENT_USER
- HKEY_CLASSES_ROOT
- USER32.DLL
- DISPLAY
- DISPLAY

- DISPLAY
- EnableTheming
- DrawThemeParentBackground
- GetThemeDocumentationProperty
- GetCurrentThemeName
- SetThemeAppProperties
- GetThemeAppProperties
- IsThemeDialogTextureEnabled
- EnableThemeDialogTexture
- GetWindowTheme
- IsAppThemed
- IsThemeActive
- GetThemeSysInt
- GetThemeSysString
- GetThemeSysFont
- GetThemeSysSize
- GetThemeSysBool
- GetThemeSysColorBrush
- GetThemeSysColor
- GetThemeFilename
- SetWindowTheme
- GetThemePropertyOrigin
- GetThemeIntList
- GetThemeMargins
- GetThemeRect
- GetThemeFont
- GetThemePosition
- GetThemeEnumValue
- GetThemeInt
- GetThemeBool
- GetThemeString
- GetThemeMetric
- GetThemeColor
- IsThemeBackgroundPartiallyTransparent
- IsThemePartDefined
- DrawThemeIcon
- DrawThemeEdge
- HitTestThemeBackground
- GetThemeBackgroundRegion
- GetThemeTextMetrics
- GetThemeTextExtent
- GetThemePartSize
- GetThemeBackgroundExtent
- GetThemeBackgroundContentRect
- DrawThemeText
- DrawThemeBackground
- CloseThemeData
- OpenThemeData
- uxtheme.dll
- kernel32.dll
- CoWaitForMultipleHandles
- ole32.dll
- OleMainThreadWndClass
- TPUtilWindow
- Left
- .Owner
- Owner

- Null
- True
- False
- Null
- True
- False
- Owner
- True
- False
- ByRef
- Array
- UnicodeString
- UInt64
- Int64
- LongWord
- Word
- Byte
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Error
- Dispatch
- OleStr
- Date
- Currency
- Double
- Single
- Integer
- Smallint
- Null
- Empty
- oleaut32.dll
- kernel32.dll
- AMPM
- AMPM
- eeee
- AAAA
- AMPM
- AM/PM
- AAAA
- AMPM
- AM/PM
- AINFNAN
- AINFNAN
- False
- True
- CHARTABLE
- TaskDialogIndirect
- InitCommonControlsEx
- comctl32.dll
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- Software\\Borland\\Delphi\\Locales

- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- kernel32.dll
- kernel32.dll
- SVW3
- IdMultipartFormData
- EIdInvalidObjectTypeL
- EIdInvalidObjectType
- RequestContentType
- Boundary@
- IdMultipartFormData
- TIdMultiPartFormDataStreamd
- AContentType
- AFileName
- AFieldName
- Self
- AddFile
- AFileName
- AFileData
- AContentType
- AFieldName
- Self
- AddObject
- AFieldValue
- AFieldName
- Self
- AddFormField
- Self
- Destroy
- Self
- Create
- TIdMultiPartFormDataStream&
- FFields
- FSize
- FPosition
- FInternalBuffer
- FInitialized
- FCurrentItem
- FRequestContentType
- FBoundary
- FInputStream
- MultipartFormDataStreamd
- IdMultipartFormData
- TIdFormDataFields
- Self
- AMPStream
- Self
- Create
- TIdFormDataFields9
- FParentStream
- FieldSize
- FieldValue
- FileName@
- FieldObject@
- FieldStrings(
- FieldStream
- FieldName

- ContentType@
- IdMultipartFormData
- TIdFormDataField0
- Self
- FormatField
- Self
- Destroy
- Collection
- Self
- Create
- TIdFormDataField:
- FCanFreeFieldObject
- FFieldObject
- FFieldName
- FContentType
- FFileName
- FFieldValue
- |LF3
- SVW3
- SVW3
- "u4W
- QT@u
- h\\uO
- Uh uO
- UhUuO
- SVWU
- Offset
- TimeZone
- TimeZoneOffset
- h^iO
- UhWiO
- $0Mu
- SVWUQ
- SVW3
- 2r2f
- h4bO
- h4]O
- Uh-]O
- hy[O
- Uhr[O
- SVW3
- IdGlobalProtocols@
- IdGlobalProtocols@
- OnBuildCache
- LoadTypesFromOS
- IdGlobalProtocols
- TIdMimeTablehTO
- Self
- Destroy
- AutoFill
- Self
- Create
- MimeSeparator
- AStrings
- Self
- SaveToStrings
- MimeSeparator

- AStrings
- Self
- LoadFromStrings
- MIMEType
- Self
- GetDefaultFileExt
- AFileName
- Self
- GetFileMIMEType
- ARaiseOnError
- MIMEType
- Self
- AddMimeType
- Self
- BuildCache
- TIdMimeTable*
- FFileExt
- FMIMEList
- FOnBuildCache
- FLoadTypesFromOS
- SVWU
- SVW3
- f;<qu
- |#B3
- Socket
- ManagedIOHandler
- LastCmdResult
- Greeting
- OnWorkEnd
- OnWorkBegin
- OnWorkh
- OnDisconnected
- IOHandler
- InterceptD.N
- IdTCPConnection
- TIdTCPConnection
- AStrings
- Self
- WriteRFCStrings
- AHeader
- Self
- WriteHeader
- AEncoding
- AResponse
- AOut
- Self
- AEncoding
- AResponse
- AOut
- Self
- AException
- Self
- RaiseExceptionForLastCmdResult
- Self
- RaiseExceptionForLastCmdResult
- AEncoding
- AAllowedResponse

- Self
- GetResponse
- GetResponsec
- AEncoding
- AAllowedResponse
- Self
- GetResponse
- AEncoding
- Self
- GetInternalResponse
- Self
- DisconnectNotifyPeer
- ANotifyPeer
- Self
- Disconnect
- Self
- Disconnect
- Self
- Destroy
- Self
- Connected
- AAllowedResponse
- AResponse
- Self
- CheckResponse
- CheckResponsee
- ARaiseExceptionIfDisconnected
- Self
- CheckForGracefulDisconnect
- ABaseType
- Self
- CreateIOHandler
- TIdTCPConnectionB
- FSocket
- FOnDisconnected
- FManagedIOHandler
- FLastCmdResult
- FIOHandler
- FIntercept
- FGreeting
- SVW3
- SVW3
- Terminated
- IdIOHandlerStack
- TIdConnectThread
- ABinding
- Self
- Create
- TIdConnectThread8
- FExceptionMessage
- FLastSocketError
- FBinding
- ReadTimeout
- IdIOHandlerStack
- TIdIOHandlerStackT
- AMSec
- Self

- Readable
- Self
- Connected
- AIgnoreBuffer
- ARaiseExceptionIfDisconnected
- Self
- CheckForDisconnect
- TIdIOHandlerStackp
- SVWU
- OnSocketAllocated
- OnAfterBind
- OnBeforeBind
- BoundPortMin
- BoundPortMax
- Binding
- UseNagle
- TransparentProxy
- ReuseSocket
- IPVersion
- DefaultPortX`L
- BoundPort
- BoundIP
- IdIOHandlerSocket
- TIdIOHandlerSocket
- AEnableTransferFile
- AFile
- Self
- Self
- Open
- Self
- Connected
- Self
- Close
- Self
- BindingAllocated
- Self
- Destroy
- TIdIOHandlerSocket'
- FIPVersion
- FReuseSocket
- FUseNagle
- FTransparentProxy
- FOnSocketAllocated
- FOnAfterBind
- FOnBeforeBind
- FDefaultPort
- FBoundPortMin
- FBoundPortMax
- FBoundPort
- FBoundIP
- FBinding
- ChainedProxy
- Version
- Usernamed
- IPVersion@
- Password
- Host@

- Authentication@
- IdSocks
- TIdSocksInfod
- AHandle
- Self
- CloseUDP
- ABuffer
- AIPVersion
- APort
- AHost
- AHandle
- Self
- SendToUDP
- AMSec
- AIPVersion
- VPeerPort
- VPeerIP
- ABuffer
- AHandle
- Self
- RecvFromUDP
- AIPVersion
- APort
- AHost
- AHandle
- Self
- OpenUDP
- ATimeOut
- AIOHandler
- Self
- Listen
- AIPVersion
- APort
- AHost
- AIOHandler
- Self
- Self
- Destroy
- ASource
- Self
- Assign
- TIdSocksInfo7
- FUDPSocksAssociation
- FVersion
- FAuthentication
- IdSocks
- saUsernamePassword
- saNoAuthentication
- TSocksAuthentication
- IdSocks
- svSocks5
- svSocks4\tsvSocks4A
- svNoSocks
- TSocksVersion
- IdSocks
- %EIdSocksUDPNotSupportedBySOCKSVersion
- %EIdSocksUDPNotSupportedBySOCKSVersion

- IPAsString
- AddrType@
- IPv6AsStringX`L
- IPv4AsString@
- IPv4@
- IdIPAddress
- TIdIPAddress
- Self
- HToNBytes
- VErr
- Self
- CompareAddress
- AIPVersion
- Self
- MakeAddressObject
- Self
- MakeAddressObject
- Self
- Create
- TIdIPAddress&
- IPv6
- FAddrType
- FIPv4
- UhNxN
- SVW3
- OnSocketAllocated
- OnAfterBind
- OnBeforeBind
- ReuseSocket
- ReadTimeout
- Port
- IPVersion
- ConnectTimeout@
- BoundPort
- BoundIP
- IdTCPClient
- TIdTCPClient
- TIdTCPClient
- OnSocketAllocated
- OnAfterBind
- OnBeforeBind
- ReuseSocket
- ReadTimeout
- ConnectTimeout
- BoundPortMin
- BoundPortMax
- BoundPort
- BoundIP
- OnConnected
- IdTCPClient
- TIdTCPClientCustom
- Self
- ConnectAndGetAll
- APort
- AHost
- Self
- AHost

- Self
- Self
- TIdTCPClientCustom'
- FOnSocketAllocated
- FOnAfterBind
- FOnBeforeBind
- FReuseSocket
- FUsername
- FReadTimeout
- FPort
- FPassword
- FOnConnected
- FIPVersion
- FHost
- FDestination
- FConnectTimeout
- FBoundPortMin
- FBoundPortMax
- FBoundPort
- FBoundIP
- h0lN
- Uh)lN
- h8jN
- ErrorCodeSV
- IdReplyRFC
- EIdReplyRFCError gN
- AReplyMessage
- AErrorCode
- Self
- CreateError
- EIdReplyRFCErrorV
- FErrorCode
- IdReplyRFC
- Self
- ReplyExists
- Self
- RaiseReplyError
- ALine
- Self
- IsEndMarker
- h6eN
- Uh/eN
- Uh{dN
- Uh&dN;
- ChainedProxy
- Username
- IPVersion@
- Password
- Host@
- Enabled@
- IdCustomTransparentProxy
- TIdCustomTransparentProxy
- ATimeOut
- AIOHandler
- Self
- Listen
- APort

- AIOHandler
- Self
- AIPVersion
- APort
- AHost
- AIOHandler
- Self
- AIPVersion
- APort
- AHost
- AIOHandler
- Self
- ABuffer
- AIPVersion
- APort
- AHost
- AHandle
- Self
- SendToUDP
- AMSec
- AIPVersion
- VPeerPort
- VPeerIP
- ABuffer
- AHandle
- Self
- RecvFromUDP
- AHandle
- Self
- CloseUDP
- AIPVersion
- APort
- AHost
- AHandle
- Self
- OpenUDP
- ASource
- Self
- Assign
- TIdCustomTransparentProxy7
- FChainedProxy
- FUsername
- FIPVersion
- FPort
- FPassword
- FHost
- IdCustomTransparentProxy
- "EIdTransparentProxyUDPNotSupported<ZN
- "EIdTransparentProxyUDPNotSupported
- IdCustomTransparentProxy
- EIdTransparentProxyCircularLinkhYN
- EIdTransparentProxyCircularLink
- SVW3
- h1VN
- Uh*VN
- h,UN
- Uh%UN

- SVW3
- UhiRN
- SVW3
- hPON
- UhION
- h5NN
- Uh.NN
- UhKNN
- IdIOHandler
- TIdDiscardStream
- TIdDiscardStream
- Uh8JN
- UhMKN
- UhxKN
- SVW3
- Uh GN
- SVW3
- Uh7BN
- Uhi?N
- SVW3
- hU>N
- ~I;u
- UhN>N
- SVW3
- hb8N
- |%C3
- Uh%8N
- Uh[8N
- SVW3
- h67N
- Uh/7N
- hD6N
- Uh=6N
- SVW3
- SVW3
- Uhz2N
- OnWorkEndU
- OnWorkBegin
- OnWorkh
- DefStringEncoding
- WriteBufferThreshold
- ReadLnTimedout
- ReadTimeout
- Opened
- MaxCapturedLines
- LargeStream
- InputBuffer
- ClosedGracefully
- ConnectTimeout
- SendBufferSize
- RecvBufferSize
- Port
- MaxLineAction
- MaxLineLength
- Intercept
- Host$
- Destination@

- IdIOHandler
- TIdIOHandler
- AEncoding
- Self
- InputBufferAsString
- AByteCount
- AStream
- Self
- InputBufferToStream
- Self
- InputBufferIsEmpty
- Self
- WriteBufferingActive
- AThreshold
- Self
- WriteBufferOpen
- Self
- WriteBufferOpen
- AByteCount
- Self
- WriteBufferFlush
- Self
- WriteBufferFlush
- Self
- WriteBufferClose
- Self
- WriteBufferClear
- Self
- WriteBufferCancel
- Self
- DiscardAll
- AByteCount
- Self
- Discard
- AEncoding
- AReadLinesCount
- ADest
- Self
- ReadStrings
- AReadUntilDisconnect
- AByteCount
- AStream
- Self
- ReadStream
- AConvert
- Self
- ReadSmallInt
- AConvert
- Self
- ReadInt64
- AConvert
- Self
- ReadLongInt
- AConvert
- Self
- ReadLongWord
- AEncoding

- ABytes
- Self
- ReadString
- Self
- ReadByte
- AEncoding
- Self
- ReadChar
- AEncoding
- AMaxLineLength
- ATimeout
- ATerminator
- AWasSplit
- Self
- ReadLnSplit
- AEncoding
- AFailCount
- Self
- ReadLnWait
- AEncoding
- ADelim
- ALineTerminator
- Self
- ReadLnRFC
- AEncoding
- Self
- ReadLnRFC
- AEncoding
- AMaxLineLength
- ATimeout
- ATerminator
- Self
- ReadLn
- AEncoding
- ATerminator
- Self
- ReadLn
- AEncoding
- Self
- ReadLn
- AAppend
- AByteCount
- VBuffer
- Self
- ReadBytes
- AEncoding
- AIsRFCMessage
- ADelim
- VLineCount
- ADest
- Self
- Capture
- AEncoding
- AIsRFCMessage
- ADelim
- ADest
- Self

- Capture
- AEncoding
- ADest
- Self
- Capture
- AEncoding
- AIsRFCMessage
- ADelim
- VLineCount
- ADest
- Self
- Capture
- AEncoding
- AIsRFCMessage
- ADelim
- ADest
- Self
- Capture
- AEncoding
- ADest
- Self
- Capture
- AEncoding
- AMaxLineLength
- ATabWidth
- AEcho
- AMask
- Self
- InputLn
- AEncoding
- Self
- AllData
- AEnableTransferFile
- AFile
- Self
- AEncoding
- AWriteTerminator
- AStrings
- Self
- WriteRFCStrings
- AWriteByteCount
- ASize
- AStream
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AConvert
- AValue
- Self
- Write
- AConvert
- AValue
- Self
- Write

- AConvert
- AValue
- Self
- Write
- AEncoding
- AValue
- Self
- Write
- AValue
- Self
- Write
- AEncoding
- AWriteLinesCount
- AValue
- Self
- Write
- AEncoding
- AOut
- Self
- WriteLnRFC
- AEncoding
- AOut
- Self
- WriteLn
- AEncoding
- Self
- WriteLn
- AEncoding
- AOut
- Self
- Write
- AMSec
- Self
- Readable
- Self
- Open
- AOffset
- ALength
- ABuffer
- Self
- WriteDirect
- AOffset
- ALength
- ABuffer
- Self
- Write
- ATimeout
- AEncoding
- AInclusive
- ARemoveFromBuffer
- AString
- Self
- WaitFor
- Self
- SetDefaultClass
- Self
- RegisterIOHandler

- AOwner
- ABaseType
- Self
- MakeIOHandler
- AOwner
- Self
- MakeDefaultIOHandler
- Self
- CloseGracefully
- Self
- Close
- ATimeout
- Self
- CheckForDataOnSource
- AIgnoreBuffer
- ARaiseExceptionIfDisconnected
- Self
- CheckForDisconnect
- Self
- Destroy
- Self
- Connected
- Self
- AfterAccept
- TIdIOHandler+
- FDefStringEncoding
- FWriteBufferThreshold
- FWriteBuffer
- FSendBufferSize
- FRecvBufferSize
- FReadTimeOut
- FReadLnTimedOut
- FReadLnSplit
- FPort
- FOpened
- FMaxLineLength
- FMaxLineAction
- FMaxCapturedLines
- FIntercept
- FInputBuffer
- FHost
- FDestination
- FConnectTimeout
- FClosedGracefully
- FLargeStream
- TIdIOHandlerClassD.N
- IdIOHandler
- EIdIOHandlerStreamDataTooLarge
- EIdIOHandlerStreamDataTooLarge
- IdIOHandler
- EIdIOHandlerRequiresLargeStream(
- EIdIOHandlerRequiresLargeStreamX
- IdIOHandler
- EIdIOHandler
- EIdIOHandler
- IdExceptionCore
- EIdMaxCaptureLineExceeded

- EIdMaxCaptureLineExceeded
- IdExceptionCore
- EIdSocksServerAddressError
- EIdSocksServerAddressError
- IdExceptionCore
- EIdSocksServerCommandErrorD
- EIdSocksServerCommandError
- IdExceptionCore
- EIdSocksServerTTLExpiredError|
- EIdSocksServerTTLExpiredError
- IdExceptionCore
- $EIdSocksServerConnectionRefusedError
- $EIdSocksServerConnectionRefusedError
- IdExceptionCore
- "EIdSocksServerHostUnreachableError
- "EIdSocksServerHostUnreachableError
- IdExceptionCore
- !EIdSocksServerNetUnreachableError
- !EIdSocksServerNetUnreachableError
- IdExceptionCore
- EIdSocksServerPermissionError<
- EIdSocksServerPermissionError
- IdExceptionCore
- EIdSocksServerGeneralError|
- EIdSocksServerGeneralError
- IdExceptionCore
- EIdSocksAuthError
- EIdSocksAuthError
- IdExceptionCore
- EIdSocksAuthMethodError
- EIdSocksAuthMethodError8
- IdExceptionCore
- EIdSocksServerRespondErrorP\tN
- EIdSocksServerRespondError
- IdExceptionCore
- EIdSocksUnknownError
- EIdSocksUnknownError
- IdExceptionCore
- EIdSocksRequestIdentFailed
- EIdSocksRequestIdentFailed
- IdExceptionCore
- EIdSocksRequestServerFailed
- EIdSocksRequestServerFailed@
- IdExceptionCore
- EIdSocksRequestFailed\\
- EIdSocksRequestFailed
- IdExceptionCore
- EIdSocksError
- EIdSocksError
- IdExceptionCore
- EIdTransparentProxyCantBind
- EIdTransparentProxyCantBind
- IdExceptionCore
- EIdConnectException<
- EIdConnectException`
- IdExceptionCore
- EIdConnectTimeout

- EIdConnectTimeout
- IdExceptionCore
- EIdSSLProtocolReplyError
- EIdSSLProtocolReplyError
- IdExceptionCore
- EIdNotConnected
- EIdNotConnected@
- IdExceptionCore
- EIdFileNotFoundt
- EIdFileNotFound
- IdExceptionCore
- EIdNoDataToRead
- EIdNoDataToRead
- IdExceptionCore
- EIdIOHandlerPropInvalid
- EIdIOHandlerPropInvalid4
- IdExceptionCore
- EIdObjectTypeNotSupportedL
- EIdObjectTypeNotSupported
- IdExceptionCore
- EIdTCPConnectionError
- EIdTCPConnectionError
- IdExceptionCore
- EIdHostRequired
- EIdHostRequired
- IdExceptionCore
- EIdPortRequired<
- EIdPortRequired\\
- IdExceptionCore
- EIdReadLnWaitMaxAttemptsExceededl
- EIdReadLnWaitMaxAttemptsExceeded
- IdExceptionCore
- EIdReadLnMaxLineLengthExceeded
- EIdReadLnMaxLineLengthExceeded
- IdExceptionCore
- EIdReadTimeout
- EIdReadTimeout
- IdExceptionCore
- EIdClosedSocketP
- EIdClosedSocketp
- IdExceptionCore
- EIdAlreadyConnected
- EIdAlreadyConnected
- G8_^[
- ;w8u
- Q8^[
- Data
- IsClient(
- Connection
- OnSend
- OnReceive<
- OnDisconnect<
- OnConnect
- Intercept
- IdIntercept
- TIdConnectionIntercept
- VBuffer

- Self
- VBuffer
- Self
- Receive
- Self
- Disconnect
- AConnection
- Self
- TIdConnectionIntercept<
- FOnSend
- FOnReceive
- FOnDisconnect
- FOnConnect
- FData
- FIsClient
- FIntercept
- FConnection
- ABuffer
- ASender
- ABuffer
- TIdConnectionIntercept
- ASender
- TIdInterceptStreamEvent
- ASender
- TIdConnectionIntercept
- ASender
- TIdInterceptNotifyEvent
- IdIntercept
- EIdInterceptCircularLinkx
- EIdInterceptCircularLink
- SVW3
- |VB3
- SVW3
- SVW3
- AsString
- Size@
- GrowthFactor
- Encoding
- Capacity
- IdBuffer
- TIdBufferx
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write
- ADestIndex
- AValue
- Self
- Write

- ADestIndex
- AValue
- Self
- Write
- AByteCount
- AStream
- Self
- Write
- ADestIndex
- AOffset
- ALength
- ABytes
- Self
- Write
- ADestIndex
- ABytes
- Self
- Write
- ADestIndex
- AEncoding
- AString
- Self
- Write
- AStream
- Self
- SaveToStream
- AByteCount
- Self
- Remove
- AIndex
- Self
- PeekByte
- AEncoding
- AStartPos
- AString
- Self
- IndexOf
- AStartPos
- ABytes
- Self
- IndexOf
- VAddress
- AIndex
- Self
- ExtractToIPv6
- AIndex
- Self
- ExtractToInt64
- AIndex
- Self
- ExtractToLongWord
- AIndex
- Self
- ExtractToWord
- AIndex
- Self
- ExtractToByte

- AIndex
- AAppend
- AByteCount
- Self
- ExtractToBytes
- AIndex
- AByteCount
- ABuffer
- Self
- ExtractToIdBuffer
- AIndex
- AByteCount
- AStream
- Self
- ExtractToStream
- AEncoding
- AByteCount
- Self
- Self
- Destroy
- ACanShrink
- Self
- CompactHead
- ALength
- ABytes
- Self
- Create
- AGrowthFactor
- Self
- Create
- AOnBytesRemoved
- Self
- Create
- Self
- Create
- Self
- Clear
- TIdBuffer%
- FSize
- FOnBytesRemoved
- FHeadIndex
- FGrowthFactor
- FEncoding
- ABytes
- ASender
- Integer
- ABytes
- TObject
- ASender
- TIdBufferBytesRemoved
- IdBuffer
- EIdTooMuchDataInBufferP
- EIdTooMuchDataInBuffer
- IdBuffer
- EIdNotEnoughDataInBuffer
- EIdNotEnoughDataInBuffer
- |9G3

- SVWU
- SVW3
- IdReply
- EIdReplyErrorH
- EIdReplyError
- IdReply
- TIdReplies
- AReply
- Self
- UpdateText
- AIgnore
- ACode
- Self
- Find
- AReplyClass
- AOwner
- Self
- Create
- AText
- ACode
- Self
- AText
- ACode
- Self
- Self
- TIdReplies#
- TIdReplyClass
- NumericCode
- FormattedReply
- Text
- Code
- IdReply
- TIdReplyX
- Self
- UpdateText
- AText
- ACode
- Self
- SetReply
- AText
- ACode
- Self
- SetReply
- Self
- ReplyExists
- Self
- RaiseReplyError
- ALine
- Self
- IsEndMarker
- Self
- Destroy
- AReplyTexts
- ACollection
- Self
- CreateWithReplyTexts
- ACollection

- Self
- Create
- Self
- Clear
- TIdReply%
- FText
- FFormattedReply
- FCode
- SVWU
- +p8q
- :P0t
- PeerPortSVW
- PeerIP
- OverLapped@
- Handle
- HandleAllocated
- Port
- IPVersion
- IPX`L
- ClientPortMax@
- ClientPortMin
- BroadcastEnabled
- IdSocketHandle
- TIdSocketHandle
- Self
- UpdateBindingPeer
- Self
- UpdateBindingLocal
- ATimeout
- Self
- Select
- AOptVal
- AOptName
- ALevel
- Self
- SetSockOpt
- VOptVal
- AOptName
- ALevel
- Self
- GetSockOpt
- AIPVersion
- APort
- Self
- SetBinding
- AIPVersion
- APort
- Self
- SetPeer
- AIPVersion
- ASize
- AOffset
- ABuffer
- APort
- Self
- SendTo
- AIPVersion

- ABuffer
- APort
- Self
- SendTo
- ASize
- AOffset
- ABuffer
- Self
- AResetLocal
- Self
- Reset
- AIPVersion
- VPort
- ABuffer
- Self
- RecvFrom
- VBuffer
- Self
- Receive
- AMSec
- Self
- Readable
- AQueueCount
- Self
- Listen
- Self
- Destroy
- ACollection
- Self
- Create
- Self
- Self
- CloseSocket
- APort
- AData
- Self
- Broadcast
- AEncoding
- APort
- AData
- Self
- Broadcast
- Self
- Source
- Self
- Assign
- AProtocol
- ASocketType
- Self
- AllocateSocket
- ASocket
- Self
- TIdSocketHandle7
- FBroadcastEnabled
- FConnectionHandle
- FIPVersion
- FOverLapped

- FReadSocketList
- FPeerPort
- FPort
- FPeerIP
- FHandleAllocated
- FHandle
- FClientPortMax
- FClientPortMin
- R8Z^[
- ;5 mf
- OnlyWhenIdle
- IdleTimeOut
- ApplicationHasPriority
- Active
- IdAntiFreezeBase
- TIdAntiFreezeBase8
- ATimeout
- Self
- Self
- ShouldUse
- AOverride
- AIdle
- Self
- DoProcess
- Self
- Process
- Self
- Destroy
- TIdAntiFreezeBase'
- FOnlyWhenIdle
- FIdleTimeOut
- FApplicationHasPriority
- FActive
- SVW3
- WorkTargetSV
- OnStatus
- IdComponent
- TIdComponentp
- AWorkMode
- Self
- EndWork
- ACount
- AWorkMode
- Self
- DoWork
- Self
- Destroy
- ASize
- AWorkMode
- Self
- BeginWork
- TIdComponentK
- FWorkTarget
- FWorkInfos
- FOnWorkEnd
- FOnWorkBegin
- FOnWork

- FOnStatus
- AWorkCount
- AWorkMode
- ASender
- Int64
- AWorkCount
- AWorkMode\tTWorkMode
- TObject
- ASender
- TWorkEvent
- AWorkMode
- ASender
- AWorkMode\tTWorkMode
- TObject
- ASender
- TWorkEndEvent
- AWorkCountMax
- AWorkMode
- ASender
- Int64
- AWorkCountMax
- AWorkMode\tTWorkMode
- TObject
- ASender
- TWorkBeginEvent
- IdComponent
- wmWrite
- wmRead
- TWorkMode
- AStatusText
- AStatus
- ASender
- AStatusText
- AStatus\tTIdStatus
- TObject
- ASender
- TIdStatusEvent
- IdComponent
- ftpAborted
- ftpReady
- hsStatusText
- hsDisconnected
- hsDisconnecting
- hsConnected
- hsConnecting
- hsResolving
- TIdStatus
- Version
- IdBaseComponent
- TIdBaseComponent
- AOwner
- Self
- Create
- TIdBaseComponent6
- IdBaseComponent
- TIdInitializerComponent
- AOwner

- Self
- Create
- Self
- Create
- TIdInitializerComponent&
- SVWU
- SVWU
- SVWU
- |!@3
- LocalAddresses
- LocalAddress
- HostName@
- IdStack
- TIdStack
- AAddresses
- Self
- AddLocalAddressesToList
- AIPVersion
- APort
- AOffset
- VBuffer
- Self
- WriteChecksum
- AData
- Self
- CalcCheckSum
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- AddMulticastMembership
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- DropMulticastMembership
- AIPVersion
- AValue
- AHandle
- Self
- SetLoopBack
- AIPVersion
- AValue
- AHandle
- Self
- SetMulticastTTL
- Value
- Self
- IsValidIPv6MulticastGroup
- Value
- Self
- IsValidIPv4MulticastGroup
- Self
- SupportsIPv6
- AIPVersion

- APkt
- VBuffer
- ASocket
- Self
- ReceiveMsg
- AIPVersion
- APort
- ASize
- AOffset
- ABuffer
- ASocket
- Self
- SendTo
- AIPVersion
- APort
- AOffset
- ABuffer
- ASocket
- Self
- SendTo
- AIPVersion
- VPort
- VBuffer
- ASocket
- Self
- ReceiveFrom
- ASize
- AOffset
- ABuffer
- ASocket
- Self
- VBuffer
- ASocket
- Self
- Receive
- AIPVersion
- AHost
- Self
- ResolveHost
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- GetSocketOption
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost

- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- AOverlapped
- AIPVersion
- AProtocol
- ASocketType
- Self
- NewSocketHandle
- AErr
- Self
- RaiseSocketError
- Self
- RaiseLastSocketError
- CheckForSocketError4
- AResult
- Self
- CheckForSocketError
- AErr
- Self
- WSTranslateSocketErrorMsg
- AErr
- Self
- WSSetLastError
- Self
- WSGetLastError
- ABackLog
- ASocket
- Self
- Listen
- Self
- IsIP
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- AIPVersion
- AAddress
- Self
- HostByAddress
- VIPVersion
- VPort
- ASocket
- Self
- GetSocketName
- VPort

- ASocket
- Self
- GetSocketName
- VIPVersion
- VPort
- ASocket
- Self
- GetPeerName
- VPort
- ASocket
- Self
- GetPeerName
- Self
- DecUsage
- Self
- IncUsage
- Self
- IOControl
- ASocket
- Self
- Disconnect
- Self
- Destroy
- Self
- Create
- AIPVersion
- APort
- ASocket
- Self
- AIPVersion
- APort
- ASocket
- Self
- VIPVersion
- VPort
- ASocket
- Self
- VPort
- ASocket
- Self
- TIdStackS
- FLocalAddresses
- IdStack
- TIdSocketList
- Self
- Unlock
- ATimeout
- VSocketList
- Self
- SelectReadList
- ATimeout
- Self
- SelectRead
- ATimeout
- AExceptList
- AWriteList
- AReadList

- Self
- Select
- Self
- Lock
- AHandle
- Self
- ContainsSocket
- Self
- Clear
- AHandle
- Self
- Remove
- Self
- CreateSocketList
- Self
- Count
- Self
- Clone
- AHandle
- Self
- Self
- Destroy
- Self
- Create
- TIdSocketList&
- FLock
- DestIF
- DestPort
- DestIP
- SourceIF@
- SourcePort
- SourceIP
- IdStack
- TIdPacketInfoT
- TIdPacketInfo
- FDestIF
- FSourceIF
- FDestPort
- FDestIP
- FSourcePort
- FSourceIP
- IdStack
- EIdNotASocket
- EIdNotASocket
- IdStack
- EIdIPVersionUnsupported
- EIdIPVersionUnsupported$
- IdStack
- EIdStackError\\~M
- EIdStackError
- LastError
- IdStack
- EIdSocketError
- AMsg
- AErr
- Self
- CreateError

- EIdSocketErrorG
- FLastError
- Uhd{M
- SVW3
- UhoxM
- SVW3
- hItM
- UhBtM
- SVW3
- Uh]rM
- SVW3
- UhkpM
- Uh|pM
- h~oM
- UhwoM
- UhWmM
- SVW3
- |mB3
- hujM
- UhnjM
- Uh#jM
- h-iM
- Uh&iM;
- SVW3
- Uh\tgM
- Uh hM
- h#eM
- SVW3
- R@=8'
- SVW3
- SVW3
- h4_M
- Uh-_M
- SVW3
- ha\\M
- UhZ\\M
- SVW3
- IdStackWindows
- TIdStackWindows<LM
- AAddresses
- Self
- AddLocalAddressesToList
- AIPVersion
- APort
- AOffset
- VBuffer
- Self
- WriteChecksum
- AIPVersion
- Self
- CheckIPVersionSupport
- Self
- SupportsIPv6
- Self
- IOControl
- Aoptlen
- Aoptval

- Aoptname
- Alevel
- ASocket
- Self
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- SetSocketOption
- AOptVal
- AOptName
- ALevel
- ASocket
- Self
- GetSocketOption
- VIPVersion
- VPort
- ASocket
- Self
- GetSocketName
- VIPVersion
- VPort
- ASocket
- Self
- GetPeerName
- ASocket
- Self
- Disconnect
- Self
- Destroy
- Self
- Create
- AIPVersion
- APort
- ASocket
- Self
- AIPVersion
- APort
- ASocket
- Self
- AOptlen
- AOptval
- AOptname
- Alevel
- ASocket
- Self
- WSGetSockOpt
- AErr
- Self
- WSSetLastError
- Self
- WSGetLastError
- AErr
- Self
- WSTranslateSocketErrorMsg

- AOverlapped
- AProtocol
- AStruct
- AFamily
- Self
- WSSocket
- AIPVersion
- APort
- AFlags
- ABufferLength
- ABuffer
- ASocket
- Self
- WSSendTo
- AIPVersion
- APkt
- VBuffer
- ASocket
- Self
- ReceiveMsg
- AIPVersion
- VPort
- AFlags
- ALength
- VBuffer
- ASocket
- Self
- RecvFrom
- APortNumber
- Self
- WSGetServByPort
- AServiceName
- Self
- WSGetServByName
- AIPVersion
- AAddress
- Self
- HostByAddress
- AResult
- Self
- WouldBlock
- ABlocking
- ASocket
- Self
- SetBlocking
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- AValue
- Self
- NetworkToHost
- ABackLog
- ASocket
- Self

- Listen
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- AValue
- Self
- HostToNetwork
- VIPVersion
- VPort
- ASocket
- Self
- TIdStackWindowsg
- IdStackWindows
- TIdSocketListWindowsdHM
- ATimeout
- VSocketList
- Self
- SelectReadList
- ATimeout
- Self
- SelectRead
- ATimeout
- AExceptList
- AWriteList
- AReadList
- Self
- Select
- VSet
- Self
- SetFDSet
- VSet
- Self
- GetFDSet
- AHandle
- Self
- ContainsSocket
- Self
- Clone
- Self
- Clear
- Self
- Count
- AHandle
- Self
- Remove
- AHandle
- Self
- TIdSocketListWindows4
- IdStackWindows
- EIdIPv6Unavailable
- EIdIPv6Unavailable
- ~2Sj
- Uh`CM
- SVW3

- IdStackBSDBase
- EIdStackSetSizeExceededd@M
- EIdStackSetSizeExceeded
- IdStackBSDBase
- EIdStackInitializationFailed
- EIdStackInitializationFailed
- IdStackBSDBase
- EIdInvalidServiceName
- EIdInvalidServiceName
- IdStackBSDBase
- TIdStackBSDBase
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- AddMulticastMembership
- AIPVersion
- ALocalIP
- AGroupIP
- AHandle
- Self
- DropMulticastMembership
- AIPVersion
- AValue
- AHandle
- Self
- SetLoopBack
- AIPVersion
- AValue
- AHandle
- Self
- SetMulticastTTL
- AOverlapped
- AIPVersion
- AProtocol
- ASocketType
- Self
- NewSocketHandle
- AResult
- Self
- WouldBlock
- ABlocking
- ASocket
- Self
- SetBlocking
- AOptlen
- AOptval
- AOptname
- Alevel
- ASocket
- Self
- WSGetSockOpt
- AOverlapped
- AProtocol
- AStruct
- AFamily

- Self
- WSSocket
- AIPVersion
- APort
- AFlags
- ABufferLength
- ABuffer
- ASocket
- Self
- WSSendTo
- AIPVersion
- VPort
- AFlags
- ALength
- ABuffer
- ASocket
- Self
- RecvFrom
- APortNumber
- Self
- WSGetServByPort
- AServiceName
- Self
- WSGetServByName
- AIPVersion
- AInAddr
- Self
- TranslateStringToTInAddr
- AIPVersion
- AInAddr
- Self
- TranslateTInAddrToString
- Aoptlen
- Aoptval
- Aoptname
- Alevel
- ASocket
- Self
- SetSocketOption
- AIPVersion
- APort
- ASize
- AOffset
- ABuffer
- ASocket
- Self
- SendTo
- AIPVersion
- VPort
- VBuffer
- ASocket
- Self
- ReceiveFrom
- ASize
- AOffset
- ABuffer
- ASocket

- Self
- VBuffer
- ASocket
- Self
- Receive
- AIPVersion
- Self
- CheckIPVersionSupport
- Self
- Create
- TIdStackBSDBase&
- ht2M
- toh<2M
- hp1M
- hT1M
- Uhe#M
- UhA"M
- fd_array
- fd_count
- Title
- Win32ErrorMessage@
- Win32Error@
- IdWinsock2
- EIdWinsockStubError
- Build
- EIdWinsockStubError
- FTitle
- FWin32ErrorMessage
- FWin32Error
- SVW3
- Ht1HtAHt3
- Uh5yL
- SVW3
- 7hTpL
- Uh8pL
- SVW3
- hwoL
- t2Ht
- t2Ht
- t2Ht
- UhpoL
- SVW3
- |8C3
- hoiL
- UhhiL
- hehL
- Uh^hL
- |KC3
- 3FJu
- IdGlobal
- TIdBaseStream8aL
- Origin
- Offset
- Self
- Seek
- Count
- Buffer

- Self
- Write
- Count
- Buffer
- Self
- Read
- TIdBaseStreamC
- IdGlobal
- rsFalse
- rsTrue
- rsOSDependent
- TIdReuseSocket
- IdGlobal
- Id_IPv6
- Id_IPv4
- TIdIPVersion
- IdGlobal
- maSplit
- maException
- TIdMaxLineAction
- TIdIPv6Address
- IdGlobal
- EIdFailedToRetreiveTimeZoneInfo
- EIdFailedToRetreiveTimeZoneInfo
- IdGlobal
- EIdInvalidIPv6Address
- EIdInvalidIPv6Address
- IdGlobal
- TIdCriticalSection(^L
- TIdCriticalSection
- IdGlobal
- TIdReadFileExclusiveStream
- AFile
- Self
- Create
- TIdReadFileExclusiveStream5
- IdStreamVCL
- TIdStreamHelperVCLhVL
- AOrigin
- AOffset
- AStream
- Self
- Seek
- AOffset
- ACount
- ABytes
- AStream
- Self
- Write
- AOffset
- ACount
- AStream
- Self
- ReadBytes
- TIdStreamHelperVCLk
- IdException
- "EIdCannotSetIPVersionWhenConnectedLUL

- "EIdCannotSetIPVersionWhenConnected
- IdException
- EIdInvalidPortRange
- EIdInvalidPortRange
- IdException
- EIdCanNotBindPortInRange
- EIdCanNotBindPortInRange
- IdException
- EIdCouldNotBindSocket,SL
- EIdCouldNotBindSocket
- IdException
- EIdNotAllBytesSent
- EIdNotAllBytesSent
- IdException
- EIdPackageSizeTooBig
- EIdPackageSizeTooBig
- IdException
- EIdSocketHandleError
- EIdSocketHandleError
- IdException
- EIdConnClosedGracefully`PL
- EIdConnClosedGracefully
- IdException
- EIdSilentException
- EIdSilentException
- TClassIdException
- IdException
- EIdExceptionxNL
- AMsg
- Self
- Toss
- AMsg
- Self
- Create
- EIdException4
- SVWU
- h8IL
- Sh IL
- SVWU
- SVWUQ
- SVW3
- hUBL
- UhNBL
- SVW3
- h3AL
- Uh,AL
- |RF3
- |"C3
- Uht:L
- SVW3
- UhA9L
- |LF3
- SVW3
- hA7L
- Uh:7L
- SVW3
- SVWU

- |<G3
- SVWUQ
- |q@3
- SVWUQ
- SVWU
- SVWU
- |!C3
- SV:P5t5
- |HC3
- |2C3
- u^;u
- |1B3
- ;Stu
- ;Sdu
- ;S`u
- ;PDu
- hhif
- |.F3
- SVW3
- @4Ph
- C]:E
- @]:E
- SL;U
- u\t+u
- SVWU
- ;s|u/
- ;B@u
- |0F3
- SVW3
- SVWU
- SVWU
- SVWU
- |&G3;
- SVWU
- |PF3
- |YF3
- RDGNu
- @L;E
- t"GNu
- ;XDu
- @h;E
- SVW3
- 3^[]
- ;XDu
- ;XDu
- CU u
- |MF3
- SVWU
- SVWU
- SVWU
- ;ADti
- SVWU
- @U t
- @U t
- SVW3
- |-G3
- ;XDu

- CU t
- ;XDu
- ;XDu
- SVWU
- SVWU
- ;Clu'
- t9j7j
- SVW3
- WVh0
- SVWU
- |(F3
- GCNu
- |(F3
- SVWU
- |!C3
- GFKu
- SVW3
- SVWUQ
- |-G3
- |!C3
- @D;E
- |7C3
- SVWU
- SVWU
- QDj2
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t5
- ;S$t5
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- UhJqK
- SVW3
- PopupControlWnd
- Handle
- OnSettingChange
- OnShortCut
- OnShowHint
- OnRestore
- OnModalEnd
- OnModalBegin
- OnMinimize
- OnMessage
- OnHintdOK
- OnHelp
- OnIdle
- OnGetMainFormHandlepPK
- OnGetActiveFormHandle,PK

- OnException,PK
- OnDeactivate
- OnActivate
- OnActionUpdate
- OnActionExecute
- UpdateMetricSettings
- UpdateFormatSettings
- Title
- Terminated@
- ShowMainForm
- ShowHint
- NonBiDiKeyboard
- BiDiKeyboard@
- BiDiMode@
- ModalPopupMode
- ModalLevel
- MainFormOnTaskBar
- MainFormHandle
- MainForm
- Icon
- HintShortPause
- HintShortCuts
- HintPause
- HintHidePause
- HintColor
- HintT
- HelpFile@
- ExeName@
- EnumAllWindowsOnActivateHint@
- DialogHandle
- DefaultFont
- CurrentHelpFile8
- AutoDragDocking
- AllowTesting
- ActiveFormHandle
- ActionUpdateDelay
- Active
- Forms
- TApplication
- Flags
- Caption
- Text
- Self
- MessageBox
- Self
- UseRightToLeftScrollBar
- Self
- UseRightToLeftReading
- Self
- UseRightToLeftAlignment
- Action
- Self
- UpdateAction
- Self
- UnhookSynchronizeWakeup
- Hook
- Self

- UnhookMainWindow
- Self
- Terminate
- Self
- ShowException
- Self
- Self
- RestoreTopMosts
- Self
- Restore
- APopupForm
- Self
- RemovePopupForm
- Self
- ProcessMessages
- Self
- NormalizeTopMosts
- Self
- NormalizeAllTopMosts
- Self
- ModalFinished
- Self
- ModalStarted
- Self
- Minimize
- Self
- IsRightToLeft
- Self
- Initialize
- Self
- HookSynchronizeWakeup
- Hook
- Self
- HookMainWindow
- Message
- Control
- Self
- HintMouseMessage
- Self
- HideHint
- Self
- HelpShowTableOfContents
- Keyword
- Self
- HelpKeyword
- JumpID
- Self
- HelpJump
- Context
- Self
- HelpContext
- Data
- Command
- Self
- HelpCommand
- Self
- HandleMessage

- Sender
- Self
- HandleException
- Action
- Self
- ExecuteAction
- Self
- DoApplicationIdle
- Self
- CreateHandle
- Reference
- InstanceClass
- Self
- CreateForm
- Self
- CancelHint
- Control
- Self
- ControlDestroyed
- Self
- BringToFront
- APopupForm
- Self
- AddPopupForm
- CursorPos
- Self
- ActivateHint
- Self
- Destroy
- AOwner
- Self
- Create
- TApplication6
- FNeedToUninitialize
- FPopupControlWnd
- FObjectInstance
- FHandle
- FOnSettingChange
- FOnShowHint
- FOnShortCut
- FOnRestore
- FOnMinimize
- FOnActivate
- FOnDeactivate
- FOnIdle
- FOnHint
- FOnHelp
- FOnModalEnd
- FOnModalBegin
- FOnMessage
- FOnGetMainFormHandle
- FOnGetActiveFormHandle
- FOnException
- FOnActionUpdate
- FOnActionExecute
- FInitialMainFormState
- FOwnedAppWnds

- FLastActivePopup
- FMainFormOnTaskBar
- FEnumAllWindowsOnActivateHint
- FCreatingMainForm
- FModalPopupMode
- FPopupForms
- FCurrentPopupID
- FModalLevel
- FActionUpdateDelay
- FAutoDragDocking
- FDialogHandle
- FWindowList
- FWindowHooks
- FRunning
- FHandleCreated
- FTestLib
- FAllowTesting
- FActive
- FTerminate
- FIcon
- FPopupLevel
- FPopupOwners
- FTopMostLevel
- FTopMostList
- FTitle
- FTimerHandle
- FTimerMode
- FShowHint
- FHintWindow
- FHintShortPause
- FHintShortCuts
- FHintPause
- FHintHidePause
- FHintCursorRect
- FHintControl
- FHintColor
- FShowMainForm
- FUpdateMetricSettings
- FUpdateFormatSettings
- FHintActive
- FHint
- FHelpFile
- FMouseControl
- FMainForm
- FNonBiDiKeyboard
- FDefaultFont
- FBiDiKeyboard
- FBiDiMode
- FAppIconic
- Forms
- :TApplication.:1
- Result
- Section
- Flag
- Sender
- Integer
- Result

- Section
- Integer
- Flag
- TObject
- Sender
- TSettingChangeEvent
- Message
- Boolean
- TMessage
- Message
- TWindowHook
- HintInfo
- CanShow
- HintInfo\tTHintInfo
- Boolean
- CanShow
- TShowHintEvent
- Done
- Sender
- Boolean
- Done
- TObject
- Sender
- TIdleEvent
- Handle
- Handle
- TGetHandleEvent
- Sender
- E\tException
- TObject
- Sender
- TExceptionEvent
- Handled
- Boolean
- Handled
- TMessageEvent
- Forms
- TPopupFormArray
- WasPopup
- Form
- FormID
- TPopupForm
- Forms
- tmHide
- TTimerMode
- OnActiveFormChange
- OnActiveControlChange
- Width
- PrimaryMonitor
- PixelsPerInch
- Height
- DefaultKbLayout
- DefaultIme
- Imes@
- FormCount
- Fonts
- CaptionFont

- MessageFont8
- MenuFont8
- IconFont8
- HintFont8
- WorkAreaWidth8
- WorkAreaTop
- WorkAreaLeft
- WorkAreaHeight
- WorkAreaRect
- DesktopWidth
- DesktopTop
- DesktopLeft
- DesktopHeight
- DesktopRect
- MonitorCount
- SaveFocusedList
- FocusedForm,
- DataModuleCount
- Cursor
- CursorCount
- CustomFormCount
- ActiveForm
- ActiveCustomForm
- ActiveControl
- Forms
- TScreen
- Self
- ResetFonts
- Self
- Realign
- MonitorDefault
- Handle
- Self
- MonitorDefault
- Rect
- Self
- MonitorDefault
- Point
- Self
- Self
- EnableAlign
- Self
- DisableAlign
- Self
- Destroy
- AOwner
- Self
- Create
- TScreen6
- FDefaultCursor
- FCursorList
- FOnActiveFormChange
- FOnActiveControlChange
- FControlState
- FAlignLevel
- FCaptionFont
- FMessageFont

- FMenuFont
- FIconFont
- FHintFont
- FSaveFocusedList
- FFocusedForm
- FLastActiveCustomForm
- FLastActiveControl
- FActiveForm
- FActiveCustomForm
- FActiveControl
- FMonitors
- FDataModules
- FCustomForms
- FCursorCount
- FCursor
- FPixelsPerInch
- FDefaultKbLayout
- FDefaultIme
- FImes
- Forms
- mdNearest
- TMonitorDefaultTo
- Handle
- Index
- Next
- TCursorRec
- PCursorRec
- Primary
- WorkareaRect
- BoundsRect
- Width
- Height
- Left
- MonitorNum
- Handle
- Forms
- TMonitor
- TMonitor
- FMonitorNum
- FHandle
- FormStyle
- BorderStyle`
- AutoScroll
- PixelsPerInch
- Forms
- TCustomDockForm
- AOwner
- Self
- Create
- TCustomDockForm6
- TileMode
- MDIChildCount
- DockManager
- ClientHandle
- ActiveMDIChild
- OnUnDockf
- OnStartDock8

- OnShow
- OnShortCut
- OnResize
- OnPaint
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp
- OnMouseMove
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivate
- OnKeyUp$
- OnKeyPressH
- OnKeyDown
- OnHelpH
- OnHide
- OnGetSiteInfo
- OnGestureh
- OnEndDock
- OnDragOver
- OnDragDrop(
- OnDockOver
- OnDockDropP
- OnDeactivate
- OnDestroy
- OnDblClick
- OnCreate
- OnContextPopup
- OnConstrainedResize
- OnCloseQuery
- OnClose
- OnClick4
- OnCanResize
- OnAlignPositionT
- OnAlignInsertBefore
- OnActivate
- WindowMenu
- WindowState
- Visible
- VertScrollBar
- Touch
- SnapBuffer
- ShowHint
- ScreenSnap
- Scaled
- PrintScale
- Position
- PopupParent
- PopupMode
- PopupMenu
- PixelsPerInch
- ParentBiDiMode
- ObjectMenuItem
- OldCreateOrder
- Menu

- Padding4
- KeyPreviewh
- Icon
- HorzScrollBar
- HelpFile
- Height@
- GlassFrame
- FormStyle
- Font`
- ParentFont8
- Enabled
- DragMode
- DragKind
- DoubleBufferedH
- DockSite
- DefaultMonitor
- UseDockManager
- Ctl3D
- Constraints
- TransparentColorValue
- TransparentColorT
- Color
- ClientWidthT
- ClientHeight
- Caption
- BorderWidth
- BorderStyle
- BorderIcons
- BiDiMode
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValued
- AlphaBlend
- Align
- ActiveControl,oH
- Action
- Formsa
- TForm
- Self
- Tile
- Self
- Previous
- Self
- Next
- Self
- Cascade
- Self
- ArrangeIcons
- PopupParent
- WindowState
- SnapBuffer\\
- ScreenSnap
- PopupMode
- OleFormObject
- Monitor
- ModalResult

- Menu
- KeyPreview4
- HelpFile
- GlassFrame@
- FormState
- Fontt
- DropTarget8
- Designer
- Color
- CaptionT
- Canvas
- BorderStyle,
- ActiveOleControl
- Action
- ActiveControl
- Active
- Left
- Forms
- TCustomFormx
- Self
- BeforeDestruction
- Self
- AfterConstruction
- Value
- Self
- set_PopupParent
- Message
- Child
- Self
- WantChildKey
- Self
- ShowModal
- Self
- Show
- Control
- Self
- SetFocusedControl
- Self
- Sender
- Self
- SendCancelMode
- Self
- Release
- AWindowHandle
- Self
- RecreateAsPopup
- Self
- Print
- Message
- Self
- MouseWheelHandler
- AMonitor
- Self
- MakeFullyVisible
- Message
- Self
- IsShortCut

- Self
- Hide
- Self
- GetFormImage
- Root
- Proc
- Self
- GetChildren
- Control
- Self
- FocusControl
- ARect
- NewDockSite
- Self
- Dock
- Removing
- Control
- Self
- DefocusControl
- Message
- Self
- DefaultHandler
- Self
- CloseQuery
- Self
- Close
- Self
- Destroy
- Dummy
- AOwner
- Self
- CreateNew
- AOwner
- Self
- Create
- TCustomForm6
- FFormState
- FClientInstance
- FClientHandle
- FOldCreateOrder
- FRefreshGlassFrame
- FGlassFrame
- FCreatingMainForm
- FTransparentColorValue
- FTransparentColor
- FSnapBuffer
- FScreenSnap
- FInternalPopupParentWnd
- FInternalPopupParent
- FPopupWnds
- FRecreateChildren
- FPopupParent
- FPopupMode
- FPopupChildren
- FAlphaBlendValue
- FAlphaBlend
- FOnDestroy

- FOnCreate
- FOnShow
- FOnShortCut
- FOnPaint
- FOnHide
- FOnHelp
- FOnDeactivate
- FOnCloseQuery
- FOnClose
- FOnActivate
- FSavedBorderStyle
- FActiveOleControl
- FDefClientProc
- FTextHeight
- FClientHeight
- FClientWidth
- FOleForm
- FObjectMenuItem
- FPixelsPerInch
- FWindowMenu
- FDesigner
- FModalResult
- FMenu
- FInCMParentBiDiModeChanged
- FIcon
- FHelpFile
- FCanvas
- FPrintScale
- FDropTarget
- FTileMode
- FDefaultMonitor
- FPosition
- FFormStyle
- FActive
- FKeyPreview
- FShowAction
- FWindowState
- FBorderStyle
- FBorderIcons
- FFocusedControl
- FActiveControl
- OnChange
- SheetOfGlass
- Bottom
- Right
- Left
- Enabled
- Forms
- TGlassFrame
- Control
- Self
- IntersectsControl
- Self
- FrameExtended
- Source
- Self
- Assign

- Client
- Self
- Create
- TGlassFrame6
- FSheetOfGlass
- FOnChange
- FBottom
- FTop
- FLeft
- FEnabled
- FClient
- Forms
- pmExplicit
- pmAuto
- pmNone
- TPopupMode
- CallHelp
- Data
- Command
- Boolean
- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Handled
- Boolean
- Handled
- TShortCutEvent
- TFormState
- Forms
- fsActivated
- fsCreatedMDIChild
- fsModal
- fsCreating\tfsVisible\tfsShowing
- CanClose
- Sender
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- Action
- Sender
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- Forms
- caMinimize
- caFree
- caHide
- caNone
- TCloseAction

- Forms
- tbVertical
- tbHorizontal
- TTileMode
- Forms
- saMaximize
- saMinimize
- saIgnore\tsaRestore
- TShowAction
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- Forms
- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor
- Forms
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop
- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle
- Forms
- TPopupWndArray
- ControlWnd
- TPopupWnd
- Forms
- IOleFormL
- Forms
- IDesignerHook
- Forms
- TBorderStyle
- Forms
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone

- TFormBorderStyle
- VertScrollBar
- HorzScrollBar
- OnAlignPosition
- OnAlignInsertBefore
- Forms
- TScrollingWinControl
- AControl
- Self
- ScrollInView
- Self
- EnableAutoRange
- Self
- DisableAutoRange
- Self
- Destroy
- AOwner
- Self
- Create
- TScrollingWinControl6
- FVertScrollBar
- FUpdatingScrollBars
- FPanPoint
- FHorzScrollBar
- FAutoScroll
- FAutoRangeCount
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- ScrollPos
- Kind
- Visible
- Tracking
- ThumbSize
- Style
- Size
- Smooth
- Range
- Position
- ParentColor
- Margin
- Increment
- Colord
- ButtonSizeT
- Forms
- TControlScrollBar$
- Self
- IsScrollBarVisible
- Self
- ChangeBiDiPosition
- Source
- Self
- Assign
- TControlScrollBar6
- FUpdateNeeded

- FLineDiv
- FPageDiv
- FThumbSize
- FSize
- FParentColor
- FColor
- FButtonSize
- FDelay
- FSmooth
- FScaled
- FTracking
- FVisible
- FMargin
- FKind
- FCalcRange
- FRange
- FPosition
- FPageIncrement
- FIncrement
- FControl
- Forms
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- Forms
- sbVertical
- sbHorizontal
- TScrollBarKind
- SVWUQ
- QtGNu
- |(F3
- QpGNu
- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QdFOu
- |1G3
- SVWU
- QXGNu
- |'F3
- QTGNu
- |(F3
- ;Blu\t3
- |@G3
- QPFOu
- |)G3
- QLGNu
- |'F3
- QHFOu

- |1G3
- SVWU
- |]F3
- SVWUQ
- t0f;
- |TF3
- SVWU
- R4GNu
- u0;~<u
- ;P<u
- |#C3
- R4^[
- ActnList
- TActionLinkp
- TActionLink
- OnHint
- Visible|
- SecondaryShortCuts
- ShortCutP
- ImageIndexl
- Hint<
- HelpType@
- HelpKeyword0
- HelpContext@
- GroupIndex
- Enabled
- DisableIfNoHandler
- Checked
- Caption
- AutoCheck@
- ActnList
- TCustomAction<
- Self
- Execute
- Self
- DoHint
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomAction6
- FMask
- FImage
- FAutoCheck
- FSavedEnabledState
- FSecondaryShortCuts
- FOnHint
- FVisible
- FShortCut
- FImageIndex
- FHint
- FHelpKeyword
- FHelpContext
- FHelpType
- FGroupIndex
- FEnabled

- FChecked
- FChecking
- FCaption
- FDisableIfNoHandler
- CanShow
- Boolean
- CanShow
- THintEvent
- ActnList
- TShortCutList
- Shortcut
- Self
- IndexOfShortCut
- Self
- TShortCutList.
- OnStateChange
- State
- ImagesP
- ActionCount
- ActnList
- TCustomActionList
- Action
- Self
- UpdateAction
- Message
- Self
- IsShortCut
- Self
- GetEnumerator
- Root
- Proc
- Self
- GetChildren
- Action
- Self
- ExecuteAction
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomActionList6
- FOnStateChange
- FState
- FOnUpdate
- FOnExecute
- FOnChange
- FImages
- FImageChangeLink
- FActions
- ActnList
- asSuspendedEnabled
- asSuspended
- asNormal
- TActionListState
- Handled
- Action

- Boolean
- Handled
- TBasicAction
- Action
- TActionEvent
- Current
- ActnList
- TActionListEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AActionList
- Self
- Create
- TActionListEnumerator;
- FActionList
- FIndex
- Index
- ActionList
- Category
- ActnList
- TContainedAction
- Self
- Update
- AParent
- Self
- SetParentComponent
- Self
- HasParent
- Self
- GetParentComponent
- Self
- Execute
- Self
- Destroy
- TContainedAction'
- FActionList
- FCategory
- @@PU
- $ZXu
- |&G3;
- SVWU
- SVWU
- R0;C8}!
- SVWU
- ||F3
- V4RQP
- ;V8t3
- ;N4u
- V8RP
- ;V4t0
- V4RQP
- ;V8t0
- OnChange
- Width
- ShareImages

- Masked
- ImageType
- Height
- DrawingStyle
- BkColor
- BlendColorT
- AllocByT
- Handle
- Count
- ColorDepth
- ImgList
- TCustomImageList
- Value
- Self
- UnRegisterChanges
- AHeight
- AWidth
- Self
- SetSize
- MaskColor
- NewImage
- Index
- Self
- ReplaceMasked
- Image
- Index
- Self
- ReplaceIcon
- Mask
- Image
- Index
- Self
- Replace
- MaskColor
- Name
- ResType
- Instance
- Self
- ResInstLoad
- MaskColor
- Name
- ResType
- Self
- ResourceLoad
- Value
- Self
- RegisterChanges
- Overlay
- ImageIndex
- Self
- Overlay
- NewIndex
- CurIndex
- Self
- Move
- MaskColor
- Image

- Index
- Self
- InsertMasked
- Image
- Index
- Self
- InsertIcon
- Mask
- Image
- Index
- Self
- Insert
- Self
- HandleAllocated
- MaskColor
- LoadFlags
- Width
- ResID
- ResType
- Instance
- Self
- GetInstRes
- MaskColor
- LoadFlags
- Width
- Name
- ResType
- Instance
- Self
- GetInstRes
- MaskColor
- LoadFlags
- Width
- Name
- ResType
- Self
- GetResource
- Self
- GetMaskBitmap
- Self
- GetImageBitmap
- AImageType
- ADrawingStyle
- Image
- Index
- Self
- GetIcon
- Image
- Index
- Self
- GetIcon
- Self
- GetHotSpot
- Image
- Index
- Self
- GetBitmap

- MaskColor
- Name
- ResType
- Self
- FileLoad
- Self
- EndUpdate
- Enabled
- AImageType
- ADrawingStyle
- Overlay
- ImageIndex
- Canvas
- Self
- DrawOverlay
- Enabled
- Overlay
- ImageIndex
- Canvas
- Self
- DrawOverlay
- Enabled
- AImageType
- ADrawingStyle
- Index
- Canvas
- Self
- Draw
- Enabled
- Index
- Canvas
- Self
- Draw
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- MaskColor
- Image
- Self
- AddMasked
- Value
- Self
- AddImages
- Index
- Value
- Self
- AddImage
- Image
- Self
- AddIcon
- Mask
- Image
- Self

- Source
- Self
- Assign
- Self
- Destroy
- AHeight
- AWidth
- Self
- CreateSize
- AOwner
- Self
- Create
- TCustomImageList6
- FColorDepth
- FOnChange
- FUpdateCount
- FChanged
- FMonoBitmap
- FBitmap
- FClients
- FBlendColor
- FBkColor
- FImageType
- FShareImages
- FMasked
- FDrawingStyle
- FHandle
- FAllocBy
- FHeight
- ImgList
- cd32Bit
- cd24Bit
- cd16Bit
- cd8Bit
- cd4Bit
- cdDeviceDependent
- cdDefault
- TColorDepth
- TImageIndex
- TLoadResources
- ImgList
- lrMonoChrome
- lrTransparent
- lrMap3DColors
- lrFromFile
- lrDefaultSize
- lrDefaultColor
- TLoadResource
- TOverlay
- ImgList
- rtIcon
- rtCursor
- rtBitmap
- TResType
- ImgList
- itMask
- itImage

- TImageType
- ImgList
- dsTransparent
- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- Sender
- OnChange
- ImgList
- TChangeLink
- Self
- Change
- Self
- Destroy
- TChangeLink'
- FOnChange
- FSender
- OnThemeChange
- ThemesEnabled
- ThemesAvailable
- Themes
- TThemeServicesL
- Self
- UpdateThemes
- EraseLRCorner
- Control
- Self
- PaintBorder
- Details
- Self
- HasTransparentParts
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail

- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Detail
- Self
- GetElementDetails
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- Self
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details

- Target
- Window
- Self
- DrawParentBackground
- Bounds
- OnlyIfTransparent
- Details
- Target
- Window
- Self
- DrawParentBackground
- ClipRect
- Details
- Self
- DrawElement
- ContentRect
- Flags
- Edge
- Details
- Self
- Details
- Color
- Self
- ColorToRGB
- Flags2
- Flags
- Details
- Self
- DrawText
- Index
- himl
- Details
- Self
- ClipRect
- Details
- Self
- DrawElement
- Details
- Self
- DrawElement
- Flags
- Edge
- Details
- Self
- BoundingRect
- Details
- Self
- ContentRect
- Color
- Self
- ColorToRGB
- Self
- ApplyThemeChange
- Self
- Destroy
- Self
- Create

- TThemeServices&
- FOnThemeChange
- FThemeData
- FUseThemes
- FThemesAvailable
- State
- Part
- Element
- TThemedElementDetails
- PThemedElementDetails
- TThemeData`
- Themes
- twFrameBottomSizingTemplate twSmallFrameBottomSizingTemplate
- twSmallFrameRightSizingTemplate
- twFrameRightSizingTemplate
- twSmallFrameLeftSizingTemplate
- twFrameLeftSizingTemplate
- twSmallCaptionSizingTemplate
- twCaptionSizingTemplate
- twDialog
- twVertThumbDisabled
- twVertThumbPushed
- twVertThumbHot
- twVertThumbNormal
- twVertScrollDisabled
- twVertScrollPushed
- twVertScrollHot
- twVertScrollNormal
- twHorzThumbDisabled
- twHorzThumbPushed
- twHorzThumbHot
- twHorzThumbNormal
- twHorzScrollDisabled
- twHorzScrollPushed
- twHorzScrollHot
- twHorzScrollNormal
- twMDIHelpButtonDisabled
- twMDIHelpButtonPushed
- twMDIHelpButtonHot
- twMDIHelpButtonNormal
- twHelpButtonDisabled
- twHelpButtonPushed
- twHelpButtonHot
- twHelpButtonNormal
- twMDIRestoreButtonDisabled
- twMDIRestoreButtonPushed
- twMDIRestoreButtonHot
- twMDIRestoreButtonNormal
- twRestoreButtonDisabled
- twRestoreButtonPushed
- twRestoreButtonHot
- twRestoreButtonNormal
- twMDICloseButtonDisabled
- twMDICloseButtonPushed
- twMDICloseButtonHot
- twMDICloseButtonNormal
- twSmallCloseButtonDisabled

- twSmallCloseButtonPushed
- twSmallCloseButtonHot
- twSmallCloseButtonNormal
- twCloseButtonDisabled
- twCloseButtonPushed
- twCloseButtonHot
- twCloseButtonNormal
- twMaxButtonDisabled
- twMaxButtonPushed
- twMaxButtonHot
- twMaxButtonNormal
- twMDIMinButtonDisabled
- twMDIMinButtonPushed
- twMDIMinButtonHot
- twMDIMinButtonNormal
- twMinButtonDisabled
- twMinButtonPushed
- twMinButtonHot
- twMinButtonNormal
- twMDISysButtonDisabled
- twMDISysButtonPushed
- twMDISysButtonHot
- twMDISysButtonNormal
- twSysButtonDisabled
- twSysButtonPushed
- twSysButtonHot
- twSysButtonNormal
- twSmallFrameBottomInactive
- twSmallFrameBottomActive
- twSmallFrameRightInactive
- twSmallFrameRightActive
- twSmallFrameLeftInactive
- twSmallFrameLeftActive
- twFrameBottomInactive
- twFrameBottomActive
- twFrameRightInactive
- twFrameRightActive
- twFrameLeftInactive
- twFrameLeftActive
- twSmallMaxCaptionDisabled
- twSmallMaxCaptionInactive
- twSmallMaxCaptionActive
- twMaxCaptionDisabled
- twMaxCaptionInactive
- twMaxCaptionActive
- twSmallMinCaptionDisabled
- twSmallMinCaptionInactive
- twSmallMinCaptionActive
- twMinCaptionDisabled
- twMinCaptionInactive
- twMinCaptionActive
- twSmallCaptionDisabled
- twSmallCaptionInactive
- twSmallCaptionActive
- twCaptionDisabled
- twCaptionInactive
- twCaptionActive

- twWindowRoot
- twWindowDontCare
- TThemedWindow
- Themes
- ttGlyphOpened
- ttItemSelectedNotFocus
- ttItemDisabled
- ttItemSelected
- ttItemNormal\tttItemHot
- ttTreeviewRoot
- ttTreeviewDontCare
- TThemedTreeview
- Themes
- ttnAnimBackground
- ttnBackground
- ttnTrayNotifyRoot
- ttnTrayNotifyDontCare
- TThemedTrayNotify
- Themes
- ttbThumbRightDisabled
- ttbThumbRightFocused
- ttbThumbRightPressed
- ttbThumbRightNormal
- ttbThumbLeftDisabled
- ttbThumbLeftFocused
- ttbThumbLeftPressed
- ttbThumbLeftHot
- ttbThumbLeftNormal
- ttbThumbVertDisabled
- ttbThumbVertFocused
- ttbThumbVertPressed
- ttbThumbVertHot
- ttbThumbVertNormal
- ttbThumbTopDisabled
- ttbThumbTopFocused
- ttbThumbTopPressed
- ttbThumbTopHot
- ttbThumbTopNormal
- ttbThumbBottomDisabled
- ttbThumbBottomFocused
- ttbThumbBottomPressed
- ttbThumbBottomHot
- ttbThumbBottomNormal
- ttbThumbDisabled
- ttbThumbFocused
- ttbThumbPressed
- ttbThumbNormal
- ttbTrackBarRoot
- ttbTrackBarDontCare
- TThemedTrackBar
- Themes
- tttClosePressed
- tttCloseHot
- tttCloseNormal
- tttBaloonStemDownLeft
- tttBaloonStemUpLeft
- tttBaloonTitleLink

- tttBaloonTitleNormal
- tttBaloonLink
- tttBaloonNormal
- tttStandardTitleLink
- tttStandardTitleNormal
- tttStandardLink
- tttStandardNormal
- tttToolTipRoot
- tttToolTipDontCare
- TThemedToolTip
- Themes
- ttbSeparatorVertCheckedHot
- ttbSeparatorVertChecked
- ttbSeparatorVertDisabled
- ttbSeparatorVertPressed
- ttbSeparatorVertHot
- ttbSeparatorVertNormal
- ttbSeparatorCheckedHot
- ttbSeparatorChecked
- ttbSeparatorDisabled
- ttbSeparatorPressed
- ttbSeparatorHot
- ttbSeparatorNormal
- ttbSplitButtonDropDownChecked ttbSplitButtonDropDownCheckedHot
- ttbSplitButtonDropDownDisabled
- ttbSplitButtonDropDownPressed
- ttbSplitButtonDropDownHot
- ttbSplitButtonDropDownNormal
- ttbSplitButtonCheckedHot
- ttbSplitButtonChecked
- ttbSplitButtonDisabled
- ttbSplitButtonPressed
- ttbSplitButtonHot
- ttbSplitButtonNormal
- ttbDropDownButtonCheckedHot
- ttbDropDownButtonChecked
- ttbDropDownButtonDisabled
- ttbDropDownButtonPressed
- ttbDropDownButtonHot
- ttbDropDownButtonNormal
- ttbButtonCheckedHot
- ttbButtonChecked
- ttbButtonDisabled
- ttbButtonPressed
- ttbButtonHot
- ttbButtonNormal
- ttbToolBarRoot
- ttbToolBarDontCare
- TThemedToolBar
- Themes
- ttbTimeNormal
- ttTaskBarRoot
- ttTaskBarDontCare
- TThemedTaskBar
- Themes
- ttpFlashButtonGroupMenu
- ttbFlashButton

- ttbGroupCount
- ttbTaskBandRoot
- ttbTaskBandDontCare
- TThemedTaskBand
- Themes
- ttPane
- ttTopTabItemBothEdgeFocused
- ttTopTabItemBothEdgeDisabled
- ttTopTabItemBothEdgeSelected
- ttTopTabItemBothEdgeHot
- ttTopTabItemBothEdgeNormal
- ttTopTabItemRightEdgeFocused
- ttTopTabItemRightEdgeDisabled
- ttTopTabItemRightEdgeSelected
- ttTopTabItemRightEdgeHot
- ttTopTabItemRightEdgeNormal
- ttTopTabItemLeftEdgeFocused
- ttTopTabItemLeftEdgeDisabled
- ttTopTabItemLeftEdgeSelected
- ttTopTabItemLeftEdgeHot
- ttTopTabItemLeftEdgeNormal
- ttTopTabItemFocused
- ttTopTabItemDisabled
- ttTopTabItemSelected
- ttTopTabItemHot
- ttTopTabItemNormal
- ttTabItemBothEdgeFocused
- ttTabItemBothEdgeDisabled
- ttTabItemBothEdgeSelected
- ttTabItemBothEdgeHot
- ttTabItemBothEdgeNormal
- ttTabItemRightEdgeFocused
- ttTabItemRightEdgeDisabled
- ttTabItemRightEdgeSelected
- ttTabItemRightEdgeHot
- ttTabItemRightEdgeNormal
- ttTabItemLeftEdgeFocused
- ttTabItemLeftEdgeDisabled
- ttTabItemLeftEdgeSelected
- ttTabItemLeftEdgeHot
- ttTabItemLeftEdgeNormal
- ttTabItemFocused
- ttTabItemDisabled
- ttTabItemSelected
- ttTabItemHot
- ttTabItemNormal
- ttTabDontCare\tttTabRoot
- TThemedTab
- Themes
- tsGripperPane\ttsGripper
- tsPane
- tsStatusRoot
- tsStatusDontCare
- TThemedStatus
- Themes
- tspPreview
- tspUserPicture

- tspLogOffButtonsPressed
- tspLogOffButtonsHot
- tspLogOffButtonsNormal
- tspPlacesListSeparator\ttspLogOff
- tspPlacesList
- tspProgListSeparator
- tspMoreProgramsArrowPressed
- tspMoreProgramsArrowHot
- tspMoreProgramsArrowNormal
- tspMorePrograms
- tspUserPane
- tspStartPanelRoot
- tspStartPanelDontCare
- TThemedStartPanel
- Themes
- tsDownHorzDisabled
- tsDownHorzPressed
- tsDownHorzHot
- tsDownHorzNormal
- tsUpHorzDisabled
- tsUpHorzPressed
- tsUpHorzHot
- tsUpHorzNormal
- tsDownDisabled
- tsDownPressed
- tsDownNormal\ttsDownHot
- tsUpDisabled
- tsUpPressed
- tsUpHot
- tsUpNormal
- tsSpinRoot
- tsSpinDontCare
- TThemedSpin
- Themes
- tsSizeBoxLeftAlign
- tsSizeBoxRightAlign
- tsGripperVertDisabled
- tsGripperVertPressed
- tsGripperVertHot
- tsGripperVertNormal
- tsGripperHorzDisabled
- tsGripperHorzPressed
- tsGripperHorzHot
- tsGripperHorzNormal
- tsUpperTrackVertDisabled
- tsUpperTrackVertPressed
- tsUpperTrackVertHot
- tsUpperTrackVertNormal
- tsLowerTrackVertDisabled
- tsLowerTrackVertPressed
- tsLowerTrackVertHot
- tsLowerTrackVertNormal
- tsUpperTrackHorzDisabled
- tsUpperTrackHorzPressed
- tsUpperTrackHorzHot
- tsUpperTrackHorzNormal
- tsLowerTrackHorzDisabled

- tsLowerTrackHorzPressed
- tsLowerTrackHorzHot
- tsLowerTrackHorzNormal
- tsThumbBtnVertDisabled
- tsThumbBtnVertNormal
- tsThumbBtnHorzDisabled
- tsThumbBtnHorzNormal
- tsArrowBtnRightDisabled
- tsArrowBtnRightPressed
- tsArrowBtnRightHot
- tsArrowBtnRightNormal
- tsArrowBtnLeftDisabled
- tsArrowBtnLeftPressed
- tsArrowBtnLeftHot
- tsArrowBtnLeftNormal
- tsArrowBtnDownDisabled
- tsArrowBtnDownPressed
- tsArrowBtnDownHot
- tsArrowBtnDownNormal
- tsArrowBtnUpDisabled
- tsArrowBtnUpPressed
- tsArrowBtnUpHot
- tsArrowBtnUpNormal
- tsScrollBarRoot
- tsScrollBarDontCare
- TThemedScrollBar
- Themes
- trChevronVertDisabled
- trChevronVertPressed
- trChevronVertHot
- trChevronVertNormal
- trChevronDisabled
- trChevronPressed
- trChevronHot
- trChevronNormal
- trBandHotChecked
- trBandChecked
- trBandDisabled
- trBandPressed
- trBandNormal\ttrBandHot
- trGripperVert
- trRebarRoot\ttrGripper
- trRebarDontCare
- TThemedRebar
- Themes
- tpBar\ttpBarVert
- tpProgressRoot
- tpProgressDontCare
- TThemedProgress
- Themes
- tpDownHorzDisabled
- tpDownHorzPressed
- tpDownHorzHot
- tpDownHorzNormal
- tpUpHorzDisabled
- tpUpHorzPressed
- tpUpHorzHot

- tpUpHorzNormal
- tpDownDisabled
- tpDownPressed
- tpDownNormal\ttpDownHot
- tpUpDisabled
- tpUpPressed
- tpUpHot
- tpUpNormal
- tpPageRoot
- tpPageDontCare
- TThemedPage
- Themes
- tmSeparator
- tmMenuBarDropDown\ttmChevron
- tmMenuBarItem
- tmMenuDropDown
- tmMenuItemDemoted
- tmMenuItemSelected
- tmMenuItemNormal
- tmMenuRoot
- tmMenuDontCare
- TThemedMenu
- Themes
- tlListSortDetail
- tlListDetail
- tlListGroup
- tlListItemSelectedNotFocus
- tlListItemDisabled
- tlListItemSelected
- tlListItemHot
- tlListItemNormal
- tlListviewRoot
- tlListviewDontCare
- TThemedListview
- Themes
- thHeaderSortArrowSortedDown
- thHeaderSortArrowSortedUp
- thHeaderItemRightPressed
- thHeaderItemRightHot
- thHeaderItemRightNormal
- thHeaderItemLeftPressed
- thHeaderItemLeftHot
- thHeaderItemLeftNormal
- thHeaderItemPressed
- thHeaderItemHot
- thHeaderItemNormal
- thHeaderRoot
- thHeaderDontCare
- TThemedHeader
- Themes
- tebSpecialGroupHead
- tebSpecialGroupExpandPressed
- tebSpecialGroupExpandHot
- tebSpecialGroupExpandSpecial
- tebSpecialGroupCollapsePressed
- tebSpecialGroupCollapseHot
- tebSpecialGroupCollapseSpecial

- tebSpecialGroupBackground
- tebNormalGroupHead
- tebNormalGroupExpandPressed
- tebNormalGroupExpandHot
- tebNormalGroupExpandNormal
- tebNormalGroupCollapsePressed
- tebNormalGroupCollapseHot
- tebNormalGroupCollapseNormal
- tebNormalGroupBackground
- tebIEBarMenuPressed
- tebIEBarMenuHot
- tebIEBarMenuNormal
- tebHeaderPinSelectedPressed
- tebHeaderPinSelectedHot
- tebHeaderPinSelectedNormal
- tebHeaderPinPressed
- tebHeaderPinHot
- tebHeaderPinNormal
- tebHeaderClosePressed
- tebHeaderCloseHot
- tebHeaderCloseNormal
- tebHeaderBackgroundPressed
- tebHeaderBackgroundHot
- tebHeaderBackgroundNormal
- tebExplorerBarRoot
- tebExplorerBarDontCare
- TThemedExplorerBar
- Themes
- teEditCaret
- teEditTextAssist
- teEditTextReadOnly
- teEditTextFocused
- teEditTextDisabled
- teEditTextSelected
- teEditTextHot
- teEditTextNormal
- teEditRoot
- teEditDontCare
- TThemedEdit
- Themes
- tcDropDownButtonDisabled
- tcDropDownButtonPressed
- tcDropDownButtonHot
- tcDropDownButtonNormal
- tcComboBoxRoot
- tcComboBoxDontCare
- TThemedComboBox
- Themes
- tcTimeNormal
- tcClockRoot
- tcClockDontCare
- TThemedClock
- Themes
- tbUserButton
- tbGroupBoxDisabled
- tbGroupBoxNormal
- tbCheckBoxMixedDisabled

- tbCheckBoxMixedPressed
- tbCheckBoxMixedHot
- tbCheckBoxMixedNormal
- tbCheckBoxCheckedDisabled
- tbCheckBoxCheckedPressed
- tbCheckBoxCheckedHot
- tbCheckBoxCheckedNormal
- tbCheckBoxUncheckedDisabled
- tbCheckBoxUncheckedPressed
- tbCheckBoxUncheckedHot
- tbCheckBoxUncheckedNormal
- tbRadioButtonCheckedDisabled
- tbRadioButtonCheckedPressed
- tbRadioButtonCheckedHot
- tbRadioButtonCheckedNormal
- tbRadioButtonUncheckedDisabled
- tbRadioButtonUncheckedPressed
- tbRadioButtonUncheckedHot
- tbRadioButtonUncheckedNormal
- tbPushButtonDefaulted
- tbPushButtonDisabled
- tbPushButtonPressed
- tbPushButtonHot
- tbPushButtonNormal
- tbButtonRoot
- tbButtonDontCare
- TThemedButton
- Themes
- teWindow
- teTreeview
- teTrayNotify
- teTrackBar
- teTaskBand\tteTaskBar\tteToolBar\tteToolTip
- teTab
- teStatus
- teStartPanel
- teSpin
- teScrollBar
- teRebar
- teProgress
- tePage
- teMenu
- teListView
- teHeader
- teExplorerBar
- teEdit
- teComboBox
- teClock
- teButton
- TThemedElement
- S4_^[
- |"C3
- |9C3
- Uh`WJ
- SVW3
- Uh!VJ
- SVW3

- ;~<u\t3
- ;PXu
- SVWU
- S8^[
- h5JJ
- Uh.JJ
- |8G3
- SVWU
- |8G3
- SVWU
- |8G3
- SVWU
- UhCFJ
- h=AJ
- htAJ
- hTAJ
- hDAJ
- Uh6AJ
- Uh7=J
- SVW3
- 5<9J
- SVWU
- +G$;E
- +W$;U
- :FHu
- C8^[
- ;Xdt8
- h8/J
- Uh1/J
- Controls
- :TDockTree.:1
- :FHu
- ;Fdu;
- t';C8u
- ;^du
- @p;E
- SVW3
- SVWU
- ;Bh|4
- ;pdu
- SVWU
- ;Xdu
- SVWU
- ;Bdu
- ;Bdu
- ;Bdu
- t9;w|t4
- SVW3
- @U t
- SVWU
- SVW3
- Controls8
- :TWinControl.:2
- T$(3
- SVWU
- |!C3
- G4;E

- SVWU
- SVWU
- SVWU
- |'G3
- |9F3
- SVWU
- SVWU
- |IF3
- SVWU
- t4VS
- SVWU
- | C3
- SVWU
- ;CHu
- ;{Du
- ;s@u
- SVWU
- SVWU
- t)j7j
- SVWUQ
- SVWU
- |tF3
- SVWUQ
- SVWUQ
- SVWU
- SVWUQ
- |,C3
- |fC3
- SVWU
- @4;E
- ;X4u
- :Gcu
- |.C3
- :GcuQFKu
- |.C3
- SVW3
- |!C3
- SVWUQ
- SVWU
- SVWU
- C4^[
- s4^[
- |5G3
- |/G3
- |BC3
- @L;E
- :Pcu
- :X]u
- Controls
- :TWinControl.:1
- |0C3
- @U@u*
- 8]_^[
- D$ 3
- SVWU
- SVWU
- 8]_^[

- SVWU
- @P@u
- SVWU
- ;BLu
- ;BHu
- ;BDu
- ;B@u
- r9=
- h)eI
- Uh"eI
- SVWU
- h2bI
- Uh+bI
- SVWU
- SVWU
- @aH,
- @P@u
- :Pat
- hDUI
- Uh=UI
- h5SI
- SVW3
- SVWU
- SVWU
- SVWU
- ;s4t
- UhyLI
- SVWU
- ;FHu
- ;~Du
- u^;~|u
- ;FHu
- ;FDu
- ;F@u!
- :FcuR
- SVWU
- ;s4t
- h6>I
- Uh/>I
- SVW3
- h/:I
- Uh(:I
- hy9I
- hH9I
- UhA9I
- Uhr9I
- SVWU
- SVWU
- hp7I
- ;S@u
- Uhi7I
- 5DBg
- FQ u
- QSVW3
- tOTV
- UhZ$I
- SPh0$I

- tMHu
- SVWU
- Controls
- TSiteList
- Self
- Clear
- Self
- GetTopSite
- Index
- ParentWnd
- Self
- Find
- ASite
- Self
- AddSite
- TSiteList6
- ;B4u
- tITS
- ImageIndex
- Description<
- Title@
- ShowingHint@
- HideAfter
- Delay
- Style
- ImagesX
- Controls
- TCustomHint
- HintWindow
- Self
- SetHintSize
- HintWindow
- Self
- NCPaintHint
- HintWindow
- Self
- PaintHint
- HidingControl
- Self
- HideHint
- Self
- HideHint
- Control
- Self
- ShowHint
- Rect
- Self
- ShowHint
- Point
- Self
- ShowHint
- Self
- ShowHint
- Self
- Destroy
- AOwner
- Self

- Create
- TCustomHint6
- FWorkComplete
- FLatestHintControl
- FHideAfter
- FShow
- FShowDelay
- FAnimateThread
- FImageIndex
- FImages
- FDescription
- FTitle
- Controls
- TCustomHintShowHideThread4
- Self
- HideHint
- Self
- Execute
- Self
- ResumeWork
- Self
- Destroy
- HintObject
- Hint
- Self
- Create
- TCustomHintShowHideThreadH
- FWaitEvent
- FDisplayTime
- FActive
- FHideHint
- FHintObject
- FHintWindowQueue
- ImageIndex
- Description<
- Title@
- PopAbove@
- HintParent
- Controls
- TCustomHintWindow
- Self
- PositionAtCursor
- Rect
- Self
- PositionAt
- Point
- Self
- PositionAt
- Self
- AutoSize
- AOwner
- Self
- Create
- TCustomHintWindow6
- FImageIndex
- FDescription
- FTitle

- FPopAbove
- FHintParent
- Controls
- bhsBalloon
- TBalloonHintStyle
- WheelScrollLines\\
- WheelPresent
- RegWheelMessage
- PanningWindowClass
- PanningWindow
- IsPanning,
- IsDragging
- MousePresent
- DragThreshold
- DragImmediate
- CursorPos
- Capture
- Controls
- TMouse
- Self
- CreatePanningWindow
- Setting
- Self
- SettingChanged
- Self
- Destroy
- Self
- Create
- TMouse&
- FPanningWindowClass
- FPanningWindow
- FWheelSupportMessage
- FWheelPresent
- FWheelMessage
- FWheelHwnd
- FScrollLinesMessage
- FScrollLines
- FNativeWheelSupport
- FMousePresent
- FDragThreshold
- FDragImmediate
- Controls
- TCustomPanningWindow
- Self
- StopPanning
- AControl
- AHandle
- Self
- StartPanning
- Self
- GetIsPanning
- TCustomPanningWindow,
- StopPanning
- StartPanning
- GetIsPanning
- TPanningWindowClass,
- Controls

- TDockTree
- Self
- PaintSite
- Self
- Destroy
- DockSite
- Self
- Create
- TDockTree8
- FRelativeSizes
- FVersion
- FUpdateCount
- FTopXYLimit
- FTopZone
- FSizingZone
- FSizingWnd
- FSizingDC
- FSizePos
- FShiftScaleOrient
- FScaleBy
- FReplacementZone
- FOldRect
- FGrabbersOnTop
- FGrabberSize
- FDockSite
- FBorderWidth
- ZoneLimit
- Width
- VisibleChildCount
- Visible
- LimitSize
- LimitBegin
- Left
- Height
- ChildControl
- ChildCount
- Controls
- TDockZone
- Self
- Update
- Self
- ResetZoneLimits
- Self
- ResetChildren
- Self
- PrevVisible
- Self
- NextVisible
- Self
- FirstVisibleChild
- NewLimit
- Self
- ExpandZoneLimit
- Tree
- Self
- Create
- TDockZone4

- FOldSize
- FZoneLimit
- FTree
- FPrevSibling
- FParentZone
- FOrientation
- FNextSibling
- FChildZones
- FChildControl
- Width
- ShareImages
- OnChange
- Masked
- ImageType
- Height
- DrawingStyle
- ColorDepth
- AllocByX
- BkColor
- BlendColorT
- Controls
- TImageList
- TImageList
- Dragging
- DragHotspot
- DragCursor
- Controls
- TDragImageList
- Self
- ShowDragImage
- HotSpotY
- HotSpotX
- Index
- Self
- SetDragImage
- Self
- HideDragImage
- Self
- GetHotSpot
- Self
- EndDrag
- Self
- DragUnlock
- Self
- DragMove
- YPos
- XPos
- Window
- Self
- DragLock
- Window
- Self
- BeginDrag
- TDragImageListO
- FOldCursor
- FDragIndex
- FDragHotspot

- FDragHandle
- FDragging
- FDragCursor
- Font
- Canvas8
- Color,
- CaptionT
- BiDiMode
- Controls
- THintWindow
- AData
- AHint
- MaxWidth
- Self
- CalcHintRect
- AData
- AHint
- Rect
- Self
- ActivateHintData
- Self
- ReleaseHandle
- Self
- ShouldHideHint
- Self
- IsHintMsg
- AHint
- Rect
- Self
- ActivateHint
- AOwner
- Self
- Create
- THintWindow6
- FLastActive
- FActivating
- Controls
- TCustomControl
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomControl6
- FCanvas
- Controls
- TGraphicControl
- Self
- Destroy
- AOwner
- Self
- Create
- TGraphicControl6
- FCanvas
- UseDockManager
- TabStop
- TabOrder

- Showing
- ParentWindow
- ParentDoubleBuffered
- Padding
- Handleh
- ControlCount
- Brush
- VisibleDockClientCount@
- MouseInClient
- AlignDisabled
- DoubleBuffered
- DockManager
- DockSite
- DockClientCount
- Controls
- TWinControlP
- Self
- UpdateControlState
- Self
- Update
- Self
- Value
- Self
- SetDesignVisible
- AHeight
- AWidth
- ATop
- ALeft
- Self
- SetBounds
- DeltaY
- DeltaX
- Self
- Self
- ScaleBy
- Self
- Repaint
- Self
- Realign
- AControl
- Self
- RemoveControl
- Self
- PreProcessMessage
- Canvas
- Self
- PaintTo
- Self
- PaintTo
- Self
- Invalidate
- AControl
- Self
- InsertControl
- Self
- HandleNeeded
- Self

- HandleAllocated
- List
- Self
- GetTabOrderList
- Root
- Proc
- Self
- GetChildren
- Self
- Focused
- AllLevels
- Self
- FlipChildren
- ControlName
- Self
- FindChildControl
- Self
- EnableAlign
- Source
- Self
- DockDrop
- Self
- DisableAlign
- Message
- Self
- DefaultHandler
- AllLevels
- AllowWinControls
- AllowDisabled
- Self
- ControlAtPos
- Control
- Self
- ContainsControl
- Self
- CanFocus
- Message
- Self
- Broadcast
- Self
- Destroy
- ParentWindow
- Self
- CreateParentedControl
- ParentWindow
- Self
- CreateParented
- AOwner
- Self
- Create
- TWinControl6
- FDesignSize
- FInImeComposition
- FDoubleBuffered
- FObjectInstance
- FHandle
- FTouchControl

- FMouseControl
- FMouseInClient
- FOnAlignPosition
- FOnAlignInsertBefore
- FOnUnDock
- FOnKeyUp
- FOnKeyPress
- FOnKeyDown
- FOnGetSiteInfo
- FOnExit
- FOnEnter
- FOnDockOver
- FOnDockDrop
- FPerformingShowingChanged
- FParentDoubleBuffered
- FParentCtl3D
- FDockSite
- FUseDockManager
- FShowing
- FTabStop
- FTabOrder
- FWinControls
- FControls
- FTabList
- FParentWindow
- FImeName
- FImeMode
- FDockManager
- FDockClients
- FPadding
- FBorderWidth
- FBevelWidth
- FBevelKind
- FBevelOuter
- FBevelInner
- FBevelEdges
- FAlignLevel
- FAlignControlList
- AlignInfo
- AlignRect
- NewHeight
- NewWidth
- NewTop
- NewLeft
- Control
- Sender
- TAlignInfo
- AlignInfo
- TRect
- AlignRect
- Integer
- NewHeight
- Integer
- NewWidth
- Integer
- NewTop
- Integer

- NewLeft
- TControl
- Control
- TWinControl
- Sender
- TAlignPositionEvent
- Sender
- Boolean
- TControl
- TControl
- TWinControl
- Sender
- TAlignInsertBeforeEvent
- Controls
- IDockManagerL
- TBevelWidth
- Controls
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- Controls
- beBottom
- beRight
- beTop
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvNone\tbvLowered
- TBevelCut
- TBorderWidth
- Align
- ControlIndex
- AlignList
- TAlignInfo
- TImeName
- Controls
- imSHanguel\timHanguel
- imKata\timChinese
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- Controls
- TWinControlActionLink
- TWinControlActionLink
- FClient
- OnGesture
- Parent
- WindowProc

- Visible
- UndockWidth
- UndockHeight
- Touch
- TBDockHeight
- ShowHint
- HostDockSite
- FloatingDockSiteClass
- Floating
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- DockOrientation
- ControlStyle(
- ControlState
- Constraintsh
- ClientWidth
- ClientRect
- ClientOrigin
- ClientHeight
- BoundsRect
- BiDiMode
- Anchors
- Alignd
- Action,oH
- Enabled
- ParentCustomHint,
- CustomHint
- Margins
- HelpContext
- HelpKeyword
- HelpType@
- Hint0
- Cursor@
- Height
- Width
- Left
- AlignWithMargins
- Controls
- TControl
- Buffer
- Self
- SetTextBuf
- LParam
- WParam
- Self
- Perform
- LParam
- WParam
- Self
- Perform
- Self
- GetTextLen
- BufSize
- Buffer
- Self

- GetTextBuf
- Message
- Self
- DefaultHandler
- Self
- UseRightToLeftScrollBar
- Self
- UseRightToLeftReading
- Self
- UseRightToLeftAlignment
- Self
- Update
- Self
- Show
- Value
- Self
- SetParentComponent
- Value
- Self
- SetDesignVisible
- AHeight
- AWidth
- ATop
- ALeft
- Self
- SetBounds
- Self
- SendToBack
- AParent
- Point
- Self
- ParentToClient
- Point
- Self
- ControlSide
- DropControl
- NewDockSite
- Control
- Self
- ReplaceDockedControl
- Self
- Repaint
- Self
- Refresh
- LParam
- WParam
- Self
- Perform
- ScreenPos
- Self
- ManualFloat
- ControlSide
- DropControl
- NewDockSite
- Self
- ManualDock
- Self

- IsRightToLeft
- Message
- Self
- MouseWheelHandler
- Self
- Invalidate
- Self
- InitiateAction
- Self
- Hide
- Self
- HasParent
- Self
- GetParentComponent
- Self
- GetControlsAlignment
- Drop
- Self
- EndDrag
- Self
- DrawTextBiDiModeFlagsReadingOnly
- Flags
- Self
- DrawTextBiDiModeFlags
- Source
- Self
- DragDrop
- Self
- Dragging
- ARect
- NewDockSite
- Self
- Dock
- AParent
- Point
- Self
- ClientToParent
- Point
- Self
- Self
- BringToFront
- Threshold
- Immediate
- Self
- BeginDrag
- Self
- Destroy
- AOwner
- Self
- Create
- TControl6
- FReserved
- FExplicitHeight
- FExplicitWidth
- FExplicitTop
- FExplicitLeft
- FOriginalParentSize

- FAnchorOrigin
- FAnchorRules
- FAnchorMove
- FText
- FParentCustomHint
- FCustomHint
- FHelpContext
- FHelpKeyword
- FHelpType
- FOnGesture
- FOnMouseWheelUp
- FOnMouseWheelDown
- FOnMouseWheel
- FOnMouseEnter
- FOnMouseLeave
- FOnMouseActivate
- FOnContextPopup
- FOnClick
- FOnEndDrag
- FOnStartDrag
- FOnEndDock
- FOnStartDock
- FOnResize
- FOnDragOver
- FOnDragDrop
- FOnMouseUp
- FOnMouseMove
- FOnMouseDown
- FOnConstrainedResize
- FOnCanResize
- FTouchManager
- FFloatingDockSiteClass
- FTBDockHeight
- FUndockHeight
- FUndockWidth
- FWheelAccumulator
- FHostDockSite
- FDockOrientation
- FDragKind
- FParentShowHint
- FShowHint
- FScalingFlags
- FFontHeight
- FHint
- FPopupMenu
- FDragCursor
- FCursor
- FMargins
- FConstraints
- FColor
- FActionLink
- FFont
- FAnchors
- FParentBiDiMode
- FBiDiMode
- FIsControl
- FDragMode

- FAutoSize
- FAlign
- FParentColor
- FParentFont
- FEnabled
- FVisible
- FDesktopFont
- FControlState
- FControlStyle
- FHeight
- FTop
- FLeft
- FWindowProc
- FParent
- Controls
- doVertical
- doHorizontal
- doNoOrient
- TDockOrientation
- Handled
- MousePos
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Handled
- MousePos
- Shift
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelUpDownEvent
- Handled
- MousePos
- WheelDelta
- Shift
- Sender
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender

- TMouseWheelEvent
- MaxHeight
- MaxWidth
- MinHeight
- MinWidth
- Sender
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Resize
- NewHeight
- NewWidth
- Sender
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- CanDock
- MousePos
- InfluenceRect
- DockClient
- Sender
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- Sender
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Allow
- NewTarget
- Client
- Sender
- Boolean
- Allow

- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- State
- Source
- Sender
- Boolean
- TDragState
- State
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Source
- Sender
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Target
- Sender
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- Sender
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Source
- Sender
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- State
- Source
- Sender
- Boolean
- TDragState

- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Sender
- Char
- TObject
- Sender
- TKeyPressEvent
- Shift
- Sender
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent
- MouseActivate
- HitTest
- Shift
- Button
- Sender
- TMouseActivate
- MouseActivate
- Integer
- HitTest
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseActivateEvent
- Shift
- Sender
- Integer
- Integer
- TShiftState
- Shift
- TObject
- Sender
- TMouseMoveEvent
- Shift
- Button
- Sender
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button

- TObject
- Sender
- TMouseEvent
- TabletOptions
- ParentTabletOptions|
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- Controls
- TTouchManager|
- TTouchManager
- TabletOptions|
- StandardGestures|
- ParentTabletOptions
- InteractiveGestureOptions
- InteractiveGestures
- GestureManager
- GestureList
- GestureEngine`
- Controls
- TCustomTouchManager
- AGestureID
- Self
- UnselectGesture
- AName
- Self
- SelectGesture
- AGestureID
- Self
- SelectGesture
- AControl
- Self
- RemoveChangeNotification
- AName
- Self
- FindGesture
- AGestureID
- Self
- FindGesture
- AControl
- Self
- ChangeNotification
- Self
- Destroy
- AControl
- Self
- Create
- TCustomTouchManager8
- FTabletOptions
- FStandardGestures
- FParentTabletOptions
- FNotifyList
- FInteractiveGestureOptions
- FInteractiveGestures
- FGestureManager
- FGestureEngine
- FControl

- Flags
- Activet
- Controls
- TCustomGestureEngine
- Self
- Supported
- Message
- Self
- Notification
- AControl
- Self
- Create
- TCustomGestureEngine8
- (TCustomGestureEngine.TGestureEngineFlags
- Controls
- efTouchEvents
- efMouseEvents
- 'TCustomGestureEngine.TGestureEngineFlag
- Controls
- TCustomGestureManager
- AGestureID
- AControl
- Self
- UnselectGesture
- AControl
- Self
- UnregisterControl
- AName
- AControl
- Self
- SelectGesture
- AGestureID
- AControl
- Self
- SelectGesture
- AGesture
- Self
- RemoveRecordedGesture
- AGestureID
- Self
- RemoveRecordedGesture
- AControl
- Self
- RegisterControl
- AName
- AControl
- Self
- FindGesture
- AGestureID
- AControl
- Self
- FindGesture
- AName
- Self
- FindCustomGesture
- AGestureID
- Self

- FindCustomGesture
- Item
- Self
- AddRecordedGesture
- TCustomGestureManager@
- Action
- Points
- Name
- Options@
- GestureTypeD
- GestureID
- ErrorMargin,
- Deviation
- Controls
- TCustomGestureCollectionItem$
- TCustomGestureCollectionItem
- Controls
- TGesturePointArray
- Controls
- TGestureArray
- TGestureOptions
- Controls
- goRotate
- goEndpoint
- goSkew
- goUniDirectional
- TGestureOption
- Controls
- gtNone
- gtRegistered
- gtRecorded
- gtStandard
- TGestureType
- TTabletOptions
- Controls
- toFlickFallbackKeys
- toSmoothScrolling
- toFlicks
- toTouchSwitch
- toTouchUIForceOff
- toTouchUIForceOn
- toPenBarrelFeedback
- toPenTapFeedback
- toPressAndHold
- TTabletOption
- TStandardGestures
- Handled
- EventInfo
- Sender
- Boolean
- Handled
- TGestureEventInfo
- EventInfo
- TObject
- Sender
- TGestureEvent
- TapLocation

- Distance
- InertiaVector
- Angle
- Flags
- Location
- GestureID
- TGestureEventInfo
- TGestureID
- Bottom
- Right
- Left
- Controls
- TPadding@
- TPadding
- OnChange
- ExplicitHeight
- ExplicitWidth
- ExplicitTop
- ExplicitLeft
- ControlHeight
- ControlWidth
- ControlTop
- ControlLeft
- Bottom
- Right
- Left
- Controls
- TMargins\\
- ABottom
- ARight
- ATop
- ALeft
- Self
- SetBounds
- Aligning
- ARect
- Self
- SetControlBounds
- Aligning
- AHeight
- AWidth
- ATop
- ALeft
- Self
- SetControlBounds
- Control
- Self
- Create
- TMargins7
- FOnChange
- FBottom
- FTop
- FLeft
- FControl
- TMarginSize
- OnChange
- MinWidth

- MinHeight|
- MaxWidth|
- MaxHeight|
- Controls
- TSizeConstraints
- Control
- Self
- Create
- TSizeConstraints7
- FOnChange
- FMinWidth
- FMinHeight
- FMaxWidth
- FMaxHeight
- FControl
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop
- akLeft
- TAnchorKind
- TScalingFlags
- Controls
- sfDesignSize
- sfHeight
- sfTop
- TCaption
- TTabOrder
- Controls
- TDragKind
- Controls
- dsDragMove
- dsDragLeave
- dsDragEnter
- TDragState
- Controls
- dmAutomatic
- dmManual
- TDragMode
- Controls
- maNoActivateAndEat
- maNoActivate
- maActivateAndEat
- maActivate
- maDefault
- TMouseActivate
- Controls
- mbMiddle
- TMouseButton
- TControlStyle
- Controls
- csGestures
- csAlignWithMargins
- csPannable
- csParentBackground

- csNeedsBorderPaint
- csMenuEvents
- csActionClient
- csReflector
- csDisplayDragImage
- csNoStdEvents
- csReplicatable
- csNoDesignVisible
- csFixedHeight
- csFixedWidth
- csDoubleClicks
- csOpaque
- csSetCaption
- csFramed
- csClickEvents
- csDesignInteractive
- csCaptureMouse
- csAcceptsControls
- TControlState
- Controls
- csPrintClient
- csGlassPaint
- csAligning
- csRecreating
- csDesignerHide\tcsPanning
- csDestroyingHandle\tcsDocking
- csCustomPaint
- csPaintCopy
- csCreating
- csFocusing
- csAlignmentNeeded
- csReadingState
- csLButtonDown\tcsClicked\tcsPalette
- Controls
- TControlActionLinkp
- TControlActionLink
- FClient
- PopupMenup
- EnableDropdown
- DropdownMenu
- Controls
- TCustomControlAction
- TCustomControlAction
- FEnableDropdown
- FPopupMenu
- FDropdownMenu
- Control
- Controls
- TControlCanvasX}H
- Self
- UpdateTextFlags
- Self
- FreeHandle
- Self
- Destroy
- TControlCanvas'
- FWindowHandle

- FDeviceContext
- FControl
- Controls
- TDragDockObjectEx@|H
- Self
- BeforeDestruction
- TDragDockObjectEx1
- FrameWidth
- Floating
- EraseWhenMoving
- EraseDockRect
- DropOnControl
- DropAlign
- DockRect,oH
- Brush
- Controls
- TDragDockObject
- Source
- Self
- Assign
- Self
- Destroy
- AControl
- Self
- Create
- TDragDockObject8
- FFloating
- FEraseDockRect
- FDropOnControl
- FDropAlign
- FDockRect
- Controls
- TDragControlObjectEx
- Self
- BeforeDestruction
- TDragControlObjectEx1
- Controls
- TDragControlObject
- Self
- ShowDragImage
- Self
- HideDragImage
- TDragControlObject-
- Control
- Controls
- TBaseDragControlObject
- Source
- Self
- Assign
- AControl
- Self
- Create
- TBaseDragControlObject8
- FControl
- RightClickCancels
- MouseDeltaY
- MouseDeltaXx

- Droppedx
- DragTargetPos
- DragTarget
- DragPos
- DragHandle
- Cancelling
- AlwaysShowDragImages
- Controls
- TDragObject
- Self
- BeforeDestruction
- Self
- AfterConstruction
- Self
- ShowDragImage
- Self
- Instance
- Self
- HideDragImage
- Self
- GetName
- Source
- Self
- Assign
- TDragObject6
- FRightClickCancels
- FMouseDeltaY
- FMouseDeltaX
- FDropped
- FDragTargetPos
- FDragTarget
- FDragPos
- FDragHandle
- FCancelling
- FAlwaysShowDragImages
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone
- TAlign
- HintData
- HideTimeout
- ReshowTimeout
- CursorPos
- CursorRect
- HintColor
- HintMaxWidth
- HintPos
- HintWindowClass
- HintControl
- THintInfo@
- THintWindowClasst
- TWinControlClass

- TInteractiveGestureOptions
- Controls
- igoParentPassthrough
- igoPanGutter
- igoPanInertia
- igoPanSingleFingerVertical
- igoPanSingleFingerHorizontal
- TInteractiveGestureOption
- TInteractiveGestures
- Controls
- igPressAndTap
- igTwoFingerTap
- igRotate
- igPan
- igZoom
- TInteractiveGesture
- TInteractiveGestureFlags
- Controls
- gfEnd
- gfBegin\tgfInertia
- TInteractiveGestureFlag
- TCursor
- TModalResult
- Uh{jH
- SVWU
- S4_^[
- |#F3
- SVWU
- SVWU
- R8;F
- |>C3
- hEcH
- Uh>cH
- Uh[cH
- |uC3
- SVW3
- Ih;J8u
- :PAt
- :P4t
- ;wHu
- ;PHu
- S4^[]
- UhlWH
- Uh8TH
- UhcTH
- UhbSH
- @d;E
- SVWUQ
- |$F3
- SVWU
- SVW3
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3
- ;~|u
- RDFKu

- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tf
- :^8tA
- hT4H
- @8;E
- @4;E
- UhM4H
- Uh^)H
- UhG.H
- SVW3
- SVW3
- R$;E
- R0;E
- SVW3
- 8&u;'
- SVW3
- 8&u;'
- SVW3
- X?ENu
- |@F3
- SVWUQ
- SVWU
- SVW3
- :B9t
- :B8t
- @?:E
- @?:E
- SVW3
- Menus
- TMenuItemStackT
- AItem
- Self
- ClearItem
- TMenuItemStack8
- Window
- Menus
- TPopupList
- Popup
- Self
- Remove
- Popup
- Self
- TPopupList2
- FWindow
- PopupPoint
- PopupComponent
- OnPopup
- OnChange
- TrackButton8
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Images
- HelpContext

- BiDiMode
- AutoPopup
- AutoLineReduction
- AutoHotkeys8
- Alignment8
- Menus
- TPopupMenu$
- Self
- Popup
- Self
- Destroy
- AOwner
- Self
- Create
- TPopupMenu6
- FOnPopup
- FMenuAnimation
- FTrackButton
- FPopupComponent
- FAutoPopup
- FAlignment
- FPopupPoint
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode8
- OwnerDraw
- Images
- BiDiMode
- AutoMerge
- AutoLineReduction
- AutoHotkeys8
- Menus
- TMainMenu
- Handle
- Self
- SetOle2MenuHandle
- GetOle2AcceleratorTableA
- PopulateOle2Menu
- Menu
- Self
- Unmerge

- Menu
- Self
- Merge
- TMainMenu3
- FAutoMerge
- FOle2Menu
- WindowHandle
- ParentBiDiMode
- OwnerDraw
- Handle
- BiDiMode
- AutoLineReduction
- AutoHotkeys8
- Images8
- Items
- Menus
- TMenu
- Message
- Self
- ProcessMenuChar
- AControl
- Self
- ParentBiDiModeChanged
- Self
- ParentBiDiModeChanged
- Message
- Self
- IsShortCut
- Self
- IsRightToLeft
- ByCommand
- Value
- Self
- GetHelpContext
- Root
- Proc
- Self
- GetChildren
- Kind
- Value
- Self
- FindItem
- AHandle
- Self
- DispatchPopup
- ACommand
- Self
- DispatchCommand
- Self
- Destroy
- Self
- CreateMenuItem
- AOwner
- Self
- Create
- TMenu6
- FMenuImage

- FOnChange
- FImages
- FImageChangeLink
- FParentBiDiMode
- FOwnerDraw
- FWindowHandle
- FItems
- FBiDiMode
- Menus
- fkShortCut
- fkHandle
- fkCommand
- TFindItemKind
- Parent
- MenuIndex
- Count
- Handle
- Command
- OnMeasureItem
- OnAdvancedDrawItem8
- OnDrawItem|
- OnClick
- Visible
- ShortCut
- RadioItem|
- ImageIndex
- Hint<
- HelpContext@
- GroupIndex
- Enabled
- Default
- SubMenuImages
- Checked
- Caption
- Break@
- Bitmap
- AutoLineReduction
- AutoHotkeys
- AutoCheck
- Action
- Menus
- TMenuItem
- Value
- Self
- SetParentComponent
- Self
- RethinkLines
- Self
- RethinkHotkeys
- Item
- Self
- Remove
- Add4
- Item
- Self
- AItem
- Self

- InsertNewLineAfter
- AItem
- Self
- InsertNewLineBefore
- Self
- NewBottomLine
- Self
- NewTopLine
- Self
- HasParent
- Self
- GetParentMenu
- Self
- GetParentComponent
- Self
- GetImageList
- Self
- GetEnumerator
- Root
- Proc
- Self
- GetChildren
- Self
- IsLine
- Item
- Self
- IndexOf
- ACaption
- Self
- Find
- Self
- Click
- Self
- Clear
- Index
- Self
- Delete
- Item
- Index
- Self
- Insert
- Self
- InitiateAction
- Self
- Destroy
- AOwner
- Self
- Create
- TMenuItem6
- FHandle
- FAutoCheck
- FOnMeasureItem
- FOnAdvancedDrawItem
- FOnDrawItem
- FOnClick
- FOnChange
- FSubMenuImages

- FImageChangeLink
- FStreamedRebuild
- FMenu
- FMergedWith
- FMerged
- FParent
- FShortCut
- FItems
- FHint
- FHelpContext
- FCommand
- FBitmap
- FBreak
- FActionLink
- FImageIndex
- FGroupIndex
- FVisible
- FRadioItem
- FAutoLineReduction
- FAutoHotkeys
- FDefault
- FEnabled
- FChecked
- FCaption
- Current
- Menus
- TMenuItemEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AMenuItem
- Self
- Create
- TMenuItemEnumerator9
- FMenuItem
- FIndex
- Menus
- TMenuActionLink
- TMenuActionLink
- FClient
- Menus
- TMenuAutoFlag
- Menus
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Height
- Width
- ACanvas
- Sender
- Integer
- Height
- Integer
- Width
- TCanvas

- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- State
- ARect
- ACanvas
- Sender
- TOwnerDrawState
- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Selected
- ARect
- ACanvas
- Sender
- Boolean
- Selected
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Rebuild
- Source
- Sender
- Boolean
- Rebuild
- Source\tTMenuItem
- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- Menus
- EMenuError
- EMenuError
- Hint
- THintAction
- AOwner
- Self
- Create
- THintAction6
- SVW3
- 8]_^[
- SVWU
- PositionVBu

- HelpFile
- Dialogs
- TTaskMessageDialog
- ParentWnd
- Self
- Execute
- TTaskMessageDialog:
- FPosition
- FParentWnd
- FHelpFile
- SVW3
- |WG3
- SVW3
- SVW3
- Dialogs
- TMessageFormP
- Dummy
- AOwner
- Self
- CreateNew
- TMessageFormH
- Message
- C]@u
- SVW3
- SVW3
- |.G3
- OnVerificationClicked
- OnTimer
- OnRadioButtonClicked
- OnNavigated
- OnHyperlinkClicked
- OnExpanded
- OnDialogDestroyed
- OnDialogCreated
- OnDialogConstructed
- OnButtonClicked
- VerificationText$
- URL@
- Title@
- Text@
- RadioButtons@
- RadioButton
- ProgressBarX
- ModalResult,
- MainIcon
- HelpContext
- Handle
- FooterText
- FooterIcon@
- Flags
- ExpandedText
- Expanded@
- ExpandButtonCaption
- DefaultButton@
- CustomMainIcon
- CustomFooterIcon
- CommonButtons

- Captionx
- Buttons@
- Button
- Dialogs
- TCustomTaskDialog
- ParentWnd
- Self
- Execute
- Self
- Execute
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomTaskDialog6
- FOnVerificationClicked
- FOnTimer
- FOnRadioButtonClicked
- FOnNavigated
- FOnHyperlinkClicked
- FOnExpanded
- FOnDialogDestroyed
- FOnDialogCreated
- FOnDialogConstructed
- FOnButtonClicked
- FVerificationText
- FURL
- FTitle
- FText
- FRadioButtons
- FRadioButton
- FProgressBar
- FModalResult
- FMainIcon
- FHelpContext
- FHandle
- FFooterText
- FFooterIcon
- FExpandedText
- FExpanded
- FExpandButtonCaption
- FDefaultButton
- FCustomMainIcon
- FCustomFooterIcon
- FCommonButtons
- FCaption
- FButtons
- FButton
- Reset
- TickCount
- Sender
- Boolean
- Reset
- Cardinal
- TickCount
- TObject

- Sender
- TTaskDlgTimerEvent
- CanClose
- ModalResult
- Sender
- Boolean
- CanClose
- TModalResult
- ModalResult
- TObject
- Sender
- TTaskDlgClickEvent
- DefaultButton
- Dialogs
- TTaskDialogButtons
- Self
- SetInitialState
- Self
- GetEnumerator
- AModalResult
- Self
- FindButton
- Self
- Buttons
- Self
- Self
- Destroy
- TTaskDialogButtons'
- FDefaultButton
- FButtonListPtr
- FButtonList
- Current
- Dialogs
- TTaskDialogButtonsEnumerator$
- Self
- MoveNext
- Self
- GetCurrent
- ACollection
- Self
- Create
- TTaskDialogButtonsEnumerator;
- FCollection
- FIndex
- Dialogs
- TTaskDialogButtonList
- Dialogs
- TTaskDialogRadioButtonItem
- Collection
- Self
- Create
- TTaskDialogRadioButtonItem:
- ModalResult
- ElevationRequired
- CommandLinkHint
- Dialogs
- TTaskDialogButtonItem

- Self
- SetInitialState
- Collection
- Self
- Create
- TTaskDialogButtonItem:
- FElevationRequired
- FCommandLinkHint
- ModalResult
- Enabled
- Default
- Caption
- Dialogs
- TTaskDialogBaseButtonItem
- Self
- SetInitialState
- Self
- Click
- Self
- Destroy
- Collection
- Self
- Create
- TTaskDialogBaseButtonItem:
- FModalResult
- FEnabled
- FClient
- FCaption
- State
- Position
- MarqueeSpeed
- Dialogs
- TTaskDialogProgressBar
- Self
- Initialize
- AClient
- Self
- Create
- TTaskDialogProgressBar7
- FState
- FPosition
- FMin
- FMax
- FMarqueeSpeed
- FClient
- TTaskDialogIcon
- TTaskDialogCommonButtons
- Dialogs
- tcbClose
- tcbNo\ttcbCancel
- tcbOk
- TTaskDialogCommonButton
- TTaskDialogFlags
- Dialogs
- tfCanBeMinimized
- tfNoDefaultRadioButton
- tfRtlLayout

- tfPositionRelativeToWindow
- tfCallbackTimer
- tfShowMarqueeProgressBar
- tfShowProgressBar
- tfVerificationFlagChecked
- tfExpandedByDefault
- tfExpandFooterArea
- tfUseCommandLinksNoIcon
- tfUseCommandLinks
- tfAllowDialogCancellation
- tfUseHiconFooter
- tfUseHiconMain
- tfEnableHyperlinks
- TTaskDialogFlag
- Dialogs
- EPlatformVersionException(
- EPlatformVersionException
- TPrintDialogOptions
- Dialogs
- poDisablePrintToFile
- poHelp
- poSelection\tpoWarning
- poPageNums
- poPrintToFile
- TPrintDialogOption
- Dialogs
- prPageNums
- prSelection
- prAllPages
- TPrintRange
- Handle
- OnShow
- OnClose
- HelpContext
- Ctl3D
- Dialogs
- TCommonDialogIzG
- Message
- Self
- DefaultHandler
- ParentWnd
- Self
- Execute
- Self
- Execute
- Self
- Destroy
- AOwner
- Self
- Create
- TCommonDialog6
- FTemplate
- FObjectInstance
- FOnShow
- FOnClose
- FTemplateModule
- FRedirector

- FHandle
- FHelpContext
- Uh]wG
- Uh9pG
- |CC3
- Uh\\kG
- SVW3
- UhTiG
- |CC3
- SVW3
- Uh!hG
- SVW3
- UhwfG
- UhddG
- Uh]cG
- SVW3
- hMaG
- UhFaG
- SVW3
- Gu!j
- SVW3
- SVWU
- PlainText
- TRichEditStrings
- Encoding
- Stream
- Self
- SaveToStream
- Encoding
- FileName
- Self
- SaveToFile
- Encoding
- Stream
- Self
- LoadFromStream
- Encoding
- FileName
- Self
- LoadFromFile
- Index
- Self
- Insert
- Index
- Self
- Delete
- Self
- AddStrings
- Self
- Clear
- Self
- Destroy
- TRichEditStrings'
- FConverter
- FPlainText
- RichEdit
- SVWU

- OnStartDragG
- OnStartDock
- OnSelectionChange
- OnSaveClipboard
- OnResizeRequest\\0G
- OnProtectChange0/G
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp
- OnMouseMove
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivate
- OnKeyUp$
- OnKeyPressH
- OnKeyDown
- OnGestureH
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop(
- OnDblClick
- OnContextPopup
- OnClick
- OnChange
- WordWrap
- WantReturns
- WantTabs
- Visible
- Touch
- TabStop
- TabOrder
- ShowHint
- ScrollBars
- ReadOnly
- PopupMenu
- PlainText
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MaxLength
- Lines
- Constraints
- ImeName
- ImeMode
- HideScrollBars
- HideSelection
- Font
- Enabled8
- DragMode
- DragKind

- DragCursorH
- Ctl3D
- Color
- BorderWidthT
- BorderStyle
- BiDiMode`
- BevelWidth
- BevelKind
- BevelOuterl
- BevelInner
- BevelEdges
- AnchorsT
- Alignmentd
- Alignx
- TRichEdit
- TRichEdit
- Paragraph
- PageRect
- SelAttributes
- DefAttributes
- DefaultConverter
- ActiveLineNo03G
- TCustomRichEdit
- BufSize
- Buffer
- Self
- GetSelTextBuf
- AConversionClass
- AExtension
- Self
- RegisterConversionFormat
- Caption
- Self
- Print
- Options
- StartPos
- SearchStr
- Self
- FindText
- Self
- Clear
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomRichEdit6
- FOldSelStart
- FOldSelLength
- FPageRect
- FOnSaveClipboard
- FOnProtectChange
- FOnResizeRequest
- FDefaultConverter
- FModified
- FHideSelection
- FOnSelChange

- FMemStream
- FRichEditStrings
- FScreenLogPixels
- FOldParaAlignment
- FParagraph
- FDefAttributes
- FSelAttributes
- FHideScrollBars
- Extension
- ConversionClass
- TConversionFormat
- TConversionClass
- TConversion
- BufSize
- Buffer
- Stream
- Self
- ConvertWriteStream
- BufSize
- Buffer
- Stream
- Self
- ConvertReadStream
- Self
- Create
- TConversion&
- TSearchTypes
- stMatchCase
- stWholeWord
- TSearchType
- SaveClipboard
- NumChars
- NumObjects
- Sender
- Boolean
- SaveClipboard
- Integer
- NumChars
- Integer
- NumObjects
- TObject
- Sender
- TRichEditSaveClipboard
- AllowChange
- EndPos
- StartPos
- Sender
- Boolean
- AllowChange
- Integer
- EndPos
- Integer
- StartPos
- TObject
- Sender
- TRichEditProtectChange
- Rect

- Sender
- TRect
- Rect
- TObject
- Sender
- TRichEditResizeEvent
- TabCount4/G
- RightIndent
- Numbering
- LeftIndent
- FirstIndent
- Alignment
- TParaAttributesD-G
- Source
- Self
- Assign
- AOwner
- Self
- Create
- TParaAttributes6
- RichEdit
- nsBullet
- nsNone
- TNumberingStyle
- Height
- Style
- Size
- Protected
- Pitch
- Name
- ConsistentAttributes8
- Color
- CharsetT
- TTextAttributes(*G
- Source
- Self
- Assign
- AttributeType
- AOwner
- Self
- Create
- TTextAttributesM
- FType
- RichEdit
- TConsistentAttributes
- caProtected
- caUnderline
- caStrikeOut
- caSize
- caItalic
- caFace
- caColor
- caBold
- TConsistentAttribute
- atDefaultText
- atSelected
- TAttributeType

- pbsError\tpbsPaused
- pbsNormal
- TProgressBarState
- SVW3
- SVW3
- ;P4t
- C4Pj
- SVWU
- SVWU
- @LP3
- ;4$~
- SVWU
- DockManager
- OnUnDockF
- OnStartDrag8
- OnStartDock
- OnResize
- OnMouseUp
- OnMouseMove
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivate
- OnGetSiteInfo$
- OnGestureh
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop(
- OnDblClick
- OnDockOver
- OnDockDropP
- OnContextPopup
- OnConstrainedResize
- OnClick
- OnCanResize
- OnAlignPositionT
- OnAlignInsertBefore
- Visible
- VerticalAlignment
- Touch8
- TabStop
- TabOrder
- ShowHint
- ShowCaption
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBackground
- ParentBiDiMode
- Padding
- Lockedh

- Font
- FullRepaint8
- Enabled
- DragMode
- DragKind
- DragCursorH
- DoubleBuffered
- DockSite
- UseDockManager
- Ctl3D
- Constraints
- Color
- CaptionT
- BorderStyle
- BorderWidth`
- BiDiMode
- BevelWidth
- BevelOuter
- BevelKind
- BevelInnerl
- BevelEdges
- AutoSizeT
- Anchors
- Alignmentd
- Alignx
- ExtCtrlsE
- TPanel
- TPanel
- ParentBackground
- TCustomPanel
- Self
- GetControlsAlignment
- AOwner
- Self
- Create
- TCustomPanel6
- FVerticalAlignment
- FShowCaption
- FParentBackgroundSet
- FLocked
- FFullRepaint
- FBorderStyle
- FBorderWidth
- FBevelWidth
- FBevelOuter
- FBevelInner
- FAutoSizeDocking
- FAlignment
- OnTimer
- Interval
- Enabled
- TTimert
- Self
- Destroy
- AOwner
- Self
- Create

- TTimer6
- FEnabled
- FOnTimer
- FWindowHandle
- FInterval
- Canvas
- OnStartDrag%
- OnStartDock
- OnProgress
- OnMouseUpd
- OnMouseMove
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivate
- OnGesture$
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop(
- OnDblClick
- OnContextPopup
- OnClick
- Visible
- Transparent
- Touch
- ShowHint
- Proportional
- PopupMenu
- Picture
- ParentShowHint0
- IncrementalDisplay
- Enabled
- DragMode
- DragKind
- DragCursorH
- Constraints
- Center
- AutoSize
- Anchors
- Alignd
- TImage
- Self
- Destroy
- AOwner
- Self
- Create
- TImage6
- FProportional
- FDrawing
- FTransparent
- FIncrementalDisplay
- FCenter
- FOnProgress
- FPicture
- Af;2t
- f;8u<

- f;8u
- SVWUQ
- SVW3
- SVW3
- |>G3
- SVW3
- SVW3
- Printers
- TPrinterCanvas@
- Self
- UpdateFont
- Self
- Changing
- Self
- CreateHandle
- APrinter
- Self
- Create
- TPrinterCanvas
- UpdateFont
- Changing
- CreateHandle
- Printer
- Printer
- Printers
- TPrinterDevice
- APort
- ADevice
- ADriver
- Self
- IsEqual
- APort
- ADevice
- ADriver
- Self
- Create
- TPrinterDeviceW
- Port
- Device
- Driver
- Title
- Printers@
- Printing
- PrinterIndex
- PageNumber
- PageWidth
- PageHeight
- Orientation
- Handle
- Copies
- Capabilities
- Canvas\\
- Aborted,
- Printers
- TPrinter
- ADeviceMode
- APort

- ADriver
- ADevice
- Self
- SetPrinter
- ADeviceMode
- APort
- ADriver
- ADevice
- Self
- GetPrinter
- Self
- Refresh
- Self
- NewPage
- Self
- EndDoc
- Self
- BeginDoc
- Self
- Abort
- Self
- Destroy
- Self
- Create
- TPrinter&
- DeviceMode
- DevMode
- FPrinterHandle
- State
- FCapabilities
- FAborted
- FPrinting
- FTitle
- FPrinterIndex
- FPrinters
- FPageNumber
- FCanvas
- TPrinterCapabilities
- Printers
- pcCollation
- pcOrientation
- pcCopies
- TPrinterCapability
- Printers
- poLandscape
- poPortrait
- TPrinterOrientation
- Printers
- psHandleDC
- psHandleIC
- psNoHandle
- TPrinterState
- Printers
- EPrinter8
- EPrinter
- Z:Pit
- SVW3

- 0_^[
- @H+E
- SVW3
- TMemoStrings\\
- Index
- Self
- Insert
- Index
- Self
- Delete
- Self
- Clear
- TMemoStrings%
- Memo
- OnStartDrag9
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivate
- OnKeyUp$
- OnKeyPressH
- OnKeyDown
- OnExitH
- OnEnter
- OnEndDrag
- OnEndDock
- OnDropDownClick
- OnDragOver
- OnDragDrop(
- OnContextPopup
- OnClick
- WordWrap
- Visible
- TabStop
- TabOrder
- Style
- ShowHint|
- SelectedImageIndex
- PressedImageIndex<
- PopupMenu<
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentBiDiMode
- ModalResult
- Images
- ImageMargins
- ImageIndexT
- ImageAlignment<
- HotImageIndex
- Font<
- Enabled8
- ElevationRequired
- DropDownMenu

- DragMode
- DragKind
- DragCursorH
- DoubleBuffered
- DisabledImageIndex
- Default<
- Constraints
- CommandLinkHint
- Caption@
- Cancel
- BiDiMode
- Anchors
- Alignd
- Action,oH
- TButton
- TButton
- OnDropDownClick
- TabStop
- Style
- SelectedImageIndex|
- PressedImageIndex<
- ModalResult<
- ImageMargins
- ImageIndexT
- ImageAlignment<
- Images
- HotImageIndex
- ElevationRequired<
- DropDownMenu
- DisabledImageIndex
- Default<
- CommandLinkHint
- Cancel@
- TCustomButton8
- Self
- UseRightToLeftAlignment
- Self
- Click
- Self
- Destroy
- AOwner
- Self
- Create
- TCustomButton6
- FOnDropDownClick
- FSelectedImageIndex
- FPressedImageIndex
- FModalResult
- FInternalImageList
- FImages
- FImageMargins
- FImageIndex
- FImageChangeLink
- FImageAlignment
- FHotImageIndex
- FElevationRequired
- FDropDownMenu

- FDisabledImageIndex
- FDefault
- FCommandLinkHint
- FCancel
- FActive
- bsSplitButton
- bsCommandLink
- bsPushButton
- TCustomButton.TButtonStyle
- TPushButtonActionLink
- TPushButtonActionLink
- OnChange
- Bottom
- Right
- Left
- TImageMargins
- Source
- Self
- Assign
- TImageMargins6
- FOnChange
- FLeft
- FTop
- FBottom
- iaCenter
- iaBottom
- iaTop
- iaRight
- iaLeft
- TImageAlignment
- TButtonControl
- AOwner
- Self
- Create
- TButtonControl6
- FWordWrap
- FClicksDisabled
- TButtonActionLink
- TButtonActionLink
- FClient
- OnStartDrag@
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseLeave
- OnMouseEnter
- OnMouseDown
- OnMouseActivate
- OnKeyUp$
- OnKeyPressH
- OnKeyDown
- OnGestureH
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock
- OnDragOver

- OnDragDrop(
- OnDblClick
- OnContextPopup
- OnClick
- OnChange
- WordWrap
- WantTabs
- WantReturns
- Visible
- Touch
- TabStop
- TabOrder
- ShowHint
- ScrollBars
- ReadOnly
- PopupMenu
- ParentShowHint
- ParentFont
- ParentDoubleBuffered
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- MaxLength
- Lines
- ImeName
- ImeMode
- HideSelection
- Font
- Enabled8
- DragMode
- DragKind
- DragCursorH
- DoubleBuffered
- Ctl3D
- Constraints
- Color
- CharCaseT
- BorderStyle
- BiDiMode`
- BevelOuter
- BevelKind
- BevelInnerl
- BevelEdges
- AnchorsT
- Alignmentd
- Alignx
- TMemo`~F
- TMemo
- Lines
- CaretPos
- TCustomMemoh{F
- Self
- Destroy
- AOwner
- Self
- Create

- TCustomMemo6
- FWantTabs
- FWantReturns
- FWordWrap
- FLines
- ssVertical
- ssHorizontal
- ssNone
- TextHint
- Text@
- SelText
- SelStart@
- SelLength
- ReadOnly
- Modified
- CanUndo
- Alignment
- TabStop
- TCustomEdit
- Buffer
- Self
- SetSelTextBuf
- BufSize
- Buffer
- Self
- GetSelTextBuf
- Self
- SelectAll
- Value
- Self
- SetSelText
- Self
- ClearUndo
- Self
- Undo
- Self
- PasteFromClipboard
- Self
- GetControlsAlignment
- Message
- Self
- DefaultHandler
- Self
- CutToClipboard
- Self
- CopyToClipboard
- Self
- ClearSelection
- Self
- Clear
- AOwner
- Self
- Create
- TCustomEdit6
- FTextHint
- FNumbersOnly
- FOldSelStart

- FOldSelLength
- FOnChange
- FInBufferedPrintClient
- FModified
- FCreating
- FCharCase
- FOEMConvert
- FHideSelection
- FAutoSelect
- FAutoSize
- FReadOnly
- FPasswordChar
- FBorderStyle
- FMaxLength
- FAlignment
- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- OnStartDrag,
- OnStartDock
- OnMouseLeave
- OnMouseEnter
- OnMouseUp
- OnMouseMove
- OnMouseDown
- OnMouseActivate
- OnGesture$
- OnEndDrag
- OnEndDock
- OnDragOver
- OnDragDrop(
- OnDblClick
- OnContextPopup
- OnClick
- WordWrap
- Visible
- Layout
- Transparent
- Touch
- ShowHint
- ShowAccelChar
- PopupMenu
- ParentShowHint
- ParentFont
- ParentColor
- ParentBiDiMode
- GlowSize
- Font
- FocusControl8
- Enabled
- EllipsisPosition
- DragMode<eF
- DragKind
- DragCursorH
- Constraints
- Color

- CaptionT
- BiDiMode
- AutoSize
- Anchors
- Alignmentd
- Alignx
- TLabel
- TLabel
- GlowSize
- Canvas
- Caption,
- TCustomLabel
- AOwner
- Self
- Create
- TCustomLabel6
- FEllipsisPosition
- FTransparentSet
- FShowAccelChar
- FWordWrap
- FLayout
- FGlowSize
- FDrawTextProc
- FAutoSize
- FAlignment
- FFocusControl
- TextFlags
- TextRect
- Text
- Cardinal
- TextFlags
- TRect
- TextRect
- Text
- epWordEllipsis
- epEndEllipsis
- epPathEllipsis
- epNone
- TEllipsisPosition
- tlBottom
- tlCenter
- tlTop
- TTextLayout
- =hAg
- =lAg
- SVWU
- SVWU
- B@;U
- SVWU
- SVWU
- T$ 3
- SVWU
- S4RU
- SVWUQ
-)S<3
- SVWUQ
- SVWU

- SVWU
- 4]_^[
- C0;D$
- L$!3
- L$%3
- T$ 3
- T$$3
- D$ 3
- L$!3
- L$%3
- T$ 3
- T$$3
- D$ 3
- D$!3
- D$!3
- D$!3
- D$!3
- D$ 3
- E 0f
- E 0f
- L$0Q
- SVWU
- K0;K(u
- Kl#K4
- Kl#K4
- u$AF
- u,AF
- u4AF
- u<AF
- u$AF
- u,AF
- u4AF
- u<AF
- SVWUQ
- ;S u
- SVWU
- SVWUQ
- SVWU
- SVWUQ
- h8Ag
- h Ag
- =`Ag
- Graphics
- TPatternManagerH
- Self
- Unlock
- Self
- Lock
- Self
- FreePatterns
- Self
- Destroy
- Self
- Create
- FgColor
- BkColor
- Self

- AllocPattern
- TPatternManagerN
- FLock
- List
- FgColorRef
- BkColorRef
- Bitmap
- Next
- TPattern
- PPattern
- \\$8Vj
- SVW3
- Graphics
- :TWICImage.:2
- SVWU
- SVW3
- Graphics
- :TWICImage.:1
- x> u
- SVWU
- :S8t"
- ;V4tA
- SVWU
- x> u
- =8#f
- h Ag
- h Ag
- SVWU
- :^9tI
- SVWU
- SVWU
- @9H,
- z> u
- SVWU
- t'It
- ~> uQ
- @8Pj
- @8Pj
- @qPV3
- h Ag
- h Ag
- =8#f
- @ ;E
- Graphics
- TBitmapCanvas<
- Self
- Destroy
- ABitmap
- Self
- Create
- TBitmapCanvas7
- FOldPalette
- FOldBitmap
- FBitmap
- EMFt
- 3TjdP
- 3TjdP

- SVWU
- h{}E
- Uht}E
- UhszE
- SVW3
- UhwxE
- SVWU
- Graphics
- TClipboardFormats4sE
- AClass
- Self
- Remove
- Self
- FindFormat
- AClass
- Self
- Self
- Destroy
- Self
- Create
- TClipboardFormats&
- FFormats
- FClasses
- SVWU
- Uh~rE
- SVW3
- SVW3
- SVWU
- Graphics
- TFileFormatsList
- Filters
- Descriptions
- AGraphicClass
- Self
- BuildFilterStrings
- AClass
- Self
- Remove
- Classname
- Self
- FindClassName
- Self
- FindExt
- AClass
- DescID
- Desc
- Self
- Self
- Destroy
- Self
- Create
- TFileFormatsList&
- DescResID
- Description
- Extension
- GraphicClass
- TFileFormat

- Q8^[
- hOkE
- UhHkE
- $ZXu
- @HPU
- hghE
- h@hE
- Uh9hE
- Uh`hE
- h<fE
- Uh5fE
- h\\`E
- h<`E
- Uh5`E
- Uh{_E
- UhU`E
- t6Tj
- Uh0YE
- hhPE
- UhaPE
- hxOE
- UhqOE
- hPHE
- h+HE
- h\tHE
- Uh$HE
- UhIHE
- K4h8Ag
- h8Ag
- h8Ag
- h8Ag
- C4h8Ag
- h8Ag
- UhzBE
- hj@E
- Uhc@E
- h9>E
- Uh2>E
- hX=E
- UhQ=E
- Uh~;E
- h)8E
- Uh"8E
- hu5E
- hM5E
- UhF5E
- Uhc5E
- SVW3
- hU'E
- UhN'E
- h8&E;
- Uh1&E;
- Graphics
- TBrushResourceManager,#E
- TBrushResourceManager
- Graphics
- TResourceManager, E

- Self
- Unlock
- Self
- Lock
- AResource
- GraphicsObject
- Self
- AssignResource
- ResData
- GraphicsObject
- Self
- ChangeResource
- Resource
- Self
- ResData
- Self
- AllocResource
- Self
- Destroy
- AResDataSize
- Self
- Create
- TResourceManager<
- ResDataSize
- FLock
- ResList
- EncoderContainerFormat
- ImageFormat
- Handle
- Graphics
- TWICImage
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Stream
- Self
- SaveToStream
- Stream
- Self
- LoadFromStream
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TWICImage&
- FFormatChanged
- FEncoderContainerFormat

- FImageFormat
- FWicBitmap
- FData
- FBitmap
- FHeight
- Graphics
- wifOther
- wifWMPhoto
- wifTiff
- wifGif
- wifJpeg
- TWICImageFormat
- Handle
- Graphics
- TIcon@
- ResID
- Instance
- Self
- LoadFromResourceID
- ResName
- Instance
- Self
- LoadFromResourceName
- AHeight
- AWidth
- Self
- SetSize
- Stream
- Self
- SaveToStream
- APalette
- Data
- Format
- Self
- SaveToClipboardFormat
- Self
- ReleaseHandle
- Stream
- Self
- LoadFromStream
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Self
- HandleAllocated
- Dest
- Self
- AssignTo
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create

- TIcon&
- FRequestedSize
- FImage
- Graphics
- TIconImage4
- Self
- Destroy
- TIconImage'
- FHandle
- FSize
- FMemoryImage
- AlphaFormat
- TransparentMode,
- TransparentColor|
- PixelFormatT
- Monochrome
- MaskHandle
- IgnorePalette,
- HandleType
- Handle|
- Canvas,
- Graphics
- TBitmap
- ResID
- Instance
- Self
- LoadFromResourceID
- ResName
- Instance
- Self
- LoadFromResourceName
- AHeight
- AWidth
- Self
- SetSize
- Stream
- Self
- SaveToStream
- APalette
- Data
- Format
- Self
- SaveToClipboardFormat
- Self
- ReleasePalette
- Self
- ReleaseMaskHandle
- Self
- ReleaseHandle
- TransparentColor
- Self
- Mask
- Stream
- Self
- LoadFromStream
- APalette
- AData

- AFormat
- Self
- LoadFromClipboardFormat
- Self
- HandleAllocated
- Self
- FreeImage
- Self
- Dormant
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TBitmap&
- FAlphaFormat
- FTransparentMode
- FTransparentColor
- FMaskValid
- FMaskBitsValid
- FIgnorePalette
- FCanvas
- FImage
- Graphics
- tmFixed
- tmAuto
- TTransparentMode
- Graphics
- afPremultiplied
- afIgnored\tafDefined
- TAlphaFormat
- Graphics
- pfCustom
- pf32bit
- pf24bit
- pf16bit
- pf15bit
- pf8bit
- pf4bit
- pf1bit
- pfDevice
- TPixelFormat
- Graphics
- bmDIB
- TBitmapHandleType
- Graphics
- TBitmapImage\\
- Self
- Destroy
- TBitmapImage'
- FOS2Format
- FHalftone
- FSaveStream
- FDIB
- FDIBHandle

- FPalette
- FMaskHandle
- FHandle
- Inch
- MMHeight
- Handle
- Enhanced
- Description
- CreatedBy@
- Graphics
- TMetafile
- AHeight
- AWidth
- Self
- SetSize
- Self
- ReleaseHandle
- Source
- Self
- Assign
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Stream
- Self
- SaveToStream
- Filename
- Self
- SaveToFile
- Stream
- Self
- LoadFromStream
- Self
- HandleAllocated
- Self
- Clear
- Self
- Destroy
- Self
- Create
- TMetafile&
- FEnhanced
- FImage
- Graphics
- TMetafileImagex
- Self
- Destroy
- TMetafileImage'
- FTempHeight
- FTempWidth

- FInch
- FPalette
- FHeight
- FHandle
- Graphics
- TSharedImage
- Self
- Destroy
- TSharedImage'
- FRefCount
- Graphics
- TMetafileCanvas(
- Self
- Destroy
- Description
- CreatedBy
- ReferenceDevice
- AMetafile
- Self
- CreateWithComment
- ReferenceDevice
- AMetafile
- Self
- Create
- TMetafileCanvasR
- FMetafile
- OnProgress
- OnChanged
- Width
- Metafile
- Icon
- Height
- PictureAdapter
- Graphic
- Bitmap
- Graphics
- TPicture
- AGraphicClass
- ADescriptionResID
- AExtension
- Self
- RegisterFileFormatRes
- AClass
- Self
- UnregisterGraphicClass
- AGraphicClass
- AFormat
- Self
- RegisterClipboardFormat
- AGraphicClass
- ADescription
- AExtension
- Self
- RegisterFileFormat
- Source
- Self
- Assign

- AFormat
- Self
- SupportsClipboardFormat
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Filename
- Self
- SaveToFile
- Filename
- Self
- LoadFromFile
- Self
- Destroy
- Self
- Create
- TPicture&
- FOnProgress
- FNotify
- FOnChange
- FGraphic
- TGraphicClass
- SupportsPartialTransparency
- OnProgress
- OnChanged
- Width
- Transparent
- PaletteModified
- Palette
- Modified
- Height
- Empty
- Graphics
- TGraphic
- AHeight
- AWidth
- Self
- SetSize
- APalette
- AData
- AFormat
- Self
- SaveToClipboardFormat
- APalette
- AData
- AFormat
- Self
- LoadFromClipboardFormat
- Stream
- Self

- SaveToStream
- Stream
- Self
- LoadFromStream
- Filename
- Self
- SaveToFile
- Filename
- Self
- LoadFromFile
- Self
- Equals
- Self
- Create
- TGraphic&
- FPaletteModified
- FTransparent
- FModified
- FOnProgress
- FOnChange
- RedrawNow
- PercentDone
- Stage
- Sender
- TRect
- Boolean
- RedrawNow
- Byte
- PercentDone
- TProgressStage
- Stage
- TObject
- Sender
- TProgressEvent
- Graphics
- psEnding
- psStarting\tpsRunning
- TProgressStage
- Handle
- FontH
- CopyMode8
- Brush
- Graphics
- TCanvas
- Text
- Rect
- Self
- TextRect
- TextFormat
- Text
- Rect
- Self
- TextRect
- Text
- Self
- TextOut
- Text

- Self
- TextExtent
- Graphic
- Rect
- Self
- Self
- RoundRect
- Self
- Refresh
- Self
- Rectangle
- PolyBezierToY
- PolyBezier
- Polyline
- Polygon
- Self
- Self
- MoveTo
- Self
- LineTo
- Self
- HandleAllocated
- Rect
- Self
- FillStyle
- Color
- Self
- FloodFill
- Rect
- Self
- Self
- Ellipse
- Rect
- Self
- Opacity
- Graphic
- Self
- Draw
- Graphic
- Self
- Draw
- Source
- Canvas
- Dest
- Self
- Self
- Chord
- Color
- Source
- Bitmap
- Dest
- Self
- BrushCopy
- Self
- Self
- Destroy
- Self

- Create
- TCanvas&
- FCopyMode
- FPenPos
- FPen
- FFont
- State
- FHandle
- OnChanging
- OnChange
- TextFlags
- PenPos
- CanvasOrientation
- LockCount
- ClipRect
- Graphics
- TCustomCanvasx
- Self
- Unlock
- Self
- Text
- Self
- TextWidth
- Text
- Rect
- Self
- TextRect
- TextFormat
- Text
- Rect
- Self
- TextRect
- Text
- Self
- TextOut
- Text
- Self
- TextHeight
- Text
- Self
- TextExtent
- Graphic
- Rect
- Self
- Rect
- Self
- RoundRect
- Self
- RoundRect
- Self
- Refresh
- Rect
- Self
- Rectangle
- Self
- Rectangle
- PolyBezierToY

- PolyBezier
- Polyline
- Polygon
- Self
- Self
- MoveTo
- Self
- Lock
- Self
- LineTo
- Rect
- Self
- FillStyle
- Color
- Self
- FloodFill
- Rect
- Self
- Rect
- Self
- Ellipse
- Self
- Ellipse
- Rect
- Self
- Opacity
- Graphic
- Self
- Draw
- Graphic
- Self
- Draw
- Self
- Chord
- Color
- Source
- Bitmap
- Dest
- Self
- BrushCopy
- Self
- TCustomCanvas
- FLockCount
- FLock
- FTextFlags
- FOnChanging
- FOnChange
- TTextFormat
- Graphics
- tfWordBreak
- tfVerticalCenter
- tfTop
- tfSingleLine
- tfRtlReading
- tfNoPrefix
- tfNoClip
- tfModifyString

- tfExternalLeading
- tfExpandTabs
- tfPathEllipsis
- tfEndEllipsis
- tfEditControl
- tfCenter
- tfCalcRect
- tfBottom
- TTextFormats
- Graphics
- coRightToLeft
- coLeftToRight
- TCanvasOrientation
- TCanvasState
- Graphics
- csBrushValid
- csPenValid
- csFontValid
- csHandleValid
- TCanvasStates
- Graphics
- fsBorder
- fsSurface
- TFillStyle
- Handle
- BitmapD
- Style
- ColorL
- Graphics
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- Handle
- Width
- Style
- Mode
- Color,
- Graphics
- TPenx
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- TPen&
- FMode
- PixelsPerInch
- Handle
- FontAdapterp
- Style
- Size

- Pitch
- Orientation
- Name
- Height8
- Color
- CharsetT
- Graphics
- Source
- Self
- Assign
- Self
- Destroy
- Self
- Create
- FNotify
- FPixelsPerInch
- FColor
- Graphics
- IChangeNotifierL
- OnChange
- OwnerCriticalSection
- Graphics
- TGraphicsObject`
- Self
- HandleAllocated
- TGraphicsObject/
- FOwnerLock
- FResource
- FOnChange
- Brush
- Font
- Data
- HashCode
- Handle
- RefCount
- Next
- TResource
- PResource`
- OwnsBitmap
- Style
- Bitmap
- Color
- Handle
- TBrushData
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Style
- Width
- Color
- Handle
- TPenData

- Graphics
- pmNotXor
- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics
- psAlternate
- psUserStyle
- psInsideFrame
- psClear
- psDashDotDot
- psDot\tpsDashDot
- psSolid
- TPenStyle
- Name
- Charset
- Style
- Pitch
- Orientation
- Height
- Handle
- TFontData
- TFontStylesBase
- TFontDataName|
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- Handle
- TResData
- Graphics
- EInvalidGraphicOperationd
- EInvalidGraphicOperation
- Graphics
- EInvalidGraphic
- EInvalidGraphic
- TColor
- SVWUQ
- Q8FKu
- |JC3
- SVW3

- SVW3
- Access
- RootKeyName
- RootKey@
- LastErrorMsg
- LastError@
- LazyWrite
- CurrentPath
- CurrentKey@
- Registry
- TRegistry
- Value
- Name
- Self
- WriteTime
- Value
- Name
- Self
- WriteExpandString
- Value
- Name
- Self
- WriteString
- Value
- Name
- Self
- WriteInteger
- Value
- Name
- Self
- WriteFloat
- Value
- Name
- Self
- WriteDateTime
- Value
- Name
- Self
- WriteDate
- Value
- Name
- Self
- WriteBool
- BufSize
- Buffer
- Name
- Self
- WriteBinaryData
- Value
- Name
- Self
- WriteCurrency
- Name
- Self
- ValueExists
- Self
- UnLoadKey

- FileName
- Self
- SaveKey
- FileName
- Self
- RestoreKey
- BackUpFileName
- FileName
- Self
- ReplaceKey
- NewName
- OldName
- Self
- RenameValue
- UNCName
- Self
- RegistryConnect
- Name
- Self
- ReadTime
- Name
- Self
- ReadString
- Name
- Self
- ReadInteger
- Name
- Self
- ReadFloat
- Name
- Self
- ReadDateTime
- Name
- Self
- ReadDate
- Name
- Self
- ReadBool
- BufSize
- Buffer
- Name
- Self
- ReadBinaryData
- Name
- Self
- ReadCurrency
- Self
- OpenKeyReadOnly
- CanCreate
- Self
- OpenKey
- Delete
- NewName
- OldName
- Self
- MoveKey
- FileName

- Self
- LoadKey
- Self
- KeyExists
- Self
- HasSubKeys
- Self
- GetValueNames
- Self
- GetKeyNames
- Value
- Self
- GetKeyInfo
- ValueName
- Self
- GetDataType
- ValueName
- Self
- GetDataSize
- Value
- ValueName
- Self
- GetDataInfo
- PrefixType
- ValueName
- Self
- GetDataAsString
- Name
- Self
- DeleteValue
- Self
- DeleteKey
- Self
- CreateKey
- Self
- CloseKey
- Self
- Destroy
- AAccess
- Self
- Create
- Self
- Create
- TRegistry&
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- Registry
- rdBinary
- rdExpandString\trdInteger

- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen
- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- Registry
- ERegistryException
- ERegistryException
- Wincodec
- IWICBitmap
- Wincodec
- IWICBitmapSourceL
- SVW3
- HMONITOR
- SVWU
- |[C3
- |[@3
- d0KU
- |m@3
- d0KU
- d0KU
- IufU
- Ail^
- |HC3
- W<FKu
- |cC3
- |GC3
- SVW3
- SVW3
- |JC3
- SVW3
- R(FKu
- 8^SVW
- SVW3
- SVWU
- ViewerID
- Viewer
- HelpIntfs
- THelpViewerNode
- Viewer
- Self
- Create
- THelpViewerNode6
- FViewerID
- FViewer
- HelpFile
- Handle@
- HelpIntfs
- THelpManager
- ViewerID
- Self
- Release
- Self

- GetHelpFile
- Self
- GetHandle
- Filter
- Self
- SetFilter
- Self
- GetFilter
- HelpFileName
- Anchor
- Topic
- Self
- ShowTopicHelp
- HelpFileName
- Topic
- Self
- ShowSearch
- HelpFileName
- Topic
- Self
- ShowIndex
- HelpFileName
- HelpKeyword
- Self
- UnderstandsKeyword
- Data
- Command
- HelpFile
- Handle
- Self
- Hook
- Selector
- Self
- AssignHelpSelector
- HelpFileName
- Topic
- Self
- ShowTopicHelp
- Self
- ShowTableOfContents
- HelpFileName
- ContextID
- Self
- ShowContextHelp
- HelpFileName
- HelpKeyword
- Self
- ShowHelp
- newViewer
- Self
- RegisterViewer
- Self
- Destroy
- Self
- Create
- THelpManager&
- FHelpFile

- FHandle
- FMinCookie
- FExtendedViewerList
- FViewerList
- FHelpSelector
- HelpIntfs
- EHelpSystemException<~D
- EHelpSystemException
- 8^\tHelpIntfs
- IHelpManagerL
- IExtendedHelpViewer0}D
- ICustomHelpViewerL
- IHelpSystemL
- IHelpSelectorL
- TOrderedListDyD
- Self
- Peek
- Self
- AItem
- Self
- Push
- ACount
- Self
- AtLeast
- Self
- Count
- Self
- Destroy
- Self
- Create
- TOrderedList&
- FList
- OwnsObjects
- TObjectList
- Self
- Last
- Self
- First
- AObject
- Index
- Self
- Insert
- AStartAt
- AExact
- AClass
- Self
- FindInstanceOf
- ADirection
- AObject
- Self
- IndexOfItem
- AObject
- Self
- IndexOf
- ADirection
- AObject
- Self

- RemoveItem
- AObject
- Self
- Remove
- Direction
- Item
- Self
- ExtractItem
- Item
- Self
- AObject
- Self
- AOwnsObjects
- Self
- Create
- Self
- Create
- TObjectList&
- FOwnsObjects
- h8rD
- h4qD
- hhoD
- hLoD
- hbeD
- Uh[eD
- UhFcD
- SVWUQ
- Uh]bD
- TCriticalSectionD[D
- Self
- Leave
- Self
- Enter
- Self
- TryEnter
- Self
- Release
- Self
- Acquire
- Self
- Destroy
- Self
- Create
- TCriticalSection&
- FSection
- TEventtYD
- Self
- Self
- UseCOMWait
- Self
- Create
- UseCOMWait
- Name
- InitialState
- ManualReset
- EventAttributes
- Self

- Create
- TEvent
- Handle
- LastError
- THandleObject
- UseCOMWait
- SignaledObj
- AAll
- Timeout
- HandleObjs
- Self
- WaitForMultiple
- Timeout
- Self
- WaitFor
- Timeout
- Self
- WaitFor
- Self
- Destroy
- UseCOMWait
- Self
- Create
- THandleObject:
- FUseCOMWait
- FLastError
- FHandle
- THandleObjectArray
- wrIOCompletion
- wrError
- wrAbandoned
- wrSignaled\twrTimeout
- TWaitResult
- TSynchroObject
- Self
- Release
- Self
- Acquire
- TSynchroObject'
- TTimeSpan
- UhjTD
- SVWU
- VWU3
- ulj@h
- UhWPD
- h~OD
- UhwOD
- Uh>MD
- UhSLD
- |&F3;
- SVWU
- ;C@u
- G4_^[
- ;w4u
- SVWUQ
- SVWU
- UhEDD

- SVW3
- Classes
- TComponent.FindComponent$ActRec
- TComponent.FindComponent$ActRec$CD
- SVWUQ
- SVWU
- SVWU
- Uh.;D
- ;8u%
- uTVj
- UhC4D
- hl3D
- Uh&3D
- Uhe3D
- h$1D
- |2F3
- h6+D
- Uh/+D
- Uh@+D
- SVW3
- Uhy&D;
- QQQQ3
- Uhq%D
- UhM"D
- Uh6!D
- hI D
- UhB D
- |,F3
- R4;P
- @4;C
- |&F3;
- |&F3;
- |(C3
- |*C3
- SVW3
- SVW3
- SVW3
- QQQQ3
- SVW3
- SVW3
- SVW3
- SVW3
- SVW3
- |AF3
- |\\F3
- ClassesPeC
- :TReader.:1
- SVWU
- C0_^[
- SVW3
- |*C3
- SVW3
- SVWU
- Classes
- TPropIntfFixup|
- Reference
- Self

- ResolveReference
- TPropIntfFixupC
- Classes
- TPropFixupP
- Reference
- Self
- ResolveReference
- Self
- MakeGlobalReference
- Name
- RootName
- PropInfo
- InstanceRoot
- Instance
- Self
- Create
- TPropFixup
- FName
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- SVW3
- SVWU
- SVW3
- K I3
- S4_^[
- SVWU
- SVWUQ
- SVWU
- SVW3
- SVW3
- SVW3
- SVWU
- SVW3
- SVWU
- SVW3
- SVW3
- SVW3
- |0F3
- SVW3
- W<CNu
- |-F3
- SVW3
- |JF3
- SVW3
- | C3
- SVW3
- @< u
- SVWUQ
- SVWU
- SVWU
- $ZXu
- Classes
- TIntConst
- AIntToIdent
- AIdentToInt

- AIntegerType
- Self
- Create
- TIntConstf
- IntToIdent
- IdentToInt
- IntegerType
- -FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU
- | F3
- SVWUQ
- SVWU
- UhF{C
- SVW3
- SVWUQ
- UhKzC
- |8F3
- SVWU
- ActiveClass
- Classes
- TRegGroups
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- Self
- Unlock
- AClass
- Self
- StartGroup
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- Self
- Lock
- AGroupClass
- AClass
- Self

- GroupWith
- AClass
- Self
- GroupedWith
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Self
- Activate
- Self
- Destroy
- Self
- Create
- TRegGroups&
- FActiveClass
- FLock
- FGroups
- Active
- Classes
- TRegGroup8oC
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- AClass
- Self
- InGroup
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Group2
- Group1
- Self
- BestGroup

- Self
- Destroy
- AClass
- Self
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- Message
- TMessage
- Message
- TWndMethod
- Ident
- TIntToIdent
- Ident
- TIdentToInt
- Name
- Value
- TIdentMapEntry
- OnUpdate\\mC
- OnExecute
- ActionComponent
- Classes
- TBasicAction
- Self
- Update
- Value
- Self
- UnRegisterChanges
- Value
- Self
- RegisterChanges
- Self
- Execute
- Target
- Self
- ExecuteTarget
- Target
- Self
- UpdateTarget
- Target
- Self
- HandlesTarget
- Self
- Destroy
- AOwner
- Self
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChange

- Action
- Classes
- TBasicActionLink
- Self
- Update
- AComponent
- Self
- Execute
- Self
- Destroy
- AClient
- Self
- Create
- TBasicActionLink7
- FAction
- FOnChange
- VCLComObject
- Owner
- DesignInfoPeC
- ComponentStyle
- ComponentState
- ComponentIndex
- ComponentCount
- ComObject
- Name
- Classes
- TComponent@^C
- Operation
- Self
- ReferenceInterface
- Self
- IsImplementorOf
- Action
- Self
- UpdateAction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException
- IsSubComponent
- Self
- SetSubComponent
- AComponent
- Self
- RemoveComponent
- AComponent
- Self
- InsertComponent
- Self
- HasParent
- Self
- GetNamePath
- Self
- GetParentComponent
- Self
- GetEnumerator
- Self

- FreeOnRelease
- AComponent
- Self
- RemoveFreeNotification
- AComponent
- Self
- FreeNotification
- AName
- Self
- FindComponent
- Action
- Self
- ExecuteAction
- Self
- Destroying
- Self
- DestroyComponents
- Self
- BeforeDestruction
- Self
- Destroy
- AOwner
- Self
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FTag
- FName
- FOwner
- Classes
- IDesignerNotifyL
- TComponentName
- Child
- TComponent
- Child
- TGetChildProc
- TComponentStyle
- Classes
- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- Classes
- csDesignInstance
- csInline
- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying

- csLoading\tcsReading\tcsWriting
- Classes
- opRemove
- opInsert
- TOperation
- Current
- Classes
- TComponentEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AComponent
- Self
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- OnTerminate
- ThreadID
- Suspended
- Priority
- Handle
- Finished
- FreeOnTerminate
- FatalException
- ExternalThread(
- Classes
- TThread
- Iterations
- SpinWait
- AThreadID
- AThreadName
- NameThreadForDebugging
- AMethod
- RemoveQueuedEvents
- AThread
- RemoveQueuedEvents
- AThreadProc
- AThread
- Synchronize
- AThreadProc
- AThread
- Queue
- AMethod
- AThread
- StaticSynchronize
- AMethod
- AThread
- Synchronize
- AMethod
- AThread
- StaticQueue
- AMethod
- AThread
- RemoveQueuedEvents
- AMethod

- AThread
- Queue
- Self
- WaitFor
- Self
- Terminate
- Self
- Suspend
- Self
- Start
- Self
- Resume
- Self
- AfterConstruction
- Self
- Destroy
- CreateSuspended
- Self
- Create
- TThread?
- FExternalThread
- FFatalException
- FSynchronize
- FOnTerminate
- FReturnValue
- FFinished
- FFreeOnTerminate
- FSuspended
- FTerminated
- FCreateSuspended
- FThreadID
- FHandle
- FSynchronizeException
- FProcedure
- FMethod
- FThread
- TThread.TSynchronizeRecord
- Classes
- tpTimeCritical
- tpHigher\ttpHighest
- tpNormal
- tpLower
- tpLowest
- tpIdle
- TThreadPriority
- Classes
- TThreadProcedureL
- TThreadMethod
- Classes
- EThread
- EThread
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor
- RootAncestor
- PositionPeC
- Classes

- TWriter
- Value
- Self
- WriteVariant
- Value
- Self
- WriteWideString
- Value
- Self
- WriteString
- Value
- Self
- WriteUTF8Str
- Value
- Self
- WriteStr
- Self
- WriteSignature
- Root
- Self
- WriteRootComponent
- Self
- WriteListEnd
- Self
- WriteListBegin
- Value
- Self
- WriteInteger
- Value
- Self
- WriteInteger
- Ident
- Self
- WriteIdent
- Value
- Self
- WriteDate
- Value
- Self
- WriteCurrency
- Value
- Self
- WriteDouble
- Value
- Self
- WriteSingle
- Value
- Self
- WriteFloat
- AAncestor
- Root
- Self
- WriteDescendent
- Value
- Self
- WriteWideChar
- Value

- Self
- WriteChar
- Component
- Self
- WriteComponent
- Value
- Self
- WriteCollection
- Value
- Self
- WriteBoolean
- Count
- Self
- Write
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList
- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- PeC
- Ancestor
- PeC
- Name
- Component
- Writer
- TComponent
- RootAncestor

- TComponent
- Ancestor
- Name
- TComponent
- Component
- TWriter
- Writer
- TFindAncestorEvent
- OnFindComponentInstance
- OnFindComponentClass
- OnCreateComponent
- OnAncestorNotFound
- OnReferenceName
- OnSetName
- OnFindMethodInstance
- OnFindMethod85C
- OnError\\0C
- PositionD3C
- Parent
- OwnerPeC
- Classes
- TReader
- Self
- SkipValue
- Writer
- Self
- CopyValue
- Self
- ReadVariant
- Self
- ReadValue
- Self
- ReadWideString
- Self
- ReadString
- Self
- ReadStr
- Self
- ReadSignature
- Root
- Self
- ReadRootComponent
- AChildPos
- Flags
- Self
- ReadPrefix
- Self
- ReadListEnd
- Self
- ReadListBegin
- Self
- ReadInt64
- Self
- ReadInteger
- Self
- ReadIdent
- Self

- ReadDate
- Self
- ReadCurrency
- Self
- ReadDouble
- Self
- ReadSingle
- Self
- ReadFloat
- Proc
- AParent
- AOwner
- Self
- ReadComponents
- Component
- Self
- ReadComponent
- Collection
- Self
- ReadCollection
- Self
- ReadWideChar
- Self
- ReadChar
- Self
- ReadBoolean
- Count
- Self
- Read
- Self
- NextValue
- Self
- FlushBuffer
- Self
- FixupReferences
- Self
- EndReferences
- Self
- EndOfList
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Value
- Self
- CheckValue
- Self
- BeginReferences
- Self

- Destroy
- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance
- FOnCreateComponent
- FOnFindComponentClass
- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Name
- Reader
- Pointer
- Instance
- Name
- TReader
- Reader
- TFindComponentInstanceEvent
- Error
- AMethod
- MethodName
- Reader
- Boolean
- Error
- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- PeC
- ComponentClass
- Reader
- TComponent
- TComponentClass\t\tComponent
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader

- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean
- Handled
- Message
- TReader
- Reader
- TReaderError
- Component
- TComponent
- Component
- TReadComponentsProc
- Component
- PeC
- ComponentClass
- ComponentName
- Reader
- TComponent
- TPersistentClass\t\tComponent
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Name
- Reader
- Name
- TReader
- Reader
- TReferenceNameEvent
- Name
- Component
- Reader
- Name
- TComponent
- Component
- TReader
- Reader
- TSetNameEvent
- Error
- Address
- MethodName
- Reader
- Boolean
- Error
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClassPeC
- IgnoreChildrenD0C
- Ancestor
- LookupRoot

- RootPeC
- Classes
- TFiler
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- BufSize
- Stream
- Self
- Create
- TFilerG
- FIgnoreChildren
- FAncestor
- FLookupRoot
- FRoot
- FBufEnd
- FBufPos
- FBufSize
- FBuffer
- FStream
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags
- Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaDate\tvaWString
- vaCurrency

- vaSingle
- vaCollection
- vaNil
- vaSet\tvaLString
- vaBinary
- vaTrue
- vaFalse
- vaIdent
- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- Classes
- TClassFinder
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- Self
- Destroy
- AIncludeActiveGroups
- AClass
- Self
- Create
- TClassFinderT
- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- StreamOwnership
- Stream
- Classes
- TStreamAdapterh#C
- Self
- Clone
- Self
- Stat
- dwLockType
- libOffset
- Self
- UnlockRegion
- dwLockType
- libOffset
- Self
- LockRegion
- Self
- Revert
- grfCommitFlags
- Self
- Commit

- cbWritten
- cbRead
- Self
- CopyTo
- libNewSize
- Self
- SetSize
- libNewPosition
- dwOrigin
- dlibMove
- Self
- Seek
- pcbWritten
- Self
- Write
- pcbRead
- Self
- Read
- Self
- Destroy
- Ownership
- Stream
- Self
- Create
- TStreamAdapterI
- FOwnership
- FStream
- Classes
- soOwned
- soReference
- TStreamOwnership
- Classes
- TResourceStream
- Count
- Buffer
- Self
- Write
- Self
- Destroy
- ResType
- ResID
- Instance
- Self
- CreateFromID
- ResType
- ResName
- Instance
- Self
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- Encoding
- DataString
- Classes
- TStringStream@
- AString

- Self
- WriteString
- Count
- Self
- ReadString
- Self
- Destroy
- ABytes
- Self
- Create
- ACodePage
- AString
- Self
- Create
- AOwnsEncoding
- AEncoding
- AString
- Self
- Create
- AString
- Self
- Create
- AString
- Self
- Create
- Self
- Create
- TStringStream&
- FOwnsEncoding
- FEncoding
- Bytes
- Classes
- TBytesStream
- ABytes
- Self
- Create
- TBytesStream6
- Classes
- TMemoryStream
- Count
- Buffer
- Self
- Write
- NewSize
- Self
- SetSize
- FileName
- Self
- LoadFromFile
- Stream
- Self
- LoadFromStream
- Self
- Clear
- Self
- Destroy
- TMemoryStream’

- FCapacity
- Memory
- Classes
- TCustomMemoryStreamh
- FileName
- Self
- SaveToFile
- Stream
- Self
- SaveToStream
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Read
- TCustomMemoryStreamC
- FPosition
- FSize
- FMemory
- FileName
- Classes
- TFileStream
- Self
- Destroy
- Mode
- AFileName
- Self
- Create
- Mode
- AFileName
- Self
- Create
- TFileStreamG
- FFileName
- Handle
- Classes
- THandleStreaml
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write
- Count
- Buffer
- Self
- Read
- AHandle
- Self
- Create
- THandleStream7
- FHandle

- Size
- Position
- Classes
- TStreamp
- Self
- ReadResHeader
- FixupInfo
- Self
- FixupResourceHeader
- FixupInfo
- ResName
- Self
- WriteResourceHeader
- Ancestor
- Instance
- ResName
- Self
- WriteDescendentRes
- Ancestor
- Instance
- Self
- WriteDescendent
- Instance
- ResName
- Self
- WriteComponentRes
- Instance
- Self
- WriteComponent
- Instance
- Self
- ReadComponentRes
- Instance
- Self
- ReadComponent
- Count
- Source
- Self
- CopyFrom
- Count
- Buffer
- Self
- WriteBuffer
- Count
- Buffer
- Self
- ReadBuffer
- Origin
- Offset
- Self
- Seek
- Origin
- Offset
- Self
- Seek
- Count
- Buffer

- Self
- Write
- Count
- Buffer
- Self
- Read
- TStreamC
- OwnsObjects
- OnChanging
- OnChange
- CaseSensitive
- Sorted
- Duplicates
- Classes
- Compare
- Self
- CustomSort
- Self
- Sort
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- Self
- IndexOf
- Index
- Self
- Find
- Index2
- Index1
- Self
- Exchange
- Index
- Self
- Delete
- Self
- Clear
- AObject
- Self
- AddObject
- Self
- Self
- Destroy
- OwnsObjects
- Self
- Create
- Self
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted

- FCapacity
- FCount
- FList
- Index2
- Index1
- List
- TStringListSortCompare"
- TStringItemList
- PStringItemList
- FObject
- TStringItem
- StringsAdapter
- Text
- StrictDelimiter@
- NameValueSeparator
- QuoteCharL
- LineBreakL
- DelimitedText@
- Delimiter@
- CountL
- CommaText
- Capacity@
- Classes
- Text
- Self
- SetText
- Encoding
- Stream
- Self
- SaveToStream
- Stream
- Self
- SaveToStream
- Encoding
- FileName
- Self
- SaveToFile
- FileName
- Self
- SaveToFile
- NewIndex
- CurIndex
- Self
- Move
- Encoding
- Stream
- Self
- LoadFromStream
- Stream
- Self
- LoadFromStream
- Encoding
- FileName
- Self
- LoadFromFile
- FileName
- Self

- LoadFromFile
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- AObject
- Self
- IndexOfObject
- Name
- Self
- IndexOfName
- Self
- IndexOf
- Self
- GetText
- Self
- GetEnumerator
- Index2
- Index1
- Self
- Exchange
- Self
- Equals
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Self
- AddStrings
- Self
- Append
- AObject
- Self
- AddObject
- Self
- Self
- Destroy
- FAdapter
- FUpdateCount
- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefined
- Current

- Classes
- TStringsEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AStrings
- Self
- Create
- TStringsEnumerator8
- FIndex
- TStringsDefined
- Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- Classes
- IStringsAdapterL
- Classes
- TOwnedCollection
- ItemClass
- AOwner
- Self
- Create
- TOwnedCollectionI
- FOwner
- ItemClass
- Count@
- Capacity
- Classes
- TCollection\\
- Index
- Self
- Insert
- Self
- GetNamePath
- Self
- GetEnumerator
- Self
- FindItemID
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Self
- Self
- Owner

- Self
- Destroy
- ItemClass
- Self
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current\\
- Classes
- TCollectionEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- ACollection
- Self
- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClassl
- DisplayName
- Index@
- Collection
- Classes
- TCollectionItemL
- Self
- GetNamePath
- Self
- Destroy
- Collection
- Self
- Create
- TCollectionItem:
- FCollection
- Classes
- TInterfacedPersistent
- Self
- AfterConstruction
- Self
- QueryInterface
- TInterfacedPersistentH
- FOwnerInterface
- TPersistentClass
- Classes
- TPersistent
- Self
- GetNamePath
- Source
- Self
- Assign
- Self
- Destroy

- TPersistent'
- Size
- Classes
- TBits
- Self
- OpenBit
- Self
- Destroy
- FBits
- FSize
- Duplicates
- Classes
- TThreadList
- Self
- UnlockList
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- Self
- LockList
- Self
- Clear
- Item
- Self
- Self
- Destroy
- Self
- Create
- TThreadList&
- FDuplicates
- FLock
- FList
- List
- Count
- Capacity
- Classes
- TList
- ListB
- AOperator
- ListA
- Self
- Assign
- Compare
- Self
- SortList
- Compare
- Self
- Sort
- Self
- Pack
- Direction
- Item
- Self

- RemoveItem
- Item
- Self
- Remove
- NewIndex
- CurIndex
- Self
- Move
- Self
- Last
- Item
- Index
- Self
- Insert
- Direction
- Item
- Self
- IndexOfItem
- Item
- Self
- IndexOf
- Self
- GetEnumerator
- Self
- First
- Direction
- Item
- Self
- ExtractItem
- Item
- Self
- Self
- Expand
- Index2
- Index1
- Self
- Exchange
- Data
- Self
- Error
- Data
- Self
- Error
- Index
- Self
- Delete
- Self
- Clear
- Item
- Self
- Self
- Destroy
- FCapacity
- FCount
- FList
- Classes
- FromEnd

- FromBeginning
- TList.TDirection
- Current
- Classes
- TListEnumerator8
- Self
- MoveNext
- Self
- GetCurrent
- AList
- Self
- Create
- TListEnumerator5
- FList
- FIndex
- Classes
- laDestUnique
- laSrcUnique
- laXor
- laOr
- laAnd
- laCopy
- TListAssignOp
- Classes
- TListSortCompareFuncL
- Item2
- Item1
- TListSortCompare
- TPointerList
- PPointerList
- Classes
- dupError
- dupIgnore\tdupAccept
- TDuplicates
- Classes
- EInvalidOperation0
- EInvalidOperation
- Classes
- EOutOfResources
- EOutOfResources
- Classes
- EComponentError
- EComponentError
- Classes
- EStringListErrorL
- EStringListError
- Classes
- EBitsError
- EBitsError
- Classes
- EListError$
- EListError
- Classes
- EResNotFound
- EResNotFound
- Classes
- EClassNotFound

- EClassNotFound
- Classes
- EWriteErrorT
- EWriteErrorI
- Classes
- EReadError
- EReadError
- Classes
- EFilerError(
- EFilerError@
- Classes
- EFOpenError
- EFOpenError
- Classes
- EFCreateError
- EFCreateError
- Classes
- EFileStreamError
- FileName
- ResStringRec
- Self
- Create
- EFileStreamErrorN
- Classes
- EStreamError\\
- EStreamError
- Sender
- TObject
- Sender
- TNotifyEvent
- TShortCut
- Classes
- htKeyword\thtContext
- THelpType
- THelpContext
- TShiftState
- Classes
- ssPen
- ssTouch
- ssDouble
- ssMiddle
- ssAlt
- Classes
- taVerticalCenter
- taAlignBottom
- taAlignTop
- TVerticalAlignment
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- taCenter
- taRightJustify
- taLeftJustify

- TAlignment
- Classes
- soEnd
- soBeginning\tsoCurrent
- TSeekOrigin
- TypInfo
- TDynamicArray
- SVW3
- SVW3
- SVW3
- SVW3
- SVW3
- |/@3
- FGKu
- SVW1
- TypInfo
- EPropertyConvertError
- EPropertyConvertError
- TypInfo
- EPropertyErrorx
- EPropertyError
- Name
- NameIndex
- Default
- Index
- StoredProc
- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfoh
- Name
- Kind
- TTypeInfo
- PTypeInfo
- PPTypeInfo
- TypInfo
- TPublishableVariantType
- Value
- Name
- Self
- SetProperty
- Name
- Dest
- Self
- GetProperty
- TPublishableVariantTypeR
- TypInfo
- tkProcedure
- tkClassRef\ttkPointer
- tkDynArray\ttkUString
- tkInt64
- tkInterface
- tkRecord
- tkArray
- tkMethod
- tkSet

- tkFloat
- tkEnumeration
- tkUnknown\ttkInteger
- TTypeKind
- |?F3
- SVW3
- =8?g
- YCNu
- Variants
- :TInvokeableVariantType.:1
- SVW3
- SVWUQ
- VariantsL
- |(F3
- SVW3
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- Uhn~B
- Uh#|B
- SVWU
- h1vB
- UhGvB
- hPuB
- UhIuB
- SVW3
- UhzsB
- t0f-
- UhrmB
- h1fB
- Uh*fB
- Uhi^B
- h1VB
- Uh*VB
- hwUB
- UhpUB
- UhwGB
- Uh}AB
- hu;B
- Uhn;B
- 5T9B
- 5T9B
- hn4B
- Uhg4B
- Uh@2B
- UhT1B
- Uhw0B
- Uh{/B
- 5<.B
- 5<.B
- Uh<)B
- SVWUQ
- he$B
- Uh^$B
- Uhz#B

- h3#B
- Uh,#B
- Uhs"B
- |kC3
- |kC3
- Variants
- EVariantInvalidNullOpError|
- EVariantInvalidNullOpError
- Variants
- EVariantDispatchError
- EVariantDispatchError
- Variants
- EVariantUnexpectedError
- EVariantUnexpectedErrorD
- Variants
- EVariantOutOfMemoryErrorl
- EVariantOutOfMemoryError
- Variants
- EVariantNotImplError
- EVariantNotImplError
- Variants
- EVariantArrayCreateError
- EVariantArrayCreateError
- Variants
- EVariantArrayLockedErrorX
- EVariantArrayLockedError
- Variants
- EVariantBadIndexError
- EVariantBadIndexError
- Variants
- EVariantBadVarTypeError
- EVariantBadVarTypeError
- Variants
- EVariantInvalidArgErrorL
- EVariantInvalidArgErrorp
- Variants
- EVariantOverflowError
- EVariantOverflowError
- Variants
- EVariantTypeCastError
- EVariantTypeCastError
- Variants
- EVariantInvalidOpErrorD
- EVariantInvalidOpError
- Variants
- TInvokeableVariantType
- Value
- Name
- Self
- SetProperty
- Name
- Dest
- Self
- GetProperty
- Arguments
- Name
- Self

- DoProcedure
- Arguments
- Name
- Dest
- Self
- DoFunction
- TInvokeableVariantTyped
- Variants
- TVarDataArray
- VarType
- Variants
- TCustomVariantType
- Relationship
- Right
- Left
- Self
- Compare
- Operator
- Right
- Left
- Self
- CompareOp
- Operator
- Right
- Self
- UnaryOp
- Operator
- Right
- Left
- Self
- BinaryOp
- Indirect
- Source
- Dest
- Self
- Copy
- Self
- Clear
- Source
- Dest
- Self
- CastToOle
- AVarType
- Source
- Dest
- Self
- CastTo
- Source
- Dest
- Self
- Cast
- Self
- IsClear
- Self
- Destroy
- RequestedVarType
- Self

- Create
- Self
- Create
- TCustomVariantType&
- FVarType
- Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarOr
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- SVW3
- VarUtils
- ESafeArrayLockedError@
- ESafeArrayLockedError
- VarUtils
- ESafeArrayBoundsError
- ESafeArrayBoundsError
- ErrorCode
- VarUtils
- ESafeArrayErrorL
- AMessage
- AResult
- Self
- CreateHResult
- ESafeArrayErrorP
- FErrorCode
- SysUtils@
- TLanguageArray
- SVWU
- ;C$t4
- SVWU
- SVWUQ
- SVWUQ
- SVWUQ
- SVWU
- SVWU
- WVUSj
- SVWU

- UnitHashArray
- Validated
- TModuleInfo
- SysUtils
- TUnitHashArray
- FullHash
- DupsAllowed
- UnitName
- LibModule
- Prev
- Next
- TUnitHashEntry
- PUnitHashEntry
- SVW3
- uB;]
- SVWU
- SVW3
- r3t7
- SVW3
- EIdent
- EClass
- TExceptRec
- SysUtils
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege
- etAccessViolation
- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- Ident
- Code
- TErrorRec
- SysUtils0
- SVW3
- SVWU
- 8gu6
- SVW3
- 8gu6
- SVW3
- SVWUQ
- SVW3
- SVW3
- 80u'

- SVW3
- htzA
- 80u'
- UhmzA
- h_yA
- UhXyA
- 5DrA
- <sAf
- -HpA
- -<pA
- h;lA
- Uh4lA
- AFFf
- t0f=;
- t6f=e
- t"f=E
- t3f=.
- t9f=0
- tHf=e
- t8f=E
- t9f=,
- t4f=.
- t7f=0
- t1f="
- u#f=
- r@f=9
- t&f;=0
- r@f=9
- t&f;=0
- h;UA
- Uh4UA
- |.G3
- SVWUQ
- SVWU
- @w2j
- 0<:r
- .uvCOu
- h@<A
- Uh9<A
- f;8u<
- f;8u
- SVWUQ
- SVW3
- h\\7A
- UhU7A
- SVWU
- SVWU
- h.5A
- Uh'5A
- h'2A
- Uh 2A
- tgf9
- SUVj
- SysUtils
- TBigEndianUnicodeEncodingL+A
- Self
- GetPreamble

- TBigEndianUnicodeEncoding6
- SysUtils
- TUnicodeEncoding
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Create
- TUnicodeEncoding&
- SysUtils
- TUTF8Encoding
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Create
- TUTF8Encoding&
- SysUtils
- TUTF7EncodingL&A;
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Create
- TUTF7Encoding&
- SysUtils
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Self
- Create
- CodePage
- Self
- Create
- Self
- Create

- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- SysUtils
- TEncoding
- ByteCount
- ByteIndex
- Bytes
- Self
- GetString
- Bytes
- Self
- GetString
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- CodePage
- GetEncoding
- CharIndex
- Chars
- ByteCount
- ByteIndex
- Bytes
- Self
- GetChars
- ByteCount
- ByteIndex
- Bytes
- Self
- GetChars
- Bytes
- Self
- GetChars
- ByteCount
- ByteIndex
- Bytes
- Self
- GetCharCount
- Bytes
- Self
- GetCharCount
- ByteIndex
- Bytes
- CharCount
- CharIndex
- Self
- GetBytes
- Self
- GetBytes
- ByteIndex
- Bytes

- CharCount
- CharIndex
- Chars
- Self
- GetBytes
- Chars
- Self
- GetBytes
- CharCount
- CharIndex
- Self
- GetByteCount
- Self
- GetByteCount
- CharCount
- CharIndex
- Chars
- Self
- GetByteCount
- Chars
- Self
- GetByteCount
- AEncoding
- Buffer
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- Self
- FreeEncodings
- Count
- StartIndex
- Bytes
- Destination
- Source
- Self
- Convert
- Bytes
- Destination
- Source
- Self
- Convert
- TEncodingf
- FMaxCharSize
- FIsSingleByte
- SysUtils
- EEncodingErrorx
- EEncodingError
- SysUtilsL
- TCharArray
- RevisionLevel
- SysUtils
- $TMultiReadExclusiveWriteSynchronizerp
- Self
- EndWrite
- Self
- BeginWrite
- Self

- EndRead
- Self
- BeginRead
- Self
- Destroy
- Self
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- SysUtils
- TThreadLocalCounterL
- Thread
- Self
- Close
- Thread
- Self
- Delete
- Thread
- Self
- Open
- Self
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- Next
- TThreadInfo
- PThreadInfo
- SysUtils@
- SysUtils@
- TwoDigitYearCenturyWindow
- LongDayNames
- ShortDayNames
- LongMonthNames
- ShortMonthNames
- LongTimeFormat
- ShortTimeFormat
- TimePMString
- TimeAMString
- LongDateFormat
- ShortDateFormat
- CurrencyString
- ListSeparator
- TimeSeparator
- DateSeparator
- CurrencyDecimals
- DecimalSeparator
- ThousandSeparator
- NegCurrFormat

- CurrencyFormat
- TFormatSettings
- :TFormatSettings.:4
- :TFormatSettings.:3
- :TFormatSettings.:20
- :TFormatSettings.:10
- SysUtils
- ENoMonitorSupportExceptionl
- ENoMonitorSupportException
- SysUtils
- EMonitorLockException
- EMonitorLockException
- SysUtils
- EMonitor,
- EMonitor
- SysUtils
- ESafecallException
- ESafecallException
- SysUtils
- EOSError
- EOSError
- ErrorCode
- SysUtils
- EIntfCastError4
- EIntfCastError
- SysUtils
- EAbstractError
- EAbstractError
- SysUtils
- EAssertionFailed
- EAssertionFailed
- SysUtils
- EVariantErrorT
- EVariantError
- SysUtils
- EControlC
- EControlC
- SysUtils
- EStackOverflow \tA
- EStackOverflow
- SysUtils
- EPrivilege
- EPrivilege
- SysUtils
- EAccessViolation
- EAccessViolation
- SysUtils
- EConvertErrorH
- EConvertError
- SysUtils
- EInvalidCast
- EInvalidCast
- SysUtils
- EInvalidPointer
- EInvalidPointer(
- SysUtils
- EUnderflowt

- EUnderflow
- SysUtils
- EOverflow
- EOverflow
- SysUtils
- EZeroDivideH
- EZeroDivide`
- SysUtils
- EInvalidOp
- EInvalidOp
- SysUtils
- EMathError
- EMathError
- SysUtils
- EIntOverflow|
- EIntOverflow
- SysUtils
- ERangeError
- ERangeError
- SysUtils
- EDivByZeroL
- EDivByZero
- SysUtils
- EIntError
- EIntError
- SysUtils
- EExternalException
- EExternalException
- SysUtils
- EExternalX
- EExternal
- ExceptionRecord
- SysUtils
- EInOutError
- EInOutError
- ErrorCode
- SysUtils
- EOutOfMemory
- EOutOfMemory
- SysUtils
- EHeapException
- Self
- FreeInstance
- EHeapException,
- AllowFree
- SysUtils
- EAbort
- EAbort
- ExceptClassx
- SysUtils
- EArgumentOutOfRangeException
- EArgumentOutOfRangeException
- SysUtils
- EArgumentException
- EArgumentException
- StackInfo
- StackTrace

- Message@
- InnerException@
- HelpContextx
- BaseException
- SysUtils
- Exception<
- ThrowOuterException
- RaiseOuterException
- Self
- ToString
- Self
- GetBaseException
- Self
- Destroy
- CreateResFmtHelp'
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- Self
- CreateResHelp
- AHelpContext
- Ident
- Self
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- Self
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- Self
- CreateRes
- Ident
- Self
- CreateRes
- CreateFmt8
- Self
- Create
- Exception3
- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress
- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecord
- FindData
- FindHandle

- ExcludeAttr
- Name
- Attr
- Size
- Time
- TSearchRecp
- TFileName
- SysUtils
- 0;\\2
- SVWU
- SVW3
- t0hH
- PTaskDialogButton
- pszButtonText
- nButtonID
- TASKDIALOG_BUTTON
- %0sg
- %4sg
- %8sg
- ActiveX
- IPictureL
- ActiveX
- k7E8
- IPerPropertyBrowsingL
- ActiveX
- IPersistStreamInit
- ActiveX
- IOleControlL
- ActiveX
- IOleInPlaceObject
- ActiveX
- IOleInPlaceActiveObject
- ActiveX
- IOleWindowL
- ActiveX
- IOleObjectL
- ActiveX
- ITypeInfoL
- scode
- pfnDeferredFillIn
- pvReserved
- dwHelpContext
- bstrHelpFile
- bstrDescription
- bstrSource
- wReserved
- wCode
- tagEXCEPINFO
- ExInfo
- TFNDeferredFillIn
- PExcepInfo(
- TDispIDList
- PDispIDList
- ActiveX
- IStream4
- ActiveX
- ISequentialStreamL

- reserved
- grfStateBits
- clsid
- grfLocksSupported
- grfMode
- atime
- ctime
- mtime
- cbSize
- pwcsName
- ActiveX
- IPersistL
- cAccel
- hAccel
- tagCONTROLINFO
- TOleEnum
- tagMULTI_QI
- Result
- Menu
- MenuFlag
- User
- TWMMenuChar
- Result
- KeyData
- Unused
- CharCode
- ResultHi
- ResultLo
- LParamHi
- LParamLo
- WParamHi
- WParamLo
- Result
- LParam
- WParam
- TMessage
- %0lg
- %4lg
- %8lg
- %0mg
- %4mg
- %8mg
- %0ng
- %4ng
- %8ng
- % og
- %$og
- %(og
- %,og
- %0og
- %4og
- %8og
- %<og
- %@og
- %Dog
- %Hog
- %Log

- %Pog
- %Tog
- %Xog
- %\\og
- %`og
- %dog
- %hog
- %pog
- %tog
- %xog
- %|og
- %0pg
- %4pg
- %8pg
- %0qg
- %4qg
- %8qg
- %0rg
- %4rg
- %8rg
- dwID
- GESTURECONFIG
- HKEY
- TOwnerDrawState
- Windows
- odComboBoxEdit
- odReserved2
- odReserved1
- odNoFocusRect
- odInactive\todNoAccel
- odHotLight
- odDisabled\todChecked\todFocused\todDefault
- odGrayed
- odSelected
- time
- lParam
- wParam
- message
- dsOffset
- dshSection
- dsBitfields
- tagDIBSECTIONT
- dmPanningHeight
- dmPanningWidth
- dmICCModel
- dmICCManufacturer
- dmDitherType
- dmMediaType
- dmICMIntent
- dmICMMethod
- dmDisplayFrequency
- dmDisplayFlags
- dmPelsHeight
- dmBitsPerPel
- dmLogPixels
- dmFormName
- dmCollate

- dmTTOption
- dmYResolution
- dmDuplex
- dmColor
- dmPrintQuality
- dmDefaultSource
- dmCopies
- dmScale
- dmPaperWidth
- dmPaperLength
- dmPaperSize
- dmOrientation
- dmFields
- dmDriverExtra
- dmSize
- dmDriverVersion
- dmSpecVersion
- dmDeviceName
- _devicemodeW
- PDeviceModeW
- tmCharSet
- tmPitchAndFamily
- tmStruckOut
- tmUnderlined
- tmItalic
- tmBreakChar
- tmDefaultChar
- tmLastChar
- tmDigitizedAspectY
- tmDigitizedAspectX
- tmOverhang
- tmWeight
- tmMaxCharWidth
- tmAveCharWidth
- tmExternalLeading
- tmInternalLeading
- tmDescent
- tmAscent
- tmHeight
- tagTEXTMETRICW<
- biClrImportant
- biClrUsed
- biYPelsPerMeter
- biXPelsPerMeter
- biSizeImage
- biCompression
- biBitCount
- biPlanes
- biHeight
- biWidth
- biSize
- tagBITMAPINFOHEADER(
- bmBitsPixel
- bmPlanes
- bmHeight
- tagBITMAP
- cAlternateFileName

- cFileName
- dwReserved1
- dwReserved0
- nFileSizeLow
- nFileSizeHigh
- ftLastWriteTime
- ftLastAccessTime
- ftCreationTime
- dwFileAttributes
- _WIN32_FIND_DATAWP
- dwHighDateTime
- dwLowDateTime
- _FILETIME
- bInheritHandle
- lpSecurityDescriptor
- _SECURITY_ATTRIBUTES
- PSecurityAttributes
- HPEN
- HPALETTE
- HMENU
- HICON
- HFONT
- HBITMAP
- HACCEL
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- Spare
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex
- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- Blink
- Flink
- PListEntry
- SVWU
- TSmallPoint
- tagSIZE
- BottomRight
- TopLeft
- Bottom
- Right
- Left
- TRect
- PRect
- TPoint
- u!SW
- ;B4u
- %4kg
- %8kg

- SVW3
- SVWU
- SVW3
- 8\\u;
- !f;4
- rTf;5
- SVW3
- 0123456789ABCDEF
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA
- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- USVW1
- SVWU
- SVWU
- SVW3
- t6SVW
- It4S
- SVWU
- uAJt
- SVWU
- t-P1
- SVWU
- N|.9
- It6S
- t!P1
- SVWU
- h_i@
- UhXi@
- UhBh@
- r6t0
- d$,1
- SVWU
- VWUUh<d@
- u\t@B
- SVWU
- VWUd
- SVW1
- 5J^@
- SVW1
- 2;0u
- $ZXu
- UhT[@
- SVW3
- UhIY@
- BkU'9
- E@|o

- @aQY
- SOV@
- SOV@
- 2_^[
- 5u}f
- YZXt5
- 2_^[
- w+9
- U6P@
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- SVWU
- YZXu
- SVWU
- rAF3
- |&B3;
- wt=0
- SVWU
- SVWU
- SVWU
- Unexpected Memory Leak
- UnicodeString
- AnsiString
- Unknown
- The sizes of unexpected leaked medium and large blocks are:
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
- Identifier
- Module
- TResStringRec
- PResStringRec
- Reserved
- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- Next
- TLibModule
- PLibModule
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfoL%@
- PTypeTable
- TTypeTable
- VUnicodeString
- VInt64
- VWideString
- VInterface

- VVariant
- VCurrency
- VAnsiString
- VPWideChar
- VWideChar
- VObject
- VPointer
- VExtended
- VChar
- VBoolean
- VType
- VInteger
- TVarRec
- RawData
- VUString
- VPointer
- VArray
- VAny
- VUInt64
- VInt64
- VLongWord
- VWord
- VByte
- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch
- VOleStr
- VDate
- VCurrency
- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- VType
- TVarData
- Bounds
- Data
- LockCount
- ElementSize
- Flags
- DimCount
- TVarArray
- PVarArrayd @
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TTime
- TDate
- TDateTime
- PVariantx
- PCurrency

- PExtendedd
- PInt64
- PByte
- PLongint
- TBoundArray
- PAnsiStringd
- RefCount
- TInterfacedObject
- Self
- NewInstance
- Self
- BeforeDestruction
- Self
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IDispatchL
- IEnumerableL
- IInterface
- TObject
- Self
- Destroy
- Self
- FreeInstance
- Self
- NewInstance
- Message
- Self
- DefaultHandler
- Message
- Self
- Dispatch
- Self
- BeforeDestruction
- Self
- AfterConstruction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException
- Self
- ToString
- Self
- GetHashCode
- Self
- Equals
- Self
- UnitName
- Self
- GetInterfaceTable
- Self
- GetInterfaceEntry
- Self
- GetInterface
- Name
- Self
- FieldAddress

- Name
- Self
- FieldAddress
- Address
- Self
- MethodName
- Name
- Self
- MethodAddress
- Name
- Self
- MethodAddress
- AClass
- Self
- InheritsFrom
- Self
- InstanceSize
- Self
- ClassInfo
- Self
- ClassParent
- Name
- Self
- ClassNameIs
- Self
- ClassName
- Self
- ClassType
- Self
- CleanupInstance
- Instance
- Self
- InitInstance
- Self
- Free
- Self
- Create
- TObject&
- Data
- Code
- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTable
- ImplGetter
- IOffset
- VTable
- TInterfaceEntry
- PInterfaceEntryL
- TGUID
- PGUID
- HRESULT
- OleVariant
- Variant
- AnsiString
- WideString

- True
- False
- LongBool
- True
- False
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- UInt64
- Int64
- Cardinal
- Pointer
- Word
- Byte
- Integer
- SmallInt
- ShortInt
- Char
- AnsiChar
- True
- False
- Boolean
- .nsp2
- .nsp1
- .nsp0
- This program must be run under Win32
- jjjjjjjj
- ()<>@,;:\\"/[]?=
- ()<>@,;:\\"/[]?=
- jjjjjjjj
- jjjjjj
- .sgml=text/sgml
- .sgm=text/sgml
- .shtml=server-parsed-html
- .html=text/html
- .htm=text/html
- .css=text/css
- .c=text/x-csrc
- .h=text/x-chdr
- .cxx=text/x-c++src
- .cpp=text/x-c++src
- .c++=text/x-c++src
- .hh=text/x-c++hdr
- .hxx=text/x-c++hdr
- .hpp=text/x-c++hdr
- .h++=text/x-c++hdr
- .p=text/x-pascal
- .wmlsc=application/vnd.wap.wmlscriptc
- .wmls=text/vnd.wap.wmlscript
- .wml=text/vnd.wap.wml
- .wbmp=image/vnd.wap.wbmp
- .rsml=application/vnd.rn-rsml
- .pkg=vnd.apple.installer+xml

- .mpkg=vnd.apple.installer+xml
- .wvx=video/x-ms-wvx
- .wmx=video/x-ms-wmx
- .wmv=video/x-ms-wmv
- .wmp=video/x-ms-wmp
- .wm=video/x-ms-wm
- .vcf=text/x-vcard
- .htc=text/x-component
- .htt=text/webviewhtml
- .rt=text/vnd.rn-realtext
- .wsc=text/scriptlet
- .rtx=text/richtext
- .xml=text/xml
- .rgb=image/x-rgb
- .psd=image/x-psd
- .svg=image/svg-xml
- .png=image/x-png
- csHPDesktop
- csHPPSMath
- csIBMSymbols
- IBM-Symbols
- csVIQR
- csMnem
- ebcdic-cp-tr
- cp-gr
- ebcdic-cp-ch
- ebcdic-cp-gr
- ebcdic-cp-fr
- ebcdic-cp-gb
- EBCDIC-CP-DK
- ebcdic-cp-nl
- ebcdic-cp-wt
- csDECMCS
- DEC-MCS
- csDKUS
- csUSDK
- NAPLPS
- jp-ocr-hand
- jp-ocr-b-add
- jp-ocr-b
- jjjj
- jjjjjjj
- jjjjj
- jjjj
- jjjjj
- jjjjjjj
- Fwpuclnt.dll
- MSWSOCK.DLL
- jjjjj
- %s, %.2d-%s-%.2d %s %s
- HH":"nn":"ss
- %s, %.2d %s %.4d %s %s
- HH":"nn":"ss
- h:mm AMPM
- h:mm:ss AMPM
- dddd, MMMM dd, yyyy
- M/d/yyyy

- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- %s (%s)
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- jjjj
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- WndProcPtr%.8X%.8X
- commdlg_help
- %s%s%s%s%s%s%s%s%s%s
- jjjjjj
- MS Shell Dlg 2
- jjjj
- .wmf
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- jjjj
- \\\\?\\UNC\\
- \\\\?\\
- jjjj
- jjjjjj
- jjjj
- %s_%d
- Strings
- %s[%d]

- jjjj
- jjjj
- String
- jjjj
- jjjj
- DVCLAL
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- jjjj
- jjjj
- jjjj
- jjjj
- yyyy
- yyyy
- yyyy
- MSH_SCROLL_LINES_MSG
- jjjj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW

-]_^[
- ^[Y]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- cw,f
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- Bf;tP
- ZYYd
-]_^[
- ZYYd
- _^[]
- Sd^[Y]
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- S`_^[]
- ZYYd
- SendCmd
- SendCmdf
- SendCmd
- FReplyClass
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- Sh^[
-]_^[
- YZ_^[
- ZYYd
- QQQQSV
- _^[Y]
- ZYYd
- _^[YY]

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- PortX`L
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QQQQSV
- QT_^
- QP_^[
- ZYYd
- ZYYd
- ZYYd
- HostX`L
- _^[]
- ZYYd
- QQQQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- h(jN

- QQQQQQQSVW
- ^[Y]
- ZYYd
- TIdReplyRFC
- TIdReplyRFC:
- ZYYd
- ZYYd
- ZYYd
- h-dN
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- SL^[YY]
- PortX`L
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- hpRN
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- hRNN
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- hTKN
- ZYYd
- ZYYd
- ZYYd
- [YY]
- _^[Y]
- h'GN
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- ;p ~
- ZYYd
- ZYYd
- h>BN
- ZYYd
- ZYYd
- hp?N
- ZYYd
- ZYYd
- ~@;}

- ZYYd
- ^[Y]
- h$;N
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- =(mf
- ZYYd
- VMsgEnd
- VMsgEnd
- ZYYd
- QD^[
- SX^[
- TBytes
- _^[YY]
- ZYYd
- ;{ |
- ;s }
- ZYYd
- ;X |
- +F q
-)s q
- ;s |
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- VBytes
- FBytes
- YZ]_^[
- Q,_^
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- FReplyTexts
- ZYYd
- !:P)t*
-]_^[
- _^[]
- ZYYd

- C)^[
- _^[Y]
- QSVW
- ZYYd
- ^[YY]
- ZYYd
- Sh^[
- C)_^[]
- C)_^[]
- ZYYd
- St_^[]
- Sh_^[]
- Sp_^[]
- Sl^[
- ZYYd
- ZYYd
- = mf
- ZYYd
- = mf
- ZYYd
- V@^[]
- SH^[]
- ZYYd
- string
- ftpTransfer
-]_^[
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
-]_^[
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- QQQQQSV
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- _^[]
- TTL@
- FTTL
- ZYYd
- hk{M
- ZYYd
- hvxM
- ZYYd
- ZYYd
- _^[]
- ZYYd

- ZYYd
- hdrM
- ZYYd
- _^[YY]
- ZYYd
- hrpM
- ZYYd
- $Th~f
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- PQVj
- h^mM
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- [YY]
- h*jM
- ZYYd
- ZYYd
- _^[]
- ZYYd
- h'hM
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h#dM
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- FFDSet
- _^[YY]
- _^[YY]
- _^[Y]
- QSVW

- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ^[Y]
- ^[Y]
- ~$Pj
- ^[Y]
- hgCM
- ZYYd
- ZYYd
- h&&M;
- ZYYd
- QQQQQS3
- hl#M
- ZYYd
- hH"M
- ZYYd
- h$!M
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- TFDSet
- ZYYd
- _^[Y]
- ZYYd
- Ff;|p
- QSVW
- ZYYd
- Cf;|X
- _^[YY]
- ZYYd
- VWVSj
- _^[YY]
- ZYYd
- VWVSj
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ^[Y]
- ZYYd
- ^[Y]
- YZ^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]

- ZYYd
- h<yL
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- h?pL
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- _^[YY]
- ^[Y]
- _^[Y]
- QSVW
- VBytes
- :P(t&
- Jt'Jt5
- Z_^[
- SVWQ
-]_^[
- YZ]_^[
- $Z]_^[
- h&FL;
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- SVWj
- <_^[
- ;~`t
- Y_^[Y]
- QSVW
- ^[Y]
- h <L
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- _^[]
- ZYYd
- CHYZ[
- ;CHt
- ;P\\t
- =Xhf

- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[]
- $Z]_^[
- $Z]_^[
-]_^[
- YZ]_^[
- $;D$
- @_^[
- tLj@j
- ZYYd
- =thf
- =thf
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- QSVW
- YZ^[
- _^[]
- st;P`u
- XD;PHu
- ZYYd
- Shp+L
- _^[]
- PSjH
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- PWj W
- f;sH
- ZYYd
- ZYYd
- YYY]
- _^[]
-]_^[

-]_^[
- C`;Clt
- Cd;Cpt
-]_^[
- ^[Y]
- CDVj
- ^[YY]
- ZYYd
- (_^[
- (_^[
- ZYYd
- _^[YY]
-]_^[
- ZYYd
- ^[Y]
- YYY]
- =\\hf
- =\\hf
- _^[]
- _^[YY]
- [YY]
- _^[Y]
- QSVW
- [YY]
- _^[Y]
- QSVW
- Rh^[
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- $Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- t=;]
- ZYYd
- @L;C
- @H;C
- Z_^[
- SVWQ
- ZYYd
- Rh^[
- _^[Y]
- ZYYd
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd

-]_^[
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- D$ P
-]_^[
- (]_^[
- I$ +
- L$,+L$$+NL
- T$(+T$ +VH
- L$,+L$$+NL
- $;D$
- ZYYd
-]_^[
- [YY]
- ZYYd
-]_^[
- Z]_^[
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- =`hf
- S0_^[]
- [YY]
- ZYYd
- ZYYd
- :^Yt
- :Sbt
-]_^[
- _^[YY]
- CH+F
- CL+F
-]_^[
- ^[Y]
- ZYYd
- ;BDt.
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd

- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- :P,t
- ;P(t
- C$^[
- ;p s
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- PhXrK
- PhxrK
- _^[Y]
- QSVW
- =lhf
- =phf
- =lhf
- hQqK
- ZYYd
- ZYYd
- Z_^[
- $"D$
- SVWQ
- HelpSystem@
- FHelpSystem
- string
- HintStr
- string
- HintStr
- HWND
- tagMSG
- tmShow
- FForms
- FFonts
- mdNull\tmdPrimary
- Width\\
- TForm,
- FRight
- TWMKey
- FStyle
- ssFlat
- $Z]_^[
- R4Z_^[

- SVWQ
- R4Z_^[
- SVWQf
- R4Z_^[
- SVWQ
- R4Z_^[
- SVWQ
- R4Z_^[
- $;Ctt?
- SVWQ
- R4]_^[
- R4]_^[
- :]ptF
- R4Z_^[
- $;Clt?
- SVWQ
- R4Z_^[
- $:Cjtc
- SVWQ
- _^[Y]
- ZYYd
- QSVW
- R4Z_^[
- SVWQ
- R4]_^[
- S`Z]_^[
- YZ]_^[
- F\\^[
- ^[YY]
- ^[Y]
- HintStr
- HintStr
- string
- HintStr
- _^[Y]
- ZYYd
- QSVW
- $;D$
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
-]_^[
- Sh]_^[
- :VDt
- ^[Y]
- ZYYd
- R$;C4|
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd

-]_^[
- ZYYd
- ZYYd
- ZYYd
- S4_^[]
- :^pt
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- RpPS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- s<VV
- Rp_^[
- :PFt
- ZYYd
- ZYYd
- _^[]
- FWidth
- ZYYd
- ZYYd
- !"#$%
- r.t:
- ^[YY]
- FNewComCtrls
- ttBranch
- ttGlyphClosed
- ttbThumbTicsVert
- ttbThumbTics
- ttbThumbRightHot
- ttbThumbHot
- ttbTrackVert
- ttbTrack
- ttBody
- tspProgList
- tsThumbBtnVertPressed
- tsThumbBtnVertHot
- tsThumbBtnHorzPressed
- tsThumbBtnHorzHot
- tpChunkVert
- tpChunk
- tlEmptyText
- ZYYd
- S<^[
- @R t
- YZ_^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd

- h$[J
- ZYYd
- ZYYd
- ;BTv
- ZYYd
- ZYYd
- hgWJ
- ZYYd
- ZYYd
- h(VJ
- ZYYd
- _^[Y]
- QSVW
- h$TJ
- ZYYd
- ZYYd
- ;P<t
-]_^[
- ZYYd
- VD+VL
- ND+H
- N@+H
- _^[YY]
- ZYYd
- Jt'Jt5
- R4]_^[
- R4]_^[
- R4]_^[
- hJFJ
- ZYYd
- YZ_^[
- =|Bg
- ZYYd
- h|BJ
- hLBJ
- h(BJ
- =|Bg
- s(^[
- C Z[
- =`Bg
- h>=J
- ZYYd
- BP_^[]
- ;BP|
- ;BT|
- YZ^[
- YZ^[
-]_^[
- ;pdt
- ^[YY]
- Y_^[]
- Q<_^
- YZ_^[
- G _^[
- t ;^dt
- Y^[]
- ZYYd

- ZYYd
- ZYYd
- ;Xdt
- [YY]
- ZYYd
- G Z_^[
- SVWQ
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- Y[YY]
- @]H,
- SX_^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- Y^[]
-]_^[
- tf;{
- _^[YY]
- G Vh
- FLVh
- ^dVh
- ^dVh
- Y^[]
- @]H,
- ZYYd
- Rd:B
- Rd:B
- ;Bdt+
- ZYYd
-]_^[
- Pd:J
- pd;s
- ;Xdt
-]_^[
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- _^[Y]
- QSVW
- f;Pxt
- _^[]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ;BL}
- ;BH}
- [YY]
- ZYYd
- ZYYd
- ZYYd

- =(Bg
- =(Bg
- ZYYd
- ZYYd
- ^[Y]
- [YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ()_^[
- ZYYd
- ZYYd
- QL^[
- _^[]
- ZYYd
- S<_^[]
- ^[YY]
- ZYYd
- YZ]_^[
- D_^[
- ^[Y]
- ZYYd
-]_^[
- FHPj
- YZ]_^[
- $Z^[
-]_^[
-]_^[
-]_^[
- ^[Y]
- ZYYd
-]_^[
- YZ]_^[
- Rh_^[
- PWVj
- YZ]_^[
- YZ]_^[
- Z]_^[
-]_^[
- ^[YY]
- ;XDt%
- _^[YY]
- Z]_^[
- Z]_^[
- YZ]_^[
- ;,$t
- ^YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- $Z_^[
- SVWQ

- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- QRPV
- ZYYd
- ZYYd
- ZYYd
- @HPj
- @HPj
- @HPj
- ZYYd
- CL@P
- ZYYd
- @HPj
- ZYYd
- ZYYd
- HDQR
- @P@t%
-]_^[
- ,;=<Bg
- ZYYd
- $+C@
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ^YY]
- ZYYd
- YZ_^[
- ZYYd
- [YY]
- _^[Y]
- QSVW
- ZYYd
- GR t
- @t!j
- _^[Y]
- ZYYd
- C$_^[
- C$PV
- C$PVj
- C$PV
- C$PV

- Z]_^[
-]_^[
- YZ]_^[
- YZ_^[
- ZYYd
- ZYYd
- +WH+W@
- ZYYd
- ZYYd
- ZYYd
- @HPj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ^[YY]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ^[YY]
- ZYYd
- C ^[
- ZYYd
- YZ_^[
-]_^[
- ^[YY]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- +BLP
- Z_^[
- SVWQ
- ;Blt'
- ;SL~
- ;SL}
- ;SH~
- ;SH}
- YZ_^
-]_^[
- ^[YY]
- C`^[
- tPHt
- @]H,
- YZ^[
- Z_^[
- SVWQ
- $_^[
- ZYYd
-]_^[
- =HBg
- ZYYd
- PSWV

-]_^[
-]_^[
- =@Bg
- [YY]
- ZYYd
- KHQRP
- CP@t-
- ZYYd
- FHPj
- F@PS
- f;Pxt
- :Pbt
- :P\\t
- ;Slt@
- :P[t
- ^[Y]
- ZYYd
- :PZt
- Rh_^[
- :_Yt&
- ;s4t=;
- CL+D$
- CH+D$
- _^[YY]
- ZYYd
- GP t;
- V:P^t
-]_^[
- =DBg
- YZ_^[
-]_^[
-]_^[
- YZ_^[
- ZYYd
- YZ^[
- YZ^[
- Qx_^[
- ZYYd
- FHPR
- YZ]_^[
- _^[]
- ;FLt_3
- ty;^@u
- RhZ_^[
- SVWQ
- ;FLt&
- $:Fc
- YZ]_^[
- Qx^[
- ^[Y]
- Qt^[
- :BYt
- ;B|t
- Z:Pjt
- ZYYd
- ZYYd
- t%Jt?Jt[

- sX^[
- ;sXt
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
-]_^[
- YZ]_^[
- =DBg
- =pBg
- ZYYd
- =pBg
- ZYYd
- =pBg
- ZYYd
- =pBg
- =dBg
- =`Bg
- =`Bg
- =`Bg
- =`Bg
- =DBg
- =`Bg
- ZYYd
- ZYYd
- =@Bg
- ZYYd
- =@Bg
- =@Bg
- YZ_^[
- =`Bg
- =dBg
- =\\Bg
- hPBg
- =DBg
- =`Bg
- =dBg
- =DBg
- =DBg
- =`Bg
- =dBg
- =`Bg
- =`Bg
- _^[Y]
- ;B@t@
- =`Bg
- =hBg
- =hBg
- ^[Y]
- S$_^[]
- _^Y]
- C@^[
- _^[Y]
- ZYYd

- QSVW
- =@Bg
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
-]_^[
- ZYYd
- ZYYd
- YZ^[
- F@PS
- ="Bg
- @tgj
- FStyle
- bhsStandard
- FShiftBy
- FOldWndProc
- FBrush
- ScrollBy
- FDefWndProc
- FCtl3D
- FBrush
- bkFlat
- bkSoft
- Scratch
- LRDockWidth
- FOnDblClick
- FLRDockWidth
- FWidth
- XzH
- FRight
- sfFont
- sfWidth
- sfLeft
- dkDock
- dkDrag
- mbRight
- mbLeft
- FBrush
- HintStr
- ZYYd
- ZYYd
- ZYYd
- H|BC
-]_^[
-]_^[
- PdYZ_^
- YZ]_^[
- Shl^H
- ZYYd
- ZYYd
- hbcH
- ZYYd
- ZYYd
- ZYYd
- h\tbH
- ZYYd

- _^[Y]
- ZYYd
- QSVW
- _^[]
- _^[Y]
- QSVW
- :Pdt
- _^[Y]
- QSVW
- ZYYd
- hsWH
- ZYYd
- :P@t
- }\t;]
- ZYYd
- hjTH
- ZYYd
- h?TH
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- "hxQH
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
- :P;t
- ZYYd
- ZYYd
- ZYYd
- _^[]
- :S=t
- Q@^[
- Q@_^[
- Q@]_^[
- @?:F?v
- C\\;h
- Q@]_^[
- :]:tJ
- ^[Y]
- ;P@t
- :P>t
- f;P`t
- Q@_^[
- P?:S?u
- Q@^[
- :PHt
- ZYYd
- ZYYd
- Y_^[
- _^[Y]

- hN.H
- ZYYd
- hv*H
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ShL\tH
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q@]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- GPPSj
- ^[Y]
- pT^[
- ;B@t
- :B>t
- f;B`t
- ;B@t
- ;BTt
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- SVh@
- StdActns
- ZYYd
- =$cf
- _^Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- |$(j
- |$0+|$(
- t$,+t$$
- _^[Y]
- QSVWf
- ^[YY]
- ZYYd
- ZYYd
- j j
- QxWj
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ;Ppt!
- ;P`t!
- F\\Z^
- F\\f;
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;P$t
- ^[YY]
- ZYYd
- C _^[
- ZYYd
- :P$t
- @\\ t
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- tn;S
- ZYYd
- tn;S
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- FFlags
- TextWStr
- FTextWStr
- tcbRetry
- tcbYes
- FDefWndProc
- FCtl3D
- ZYYd
- hdwG
- ZYYd
- ZYYd
- YZ^[
- ^[YY]
- ZYYd
- $YZ[
- $YZ[
- YZ_^[
- YZ^[
- [YY]
- h@pG
- ZYYd

- [YY]
- ZYYd
- ^[Y]
- hckG
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h(hG
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h~fG
- ZYYd
- ZYYd
- hkdG
- ZYYd
- ZYYd
- hdcG
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- YZ_^[
- <$Gtlj
- ZYYd
- YZ]_^[
- <$GtKj
- SVWP
- ZYYd
- ComCtrls
- Strings
- ZYYd
- ZYYd
-]_^[
- f;D$
- _^[YY]
- ZYYd
- ZYYd
- PjHV
- ZYYd
- _^[]
- ComCtrlsG
- ComCtrls
- Length
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls
- ComCtrls

- ComCtrls
- ZYYd
- @HPV
- ZYYd
- ZYYd
- :PHt
- ZYYd
- _^[Y]
- ZYYd
- QSVW
-]_^[
- ;CL|
- ;CH|
- ZYYd
- ZYYd
- _^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- Sh^[
- ExtCtrls
- ExtCtrls
- Stretch
- ExtCtrls$
- FStretch
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- %$tg
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- C$Pj
- C$Pj
- _^[Y]
- QSVW
- ZYYd
- _^[YY]
- ZYYd

- s@;F
- ^[YY]
- ZYYd
- _^[]
- Fonts\\
- FFonts
- _^[YY]
- _^[
- ZYYd
- ^[YY]
- ZYYd
- ;BL~
- (_^[
- t@@t#
- ^[Y]
- Jt!Jt,
- ZYYd
- C(^[
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- SVWP
- D$ P
- D$ P
- D$ P
- ZYYd
- *t j
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- YZ^[
- $YZ[
- _^[Y]
- ZYYd
- ZYYd
- _^[
- CL+D$
- CL+D$
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- StdCtrls
- StdCtrls9
- StdCtrls
- FStyle
- StdCtrls
- StdCtrls
- StdCtrls
- FRight
- StdCtrls
- StdCtrls

- StdCtrls
- StdCtrls@
- StdCtrls
- FScrollBars
- StdCtrls
- ssBoth
- TScrollStyle
- StdCtrls
- StdCtrls
- StdCtrls,
- StdCtrls
- string
- TFNDrawText
- StdCtrls
- StdCtrls
- ZYYd
-]_^[
- _^[]
-]_^[
- _^[YY]
- ^[YY]
- (]_^[
- L$ f
- t$$C
-]_^[
- (_^[
- ;<$~
- (]_^[
- L$$t^
- D$ f
- Z]_^[
- Z]_^[
-]_^[
-]_^[
- S@+CD
- S@;T$
- C(+D$
- KD+L$
- SD;T$
- ;CDs
- J#T$
- ;sHr
- D$ @t
- D$!+
- T$%+
- L$%#T$
- T$!;
- H#D$
- J#T$
- ;sHr
- D$ @t
- D$ t
- D$!+
- T$%+
- L$%#T$
- T$!;
- H#D$

- Kd;Kh
- D$(f
- T$"f
- D$!;
- T$!;
- H#D$
- Sh;S\\r
- t^;|$
- P(;S@v
- P ;S@v
- +D$(
- D$(;C$v
- Z_^[
- S,;S(s
- SVWQ
- ^[Y]
- D_^[
- !T$(
-)D$,
- J#T$(
- J#T$(
- L$ +
- t$ +
- T$$J;D$ v0
- +t$;
- L$ +
- `;t$ v?
- T$$J
- l$()t$,
- #T$(
- ;t$,v
- ;t$,v:
- l$()t$,
- L$(#L$<
- l$()t$,
- J#T$(
- t:;t$,v
- l$()t$,
- D$(#D$8
- YZ_^[
- Kl+K\\
- Kl+K\\
- Kl+K\\
- Kl;L$
- SxJ)St
- f+Cd
- Kl+Kp
- Sl#S4f
- Z_^[
- Kl+K\\
- Kl+K\\
- S`)St
- f+Cp
- Sl#S4f
- SVWQ
- Kl+K\\
- Kl+K\\

- Kl+K\\
- Z]_^[
- $;4$w\tf
- $;4$w\tf
-)sp)sl)k\\
- ;ClwpV
- {<+{t+{l
- $;\\$
- $#\\$
- >:\\$
- Xt;\\$
- Z]_^[
-]_^[
- ;S w
- Z]_^[
- YZ]_^[
- Z]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @,Pj
- VW:P<
- C=PV
- Sh_^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- QSVW
- ZYYd
- XZRP
- ZYYd
-]_^[
- ZYYd
- C,PV
- C,Pj
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- R$Pj

- R$Pj
- R$Pj
- T_^[
- |$ T
- ;x t9VW
- C(;p
- ZYYd
-]_^[
- T$$f
- D$*Ph
- ZYYd
- ZYYd
- FqPj
- C(;x
- T_^[
- D$&f;
- D$$f
- H(;Q
- T]_^[
- WqRj
- WqRj
- t\t;G
- ZYYd
- PjTW
- s(;~
- d_^[
- <$BMt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- PjTS
-]_^[
- ZYYd
- @qPj
- ZYYd
- R$HP
-]_^[
-]_^[
-]_^[
- C,^[
- C,^[
- t%;C
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- T_^[
- ZYYd
- @qPj
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- PjTS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- d_^[
- D$LPkD$XdPW
- D$HPkD$TdPV
- sTjdR
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV
- ?TjdR
- P ;p
- C(f;p
- D$LPkD$XdPV
- ?TjdR
- T$$+T$
- T$ +T$
- TjdV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- ZYYd
- ZYYd

- _^[YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- S []
- Q`^[
- Q_^
- _^[Y]
- ZYYd
- QSVW
-]_^[
- _^[YY]
- ZYYd
-]_^[
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- QQQQQQSV
- :P!t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ~\t;]
- ZYYd
- ZYYd
- ZYYd
- $Z_^[
- SVWQ
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- E$PVSj
- PVSj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^<Z^[

- YZ^[
- C<^[
- R$_^[]
- Q,WV
- S\\YZ_^[
- ^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- YZ^[
- R$_^[
- R$_^[]
- R$_^[]
- R$_^[
- Q,GWV
- R$_^[
- Q,GWV
- R$_^[
- Q,GWV
- R$_^[
- Q,GWV
- R$_^[]
- R$_^[
- Q,WV
- R$^[
- R$_^[]
- R$^[
- R$_^[]
- R$^[
- R$_^[
- R$_^[
- R$_^[Y]
- QSVW
- R$_^[]
- ZYYd
- ZYYd
- ZYYd
- R$_^[]
- ZYYd
- $YZ^[
- YZ^[
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- tdTj
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- Pj\\V
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- FWidth
- wifPng
- wifBmp
- bmDDB
- MMWidth
- FWidth
- string
- StretchDraw
- FBrush
- TryLock
- StretchDraw
- tfRight
- tfLeft
- TBrush
- TBrush&
- TFont(
- TFont&
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- ZYYd
- Z]_^[
- _^[Y]
- ZYYd
- QSVW
- YZ^[
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Strings
- Strings
- rdString
- ZYYd
- ZYYd
- PRQh
- PVhB

- >(r[j
- >(r[j
- >(r[j
- _^[]
- _^[]
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- :SVW
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- Contnrs
- TStack\\{D
- TStack
- Contnrs
- Contnrs
- PRQh
- PRQh
- ZYYd
- hDsD
- hXrD
- h rD
- h`qD
- h|pD
- h\\pD
- h@pD
- h$pD
- hpnD

- h<nD
- hXmD
- h<mD
- ZYYd
- PRQh
- PRQh
- PRQh
- PRQh
- hlfD
- h@fD
- ZYYd
- ZYYd
- ZYYd
- hMcD
- ZYYd
- Z]_^[
- hdbD
- ZYYd
- _^[]
- ^[Y]
- _^[]
- PWVS
- tGWh
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- SyncObjs
- FTicks
- hqTD
- ZYYd
-]_^[
- S\t_^[]
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[

- R4_^[]
- ;CDt:
- _^[]
- ZYYd
- Z]_^[
- YZ_^[
-]_^[
- hLDD
- ZYYd
- S _^[
- _^[Y]
- QSVW
- Z]_^[
-]_^[
-]_^[
- _^[YY]
- ZYYd
- _^[]
- h|?g
- ZYYd
- h|?g
- ZYYd
- h|?g
- ZYYd
- h|?g
- ZYYd
- tEh|?g
- h|?g
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- h|?g
- ZYYd
- ZYYd
- h|?g
- ZYYd
- ZYYd
- h|?g
- h|?g
- _^[YY]
- ZYYd
- h|?g
- =d?g
- h|?g
- ^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]

- ZYYd
- B^*L
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hx%D
- ZYYd
- ZYYd
- ZYYd
- QQQQQS3
- _^[Y]
- hT"D
- ZYYd
- h=!D
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;B t
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- YZ_^[
- ZYYd
- QQQQQQQS
- B^*L
- ZYYd

- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
-]_^[

- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- $YZ_^[
- ZYYd
- _^[YY]
- ZYYd
- =x?g
- ZYYd
- =x?g
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
- _^[YY]
- ZYYd
-]_^[
- ~,;{
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- :S*t
- ^(^[
- :^(t
- s$^[
- ;s$t
- ;s |
- ;s r
- ;s r
- _^[]
- C ;C$u
- _^[]
- ;s ~
- Sd^[
- $Z^[
- ;s r
- ;s r
-]_^[
- ;{ |
- ;s |

- ;s |
- $Z]_^[
- S<^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQSVW
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- [YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd

- _^[Y]
- ZYYd
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- _^[Y]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- tq;s
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- =`?g
- =t?g
- =t?g
- =t?g
- _^[YY]
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd

- [YY]
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
-]_^[
- S<_^[
- hM{C
- ZYYd
- $Z]_^[
- _^[Y]
- hRzC
- ZYYd
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- _^[]
- _^[]
- FVCLComObject
- string
- string
- string
- string
- string
- string
- string
- string
- string
- string
- grfStatFlag
- statstg
- FBytes
- Rights
- TStringList
- TStringList&
- FString
- TStrings
- Strings
- Strings
- TStrings'
- FStrings
- TBits'

- TList'
- string
- TGetStrProc
- ssRight
- ssLeft
- ssCtrl
- ssShift
- ZYYd
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- YZ_^[
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ^_QR
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- __^[
- SVWj
- ^[Y]
- ZYYd
- __^[
- SVWj
- R@Pj
- R@Pj
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]

- QSVW
- ^[Y]
- ZYYd
- tkWChar\ttkLString\ttkWString\ttkVariant
- tkClass
- tkString
- tkChar
- ZYYd
- h<?g
- ZYYd
- h<?g
- ZYYd
- h<?g
- _^[Y]
- h<?g
- ZYYd
- t~h<?g
- QSVW
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW
- PStr
- BStr
- TStringDesc
- h<?g
- ZYYd
- h<?g
- ZYYd
- h<?g
- ZYYd
- h<?g
- Z]_^[
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- h<?g
- ZYYd
- h<?g
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- Z]_^[
- $YZ]_^[
-]_^[]
- CSRP
- ZYYd
- ZYYd
- $Z^[
- $Z^[
- $YZ[
- SVWf
- _^[
- ^[Y]

- ZYYd
- t\tf=
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- [YY]
- ZYYd
- Jt[J
- hNvB
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- r!t2Ht[
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- FSVQ
- hymB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hp^B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- hC)B
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- hz"B
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- t?Htb
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ^[Y]
- _^[Y]
- ZYYd

- ZYYd
- _^[Y]
- ZYYd
- QSVW
-]_^[
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQSVW
- _^[Y]
- QSVW
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- ;G$t@
- SVWQ
- YZ]_^[
- H;D$
- (Z]_^[
- Z]_^[
- Z]_^[
-]_^[
- ZYYd
-]_^[
-]_^[
- ZYYd
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t(Ht

- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- [YY]
- ^[YY]
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- $Z]_^[
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;|P
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- t,HtYH
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t%HtlHtm
- ZYYd
- ZYYd

- ZYYd
- @YY]
- $YZ_^[
- _^[YY]
- f;\\F
- 'w~f
- _^[YY]
- ^YY]
- <sGf
- [YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- tlf
- t(f="
- t[f
- tBf=;
- t>f="
- t>f='
- t+f
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[[
- _^[[
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[YY]
- WVS
- YZ_^[
- YZ_^
- ^[Y]
- ZYYd
- $Z]_^[
-]_^[
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- H~!f
- YZ^[
- C #C
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS

- SVWQ
- @w(j
- _^[YY]
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
-]_^[
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- TMBCSEncoding
- TMBCSEncoding&
- TBytes
- t\tf;J
- tJf;J
-]_^[
- ZYYd
- _^[Y]
- QSVW
- %Dsg
- %Hsg
- %Lsg
- %Psg
- %Tsg
- %Xsg
- %\\sg
- %`sg
- %dsg
- %hsg
- %lsg
- %psg
- %tsg
- %xsg
- %|sg
- % sg
- %$sg
- %(sg
- %,sg

- %<sg
- %<sg
- dwType
- tagSTATSTGH
- dwFlags
- SQRP
- SQRP
- _^[]
- ZYYd
- PWVS
- TWMKey
- PRQh
- PRQh
- PRQh
- _^[YY]
- _^[Y]
- QSVW
- % lg
- %$lg
- %(lg
- %,lg
- %<lg
- %@lg
- %@lg
- %@lg
- %Dlg
- %Hlg
- %Llg
- %Plg
- %Tlg
- %Xlg
- %\\lg
- %`lg
- %`lg
- %dlg
- %hlg
- %llg
- %plg
- %tlg
- %xlg
- %|lg
- PRQh
- % mg
- %$mg
- %(mg
- %,mg
- %<mg
- %Dmg
- %@mg
- %Hmg
- %Lmg
- %Lmg
- %Pmg
- %Tmg
- %Xmg
- %\\mg
- %`mg

- %`mg
- %dmg
- %hmg
- %lmg
- %lmg
- %pmg
- %pmg
- %tmg
- %xmg
- %|mg
- % ng
- %$ng
- %(ng
- %,ng
- %<ng
- %@ng
- %Dng
- %Hng
- %Lng
- %Png
- %Tng
- %Xng
- %Xng
- %\\ng
- %`ng
- %dng
- %hng
- %lng
- %png
- %xng
- %tng
- %xng
- %|ng
- % pg
- %$pg
- %(pg
- %,pg
- %<pg
- %@pg
- %Dpg
- %Hpg
- %Lpg
- %Ppg
- %Tpg
- %Xpg
- %\\pg
- %`pg
- %dpg
- %hpg
- %lpg
- %ppg
- %tpg
- %xpg
- %|pg
- % qg
- %$qg
- %(qg

- %,qg
- %<qg
- %@qg
- %Dqg
- %Hqg
- %Lqg
- %Pqg
- %Tqg
- %Xqg
- %\\qg
- %`qg
- %dqg
- %hqg
- %lqg
- %pqg
- %tqg
- %xqg
- %|qg
- ^[Y]
- ZYYd
- % rg
- %$rg
- %(rg
- %,rg
- %<rg
- %@rg
- %Drg
- %Drg
- %Hrg
- %Lrg
- %Prg
- %Trg
- %Xrg
- %\\rg
- %`rg
- %drg
- %hrg
- %lrg
- %prg
- %trg
- %xrg
- %|rg
- dwBlock
- dwWant
- hwnd
- tagMSG
- dsBmih
- dsBm
- dmPelsWidth
- tmFirstChar
- bmBits
- bmWidthBytes
- bmWidth
- bmType
- nLength
- HBRUSH
- HWND

- PRTLCriticalSectionDebugh
- PRTLCriticalSectionH
- _LIST_ENTRY
- $]_^[
- ZYYd
- _^[]
- %<kg
- %@kg
- %Dkg
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[]
- vKVS
- _^[]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- PjZS
- ZYYd
- ,tfBHu
- QQQQSV
- ZYYd
- tNh`
- sr-Cyrl-ME
- sr-Cyrl-RS
- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh
- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb

- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- t ;s
- ZYYd
- _^[]
- ZYYd
- ZYYd
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- ZYYd
- Jx f
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- XZ_^[X]X
- SVWRP
- X_^[
- ;_^[
- ZYYd
- t f;J
- t-Rf;
- t!R:
- ;_^[
- ~\tKf
- Z_^[
- SVWQ
- Jx f
- t:SVW
- YZ]_^[
- Z^[X
- SVRP
- YZ]_^[
- t f;H
- t f;J
- t-Rf;
- t!R:
- _^[Y]
- ZYYd
- ;]_^[
- tGJ|<9
- X_^[

- @@@Y)
- t f;J
- t-Rf;
- t!R:
- _^[YY]
- ;_^[]
- _^[Y]
- QSVW
-]_^[
- hLk@
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- PhRg@
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPR
-]_^[
-]_^[
- ZYYd
- SPRQ
- Phhc@
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[Y]
- QSVW
- R@Pj
- h[[@
- ZYYd
- [YY]
- hPY@
- ZYYd
- @v:k
-
- YX_^
- ~]x[])
- XtPf
- xtVf
- Xthf
- xtnf
- $ttf
- +trf
- -tvf
- SVWQ

- w)f%
- r/f=
- F TK@
- F$PK@
- F PK@
- Ht Ht.
- ,$YXZ
-]_^[
-]_^[
- t!Ht:
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- L\t W
-]_^[
- $]_^[
-]_^[
- bytes:
- %Hkg
- %Lkg
- %Pkg
- %Tkg
- %Xkg
- %\\kg
- %`kg
- %dkg
- %hkg
- %lkg
- %pkg
- %tkg
- %xkg
- %$kg
- %|kg
- %(kg
- %,kg
- VClass
- VPChar
- VString
- VBytes
- VWords
- VLongs
- VString
- System
- PShortString
- System
- System
- System
- System
- System
- TClass(
- string
- System
- System
- ShortString

- System